The Global Lung Initiative 2012 reference values reflect contemporary Australasian spirometry

DOI: 10.1111/j.1440-1843.2012.02232.x
Respirology, 2012, 17, 1150-1.

#	Paper	IF	Citations
83	Year in review 2012: acute lung injury, interstitial lung diseases, sleep and physiology. *Respirology*, **2013**, 18, 555-64	3.6	8
82	The recent multi-ethnic global lung initiative 2012 (GLI2012) reference values don't reflect contemporary adult's North African spirometry. *Respiratory Medicine*, **2013**, 107, 2000-8	4.6	61
81	Applicability of the global lung function spirometry equations in contemporary multiethnic children. *American Journal of Respiratory and Critical Care Medicine*, **2013**, 188, 515-6	10.2	26
80	Effects of adopting the new global lung function initiative 2012 reference equations on the interpretation of spirometry. *Respiration*, **2013**, 86, 183-9	3.7	29
79	Vitamin D deficiency at 16 to 20 weeks' gestation is associated with impaired lung function and asthma at 6 years of age. *Annals of the American Thoracic Society*, **2014**, 11, 571-7	4.7	87
78	Estimating population prevalence of potential airflow obstruction using different spirometric criteria: a pooled cross-sectional analysis of persons aged 40-95 years in England and Wales. *BMJ Open*, **2014**, 4, e005685	3	12
77	Interpretative consequences of adopting the Global Lungs 2012 reference equations for spirometry for children and adolescents. *Pediatric Pulmonology*, **2014**, 49, 118-25	3.5	38
76	Lung function testing in children: importance of race and ethnic-specific reference equations. *Expert Review of Respiratory Medicine*, **2014**, 8, 527-31	3.8	7
75	Evaluation of the global lung function initiative 2012 reference values for spirometry in a Swedish population sample. *BMC Pulmonary Medicine*, **2015**, 15, 26	3.5	45
74	Defining the appropriate waiting time between multiple-breath nitrogen washout measurements. *European Respiratory Journal*, **2015**, 45, 1489-91	13.6	5
73	Secular changes in relative leg length confound height-based spirometric reference values. *Chest*, **2015**, 147, 792-797	5.3	27
72	Lung function in children in relation to ethnicity, physique and socioeconomic factors. *European Respiratory Journal*, **2015**, 46, 1662-71	13.6	19
71	Rationale, design and methods for the 22 year follow-up of the Western Australian Pregnancy Cohort (Raine) Study. *BMC Public Health*, **2015**, 15, 663	4.1	33
70	Effect of changing from the National Health and Nutritional Examination Survey III spirometry reference range to that of the Global Lung Initiative 2012 at Gold Coast Hospital and Health Service. *Journal of Thoracic Disease*, **2016**, 8, 3739-3743	2.6	3
69	Age Dependency of GLI Reference Values Compared with Paediatric Lung Function Data in Two German Studies (GINIplus and LUNOKID). *PLoS ONE*, **2016**, 11, e0159678	3.7	9
68	Global Lung Function Initiative 2012 reference equations for spirometry in the Norwegian population. *European Respiratory Journal*, **2016**, 48, 1602-1611	13.6	32
67	Do the Global Lung Function Initiative 2012 equations fit my population?. *European Respiratory Journal*, **2016**, 48, 1782-1785	13.6	15

66	Inclusion of children with airway disease for the development of spirometry reference data. *European Respiratory Journal*, **2016**, 47, 1290-2	13.6	3
65	Natural variability of lung function in young healthy school children. *European Respiratory Journal*, **2016**, 48, 411-9	13.6	10
64	Reference values for spirometry and their use in test interpretation: A Position Statement from the Australian and New Zealand Society of Respiratory Science. *Respirology*, **2016**, 21, 1201-9	3.6	21
63	Spirometry Reference Equations for Indian Children: Create Local or Go Global?. *Indian Pediatrics*, **2016**, 53, 779-780	1.2	
62	Reference values of spirometry for Finnish adults. *Clinical Physiology and Functional Imaging*, **2016**, 36, 346-58	2.4	32
61	Childhood Lung Function Predicts Adult Chronic Obstructive Pulmonary Disease and Asthma-Chronic Obstructive Pulmonary Disease Overlap Syndrome. *American Journal of Respiratory and Critical Care Medicine*, **2017**, 196, 39-46	10.2	81
60	Mannitol challenge testing for asthma in a community cohort of young adults. *Respirology*, **2017**, 22, 678-683	3.6	5
59	Global Lung Function Initiative 2012 reference values for spirometry in South Italian children. *Respiratory Medicine*, **2017**, 131, 11-17	4.6	11
58	Early smoke exposure is associated with asthma and lung function deficits in adolescents. *Journal of Asthma*, **2017**, 54, 662-669	1.9	17
57	The Global Lung Function Initiative 2012 Equations Are as Well-Suited as Local Population Derived Equations to a Sample of Healthy Professional Firefighters. *Canadian Respiratory Journal*, **2017**, 2017, 6327180	2.1	1
56	Reference values for spirometry in Chinese aged 4-80 years. *Journal of Thoracic Disease*, **2017**, 9, 4538-4549	2.6	38
55	Childhood predictors of lung function trajectories and future COPD risk: a prospective cohort study from the first to the sixth decade of life. *Lancet Respiratory Medicine,the*, **2018**, 6, 535-544	35.1	205
54	The association between Staphylococcus aureus and subsequent bronchiectasis in children with cystic fibrosis. *Journal of Cystic Fibrosis*, **2018**, 17, 462-469	4.1	18
53	Validation of Global Lung Function Initiative and All Ages Reference Equations for Forced Spirometry in Healthy Spanish Preschoolers. *Archivos De Bronconeumologia*, **2018**, 54, 24-30	0.7	2
52	Reference values for spirometry in elderly individuals: a cross-sectional study of different reference equations. *Multidisciplinary Respiratory Medicine*, **2018**, 13, 4	3	3
51	The Differences in Spirometry Predictive Equations in Classifying Presence and Degree of Lung Function Impairment: Which Suit Fits the Best?. *Lung*, **2018**, 196, 87-92	2.9	3
50	Validation of Global Lung Function Initiative and All Ages Reference Equations for Forced Spirometry in Healthy Spanish Preschoolers. *Archivos De Bronconeumologia*, **2018**, 54, 24-30	0.7	7
49	Reference values for lung function screening in 10- to 81-year-old, healthy, never-smoking residents of Southeast China. *Medicine (United States)*, **2018**, 97, e11904	1.8	12

48	Special Considerations for Pediatric Patients. *Respiratory Medicine*, **2018**, 249-269	0.2	1
47	Increased prevalence of expiratory flow limitation during exercise in children with bronchopulmonary dysplasia. *ERJ Open Research*, **2018**, 4,	3.5	6
46	The multi-ethnic global lung initiative 2012 (GLI-2012) norms reflect contemporary adult Algerian spirometry. *PLoS ONE*, **2018**, 13, e0203023	3.7	6
45	Collating Spirometry reference values in Asian children and Adolescents; puzzle out the reasons for variations. *Pakistan Journal of Medical Sciences*, **2018**, 34, 487-492	2	2
44	Lung function trajectories using different reference equations in a birth cohort study up to the age of 20 years. *European Respiratory Journal*, **2018**, 52,	13.6	1
43	Global lung function initiative 2012 reference values for spirometry in Asian Americans. *BMC Pulmonary Medicine*, **2018**, 18, 95	3.5	3
42	Predicting spirometry readings using cough sound features and regression. *Physiological Measurement*, **2018**, 39, 095001	2.9	13
41	Global Lung Initiative 2012 spirometry reference values in a large Asian cohort of Malay, Chinese and Indian ancestry. *Respirology*, **2018**, 23, 1173-1179	3.6	6
40	Substantial variation exists in spirometry interpretation practices for airflow obstruction in accredited lung function laboratories across Australia and New Zealand. *Internal Medicine Journal*, **2019**, 49, 41-47	1.6	4
39	New insights in respiratory impedance in young children after repair of congenital diaphragmatic hernia: a cross-sectional study. *Italian Journal of Pediatrics*, **2019**, 45, 82	3.2	0
38	Bronchodilator responsiveness in children with asthma is not influenced by spacer device selection. *Pediatric Pulmonology*, **2019**, 54, 531-536	3.5	4
37	Do the global lung function initiative reference equations reflect a sample of adult Middle Eastern population?. *Clinical Respiratory Journal*, **2019**, 13, 429-437	1.7	4
36	Global Lung Initiative spirometry references in healthy 3-15-year-old French children. *ERJ Open Research*, **2019**, 5,	3.5	0
35	Lung function: population epidemiology and concordance in Australian children aged 11-12 years and their parents. *BMJ Open*, **2019**, 9, 53-62	3	6
34	Interaction of Glutathione S-Transferase M1, T1, and P1 Genes With Early Life Tobacco Smoke Exposure on Lung Function in Adolescents. *Chest*, **2019**, 155, 94-102	5.3	8
33	Global Lung Function Initiative-2012 other/mixed spirometry reference equation provides the best overall fit for Australian Aboriginal and/or Torres Strait Islander children and young adults. *Respirology*, **2020**, 25, 281-288	3.6	10
32	Early-Life Exposure to Oral Antibiotics and Lung Function Into Early Adulthood. *Chest*, **2020**, 157, 334-344	5.3	1
31	Lung function parameters among Australian Aboriginal apparently healthy adults: an Australian Caucasian and Global Lung Function Initiative (GLI-2012) various ethnic norms comparative study. *Expert Review of Respiratory Medicine*, **2021**, 15, 833-843	3.8	7

30	ERS International Congress, Madrid, 2019: highlights from the Allied Respiratory ProfessionalsT Assembly. *ERJ Open Research*, **2020**, 6,	3.5	1
29	Association between diesel engine exhaust exposure and lung function in Australian gold miners. *International Journal of Hygiene and Environmental Health*, **2020**, 226, 113507	6.9	3
28	Early life acetaminophen exposure, glutathione S-transferase genes, and development of adolescent asthma in a high-risk birth cohort. *Journal of Allergy and Clinical Immunology*, **2020**, 146, 1035-1044.e12	11.5	5
27	Exposure to household air pollution over 10 years is related to asthma and lung function decline. *European Respiratory Journal*, **2021**, 57,	13.6	6
26	The applicability of the global lung initiative equations and other regional equations on a sample of healthy Middle Eastern adolescents. *Clinical Respiratory Journal*, **2021**, 15, 482-490	1.7	2
25	Airway obstruction can be better predicted using Global Lung Function Initiative spirometry reference equations in Marfan syndrome. *Physiology International*, **2021**,	1.5	
24	Comparison of diffusing capacity of carbon monoxide (DLCO) and total lung capacity (TLC) between Indigenous Australians and Australian Caucasian adults. *PLoS ONE*, **2021**, 16, e0248900	3.7	8
23	Prevalence of chronic obstructive pulmonary disease with breathlessness in Australia: weighted using the 2016 Australian census. *Internal Medicine Journal*, **2021**, 51, 784-787	1.6	0
22	Racial/ethnic-based spirometry reference equations: Are they accurate for admixed populations?.		
21	Critical analysis of spirometric patterns in correlation to chest computed tomography among adult Indigenous Australians with chronic airway diseases. *Expert Review of Respiratory Medicine*, **2021**, 15, 1229-1238	3.8	5
20	Reference equations for spirometry in healthy Asian children aged 5 to 18 years in Taiwan. *World Allergy Organization Journal*, **2019**, 12, 100074	5.2	7
19	Applicability of the Global Lung Initiative 2012 Reference Values for Spirometry for Longitudinal Data of Elderly Women. *PLoS ONE*, **2016**, 11, e0157569	3.7	17
18	Age and body mass index affect fit of spirometry GLI references in schoolchildren.		
17	Clustering of asthma and related comorbidities and their association with maternal health during pregnancy: evidence from an Australian birth cohort. *BMC Public Health*, **2021**, 21, 1952	4.1	1
16	Genetic Ancestry to Improve Precision of Race/ethnicity-based Lung Function Equations in Children.. *American Journal of Respiratory and Critical Care Medicine*, **2022**,	10.2	1
15	Racial/ethnic-based spirometry reference equations: Are they accurate for genetically admixed children?. *Chest*, **2022**,	5.3	1
14	Implications of using the GLI-2012, GOLD and Australian COPD-X recommendations in assessing the severity of airflow limitation on spirometry among an Indigenous population with COPD: an Indigenous Australians perspective study.. *BMJ Open Respiratory Research*, **2021**, 8,	5.6	2
13	ERS/ATS technical standard on interpretive strategies for routine lung function tests.. *European Respiratory Journal*, **2021**,	13.6	19

12	Characterisation of lung function trajectories and associated early-life predictors in an Australian birth cohort study.. *ERJ Open Research*, **2022**, 8,	3.5	0
11	Age and body mass index affect fit of spirometry Global Lung Function Initiative references in schoolchildren.. *ERJ Open Research*, **2022**, 8,	3.5	0
10	The global lung function initiative 2021 (GLI-2021) norms provide mixed results for static lung volumes (SLVs) in Algerian adults.. *Libyan Journal of Medicine*, **2022**, 17, 2059893	1.4	1
9	Evaluation of the Global Lung Function Initiative reference equations in Belgian adults. *ERJ Open Research*, **2022**, 8, 00671-2021	3.5	0
8	Reference equations for evaluation of spirometry function tests in South Asia, and amongst South Asians living in other countries. *European Respiratory Journal*, 2102962	13.6	0
7	Longitudinal lung function in urban firefighters: A group-based multi-trajectory modelling approach.		0
6	New international technical standard on interpretive strategies for lung function tests (Part 1). **2022**, 16-22		0
5	Lifetime spirometry patterns of obstruction and restriction, and their risk factors and outcomes: a prospective cohort study. **2022**,		2
4	Cystic Fibrosis Screen Positive, Inconclusive Diagnosis Genotypes in People with Cystic Fibrosis from the U.S. Patient Registry.		0
3	Changes in interpretation of spirometry by implementing the GLI 2012 reference equations: impact on patients tested in a hospital-based PFT lab in a large metropolitan city. **2022**, 9, e001389		0
2	Normal spirometry prediction equations for the Iranian population. **2022**, 22,		0
1	Home Respiratory Polygraphy and Spirometry in Normal Weight and Children with Obesity Suspected for Obstructive Sleep Apnea Syndrome: Are There Any Associations?. **2023**, 2023, 1-7		0