

CITATION REPORT

List of articles citing

2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design

DOI: 10.1093/europace/eus027
Europace, 2012, 14, 528-606.

Source: <https://exaly.com/paper-pdf/53135886/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1269	The novel human gene aprataxin is directly involved in DNA single-strand-break repair. 2005 , 62, 485-91		69
1268	Translational research in atrial fibrillation: a quest for mechanistically based diagnosis and therapy. 2012 , 5, 1207-15		19
1267	High risk in atrial fibrillation following an ablation procedure: the wide usefulness of the CHADS(2) score. 2012 , 8, 693-6		1
1266	eComment. Surgery to treat atrial fibrillation: which technique is the best?. 2012 , 15, 748-9		
1265	The use of cardiac magnetic resonance imaging in the diagnostic workup and treatment of atrial fibrillation. 2012 , 2012, 658937		4
1264	eComment. New initiatives to get less invasive approaches for atrial fibrillation back on track. 2012 , 15, 419		
1263	CardioPulse. A focused update to the ESC guidelines for the management of patients with atrial fibrillation. 2012 , 33, 2623-4		2
1262	'Unblinding' the cryoballoon. <i>Europace</i> , 2012 , 14, 1677-8	3.9	
1261	Atrial fibrillation ablation techniques. <i>Europace</i> , 2012 , 14, 1515-7	3.9	5
1260	Ablation of complex fractionated atrial electrograms in catheter ablation for AF; where have we been and where are we going?. 2012 , 8, 347-53		5
1259	Long-term success and follow-up after atrial fibrillation ablation. 2012 , 8, 354-61		11
1258	Atrial fibrillation in two jet pilots during aircrew periodical medical examination. 2012 , 83, 706-10		
1257	[Cardiac computed tomography and ablation of atrial fibrillation]. 2012 , 23, 281-8		3
1256	The surgical treatment of concomitant atrial arrhythmias during redo cardiac operations. 2012 , 94, 1894-9; discussion 1900		14
1255	Colchicine for prevention of early atrial fibrillation recurrence after pulmonary vein isolation: a randomized controlled study. 2012 , 60, 1790-6		162
1254	The relationship between contact force and clinical outcome during radiofrequency catheter ablation of atrial fibrillation in the TOCCATA study. 2012 , 9, 1789-95		358
1253	Colchicine after pulmonary vein isolation to prevent the early recurrence of atrial fibrillation: mollifying an inflammatory response?. 2012 , 60, 1797-8		2

1252	2012 focused update of the ESC Guidelines for the management of atrial fibrillation: an update of the 2010 ESC Guidelines for the management of atrial fibrillation--developed with the special contribution of the European Heart Rhythm Association. <i>Europace</i> , 2012 , 14, 1385-413	3.9	1019
1251	Surgical ablation for atrial fibrillation. <i>Europace</i> , 2012 , 14, 1545-52	3.9	11
1250	Impact of atrial fibrillation termination on clinical outcome after ablation in relation to the duration of persistent atrial fibrillation. 2012 , 35, 1436-43		12
1249	Insights from the RCPE UK Consensus Conference on approaching the comprehensive management of atrial fibrillation. 2012 , 10, 697-700		4
1248	Current role for surgery in treatment of lone atrial fibrillation. 2012 , 24, 42-50		11
1247	Poor relationship between left atrial diameter and volume in patients with atrial fibrillation. 2012 , 54, e386-e392		2
1246	The influence of the technology on the success of the treatment of paroxysmal atrial fibrillation - Single center experience. 2012 , 54, e393-e400		2
1245	Complications of catheter ablation for atrial fibrillation. 2012 , 54, e414-e420		4
1244	Catheter ablation for atrial fibrillation - Update focused on the Czech Republic. 2012 , 54, e352-e360		
1243	Follow-up of patients after catheter ablation of atrial fibrillation and their clinical management. 2012 , 54, e428-e432		
1242	Editorial special issue Atrial fibrillation. 2012 , 54, e339-e340		
1241	Atrial fibrillation in heart failure. 2012 , 9, 309-18		7
1240	2012 focused update of the ESC Guidelines for the management of atrial fibrillation: an update of the 2010 ESC Guidelines for the management of atrial fibrillation. Developed with the special contribution of the European Heart Rhythm Association. 2012 , 33, 2719-47		2638
1239	Catheter ablation of long-standing persistent atrial fibrillation: 5-year outcomes of the Hamburg Sequential Ablation Strategy. 2012 , 60, 1921-9		310
1238	Curative ablation of atrial fibrillation: comparison between deep sedation and general anesthesia. 2012 , 39, 462-8		7
1237	Long-term outcomes of adjunctive complex fractionated electrogram ablation to pulmonary vein isolation as treatment for non-paroxysmal atrial fibrillation. 2013 , 38, 19-26		4
1236	Conduction recovery in patients with recurrent atrial fibrillation after pulmonary vein isolation using multi-electrode duty cycled radiofrequency ablation. 2013 , 37, 197-204		7
1235	Recurrence of paroxysmal atrial fibrillation after cryoisolation of the pulmonary veins. Is a "redo" procedure using the cryoballoon useful?. 2013 , 36, 287-95; discussion 295		10

1234	Mean platelet volume is associated with the presence of left atrial stasis in patients with non-valvular atrial fibrillation. 2013 , 13, 40		16
1233	Role of the new target specific oral anticoagulants in the management of anticoagulation for cardioversion and atrial fibrillation ablation. 2013 , 36, 175-86		2
1232	[Catheter ablation of persistent and long-standing persistent atrial fibrillation. Strategies and results]. 2013 , 24, 15-8		1
1231	[Surgical ablation of atrial fibrillation. Indications, techniques and results]. 2013 , 24, 19-24		0
1230	Bridging therapy: a challenging area in the management of patients with atrial fibrillation. 2013 , 13, 259-61		3
1229	Practical use of dabigatran etexilate for stroke prevention in atrial fibrillation. 2013 , 67, 516-26		16
1228	Routine preprocedural transesophageal echocardiography might not be necessary for stroke prevention evaluation in AF patients on anticoagulation therapy. 2013 , 168, 1992-6		8
1227	The role of echocardiography in thromboembolic risk assessment of patients with nonvalvular atrial fibrillation. 2013 , 26, 801-12		32
1226	Atrium-specific Kir3.x determines inducibility, dynamics, and termination of fibrillation by regulating restitution-driven alternans. 2013 , 128, 2732-44		27
1225	Repeat procedure using radiofrequency energy for recurrence of atrial fibrillation after initial cryoballoon ablation: a 2-year follow-up. <i>Europace</i> , 2013 , 15, 1421-5	3.9	8
1224	A new look at atrial fibrillation: lessons learned from drugs, pacing, and ablation therapies. 2013 , 34, 2739-45a		4
1223	Complications of catheter ablation of atrial fibrillation: a systematic review. 2013 , 6, 1082-8		168
1222	Safety and efficacy of dabigatran etexilate during catheter ablation of atrial fibrillation: a meta-analysis of the literature. <i>Europace</i> , 2013 , 15, 1407-11	3.9	77
1221	Safety and efficacy of interrupted dabigatran for peri-procedural anticoagulation in catheter ablation of atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2013 , 15, 1412-20	3.9	52
1220	Circumventing a left ventricular assist device and implantable cardioverter defibrillator interaction: an alternative method of shielding. <i>Europace</i> , 2013 , 15, 1689	3.9	2
1219	Nonpharmacologic approaches to stroke prevention in atrial fibrillation. 2013 , 29, S79-86		8
1218	Dosage of statin, cardiovascular comorbidities, and risk of atrial fibrillation: a nationwide population-based cohort study. 2013 , 168, 1131-6		14
1217	Personalized management of atrial fibrillation: Proceedings from the fourth Atrial Fibrillation competence NETWORK/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2013 , 15, 1540-56	3.9	101

1216	[Atrial fibrillation: current recommendations for diagnosis and treatment]. 2013 , 54, 583-95	1
1215	[Current treatment of tachycardia]. 2013 , 54, 1459-67	1
1214	Impact of epicardial ablation of concomitant atrial fibrillation on atrial natriuretic peptide levels and atrial function in 6 months follow-up: does preoperative ANP level predict outcome of ablation?. 2013 , 8, 218	5
1213	Effect of atrial fibrillation ablation on myocardial function: insights from cardiac magnetic resonance feature tracking analysis. 2013 , 29, 1807-17	12
1212	Immediate and medium-term outcomes of cryoballoon-based pulmonary vein isolation in patients with paroxysmal and persistent atrial fibrillation: single-centre experience. 2013 , 38, 187-95	34
1211	Autonomic denervation added to pulmonary vein isolation for paroxysmal atrial fibrillation: a randomized clinical trial. 2013 , 62, 2318-25	245
1210	Predictive value of thromboembolic risk scores before an atrial fibrillation ablation procedure. 2013 , 24, 139-45	15
1209	A prospective randomized single-center study on the risk of asymptomatic cerebral lesions comparing irrigated radiofrequency current ablation with the cryoballoon and the laser balloon. 2013 , 24, 869-74	47
1208	Atrial fibrillation in the elderly: to ablate or not to ablate. 2013 , 24, 739-41	4
1207	Paroxysmal atrial fibrillation burden before and after pulmonary veins isolation: an observational study through a subcutaneous leadless cardiac monitor. 2013 , 24, 1075-82	22
1206	Anatomical predictors for acute and mid-term success of cryoballoon ablation of atrial fibrillation using the 28 mm balloon. 2013 , 24, 132-8	54
1205	Cryoballoon ablation of paroxysmal atrial fibrillation: 5-year outcome after single procedure and predictors of success. <i>Europace</i> , 2013 , 15, 1143-9	3.9 66
1204	Impact of chronic obstructive pulmonary disease on procedural outcomes and quality of life in patients with atrial fibrillation undergoing catheter ablation. 2013 , 24, 148-54	28
1203	Brief episodes of silent atrial fibrillation predict clinical vascular brain disease in type 2 diabetic patients. 2013 , 62, 525-30	71
1202	ECG-gated imaging of the left atrium and pulmonary veins: Intra-individual comparison of CTA and MRA. 2013 , 68, 1059-64	11
1201	Periprocedural antithrombotic management of patients undergoing ablation for atrial fibrillation: what we currently do...and what should we do?. 2013 , 29, 139-41	1
1200	Catheter ablation of atrial fibrillation in heart failure. 2013 , 9, 515-32, ix	1
1199	Combined circular multielectrode catheter and point-by-point ablation is superior to point-by-point ablation alone in eliminating atrial fibrillation. 2013 , 168, 3721-7	6

1198	Atrial fibrillation outcomes: changing the paradigm. 2013 , 166, 545-7	4
1197	National survey of catheter ablation for atrial fibrillation: The Japanese catheter ablation registry of atrial fibrillation (J-CARAF). 2013 , 29, 221-227	9
1196	Cost analysis of radiofrequency catheter ablation for atrial fibrillation. 2013 , 167, 2462-7	7
1195	Actualizaci3n detallada de las gu3as de la ESC para el manejo de la fibrilaci3n auricular de 2012: Actualizaci3n de las gu3as de la Sociedad Europea de Cardiolog3a (ESC) para el manejo de la fibrilaci3n auricular de 2010 Elaborada en colaboraci3n con la Asociaci3n Europea del Ritmo Cardiaco. 2013 , 66, 54.e1-54.e24	10
1194	A proposal for a new scoring system in the prediction of catheter ablation outcomes: promising results from the Turkish Cryoablation Registry. 2013 , 169, 201-6	47
1193	Questions pratiques dans le traitement de la fibrillation atriale. 2013 , 5, 148-160	
1192	Impact of atrial fibrillation-induced tachycardiomyopathy in patients undergoing pulmonary vein isolation. 2013 , 168, 4093-7	46
1191	Residual conduction after pulmonary vein isolation with a circular multielectrode radiofrequency ablation catheter: the role of adenosine and orciprenalin during a prolonged observation time. 2013 , 168, 4122-31	5
1190	Benefit of pulmonary vein isolation guided by loss of pace capture on the ablation line: results from a prospective 2-center randomized trial. 2013 , 62, 44-50	90
1189	Outcome of concomitant Cox-maze III procedure using an argon-based cryosurgical system: a single-center experience with 250 patients. 2013 , 95, 1633-9	16
1188	. 2013 , 15, 983-1000	43
1187	Arrhythmia surgery for atrial fibrillation associated with atrial septal defect: right-sided maze versus biatrial maze. 2013 , 145, 648-54, 655.e1; discussion 654-5	11
1186	Periprocedural dabigatran in atrial fibrillation ablation: a new kid on the block. 2013 , 24, 866-8	1
1185	Continuous warfarin versus periprocedural dabigatran to reduce stroke and systemic embolism in patients undergoing catheter ablation for atrial fibrillation or left atrial flutter. 2013 , 37, 241-7	32
1184	Novel oral anticoagulants in a real-world cohort of patients undergoing catheter ablation of atrial fibrillation. <i>Europace</i> , 2013 , 15, 1587-93	3.9 49
1183	Long-term outcomes (>2 years) of atrial fibrillation ablation using a multi-electrode ablation catheter in patients with paroxysmal atrial fibrillation. 2013 , 36, 61-9; discussion 69	15
1182	[Atrial fibrillation and physical activity]. 2013 , 154, 503-9	
1181	A combination of P wave electrocardiography and plasma brain natriuretic peptide level for predicting the progression to persistent atrial fibrillation: comparisons of sympathetic activity and left atrial size. 2013 , 38, 79-84	10

1180	Non-invasive identification of stable rotors and focal sources for human atrial fibrillation: mechanistic classification of atrial fibrillation from the electrocardiogram. <i>Europace</i> , 2013 , 15, 1249-58	3.9	6
1179	Reduction of stroke and mortality in patients with atrial fibrillation by catheter ablation? Finally, tackling the hard endpoints. <i>Europace</i> , 2013 , 15, 620-2	3.9	2
1178	The Year in Cardiology 2012: arrhythmia and pacing. 2013 , 34, 333-7		
1177	Health technology assessment in interventional electrophysiology and device therapy: a position paper of the European Heart Rhythm Association. 2013 , 34, 1869-74		59
1176	Reconnecting to the endpoint of atrial fibrillation ablation: should we mind the gaps?. <i>Europace</i> , 2013 , 15, 157-8	3.9	2
1175	Complications of catheter ablation for atrial fibrillation in a high-volume centre with the use of intracardiac echocardiography. <i>Europace</i> , 2013 , 15, 24-32	3.9	77
1174	Energy titration strategies with the endoscopic ablation system: lessons from the high-dose vs. low-dose laser ablation study. <i>Europace</i> , 2013 , 15, 685-9	3.9	53
1173	Lessons from dissociated pulmonary vein potentials: entry block implies exit block. <i>Europace</i> , 2013 , 15, 805-12	3.9	24
1172	Predictors of asymptomatic cerebral infarction associated with radiofrequency catheter ablation for atrial fibrillation using an irrigated-tip catheter. <i>Europace</i> , 2013 , 15, 332-8	3.9	13
1171	Preventing complications following catheter ablation of atrial fibrillation: is intracardiac echocardiography the answer we are seeking?. <i>Europace</i> , 2013 , 15, 1-2	3.9	7
1170	Temporal changes in patient characteristics and prior pharmacotherapy in patients undergoing radiofrequency ablation of atrial fibrillation: a Danish nationwide cohort study. <i>Europace</i> , 2013 , 15, 669-75	3.9	7
1169	Cryoballoon ablation for atrial fibrillation guided by real-time three-dimensional transoesophageal echocardiography: a feasibility study. <i>Europace</i> , 2013 , 15, 944-50	3.9	21
1168	The right recommendations for the wrong reasons?. <i>Europace</i> , 2013 , 15, 615-7	3.9	0
1167	Low atrial fibrillatory rate is associated with spontaneous conversion of recent-onset atrial fibrillation. <i>Europace</i> , 2013 , 15, 1445-52	3.9	17
1166	Ten-year trends in the use of catheter ablation for treatment of atrial fibrillation vs. the use of coronary intervention for the treatment of ischaemic heart disease in Australia. <i>Europace</i> , 2013 , 15, 1702-9	3.9	44
1165	Do we need more or better electrophysiology centres?. <i>Europace</i> , 2013 , 15, 1687-9	3.9	
1164	Imaging techniques in electrophysiology and implantable device procedures: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2013 , 15, 1333-6	3.9	17
1163	Catheter ablation in selected patients with depressed left ventricular ejection fraction and persistent atrial fibrillation unresponsive to current cardioversion. <i>Europace</i> , 2013 , 15, 1574-80	3.9	11

1162	Regular atrial tachycardias developing after cryoballoon pulmonary vein isolation: incidence, characteristics, and predictors. <i>Europace</i> , 2013 , 15, 1710-7	3.9	16
1161	Effectiveness of catheter ablation of atrial fibrillation in Belgian practice: a cohort analysis on administrative data. <i>Europace</i> , 2013 , 15, 663-8	3.9	15
1160	Role of tricuspid valve repair for moderate tricuspid regurgitation during minimally invasive mitral valve surgery. 2013 , 61, 386-91		18
1159	In-hospital complications associated with catheter ablation of atrial fibrillation in the United States between 2000 and 2010: analysis of 93 801 procedures. 2013 , 128, 2104-12		366
1158	Stentless aortic bioprostheses: their role in the treatment of aortic endocarditis should not be underestimated. 2013 , 43, 453-4		4
1157	Prevalence and electrophysiological characteristics of typical atrial flutter in patients with atrial fibrillation and chronic obstructive pulmonary disease. <i>Europace</i> , 2013 , 15, 1777-83	3.9	17
1156	Atrial fibrillation: relieving symptoms and managing risk. 2013 , 13, 607-9		
1155	Incidence and risk factors for very late recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>Europace</i> , 2013 , 15, 1581-6	3.9	30
1154	Novel oral anticoagulants in the electrophysiology lab: are we really ready to forget warfarin?. <i>Europace</i> , 2013 , 15, 1535-7	3.9	
1153	Renal dysfunction, stroke risk scores (CHADS ₂ , CHA ₂ DS ₂ -VASc, and R ₂ CHADS ₂), and the risk of thromboembolic events after catheter ablation of atrial fibrillation: the Leipzig Heart Center AF Ablation Registry. 2013 , 6, 868-74		43
1152	Reply to Colli and Romero-Ferrer. 2013 , 43, 452-3		
1151	Unipolar signal modification as a guide for lesion creation during radiofrequency application in the left atrium: prospective study in humans in the setting of paroxysmal atrial fibrillation catheter ablation. 2013 , 6, 1095-102		29
1150	Successful nonsurgical treatment of esophagopericardial fistulas after atrial fibrillation catheter ablation: a case series. 2013 , 6, 675-81		46
1149	Surgical minimally invasive pulmonary vein isolation for lone atrial fibrillation: midterm results of a multicenter study. 2013 , 8, 410-5		12
1148	Predictors of atrial fibrillation recurrence after atrial fibrillation ablation with cryoballoon. 2013 , 20, 294-303		20
1147	Impact of energy titration in endoscopic pulmonary vein isolation. <i>Europace</i> , 2013 , 15, 623-4	3.9	
1146	Prevention of periprocedural ischemic stroke and management of hemorrhagic complications in atrial fibrillation ablation under continuous warfarin administration. 2013 , 24, 510-5		22
1145	Antiarrhythmic therapy following ablation of atrial fibrillation. 2013 , 11, 837-42		12

1144	Transesophageal echocardiography before pulmonary vein isolation in nonvalvular atrial fibrillation: a tentative for better evaluation. 2013 , 24, E9-10		
1143	Excluding the presence of left atrial thrombus before pulmonary vein isolation. 2013 , 24, E6-7		
1142	Letter to the editor. 2013 , 24, E12-3		1
1141	Pro-arrhythmogenic effects of atrial fibrillation-induced electrical remodelling: insights from the three-dimensional virtual human atria. 2013 , 591, 4249-72		87
1140	Comparison of balloon catheter ablation technologies for pulmonary vein isolation: the laser versus cryo study. 2013 , 24, 987-94		39
1139	The amplitude of fibrillatory waves on leads aVF and V1 predicting the recurrence of persistent atrial fibrillation patients who underwent catheter ablation. 2013 , 18, 352-8		17
1138	Electrical reconnection after pulmonary vein isolation is contingent on contact force during initial treatment: results from the EFFICAS I study. 2013 , 6, 327-33		328
1137	Excluding the presence of left atrial thrombus before pulmonary vein isolation: "primum non nocere"!. 2013 , 24, E3-5		
1136	Predictive value of thromboembolic risk scores before an atrial fibrillation ablation procedure: time for a consensus?. 2013 , 24, E8		1
1135	Impact of low-dose dipyridamole injection on adenosine test after pulmonary vein isolation. 2013 , 36, 1451-9		3
1134	A comparison of intracardiac ARFI and SWI for imaging radiofrequency ablation lesions. 2013 ,		0
1133	Three-dimensional fusion of Shear Wave Imaging and electro-anatomical mapping for intracardiac radiofrequency ablation monitoring. 2013 ,		1
1132	How effective is ablation therapy for cardiac arrhythmias?. 2013 , 10, 177-187		1
1131	Ablation of atrial fibrillation with cryoballoon or duty-cycled radiofrequency pulmonary vein ablation catheter: a randomized controlled study comparing the clinical outcome and safety; the AF-COR study. <i>Europace</i> , 2013 , 15, 1567-73	3.9	49
1130	Spontaneous documentation of bidirectional block during pulmonary vein isolation - keep an eye on the electrograms!. 2013 , 13, 231-4		1
1129	New atrial fibrillation guidelines: implementation in the clinic. 2013 , 10, 31-38		
1128	Further assessment of atrial fibrillation as a risk factor for gastroesophageal reflux disease: a multicenter questionnaire survey. 2013 , 52, 2401-7		6
1127	Repeated catheter ablation of atrial fibrillation: how to predict outcome?. 2013 , 77, 2271-9		41

1126	Pro- and anti-arrhythmic effects of anti-inflammatory drugs. 2013 , 12, 83-93		15
1125	Update on the management of atrial fibrillation. 2013 , 199, 592-7		18
1124	Current practice and recent advances in catheter ablation. 2013 , 8, 273-278		2
1123	Supraventricular Arrhythmias in a Realistic 3D Model of the Human Atria. 2014 , 351-359		
1122	Dominant Frequency and the Mechanisms of Initiation and Maintenance of Atrial Fibrillation. 2014 , 419-432		1
1121	Assessment of results of surgical treatment for persistent atrial fibrillation during coronary artery bypass grafting using implantable loop recorders. 2014 , 18, 727-31		34
1120	Comparison of CHADS2 and CHA2DS2-VASC anticoagulation recommendations: evaluation in a cohort of atrial fibrillation ablation patients. <i>Europace</i> , 2014 , 16, 195-201	3.9	9
1119	Atrial fibrillation in the elderly: a review. 2014 , 10, 745-58		9
1118	Current periprocedural management of ablation for atrial fibrillation in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2014 , 16, 378-81	3.9	16
1117	Left Atrial Segmentation Challenge: A Unified Benchmarking Framework. 2014 , 1-13		3
1116	Catheter ablation vs. antiarrhythmic drug treatment of persistent atrial fibrillation: a multicentre, randomized, controlled trial (SARA study). 2014 , 35, 501-7		198
1115	Moving catheter ablation forward from paroxysmal to persistent atrial fibrillation: progress, limitations, and surprises of the SARA trial. 2014 , 35, 482-4		1
1114	CHADS2 and CHA2DS2-VASc scores as predictors of left atrial ablation outcomes for paroxysmal atrial fibrillation. <i>Europace</i> , 2014 , 16, 202-7	3.9	53
1113	The time course of exit and entrance block during cryoballoon pulmonary vein isolation. <i>Europace</i> , 2014 , 16, 500-4	3.9	16
1112	Improvement of cerebral oxygen saturation after successful electrical cardioversion of atrial fibrillation. <i>Europace</i> , 2014 , 16, 189-94	3.9	15
1111	Morphological features of the P-waves at surface electrocardiogram as surrogate to mechanical function of the left atrium following a successful modified maze procedure. <i>Europace</i> , 2014 , 16, 578-86	3.9	6
1110	Late re-conduction sites in the second session after pulmonary vein isolation using adenosine provocation for atrial fibrillation. <i>Europace</i> , 2014 , 16, 521-7	3.9	9
1109	Long-term results of pulmonary vein antrum isolation in patients with atrial fibrillation: an analysis in regards to substrates and pulmonary vein reconnections. <i>Europace</i> , 2014 , 16, 511-20	3.9	34

1108	Modified phased radiofrequency ablation of atrial fibrillation reduces the number of cerebral microembolic signals. <i>Europace</i> , 2014 , 16, 341-6	3.9	22
1107	Evolution and pharmacological modulation of the arrhythmogenic wave dynamics in canine pulmonary vein model. <i>Europace</i> , 2014 , 16, 416-23	3.9	30
1106	Procedural sedation with dexmedetomidine during ablation of atrial fibrillation: a randomized controlled trial. <i>Europace</i> , 2014 , 16, 994-9	3.9	25
1105	Real-time assessment of pulmonary vein disconnection during cryoablation of atrial fibrillation: can it be 'achieved' in almost all cases?. <i>Europace</i> , 2014 , 16, 826-33	3.9	29
1104	Duty-cycled multi-electrode radiofrequency vs. conventional irrigated point-by-point radiofrequency ablation for recurrent atrial fibrillation: comparative 3-year data. <i>Europace</i> , 2014 , 16, 820-5	3.9	27
1103	Low incidence of permanent complications during catheter ablation for atrial fibrillation using open-irrigated catheters: a multicentre registry. <i>Europace</i> , 2014 , 16, 1154-9	3.9	22
1102	Assessment of oesophageal position by direct visualization with luminal contrast compared with segmentation from pre-acquired computed tomography scan-implications for ablation strategy. <i>Europace</i> , 2014 , 16, 1304-8	3.9	5
1101	Safety and efficacy of multipolar pulmonary vein ablation catheter vs. irrigated radiofrequency ablation for paroxysmal atrial fibrillation: a randomized multicentre trial. <i>Europace</i> , 2014 , 16, 1145-53	3.9	39
1100	Personnel, equipment, and facilities for electrophysiological and catheter ablation procedures in Europe: results of the European Heart Rhythm Association Survey. <i>Europace</i> , 2014 , 16, 1078-82	3.9	5
1099	Reversal of spherical remodelling of the left atrium after pulmonary vein isolation: incidence and predictors. <i>Europace</i> , 2014 , 16, 840-7	3.9	15
1098	Task-Space Motion Planning of MRI-Actuated Catheters for Catheter Ablation of Atrial Fibrillation. 2014 , 2014, 3476-3482		16
1097	The impact of haemodialysis on the outcomes of catheter ablation in patients with paroxysmal atrial fibrillation. <i>Europace</i> , 2014 , 16, 327-34	3.9	6
1096	Interventional cardiology. Monitoring catheter ablation of AF--the European perspective. 2014 , 11, 251-2		
1095	New oral anticoagulants in patients undergoing atrial flutter radiofrequency catheter ablation: an observational study. 2014 , 10, 699-705		3
1094	[Anticoagulation in high thromboembolic risk after catheter ablation for atrial fibrillation: results from the German Ablation Registry]. 2014 , 139, 1923-8		
1093	Risk assessment in atrial fibrillation: not all factors are created equal. <i>Europace</i> , 2014 , 16, 156-8	3.9	
1092	Author reply: To PMID 23625942. <i>Europace</i> , 2014 , 16, 151-2	3.9	1
1091	Low mortality and low rate of perceived and documented arrhythmias after Cox maze III surgery for atrial fibrillation. 2014 , 37, 147-56		5

1090	Contact force and force-time integral in atrial radiofrequency ablation predict transmuralty of lesions. <i>Europace</i> , 2014 , 16, 660-7	3.9	78
1089	Quantitative evaluation of atrial radio frequency ablation using intracardiac shear-wave elastography. 2014 , 41, 112901		20
1088	Additional linear ablation from the superior vena cava to right atrial septum after pulmonary vein isolation improves the clinical outcome in patients with paroxysmal atrial fibrillation: prospective randomized study. <i>Europace</i> , 2014 , 16, 1738-45	3.9	22
1087	Quantitative magnetic resonance imaging analysis of the relationship between contact force and left atrial scar formation after catheter ablation of atrial fibrillation. 2014 , 25, 138-45		59
1086	Thoracoscopic radiofrequency ablation for lone atrial fibrillation: box-lesion technique. 2014 , 29, 757-62		9
1085	Experiencia inicial con un nuevo catéter balón de ablación con energía láser para el aislamiento eléctrico de las venas pulmonares. 2014 , 67, 1061-1062		4
1084	Prediabetes, diabetes and left heart deformation. 2014 , 67, 1062-4		2
1083	Long-term follow-up of pure linear ablation for persistent atrial fibrillation without circumferential pulmonary vein isolation. 2014 , 25, 471-476		13
1082	Initial experience with a new ablation catheter using laser energy for electrical pulmonary vein isolation. 2014 , 67, 1061-2		
1081	Differences of two cryoballoon generations: insights from the prospective multicentre, multinational FREEZE Cohort Substudy. <i>Europace</i> , 2014 , 16, 1434-42	3.9	41
1080	Comparison of regular atrial tachycardia incidence after circumferential radiofrequency versus cryoballoon pulmonary vein isolation in real-life practice. 2014 , 25, 948-952		24
1079	Catheter ablation of atrial fibrillation: on the pathophysiology of the arrhythmia and the impact of cardiac risk factor management. 2014 , 64, 2232-4		2
1078	Antiarrhythmic drug therapy for maintaining sinus rhythm early after pulmonary vein ablation in patients with symptomatic atrial fibrillation. 2014 , 32, 7-12		6
1077	Impact of structural heart disease on the acute complication rate in atrial fibrillation ablation: results from the German Ablation Registry. 2014 , 25, 242-9		17
1076	Mechanisms of pulmonary vein reconnection after radiofrequency ablation of atrial fibrillation: the deterministic role of contact force and interlesion distance. 2014 , 25, 701-8		81
1075	Comparison of radiofrequency catheter ablation of drivers and circumferential pulmonary vein isolation in atrial fibrillation: a noninferiority randomized multicenter RADAR-AF trial. 2014 , 64, 2455-67		152
1074	Atrial fibrillation. Cryptogenic stroke--can we abandon this apologetic diagnosis?. 2014 , 11, 504-5		1
1073	Health-related quality of life in patients with atrial fibrillation treated with rhythm control versus rate control: insights from a prospective international registry (Registry on Cardiac Rhythm Disorders Assessing the Control of Atrial Fibrillation: RECORD-AF). 2014 , 7, 896-904		33

1072	Incomplete cure of tachycardia-induced cardiomyopathy secondary to rapid atrial fibrillation by heart rate control without sinus conversion. 2014 , 25, 1037-43		19
1071	Preoperative study of the surface ECG for the prognosis of atrial fibrillation maze surgery outcome at discharge. 2014 , 35, 1409-23		2
1070	[Catheter ablation of paroxysmal atrial fibrillation: state of the art]. 2014 , 25, 214-9		
1069	Accelerated free breathing ECG triggered contrast enhanced pulmonary vein magnetic resonance angiography using compressed sensing. 2014 , 16, 91		13
1068	An active supply of analgesics during pulmonary vein isolation reduces pain. 2014 , 48, 35-40		10
1067	Effects of sex on the incidence of cardiac tamponade after catheter ablation of atrial fibrillation: results from a worldwide survey in 34 943 atrial fibrillation ablation procedures. 2014 , 7, 274-80		80
1066	Haemoptysis due to pulmonary venous stenosis. 2014 , 23, 170-9		16
1065	Mechanisms of persistent atrial fibrillation. 2014 , 29, 20-7		50
1064	Radiotherapy beyond cancer: target localization in real-time MRI and treatment planning for cardiac radiosurgery. 2014 , 41, 120702		29
1063	Shape-Constrained Deformable Models and Applications in Medical Imaging. 2014 , 151-184		6
1062	Tachyarrhythmias and catheter ablation in adult congenital heart disease. 2014 , 12, 751-70		6
1061	The Tricuspid Valve in Congenital Heart Disease. 2014 ,		2
1060	Pulmonary vein isolation using a circular, open irrigated mapping and ablation catheter (nMARQ): a report on feasibility and efficacy. <i>Europace</i> , 2014 , 16, 1296-303	3.9	33
1059	Association between success rate and citation count of studies of radiofrequency catheter ablation for atrial fibrillation: possible evidence of citation bias. 2014 , 7, 687-92		10
1058	Multielectrode phased radiofrequency ablation compared with point-by-point ablation for pulmonary vein isolation – outcomes in 539 patients. 2014 , 11		2
1057	Comparison of the first and second cryoballoon: high-volume single-center safety and efficacy analysis. 2014 , 7, 293-9		65
1056	Where do we come from? Where are we going? Adverse outcomes in catheter ablation for atrial fibrillation. 2014 , 7, 195-7		0
1055	Periprocedural management of new oral anticoagulants in patients undergoing atrial fibrillation ablation. 2014 , 129, 1688-94		20

1054	Application of phase coherence in assessment of spatial alignment of electrodes during simultaneous endocardial-epicardial direct contact mapping of atrial fibrillation. <i>Europace</i> , 2014 , 16 Suppl 4, iv135-iv140	3.9	1
1053	Positioning of the ablation catheter in total endoscopic ablation. 2014 , 18, 125-7		2
1052	Cryoballoon pressure waveform change during balloon inflation is not a reliable predictor of adequate pulmonary vein occlusion. 2014 , 37, 1702-7		10
1051	First evidence of clinical benefit of robotically driven catheter ablation or an outlayer?. 2014 , 37, 1423-6		1
1050	Cryoballoon ablation in young patients with lone paroxysmal atrial fibrillation. 2014 , 67, 558-63		2
1049	Pharmacology, benefits, unaddressed questions, and pragmatic issues of the newer oral anticoagulants for stroke prophylaxis in non-valvular atrial fibrillation and proposal of a management algorithm. 2014 , 174, 471-83		14
1048	Dose-escalation study for cardiac radiosurgery in a porcine model. 2014 , 89, 590-8		55
1047	Polyunsaturated fatty acids for the prevention of atrial fibrillation after cardiac surgery: an updated meta-analysis of randomized controlled trials. 2014 , 63, 53-9		27
1046	The COR trial: a randomized study with continuous rhythm monitoring to compare the efficacy of cryoenergy and radiofrequency for pulmonary vein isolation. 2014 , 11, 8-14		65
1045	Incidence of pulmonary vein conduction recovery in patients without clinical recurrence after ablation of paroxysmal atrial fibrillation: mechanistic implications. 2014 , 11, 969-76		96
1044	Shared risk factors for anticoagulation in nonvalvular atrial fibrillation: a dilemma in clinical decision making. 2014 , 63, 2148-2150		1
1043	Illustrated Atlas of Post-AF Ablation Cerebral Abnormalities. 2014 , 6, 101-10		
1042	Safety of chronic anticoagulation therapy after endovascular abdominal aneurysm repair (EVAR). 2014 , 47, 296-303		17
1041	Complications of circumferential pulmonary vein isolation using the cryoballoon technique: Incidence and predictors. 2014 , 171, 217-23		11
1040	Valve replacement surgery for older individuals with preoperative atrial fibrillation: the effect of prosthetic valve choice and surgical ablation. 2014 , 147, 1907-17		1
1039	The prevalence and risk factors for atrioesophageal fistula after percutaneous radiofrequency catheter ablation for atrial fibrillation: the Canadian experience. 2014 , 39, 139-44		25
1038	Which is the best catheter to perform atrial fibrillation ablation? A comparison between standard ThermoCool, SmartTouch, and Surround Flow catheters. 2014 , 39, 193-200		34
1037	Efficacy of selective arrhythmogenic pulmonary veins isolation versus empirical all pulmonary veins isolation for atrial fibrillation: a meta-analysis of randomized and observational studies. 2014 , 39, 233-40		5

1036	Acute pulmonary vein reconnection is a predictor of atrial fibrillation recurrence following pulmonary vein isolation. 2014 , 39, 225-32		45
1035	Epicardial and endocardial electrophysiological guided thoracoscopic surgery for atrial fibrillation: a multidisciplinary approach of atrial fibrillation ablation in challenging patients. 2014 , 173, 229-35		17
1034	Electrophysiologic therapeutics in heart failure in adult congenital heart disease. 2014 , 10, 69-89		12
1033	Cellular and molecular electrophysiology of atrial fibrillation initiation, maintenance, and progression. 2014 , 114, 1483-99		373
1032	Lone atrial fibrillation - an overview. 2014 , 68, 418-33		18
1031	Pulmonary vein isolation in patients with Brugada syndrome and atrial fibrillation: a 2-year follow-up. <i>Europace</i> , 2014 , 16, 528-32	3.9	16
1030	Atrial fibrillation ablation outcome is predicted by left atrial remodeling on MRI. 2014 , 7, 23-30		244
1029	[Advances in cryoballoon technology: benefits and risks in daily practice]. 2014 , 25, 230-5		
1028	Long-term outcomes following high intensity focused ultrasound ablation for atrial fibrillation. 2014 , 29, 101-7		8
1027	Score associated with the outcome after multiple ablation procedures in patients with atrial fibrillation. 2014 , 37, 682-90		3
1026	Usefulness of serum uric acid level to predict atrial fibrillation recurrence after cryoballoon-based catheter ablation. <i>Europace</i> , 2014 , 16, 1731-7	3.9	22
1025	Atrial tachycardia after cryoballoon ablation of paroxysmal atrial fibrillation. <i>Europace</i> , 2014 , 16, 306	3.9	1
1024	Invited commentary. 2014 , 98, 1604-5		
1023	Novel upstream approaches to prevent atrial fibrillation perpetuation. 2014 , 32, 637-50		6
1022	Mechanisms of atrial fibrillation: rotors, ionic determinants, and excitation frequency. 2014 , 32, 495-506		18
1021	Understanding the atrial fibrillation substrate: the case for repeat catheter ablation. <i>Europace</i> , 2014 , 16, 1541-2	3.9	0
1020	Conventional radiofrequency catheter ablation compared to multi-electrode ablation for atrial fibrillation. 2014 , 176, 891-5		22
1019	Long-term comparison of cryoballoon and radiofrequency ablation of paroxysmal atrial fibrillation: a propensity score matched analysis. 2014 , 176, 645-50		32

1018	Pericardial fat volume is associated with clinical recurrence after catheter ablation for persistent atrial fibrillation, but not paroxysmal atrial fibrillation: an analysis of over 600-patients. 2014 , 176, 841-6		39
1017	Recurrence of arrhythmia following short-term oral AMIOdarone after CATHeter ablation for atrial fibrillation: a double-blind, randomized, placebo-controlled study (AMIO-CAT trial). 2014 , 35, 3356-64		85
1016	Rivaroxaban and dabigatran in patients undergoing catheter ablation of atrial fibrillation. <i>Europace</i> , 2014 , 16, 1137-44	3.9	68
1015	Multimodality imaging for patient evaluation and guidance of catheter ablation for atrial fibrillation - current status and future perspective. 2014 , 175, 400-8		12
1014	Percutaneous left atrial appendage occlusion for stroke prevention in atrial fibrillation: an update. 2014 , 1, e000020		46
1013	Rhythm control in heart failure patients with atrial fibrillation: contemporary challenges including the role of ablation. 2014 , 64, 710-21		50
1012	Atrial fibrillation therapy now and in the future: drugs, biologicals, and ablation. 2014 , 114, 1532-46		73
1011	Staged transthoracic approach to persistent atrial fibrillation (TOP-AF): study protocol for a randomized trial. 2014 , 15, 190		5
1010	The atrial fibrillation ablation pilot study: a European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. 2014 , 35, 1466-78		141
1009	Elektrische Stimulation des autonomen Nervensystems. 2014 , 28, 289-292		
1008	Renal denervation: effects on atrial electrophysiology and arrhythmias. 2014 , 103, 765-74		32
1007	Impact of respiration gating on image integration guided atrial fibrillation ablation. 2014 , 103, 727-31		8
1006	Atrial fibrillation ablation in patients with known sludge in the left atrial appendage. 2014 , 40, 147-51		15
1005	The efficacy and tolerability of commonly used agents to prevent recurrence of atrial fibrillation after successful cardioversion. 2014 , 14, 241-51		3
1004	Catheter ablation and antiarrhythmic drug therapy as first- or second-line therapy in the management of atrial fibrillation: systematic review and meta-analysis. 2014 , 7, 853-60		53
1003	Why amiodarone failed to lower the rate of recurrence six months after catheter ablation for atrial fibrillation. 2014 , 35, 3321-2		3
1002	Depression in paroxysmal and persistent atrial fibrillation patients: a cross-sectional comparison of patients enrolled in two large clinical trials. <i>Europace</i> , 2014 , 16, 812-9	3.9	37
1001	Safety of continuous periprocedural rivaroxaban for patients undergoing left atrial catheter ablation procedures. 2014 , 7, 576-82		52

1000	Real-world experience with atrial fibrillation ablation: cause for concern. 2014 , 35, 1430-2		1
999	Predictors of recurrence after a repeat ablation procedure for paroxysmal atrial fibrillation: role of left atrial enlargement. <i>Europace</i> , 2014 , 16, 1569-74	3.9	23
998	Additional benefit of cryoballoon-based atrial fibrillation ablation beyond pulmonary vein isolation: modification of ganglionated plexi. <i>Europace</i> , 2014 , 16, 645-51	3.9	47
997	Visual, tactile, and contact force feedback: which one is more important for catheter ablation? Results from an in vitro experimental study. 2014 , 11, 506-13		14
996	Documentation of pulmonary vein isolation improves long term efficacy of persistent atrial fibrillation catheter ablation. 2014 , 171, 174-8		6
995	Frequency analysis of surface electrocardiograms (ECGs) in patients with persistent atrial fibrillation: Correlation with the intracardiac ECGs and implications for radiofrequency catheter ablation. 2014 , 30, 453-459		4
994	Safety and utility of noninvasive ventilation during deep sedation for catheter ablation of atrial fibrillation. 2014 , 28, e6-e8		4
993	Ablaci3 con criobal3 en pacientes j3venes con fibrilaci3 auricular parox3stica aislada. 2014 , 67, 558-563		1
992	Multidetector computed tomography may be an adequate screening test to reduce periprocedural stroke in atrial fibrillation ablation: a multicenter propensity-matched analysis. 2014 , 11, 763-70		13
991	Distribution of electrical reconnection after pulmonary vein isolation using a duty-cycled radiofrequency circular ablation catheter. 2014 , 56, e11-e18		
990	Usefulness of left ventricular diastolic function to predict recurrence of atrial fibrillation in patients with preserved left ventricular systolic function. 2014 , 114, 65-9		15
989	Mechanisms of Stroke in Atrial Fibrillation. 2014 , 6, 5-15		11
988	Comparison of lesion formation between contact force-guided and non-guided circumferential pulmonary vein isolation: a prospective, randomized study. 2014 , 11, 984-91		102
987	Conversion from persistent to paroxysmal atrial fibrillation after pulmonary vein isolation is a good sign. 2014 , 173, 322-3		3
986	Surface flattening of the human left atrium and proof-of-concept clinical applications. 2014 , 38, 251-66		19
985	Meta-analysis of efficacy and safety of rivaroxaban compared with warfarin or dabigatran in patients undergoing catheter ablation for atrial fibrillation. 2014 , 114, 577-82		40
984	Predictors of new onset atrial fibrillation in patients with heart failure. 2014 , 175, 328-32		9
983	Nationwide survey of catheter ablation for atrial fibrillation: the Japanese Catheter Ablation Registry of Atrial Fibrillation (J-CARAF)--report of 1-year follow-up. 2014 , 78, 1091-6		29

- 982 Continuous-time control of alternans in long Purkinje fibers. **2014**, 24, 033124 15
- 981 Improved lesion formation using the novel 28 mm cryoballoon in atrial fibrillation ablation: analysis of biomarker release. *Europace*, **2014**, 16, 987-93 3.9 31
- 980 Three-month lower-dose flecainide after catheter ablation of atrial fibrillation. *Europace*, **2014**, 16, 1160-7 15
- 979 Unsupervised classification system for arrhythmogenic sources detection from electrograms. A simulation study. **2014**,
- 978 A review of the safety aspects of radio frequency ablation. **2015**, 8, 147-153 11
- 977 Adaptive wavelets applied to automatic local activation wave detection in fractionated atrial electrograms of atrial fibrillation. **2015**, 0
- 976 On the Quest for the Best Freeze: Predictors of Late Pulmonary Vein Reconnections After Second-Generation Cryoballoon Ablation. **2015**, 8, 1359-65 79
- 975 Measurement of Non-Vitamin K Antagonist Oral Anticoagulants in Patient Plasma Using Heptest-STAT Coagulation Method. **2015**, 37, 375-80 7
- 974 Clinical significance of non-vitamin K antagonist oral anticoagulants in the management of atrial fibrillation. **2015**, 79, 914-23 10
- 973 Catheter ablation of atrial fibrillation and thromboembolic risk. **2015**, 79, 444
- 972 Indications for catheter and surgical ablation of atrial fibrillation. **2015**, 1-6
- 971 Staffing, training, and ongoing volume requirements. **2015**, 17-22
- 970 Follow-up after ablation: assessing success, symptom status, and recurrent arrhythmias. **2015**, 333-342
- 969 How to strategize the radiofrequency ablation procedure. **2015**, 343-350
- 968 Complications: early and late after ablation. **2015**, 361-370
- 967 Concomitant atrial fibrillation surgery for people undergoing cardiac surgery. **2015**, 1
- 966 Mechanistic targets for the ablation of atrial fibrillation. **2015**, 2015, 67
- 965 A new circular mapping-guided approach for endoscopic laser balloon pulmonary vein isolation. **2015**, 8, 68-72 1

964	Periesophageal vagal nerve injury following catheter ablation of atrial fibrillation: A case report and review of the literature. 2015 , 1, 252-256	4
963	Estenosis de vena pulmonar tras ablaci3n: la distancia entre la cl3nica y los hallazgos de imagen y la importancia de las palabras en este contexto. 2015 , 68, 1056-1058	4
962	Radiofrequency catheter ablation for atrial fibrillation. 2015 , 28, 40-5	
961	Left atrial appendage wall-motion velocity associates with recurrence of nonparoxysmal atrial fibrillation after catheter ablation. 2015 , 32, 272-80	5
960	Pulmonary vein isolation for persistent atrial fibrillation. Long-term results. 2015 , 23, 665-9	1
959	Ascending aortic aneurysm repair and surgical ablation for atrial fibrillation. 2015 , 10, 174	
958	Six-Year Clinical Outcomes After Catheter Ablation of Atrial Fibrillation in Patients With Impaired Left Ventricular Function. 2015 , 26, 1169-1179	19
957	Dynamic inversion time for improved 3D late gadolinium enhancement imaging in patients with atrial fibrillation. 2015 , 73, 646-54	14
956	Short-Term Heparin Kinetics during Catheter Ablation of Atrial Fibrillation. 2015 , 38, 1142-50	6
955	Prevalence, Patterns, and Clinical Predictors of Left Ventricular Late Gadolinium Enhancement in Patients Undergoing Cardiac Magnetic Resonance Prior to Pulmonary Vein Antral Isolation for Atrial Fibrillation: A Cross-Sectional Observational Study. 2015 , 94, e1384	1
954	Length of the Mitral Isthmus But Not Anatomical Location of Ablation Line Predicts Bidirectional Mitral Isthmus Block in Patients Undergoing Catheter Ablation of Persistent Atrial Fibrillation: A Randomized Controlled Trial. 2015 , 26, 629-34	21
953	Atrial fibrillation: mechanisms, therapeutics, and future directions. 2015 , 5, 649-65	52
952	The Impact of Left Atrial Surface Area and the Second Generation Cryoballoon on Clinical Outcome of Atrial Fibrillation Cryoablation. 2015 , 38, 815-24	14
951	Pulmonary Vein Isolation Using the First-Generation Cryoballoon Technique in Chinese Patients. 2015 , 38, 1073-81	6
950	Predictive value of various Doppler-derived parameters of atrial conduction time for successful atrial fibrillation ablation. 2015 , 2, 99-107	2
949	. 2015 ,	
948	Head-Up Tilt. 2015 , 56, 500-4	1
947	Comparison of two different doses of single bolus steroid injection to prevent atrial fibrillation recurrence after radiofrequency catheter ablation. 2015 , 56, 324-31	20

946	Long-term efficacy of surgical ablation of atrial fibrillation in a low-volume centre. 2015 , 12, 309-13		
945	Predictors of atrial fibrillation recurrence after cryoballoon ablation. 2015 , 6, 211-7		13
944	Body Surface Mapping to Guide Atrial Fibrillation Ablation. 2015 , 4, 172-6		23
943	Surgical Left Atrial Appendage Exclusion Does Not Impair Left Atrial Contraction Function: A Pilot Study. 2015 , 2015, 318901		14
942	Outcomes of Cryoballoon Ablation in High- and Low-Volume Atrial Fibrillation Ablation Centres: A Russian Pilot Survey. 2015 , 2015, 591603		14
941	Catheter ablation in atrial fibrillation: a state-of-the-art review. 2015 , 153		
940	Contemporary Mapping Techniques of Complex Cardiac Arrhythmias - Identifying and Modifying the Arrhythmogenic Substrate. 2015 , 4, 19-27		28
939	Ablation Therapy for Atrial Fibrillation: Implications for the Anesthesiologist. 2015 , 29, 1341-56		5
938	The role of preprocedural monocyte-to-high-density lipoprotein ratio in prediction of atrial fibrillation recurrence after cryoballoon-based catheter ablation. <i>Europace</i> , 2015 , 17, 1807-15	3.9	72
937	Pulmonary vein triggers play an important role in the initiation of atrial flutter: Initial results from the prospective randomized Atrial Fibrillation Ablation in Atrial Flutter (Triple A) trial. 2015 , 12, 865-71		32
936	Monitoring risk for oesophageal thermal injury during radiofrequency catheter ablation for atrial fibrillation: does the characteristic of the temperature probe matter?. <i>Europace</i> , 2015 , 17, 835-7	3.9	5
935	Imaging before and after catheter ablation of atrial fibrillation. 2015 , 96, 1113-23		7
934	Atrial fibrillation ablation using remote magnetic navigation and the risk of atrial-esophageal fistula: international multicenter experience. 2015 , 43, 169-74		8
933	Adenosine testing after second-generation cryoballoon ablation (ATSCA) study improves clinical success rate for atrial fibrillation. <i>Europace</i> , 2015 , 17, 871-6	3.9	32
932	Factors predisposing to ventricular proarrhythmia during antiarrhythmic drug therapy for atrial fibrillation in patients with structurally normal heart. 2015 , 12, 1490-500		13
931	Prospective randomized comparison between a fixed '2C3L' approach vs. stepwise approach for catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2015 , 17, 1798-806	3.9	52
930	Stroke and atrial fibrillation: where to go from here?. 2015 , 46, 605-7		3
929	Empirical mode decomposition of multiple ECG leads for catheter ablation long-term outcome prediction in persistent atrial fibrillation. 2015 , 2015, 105-8		

928	CE: Catheter Ablation of Atrial Fibrillation. 2015 , 115, 32-42; quiz 43		1
927	Pulmonary Vein Isolation Versus Defragmentation: The CHASE-AF Clinical Trial. 2015 , 66, 2743-2752		166
926	Opportunities and challenges of current electrophysiology research: a plea to establish 'translational electrophysiology' curricula. <i>Europace</i> , 2015 , 17, 825-33	3.9	9
925	Comparison between single- and multi-sensor oesophageal temperature probes during atrial fibrillation ablation: thermodynamic characteristics. <i>Europace</i> , 2015 , 17, 891-7	3.9	32
924	Unmasking the dormant pulmonary vein conduction with adenosine administration after pulmonary vein isolation with laser energy. <i>Europace</i> , 2015 , 17, 1376-82	3.9	5
923	Clinical management of arrhythmias in elderly patients: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015 , 17, 314-7	3.9	20
922	Left atrial catheter ablation subsequent to Watchmanfi left atrial appendage device implantation: a single centre experience. <i>Europace</i> , 2015 , 17, 1402-6	3.9	12
921	Focal impulse and rotor modulation using the novel 64-electrode basket catheter: electrogram characteristics of human rotors. <i>Europace</i> , 2015 , 17, 1791-7	3.9	13
920	In patients with persistent atrial fibrillation complex ablation techniques were no better than pulmonary vein isolation alone in preventing recurrent atrial fibrillation. 2015 , 20, 175		
919	Left atrial appendage ligation in patients with atrial fibrillation leads to a decrease in atrial dispersion. 2015 , 4,		19
918	Sequential hybrid procedure for persistent atrial fibrillation. 2015 , 4, e001754		50
917	Comparison of the anterior and posterior mitral isthmus ablation lines in patients with perimitral annulus flutter or persistent atrial fibrillation. 2015 , 44, 119-29		8
916	Atrial electromechanical cycle length mapping in paced canine hearts in vivo. 2015 , 62, 1277-87		6
915	Current ablation techniques for persistent atrial fibrillation: results of the European Heart Rhythm Association Survey. <i>Europace</i> , 2015 , 17, 1596-600	3.9	30
914	Treatment of Atrial and Ventricular Arrhythmias Through Autonomic Modulation. 2015 , 1, 496-508		19
913	Effective reduction of fluoroscopy duration by using an advanced electroanatomic-mapping system and a standardized procedural protocol for ablation of atrial fibrillation: 'the unleaded study'. <i>Europace</i> , 2015 , 17, 1694-9	3.9	12
912	Impact of Uncontrolled Hypertension on Atrial Fibrillation Ablation Outcome. 2015 , 1, 164-173		24
911	Simplified Method for Vagal Effect Evaluation in Cardiac Ablation and Electrophysiological Procedures. 2015 , 1, 451-460		34

910	Pulmonary Vein Stenosis After Ablation: The Difference Between Clinical Symptoms and Imaging Findings, and the Importance of Definitions in This Context. 2015 , 68, 1056-8		1
909	Bipolar electrograms characteristics at the left atrial-pulmonary vein junction: Toward a new algorithm for automated verification of pulmonary vein isolation. 2015 , 12, 21-31		6
908	Haemorrhagic cerebral air embolism from an atrio-oesophageal fistula following atrial fibrillation ablation. 2015 , 30, 484-6		4
907	Modified energy settings are mandatory to minimize oesophageal injury using the novel multipolar irrigated radiofrequency ablation catheter for pulmonary vein isolation. <i>Europace</i> , 2015 , 17, 396-402	3.9	28
906	Benchmark for Algorithms Segmenting the Left Atrium From 3D CT and MRI Datasets. 2015 , 34, 1460-1473		96
905	Catheter ablation for asymptomatic atrial fibrillation?. 2015 , 13, 243-8		1
904	Thromboembolic events 7-11 years after catheter ablation of atrial fibrillation. 2015 , 38, 499-506		6
903	Left atrial volume is more important than the type of atrial fibrillation in predicting the long-term success of catheter ablation. 2015 , 184, 56-61		41
902	Frontiers in Non-invasive Cardiac Mapping: Rotors in Atrial Fibrillation-Body Surface Frequency-Phase Mapping. 2015 , 7, 59-69		6
901	The Association of Serum Galectin-3 Levels with Atrial Electrical and Structural Remodeling. 2015 , 26, 635-40		40
900	Radiofrequency ablation vs. antiarrhythmic drug therapy as first line treatment of symptomatic atrial fibrillation: systematic review and meta-analysis. <i>Europace</i> , 2015 , 17, 370-8	3.9	117
899	Quantification of the cryoablation zone demarcated by pre- and postprocedural electroanatomic mapping in patients with atrial fibrillation using the 28-mm second-generation cryoballoon. 2015 , 12, 283-90		105
898	Biatrial ablation vs. left atrial concomitant surgical ablation for treatment of atrial fibrillation: a meta-analysis. <i>Europace</i> , 2015 , 17, 38-47	3.9	39
897	Clinical implications of and factors influencing dissociated pulmonary vein potentials. 2015 , 66, 155-60		4
896	Simultaneous isolation of superior and inferior pulmonary veins on both the left and right sides could yield better outcomes in patients with paroxysmal atrial fibrillation. <i>Europace</i> , 2015 , 17, 732-40	3.9	6
895	Warfarin versus dabigatran etexilate: an assessment of efficacy and safety in patients with atrial fibrillation. 2015 , 14, 45-62		5
894	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. 2015 , 66, 320-5		5
893	Long-term results of surgical minimally invasive pulmonary vein isolation for paroxysmal lone atrial fibrillation. <i>Europace</i> , 2015 , 17, 747-52	3.9	16

892	Regular atrial tachycardias following pulmonary vein isolation for paroxysmal atrial fibrillation: a retrospective comparison between the cryoballoon and conventional focal tip radiofrequency techniques. 2015 , 42, 161-9		22
891	Catheter ablation of atrial fibrillation: how to modify the substrate?. 2015 , 65, 196-206		84
890	Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , 2015 , 17, 194-206	3.9	30
889	[Interventional treatment for paroxysmal atrial fibrillation : which is the optimal ablation approach?]. 2015 , 40, 25-30		2
888	Early pulmonary vein reconnection as a predictor of left atrial ablation outcomes for paroxysmal atrial fibrillation. <i>Europace</i> , 2015 , 17, 741-6	3.9	18
887	Safety and efficacy outcomes in patients undergoing pulmonary vein isolation with second-generation cryoballoon. <i>Europace</i> , 2015 , 17, 379-87	3.9	77
886	Recurrence of paroxysmal atrial fibrillation after pulmonary vein isolation: is repeat pulmonary vein isolation enough? A prospective, randomized trial. <i>Europace</i> , 2015 , 17, 1371-5	3.9	17
885	Use of statins and antihypertensive medications in relation to risk of long-standing persistent atrial fibrillation. 2015 , 49, 378-86		5
884	Linear ablation in addition to circumferential pulmonary vein isolation (Dallas lesion set) does not improve clinical outcome in patients with paroxysmal atrial fibrillation: a prospective randomized study. <i>Europace</i> , 2015 , 17, 388-95	3.9	26
883	Safety and efficacy outcomes of protamine administration for heparin reversal following cryoballoon-based pulmonary vein isolation. 2015 , 43, 161-7		17
882	Outcome of cryoballoon ablation for atrial fibrillation. Medium-term follow-up from a single center. 2015 , 40 Suppl 2, 125-9		4
881	Indications des ablations dans le traitement des arythmies cardiaques. 2015 , 24, 172-182		
880	Presence and severity of obstructive sleep apnea and remote outcomes of atrial fibrillation ablations - a long-term prospective, cross-sectional cohort study. 2015 , 19, 849-56		30
879	EFFICAS II: optimization of catheter contact force improves outcome of pulmonary vein isolation for paroxysmal atrial fibrillation. <i>Europace</i> , 2015 , 17, 1229-35	3.9	222
878	Human persistent atrial fibrillation is maintained by rotors: the jury is still out. 2015 , 8, 517-9		4
877	Is There Still a Role for Complex Fractionated Atrial Electrogram Ablation in Addition to Pulmonary Vein Isolation in Patients With Paroxysmal and Persistent Atrial Fibrillation? Meta-Analysis of 1415 Patients. 2015 , 8, 1017-29		57
876	Clinical significance of early atrial arrhythmia type and timing after single ring isolation of the pulmonary veins. <i>Europace</i> , 2015 , 17, 1038-44	3.9	19
875	The impact of cryoballoon-based catheter ablation on left atrial structural and potential electrical remodeling in patients with paroxysmal atrial fibrillation. 2015 , 44, 131-9		5

874	Is ganglionated plexi ablation during Maze IV procedure beneficial for postoperative long-term stable sinus rhythm?. 2015 , 192, 40-8		11
873	A Systematic Review on the Progression of Paroxysmal to Persistent Atrial Fibrillation: Shedding New Light on the Effects of Catheter Ablation. 2015 , 1, 105-115		43
872	[Arrhythmia and sleep apnea syndrome]. 2015 , 71, 275-81		
871	Atrial fibrillation ablation: indications, emerging techniques, and follow-up. 2015 , 58, 202-12		4
870	Radio frequency Cox Maze procedure: A retrospective analysis of the initial 50 consecutive cases at a single institution. 2015 , 24, e25-e26		
869	Effect of radiofrequency catheter ablation of persistent atrial fibrillation on the left atrial function: assessment by 320-row multislice computed tomography. 2015 , 179, 449-54		9
868	Current clinical practice of transesophageal echocardiography and cardiac computed tomography prior to atrial fibrillation ablation in Canada. 2015 , 189, 300-1		2
867	Arrhythmia. 2015 , 707-734		
866	Association between pulmonary vein orientation and atrial fibrillation-free survival in patients undergoing endoscopic laser balloon ablation. 2015 , 16, 799-806		11
865	Clinical results of atrial fibrillation patients treated with cryoballoon ablation: A single center experience. 2015 , 5,		
864	Uninterrupted rivaroxaban vs. uninterrupted vitamin K antagonists for catheter ablation in non-valvular atrial fibrillation. 2015 , 36, 1805-11		293
863	Pulmonary vein orientation assessment: Is it necessary in patients undergoing contact force sensing guided radiofrequency catheter ablation of atrial fibrillation. 2015 , 8, 1-5		4
862	Prognostic significance of incident atrial fibrillation following STEMI depends on the timing of atrial fibrillation. 2015 , 23, 430-5		6
861	Lesion formation after pulmonary vein isolation using the advance cryoballoon and the standard cryoballoon: lessons learned from late gadolinium enhancement magnetic resonance imaging. <i>Europace</i> , 2015 , 17, 566-73	3.9	9
860	Headache during cryoballoon ablation for atrial fibrillation. <i>Europace</i> , 2015 , 17, 898-901	3.9	3
859	Radiofrequency catheter ablation maintains its efficacy better than antiarrhythmic medication in patients with paroxysmal atrial fibrillation: On-treatment analysis of the randomized controlled MANTRA-PAF trial. 2015 , 198, 108-14		24
858	Subclavian vein pacing and venous pressure waveform measurement for phrenic nerve monitoring during cryoballoon ablation of atrial fibrillation. <i>Europace</i> , 2015 , 17, 884-90	3.9	35
857	Oral anticoagulant therapy for stroke prevention in patients with atrial fibrillation undergoing ablation: results from the First European Snapshot Survey on Procedural Routines for Atrial Fibrillation Ablation (ESS-PRAFA). <i>Europace</i> , 2015 , 17, 986-93	3.9	28

856	Eight years experience with thoracoscopic surgical ablation of stand-alone atrial fibrillation in Cardiocenter Kralovske Vinohrady - The evolution of methods and indications and summary of the results. 2015 , 57, e133-e138		2
855	Correlation of atrial fibrillation cycle length and fractionation is associated with atrial fibrillation free survival. 2015 , 187, 208-15		2
854	[Pre-interventional, peri-interventional and post-interventional anticoagulation in the setting of catheter ablation for atrial fibrillation : current practice and practical approach]. 2015 , 40, 45-9		1
853	Sex-related predictors for thromboembolic events after catheter ablation of atrial fibrillation: The Leipzig Heart Center AF Ablation Registry. 2015 , 104, 603-10		15
852	History and development of surgical procedures for atrial fibrillation. 2015 , 45, 1475-80		3
851	Diagnostik und Behandlung von Vorhofflimmern. 2015 , 12, 49-57		
850	First Dutch experience with the endoscopic laser balloon ablation system for the treatment of atrial fibrillation. 2015 , 23, 96-9		19
849	Comparison between radiofrequency with contact force-sensing and second-generation cryoballoon for paroxysmal atrial fibrillation catheter ablation: a multicentre European evaluation. <i>Europace</i> , 2015 , 17, 718-24	3.9	115
848	Surgical ablation for atrial fibrillation as a concomitant cardiac surgery procedure. A single-centre study with 1-year follow-up. 2015 , 57, e323-e328		
847	Surgical ablation of atrial fibrillation during mitral-valve surgery. 2015 , 372, 1399-409		248
846	Gastroparesis as a Complication of Atrial Fibrillation Ablation. 2015 , 116, 92-7		31
845	Long-term oral anticoagulation for patients after successful catheter ablation of atrial fibrillation: is it necessary?. 2015 , 30, 1-7		13
844	Rotor mapping and ablation to treat atrial fibrillation. 2015 , 30, 24-32		17
843	Towards durable pulmonary vein isolation: we are closing the gap. <i>Europace</i> , 2015 , 17, 1164-5	3.9	3
842	Combined catheter ablation and left atrial appendage closure as a hybrid procedure for the treatment of atrial fibrillation. <i>Europace</i> , 2015 , 17, 1533-40	3.9	45
841	Differences in Quality of Life Between Atrial Fibrillation Patients with Low Stroke Risk Treated With and Without Catheter Ablation. 2015 , 4, e002130		12
840	Interatrial septal thickness is associated with the extent of left atrial complex fractionated atrial electrograms and acute procedural outcome in patients with persistent atrial fibrillation. <i>Europace</i> , 2015 , 17, 1700-7	3.9	10
839	Low dose dabigatran versus uninterrupted acenocoumarol for peri-procedural anticoagulation in atrial fibrillation catheter ablation. 2015 , 48, 840-4		13

838	Sounding the warning on the potential for oesophageal injury resulting from use of the nMARQ□ for ablation of atrial fibrillation. <i>Europace</i> , 2015 , 17, 343-4	3.9	11
837	Second generation of cryoballoons can improve efficiency of cryoablation for atrial fibrillation. 2015 , 38, 129-35		22
836	Anticoagulation after catheter ablation of atrial fibrillation guided by implantable cardiac monitors. 2015 , 38, 688-93		31
835	The ABLATE Trial: Safety and Efficacy of Cox Maze-IV Using a Bipolar Radiofrequency Ablation System. 2015 , 100, 1541-6; discussion 1547-8		22
834	Ablating Atrial Fibrillation: Customizing Lesion Sets Guided by Rotor Mapping. 2015 , 11, 76-81		3
833	Pseudo-Rigid-Body Model and Kinematic Analysis of MRI-Actuated Catheters. 2015 , 2015, 2263-2243		19
832	Antithrombotic management in patients undergoing electrophysiological procedures: a European Heart Rhythm Association (EHRA) position document endorsed by the ESC Working Group Thrombosis, Heart Rhythm Society (HRS), and Asia Pacific Heart Rhythm Society (APHS). <i>Europace</i> , 2015 , 17, 1197-214	3.9	123
831	Catheter ablation for atrial fibrillation: results from the first European Snapshot Survey on Procedural Routines for Atrial Fibrillation Ablation (ESS-PRAFA) Part II. <i>Europace</i> , 2015 , 17, 1727-32	3.9	24
830	Updated European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist anticoagulants in patients with non-valvular atrial fibrillation. <i>Europace</i> , 2015 , 17, 1467-507	3.9	803
829	Cryoballoon Ablation for Pulmonary Vein Isolation in Patients With Persistent Atrial Fibrillation: One-Year Outcome Using Second Generation Cryoballoon. 2015 , 8, 1073-9		60
828	Fuzzy decision tree to classify complex fractionated atrial electrograms. 2015 , 60, 245-55		18
827	A cost-effectiveness analysis of screening for silent atrial fibrillation after ischaemic stroke. <i>Europace</i> , 2015 , 17, 207-14	3.9	40
826	Association of the angiotensinogen M235T polymorphism with recurrence after catheter ablation of acquired atrial fibrillation. 2015 , 16, 888-97		7
825	Impact of an Empiric Isolation of the Superior Vena Cava in Addition to Circumferential Pulmonary Vein Isolation on the Outcome of Paroxysmal Atrial Fibrillation Ablation. 2015 , 116, 1711-6		22
824	Anesthetic management in atrial fibrillation ablation procedure: Adding non-invasive ventilation to deep sedation. 2015 , 15, 96-102		3
823	Simultaneous pulmonary vein cryoablation and cavotricuspid isthmus radiofrequency ablation in patients with combined atrial fibrillation and typical atrial flutter. 2015 , 48, 729-33		
822	Pulmonary Vein Occlusion Successfully Treated by Stenting with Intravascular Ultrasound Guidance. 2015 , 24, e141-3		1
821	Balloon-based pulmonary vein isolation for the treatment of paroxysmal atrial fibrillation (cryoballoon and laserballoon). 2015 , 11, 663-71		3

820	Hybrid contact force ablation: best of both worlds?. 2015 , 23, 436-7		
819	Five-year outcome of catheter ablation of persistent atrial fibrillation using termination of atrial fibrillation as a procedural endpoint. 2015 , 8, 18-24		179
818	M2-muscarinic acetylcholine receptor autoantibody levels predict left atrial fibrosis severity in paroxysmal lone atrial fibrillation patients undergoing cryoablation. <i>Europace</i> , 2015 , 17, 239-46	3.9	17
817	Higher contact-force values associated with better mid-term outcome of paroxysmal atrial fibrillation ablation using the SmartTouch catheter. <i>Europace</i> , 2015 , 17, 56-63	3.9	33
816	Incidence and clinical characteristics of transient ST-T elevation during transeptal catheterization for atrial fibrillation ablation. <i>Europace</i> , 2015 , 17, 579-83	3.9	13
815	Oral anticoagulation after catheter ablation of atrial fibrillation: caught in the attribution trap?. 2015 , 36, 267-9		4
814	A prospective DE-MRI study evaluating the role of TGF- β in left atrial fibrosis and implications for outcomes of cryoballoon-based catheter ablation: new insights into primary fibrotic atriacardiomyopathy. 2015 , 26, 251-9		35
813	Oral anticoagulation therapy after radiofrequency ablation of atrial fibrillation and the risk of thromboembolism and serious bleeding: long-term follow-up in nationwide cohort of Denmark. 2015 , 36, 307-14a		70
812	Efficacy and safety of remote magnetic catheter navigation vs. manual steerable sheath-guided ablation for catheter ablation of atrial fibrillation: a case-control study. <i>Europace</i> , 2015 , 17, 232-8	3.9	10
811	Pulmonary vein isolation as index procedure for persistent atrial fibrillation: One-year clinical outcome after ablation using the second-generation cryoballoon. 2015 , 12, 60-6		80
810	Early Experience of Novel Oral Anticoagulants in Catheter Ablation for Atrial Fibrillation: Efficacy and Safety Comparison to Warfarin. 2016 , 57, 342-9		11
809	Attempting to cure atrial fibrillation during mitral valve surgery: can we measure a benefit?. 2016 , 2, 235-236		
808	ECG-Guided Surveillance Technique in Cryoballoon Ablation for Paroxysmal and Persistent Atrial Fibrillation: A Strategy to Prevent From Phrenic Nerve Palsy. 2016 , 13, 403-11		7
807	Atypical lower loop reentrant tachycardia associated with multiple hepatic veins. <i>Europace</i> , 2017 , 19, 65	3.9	0
806	Validation of self-reported and hospital-diagnosed atrial fibrillation: the HUNT study. 2016 , 8, 185-93		20
805	The 4q25, 1q21, and 16q22 polymorphisms and recurrence of atrial fibrillation after pulmonary vein isolation. 2016 , 12, 38-44		15
804	Vagal Reactions during Cryoballoon-Based Pulmonary Vein Isolation: A Clue for Autonomic Nervous System Modulation?. 2016 , 2016, 7286074		10
803	The Role of Adenosine in Pulmonary Vein Isolation: A Critical Review. 2016 , 2016, 8632509		14

802	Efficacy and safety of ablation for patients with non-paroxysmal atrial fibrillation. 2016 ,	2
801	Fluoroscopy-Free Pulmonary Vein Isolation in Patients with Atrial Fibrillation and a Patent Foramen Ovale Using Solely an Electroanatomic Mapping System. 2016 , 11, e0148059	12
800	Multivariate Analysis of Correspondence between Left Atrial Volumes Assessed by Echocardiography and 3-Dimensional Electroanatomic Mapping in Patients with Atrial Fibrillation. 2016 , 11, e0152553	3
799	Contact force-guided catheter ablation for the treatment of atrial fibrillation: a meta-analysis of randomized, controlled trials. 2016 , 49,	1
798	New Mechanism-based Approaches to Ablating Persistent AF: Will Drug Therapy Soon Be Obsolete?. 2016 , 67, 1-8	
797	Characterization of Electrical Reconnection Following Pulmonary Vein Isolation Using First- and Second-Generation Cryoballoon. 2016 , 39, 434-42	12
796	Cryoablation in persistent atrial fibrillation - a critical appraisal. 2016 , 24, 498-507	2
795	Successful Repeat Catheter Ablation of Recurrent Longstanding Persistent Atrial Fibrillation With Rotor Elimination as the Procedural Endpoint: A Case Series. 2016 , 27, 274-80	59
794	The Impact of Duration of Atrial Fibrillation Recurrences on Measures of Health-Related Quality of Life and Symptoms. 2016 , 39, 166-72	14
793	Antiarrhythmic therapy as an adjuvant to promote post pulmonary vein isolation success-a meta-analysis. 2016 , 47, 171-176	12
792	Documented atrial fibrillation recurrences after pulmonary vein isolation are associated with diminished quality of life. 2016 , 17, 201-8	5
791	Post-operative atrial fibrillation is associated with a pre-existing structural and electrical substrate in human right atrial myocardium. 2016 , 220, 580-8	17
790	Cryoballoon or radiofrequency ablation for symptomatic paroxysmal atrial fibrillation: reintervention, rehospitalization, and quality-of-life outcomes in the FIRE AND ICE trial. 2016 , 37, 2858-2865	186
789	The Total Incidence of Complications and the Impact of an Anticoagulation Regime on Adverse Events After Cryoballoon Ablation of Atrial Fibrillation: A Single-Center Study of 409 Patients. 2016 , 34, 144-51	10
788	Apixaban, Rivaroxaban, and Dabigatran in Patients Undergoing Atrial Fibrillation Ablation. 2016 , 27, 147-53	30
787	Surgical ablation of atrial fibrillation: a protocol for a systematic review and meta-analysis of randomised controlled trials. 2016 , 6, e013273	3
786	New-onset atrial fibrillation after anatomic lung resection: predictive factors, treatment and follow-up in a UK thoracic centre. 2017 , 24, 260-264	15
785	Surgical ablation of atrial fibrillation in patients with a giant left atrium undergoing mitral valve surgery. 2016 , 102, 1206-14	11

784	Heparin monitoring: clinical outcome and practical approach. 2016 , 74, 637-652		2
783	2016 Guidelines of the Taiwan Heart Rhythm Society and the Taiwan Society of Cardiology for the management of atrial fibrillation. 2016 , 115, 893-952		76
782	Current rare indications and future directions for implantable loop recorders. 2016 , 27, 366-370		4
781	Tratamiento quirúrgico de la fibrilación auricular. 2016 , 23, 170-177		
780	Papel del ecocardiograma en la evaluación y el tratamiento de pacientes con fibrilación auricular. 2016 , 23, 44-51		1
779	Complications associated with radiofrequency ablation of pulmonary veins. 2016 , 58, 444-453		4
778	Tratamiento no farmacológico de la fibrilación auricular. Ablación, cardioversión eléctrica, marcapasos y cierre de la orejuela. 2016 , 16, 40-46		
777	Challenging Achievement of Bidirectional Block After Linear Ablation Affects the Rhythm Outcome in Patients With Persistent Atrial Fibrillation. 2016 , 5,		30
776	Ultrasound-guided cannulation of the femoral vein in electrophysiological procedures: a systematic review and meta-analysis. <i>Europace</i> , 2017 , 19, 850-855	3.9	29
775	Cardiac surgery interventions for stroke prevention in patients with atrial fibrillation. 2016 , 58, e242-e249		2
774	Impact of transesophageal echocardiography during transseptal puncture on atrial fibrillation ablation. 2016 , 32, 170-5		13
773	Focal-, Circular-, or Balloon-Based Atrial Fibrillation Ablation: How to Interpret the Data in a Rapidly Developing Field?. 2016 , 2, 391-392		
772	Aislamiento eléctrico venoso pulmonar con catéter láser en el tratamiento de la fibrilación auricular paroxística y persistente. Resultados a un año. 2016 , 69, 488-493		5
771	Electrical Isolation of Pulmonary Veins Using Laser Catheter in the Treatment of Paroxysmal and Persistent Atrial Fibrillation. One-year Results. 2016 , 69, 488-93		3
770	Apixaban for periprocedural anticoagulation during catheter ablation of atrial fibrillation: a systematic review and meta-analysis of 1691 patients. 2016 , 46, 225-36		9
769	Cryo-Balloon Catheter Localization Based on a Support-Vector-Machine Approach. 2016 , 35, 1892-902		4
768	Safety and efficacy of second-generation versus first-generation cryoballoons for treatment of atrial fibrillation: a meta-analysis of current evidence. 2016 , 45, 49-56		29
767	Clinical experience with contact-force and flexible-tip ablation catheter designs. 2016 , 47, 75-82		7

766	Immediate post-procedure bridging with unfractionated heparin versus low molecular weight heparin in patients undergoing radiofrequency ablation for atrial fibrillation with an interrupted oral anticoagulation strategy. 2016 , 45, 149-58		0
765	Persistent Atrial Fibrillation Ablation using the Tip-Versatile Ablation Catheter. 2016 , 25, 645-51		
764	Surgical ablation in patients undergoing mitral valve surgery: impact of lesion set and surgical techniques on long-term success. <i>Europace</i> , 2016 , 18, 1528-1537	3.9	12
763	Pulmonary vein reconnection and arrhythmia progression after antral linear catheter ablation of paroxysmal and persistent atrial fibrillation. 2016 , 105, 738-43		14
762	Pulmonary Vein Antrum Isolation in Patients With Paroxysmal Atrial Fibrillation: More Than a Decade of Follow-Up. 2016 , 9,		42
761	Difference in the maintenance mechanism of atrial fibrillation perpetuated after pulmonary vein isolation between paroxysmal and persistent atrial fibrillation: Effects of subsequent stepwise ablation. 2016 , 210, 109-18		7
760	The Substrate in "Early Persistent" Atrial Fibrillation: Arrhythmia Induced, Risk Factor Induced, or From a Specific Fibrotic Atrial Cardiomyopathy?. 2016 , 2, 140-142		11
759	Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeart trial. 2016 , 181, 120-129		36
758	Recurrent atrial arrhythmias in the setting of chronic pulmonary vein isolation. 2016 , 13, 2174-2180		20
757	Association of left atrial epicardial adipose tissue with electrogram bipolar voltage and fractionation: Electrophysiologic substrates for atrial fibrillation. 2016 , 13, 2333-2339		29
756	Total endoscopic ablation of patients with long-standing persistent atrial fibrillation: a randomized controlled study. 2016 , 23, 292-8		6
755	Prognostic Significance of New-Onset Atrial Fibrillation in Patients With Non-Hodgkin's Lymphoma Treated With Anthracyclines. 2016 , 118, 1386-1389		15
754	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. 2016 , 50, e1-e88		589
753	Antithrombotic Approaches in Acute Coronary Syndromes: Optimizing Benefit vs Bleeding Risks. 2016 , 91, 1413-1447		6
752	Impedance Guided Radiofrequency Ablation for Atrial Fibrillation: Something Old Is New Again. 2016 , 27, 1399-1402		2
751	Repeat procedures after second-generation cryoballoon ablation as an index procedure for persistent atrial fibrillation: one-year follow-up. 2016 , 47, 365-371		2
750	Factors impacting complication rates for catheter ablation of atrial fibrillation from 2003 to 2015. <i>Europace</i> , 2017 , 19, 241-249	3.9	32
749	Last call on nMARQ safety. <i>Europace</i> , 2016 , 18, 1119-20	3.9	1

748	Pulmonary Vein Reconnection in Patients With and Without Atrial Fibrillation Recurrence After Ablation. 2016 , 2, 484-486		5
747	Electrophysiological and molecular mechanisms of paroxysmal atrial fibrillation. 2016 , 13, 575-90		89
746	Box Isolation of Fibrotic Areas (BIFA): A Patient-Tailored Substrate Modification Approach for Ablation of Atrial Fibrillation. 2016 , 27, 22-30		153
745	Safety and Long-Term Outcomes of Catheter Ablation of Atrial Fibrillation Using Magnetic Navigation versus Manual Conventional Ablation: A Propensity-Score Analysis. 2016 , 27 Suppl 1, S11-6		14
744	A tailored treatment strategy: a modern approach for stroke prevention in patients with atrial fibrillation. 2016 , 279, 467-76		8
743	What have we learned of ablation procedures for atrial fibrillation?. 2016 , 279, 439-48		2
742	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. 2016 , 37, 2893-2962		4465
741	2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. <i>Europace</i> , 2016 , 18, 1609-1678	3.9	1293
740	Automated lesion annotation during pulmonary vein isolation: influence on acute isolation rates and lesion characteristics. 2016 , 47, 349-356		2
739	Outcomes of Patients With Atrial Fibrillation Undergoing Percutaneous Coronary Intervention. 2016 , 68, 895-904		47
738	Concomitant atrial fibrillation surgery for people undergoing cardiac surgery. 2016 , CD011814		24
737	Safety and efficacy of the nMARQ catheter for paroxysmal and persistent atrial fibrillation. <i>Europace</i> , 2016 , 18, 1164-9	3.9	19
736	Rate control in atrial fibrillation. 2016 , 388, 818-28		88
735	Relationship Between Catheter Stability and 12-Month Success After Pulmonary Vein Isolation: A Subanalysis of the SMART-AF Trial. 2016 , 2, 691-699		26
734	Efficacy and safety of ablation for people with non-paroxysmal atrial fibrillation. 2016 , 11, CD012088		16
733	Lone Atrial Fibrillation Is Associated With Impaired Left Ventricular Energetics That Persists Despite Successful Catheter Ablation. 2016 , 134, 1068-1081		51
732	Short-Term Influence of Radiofrequency Ablation on NT-proBNP, MR-proANP, Copeptin, and MR-proADM in Patients With Atrial Fibrillation: Data From the Observational SMURF Study. 2016 , 5,		11
731	Non-invasive prediction of catheter ablation outcome in persistent atrial fibrillation by fibrillatory wave amplitude computation in multiple electrocardiogram leads. 2016 , 109, 679-688		9

730	[Implantable loop recorder in atrial fibrillation and after catheter ablation]. 2016 , 27, 355-359		
729	Mechanistically based mapping of human cardiac fibrillation. 2016 , 594, 2399-415		28
728	Transseptal Puncture. 2016 , 582-591		1
727	The Right to Left Atrial Volume Ratio Predicts Outcomes after Circumferential Pulmonary Vein Isolation of Longstanding Persistent Atrial Fibrillation. 2016 , 39, 1181-1190		6
726	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHS). <i>Europace</i> , 2017 , 19, 190-225	3.9	44
725	New perspectives on atrial fibrillation and stroke. 2016 , 102, 1788-1792		17
724	Atrial fibrillation. 2016 , 2, 16016		115
723	Cryoballoon ablation of persistent atrial fibrillation: feasibility and safety of left atrial roof ablation with generation of conduction block in addition to antral pulmonary vein isolation. <i>Europace</i> , 2017 , 19, 1109-1115	3.9	34
722	What makes pulmonary vein anatomy important and preprocedural imaging useful during catheter ablation for atrial fibrillation?. <i>Europace</i> , 2017 , 19, 1754	3.9	2
721	Influence of energy source on early atrial fibrillation recurrences: a comparison of cryoballoon vs. radiofrequency current energy ablation with the endpoint of unexcitability in pulmonary vein isolation. <i>Europace</i> , 2018 , 20, 43-49	3.9	18
720	An ECG Index of P-Wave Force Predicts the Recurrence of Atrial Fibrillation after Pulmonary Vein Isolation. 2016 , 39, 1191-1197		3
719	Invasive management of atrial fibrillation. 2016 , 2, 158-166		
718	Changes in P-wave morphology after pulmonary vein isolation: insights from computer simulations. <i>Europace</i> , 2016 , 18, iv23-iv34	3.9	5
717	Das Vorhofflimmern ist eine komplexe Herausforderung. 2016 , 13, 9-18		
716	Cardiac Radiofrequency Ablation: A Clinical Update for Nurses. 2016 , 35, 255-67		1
715	The ABLA-BOX: An In Vitro Module of Hybrid Atrial Fibrillation Ablation. 2016 , 11, 201-9		5
714	Functional mitral regurgitation: predictor for atrial substrate remodeling and poor ablation outcome in paroxysmal atrial fibrillation. 2016 , 95, e4333		8
713	Light-based Approaches to Cardiac Arrhythmia Research: From Basic Science to Translational Applications. 2016 , 10, 47-60		5

712	Total Thrombus-Formation Analysis System (T-TAS) Can Predict Periprocedural Bleeding Events in Patients Undergoing Catheter Ablation for Atrial Fibrillation. 2016 , 5,		23
711	Two years outcome in patients with persistent atrial fibrillation after pulmonary vein isolation using the second-generation 28-mm cryoballoon. 2016 , 13, 1817-22		36
710	Updated European Heart Rhythm Association practical guide on the use of non-vitamin-K antagonist anticoagulants in patients with non-valvular atrial fibrillation: Executive summary. 2017 , 38, 2137-2149		162
709	Cardiac implantable electronic device lead-based masses and atrial fibrillation ablation: a case-based illustration of periprocedural anticoagulation management strategies. 2016 , 46, 237-43		4
708	Therapie tachykarder Herzrhythmusstörungen. 2016 , 13, 9-20		
707	Prognosis of high sinus heart rate after catheter ablation for atrial fibrillation. <i>Europace</i> , 2017 , 19, 1132-1139	3.9	17
706	Long-term results of minimally invasive stand-alone bi-atrial surgical ablation with a bipolar ablation device for persistent and longstanding persistent AF: a single-center case series of 91 patients. 2016 , 11, 23		6
705	Sedation in the Electrophysiology Laboratory: A Multidisciplinary Review. 2016 , 5,		28
704	Midterm clinical outcomes of concomitant thoracoscopic epicardial and transcatheter endocardial ablation for persistent and long-standing persistent atrial fibrillation: a single-centre experience. <i>Europace</i> , 2017 , 19, 58-65	3.9	25
703	Peri-Mitral Atrial Tachycardia Using the Marshall Bundle Epicardial Connections. 2016 , 2, 27-35		22
702	Capítulo 7. Utilidad del mapeo tridimensional en la ablación de la fibrilación auricular persistente. 2016 , 23, 38-43		
701	Ablation index, a novel marker of ablation lesion quality: prediction of pulmonary vein reconnection at repeat electrophysiology study and regional differences in target values. <i>Europace</i> , 2017 , 19, 775-783	3.9	144
700	Pulmonary vein reconnection predicts good clinical outcome after second catheter ablation for atrial fibrillation. <i>Europace</i> , 2017 , 19, 961-967	3.9	34
699	Use of delayed-enhancement magnetic resonance imaging for fibrosis detection in the atria: a review. <i>Europace</i> , 2017 , 19, 180-189	3.9	45
698	Rhythmic and haemodynamic determinants of long-term survival after radiofrequency ablation of atrial fibrillation in mitral valve surgery. 2016 , 2, 285-290		2
697	Reduced residual conduction gaps and favourable outcome in contact force-guided circumferential pulmonary vein isolation. <i>Europace</i> , 2016 , 18, 531-7	3.9	32
696	Data on procedural handling and complications of pulmonary vein isolation using the pulmonary vein ablation catheter GOLDfi. <i>Europace</i> , 2016 , 18, 696-701	3.9	12
695	Results from a multicentre comparison of cryoballoon vs. radiofrequency ablation for paroxysmal atrial fibrillation: is cryoablation more reproducible?. <i>Europace</i> , 2017 , 19, 48-57	3.9	70

694	[AFNET. A translational research network develops into an academic research organization]. 2016 , 59, 514-22		
693	Linear Ablation Following Pulmonary Vein Isolation in Patients with Atrial Fibrillation: A Meta-Analysis. 2016 , 39, 623-30		19
692	The role of myocardial wall thickness in atrial arrhythmogenesis. <i>Europace</i> , 2016 , 18, 1758-1772	3.9	45
691	Electrocardiographic Spectral Features for Long-Term Outcome Prognosis of Atrial Fibrillation Catheter Ablation. 2016 , 44, 3307-3318		13
690	Influence of the concomitant use of heparin on the effects of warfarin during catheter ablation for atrial fibrillation. 2016 , 31, 397-401		
689	One-year follow-up after irrigated multi-electrode radiofrequency ablation of persistent atrial fibrillation. <i>Europace</i> , 2016 , 18, 85-91	3.9	7
688	Catheter ablation restores decreased plasma miR-409-3p and miR-432 in atrial fibrillation patients. <i>Europace</i> , 2016 , 18, 92-9	3.9	31
687	Presence and stability of rotors in atrial fibrillation: evidence and therapeutic implications. 2016 , 109, 480-92		37
686	Respiratory gating algorithm helps to reconstruct more accurate electroanatomical maps during atrial fibrillation ablation performed under spontaneous respiration. 2016 , 46, 153-9		1
685	Atrial fibrillation ablation by single ring isolation versus wide antral isolation: Effects on left atrial size and function. 2016 , 206, 1-6		4
684	One-year clinical outcome after ablation with a novel multipolar irrigated ablation catheter for treatment of atrial fibrillation: potential implications for clinical use. <i>Europace</i> , 2016 , 18, 1170-8	3.9	13
683	Progression of atrial remodeling in patients with high-burden atrial fibrillation: Implications for early ablative intervention. 2016 , 13, 331-9		54
682	Impact of Complete Versus Incomplete Circumferential Lines Around the Pulmonary Veins During Catheter Ablation of Paroxysmal Atrial Fibrillation: Results From the Gap-Atrial Fibrillation-German Atrial Fibrillation Competence Network 1 Trial. 2016 , 9, e003337		151
681	Re: Thoracoscopic surgical ablation versus catheter ablation for atrial fibrillation. 2016 , 49, 1052-3		1
680	Treatment of stand-alone atrial fibrillation with a right thoracoscopic approach employing a microwave or monopolar radiofrequency energy source: long-term results. 2016 , 22, 762-8		8
679	Cryoballoon ablation for persistent atrial fibrillation - Large single-center experience. 2016 , 68, 492-497		24
678	Oral Anticoagulation After Successful Atrial Fibrillation Ablation Operations: Is It Necessary?. 2016 , 101, 1471-6		9
677	Study on Left Atrial Dimension and Function After Modified Endoscopic Procedure for Atrial Fibrillation at Two Years' Follow-Up. 2016 , 101, 1724-8		1

676	Regional differences in referral, procedures, and outcome after ablation for atrial fibrillation in Europe: a report from the Atrial Fibrillation Ablation Pilot Registry of the European Society of Cardiology. <i>Europace</i> , 2016 , 18, 191-200	3.9	11
675	Efficacy and safety of rivaroxaban compared with vitamin K antagonists for peri-procedural anticoagulation in catheter ablation of atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2016 , 18, 1787-1794	3.9	18
674	Imagerie avant et après traitement endocavitaire de la fibrillation atriale. 2016 , 97, 42-53		
673	Nonlinear analysis of right atrial electrograms predicts termination of persistent atrial fibrillation within the left atrium by catheter ablation. 2016 , 37, 347-59		1
672	Incidence and outcomes of cerebrovascular events complicating catheter ablation for atrial fibrillation. <i>Europace</i> , 2016 , 18, 1357-65	3.9	18
671	Who is the operator, that is the question: a multicentre study of catheter ablation of atrial fibrillation. <i>Europace</i> , 2016 , 18, 1352-6	3.9	24
670	Five-year efficacy of pulmonary vein antrum isolation as a primary ablation strategy for atrial fibrillation: a single-centre cohort study. <i>Europace</i> , 2016 , 18, 1335-42	3.9	30
669	EACVI/EHRA Expert Consensus Document on the role of multi-modality imaging for the evaluation of patients with atrial fibrillation. 2016 , 17, 355-83		170
668	Catheter ablation of atrial fibrillation in chronic heart failure: state-of-the-art and future perspectives. <i>Europace</i> , 2016 , 18, 638-47	3.9	22
667	Thoracoscopic epicardial left atrial ablation in symptomatic patients with atrial fibrillation. <i>Europace</i> , 2016 , 18, 1538-1544	3.9	13
666	Gender differences in outcomes after surgical ablation of atrial fibrillation. 2016 , 151, 391-8.e2		10
665	Association between pulmonary vein orientation and ablation outcome in patients undergoing multi-electrode ablation for atrial fibrillation. 2016 , 10, 251-7		6
664	Atrial Fibrillation, Heart Failure, and the Autonomic Nervous System. 2016 , 25-41		
663	The contribution of pathways initiated via the Gq11 G-protein family to atrial fibrillation. 2016 , 105, 54-61		7
662	PACES/HRS expert consensus statement on the use of catheter ablation in children and patients with congenital heart disease: Developed in partnership with the Pediatric and Congenital Electrophysiology Society (PACES) and the Heart Rhythm Society (HRS). Endorsed by the governing bodies of PACES, HRS, the American Academy of Pediatrics (AAP), the American Heart Association		111
661	Lower rate of left atrial tachycardia after pulmonary vein isolation with PVAC versus irrigated-tip circumferential antral ablation. 2016 , 13, 1596-601		6
660	Minimizing discordances in automated classification of fractionated electrograms in human persistent atrial fibrillation. 2016 , 54, 1695-1706		16
659	Mechanisms of Atrial Fibrillation: Rotors, Ionic Determinants, and Excitation Frequency. 2016 , 12, 167-78		10

658	Novel Upstream Approaches to Prevent Atrial Fibrillation Perpetuation. 2016 , 12, 309-22		5
657	Electrophysiological findings following pulmonary vein isolation using radiofrequency catheter guided by contact-force and second-generation cryoballoon: lessons from repeat ablation procedures. <i>Europace</i> , 2016 , 18, 71-7	3.9	51
656	The Link Between Obstructive Sleep Apnea and Cardiovascular Disease. 2016 , 18, 1		79
655	Usefulness of 'figure-of-eight' suture to achieve haemostasis after removal of 15-French calibre femoral venous sheath in patients undergoing cryoablation. <i>Europace</i> , 2016 , 18, 1545-1550	3.9	54
654	Heart Failure Management: The Neural Pathways. 2016 ,		
653	The impact of adjunctive complex fractionated atrial electrogram ablation and linear lesions on outcomes in persistent atrial fibrillation: a meta-analysis. <i>Europace</i> , 2016 , 18, 359-67	3.9	31
652	Stroke prevention following modified endoscopic ablation and appendectomy for atrial fibrillation. 2016 , 31, 1529-36		4
651	Incidence and risk factors for symptomatic heart failure after catheter ablation of atrial fibrillation and atrial flutter. <i>Europace</i> , 2016 , 18, 521-30	3.9	12
650	First-line catheter ablation of paroxysmal atrial fibrillation: outcome of radiofrequency vs. cryoballoon pulmonary vein isolation. <i>Europace</i> , 2016 , 18, 368-75	3.9	57
649	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2016 , 18, 37-50	3.9	90
648	Low P-wave amplitude (. <i>Europace</i> , 2016 , 18, 384-91	3.9	38
647	Role of adenosine after antral pulmonary vein isolation of paroxysmal atrial fibrillation: A randomized controlled trial. 2016 , 13, 407-15		28
646	The role of obesity in atrial fibrillation. 2016 , 37, 1565-72		115
645	Feasibility and safety of temporary subcutaneous venous figure-of-eight suture to achieve haemostasis after ablation of atrial fibrillation. <i>Europace</i> , 2016 , 18, 815-9	3.9	19
644	Visually guided pulmonary vein isolation in patients with persistent atrial fibrillation. <i>Europace</i> , 2016 , 18, 538-42	3.9	10
643	New-Onset Atrial Fibrillation After Cardiac Surgery: Pathophysiology, Prophylaxis, and Treatment. 2016 , 30, 200-16		32
642	Predictors of left atrial volume index reduction following cryoballoon-based pulmonary vein isolation. <i>Europace</i> , 2016 , 18, 392-7	3.9	2
641	Magnetic resonance imaging of atrial fibrosis: redefining atrial fibrillation to a syndrome. 2017 , 38, 14-19		73

640	Pulmonary vein isolation in patients with paroxysmal atrial fibrillation : Long-term clinical outcomes with first- and second-generation cryoballoons. 2017 , 42, 91-97		3
639	Good responders to catheter ablation for long-standing persistent atrial fibrillation: Clinical and genetic characteristics. 2017 , 69, 584-590		14
638	Catheter ablation in patients with persistent atrial fibrillation. 2017 , 38, 20-26		75
637	Spectral Analysis of Electrocardiograms in Patients with Inducible Atrial Fibrillation after Catheter Ablation Predicts Sinus Rhythm Maintenance. 2017 , 22,		2
636	Prediction of very late arrhythmia recurrence after radiofrequency catheter ablation of atrial fibrillation: The MB-LATER clinical score. 2017 , 7, 40828		46
635	Contemporary management of patients undergoing atrial fibrillation ablation: in-hospital and 1-year follow-up findings from the ESC-EHRA atrial fibrillation ablation long-term registry. 2017 , 38, 1303-1316 ¹¹²		
634	Wire- and needle potentials facilitating transeptal puncture. 2017 , 50, 358-367		1
633	Guía ESC 2016 sobre el diagnóstico y tratamiento de la fibrilación auricular, desarrollada en colaboración con la EACTS. 2017 , 70, 50.e1-50.e84		6
632	Left Atrial Substrate Modification Targeting Low-Voltage Areas for Catheter Ablation of Atrial Fibrillation: A Systematic Review and Meta-Analysis. 2017 , 40, 199-212		41
631	Fibrillatory wave amplitude on transesophageal ECG as a marker of left atrial low-voltage areas in patients with persistent atrial fibrillation. 2017 , 22,		5
630	Comparison of the Efficacy of Empiric Thoracic Vein Isolation for the Treatment of Paroxysmal and Persistent Atrial Fibrillation in Patients Without Structural Heart Disease. 2017 , 28, 266-272		15
629	High-sensitive cardiac troponin T as a novel predictor for recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>Europace</i> , 2017 , 19, 1951-1957	3.9	12
628	Atlas-Based Mosaicing of Left Atrial 3-D Transesophageal Echocardiography Images. 2017 , 43, 765-774		2
627	Cryoablation vs. radiofrequency ablation for treatment of paroxysmal atrial fibrillation: a systematic review and meta-analysis. <i>Europace</i> , 2017 , 19, 784-794	3.9	28
626	The role of adenosine challenge in catheter ablation for atrial fibrillation: A systematic review and meta-analysis. 2017 , 236, 253-261		6
625	Pre- and postoperative atrial fibrillation in CABG patients have similar prognostic impact. 2017 , 51, 21-27		7
624	Association of SCN10A Polymorphisms with the Recurrence of Atrial Fibrillation after Catheter Ablation in a Chinese Han Population. 2017 , 7, 44003		6
623	Effective contact and outcome after pulmonary vein isolation in 'novel' circular multi-electrode atrial fibrillation ablation. 2017 , 25, 16-23		8

622	Determinants of Heparin Dosing and Complications in Patients Undergoing Left Atrial Ablation on Uninterrupted Rivaroxaban. 2017 , 40, 183-190	6
621	The growing role of echocardiography in interventional cardiology: The present and the future. 2017 , 58, 17-31	22
620	Management of Patients on Non-Vitamin K Antagonist Oral Anticoagulants in the Acute Care and Periprocedural Setting: A Scientific Statement From the American Heart Association. 2017 , 135, e604-e633	153
619	Does Additional Electrogram-Guided Ablation After Linear Ablation Reduce Recurrence After Catheter Ablation for Longstanding Persistent Atrial Fibrillation? A Prospective Randomized Study. 2017 , 6,	15
618	Predictors of arrhythmia recurrence after balloon cryoablation of atrial fibrillation: the value of CAAP-AF risk scoring system. 2017 , 49, 129-135	9
617	Catheter ablation for the treatment of atrial fibrillation is associated with a reduction in health care resource utilization. 2017 , 28, 733-741	14
616	Digoxin versus placebo, no intervention, or other medical interventions for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. 2017 , 6, 71	5
615	Novel MRI Technique Enables Non-Invasive Measurement of Atrial Wall Thickness. 2017 , 36, 1607-1614	19
614	Improving Atrial Fibrillation Therapy: Is There a Gene for That?. 2017 , 69, 2088-2095	12
613	Defining Blanking Period Post-Pulmonary Vein Antrum Isolation. 2017 , 3, 568-576	18
612	Efficacy of Catheter Ablation for Nonparoxysmal Atrial Fibrillation. 2017 , 2, 812-813	5
611	Left atrial appendage thrombi relate to easily accessible clinical parameters in patients undergoing atrial fibrillation transcatheter ablation: A multicenter study. 2017 , 241, 218-222	10
610	Type and rate of atrial fibrillation termination due to rotational activity ablation combined with pulmonary vein isolation. 2017 , 28, 862-869	10
609	Safety and Efficacy of Uninterrupted Apixaban Therapy Versus Warfarin During Atrial Fibrillation Ablation. 2017 , 120, 404-407	10
608	Effect of Different Cutpoints for Defining Success Post-Catheter Ablation for Persistent Atrial Fibrillation: A Substudy of the STAR AF II Trial. 2017 , 3, 522-523	4
607	The relationship between oesophageal heating during left atrial posterior wall ablation and the durability of pulmonary vein isolation. <i>Europace</i> , 2017 , 19, 1664-1669	3,9 10
606	Effect of Inpatient Dobutamine versus Milrinone on Out-of-Hospital Mortality in Patients with Acute Decompensated Heart Failure. 2017 , 37, 662-672	15
605	Risk of Intraatrial Thrombi After Thoracoscopic Ablation in Absence of Heparin and Appendage Closure. 2017 , 104, 790-796	3

604	Circumferential pulmonary vein isolation with second-generation multipolar catheter in patients with paroxysmal or persistent atrial fibrillation: Procedural and one-year follow-up results. 2017 , 241, 212-217		13
603	Incidence of Pulmonary Vein Stenosis After Radiofrequency Catheter Ablation of Atrial Fibrillation. 2017 , 3, 589-598		33
602	The future of atrial fibrillation management: integrated care and stratified therapy. 2017 , 390, 1873-1887		81
601	Comparison of early outcomes of surgical ablation procedures for atrial fibrillation concomitant to non-mitral cardiac surgery: a Japan Adult Cardiovascular Surgery Database study. 2017 , 65, 500-505		3
600	Multicentre safety of adding Focal Impulse and Rotor Modulation (FIRM) to conventional ablation for atrial fibrillation. <i>Europace</i> , 2017 , 19, 769-774	3.9	11
599	Scanned 3-D Intracardiac ARFI and SWEI for Imaging Radio-Frequency Ablation Lesions. 2017 , 64, 1034-1044		7
598	Upper gastrointestinal complications following ablation therapy for atrial fibrillation. 2017 , 29, e13109		14
597	Antiarrhythmic medication is superior to catheter ablation in suppressing supraventricular ectopic complexes in patients with atrial fibrillation. 2017 , 244, 186-191		4
596	Real-time MRI guidance of cardiac interventions. 2017 , 46, 935-950		38
595	Pulmonary Vein Stenosis Following Radiofrequency Ablation of Atrial Fibrillation: Has It Become a Clinically Negligible Complication?. 2017 , 3, 599-601		2
594	Cryoballoon vs. open irrigated radiofrequency ablation for paroxysmal atrial fibrillation: long-term FreezeAF outcomes. 2017 , 17, 135		11
593	Stereotactic Body Radiotherapy. 2017 , 323-395		
592	Comparison between local and systemic injection of adenosine for detecting dormant conduction after PV isolation. 2017 , 40, 762-769		3
591	Automated verification of pulmonary vein isolation in radiofrequency- and cryoballoon-guided ablation. 2017 , 40, 779-787		0
590	Cryoablation for Atrial Fibrillation in 2017: What Have We Learned?. 2017 , 26, 950-959		7
589	Role of contact force-guided radiofrequency catheter ablation for treatment of atrial fibrillation: A systematic review and meta-analysis. 2017 , 28, 994-1005		21
588	Rationale and design of AXAFA-AFNET 5: an investigator-initiated, randomized, open, blinded outcome assessment, multi-centre trial to comparing continuous apixaban to vitamin K antagonists in patients undergoing atrial fibrillation catheter ablation. <i>Europace</i> , 2017 , 19, 132-138	3.9	24
587	Safety and feasibility of percutaneous skin closure using purse-string suture compared with compression bandage after pulmonary vein isolation. 2017 , 28, 1048-1057		10

586	Long-term symptom improvement and patient satisfaction following catheter ablation of supraventricular tachycardia: insights from the German ablation registry. 2017 , 38, 1317-1326		45
585	Left atrial appendage isolation in addition to pulmonary vein isolation in persistent atrial fibrillation: one-year clinical outcome after cryoballoon-based ablation. <i>Europace</i> , 2017 , 19, 758-768	3.9	69
584	Safety and Feasibility of Subcutaneous Purse-String Suture of the Femoral Vein After Electrophysiological Procedures on Uninterrupted Oral Anticoagulation. 2017 , 119, 1781-1784		4
583	Termination of anticoagulation therapy at 45 days after concomitant atrial fibrillation catheter ablation and left atrial appendage occlusion resulting in device-related thrombosis and stroke. 2017 , 3, 18-21		6
582	Ablation of Complex Fractionated Electrograms With or Without ADditional LINEar Lesions for Persistent Atrial Fibrillation (The ADLINE Trial). 2017 , 28, 636-641		14
581	Characteristics of the new AtriCure cryoFORMfi cryoablation probe for the surgical treatment of cardiac arrhythmias. 2017 , 14, 255-262		2
580	Dealing With the Aftermath of an Atrial Fibrillation Procedure: Another Role for Echocardiography. 2017 , 31, 1010-1011		1
579	Learning curve using the second-generation cryoballoon ablation. 2017 , 18, 518-527		21
578	Mid-term outcomes of concomitant surgical ablation of atrial fibrillation in patients undergoing cardiac surgery for hypertrophic cardiomyopathy. 2017 , 51, 1112-1118		16
577	Intravascular pulmonary venous ultrasound imaging for catheter ablation of atrial fibrillation. 2017 , 14, 309-314		5
576	Adenosine administration during hybrid atrial fibrillation ablation to test dormant pulmonary vein conduction. 2017 , 49, 59-65		
575	Uninterrupted Dabigatran versus Warfarin for Ablation in Atrial Fibrillation. 2017 , 376, 1627-1636		264
574	Three-dimensional rotational angiography of the left atrium and the oesophagus: the short-term mobility of the oesophagus and the stability of the fused three-dimensional model of the left atrium and the oesophagus during catheter ablation for atrial fibrillation. <i>Europace</i> , 2017 , 19, 1310-1316	3.9	3
573	Letter by Maesen et al Regarding Article, "Ablation of Atrial Fibrillation: Patient Selection, Peri-procedural Anticoagulation, Techniques, and Preventive Measures After Ablation". 2017 , 135, e1-e2		5
572	Impact of acute atrial fibrillation termination and prolongation of atrial fibrillation cycle length on the outcome of ablation of persistent atrial fibrillation: A substudy of the STAR AF II trial. 2017 , 14, 476-483		31
571	Interatrial block and interatrial septal thickness in patients with paroxysmal atrial fibrillation undergoing catheter ablation: Long-term follow-up study. 2017 , 22,		14
570	Complication Rates of Catheter Ablation of Atrial Fibrillation in Patients Aged ≥5 Years versus . 2017 , 28, 258-265		20
569	Prevalence and Implications of Abnormal Respiratory Patterns in Cardiac Surgery: A Prospective Cohort Study. 2017 , 31, 2010-2016		2

568	Adenosine-guided pulmonary vein isolation versus conventional pulmonary vein isolation in patients undergoing atrial fibrillation ablation: An updated meta-analysis. 2017 , 227, 151-160	5
567	Risk of Stroke and Recurrence After AF Ablation in Patients With an Initial Event-Free Period of 12 Months. 2017 , 28, 273-279	12
566	The roles of alcohol dehydrogenase in patients with atrial fibrillation. 2017 , 40, 1446-1453	1
565	Catheter ablation for AF improves global thrombotic profile and enhances fibrinolysis. 2017 , 44, 413-426	5
564	Cardiac CT and MR Applications in Electrophysiology. 2017 , 5, 1	
563	Prevalence and Prognostic Relevance of Ventricular Conduction Disturbances in Patients With Aortic Stenosis. 2017 , 120, 2226-2232	7
562	Cardiac CT assessment of tissue thickness at the ostium of the left atrial appendage predicts acute success of radiofrequency ablation. 2017 , 40, 1218-1226	6
561	Esophageal Injury and Atrioesophageal Fistula Caused by Ablation for Atrial Fibrillation. 2017 , 136, 1247-1255	95
560	Long-term outcomes of the current remote magnetic catheter navigation technique for ablation of atrial fibrillation. 2017 , 51, 308-315	13
559	Apixaban, rivaroxaban, and dabigatran use in patients undergoing catheter ablation for atrial fibrillation using the second-generation cryoballoon. 2017 , 40, 1095-1099	7
558	Persistency of left atrial linear lesions after radiofrequency catheter ablation for atrial fibrillation: Data from an invasive follow-up electrophysiology study. 2017 , 28, 1403-1414	8
557	Validation of a novel CARTOSEG segmentation module software for contrast-enhanced computed tomography-guided radiofrequency ablation in patients with atrial fibrillation. 2017 , 40, 1206-1212	7
556	Midterm outcomes of two-staged hybrid ablation of persistent and long-standing persistent atrial fibrillation using the versapolar epicardial surgical device and subsequent catheter ablation. 2017 , 50, 187-194	5
555	Low-voltage areas detected by high-density electroanatomical mapping predict recurrence after ablation for paroxysmal atrial fibrillation. 2017 , 28, 1393-1402	39
554	Clinical predictors of challenging atrioventricular node ablation procedure for rate control in patients with atrial fibrillation. 2017 , 245, 168-173	1
553	Cardiac Arrhythmias. 2017 , 2, 589-602	
552	A quantitative comparison of the electrical and anatomical definition of the pulmonary vein ostium. 2017 , 40, 1213-1217	1
551	Comparison of the Incidences of Complications After Second-Generation Cryoballoon Ablation of Atrial Fibrillation Using Vitamin K Antagonists Versus Novel Oral Anticoagulants. 2017 , 120, 223-229	5

550	Association Between Local Bipolar Voltage and Conduction Gap Along the Left Atrial Linear Ablation Lesion in Patients With Atrial Fibrillation. 2017 , 120, 408-413	1
549	Hybrid dual stage closed chest ablation of persistent atrial fibrillation. 2017 , 59, e337-e344	3
548	A case of unidirectional exit block during pulmonary vein isolation. 2017 , 7, 134-135	
547	The quest for durable lesions in catheter ablation of atrial fibrillation - technological advances in radiofrequency catheters and balloon devices. 2017 , 14, 621-631	6
546	Role of the burden of premature atrial contractions during the blanking period following second-generation cryoballoon ablation in predicting late recurrences of atrial arrhythmias. 2017 , 49, 329-335	6
545	Comparison and Validation of Recommended QT Interval Correction Formulas for Predicting Cardiac Arrhythmias in Patients With Advanced Heart Failure and Cardiac Resynchronization Devices. 2017 , 120, 959-965	1
544	Thoracoscopic radiofrequency ablation for lone atrial fibrillation: Box-lesion technique. 2017 , 59, e332-e336	
543	The incidence and types of atrial tachyarrhythmias occurring after hybrid ablation procedures. 2017 , 59, e353-e358	1
542	Platelet function and microparticle levels in atrial fibrillation: Changes during the acute episode. 2017 , 243, 216-222	12
541	Atrial Esophageal Fistula Secondary to Ablation for Atrial Fibrillation: A Case Series and Review of the Literature. 2017 , 12, e3-e5	4
540	Experimental Validation of the Pseudo-Rigid-Body Model of the MRI-Actuated Catheter. 2017 , 2017, 3600-3605	13
539	Development and Validation of the AFImpact: An Atrial Fibrillation-Specific Measure of Patient-Reported Health-Related Quality of Life. 2017 , 20, 1355-1361	2
538	Global multielectrode contact mapping plus ablation with a single catheter: Preclinical and preliminary experience in humans with atrial fibrillation. 2017 , 28, 1247-1256	12
537	Atrial Fibrillation: State of the Art in 2017 - Shifting Paradigms in Pathogenesis, Diagnosis, Treatment and Prevention. 2017 , 26, 867-869	1
536	Laser Balloon or Wide-Area Circumferential Irrigated Radiofrequency Ablation for Persistent Atrial Fibrillation: A Multicenter Prospective Randomized Study. 2017 , 10,	50
535	Interdependent Career Types and Divergent Standpoints on the Use of Advanced Technology in Medicine. 2017 , 58, 488-502	8
534	Fluoroscopy-free AF ablation using transesophageal echocardiography and electroanatomical mapping technology. 2017 , 50, 235-244	11
533	Catheter ablation vs electrophysiologically guided thoracoscopic surgical ablation in long-standing persistent atrial fibrillation: The CASA-AF Study. 2017 , 14, 1596-1603	23

532	Impact of anteroinferior transeptal puncture on creation of a complete block at the mitral isthmus in patients with atrial fibrillation. 2017 , 48, 317-325		5
531	How safe are NOACs compared with phenprocoumon after pulmonary vein isolation with the cryoballoon technique using purse-string suture closure?. 2017 , 248, 201-207		2
530	Cryoablation for treatment of cardiac arrhythmias: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2017 , 19, 303-307	3.9	5
529	Spectral and spatiotemporal variability ECG parameters linked to catheter ablation outcome in persistent atrial fibrillation. 2017 , 88, 126-131		3
528	Manual Versus Robotic Catheter Ablation for the Treatment of Atrial Fibrillation: The Man and Machine Trial. 2017 , 3, 875-883		16
527	Venous Thrombosis After Electrophysiology Procedures: A Systematic Review. 2017 , 152, 574-586		11
526	Arrhythmias in pulmonary arterial hypertension. 2017 , 1,		6
525	The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. 2017 , 6, 47		4
524	Assessment of Atrial Fibrillation-Specific Symptoms Before and 2 Years After Atrial Fibrillation Ablation: Do Patients and Physicians Differ in Their Perception of Symptom Relief?. 2017 , 3, 1168-1176		16
523	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). 2017 , 24, 4-40		43
522	The totally thoracoscopic maze procedure for the treatment of atrial fibrillation. 2017 , 24, 102-111		24
521	Endocardial voltage mapping of pulmonary veins with an ultra-high-resolution system to evaluate atrial myocardial extensions. 2017 , 106, 293-299		7
520	Blanking Period Phenomenon After a Second Atrial Fibrillation Ablation Session: The Application and Factors Related to It. 2017 , 28, 159-166		2
519	Time matters: adenosine testing immediately after pulmonary vein isolation does not substitute a waiting period. <i>Europace</i> , 2017 , 19, 1140-1145	3.9	4
518	The incremental benefit of non-pulmonary vein left atrial ablation in patients undergoing a repeat persistent atrial fibrillation ablation procedure. 2017 , 48, 185-191		3
517	The slope of the initial temperature drop predicts acute pulmonary vein isolation using the second-generation cryoballoon. <i>Europace</i> , 2017 , 19, 1470-1477	3.9	7
516	Treatment of Recurrent Nonparoxysmal Atrial Fibrillation Using Focal Impulse and Rotor Mapping (FIRM)-Guided Rotor Ablation: Early Recurrence and Long-Term Outcomes. 2017 , 28, 31-38		37
515	Relationship between vitamin D level and left atrial fibrosis in patients with lone paroxysmal atrial fibrillation undergoing cryoballoon-based catheter ablation. 2017 , 69, 16-23		14

514	Elevated serum microRNA 483-5p levels may predict patients at risk of post-operative atrial fibrillation. 2017 , 51, 73-78		46
513	Termination of persistent atrial fibrillation during pulmonary vein isolation: insight from the MAGIC-AF trial. <i>Europace</i> , 2017 , 19, 1657-1663	3.9	3
512	The utility of atrial pacing for identifying the electrical breakthrough sites between the left atrium and pulmonary veins. 2017 , 33, 92-98		
511	Cryoballoon vs. radiofrequency ablation for paroxysmal atrial fibrillation: an updated meta-analysis of randomized and observational studies. <i>Europace</i> , 2017 , 19, 378-384	3.9	47
510	Efficacy and safety of the second-generation cryoballoons versus radiofrequency ablation for the treatment of paroxysmal atrial fibrillation: a systematic review and meta-analysis. 2017 , 48, 69-79		13
509	Pulmonary Vein Isolation with the Cryoballoon Technique: Feasibility, Procedural Outcomes, and Adoption in the Real World: Data from One Shot Technologies TO Pulmonary Vein Isolation (1STOP) Project. 2017 , 40, 46-56		19
508	A 5-year clinical follow-up after duty-cycled phased RF ablation of paroxysmal atrial fibrillation. 2017 , 48, 327-331		3
507	Lengthening the atrioventricular delay reduces large left atrial v waves and dyspnea after atrial fibrillation and tachycardia ablation. 2017 , 3, 590-594		
506	Commemorating twenty years since the first catheter-based pulmonary vein isolation to treat atrial fibrillation by ablation. 2017 , 36 Suppl 1, 3-5		
505	Commemorating twenty years since the first catheter-based pulmonary vein isolation to treat atrial fibrillation by ablation. 2017 , 36, 3-5		
504	Isolation of the posterior left atrium for patients with persistent atrial fibrillation: routine adenosine challenge for dormant posterior left atrial conduction improves long-term outcome. <i>Europace</i> , 2017 , 19, 1958-1966	3.9	22
503	Predictive value of exercise-induced atrial natriuretic peptide secretion for the presence of left atrial low-voltage areas in patients with persistent atrial fibrillation. 2017 , 72, 433-439		2
502	One-Year Success Rate of Pulmonary Vein Isolation Using a Novel Irrigated Multipolar Mapping and Ablation Catheter With Reduced Power Settings. 2017 , 58, 205-210		
501	Safety and Efficacy of Underdosing Non-vitamin K Antagonist Oral Anticoagulants in Patients Undergoing Catheter Ablation for Atrial Fibrillation. 2017 , 69, 118-126		6
500	Comparative efficacy and safety of contact force-sensing catheter and second-generation cryoballoon ablation for atrial fibrillation: a meta-analysis. 2017 , 50, e6409		5
499	Loop Recorder Detected High Rate of Atrial Fibrillation Recurrence after a Single Balloon- or Basket-Based Ablation of Paroxysmal Atrial Fibrillation: Results of the MACPAF Study. 2017 , 4, 4		3
498	Rhythm and Quality Classification from Short ECGs Recorded using a Mobile Device. 2017 ,		9
497	What Is the Acute Antral Lesion Size After Pulmonary Vein Isolation Using Different Balloon Ablation Technologies?. 2017 , 81, 172-179		19

496	Paroxysmal atrial fibrillation recognition based on multi-scale wavelet entropy. 2017 , 16, 121	7
495	Assessment of the effect of left atrial cryoablation enhanced by ganglionated plexi ablation in the treatment of atrial fibrillation in patients undergoing open heart surgery. 2017 , 12, 69	8
494	Pre-operative serum VCAM-1 as a biomarker of atrial fibrillation after coronary artery bypass grafting. 2017 , 12, 70	11
493	Comparison of Empiric Isolation and Conventional Isolation of Superior Vena Cava in Addition to Pulmonary Vein Isolation on the Outcome of Paroxysmal Atrial Fibrillation Ablation. 2017 , 58, 500-505	7
492	Automated Ablation Annotation Algorithm Reduces Re-conduction of Isolated Pulmonary Vein and Improves Outcome After Catheter Ablation for Atrial Fibrillation. 2017 , 81, 1596-1602	23
491	COMPARISON OF EFFECTIVENESS OF ANTIARRHYTHMIC THERAPIES IN POSTOPERATIVE PERIOD OF PULMONARY VEIN OSTIA CATHETER ISOLATION FOR PREVENTION OF EARLY RECURRENCES OF ATRIAL TACHYARRHYTHMIAS IN THE PROOF STUDY. 2017 , 13, 18-24	1
490	The Role of Implantable Cardiac Monitors in Atrial Fibrillation Management. 2017 , 10, 1590	22
489	Impact of contact force technology on reducing the recurrence and major complications of atrial fibrillation ablation: A systematic review and meta-analysis. 2017 , 17, 82-91	12
488	Outcome Tracking is Critical to Success and a Mandatory Part of the Procedure. 2017 , 35-53	
487	Maze Indications, Perioperative Management, and Expected Success Rates. 2017 , 55-61	
486	Box Pulmonary Vein Isolation. 2017 , 199-235	
485	The Short and Long-Term Efficacy of Pulmonary Vein Isolation as a Sole Treatment Strategy for Paroxysmal Atrial Fibrillation: A Systematic Review and Meta-Analysis. 2017 , 13, 199-208	20
484	Efficacy and safety of cryoballoon ablation versus radiofrequency catheter ablation in atrial fibrillation: an updated meta-analysis. 2017 , 13, 240-249	5
483	Effect of the Size of the Left Atrium on Sustained Sinus Rhythm in Patients Undergoing Mitral Valve Surgery and Concomitant Bipolar Radiofrequency Ablation for Atrial Fibrillation. 2017 , 56, 795-802	
482	Effectiveness and safety of simultaneous hybrid thoracoscopic endocardial catheter ablation of atrial fibrillation in obese and non-obese patients. 2017 , 9, 3087-3096	1
481	Increasing the Single-Procedure Success Rate of Pulmonary Vein Isolation. 2017 , 6, 217-221	6
480	Paroxysmal atrial fibrillation ablation: Achieving permanent pulmonary vein isolation by point-by-point radiofrequency lesions. 2017 , 9, 230-240	6
479	Three-Year Clinical Outcome After 2nd-Generation Cryoballoon-Based Pulmonary Vein Isolation for the Treatment of Paroxysmal and Persistent Atrial Fibrillation - A 2-Center Experience. 2017 , 81, 974-980	46

478	Stroke rates before and after ablation of atrial fibrillation and in propensity-matched controls in the UK. 2017 , 8, 107-118	6
477	Complications of Atrial Fibrillation Cryoablation. 2017 , 10, 1620	9
476	Catheter Ablation of Atrial Fibrillation: Where Are We?. 2017 , 2, 203-227	
475	LEFT ATRIAL FUNCTION: MODERN ASSESSMENT METHODS AND CLINICAL SIGNIFICANCE. 2017 , 13, 675-683	3
474	Low Rates of Major Complications for Radiofrequency Ablation of Atrial Fibrillation Maintained Over 14 Years: A Single Centre Experience of 2750 Consecutive Cases. 2018 , 27, 976-983	18
473	Association of peak atrial longitudinal strain with atrial fibrillation recurrence in patients with chronic lung diseases following radiofrequency ablation. 2018 , 48, 851-859	3
472	Transesophageal echocardiography measures left atrial appendage volume and function and predicts recurrence of paroxysmal atrial fibrillation after radiofrequency catheter ablation. 2018 , 35, 985-990	8
471	The use of cardiac-CT alone to exclude left atrial thrombus before atrial fibrillation ablation: Efficiency, safety, and cost analysis. 2018 , 41, 727-733	10
470	Feasibility, safety, and efficacy of a novel preshaped nitinol esophageal deviator to successfully deflect the esophagus and ablate left atrium without esophageal temperature rise during atrial fibrillation ablation: The DEFLECT GUT study. 2018 , 15, 1321-1327	35
469	Concomitant surgical atrial fibrillation ablation is safe and efficacious in patients undergoing double valve replacement - A cohort study. 2018 , 57, 54-59	2
468	Cryoballoon Best Practices II: Practical guide to procedural monitoring and dosing during atrial fibrillation ablation from the perspective of experienced users. 2018 , 15, 1348-1355	47
467	Uninterrupted administration of edoxaban vs vitamin K antagonists in patients undergoing atrial fibrillation catheter ablation: Rationale and design of the ELIMINATE-AF study. 2018 , 41, 440-449	11
466	A novel ablation approach in atrial fibrillation patients undergoing fibrotic-based substrate modification: Targeting the Bachmann's bundle?. 2018 , 29, 844-853	6
465	Use of microelectrode near-field signals to determine catheter contact. 2018 , 34, 23-29	2
464	Radiofrequency needle for transeptal puncture is associated with lower incidence of thromboembolism during catheter ablation of atrial fibrillation: propensity score-matched analysis. 2018 , 33, 1238-1244	8
463	Cryoballoon vs. radiofrequency contact force ablation for paroxysmal atrial fibrillation: a propensity score analysis. 2018 , 19, 141-147	14
462	Ten-Year Clinical Outcome After Circumferential Pulmonary Vein Isolation Utilizing the Hamburg Approach in Patients With Symptomatic Drug-Refractory Paroxysmal Atrial Fibrillation. 2018 , 11, e005250	38
461	Long-term outcomes and predictors of recurrence after pulmonary vein isolation with multielectrode ablation catheter in patients with atrial fibrillation. 2018 , 19, 148-154	4

460	A comparison of contact force and remote magnetic navigation on lesion formation for the ablation of atrial fibrillation. 2018 , 41, 450-458		3
459	Totally thoracoscopic ablation for atrial fibrillation: a systematic safety analysis. <i>Europace</i> , 2018 , 20, 1790-1797	3.9	26
458	Head-to-head comparison of acute and chronic pulmonary vein stenosis for cryoballoon versus radiofrequency ablation. 2018 , 41, 376-382		10
457	Peri-mitral atrial flutter: personalized ablation strategy based on arrhythmogenic substrate. <i>Europace</i> , 2018 , 20, 835-842	3.9	6
456	[S1 guideline - Austrian consensus for anticoagulation in the context of atrial fibrillation ablation]. 2018 , 130, 1-8		
455	Pulmonary Vein Isolation: Radiofrequency Energy. 2018 , 137-143		
454	Predictors of arrhythmia recurrence in patients with heart failure undergoing left atrial ablation for atrial fibrillation. 2018 , 41, 63-67		8
453	Noninvasive phase mapping of persistent atrial fibrillation in humans: Comparison with invasive catheter mapping. 2018 , 23, e12527		9
452	Multimodal Examination of Atrial Fibrillation Substrate: Correlation of Left Atrial Bipolar Voltage Using Multi-Electrode Fast Automated Mapping, Point-by-Point Mapping, and Magnetic Resonance Image Intensity Ratio. 2018 , 4, 59-68		28
451	Safety and long-term effectiveness of paroxysmal atrial fibrillation ablation with a contact force-sensing catheter: real-world experience from a prospective, multicentre observational cohort registry. <i>Europace</i> , 2018 , 20, f410-f418	3.9	14
450	Improving procedural and one-year outcome after contact force-guided pulmonary vein isolation: the role of interlesion distance, ablation index, and contact force variability in the 'CLOSE'-protocol. <i>Europace</i> , 2018 , 20, f419-f427	3.9	127
449	Two-staged hybrid ablation of non-paroxysmal atrial fibrillation: clinical outcomes and functional improvements after 1 year. 2018 , 26, 77-83		6
448	High circulating adiponectin level is associated with poor clinical outcome after catheter ablation for paroxysmal atrial fibrillation. <i>Europace</i> , 2018 , 20, 1287-1293	3.9	9
447	Combining Watchman left atrial appendage closure and catheter ablation for atrial fibrillation: multicentre registry results of feasibility and safety during implant and 30 days follow-up. <i>Europace</i> , 2018 , 20, 949-955	3.9	33
446	Evaluation of left atrial linear ablation using contiguous and optimized radiofrequency lesions: the ALINE study. <i>Europace</i> , 2018 , 20, f401-f409	3.9	15
445	Outcomes of persistent and long-standing persistent atrial fibrillation ablation: a systematic review and meta-analysis. <i>Europace</i> , 2018 , 20, f366-f376	3.9	60
444	Surgical ablation of atrial fibrillation: a systematic review and meta-analysis of randomized controlled trials. <i>Europace</i> , 2018 , 20, 1442-1450	3.9	26
443	Management of cardiac tamponade in catheter ablation of atrial fibrillation: single-centre 15 year experience on 5222 procedures. <i>Europace</i> , 2018 , 20, 1776-1782	3.9	18

442	Validation of contrast-enhanced time-resolved magnetic resonance angiography in pre-ablation planning in patients with atrial fibrillation: comparison with traditional technique. 2018 , 34, 1451-1458		2
441	Periprocedural anticoagulation during left atrial ablation: interrupted and uninterrupted vitamin K-antagonists or uninterrupted novel anticoagulants. 2018 , 18, 71		7
440	Long-term clinical outcomes of magnetically navigated rotor ablation as an adjunct to conventional pulmonary vein isolation. <i>Europace</i> , 2018 , 20, ii40-ii47	3.9	2
439	Comparison of uninterrupted anticoagulation with dabigatran etexilate or warfarin in the periprocedural period for atrial fibrillation catheter ablation: Results of the Japanese subgroup of the RE-CIRCUIT trial. 2018 , 34, 148-157		3
438	Catheter Ablation for Atrial Fibrillation in Adults With Congenital Heart Disease: Lessons Learned From More Than 10 Years Following a Sequential Ablation Approach. 2018 , 4, 733-743		23
437	Three-year follow-up of hybrid ablation for atrial fibrillation. 2018 , 53, i26-i32		32
436	Second-generation cryoballoon ablation as a first-line treatment of symptomatic atrial fibrillation: Two-year outcome and predictors of recurrence after a single procedure. 2018 , 259, 76-81		14
435	Cryoballoon versus radiofrequency ablation for paroxysmal atrial fibrillation: a meta-analysis of randomized controlled trials. 2018 , 107, 658-669		38
434	Combined atrial fibrillation ablation and left atrial appendage closure: long-term follow-up from a large multicentre registry. <i>Europace</i> , 2018 , 20, 1783-1789	3.9	38
433	Impact of left atrial volume, sphericity, and fibrosis on the outcome of catheter ablation for atrial fibrillation. 2018 , 29, 740-746		25
432	Catheter ablation of atrial fibrillation in very young adults: a 5-year follow-up study. <i>Europace</i> , 2018 , 20, 58-64	3.9	13
431	Higher burden of supraventricular ectopic complexes early after catheter ablation for atrial fibrillation is associated with increased risk of recurrent atrial fibrillation. <i>Europace</i> , 2018 , 20, 50-57	3.9	10
430	Characterising the difference in electrophysiological substrate and outcomes between heart failure and non-heart failure patients with persistent atrial fibrillation. <i>Europace</i> , 2018 , 20, 451-458	3.9	5
429	Left atrial volume predicts atrial fibrillation recurrence after radiofrequency ablation: a meta-analysis. <i>Europace</i> , 2018 , 20, 33-42	3.9	125
428	Improved outcome and cost effectiveness in ablation of persistent atrial fibrillation under general anaesthetic. <i>Europace</i> , 2018 , 20, 935-942	3.9	16
427	Safety of catheter ablation for atrial fibrillation in patients with intracranial hemorrhage. 2018 , 43, 169-176		1
426	Diagnosis-to-ablation time as a predictor of success: early choice for pulmonary vein isolation and long-term outcome in atrial fibrillation: results from the Middelheim-PVI Registry. <i>Europace</i> , 2018 , 20, 589-595	3.9	17
425	Ultrasound-guided versus conventional femoral venipuncture for catheter ablation of atrial fibrillation: a multicentre randomized efficacy and safety trial (ULTRA-FAST trial). <i>Europace</i> , 2018 , 20, 1107-1114	3.9	25

424	Image quality of low-radiation dose left atrial CT using filtered back projection and an iterative reconstruction algorithm: intra-individual comparison in unselected patients undergoing pulmonary vein isolation. 2018 , 59, 161-169		1
423	The change in circulating galectin-3 predicts absence of atrial fibrillation after thoracoscopic surgical ablation. <i>Europace</i> , 2018 , 20, 764-771	3.9	8
422	Temporal pattern/episode duration-based classification of atrial fibrillation as paroxysmal vs. persistent: is it time to develop a more integrated prognostic score to optimize management?. <i>Europace</i> , 2018 , 20, f288-f298	3.9	9
421	Cryoballoon ablation in the elderly: one year outcome and safety of the second-generation 28mm cryoballoon in patients over 75 years old. <i>Europace</i> , 2018 , 20, 772-777	3.9	16
420	Sedaci3n profunda basada en propofol y administrada por electrofisi3logos en la ablaci3n de la fibrilaci3n auricular. 2018 , 71, 683-685		
419	Atrial flow dynamics as a determinant of tissue temperature during balloon cryoablation. <i>Europace</i> , 2018 , 20, f451-f457	3.9	4
418	Atrial tachycardias: Cause or effect with ablation of persistent atrial fibrillation?. 2018 , 29, 274-283		7
417	Identification and Ablation of Dormant Conduction in Atrial Fibrillation Using Adenosine. 2018 , 355, 27-36		1
416	Systematic review and meta-analysis of endovascular and surgical revascularization for patients with chronic lower extremity venous insufficiency and varicose veins. 2018 , 196, 131-143		10
415	The impact of supraventricular ectopic complexes in different age groups and risk of recurrent atrial fibrillation after antiarrhythmic medication or catheter ablation. 2018 , 250, 122-127		4
414	Myofibroblasts, Cytokines, and Persistent Atrial Fibrillation. 2018 , 409-418		
413	Temperature dependence of speed of sound and attenuation of porcine left ventricular myocardium. 2018 , 82, 246-251		6
412	Quality of life improves after thoracoscopic surgical ablation of advanced atrial fibrillation: Results of the Atrial Fibrillation Ablation and Autonomic Modulation via Thoracoscopic Surgery (AFACT) study. 2018 , 155, 972-980		11
411	Performance of the Cox-maze IV procedure is associated with improved long-term survival in patients with atrial fibrillation undergoing cardiac surgery. 2018 , 155, 159-170		40
410	The Year in Cardiothoracic and Vascular Anesthesia: Selected Highlights From 2017. 2018 , 32, 1-13		5
409	Transoesophageal echocardiography prior to catheter ablation could be avoided in atrial fibrillation patients with a low risk of stroke and without filling defects in the late-phase MDCT scan: A retrospective analysis of 783 patients. 2018 , 28, 1835-1843		3
408	Ice or fire? Comparison of second-generation cryoballoon ablation and radiofrequency ablation in patients with symptomatic persistent atrial fibrillation and an enlarged left atrium. 2018 , 29, 375-384		15
407	Can Transesophageal Echocardiography Be Performed Safely Using a Laryngeal Mask Airway During Atrial Fibrillation Ablation?. 2018 , 32, 790-795		8

406	Anticoagulation in atrial fibrillation : Current evidence and guideline recommendations. 2018 , 43, 2-10		5
405	Complications of pulmonary vein isolation in atrial fibrillation: predictors and comparison between four different ablation techniques: Results from the Middelheim PVI-registry. <i>Europace</i> , 2018 , 20, 1279-1286	3.9	36
404	The temporal behavior and consistency of bipolar atrial electrograms in human persistent atrial fibrillation. 2018 , 56, 71-83		5
403	Deep Sedation With Propofol Administered by Electrophysiologists in Atrial Fibrillation Ablation. 2018 , 71, 683-685		1
402	Analysis of the heart rate variability during cryoballoon ablation of atrial fibrillation. <i>Europace</i> , 2018 , 20, 1259-1267	3.9	10
401	Obstructive sleep apnea is associated with increased rotor burden in patients undergoing focal impulse and rotor modification guided atrial fibrillation ablation. <i>Europace</i> , 2018 , 20, f337-f342	3.9	6
400	Atrial Fibrillation Ablation. 2018 , 69, 53-63		8
399	Is less more? Impact of different ablation protocols on periprocedural complications in second-generation cryoballoon based pulmonary vein isolation. <i>Europace</i> , 2018 , 20, 1459-1467	3.9	28
398	Safety and efficiency of porous-tip contact-force catheter for drug-refractory symptomatic paroxysmal atrial fibrillation ablation: results from the SMART SF trial. <i>Europace</i> , 2018 , 20, f392-f400	3.9	25
397	Long-term outcome of radiofrequency catheter ablation for persistent atrial fibrillation. 2018 , 97, e11520		7
396	Effect of epicardial fat and metabolic syndrome on reverse atrial remodeling after ablation for atrial fibrillation. 2018 , 34, 607-616		6
395	Percutaneous Pulmonary Vein Stent Placement Guided by 2- and 3-Dimensional Transesophageal Echocardiography: A Case Report. 2018 , 10, 327-330		
394	OBSOLETE: Clinical Assessment of the Cardiac Arrhythmia Patient. 2018 ,		
393	Thrombosis in Atrial Fibrillation. 2018 , 337-354		
392	Impact of left atrial box surface ratio on the recurrence after ablation for persistent atrial fibrillation. 2019 , 42, 208-215		5
391	Development of a core outcome set (COS) and selecting outcome measurement instruments (OMIs) for non-valvular atrial fibrillation in traditional Chinese medicine clinical trials: study protocol. 2018 , 19, 541		10
390	3D electroanatomical mapping is less sensitive to atrial remodeling in estimation of true left atrial volume than echocardiography. 2018 , 18, 32		2
389	RE-CIRCUIT: uninterrupted anticoagulation with dabigatran to cover left atrial ablation procedures. 2018 , 114, e89-e90		

388	Clinical Assessment of the Cardiac Arrhythmia Patient. 2018 , 609-619	
387	Prevention of venous thrombosis after electrophysiology procedures: a survey of national practice. 2018 , 53, 357-363	1
386	Cardiac Dysrhythmias: Understanding Mechanisms, Drug Treatments, and Novel Therapies. 2018 , 36, 181-199	2
385	Sick Sinus Syndrome After the Maze Procedure Performed Concomitantly With Mitral Valve Surgery. 2018 , 7, e009629	5
384	Obstructive Sleep Apnea Is Closely Related to Cardiovascular Risk Factors, but Not to Clinical Recurrence of Atrial Fibrillation after Catheter Ablation: An Analysis of Atrial Fibrillation Patients. 2018 , 6, 103-111	2
383	Identification of Left Atrial Appendage Thrombi in Patients With Persistent and Long-Standing Persistent Atrial Fibrillation Using Intra-Cardiac Echocardiography and Cardiac Computed Tomography. 2017 , 82, 46-52	7
382	Left atrial appendage isolation in atrial fibrillation catheter ablation: A meta-analysis. 2018 , 34, 478-484	4
381	Psychological Distress and Suicidal Ideation in Patients With Atrial Fibrillation: Prevalence and Response to Management Strategy. 2018 , 7, e005502	20
380	Maintenance of low inflammation level by the ZFX3 SNP rs2106261 minor allele contributes to reduced atrial fibrillation recurrence after pulmonary vein isolation. 2018 , 13, e0203281	5
379	Combination of catheter ablation for non-valvular atrial fibrillation and left atrial appendage occlusion in a single procedure. 2018 , 16, 2094-2100	4
378	The predictive value of intra-left atrial mechanical delay for 1-year recurrence of atrial fibrillation after catheter ablation: A clinical follow-up study using dual Doppler echocardiography. 2018 , 46, 519-526	3
377	Sinus node dysfunction after surgical atrial fibrillation ablation with concomitant mitral valve surgery: Determinants and clinical outcomes. 2018 , 13, e0203828	2
376	Contiguity Between Ablation Lesions and Strict Catheter Stability Settings Assessed by VISITAG Module Improve Clinical Outcomes of Paroxysmal Atrial Fibrillation Ablation - Results From the VISITALY Study. 2018 , 82, 974-982	18
375	Periprocedural Complications in Patients Undergoing Catheter Ablation of Atrial Fibrillation Without Discontinuation of a Vitamin K Antagonist and Direct Oral Anticoagulants. 2018 , 82, 1552-1557	7
374	Obesity is associated with impaired long-term success of pulmonary vein isolation: a plea for risk factor management before ablation. 2018 , 5, e000771	14
373	Catheter ablation for atrial fibrillation on uninterrupted direct oral anticoagulants: A safe approach. 2018 , 41, 1001	6
372	Impact of the extent of low-voltage zone on outcomes after voltage-based catheter ablation for persistent atrial fibrillation. 2018 , 72, 427-433	25
371	Arrhythmia-specific settings for automated high-density mapping: A multicenter experience. 2018 , 29, 1210-1220	3

370	Unraveling the Underlying Arrhythmia Mechanism in Persistent Atrial Fibrillation: Results From the STARLIGHT Study. 2018 , 11, e005897	23
369	Synaptic Plasticity in Cardiac Innervation and Its Potential Role in Atrial Fibrillation. 2018 , 9, 240	16
368	Atrial Fibrillation Recurrence and Peri-Procedural Complication Rates in nMARQ vs. Conventional Ablation Techniques: A Systematic Review and Meta-Analysis. 2018 , 9, 544	3
367	Center experience does not influence long-term outcome and peri-procedural complications after cryoballoon ablation of paroxysmal atrial fibrillation: Data on 860 patients from the real-world multicenter observational project. 2018 , 272, 130-136	15
366	Residual echocardiographic and computed tomography findings after thoracoscopic occlusion of the left atrial appendage using the AtriClip PRO device. 2018 , 26, 919-925	11
365	Optimization of late gadolinium enhancement cardiovascular magnetic resonance imaging of post-ablation atrial scar: a cross-over study. 2018 , 20, 30	21
364	Electrocardiographic Pattern of Left Ventricular Hypertrophy with Strain and Survival in Calcific Aortic Valve Disease. 2018 , 2, 240-246	2
363	The reproducibility of late gadolinium enhancement cardiovascular magnetic resonance imaging of post-ablation atrial scar: a cross-over study. 2018 , 20, 21	27
362	Physiological Consequences of Coronary Arteriolar Dysfunction and Its Influence on Cardiovascular Disease. 2018 , 33, 338-347	7
361	Rotor mapping: black box or very simple? The FIRM approach. 2018 , 29, 315-321	
360	Five-year outcome and predictors of success after second-generation cryoballoon ablation for treatment of symptomatic atrial fibrillation. 2018 , 266, 106-111	17
359	Left atrial voltage, circulating biomarkers of fibrosis, and atrial fibrillation ablation. A prospective cohort study. 2018 , 13, e0189936	23
358	Surgery for Atrial Fibrillation. 2019 , 479-488	
357	Efficacy and safety of the convergent atrial fibrillation procedure: a meta-analysis of observational studies. 2019 , 28, 169-176	11
356	Chromosome 4q25 variants and biomarkers of myocardial fibrosis in patients with atrial fibrillation. 2019 , 30, 1904-1913	1
355	Arrhythmia mechanisms and spontaneous calcium release: Bi-directional coupling between re-entrant and focal excitation. 2019 , 15, e1007260	14
354	Comparison Between Contact Force Monitoring and Unipolar Signal Modification as a Guide for Catheter Ablation of Atrial Fibrillation: Prospective Multi-Center Randomized Study. 2019 , 12, e007311	5
353	Association between pre-ablation bariatric surgery and atrial fibrillation recurrence in morbidly obese patients undergoing atrial fibrillation ablation. <i>Europace</i> , 2019 , 21, 1476-1483	3.9 29

352	Randomized Trial of Concomitant Maze Procedure Using Nitrous Oxide- Versus Argon-Based Cryoablation. 2019 , 108, 30-36	3
351	Personalized Cardiac Computational Models: From Clinical Data to Simulation of Infarct-Related Ventricular Tachycardia. 2019 , 10, 580	33
350	Atrial Fibrillation Catheter Ablation Improves 1-Year Follow-Up Cognitive Function, Especially in Patients With Impaired Cognitive Function. 2019 , 12, e007197	40
349	Predictors and Incidence of Atrial Flutter After Catheter Ablation of Atrial Fibrillation. 2019 , 124, 1690-1696	7
348	Echocardiographic and Biochemical Factors Predicting Arrhythmia Recurrence After Catheter Ablation of Atrial Fibrillation-An Observational Study. 2019 , 10, 1215	4
347	Five-Year Change in the Renal Function After Catheter Ablation of Atrial Fibrillation. 2019 , 8, e013204	22
346	Atrial fibrillation with percutaneous coronary intervention: Navigating the minefield of antithrombotic therapies. 2019 , 289, 118-125	4
345	Incidence and predictors of left atrial thrombus in patients with atrial fibrillation prior to ablation in the real world of China. 2019 , 19, 134-139	5
344	Catheter Ablation of Long-standing Persistent Atrial Fibrillation: a Reckless Challenge or a Way to Real Cure?. 2019 , 49, 134-145	3
343	Direct results of a prospective randomized study comparing ablation with the nMARQ catheter and the PVAC catheter used with and without a 3D system (MAPER 3D Study). 2019 , 15, 78-85	3
342	Epicardial fat thickness predicts atrial fibrillation recurrence after a first pulmonary vein isolation procedure using a second-generation cryoballoon. 2019 , 112, 314-322	6
341	The Accuracy and Clinical Applicability of a Sensor Based Electromagnetic Non-fluoroscopic Catheter Tracking System. 2019 , 49, 84-96	3
340	Left atrial anterior line ablation using ablation index and inter-lesion distance measurement. 2019 , 108, 1009-1016	13
339	Atrial ectopy after pulmonary vein isolation and left heart reverse remodeling in patients with atrial fibrillation. 2019 , 42, 1125-1132	0
338	Watchman Occlusion in Long-Standing Persistent Atrial Fibrillation: Larger Left Atrial Appendages With Greater Residual Leak. 2019 , 12, 1018-1026	7
337	Ablation versus Anti-Arrhythmic Therapy for Reducing All Hospital Episodes from Recurrent Atrial Fibrillation (AVATAR-AF): Design and rationale. 2019 , 214, 36-45	4
336	LGE-MRI Characterization of Left Atrial Fibrosis: a Tool to Establish Prognosis and Guide Atrial Fibrillation Ablation. 2019 , 13, 1	0
335	Long-term impact of a bonus freeze on clinical outcome: Analysis of effective and non-effective bonus freezes in cryoballoon ablation. 2019 , 14, e0214231	0

334	Heparin dosing in uninterrupted anticoagulation with dabigatran vs. warfarin in atrial fibrillation ablation: RE-CIRCUIT study. <i>Europace</i> , 2019 , 21, 879-885	3.9	5
333	Multimodality Imaging for the Assessment of Pericardial Diseases. 2019 , 21, 41		21
332	Safety and Efficacy of Minimally Interrupted Dabigatran vs Uninterrupted Warfarin Therapy in Adults Undergoing Atrial Fibrillation Catheter Ablation: A Randomized Clinical Trial. 2019 , 2, e191994		29
331	Management of cardiac conduction abnormalities and arrhythmia in aircrew. 2019 , 105, s38-s49		9
330	The impact of the presence of left atrial low voltage areas on outcomes from pulmonary vein isolation. 2019 , 35, 205-214		3
329	Unilateral versus Bilateral Groin Puncture for Atrial Fibrillation Ablation: Multi-Center Prospective Randomized Study. 2019 , 60, 360-367		1
328	Atrial Fibrillation: Aggressive Treatment in the Postoperative Cardiothoracic Surgery Patient. 2019 , 199-209		
327	P-wave morphology and multipolar intracardiac atrial activation to facilitate nonpulmonary vein trigger localization. 2019 , 30, 865-876		6
326	Effect of Extensive Ablation on Recurrence in Patients with Persistent Atrial Fibrillation Treated with Pulmonary Vein Isolation (EARNEST-PVI) trial: Design and rationale. 2019 , 74, 164-168		4
325	Atrial Transseptal Catheterization. 2019 , 648-663.e3		
324	Anesthetic Management of Total Thoracoscopic Left Atrial Maze Procedure for Chronic Atrial Fibrillation-A Single-Institution Experience. 2019 , 33, 1801-1808		0
323	Second-Generation Cryoballoon Atrial Fibrillation Ablation in Patients With Persistent Left Superior Caval Vein. 2019 , 5, 590-598		3
322	Serum relaxin level predicts recurrence of atrial fibrillation after radiofrequency catheter ablation. 2019 , 34, 1543-1551		4
321	Effect of cryoballoon and radiofrequency ablation for pulmonary vein isolation on left atrial function in patients with nonvalvular paroxysmal atrial fibrillation: A prospective randomized study (Cryo-LAEF study). 2019 , 30, 991-998		8
320	Fibrotic Atrial Cardiomyopathy. 2019 , 628-634		
319	Mechanisms of Persistent Atrial Fibrillation. 2019 , 780-797		
318	Determinants and prognostic implications of left ventricular mechanical dispersion in aortic stenosis. 2019 , 20, 740-748		15
317	Keeping a finger on the pulse of atrial fibrillation. 2019 , 30, 639-641		

316	Hybrid atrial fibrillation ablation in patients with persistent atrial fibrillation or failed catheter ablation. 2019 , 27, 142-151	7
315	Radiofrequency catheter ablation for paroxysmal atrial fibrillation: outcomes during a 3-year follow-up period. 2019 , 47, 1636-1648	5
314	Regional differences in patient characteristics and outcomes during uninterrupted anticoagulation with dabigatran versus warfarin in catheter ablation of atrial fibrillation: the RE-CIRCUIT study. 2019 , 55, 145-152	1
313	Optical Mapping. 2019 , 11, 495-510	9
312	Effects of Oral Anticoagulants on Patients With Atrial Fibrillation Aged 90 Years and Older: Comparison Among Direct Oral Anticoagulant, Warfarin Anticoagulant, and Nonanticoagulation. 2019 , 74, 246-254	7
311	Feasibility and Safety of Left Atrial Appendage Closure Using the LAmbre Device in Patients with Nonvalvular Atrial Fibrillation with or Without Prior Catheter Ablation. 2019 , 60, 63-70	8
310	Predictors of 30-day readmissions after catheter ablation for atrial fibrillation in the USA. 2019 , 55, 243-250	7
309	Second-generation cryo-pulmonary vein isolation for persistent atrial fibrillation: Is it really time to think out of the 'veins'?. 2019 , 278, 153-154	1
308	Impact of attributed audit on procedural performance in cardiac electrophysiology catheter laboratory. 2019 , 56, 199-203	
307	Risk stratification for stroke in atrial fibrillation: a critique. 2019 , 40, 1294-1302	20
306	Safety, long-term outcomes and predictors of recurrence following a single catheter ablation procedure for atrial fibrillation. 2019 , 74, 319-324	4
305	Survival after surgical ablation for atrial fibrillation in mitral valve surgery: Analysis from the Polish National Registry of Cardiac Surgery Procedures (KROK). 2019 , 157, 1007-1018.e4	15
304	Impact of a prolonged interatrial conduction time for predicting the recurrence of atrial fibrillation after circumferential pulmonary vein isolation of persistent atrial fibrillation. 2019 , 34, 616-624	4
303	Simultaneous pace-ablate during CARTO-guided pulmonary vein isolation with a contact-force sensing radiofrequency ablation catheter. 2019 , 54, 119-124	4
302	Improvement of left ventricular function after successful radiofrequency catheter ablation in persistent atrial fibrillation with preserved left ventricular ejection fraction: a comprehensive echocardiographic assessment using two-dimensional speckle tracking analysis. 2019 , 17, 95-103	4
301	Improvement in the quality of life of patients with persistent or long-standing persistent atrial fibrillation after hybrid ablation. 2020 , 57, 435-442	4
300	Two-year follow-up of one-stage left unilateral thoracoscopic epicardial and transcatheter endocardial ablation for persistent and long-standing persistent atrial fibrillation. 2020 , 58, 333-343	7
299	Long-term Outcomes of Stand-Alone Maze IV for Persistent or Long-standing Persistent Atrial Fibrillation. 2020 , 109, 124-131	14

298	Radiofrequency catheter ablation-induced gastroparesis successfully treated with administration of mosapride citrate: two case reports. 2020 , 13, 182-185	1
297	Contact-force radiofrequency ablation of non-paroxysmal atrial fibrillation: improved outcomes with increased experience. 2020 , 58, 69-75	1
296	Left Atrial Appendage Fibrosis and 3-Year Clinical Outcomes in Atrial Fibrillation After Endoscopic Ablation: A Histologic Analysis. 2020 , 109, 69-76	9
295	Atrial fibrillation and cardiac fibrosis. 2020 , 41, 1123-1131	51
294	Early versus delayed removal of the pericardial drain in patients with cardiac tamponade complicating radiofrequency ablation of atrial fibrillation. 2020 , 31, 597-603	6
293	Successful catheter ablation improves exercise tolerance in persistent atrial fibrillation patients, especially those with reduced ventricular contraction, preserved atrial function, or a high CHADS score. 2020 , 75, 529-536	5
292	The region-of-interest based measurement selection process for electrical impedance tomography in radiofrequency cardiac ablation with known anatomical information. 2020 , 56, 101706	8
291	Usefulness of Visfatin as a Predictor of Atrial Fibrillation Recurrence After Ablation Procedure. 2020 , 125, 415-419	3
290	Elongation of the high right atrium to coronary sinus conduction time predicts the recurrence of atrial fibrillation after radiofrequency catheter ablation. 2020 , 300, 147-153	4
289	Novel three-dimensional imaging approach for cryoballoon navigation and confirmation of pulmonary vein occlusion. 2020 , 43, 269-277	2
288	Postoperative Atrial Fibrillation and Long-Term Risk of Stroke After Isolated Coronary Artery Bypass Graft Surgery. 2020 , 142, 1320-1329	15
287	Multiple procedure outcomes for nonparoxysmal atrial fibrillation: Left atrial posterior wall isolation versus stepwise ablation. 2020 , 31, 3117-3123	2
286	One-year outcome and durability of pulmonary vein isolation after prospective use of ablation index for catheter ablation in patients with persistent atrial fibrillation. 2021 , 62, 143-151	0
285	Learning curves in atrial fibrillation ablation - A comparison between second generation cryoballoon and contact force sensing radiofrequency catheters. 2020 , 20, 273-280	1
284	Large left atrial appendage predicts the ablation outcome in hypertensive patients with atrial fibrillation. 2020 , 63, 139-144	3
283	Sex and cardiac electrophysiology. 2020 , 421-427	1
282	Atrio-esophageal Fistula Secondary to Atrial Fibrillation Ablation: A Case Report. 2020 , 59, e187-e191	
281	Comparing efficacy and safety in catheter ablation strategies for atrial fibrillation: protocol of a network meta-analysis of randomised controlled trials. 2020 , 10, e041819	0

280	R2D2: A scalable deep learning toolkit for medical imaging segmentation. 2020 , 50, 1966-1985	0
279	Intracardiac echocardiography guided nonocclusive balloon cryothermal applications to achieve antral isolation during pulmonary vein isolation. 2021 , 62, 329-336	1
278	Retrospective analysis of FIRM-guided ablation in patients with recurrent atrial fibrillation: a single-center study. 2020 , 31, 417-425	
277	A new clinical risk score for predicting the prevalence of low-voltage areas in patients undergoing atrial fibrillation ablation. 2020 , 31, 3150-3158	1
276	Characteristics of Esophageal Injury in Ablation of Atrial Fibrillation Using a High-Power Short-Duration Setting. 2020 , 13, e008602	19
275	The use of a high-power (50 W), ablation index-guided protocol for ablation of the cavotricuspid isthmus. 2020 , 36, 1045-1050	1
274	Left atrio-oesophageal fistula after atrial fibrillation ablation. 2020 , 13,	
273	Clinical outcomes after pulmonary vein isolation using an automated tagging module in patients with paroxysmal atrial fibrillation. 2020 , 21,	1
272	Long-Term Survival Following Surgical Ablation for Atrial Fibrillation Concomitant to Isolated and Combined Coronary Artery Bypass Surgery-Analysis from the Polish National Registry of Cardiac Surgery Procedures (KROK). 2020 , 9,	4
271	Moving from Adoption to Use: Physicians' Mixed Commitments in Deciding to Use Robotic Technologies. 2020 , 47, 314-347	2
270	Ostial dimensional changes after pulmonary vein isolation: Pulsed field ablation vs radiofrequency ablation. 2020 , 17, 1528-1535	7
269	Clinical Implications of Ventricular Repolarization Parameters on Long-Term Risk of Atrial Fibrillation - Longitudinal Follow-up Data From a General Ambulatory Korean Population. 2020 , 84, 1067-1074	1 ¹
268	Hybrid surgical ablation for persistent or long standing persistent atrial fibrillation: A French single centre experience. 2020 , 69, 86-92	1
267	Minimally Interrupted Non-Vitamin K Antagonist Oral Anticoagulants vs. Bridging Therapy and Uninterrupted Vitamin K Antagonists During Atrial Fibrillation Ablation: A Retrospective Single-Center Study. 2020 , 7, 197	
266	Surgical and endoscopic management of a pericardioesophageal fistula after radiofrequency pulmonary vein isolation. 2020 , 43, 1408-1411	
265	Identification of circumferential pulmonary vein isolation responders among patients with persistent atrial fibrillation: clinical value of the sequential low-dose ibutilide test. <i>Europace</i> , 2020 , 22, 1197-1205	3,9
264	The predictive value of heart rate variability indices tested in early period after radiofrequency catheter ablation for the recurrence of atrial fibrillation. 2020 , 31, 1350-1355	2
263	Comparative study of strategies to prevent esophageal and periesophageal injury during atrial fibrillation ablation. 2020 , 31, 924-933	4

262	Correlation of the peak oxygen consumption and ventilatory aerobic threshold by cardiopulmonary exercise testing with atrial fibrillation recurrences after ablation in patients with paroxysmal atrial fibrillation. 2020 , 36, 456-463	1
261	Characteristics and anticoagulant treatment status of elderly non-valvular atrial fibrillation patients with a history of catheter ablation in Japan: Subanalysis of the ANAFIE registry. 2020 , 76, 446-452	2
260	A comparison of figure-of-8-suture versus manual compression for venous access closure after cardiac procedures: An updated meta-analysis. 2020 , 43, 856-865	1
259	Modulation of SERCA in Patients with Persistent Atrial Fibrillation Treated by Epicardial Thoracoscopic Ablation: The CAMAF Study. 2020 , 9,	9
258	Expert opinion on continuous rhythm monitoring of patients with atrial fibrillation for candidates or patients who have already undergone ablation. 2020 , 305, 76-81	1
257	Strain pattern and T-wave alterations are predictors of mortality and poor neurologic outcome following stroke. 2020 , 43, 568-573	1
256	Limited efficacy of a figure-of-eight suture for hemostasis after cryoballoon atrial fibrillation ablation with uninterrupted oral anticoagulants. 2020 , 76, 30-34	3
255	Association of Left Atrial High-Resolution Late Gadolinium Enhancement on Cardiac Magnetic Resonance With Electrogram Abnormalities Beyond Voltage in Patients With Atrial Fibrillation. 2020 , 13, e007586	4
254	Research Needs and Priorities for Catheter Ablation of Atrial Fibrillation: A Report From a National Heart, Lung, and Blood Institute Virtual Workshop. 2020 , 141, 482-492	17
253	Usefulness of Postprocedural Electrophysiological Confirmation Upon Totally Thoracoscopic Ablation in Persistent Atrial Fibrillation. 2020 , 125, 1054-1062	3
252	The impact of the dominant frequency of body surface electrocardiography in patients with persistent atrial fibrillation. 2020 , 35, 967-976	2
251	Atrial Fibrillation: JACC Council Perspectives. 2020 , 75, 1689-1713	44
250	Second-generation cryoballoon-based pulmonary vein isolation: Lessons from a five-year follow-up. 2020 , 312, 73-80	6
249	Clinical efficacy of "ICE-FIRE" ablation for non-paroxysmal atrial fibrillation. 2021 , 60, 205-211	0
248	Long-term safety and effectiveness of paroxysmal atrial fibrillation ablation using a porous tip contact force-sensing catheter from the SMART SF trial. 2021 , 61, 63-69	1
247	Cryoballoon pulmonary vein isolation-mediated rise of sinus rate in patients with paroxysmal atrial fibrillation. 2021 , 110, 124-135	2
246	The Same is Not the Same: Device Effect during Bipolar Radiofrequency Ablation of Atrial Fibrillation. 2021 , 69, 124-132	
245	Recent Developments in Cardiology Procedures for Adult Congenital Heart Disease: The Anesthesiologist's Perspective. 2021 , 35, 741-751	3

244	The role of the tripartite synapse in the heart: how glial cells may contribute to the physiology and pathophysiology of the intracardiac nervous system. 2021 , 320, C1-C14		1
243	Periprocedural anticoagulation in the uninterrupted edoxaban vs. vitamin K antagonists for ablation of atrial fibrillation (ELIMINATE-AF) trial. <i>Europace</i> , 2021 , 23, 65-72	3.9	
242	Biatrial ablation vs. Pulmonary vein isolation in atrial fibrillation patients undergoing cardiac surgery: a retrospective study. 2021 , 55, 116-121		1
241	Continuous transcutaneous carbon-dioxide monitoring to avoid hypercapnia in complex catheter ablations under conscious sedation. 2021 , 325, 69-75		1
240	Pulmonary vein isolation alone vs. more extensive ablation with defragmentation and linear ablation of persistent atrial fibrillation: the EARNEST-PVI trial. <i>Europace</i> , 2021 , 23, 565-574	3.9	3
239	Additional complex fractionated atrial electrogram ablation does not improve the outcomes of non-paroxysmal atrial fibrillation: A systematic review and meta-analysis of randomized controlled trials. 2021 , 73, 63-73		2
238	Second-generation cryoballoon vs. contact-force sensing radiofrequency catheter ablation in atrial fibrillation: a meta-analysis of randomized controlled trials. 2021 , 60, 9-19		5
237	Impact of centre volume on atrial fibrillation ablation outcomes in Europe: a report from the ESC EHRA EORP Atrial Fibrillation Ablation Long-Term (AFA LT) Registry. <i>Europace</i> , 2021 , 23, 49-58	3.9	2
236	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC)		1676
235	Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the Comparison of CryoMaze With Cut-and-Sew Maze Concomitant With Mitral Valve Surgery: A Randomized Noninferiority Trial. 2021 , 33, 680-688		2
234	Impact of image integration on clinical and procedural outcomes of radiofrequency catheter ablation of atrial fibrillation: A meta-analysis of randomized controlled trials. 2021 , 37, 550-555		
233	Long-Term Efficacy of Prophylactic Cavotricuspid Isthmus Ablation during Atrial Fibrillation Ablation in Patients Without Typical Atrial Flutter: a Prospective, Multicentre, Randomized Trial. 2021 , 51, 58-64		1
232	A novel treatment for esophageal lesions following atrial fibrillation ablation. 2021 , 32, 713-716		1
231	Rebooting atrial fibrillation ablation in the COVID-19 pandemic. 2021 , 1		1
230	Efficacy of LGE-MRI-guided fibrosis ablation versus conventional catheter ablation of atrial fibrillation: The DECAAF II trial: Study design. 2021 , 32, 916-924		6
229	Advanced glycation end products predict long-term outcome of catheter ablation in paroxysmal atrial fibrillation. 2021 , 1		2
228	Clinical Safety and Efficacy of Ablation for Atrial Fibrillation Patients With a History of Stroke. 2021 , 8, 630090		
227	Exercise and Athletic Activity in Atrial Fibrillation. 2021 , 13, 173-182		0

- 226 Commentary: The rising storm of atrioesophageal fistulae after catheter ablation for atrial fibrillation. **2021**, 6, 169 1
- 225 Guâ ESC 2020 sobre el diagntico y tratamiento de la fibrilaci auricular, desarrollada en colaboraci de la European Association of Cardio-Thoracic Surgery (EACTS). **2021**, 74, 437.e1-437.e116 3
- 224 Association between specific antiarrhythmic drug prescription in the post-procedural blanking period and recurrent atrial arrhythmias after catheter ablation for atrial fibrillation. **2021**, 16, e0253266 1
- 223 Atrial fibrillation catheter ablation complications in obese and diabetic patients: Insights from the US Nationwide Inpatient Sample 2005-2013. **2021**, 44, 1151-1160 1
- 222 Mapping atrial fibrillation : An overview of potential mechanisms underlying atrial fibrillation. **2021**, 46, 305-311 0
- 221 Intracardiac Echocardiography to Guide Mapping and Ablation of Arrhythmias in Patients with Congenital Heart Disease. **2021**, 13, 345-356 0
- 220 Prediction of risk factors for recurrence of atrial fibrillation in patients with arterial hypertension. **2021**, 37, 3413-3421 1
- 219 Incidence and characteristics of transient St-segment elevation during transseptal puncture. **2021**, 1 0
- 218 Atrio-oesophageal fistula following atrial fibrillation ablation: how to manage this dreaded complication?. **2021**, 0
- 217 Use of NOACs Versus Vitamin K Antagonist in Atrial Fibrillation Catheter Ablation: An Updated Meta-analysis With Subgroup Analysis. **2021**, 0
- 216 Left Atrial Appendage Exclusion in Atrial Fibrillation Radiofrequency Ablation during Mitral Valve Surgery: A Single-Center Experience. **2021**, 2021, 9999412 0
- 215 Implementation of a zero fluoroscopic workflow using a simplified intracardiac echocardiography guided method for catheter ablation of atrial fibrillation, including repeat procedures. **2021**, 21, 407 1
- 214 Value of Left Atrial Appendage Function Measured by Transesophageal Echocardiography for Prediction of Atrial Fibrillation Recurrence after Radiofrequency Catheter Ablation. **2021**, 11, 1
- 213 Patient-Defined Outcome Endpoints: A Paradigm Shift in Evaluating Atrial Fibrillation Ablation Efficacy. **2021**, 30, 1103-1106 0
- 212 Total thoracoscopic ablation in patients with atrial fibrillation and left ventricular dysfunction. **2021**, 8, 60-66 0
- 211 Super and Nonresponders to Catheter Ablation for Atrial Fibrillation: A Quality-of-Life Assessment Using Patient Reported Outcomes. **2021**, 14, e009938 0
- 210 The surgical technique of the convergent procedure. **2021**, 32, 3221-3227 0
- 209 Anatomic and Functional Determinants of Atrial Functional Mitral Regurgitation. 1-10 0

208	Influence of power setting on superior vena cava potential during right pulmonary vein isolation. 2021 , 1		
207	Label-free proteomic analysis of serum exosomes from paroxysmal atrial fibrillation patients. 2021 , 18, 1		3
206	The Effect of Minimally Invasive Thoracoscopic Left Atrial Appendage Excision on Cardiac Dynamic and Endocrine Function. 2021 , 27, 49-55		1
205	Quantification of Left Atrial Fibrosis in Patients After Pulmonary Vein Isolation Using the Second-Generation Cryoballoon. 2021 , 62, 65-71		
204	Correlation between cardiac rhythm, left atrial appendage flow velocity, and CHA DS -VASc score: Study based on transesophageal echocardiography and 2-dimensional speckle tracking. 2017 , 40, 120-125		10
203	Conventional Surgery for LAA Closure. 2016 , 61-80		1
202	Long-term observation of catheter ablation vs. pharmacotherapy in the management of persistent and long-standing persistent atrial fibrillation (CAPA study). <i>Europace</i> , 2021 , 23, 731-739	3.9	6
201	The totally thoracoscopic left atrial maze procedure for the treatment of atrial fibrillation. 2016 , 2016,		6
200	Endovascular ablation of atrial fibrillation. 2014 , 120, 1513-9		8
199	An ensemble of U-Net architecture variants for left atrial segmentation. 2019 ,		3
198	Circular mapping catheter entrapment in mitral valve apparatus requiring emergency surgery: a rarely reported complication of pulmonary vein isolation procedure for atrial fibrillation. 2017 , 2017,		5
197	Clinical outcomes of catheter ablation of paroxysmal atrial fibrillation in very young population compared to older population: a prospective study. 2019 , 71, 11		3
196	Left Atrial to Esophageal Fistula: A Case Report and Literature Review. 2016 , 17, 814-818		14
195	Novel P Wave Indices to Predict Atrial Fibrillation Recurrence After Radiofrequency Ablation for Paroxysmal Atrial Fibrillation. 2016 , 22, 2616-23		11
194	Response of high-sensitive C-reactive protein to catheter ablation of atrial fibrillation and its relation with rhythm outcome. 2012 , 7, e44165		22
193	Is cryoballoon ablation preferable to radiofrequency ablation for treatment of atrial fibrillation by pulmonary vein isolation? A meta-analysis. 2014 , 9, e90323		18
192	Effects of radiofrequency catheter ablation of atrial fibrillation on soluble P-selectin, von Willebrand factor and IL-6 in the peripheral and cardiac circulation. 2014 , 9, e111760		10
191	Risk of Ischemic Stroke, Hemorrhagic Stroke, Bleeding, and Death in Patients Switching from Vitamin K Antagonist to Dabigatran after an Ablation. 2016 , 11, e0161768		2

190	Which patients recur as atrial tachycardia rather than atrial fibrillation after catheter ablation of atrial fibrillation?. 2017 , 12, e0188326	9
189	Efficacy of Oral Anticoagulation in Stroke Prevention among Sinus-Rhythm Patients Who Lack Left Atrial Mechanical Contraction after Cryoablation. 2015 , 42, 430-7	4
188	Anesthetic Management in Radiofrequency Catheter Ablation of Ventricular Tachycardia. 2016 , 43, 496-502	10
187	Left Atrial Appendage Volume and Plasma Docosahexaenoic Acid Levels Are Associated With Atrial Fibrillation Recurrence After Catheter Ablation. 2017 , 8, 96-104	3
186	Early and long-term outcomes and quality of life after concomitant mitral valve surgery, left atrial size reduction, and radiofrequency surgical ablation of atrial fibrillation. 2016 , 16, 797-803	5
185	Use of the CHADSVASc score to reduce utilisation of transoesophageal echocardiography prior to ablation for atrial fibrillation. 2017 , 4, 45-52	3
184	The Convergent Procedure - A Standardised and Anatomic Approach Addresses the Clinical and Economic Unmet Needs of the Persistent Atrial Fibrillation Population. 2013 , 2, 145-8	4
183	Three-dimensional Rotational Angiography as a Periprocedural Imaging Tool in Atrial Fibrillation Ablation. 2014 , 3, 173-6	10
182	Is Mapping of Complex Fractionated Electrograms Obsolete?. 2015 , 4, 109-15	9
181	Cardiac Electrophysiology Under MRI Guidance: an Emerging Technology. 2017 , 6, 85-93	9
180	The Evolving Role of Catheter Ablation in Patients With Heart Failure and AF. 2019 , 8, 47-53	1
179	Comorbidities in clinical practice. Algorithms for diagnostics and treatment. 2019 , 18, 5-66	86
178	A Nurse-led Approach to Improving Cardiac Lifestyle Modification in an Atrial Fibrillation Population. 2019 , 10, 3826-3835	1
177	Ablation of long-standing persistent atrial fibrillation. 2017 , 5, 305	6
176	Are Some Anticoagulants More Equal Than Others? - Evaluating the Role of Novel Oral Anticoagulants in AF Ablation. 2016 , 12, 330-335	0
175	The Role of Atrial Fibrosis Detected by Delayed - Enhancement MRI in Atrial Fibrillation Ablation. 2020 , 16, 135-144	2
174	Adenosine as a Marker and Mediator of Cardiovascular Homeostasis: A Translational Perspective. 2019 , 19, 109-131	5
173	Amaze: a double-blind, multicentre randomised controlled trial to investigate the clinical effectiveness and cost-effectiveness of adding an ablation device-based maze procedure as an adjunct to routine cardiac surgery for patients with pre-existing atrial fibrillation. 2018 , 22, 1-132	11

172	Adjunct ablation strategies for persistent atrial fibrillation-beyond pulmonary vein isolation. 2015 , 7, 178-84	5
171	Effectiveness and safety of simultaneous hybrid thoracoscopic and endocardial catheter ablation of lone atrial fibrillation. 2014 , 3, 38-44	47
170	Focal Impulse And Rotor Mapping (FIRM): Conceptualizing And Treating Atrial Fibrillation. 2014 , 7, 1103	5
169	Electroanatomical mapping of atrial fibrillation: Review of the current techniques and advances. 2014 , 7, 1140	11
168	Phased RF Ablation: Results and Concerns. 2015 , 8, 1240	3
167	Comparison of Phrenic Nerve Injury during Atrial Fibrillation Ablation between Different Modalities, Pathophysiology and Management. 2015 , 8, 1314	12
166	Recurrent Atrial Fibrillation After Catheter Ablation: Considerations For Repeat Ablation And Strategies To Optimize Success. 2016 , 9, 1427	23
165	Cryoballoon versus Radiofrequency Ablation for Atrial Fibrillation: A Meta-analysis of 16 Clinical Trials. 2016 , 9, 1429	9
164	Left Atrial Appendage characteristics in patients with Persistent Atrial Fibrillation undergoing catheter ablation (LAAPAF Study). 2017 , 9, 1526	4
163	Ablation of "Background Tachycardia" in Long Standing Atrial Fibrillation: Improving the Outcomes by Unmasking a Residual Atrial Fibrillation Perpetuator. 2017 , 10, 1583	5
162	Use of Oral Steroid and its Effects on Atrial Fibrillation Recurrence and Inflammatory Cytokines Post Ablation - The Steroid AF Study. 2017 , 9, 1604	15
161	Ablation of Complex Fractionated Electrograms Improves Outcome in Persistent Atrial Fibrillation of Over 2 Year's Duration. 2018 , 10, 1607	3
160	Towards a Mechanistic Understanding and Treatment of a Progressive Disease: Atrial Fibrillation. 2017 , 10, 1627	9
159	Label-free Imaging of Myocardial Remodeling in Atrial Fibrillation Using Nonlinear Optical Microscopy: A Feasibility Study. 2018 , 10, 1644	6
158	A Review of the Anatomical and Histological Attributes of the Left Atrial Appendage with Descriptive Pathological Examination of Morphology and Histology. 2018 , 10, 1650	6
157	Contact-Force Guided Pulmonary Vein Isolation does not Improve Success Rate in Persistent Atrial Fibrillation Patients and Severe Left Atrial Enlargement: A 12-month Follow-Up Study. 2018 , 11, 2060	3
156	Effect of Non-fluoroscopic Catheter Tracking on Radiation Exposure during Pulmonary Vein Isolation: Comparison of Four ablation systems. 2018 , 11, 2068	3
155	Predictors of Successful Ultrasound Guided Femoral Vein Cannulation in Electrophysiological Procedures. 2018 , 11, 2083	2

154	Electrophysiological Evaluation of Pulmonary Vein Isolation. 2013 , 6, 934	3
153	Cardiac Radiosurgery for the Treatment of Atrial Fibrillation. 2016 , 06, 143-155	1
152	European position paper on the management of patients with patent foramen ovale. General approach and left circulation thromboembolism. 2019 , 14, 1389-1402	61
151	Catheter ablation of atrial fibrillation: Radiofrequency catheter ablation for redo procedures after cryoablation. 2013 , 5, 280-7	6
150	Catheter ablation of persistent atrial fibrillation: The importance of substrate modification. 2015 , 7, 111-8	3
149	Prediction of recurrence after cryoballoon ablation therapy in patients with paroxysmal atrial fibrillation. 2015 ,	7
148	Prediction of mid-term outcome after cryo-balloon ablation of atrial fibrillation using post-procedure high-sensitivity troponin level. 2015 , 26, 165-70	16
147	The serum matrix metalloproteinase-9 level is an independent predictor of recurrence after ablation of persistent atrial fibrillation. 2016 , 71, 251-6	8
146	Treatment Planning Considerations for Robotic Guided Cardiac Radiosurgery for Atrial Fibrillation. 2016 , 8, e705	16
145	LA-Net: A Multi-task Deep Network For The Segmentation of The Left Atrium. 2021 , PP,	3
144	Remote magnetic navigation versus manual catheter ablation of atrial fibrillation: A single center long-term comparison. 2021 ,	
143	Are the virtual lines created with the EnSite electroanatomical mapping system really continuous?. 2013 , 101, 169-75	
142	Stroke in Atrial Fibrillation - Long-term Follow-up of Cardiovascular Events. 2013 , 2, 105-8	3
141	Surgical Minimally Invasive Pulmonary Vein Isolation for Lone Atrial Fibrillation. 2013 , 8, 410-415	
140	Myofibroblasts, Cytokines, and Persistent Atrial Fibrillation. 2014 , 459-467	
139	EbsteinĀ Anomaly and Arrhythmia Management. 2014 , 73-82	
138	THE COMPARISON OF ARRHYTHMOGENICITY OF DIFFERENT SURGICAL APPROACHES TO ATRIAL FIBRILLATION IN PATIENTS WITH CORONARY HEART DISEASE. 2014 , 13, 40-45	
137	Hybrid therapy in the management of atrial fibrillation. 2015 , 11, 167-79	1

- 136 Laser-Based Approach to Cardiac Mapping and Arrhythmia Ablation. **2015**, 221-244
- 135 Results of propafenone use in early postoperative period after pulmonary veins catheter radiofrequency isolation for prevention of early atrial tachyarrhythmias. **2015**, 6, 47-52
- 134 Radiofrequency ablation and antiarrhythmic therapy in the treatment of patients with paroxysmal and persistent atrial fibrillation: clinical effects. **2015**, 6, 38-47 2
- 133 Atrial Fibrillation. **2016**, 221-281
- 132 The ABLA-BOX: An in Vitro Module of Hybrid Atrial Fibrillation Ablation. **2016**, 11, 201-209 1
- 131 Procedural arrhythmia termination during beating-heart, stand-alone surgical ablation and long-term outcome in patients with persistent atrial fibrillation. **2016**, 22, 1-6
- 130 Anesthesia for Cardiac Ablation Procedures. **2017**, 179-189
- 129 FIRE AND ICE: The quest for the perfect modality in atrial fibrillation ablation. **2016**, 2016, e201623 2
- 128 Standardised Framework to Study the Influence of Left Atrial RF Catheter Ablation Parameters on Permanent Lesion Formation. **2017**, 96-105
- 127 Peri-procedural Corticosteroid Use in Improving Outcomes Following Atrial Fibrillation Ablation: Back to Square One?. **2017**, 9, 1601
- 126 An effectiveness of antiarrhythmic therapy for different types of recurrent atrial tachyarrhythmia in early postoperative period after catheter isolation of pulmonary veins. **2017**, 10, 70 1
- 125 Sinus Rhythm Restoration after Radiofrequency Ablation Improves Survival in Patients Undergoing Mitral Valve Surgery : A Eight Year Single Center Study. **2017**, 10, 1567
- 124 The Impact of the CHA2DS2-VASc Score on Recurrence of Atrial Fibrillation after a Single Catheter Ablation and Atrial Remodeling in Patients with Non-Valvular Atrial Fibrillation. **2017**, 18, 16-26 0
- 123 Ablation of complex fractionated electrograms improves outcome in long standing persistent atrial fibrillation.
- 122 Mechanistic targets for the ablation of atrial fibrillation. **2017**, 2017, e201707 3
- 121 Prognostic Value of Inferior Shift of P wave Axis after Catheter Ablation for Longstanding Persistent Atrial Fibrillation based on Dallas Lesion Set Including Anterior Line. **2017**, 18, 66-76
- 120 Atrial Esophageal Fistula Secondary to Ablation for Atrial Fibrillation. **2017**, 12, e3-e5 1
- 119 . **2017**, 106, 757-765

- 118 Vitamin D as a predictor of arrhythmia recurrence after balloon cryoablation. **2018**, 177,
- 117 A Cost-Utility Analysis of Cryoballoon Ablation versus Radiofrequency Ablation for Paroxysmal Atrial Fibrillation. **2018**, 11, 2069 ○
- 116 Effect of Acute Termination of Atrial Fibrillation on the Outcome of Ablation of Persistent Atrial Fibrillation. **2018**, 77, 383-388
- 115 Experience of left atrial appendage occlusion with the WATCHMAN device in Chinese patients. **2019**, 21, 314-321 1
- 114 Atrial Fibrillation Ablation Benefits Beyond Symptom Reduction with a Focus on Patients with Heart Failure with Reduced Ejection Fraction. **2019**, 5, 30
- 113 Comparison of two modes of long-term ECG monitoring to assess the efficacy of catheter ablation for paroxysmal atrial fibrillation. **2019**, 163, 54-60 1
- 112 The increased activity of TIMP-1 in the blood as a predictor of the recurrence of atrial fibrillation in the postoperative period. **2019**, 65, 3-11 ○
- 111 Safety and Long-Term Success of Persistent Atrial Fibrillation Ablation Using THERMOCOOL SMARTTOUCHfi Catheter: Real-World Experience. **2019**, 12, 2126
- 110 Disruption of NOX2-dependent Oxidative Injury with a Targeted Gene-Therapy Approach Prevents Atrial Fibrillation in a Canine Model.
- 109 DOES «MAZE» PROCEDURE AFFECT ON HOSPITAL RESULTS OF MITRAL VALVE REPLACEMENT?. **2019**, 26, 37-44
- 108 Stroke and left atrial thrombi after cryoballoon ablation of atrial fibrillation: incidence and predictors. Results from a long-term follow-up. **2021**, 51, 74-80 ○
- 107 Use of figure of eight suture for groin closure with no heparin reversal in patients undergoing cryoballoon ablation for atrial fibrillation. **2021**, 60, 433-438
- 106 [Catheter treatment of patients with atrial fibrillation and myocardial inflammation]. **2020**, 60, 102-110
- 105 Modified ablation index: a novel determinant of a successful first-pass left atrial posterior wall isolation. **2021**, 1 ○
- 104 Thoracoscopic surgical ablation versus catheter ablation as first-line treatment for long-standing persistent atrial fibrillation: the CASA-AF RCT. **2021**, 8, 1-122 1
- 103 Association of Plasma C1q/TNF-Related Protein 3 (CTRP3) in Patients with Atrial Fibrillation. **2020**, 2020, 8873152 4
- 102 Prospective Randomized Study of the Safety and Efficacy of Interrupted Anticoagulant Therapy in the Perioperative Period of Catheter Ablation for Atrial Fibrillation: The SEACOAST Rhythm AF Trial. **2020**, 32, 221-232
- 101 Efficacy and Safety of Nepcell S in Achieving Hemostasis After Removal of a 15-Fr Femoral Venous Sheath in Patients Undergoing Cryoballoon Ablation for Atrial Fibrillation.. **2021**, 3, 691-698

100	Impact of maze procedure in patients with severe tricuspid regurgitation and persistent atrial fibrillation. 2021 ,	1
99	Redefining the Blanking Period by a Long-Term Follow-Up after Atrial Fibrillation Ablation Using Second-Generation Cryoballoon. 2020 , 61, 936-943	1
98	Treatment of lone atrial fibrillation: minimally invasive pulmonary vein isolation, partial cardiac denervation and excision of the left atrial appendage. 2014 , 3, 98-104	6
97	Surgical options for treatment of atrial fibrillation. 2014 , 3, 30-7	6
96	The definition of success in atrial fibrillation ablation surgery. 2014 , 3, 89-90	
95	Epicardial treatment of concomitant atrial fibrillation in non-mitral valve surgery. 2014 , 3, 120-1	
94	The problem with concomitant atrial fibrillation in non-mitral valve surgery. 2014 , 3, 124-9	1
93	Long-term results of single-procedure catheter ablation for atrial fibrillation in pre- and post-menopausal women. 2014 , 11, 120-5	4
92	A novel association of adenosine deaminase with paroxysmal atrial fibrillation: a propensity score analysis from a case-control study. 2015 , 7, 662-71	3
91	Atrial fibrillation and sleep-disordered breathing. 2015 , 7, E575-84	20
90	Outcome of Circumferential Pulmonary Vein Isolation for Ablation of Atrial Fibrillation: A Single Center Experience. 2013 , 29, 457-61	1
89	Current Role And Future Prospects Of Magnetic Resonance Imaging In The Field Of Atrial Fibrillation Ablation. 2015 , 8, 1281	1
88	The Role of Renal Sympathetic Denervation in Atrial Fibrillation. 2014 , 6, 987	
87	How To Follow Atrial Fibrillation Ablation Patients?. 2014 , 7, 1087	1
86	Indications For AF Ablation: Before Or After The Failure Of Antiarrhythmic Drug Therapy?. 2014 , 7, 1134	
85	First And Second-Generation Cryoballoon Ablation Efficacy Restoring And Maintaining Sinus Rhythm In Patients Electrically Selected And Treated For Long-Standing Persistent Atrial Fibrillation After Acute Complete Electrical Disconnection Of Pulmonary Veins From The Left Atrium. 2014 , 2, 122	
84	Long-Term Evolution of Patients Treated for Paroxysmal Atrial Fibrillation with First and Second Generation Cryoballoon Catheter Ablation with a Prospective Protocol Guided by Complete Bidirectional Left Atrium-Pulmonary Veins Disconnection after Adenosine as Main Target end Point to achieved. Seven Years Follow-up of Patients with a rough estimation profile of Low ALARMEC Ablation of Atrial Fibrillation in Combination with Left Atrial Appendage Occlusion in A Single Procedure. Rationale and Technique. 2016 , 8, 1346	1
83		2

82	Surgical Ablation of Atrial Fibrillation: is Electrical Isolation of the Pulmonary Veins a Must?. 2016 , 9, 1426	1
81	Complications From Left Atrial Appendage Exclusion Devices. 2014 , 7, 1034	10
80	Mapping Atrial Fibrillation: 2015 Update. 2015 , 8, 1227	5
79	Elimination Of Triggers Without An Additional Substrate Modification Is Not Sufficient In Patients With Persistent Atrial Fibrillation. 2015 , 7, 1207	1
78	How To Achieve Durable Pulmonary Vein Antral Isolation?. 2014 , 6, 1039	4
77	Contact Force Assessment In Catheter Ablation Of Atrial Fibrillation. 2014 , 6, 1047	3
76	Atrial Fibrillation Radiofrequency Ablation: Safety Using Contact Force Catheter In A Low-Volume Centre. 2014 , 7, 1043	3
75	New Insights On Ablation Of Persistent Atrial Fibrillation: Evidence From The SARA Trial. 2014 , 7, 1114	0
74	Improvements In AF Ablation Outcome Will Be Based More On Technological Advancement Versus Mechanistic Understanding. 2014 , 7, 1120	1
73	Impaired Erythrocyte Deformability in Patients with Coronary Risk Factors: Significance of Nonvalvular Atrial Fibrillation. 2013 , 6, 939	
72	Surgery for Atrial Fibrillation: Selecting the Procedure for the Patient. 2013 , 6, 743	
71	Hybrid Therapy for Atrial Fibrillation: where the Knife meets the Catheter. 2013 , 6, 775	
70	Comparing Antiarrhythmic Drugs and Catheter Ablation for Treatment of Atrial Fibrillation. 2013 , 6, 861	1
69	Cost-Effectiveness of Atrial Fibrillation Ablation. 2013 , 6, 880	2
68	Atraumatic Lung Hernia: A Rare Complication of Minimally Invasive Surgical Atrial Fibrillation Ablation. 2013 , 6, 1005	4
67	Atrial Remodelling : Role in Atrial Fibrillation Ablation. 2012 , 5, 691	1
66	The Impact of Atrial Fibrillation Ablation on Quality of Life. 2012 , 5, 602	0
65	Frontiers in noninvasive cardiac mapping rotors in atrial fibrillation-body surface frequency-phase mapping. 2015 , 7, 59-69	

64	Role of transesophageal echocardiography during left atrial appendage occlusion device closure in a patient with non-valvular atrial fibrillation and angiodysplasia of the colon. 2018 , 21, 88-91	1
63	Iatrogenic atrio-esophageal fistula following a video-assisted thoracoscopic maze procedure: Is esophageal instrumentation justified even when the diagnosis is equivocal?. 2018 , 21, 208-211	3
62	Endothelial dysfunction in patients with lone atrial fibrillation. 2020 , 16, 278-283	
61	Establishment and evaluation of a nomogram prediction model for recurrence risk of atrial fibrillation patients after radiofrequency ablation. 2021 , 13, 10641-10648	0
60	Effects of uninterrupted dabigatran on the intensity of anticoagulation during atrial fibrillation ablation.. 2022 , 38, 58-66	1
59	Impaired left atrial reservoir and conduit strain in patients with atrial fibrillation and extensive left atrial fibrosis. 2021 , 23, 131	0
58	Esophageal thermal injury in catheter ablation of atrial fibrillation. 2021 , 67,	0
57	Endocrine and Mechanical Cardiacfunction Four Months after Radiofrequency Ablation of Atrialfibrillation.. 2021 , 14, 20200454	1
56	High Cerebrovascular Thromboembolic Event Rate Long after Unsuccessful Catheter Ablation for Atrial Fibrillation.. 2020 , 13, 2294	
55	Extensive Left Atrial Low-Voltage Area During Initial Ablation is Associated with A Poor Clinical Outcome Even Following Multiple Procedures.. 2021 , 14, 20200491	0
54	Comparative characteristics of a pacemaker implantation after biatrial or left atrial ablation of atrial fibrillation in combination with coronary artery bypass grafting in patients with ischemic heart disease and long-standing persistent atrial fibrillation. 2021 , 61, 46-52	
53	Catheter ablation for atrial fibrillation. 2022 , 2022,	
52	Soft bioelectronics for cardiac interfaces. 2022 , 3, 011301	0
51	Catheter ablation in grown-up congenital heart disease patients: A single-center experience. 2022 , 7, 100326	1
50	Chemical transmitter systems in the brain. 1975 , 6, 183-203	
49	The Roles of Fractionated Potentials in Non-Macroeentrant Atrial Tachycardias Following Atrial Fibrillation Ablation: Recognition Beyond Three-Dimensional Mapping.. 2021 , 8, 759563	
48	Updates in hybrid AF ablation: a hybrid approach to surgical epicardial ablation and catheter endocardial ablation in persistent atrial fibrillation. 2022 , 23,	0
47	Diabetes Mellitus Is an Independent Risk Factor for a Stiff Left Atrial Physiology After Catheter Ablation for Atrial Fibrillation.. 2022 , 9, 828478	

- 46 Concomitant Atrial Fibrillation Procedures During Cardiac Surgery in a UK Center: Reflection of Worldwide Practice?. **2022**, 9, 780893
- 45 Lessons Learned from a Delayed Diagnosis of Atrioesophageal Fistula: A Multidisciplinary Approach.. **2022**, ○
- 44 Influence of characteristics of epicardial adipose tissue and myocardial sympathetic innervation on the development of late recurrence of atrial fibrillation after radiofrequency ablation. **2022**, 26, 4788 ○
- 43 Safety and Efficacy of Cryoballoon Ablation of Atrial Fibrillation in relation to the Patients' Age: Results from a Large Real-World Multicenter Observational Project.. **2021**, 2021, 9996047 ○
- 42 Pulmonary Vein Isolation Outcome Degree Is a New Score for Efficacy of Atrial Fibrillation Catheter Ablation.. **2021**, 10,
- 41 New Oral Anticoagulant Versus Vitamin K Antagonists for Thoracoscopic Ablation in Patients with Persistent Atrial Fibrillation: A Randomized Controlled Trial. **2021**, 1
- 40 Incidence of epicardial connections between the right pulmonary vein carina and right atrium during catheter ablation of atrial fibrillation: A comparison between the conventional method and unipolar signal modification.. **2022**, 38, 97-105
- 39 OUP accepted manuscript. *Europace*, 3.9
- 38 Recent advances in the tools available for atrial fibrillation ablation.. **2022**, 1-14 ○
- 37 Data_Sheet_1.pdf. **2019**,
- 36 Video_1.MP4. **2019**,
- 35 Video_2.MP4. **2019**,
- 34 Video_3.MP4. **2019**,
- 33 Video_4.MP4. **2019**,
- 32 Video_5.MP4. **2019**,
- 31 Video_6.MP4. **2019**,
- 30 Table_1.DOCX. **2019**,
- 29 Table_1.docx. **2018**,

- 28 Accuracy of Delta Capnography for the Prediction of Pulmonary Vein Occlusion During Cryoablation for Atrial Fibrillation.. **2022**, 13, 4921-4928
- 27 Clinical outcomes in patients with persistent atrial fibrillation after technologic advances including contact force-guided and ablation index-guided ablation. **2022**, 23,
- 26 The Role of Echocardiography in Patients with Atrial Fibrillation and Flutter. **2017**, 822-836
- 25 Determining the Safety of Radiofrequency Ablation in Cardiovascular Implantable Electronic Devices. **2022**, 101302
- 24 Prognostic significance of cardiorenal dysfunction within 1 year after atrial fibrillation ablation in patients with systolic dysfunction.
- 23 Treatment Options in AF Patients with Cancer; Focus on Catheter Ablation. **2022**, 11, 4452 ○
- 22 Cost-utility analysis of Cryoballoon ablation versus Radiofrequency ablation in the treatment of paroxysmal atrial fibrillation in Iran. **2022**, 17, e0270642
- 21 Influence of pulsating intracardiac blood flow on radiofrequency catheter ablation outcomes in an anatomy-based atrium model. **2022**, 39, 1064-1077 1
- 20 Treatment Planning for Atrial Fibrillation Using Patient-Specific Models Showing the Importance of Fibrillatory-Areas.
- 19 A Modified Maze Versus Cut-and-Sew Maze for Long-Standing Persistent Atrial Fibrillation Concomitant with Mitral Valve Surgery: A Propensity Score-Matched Cohort Study. **2022**, 1 1
- 18 Cryoballoon Catheter Ablation in Korean Patients With Paroxysmal and Persistent Atrial Fibrillation: One Year Outcome From the Cryo Global Registry. **2022**, 52, 755 ○
- 17 Left atrial strain imaging and integrated backscatter: predictors of recurrence in patients with paroxysmal, persistent, and long-standing persistent atrial fibrillation undergoing catheter ablation. ○
- 16 Efficacy and safety of left atrial appendage closure in patients with atrial fibrillation and high thromboembolic and bleeding risk. **2022**, 27, 5182 ○
- 15 Algorithm for determining the Brosis stage using high-density mapping. **2022**, 29, 29-36 ○
- 14 Clinical outcomes and structural remodelling after ablation of atrial fibrillation in heart failure with mildly reduced or mid-range ejection fraction. ○
- 13 EURASIAN CLINICAL RECOMMENDATIONS ON DIAGNOSIS AND TREATMENT OF ATRIAL FIBRILLATION. **2019**, 4-85 11
- 12 Superiority of complete bi-atrial ablation procedure for atrial fibrillation in rheumatic mitral valve disease. ○
- 11 Impact of redo ablation for atrial fibrillation on patient-reported outcomes and quality of life. ○

- 10 Bi-atrial versus left atrial ablation for patients with rheumatic mitral valve disease and non-paroxysmal atrial fibrillation (ABLATION): rationale, design and study protocol for a multicentre randomised controlled trial. **2022**, 12, e064861 ○
- 9 Efficacy and Safety Ablation Index-Guided High-Energy Linear Ablation for Persistent Atrial Fibrillation: PVI Plus Linear Ablation of Mitral Isthmus and Posterior Box Isolation. **2023**, 12, 619 ○
- 8 Left Atrium Segmentation Using Deep Learning Model. **2022**, ○
- 7 Detailed investigation of the lesion formation with a novel contact force sensing catheter with a mesh-shaped irrigation tip. **2023**, 39, 166-174 ○
- 6 Effectiveness of the systemic immune inflammation index to predict atrial fibrillation recurrence after cryoablation. ○
- 5 Cardiovascular magnetic resonance pulmonary perfusion for functional assessment of pulmonary vein stenosis. **2023**, 376, 147-153 ○
- 4 Quantification of Mechanical Characteristics of Conventional Steerable Ablation Catheters for Treatment of Atrial Fibrillation Using a Heart Phantom. ○
- 3 O Volume do Apêndice Atrial Esquerdo Prediz a Recorrência de Fibrilação Atrial após Ablação por Cateter de Radiofrequência: Uma Meta-análise. **2023**, 120, ○
- 2 Impact of LGE-MRI in Arrhythmia Ablation. **2023**, 13, 3862 ○
- 1 Machine learning-based analysis of risk factors for atrial fibrillation recurrence after Cox-Maze IV procedure in patients with atrial fibrillation and chronic valvular disease: A retrospective cohort study with a control group. 10, ○