

# CITATION REPORT

List of articles citing

## Bivariate Flood Frequency Analysis of Upper Godavari River Flows Using Archimedean Copulas

DOI: 10.1007/s11269-012-0124-z

Water Resources Management, 2012, 26, 3995-4018.

**Source:** <https://exaly.com/paper-pdf/53231958/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
102	Application of Monte Carlo Simulation Technique to Design Flood Estimation: A Case Study for North Johnstone River in Queensland, Australia. <i>Water Resources Management</i> , <b>2013</b> , 27, 4099-4111	3.7	30
101	Analysis of Rainfall Severity and Duration in Victoria, Australia using Non-parametric Copulas and Marginal Distributions. <i>Water Resources Management</i> , <b>2014</b> , 28, 4835-4856	3.7	11
100	Dam risk assessment based on univariate versus bivariate statistical approaches: a case study for Argentina. <b>2014</b> , 59, 2216-2232		13
99	Joint modeling of flood peak discharges, volume and duration: a case study of the Danube River in Bratislava. <b>2014</b> , 62, 186-196		32
98	Trivariate Frequency Analyses of Peak Discharge, Hydrograph Volume and Suspended Sediment Concentration Data Using Copulas. <i>Water Resources Management</i> , <b>2014</b> , 28, 2195-2212	3.7	44
97	Allocation of Flood Control Capacity for a Multireservoir System Located at the Yangtze River Basin. <i>Water Resources Management</i> , <b>2014</b> , 28, 4823-4834	3.7	16
96	Simulating the adaptive measures of soybean production to climate change in China: Based on cross-scale model coupling. <b>2015</b> , 161-168		
95	Spatial Characterization and Bivariate Frequency Analysis of Precipitation and Runoff in the Upper Huai River Basin, China. <i>Water Resources Management</i> , <b>2015</b> , 29, 3291-3304	3.7	14
94	Bivariate flood frequency analysis using the copula function: a case study of the Litija station on the Sava River. <b>2015</b> , 29, 225-238		119
93	Method of Fusion Diagnosis for Dam Service Status Based on Joint Distribution Function of Multiple Points. <b>2016</b> , 2016, 1-10		5
92	Joint modelling of flood peaks and volumes: A copula application for the Danube River. <b>2016</b> , 64, 382-392		12
91	A regional comparative analysis of empirical and theoretical flood peak-volume relationships. <b>2016</b> , 64, 367-381		21
90	Flood Frequency Analysis Based on Gaussian Copula. <b>2016</b> , 151-165		
89	Evolutionary algorithms and elliptical copulas applied to continuous optimization problems. <b>2016</b> , 369, 419-440		8
88	Similarity of empirical copulas of flood peak-volume relationships: a regional case study of North-West Austria. <b>2016</b> , 46, 155-178		3
87	Copula-based drought risk assessment combined with an integrated index in the Wei River Basin, China. <b>2016</b> , 540, 824-834		102
86	Hydrologic risk analysis in the Yangtze River basin through coupling Gaussian mixtures into copulas. <b>2016</b> , 88, 170-185		49

85	Climate variability impact assessment on the flood risk in Slovenia. <b>2016</b> , 37, 73-87		12
84	Analysis of Irrigation Needs Using an Approach Based on a Bivariate Copula Methodology. <i>Water Resources Management</i> , <b>2016</b> , 30, 167-182	3-7	6
83	Bivariate hydrologic risk analysis based on a coupled entropy-copula method for the Xiangxi River in the Three Gorges Reservoir area, China. <b>2016</b> , 125, 381-397		41
82	Parameter estimation of copula functions using an optimization-based method. <b>2017</b> , 129, 21-32		18
81	Regional bivariate modeling of droughts using L-comoments and copulas. <b>2017</b> , 31, 1199-1210		22
80	Multivariate flood risk analysis for Wei River. <b>2017</b> , 31, 225-242		25
79	The Dynamic Control Bound of Flood Limited Water Level Considering Capacity Compensation Regulation and Flood Spatial Pattern Uncertainty. <i>Water Resources Management</i> , <b>2017</b> , 31, 143-158	3-7	17
78	Modeling flood event characteristics using D-vine structures. <b>2017</b> , 130, 713-724		23
77	Stochastic optimal operation of reservoirs based on copula functions. <b>2018</b> , 557, 265-275		32
76	Assessing Flood Risk Under Sea Level Rise and Extreme Sea Levels Scenarios: Application to the Ebro Delta (Spain). <b>2018</b> , 123, 794-811		23
75	Application of Archimedean copulas to the impact assessment of hydro-climatic variables in semi-arid aquifers of western India. <b>2018</b> , 26, 89-108		6
74	Analysis of hydrological drought characteristics using copula function approach. <b>2018</b> , 16, 153-161		6
73	Bivariate frequency analysis of flood and extreme precipitation under changing environment: case study in catchments of the Loess Plateau, China. <b>2018</b> , 32, 2057-2074		17
72	Multivariate Flood Risk Analysis at a Watershed Scale Considering Climatic Factors. <b>2018</b> , 10, 1821		4
71	Estimating Joint Return Periods for Flooding Due to Storm Surge. <b>2018</b> ,		
70	Uncertainty Quantification for Multivariate Eco-Hydrological Risk in the Xiangxi River within the Three Gorges Reservoir Area in China. <b>2018</b> , 4, 617-626		8
69	Flood susceptibility assessment in Kelantan river basin using copula. <b>2018</b> , 7, 584		26
68	Analysis of Flood Risk of Urban Agglomeration Polders Using Multivariate Copula. <b>2018</b> , 10, 1470		4

67	Probabilistic dependence between streamflow and hydroclimatic variables and the possible linkages to large-scale atmospheric circulation: A case study in Baden-Württemberg, Southwest Germany. <b>2018</b> , 565, 443-454		1
66	Two-Dimension Monthly River Flow Simulation Using Hierarchical Network-Copula Conditional Models. <i>Water Resources Management</i> , <b>2018</b> , 32, 3801-3820	3-7	11
65	Assessing the copula selection for bivariate frequency analysis based on the tail dependence test. <b>2018</b> , 127, 1		3
64	Flood hydrograph coincidence analysis for mainstream and its tributaries. <b>2018</b> , 565, 341-353		23
63	Probabilistic Event Based Rainfall-Runoff Modeling Using Copula Functions. <i>Water Resources Management</i> , <b>2019</b> , 33, 3799-3814	3-7	13
62	Assessing Hydrologic Uncertainty Processor Performance for Flood Forecasting in a Semiurban Watershed. <b>2019</b> , 24, 05019025		7
61	Periodic Copula Autoregressive Model Designed to Multivariate Streamflow Time Series Modelling. <i>Water Resources Management</i> , <b>2019</b> , 33, 3417-3431	3-7	7
60	A Copula-Based Method for Stochastic Simulation of Daily Suspended Sediment Concentration. <b>2019</b> ,		0
59	Comparison of nonstationary models in analyzing bivariate flood frequency at the Three Gorges Dam. <b>2019</b> , 579, 124208		8
58	Copulas-based bivariate socioeconomic drought dynamic risk assessment in a changing environment. <b>2019</b> , 575, 1052-1064		46
57	An improved nonstationary model for flood frequency analysis and its implication for the Three Gorges Dam, China. <b>2019</b> , 64, 845-855		6
56	Joint probability risk modelling of storm surge and cyclone wind along the coast of Bay of Bengal using a statistical copula. <b>2019</b> , 39, 4206-4217		11
55	Trivariate copula in drought analysis: a case study in peninsular Malaysia. <b>2019</b> , 138, 657-671		19
54	Bivariate Flood Frequency Analysis of Nonstationary Flood Characteristics. <b>2019</b> , 24, 04019007		13
53	Frequency analyses of peak discharge and suspended sediment concentration in the United States. <b>2020</b> , 20, 1157-1168		9
52	Development of a Bayesian-copula-based frequency analysis method for hydrological risk assessment [The Naryn River in Central Asia. <b>2020</b> , 580, 124349		29
51	Analyzing the contributions of climate change and human activities on runoff in the Northeast Tibet Plateau. <b>2020</b> , 27, 100639		11
50	Non-stationarity analysis of flood flows using copula based change-point detection method: Application to case study of Godavari river basin. <b>2020</b> , 718, 134894		7

49	Meteorological Drought Study Through SPI in Three Drought Prone Districts of West Bengal, India. <b>2020</b> , 4, 43-55	34
48	Multivariate Frequency Analysis of Annual Maxima Suspended Sediment Concentrations and Floods in the Jinsha River, China. <b>2020</b> , 25, 05020029	2
47	Multivariable flood risk and its dynamics considering project reasonable service life in a changing environment. <b>2020</b> , 590, 125524	3
46	Bivariate flood distribution analysis under parametric copula framework: a case study for Kelantan River basin in Malaysia. <b>2020</b> , 68, 821-859	3
45	A nonparametric statistical framework using a kernel density estimator to approximate flood marginal distributions a case study for the Kelantan River Basin in Malaysia. <b>2020</b> , 20, 1509-1533	0
44	Bayesian Stochastic Dynamic Programming for Hydropower Generation Operation Based on Copula Functions. <i>Water Resources Management</i> , <b>2020</b> , 34, 1589-1607	3-7 8
43	Complete multivariate flood frequency analysis, applied to northern Algeria. <b>2020</b> , 13, e12619	8
42	An advanced data collection procedure in bivariate drought frequency analysis. <b>2020</b> , 34, 4067-4082	0
41	Nonstationary flood coincidence risk analysis using time-varying copula functions. <b>2020</b> , 10, 3395	7
40	Copula based analysis of meteorological drought and catchment resilience across Indian river basins. <b>2021</b> , 41, E1137	0
39	Examining the downstream geomorphic impact of a large dam under climate change. <b>2021</b> , 196, 104850	2
38	Bivariate joint distribution analysis of the flood characteristics under semiparametric copula distribution framework for the Kelantan River basin in Malaysia. <b>2021</b> , 6, 128-145	3
37	Multidimensional Approaches to Calculation of Design Floods at Confluences BROIL Model and Copulas. <b>2021</b> , 26, 565-579	2
36	Probabilistic assessment of crop yield loss to drought time-scales in Xinjiang, China. <b>2021</b> , 41, 4077-4094	4
35	Copula based analysis of meteorological, hydrological and agricultural drought characteristics across Indian river basins. <b>2021</b> , 41, 4637	28
34	Bivariate Drought Characterization of Two Contrasting Climatic Regions in India Using Copula. <b>2021</b> , 147, 05020005	3
33	Risk variation of reservoir regulation during flood season based on bivariate statistical approach under climate change: a case study in the Chengbihe reservoir, China. <b>2021</b> , 108, 1585-1608	0
32	Multi-Spatial Resolution Rainfall-Runoff Modelling A Case Study of Sabari River Basin, India. <b>2021</b> , 13, 1224	4

31	Copula-Based Frequency and Coincidence Risk Analysis of Floods in Tropical-Seasonal Rivers. <b>2021</b> , 26, 05021007		1
30	Gumbel-Hougaard copula-based tetrivariate flood frequency analysis for the Hirakud reservoir catchment. 1-8		
29	Flood hydrograph coincidence analysis of the upper Yangtze River and Dongting Lake, China. 1		0
28	Copula-based multivariate flood probability construction: a review. <b>2020</b> , 13, 1		4
27	Uncertainty quantification and propagation in bivariate design flood estimation using a Bayesian information-theoretic approach. <b>2020</b> , 584, 124677		9
26	Process-based selection of copula types for flood peak-volume relationships in Northwest Austria: a case study. <b>2016</b> , 46, 245-268		1
25	A nonparametric copula distribution framework for bivariate joint distribution analysis of flood characteristics for the Kelantan River basin in Malaysia. <b>2020</b> , 6, 171-198		1
24	Trivariate distribution modelling of flood characteristics using copula function: A case study for Kelantan River basin in Malaysia. <b>2020</b> , 6, 92-130		3
23	Spatio-temporal analysis of copula-based probabilistic multivariate drought index using CMIP6 model.		2
22	Understanding the impacts of predecessor rain events on flood hazard in a changing climate. <b>2022</b> , 36,		2
21	Multivariate Hydrologic Risk Analysis for River Thames. <b>2022</b> , 14, 384		0
20	Multivariate Flood Frequency Analysis Using Bivariate Copula Functions. <i>Water Resources Management</i> , <b>2022</b> , 36, 729-743	3-7	0
19	Assessing Socioeconomic Drought Based on a Standardized Supply and Demand Water Index. <i>Water Resources Management</i> , 1	3-7	1
18	A satellite-based Standardized Antecedent Precipitation Index (SAPI) for mapping extreme rainfall risk in Myanmar. <b>2022</b> , 26, 100733		
17	Multivariate Regional Frequency Analysis Using Conditional Extreme Values Approach. <b>2022</b> , 58,		
16	Characterizing multivariate coastal flooding events in a semi-arid region: the implications of copula choice, sampling, and infrastructure. <b>2022</b> , 22, 2145-2167		0
15	Parametric Vine Copula Framework in the Trivariate Probability Analysis of Compound Flooding Events. <b>2022</b> , 14, 2214		0
14	Concurrent extreme events of atmospheric moisture transport and continental precipitation: The role of landfalling atmospheric rivers. <b>2022</b> , 106356		0

- |    |  |   |
|----|--|---|
| 13 | Joint Modelling of Flood Hydrograph Peak, Volume and Duration Using Copulas—Case Study of Sava and Drava River in Croatia, Europe. <b>2022</b> , 14, 2481  | 1 |
| 12 | Nonparametric approach to copula estimation in compounding the joint impact of storm surge and rainfall events in coastal flood analysis.  | 0 |
| 11 | Assessment of the joint impact of rainfall and river water level on urban flooding in Wuhan City, China. <b>2022</b> , 613, 128419   | 0 |
| 10 | Joint frequency analysis of river flow rate and suspended sediment load using conditional density of copula functions.   | 0 |
| 9  | Bivariate hydrologic risk analysis for the Xiangxi River in Three Gorges Reservoir Area, China. <b>2022</b> , 11,  | 0 |
| 8  | Evaluation of a Stand-Alone WRF-Hydro Modeling System Using Different Rainfall Forcing Data: Case Study Over the Godavari River Basin, India.  | 0 |
| 7  | Nonparametric Approach to Copula Estimation in Compounding The Joint Impact of Storm Surge and Rainfall Events in Coastal Flood Analysis. <b>2022</b> , 36, 5599-5632                            | 0 |
| 6  | Copula-based analysis of socio-economic impact on water quantity and quality: A case study of Yitong River, China. <b>2023</b> , 859, 160176   | 0 |
| 5  | Trivariate Joint Distribution Modelling of Compound Events Using the Nonparametric D-Vine Copula Developed Based on a Bernstein and Beta Kernel Copula Density Framework. <b>2022</b> , 9, 221   | 0 |
| 4  | Compounding joint impact of rainfall, storm surge and river discharge on coastal flood risk: an approach based on 3D fully nested Archimedean copulas. <b>2023</b> , 82,                         | 0 |
| 3  | Trivariate Probabilistic Assessments of the Compound Flooding Events Using the 3-D Fully Nested Archimedean (FNA) Copula in the Semiparametric Distribution Setting. <b>2023</b> , 37, 1641-1693 | 0 |
| 2  | The Copula Application for Analysis of the Flood Threat at the River Confluences in the Danube River Basin in Slovakia. <b>2023</b> , 15, 984  | 0 |
| 1  | Temporal analysis and the joint probability distribution of rainfall indexes in the Taihu Lake Basin, China.   | 0 |