

CITATION REPORT

List of articles citing

Systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy

DOI: 10.1016/j.eururo.2012.05.045
European Urology, 2012, 62, 405-17.

Source: <https://exaly.com/paper-pdf/53240618/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
845	Robotic prostatectomy: an update on functional and oncologic outcomes. 2013 , 7, 355		2
844	Posterior musculofascial reconstruction incorporated into urethrovesical anastomosis during robot-assisted radical prostatectomy. 2012 , 26, 1542-5		17
843	Prostate cancer: epidemiologic studies and changing clinical practice. 2012 , 9, 676-7		
842	Best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena Consensus Panel. <i>European Urology</i> , 2012 , 62, 368-81	10.2	206
841	Robot-assisted radical prostatectomy - fake innovation or the real deal?. <i>European Urology</i> , 2012 , 62, 365-7	10.2	2
840	Words of wisdom. Re: Adverse effects of robotic-assisted laparoscopic versus open retroperitoneal radical prostatectomy among a nationwide random sample of Medicare-age men. <i>European Urology</i> , 2012 , 62, 933-5	10.2	2
839	Does robotic prostatectomy meet its promise in the management of prostate cancer?. 2013 , 14, 184-91		8
838	Preserving continence during robotic prostatectomy. 2013 , 14, 52-8		15
837	Laparoscopic versus robot-assisted bilateral nerve-sparing radical prostatectomy: comparison of pentapecta rates for a single surgeon. 2013 , 27, 4297-304		27
836	Extraperitoneal robot-assisted laparoscopic radical prostatectomy: a single-center experience beyond the learning curve. 2013 , 31, 447-53		14
835	Operative Therapie des lokal begrenzten Prostatakarzinoms. 2013 , 19, 719-727		1
834	Long-term evaluation of survival, continence and potency (SCP) outcomes after robot-assisted radical prostatectomy (RARP). 2013 , 112, 338-45		32
833	Comparisons of perioperative outcomes and costs between open and laparoscopic radical prostatectomy: a propensity-score matching analysis based on the Japanese Diagnosis Procedure Combination database. 2013 , 20, 349-53		11
832	Current status of robot-assisted laparoscopic radical prostatectomy: how does it compare with other surgical approaches?. 2013 , 20, 271-84		21
831	Prostate cancer: Oncological vs functional outcomes for RARP--finding a balance. 2013 , 10, 563-4		
830	Urinary outcomes are significantly affected by nerve sparing quality during radical prostatectomy. 2013 , 82, 1348-53		23
829	EAU guidelines on robotic and single-site surgery in urology. <i>European Urology</i> , 2013 , 64, 277-91	10.2	116

828	Surgical management of prostate cancer. 2013 , 27, 1111-35, vii		6
827	Robot-assisted radical prostatectomy: a case series of the first 100 patients--constitutional introduction and implementation on the basis of comprehensive department of minimal invasive surgery center. 2013 , 6, 436		8
826	Urinary incontinence after robot-assisted radical prostatectomy: pathophysiology and intraoperative techniques to improve surgical outcome. 2013 , 20, 1052-63		65
825	Radicale prostatectomie in Nederland. 2013 , 3, 47-51		1
824	Perioperatieve, oncologische en functionele leercurves van robotgeassisteerde laparoscopische radicale prostatectomie (RALP) in een hoogvolumeziekenhuis. 2013 , 3, 190-200		1
823	Reply to Stefano C.M. Picozzi, Cristian Ricci and Luca Carmignani's letter to the editor re: Giacomo Novara, Vincenzo Ficarra, Simone Mocellin, et al. Systematic review and meta-analysis of studies reporting oncologic outcome after robot-assisted radical prostatectomy. <i>Eur Urol</i> 2012;62:382-404. <i>European Urology</i> , 2013 , 63, e33-34	10.2	5
822	Urinary tract-related quality of life after radical prostatectomy: open retropubic versus robot-assisted laparoscopic approach. 2013 , 90, 36-40		23
821	Management of prostate cancer in Asia: resource-stratified guidelines from the Asian Oncology Summit 2013. 2013 , 14, e524-34		26
820	Yonsei criteria: a new protocol for active surveillance in the era of robotic and local ablative surgeries. 2013 , 11, 501-7		8
819	Early postoperative urinary and sexual function predicts functional recovery 1 year after prostatectomy. 2013 , 190, 1233-8		4
818	Reply to Michael Froehner and Manfred P. Wirth's letter to the editor re: Vincenzo Ficarra, Giacomo Novara, Raymond C. Rosen, et al. systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>Eur Urol</i> 2012;62:405-17. <i>European Urology</i> , 2013 , 63, e39-40	10.2	
817	Influence of preoperative and postoperative pelvic floor muscle training (PFMT) compared with postoperative PFMT on urinary incontinence after radical prostatectomy: a randomized controlled trial. <i>European Urology</i> , 2013 , 64, 766-72	10.2	65
816	European urology: quality, impact, online. <i>European Urology</i> , 2013 , 64, 523-4	10.2	2
815	Beyond the learning curve of the Retzius-sparing approach for robot-assisted laparoscopic radical prostatectomy: oncologic and functional results of the first 200 patients with 1 year of follow-up. <i>European Urology</i> , 2013 , 64, 974-80	10.2	147
814	Re: Vincenzo Ficarra, Giacomo Novara, Raymond C. Rosen, et al. systematic review and meta-analysis of studies reporting urinary continence recovery after robot-assisted radical prostatectomy. <i>Eur Urol</i> 2012;62:405-17. <i>European Urology</i> , 2013 , 63, e38	10.2	3
813	Coexistence of elastic fibers with hyaluronic acid in the human urethral sphincter complex: a histological study. 2013 , 190, 1313-9		9
812	Reply from Authors re: Karim A. Touijer. The Promise and Challenges of Randomized Controlled Trials for Surgical Interventions. <i>Eur Urol</i> 2013;63:615-6. <i>European Urology</i> , 2013 , 63, 616-617	10.2	
811	Surgeon variation in patient quality of life after radical prostatectomy. 2013 , 189, 1295-301		11

810	Postoperative high-dose pelvic radiotherapy for N+ prostate cancer: toxicity and matched case comparison with postoperative prostate bed-only radiotherapy. 2013 , 109, 222-8	13
809	Rise of robotics in urologic surgery: current status and future directions. 2013 , 10, 287-9	
808	The complexities of comparative effectiveness research on devices: the case of robotic-assisted surgery for prostate cancer. 2013 , 2, 367-70	1
807	Robotic-assisted radical prostatectomy after the first decade: surgical evolution or new paradigm. 2013 , 2013, 157379	27
806	Robotic surgery: review of prostate and bladder cancer. 2013 , 19, 133-9	21
805	Anatomic and technical considerations for optimizing recovery of urinary function during robotic-assisted radical prostatectomy. 2013 , 23, 78-87	35
804	Pathological and oncological outcomes of elderly men with clinically localized prostate cancer. 2013 , 43, 1238-42	1
803	The European Association of Urology Robotic Urology Section (ERUS) survey of robot-assisted radical prostatectomy (RARP). 2013 , 111, 596-603	26
802	Early continence recovery after preservation of maximal urethral length until the level of verumontanum during radical prostatectomy: primary oncological and functional outcomes after 1 year of follow-up. 2013 , 2013, 426208	9
801	Perioperative, oncological and functional outcomes of the first robotic prostatectomy program in Quebec: Single fellowship-trained surgeon's experience of 250 cases. 2013 , 7, 326-32	15
800	Changes in indications and oncological outcomes of radical prostatectomy after 2000--data from 1268 Japanese patients treated with radical prostatectomy between 2000 and 2009. 2013 , 43, 821-6	6
799	Efficacy of robotic-assisted prostatectomy in localized prostate cancer: a systematic review of clinical trials. 2013 , 2013, 105651	17
798	Prospective randomized study of radiofrequency versus ultrasound scalpels on functional outcomes of laparoscopic radical prostatectomy. 2013 , 27, 989-93	8
797	Interview-based versus questionnaire-based quality of life outcomes before and after prostatectomy. 2013 , 27, 1411-6	23
796	Authors' response to Canes. 2013 , 27, 1172-3	
795	A haptic surface scanning and machining parallel manipulator for registration-free bone resurfacing during arthroplasty. 2013 ,	
794	Robotic and standard open radical prostatectomy: oncological and quality-of-life outcomes. 2013 , 2, 293-9	10
793	Relative effectiveness of robot-assisted and standard laparoscopic prostatectomy as alternatives to open radical prostatectomy for treatment of localised prostate cancer: a systematic review and mixed treatment comparison meta-analysis. 2013 , 112, 798-812	58

792	Prospective evaluation of urinary incontinence, voiding symptoms and quality of life after open and robot-assisted radical prostatectomy. 2013 , 112, 936-43	46
791	Urinary continence recovery after open and robot-assisted radical prostatectomy. 2013 , 112, 875-6	2
790	Cross-cultural application of the Korean version of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire for patients with prostate cancer - EORTC QLQ-PR25. 2013 , 85, 299-305	6
789	Divorcing diagnosis from treatment: contemporary management of low-risk prostate cancer. 2013 , 54, 417-25	2
788	Tissue quality assessment using a novel direct elasticity assessment device (the E-finger): a cadaveric study of prostatectomy dissection. 2014 , 9, e112872	8
787	Patient reported outcome measures in male incontinence surgery. 2014 , 96, 521-5	7
786	Current techniques to improve outcomes for early return of urinary continence following robot-assisted radical prostatectomy. 2014 , 60, 1-13	16
785	Oncological and functional outcomes of 722 robot-assisted radical prostatectomy (RARP) cases: The largest Canadian 5-year experience. 2014 , 8, 195-201	19
784	Management of end-stage erectile dysfunction and stress urinary incontinence after radical prostatectomy by simultaneous dual implantation using a single trans-scrotal incision: surgical technique and outcomes. 2015 , 17, 792-6	11
783	Approaches to radical prostatectomy. 2014 , 3, 451-3	1
782	A novel design for steerable instruments based on laser-cut nitinol. 2014 , 21, 303-11	10
781	Are early continence recovery and oncologic outcomes influenced by use of different devices in prostatic apex dissection during laparoscopic radical prostatectomy?. 2014 , 28, 1313-9	3
780	Focal cryotherapy of localized prostate cancer: a systematic review of the literature. 2014 , 14, 1337-47	36
779	What is next in robotic urology?. 2014 , 15, 460	5
778	A simple reconstruction of the posterior aspect of rhabdosphincter and sparing of puboprostatic collar reduces the time to early continence after laparoscopic radical prostatectomy. 2014 , 28, 481-6	12
777	Radical prostatectomy: initial experience with robot-assisted laparoscopic procedures at a large university hospital. 2014 , 48, 252-8	11
776	Early biochemical recurrence, urinary continence and potency outcomes following robot-assisted radical prostatectomy. 2014 , 48, 356-66	5
775	Urodynamic evaluation before and immediately after robot-assisted radical prostatectomy. 2014 , 84, 106-11	15

774	Early urinary continence recovery after robot-assisted radical prostatectomy in older Australian men. 2014 , 114 Suppl 1, 29-33		16
773	Health technology assessment in evolution - focal therapy in localised prostate cancer. 2014 , 14, 1359-67		7
772	Survival, Continence and Potency (SCP) recovery after radical retropubic prostatectomy: a long-term combined evaluation of surgical outcomes. 2014 , 40, 1716-23		17
771	Simple and reliable predictor of urinary continence after radical prostatectomy: serial measurement of urine loss ratio after catheter removal. 2014 , 21, 647-51		6
770	Prospective urodynamic model for prediction of urinary incontinence after robot-assisted radical prostatectomy. 2014 , 92, 306-9		13
769	Controversies associated with the evaluation of elderly men with localized prostate cancer when considering radical prostatectomy. 2014 , 19, 793-9		3
768	Exercise interventions for men with prostate cancer. 2014 ,		
767	Health-related quality of life in the first year after laparoscopic radical prostatectomy compared with open radical prostatectomy. 2014 , 44, 686-91		12
766	First report on joint use of a Da Vinci [®] surgical system with transfer of surgical know-how between two public hospitals. 2014 , 93, 1-9		
765	Long-term continence outcomes in men undergoing radical prostatectomy for clinically localized prostate cancer. <i>European Urology</i> , 2014 , 65, 52-7	10.2	44
764	Comparison of clinical outcomes between "ideal" and "nonideal" transobturator male sling patients for treatment of postprostatectomy incontinence. 2014 , 83, 1186-8		25
763	Urodynamic assessment of bladder and urethral sphincter function before and after robot-assisted radical prostatectomy. 2014 , 38, 78-83		
762	Striated muscle in the prostatic apex: does the amount in radical prostatectomy specimens predict postprostatectomy urinary incontinence?. 2014 , 83, 888-92		7
761	The role of focal therapy in the management of localised prostate cancer: a systematic review. <i>European Urology</i> , 2014 , 66, 732-51	10.2	229
760	Development and validation of nomograms to predict the recovery of urinary continence after radical prostatectomy: comparisons between immediate, early, and late continence. 2014 , 32, 437-44		22
759	[Prevention of postprostatectomy incontinence: etiology and risk factors]. 2014 , 53, 327-8, 330, 332		1
758	Capsular incision in normal prostatic tissue during robot-assisted radical prostatectomy: a new concept or a waste of time?. 2014 , 32, 1235-40		3
757	Neglected side effects after radical prostatectomy: a systematic review. 2014 , 11, 374-85		58

756	EAU guidelines on prostate cancer. part 1: screening, diagnosis, and local treatment with curative intent-update 2013. <i>European Urology</i> , 2014 , 65, 124-37	10.2	1360
755	Quantitative EMG of external urethral sphincter in neurologically healthy men with prostate pathology. 2014 , 50, 571-6		3
754	Prevalence and predicting factors for commonly neglected sexual side effects to radical prostatectomies: results from a cross-sectional questionnaire-based study. 2014 , 11, 2318-26		36
753	Open conversion during minimally invasive radical prostatectomy: impact on perioperative complications and predictors from national data. 2014 , 192, 1657-62		13
752	Impact of a single-surgeon learning curve on complications, positioning injuries, and renal function in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. 2014 , 84, 1106-11		24
751	Models of assessment of comparative outcomes of robot-assisted surgery: best evidence regarding the superiority or inferiority of robot-assisted radical prostatectomy. 2014 , 41, 597-606		6
750	Best evidence regarding the superiority or inferiority of robot-assisted radical prostatectomy. 2014 , 41, 493-502		8
749	Early return of continence in patients undergoing robot-assisted laparoscopic prostatectomy using modified maximal urethral length preservation technique. 2014 , 28, 930-8		32
748	Robotic-assisted laparoscopic surgery: recent advances in urology. 2014 , 102, 939-49		25
747	Patient-reported urinary incontinence following stereotactic body radiation therapy (SBRT) for clinically localized prostate cancer. 2014 , 9, 148		18
746	How to optimize patient selection for robot-assisted radical prostatectomy: functional outcome analyses from a tertiary referral center. 2014 , 28, 792-800		19
745	[Diagnosis of urinary stress incontinence in men]. 2014 , 53, 323-4, 326		
744	Biochemical recurrence-free survival after robotic-assisted laparoscopic vs open radical prostatectomy for intermediate- and high-risk prostate cancer. 2014 , 83, 1309-15		25
743	Reply from Authors re: Suzanne Biehn Stewart, Shelby D. Reed, Judd W. Moul. Will the Future of Health Care Lead to the End of the Robotic Golden Years? <i>Eur Urol</i> 2014;65:325-7: Valuation of Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2014 , 65, 327-328	10.2	
742	On the way toward better evidence for minimally invasive treatment of pelvic organ prolapse. <i>European Urology</i> , 2014 , 65, 1138-9	10.2	1
741	Editorial comment. 2014 , 83, 639; discussion 639-40		
740	Superior quality of life and improved surgical margins are achievable with robotic radical prostatectomy after a long learning curve: a prospective single-surgeon study of 1552 consecutive cases. <i>European Urology</i> , 2014 , 65, 521-31	10.2	113
739	The epidemiology and clinical implications of genetic variation in prostate cancer. 2014 , 41, 277-97		10

738	Comparative effectiveness of robot-assisted versus open radical prostatectomy cancer control. <i>European Urology</i> , 2014 , 66, 666-72	10.2	81
737	Comparisons of the perioperative, functional, and oncologic outcomes after robot-assisted versus pure extraperitoneal laparoscopic radical prostatectomy. <i>European Urology</i> , 2014 , 65, 610-9	10.2	61
736	Will the future of health care lead to the end of the robotic golden years?. <i>European Urology</i> , 2014 , 65, 325-7; discussion 327-8	10.2	11
735	Urodynamic assessment of bladder and urethral sphincter function before and after robot-assisted radical prostatectomy. 2014 , 38, 78-83		6
734	Bladder neck sling suspension during robot-assisted radical prostatectomy to improve early return of urinary continence: a comparative analysis. 2014 , 83, 632-9		29
733	[Initial assessment of male non-neurogenic incontinence: systematic review of the literature by the LUTS committee of the French Urological Association]. 2014 , 24, 421-6		3
732	The surgical approach can be determined from the pathological specimen obtained after open or robot-assisted laparoscopic radical prostatectomy. 2014 , 32, 489-93		2
731	Radical prostatectomy: a focus on urinary continence. 2014 , 11, 737-748		
730	Long-Term Results of Optimized Focal Therapy for Prostate Cancer: Average 10-Year Follow-Up in 70 Patients. 2014 , 11, 64-74		1
729	Comparative investigation on clinical outcomes of robot-assisted radical prostatectomy between experienced open prostatic surgeons and novice open surgeons in a laparoscopically naïve center with a limited caseload. 2015 , 22, 469-74		7
728	Exercise interventions for men with prostate cancer. 2015 ,		2
727	Continence outcomes of robot-assisted radical prostatectomy in patients with adverse urinary continence risk factors. 2015 , 116, 764-70		20
726	Robotic-Assisted Laparoscopic Radical Prostatectomy. 2015 , 22, 283-90		9
725	[Robotic surgery in urology: the Italian contribution]. 2015 , 82 Suppl 1, S5-7		
724	Real-time in vivo periprostatic nerve tracking using multiphoton microscopy in a rat survival surgery model: a promising pre-clinical study for enhanced nerve-sparing surgery. 2015 , 116, 478-86		11
723	A review of detrusor overactivity and the overactive bladder after radical prostate cancer treatment. 2015 , 116, 853-61		24
722	Prevalence and risk factors of contralateral extraprostatic extension in men undergoing radical prostatectomy for unilateral disease at biopsy: A global multi-institutional experience. 2015 , 9, E434-8		1
721	Robot-Assisted Radical Prostatectomy After Previous Prostate Surgery. 2015 , 19,		10

720	[Positive surgical margin status after minimally invasive radical prostatectomy: a multicenter study]. 2015 , 82, 229-37		
719	Effects of tadalafil treatment after bilateral nerve-sparing radical prostatectomy: quality of life, psychosocial outcomes, and treatment satisfaction results from a randomized, placebo-controlled phase IV study. 2015 , 15, 31		16
718	Survivorship and improving quality of life in men with prostate cancer. <i>European Urology</i> , 2015 , 68, 374-83.	10.2	65
717	Retropubic Intracorporeal Placement of a Suburethral Autologous Sling During Robot-Assisted Radical Prostatectomy to Improve Early Urinary Continence Recovery: Preliminary Data. 2015 , 29, 1379-85		13
716	Disparities in the receipt of robot-assisted radical prostatectomy: between-hospital and within-hospital analysis using 2009-2011 California inpatient data. 2015 , 5, e007409		15
715	Effect of Pubovesical Complex Reconstruction During Robot-Assisted Laparoscopic Prostatectomy on the Recovery of Urinary Continence. 2015 , 25, 814-20		3
714	Male pelvic floor dysfunctions and evidence-based physical therapy. 2015 , 271-309		
713	Pentafecta outcomes after robot-assisted laparoscopic radical prostatectomy: first 100 cases in Latinoamerican Hospital. 2015 , 39, 20-5		2
712	Complications after artificial urinary sphincter implantation in patients with or without prior radiotherapy. 2015 , 115, 300-7		46
711	Effect of preoperative pelvic floor muscle therapy with biofeedback versus standard care on stress urinary incontinence and quality of life in men undergoing laparoscopic radical prostatectomy: a randomised control trial. 2015 , 34, 144-50		31
710	Feasibility, safety, and efficacy of salvage radical prostatectomy after Tookad [®] Soluble focal treatment for localized prostate cancer. 2015 , 33, 965-71		23
709	Systematic review and cumulative analysis of oncologic and functional outcomes after robot-assisted radical cystectomy. <i>European Urology</i> , 2015 , 67, 402-22	10.2	158
708	Evaluation of urinary symptoms in patients with post-prostatectomy urinary incontinence treated with the male sling TOMS. 2015 , 34, 12-7		9
707	Novel uroflow stop test at time of catheter removal is a strong predictor of early urinary continence recovery following robotic-assisted radical prostatectomy: a pilot study. 2015 , 34, 60-4		8
706	Prostate cancer in East Asia: evolving trend over the last decade. 2015 , 17, 48-57		68
705	A randomized, double-blind, solifenacin succinate versus placebo control, phase 4, multicenter study evaluating urinary continence after robotic assisted radical prostatectomy. 2015 , 193, 1305-10		21
704	Chronological Urodynamic Evaluation of Changing Bladder and Urethral Functions After Robot-assisted Radical Prostatectomy. 2015 , 85, 1441-7		22
703	Assessing the Impact of Barbed Suture on Vesicourethral Anastomosis During Minimally Invasive Radical Prostatectomy: A Systematic Review and Meta-analysis. 2015 , 85, 1368-75		16

702	Robotics in urological surgery: Evolution, current status and future perspectives. 2015 , 39, 435-441		1
701	Male Stress Urinary Incontinence Following Surgical Intervention: Procedures, Technical Modifications, and Patient Considerations. 2015 , 45-72		3
700	Acceptance, Prevalence and Indications for Robot-Assisted Laparoscopy - Results of a Survey Among Urologists in Germany, Austria and Switzerland. 2015 , 95, 336-45		7
699	Robot-Assisted Radical Prostatectomy. 2015 , 49-77		
698	Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial. <i>European Urology</i> , 2015 , 68, 216-25	10.2	252
697	Patient-reported urinary incontinence and erectile dysfunction following radical prostatectomy: results from the European Prostate Centre Innsbruck. 2015 , 94, 419-27		11
696	Robotics in urological surgery: evolution, current status and future perspectives. 2015 , 39, 435-41		7
695	Oncologic and quality-of-life outcomes with wide resection in robot-assisted laparoscopic radical prostatectomy. 2015 , 33, 70.e9-14		3
694	Radical treatment of localised prostate cancer in the elderly. 2015 , 116, 847-52		10
693	[Robotic-assisted radical prostatectomy]. 2015 , 54, 178-82		3
692	[Minimally invasive vs. open surgical procedures in the treatment of prostate cancer]. 2015 , 54, 210-2		
691	Robotic general surgery: current practice, evidence, and perspective. 2015 , 400, 283-92		28
690	Guidance on patient consultation. Current evidence for prostate-specific antigen screening in healthy men and treatment options for men with proven localised prostate cancer. 2015 , 16, 28		1
689	A genetic-based approach to personalized prostate cancer screening and treatment. 2015 , 25, 53-8		10
688	Running suture versus interrupted suture for vesicourethral anastomosis in retropubic radical prostatectomy: a randomized study. 2015 , 22, 271-7		4
687	MRI factors to predict urinary incontinence after retropubic/laparoscopic radical prostatectomy. 2015 , 47, 1343-9		26
686	Laparoscopic versus robotic-assisted radical prostatectomy: an Australian single-surgeon series. 2015 , 85, 154-8		20
685	Comparison of continence outcomes of early catheter removal on postoperative day 2 and 4 after laparoscopic radical prostatectomy: a randomized controlled trial. 2015 , 15, 77		13

684	Robot-assisted radical prostatectomy in prostate cancer. 2015 , 11, 2767-73		8
683	Extracorporeal magnetic innervation increases functional bladder capacity and quality of life in patients with urinary incontinence after robotic-assisted radical prostatectomy. 2015 , 26, 250-253		1
682	Preservation of the neurovascular bundles is associated with improved time to continence after radical prostatectomy but not long-term continence rates: results of a systematic review and meta-analysis. <i>European Urology</i> , 2015 , 68, 692-704	10.2	96
681	[Functional results and treatment of functional dysfunctions after radical prostatectomy]. 2015 , 25, 1028-66		4
680	The Value of Open Conversion Simulations During Robot-Assisted Radical Prostatectomy: Implications for Robotic Training Curricula. 2015 , 29, 1282-8		12
679	Surgical competency for urethrovesical anastomosis during robot-assisted radical prostatectomy: development and validation of the robotic anastomosis competency evaluation. 2015 , 85, 27-32		35
678	Short-term results after robot-assisted laparoscopic radical prostatectomy compared to open radical prostatectomy. <i>European Urology</i> , 2015 , 67, 660-70	10.2	69
677	Pentafecta outcomes after robot-assisted laparoscopic radical prostatectomy: First 100 cases in Latinoamerican Hospital. 2015 , 39, 20-25		1
676	Adjustable continence therapy (ProACT) after male sling failure for patients with post-radical prostatectomy urinary incontinence: a prospective study with one-year follow-up. 2015 , 33, 1331-6		11
675	Complications of the first 500 extra-peritoneal robot-assisted radical prostatectomy (EP-RARP) cases in an Italian medium volume centre. 2016 , 83, 152-162		1
674	Artificial urinary sphincters for male stress urinary incontinence: current perspectives. 2016 , 9, 175-83		14
673	Feasibility of planned mini-laparotomy and adhesiolysis at the time of robotic-assisted radical prostatectomy in patients with prior major abdominal surgery. 2016 , 10, E125-9		1
672	Urinary Incontinence Could Be Controlled by an Inflatable Penile Prosthesis. 2016 , 34, 34-9		3
671	Robotic prostatectomy and access to care: Canadian vs. U.S. experience. 2016 , 10, 202-203		2
670	Irreversible electroporation: state of the art. 2016 , 9, 2437-46		63
669	Robotic-assisted radical prostatectomy learning curve for experienced laparoscopic surgeons: does it really exist?. 2016 , 42, 83-9		10
668	Comparison of Robot-Assisted Radical Prostatectomy and Open Radical Prostatectomy Outcomes: A Systematic Review and Meta-Analysis. 2016 , 57, 1165-77		52
667	Past, present and future of urological robotic surgery. 2016 , 57, 75-83		19

666	The Effect of the Vesical Adaptation Response to Diuresis on Lower Urinary Tract Symptoms after Robot-Assisted Laparoscopic Radical Prostatectomy: A Pilot Proof of Concept Study. 2016 , 11, e0159514	3
665	Opening up New Therapeutic Avenues. 2016 , 31, 48-53	2
664	Oncological and functional outcomes 1 year after radical prostatectomy for very-low-risk prostate cancer: results from the prospective LAPPRO trial. 2016 , 118, 205-12	23
663	Health resource use after robot-assisted surgery vs open and conventional laparoscopic techniques in oncology: analysis of English secondary care data for radical prostatectomy and partial nephrectomy. 2016 , 117, 940-7	24
662	Use of preoperative factors including urodynamic evaluations and nerve-sparing status for predicting urinary continence recovery after robot-assisted radical prostatectomy: Nerve-sparing technique contributes to the reduction of postprostatectomy incontinence. 2016 , 35, 1034-1039	29
661	Significance of urethral fibrosis evaluated by preoperative magnetic resonance imaging as a predictor of continence status after robot-assisted radical prostatectomy. 2016 , 12, 496-501	5
660	Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy. 2016 , 23, 160-6	15
659	Videotaping of surgical procedures and outcomes following extraperitoneal laparoscopic radical prostatectomy for clinically localized prostate cancer. 2016 , 114, 1016-1023	6
658	Robot-assisted radical prostatectomy in the setting of previous abdominal surgery: Perioperative results, oncological and functional outcomes, and complications in a single surgeon's series. 2016 , 36, 170-176	10
657	Stimulation of the Neurovascular Bundle Results in Rhabdosphincter Contraction in a Proportion of Men Undergoing Radical Prostatectomy. 2016 , 87, 133-9	5
656	Robotic Prostatectomy on the Web: A Cross-Sectional Qualitative Assessment. 2016 , 14, e355-62	9
655	Bladder dose-volume parameters are associated with urinary incontinence after postoperative intensity modulated radiation therapy for prostate cancer. 2016 , 6, e179-e185	6
654	Prostatectomía radical laparoscópica asistida por robot, un año de experiencia en el Hospital Central Militar, reporte de los primeros 55 casos. 2016 , 76, 87-93	1
653	Prostate cancer. 2016 , 146, 121-127	1
652	Maximum Urethral Closure Pressure Increases After Successful Adjustable Continence Therapy (ProACT) for Stress Urinary Incontinence After Radical Prostatectomy. 2016 , 94, 188-92	12
651	Initiation of robot-assisted radical prostatectomies in Finland: Impact on centralization and quality of care. 2016 , 50, 149-54	11
650	An Assessment of Patient Comfort and Morbidity After Robot-Assisted Radical Prostatectomy with Suprapubic Tube Versus Urethral Catheter Drainage. 2016 , 30, 300-5	10
649	Early oncological and functional outcomes following radical treatment of high-risk prostate cancer in men older than 70 years: A prospective longitudinal study. 2016 , 34, 335.e1-7	7

648	Patient comorbidity predicts hospital length of stay after robot-assisted prostatectomy. 2016 , 10, 151-6	12
647	Impact of Periurethral Inflammation on Continence Status Early After Robot-Assisted Radical Prostatectomy. 2016 , 30, 1207-1213	3
646	Applications of indocyanine green in robotic urology. 2016 , 10, 357-359	16
645	Focal therapy in prostate cancer: A review of seven common controversies. 2016 , 51, 27-34	21
644	Posterior musculofascial reconstruction after radical prostatectomy: an updated systematic review and a meta-analysis. 2016 , 118, 20-34	54
643	High-resolution Map of Somatic Periprostatic Nerves. 2016 , 97, 160-165	4
642	Pharmacological Treatment of Post-Prostatectomy Incontinence: What is the Evidence?. 2016 , 33, 535-44	7
641	Recovery of urinary continence after radical prostatectomy. 2016 , 16, 1039-52	7
640	Robot-assisted laparoscopic prostatectomy versus open radical retropubic prostatectomy: early outcomes from a randomised controlled phase 3 study. 2016 , 388, 1057-1066	378
639	Anatomic Foundations and Physiology of Erectile Function and Urinary Continence. 2016 , 1-34	
638	Technique and outcomes of bladder neck intussusception during robot-assisted laparoscopic prostatectomy: A parallel comparative trial. 2016 , 34, 529.e1-529.e7	5
637	Chirurgie robot-assist� en uro-oncologie. 2016 , 18, 298-304	
636	Evaluation of pelvic floor muscle strength before and after robotic-assisted radical prostatectomy and early outcomes on urinary continence. 2016 , 10, 331-335	12
635	Prospective assessment of time-dependent changes in quality of life of Japanese patients with prostate cancer following robot-assisted radical prostatectomy. 2016 , 10, 201-7	13
634	The European Association of Urology Robotic Training Curriculum: An Update. 2016 , 2, 105-108	17
633	Comparison of oncological and health-related quality of life outcomes between open and robot-assisted radical prostatectomy for localised prostate cancer - findings from the population-based Victorian Prostate Cancer Registry. 2016 , 118, 563-9	24
632	[Prostate cancer]. 2016 , 146, 121-7	8
631	Prostate Cancer Registries: Current Status and Future Directions. <i>European Urology</i> , 2016 , 69, 998-1012 10.2	39

630	Targeted therapy for stress urinary incontinence: a systematic review based on clinical trials. 2016 , 16, 233-42		11
629	[Minimally invasive radical prostatectomy: Contribution of robotic support, functional and oncological outcomes]. 2016 , 103, 461-8		0
628	Comparison of Perioperative and Early Oncologic Outcomes between Open and Robotic Assisted Laparoscopic Prostatectomy in a Contemporary Population Based Cohort. 2016 , 196, 76-81		39
627	Novel Technologies in Urologic Surgery: a Rapidly Changing Scenario. 2016 , 17, 19		6
626	A Critical Analysis of the Current Knowledge of Surgical Anatomy of the Prostate Related to Optimisation of Cancer Control and Preservation of Continence and Erection in Candidates for Radical Prostatectomy: An Update. <i>European Urology</i> , 2016 , 70, 301-11	10.2	149
625	Effect of preoperative urodynamic detrusor overactivity on post-prostatectomy incontinence: a systematic review and meta-analysis. 2016 , 48, 53-63		4
624	A Multidimensional Analysis of Prostate Surgery Costs in the United States: Robotic-Assisted versus Retropubic Radical Prostatectomy. 2016 , 19, 391-403		20
623	Robotic-assisted laparoscopic prostatectomy (RALP): a new way to training. 2016 , 10, 19-25		10
622	Early Catheter Removal after Robot-assisted Radical Prostatectomy: Surgical Technique and Outcomes for the Aalst Technique (ECaRemA Study). <i>European Urology</i> , 2016 , 69, 917-23	10.2	42
621	Prostate Cancer. 2016 , 1038-1095.e18		2
620	Predictive factors for immediate continence after radical prostatectomy. 2016 , 34, 113-20		18
619	Focal irreversible electroporation for prostate cancer: functional outcomes and short-term oncological control. 2016 , 19, 46-52		63
618	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. 2016 , 34, 57.e1-7		20
617	Nerve-sparing Technique During Radical Prostatectomy and its Effect on Urinary Continence. <i>European Urology</i> , 2016 , 69, 590-591	10.2	3
616	Total Anatomical Reconstruction During Robot-assisted Radical Prostatectomy: Implications on Early Recovery of Urinary Continence. <i>European Urology</i> , 2016 , 69, 485-95	10.2	69
615	Primary Cryotherapy for High-Grade Clinically Localized Prostate Cancer: Oncologic and Functional Outcomes from the COLD Registry. 2016 , 30, 43-8		24
614	da Vinci and Open Radical Prostatectomy: Comparison of Clinical Outcomes and Analysis of Insurance Costs. 2016 , 96, 287-94		18
613	Advanced Reconstruction of Vesicourethral Support (ARVUS) during Robot-assisted Radical Prostatectomy: One-year Functional Outcomes in a Two-group Randomised Controlled Trial. <i>European Urology</i> , 2017 , 71, 822-830	10.2	34

612	Training Modalities in Robot-assisted Urologic Surgery: A Systematic Review. 2017 , 3, 102-116	12
611	Five-year experience with the adjustable transobturator male system for the treatment of male stress urinary incontinence: a single-center evaluation. 2017 , 35, 145-151	33
610	Urethral-fixation technique improves early urinary continence recovery in patients who undergo retropubic radical prostatectomy. 2017 , 119, 245-253	7
609	Perioperative patient education improves long-term satisfaction rates of low-risk prostate cancer patients after radical prostatectomy. 2017 , 35, 1205-1212	13
608	Continence Postcards versus Urinary Pad Logs: Simple Methods to Measure Early Pad-Free Urinary Continence after Radical Prostatectomy. 2017 , 4, 378-382	3
607	Editorial Comment. 2017 , 197, 383-384	1
606	[Quality of life after robotic prostatectomy: Impact of BMI and age on urinary incontinence]. 2017 , 27, 244-252	6
605	Minimally Invasive Cancer Surgery: Indications and Outcomes. 2017 , 33, 23-36	6
604	The Robotic Laparoscopic Radical Prostatectomy. 2017 , 181-186	
603	Simple vs six-branches autologous suburethral sling during robot-assisted radical prostatectomy to improve early urinary continence recovery: prospective randomized study. 2017 , 11, 415-421	6
602	Health-related quality of life after robot-assisted radical prostatectomy compared with laparoscopic radical prostatectomy. 2017 , 11, 325-331	7
601	[Robot assisted radical prostatectomy: What are the evidences at the time of a specific funding?]. 2017 , 27, 146-157	6
600	Comparison of Oncologic Outcomes and Complications According to Surgical Approach to Radical Prostatectomy: Special Focus on the Perineal Approach. 2017 , 15, e645-e652	10
599	Prevalence and Predicting Factors for Commonly Neglected Sexual Side Effects to External-Beam Radiation Therapy for Prostate Cancer. 2017 , 14, 558-565	19
598	Changes in penile length after radical prostatectomy: investigation of the underlying anatomical mechanism. 2017 , 120, 293-299	24
597	Extraperitoneal vs Transperitoneal Robot-Assisted Radical Prostatectomy in the Setting of Prior Abdominal or Pelvic Surgery. 2017 , 31, 366-373	17
596	Cytoreductive Prostatectomy for Metastatic Prostate Cancer: First Lessons Learned From the Multicentric Prospective Local Treatment of Metastatic Prostate Cancer (LoMP) Trial. 2017 , 106, 146-152	30
595	Robot-assisted vs open radical prostatectomy: the day after. 2017 , 120, 308-309	1

594	Consensus Statement of the European Urology Association and the European Urogynaecological Association on the Use of Implanted Materials for Treating Pelvic Organ Prolapse and Stress Urinary Incontinence. <i>European Urology</i> , 2017 , 72, 424-431	10.2	114
593	A Pragmatic Randomized Controlled Trial Examining the Impact of the Retzius-sparing Approach on Early Urinary Continence Recovery After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2017 , 72, 677-685	10.2	99
592	Review of surgical implant procedures for male incontinence after radical prostatectomy according to IDEAL framework. 2017 , 69, 327-338		3
591	Functional outcomes of clinically high-risk prostate cancer patients treated with robot-assisted radical prostatectomy: a multi-institutional analysis. 2017 , 20, 395-400		16
590	The role of male slings in post prostatectomy incontinence: ICI-RS 2015. 2017 , 36, 927-934		9
589	Overactive bladder syndrome and lower urinary tract symptoms after prostate cancer treatment. 2017 , 27, 307-313		10
588	[Irreversible electroporation (IRE) : A minimally invasive therapeutic option in prostate cancer]. 2017 , 57, 637-640		5
587	Long-term adverse effects after retropubic and robot-assisted radical prostatectomy. Nationwide, population-based study. 2017 , 116, 500-506		8
586	The New US Preventive Services Task Force "C" Draft Recommendation for Prostate Cancer Screening. <i>European Urology</i> , 2017 , 72, 326-328	10.2	2
585	[Robotic surgery. Can we (must we) swim against the current?]. 2017 , 46, 557-560		3
584	Cost of New Technologies in Prostate Cancer Treatment: Systematic Review of Costs and Cost Effectiveness of Robotic-assisted Laparoscopic Prostatectomy, Intensity-modulated Radiotherapy, and Proton Beam Therapy. <i>European Urology</i> , 2017 , 72, 712-735	10.2	56
583	Association Between Radiation Therapy, Surgery, or Observation for Localized Prostate Cancer and Patient-Reported Outcomes After 3 Years. 2017 , 317, 1126-1140		177
582	Prostate-specific membrane antigen-directed nanoparticle targeting for extreme nearfield ablation of prostate cancer cells. 2017 , 39, 1010428317695943		8
581	Anatomic relationships of the pelvic autonomic nervous system in female cadavers: clinical applications to pelvic surgery. 2017 , 216, 388.e1-388.e7		22
580	[Radical prostatectomy in locally advanced prostate cancer]. 2017 , 56, 1394-1401		6
579	Sequential treatment with ProACT™ device implantation after male sling failure for male urinary incontinence. 2017 , 27, 1098-1103		3
578	New surgical approaches for clinically high-risk or metastatic prostate cancer. 2017 , 17, 1013-1031		5
577	The Ongoing Challenge of Urinary Incontinence after Radical Prostatectomy. 2017 , 198, 1223-1225		4

576	Intrafascial versus interfascial nerve sparing in radical prostatectomy for localized prostate cancer: a systematic review and meta-analysis. 2017 , 7, 11454	16
575	Current status of robotic surgery in urology. 2017 , 10, 372-381	14
574	The Relationship Between Incontinence and Erectile Dysfunction After Robotic Prostatectomy: Are They Mutually Exclusive?. 2017 , 14, 1241-1247	5
573	Re: Philipp Mandel, Felix Preisser, Markus Graefen, et al. High Chance of Late Recovery of Urinary and Erectile Function Beyond 12 Months After Radical Prostatectomy. <i>Eur Urol</i> 2017;71:848-50. <i>European Urology</i> , 2017 , 72, e175	10.2
572	Are we underestimating the rates of incontinence after prostate cancer treatment? Results from NHANES. 2017 , 49, 1715-1721	12
571	Reply to Jae Heon Kim, Bora Lee, and Benjamin I. Chung's Letter to the Editor re: Philipp Mandel, Felix Preisser, Markus Graefen, et al. High Chance of Late Recovery of Urinary and Erectile Function Beyond 12 Months After Radical Prostatectomy. <i>Eur Urol</i> 2017;71:848-50. <i>European Urology</i> , 2017 , 72, e176	10.2
570	Assessing the Impact of Surgeon Experience on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy: Results of Four High-Volume Surgeons. 2017 , 31, 872-877	30
569	Focal Therapy for Prostate Cancer. 2017 , 133-149	
568	Impact of metabolic syndrome on early recovery of continence after robot-assisted radical prostatectomy. 2017 , 24, 692-697	7
567	The Adjustable Transobturator Male System in Stress Urinary Incontinence After Transurethral Resection of the Prostate. 2017 , 109, 184-189	9
566	Evidenced-based clinical practice guideline for prostate cancer (summary: Japanese Urological Association, 2016 edition). 2017 , 24, 648-666	66
565	Surgical Techniques to Optimize Early Urinary Continence Recovery Post Robot Assisted Radical Prostatectomy for Prostate Cancer. 2017 , 18, 71	39
564	Voiding Dysfunction, Incontinence, and Erectile Dysfunction Following High-Intensity Focus Ultrasound and Focal Cryotherapy in Treatment of Prostate Cancer. 2017 , 12, 285-290	1
563	Surgical Oncology Overview. 2017 , 191-203	
562	[Incontinence after radical prostatectomy : Male Sling or "best option" first?]. 2017 , 56, 1559-1571	1
561	Editorial Comment on: Three-Layer Two-Step Posterior Reconstruction Using Peritoneum During Robot-Assisted Radical Prostatectomy to Improve Recovery of Urinary Continence: A Prospective Comparative Study by Ogawa et al. 2017 , 31, 1258	2
560	Comparative study of laparoscopic radical prostatectomy and robot-assisted radical prostatectomy on perioperative, oncological and functional outcomes. 2017 , 21, 141-148	0
559	Urodynamic changes in patients with prostate cancer undergoing robotic-assisted radical prostatectomy: A comparison with laparoscopic radical prostatectomy. 2017 , 28, 174-179	1

558 Functional urology □ Journey without ending for a better quality of life. **2017**, 28, 112

557 Will Retzius-sparing Prostatectomy Be the Future of Prostate Cancer Surgery?. *European Urology*, **2017**, 72, 686-688 10.2 7

556 Development of an Activatable Fluorescent Probe for Prostate Cancer Imaging. **2017**, 28, 2069-2076 19

555 Intraoperative Retrograde Perfusion Sphincterometry to Evaluate Efficacy of Autologous Vas Deferens 6-Branch Suburethral Sling to Properly Restore Sphincteric Apparatus During Robot-Assisted Radical Prostatectomy. **2017**, 31, 878-885 4

554 Post-Prostatectomy Incontinence: How Common and Bothersome Is It Really?. **2017**, 5, 536-543 22

553 Virtue male sling for post-prostatectomy stress incontinence: a prospective evaluation and mid-term outcomes. **2017**, 119, 482-488 24

552 High Chance of Late Recovery of Urinary and Erectile Function Beyond 12 Months After Radical Prostatectomy. *European Urology*, **2017**, 71, 848-850 10.2 36

551 Full Neurovascular Sparing Extraperitoneal Robotic Radical Prostatectomy: Our Experience with PERUSIA Technique. **2017**, 31, 32-37 17

550 EAU-ESTRO-SIOG Guidelines on Prostate Cancer. Part 1: Screening, Diagnosis, and Local Treatment with Curative Intent. *European Urology*, **2017**, 71, 618-629 10.2 1939

549 Sexuality Following Radical Prostatectomy: Is Restoration of Erectile Function Enough?. **2017**, 5, 110-119 42

548 From QOL to QALYs: Comparing nononcologic outcomes in prostate cancer survivors across treatments. **2017**, 35, 69-75 4

547 Partial Prostatectomy for Anterior Cancer: Short-term Oncologic and Functional Outcomes. *European Urology*, **2017**, 72, 333-342 10.2 26

546 Perioperative and short-term outcomes of Retzius-sparing robot-assisted laparoscopic radical prostatectomy stratified by gland size. **2017**, 119, 135-141 19

545 Comparison of functional outcomes between laparoscopic radical prostatectomy and robot-assisted laparoscopic radical prostatectomy: a propensity score-matched comparison study. **2017**, 13, 212-218 2

544 A prognostic model for predicting urinary incontinence after robot-assisted radical prostatectomy. **2017**, 13, e1780 10

543 A Randomized Study of Intraoperative Autologous Retropubic Urethral Sling on Urinary Control after Robotic Assisted Radical Prostatectomy. **2017**, 197, 369-375 14

542 Intraoperative workload in robotic surgery assessed by wearable motion tracking sensors and questionnaires. **2017**, 31, 877-886 56

541 Pathophysiology and Contributing Factors in Postprostatectomy Incontinence: A Review. *European Urology*, **2017**, 71, 936-944 10.2 97

540	Comparison of perioperative, functional, and oncologic outcomes between standard laparoscopic and robotic-assisted radical prostatectomy: a systemic review and meta-analysis. 2017 , 31, 1045-1060	30
539	Long-term outcome of the adjustable transobturator male system (ATOMS): results of a European multicentre study. 2017 , 119, 785-792	52
538	Magnetic Resonance Imaging for Membranous Urethral Length Assessment Prior to Radical Prostatectomy: Can it Really Improve Prostate Cancer Management?. <i>European Urology</i> , 2017 , 71, 379-380	10.2 2
537	Robotic and Open Radical Prostatectomy: The First Prospective Randomised Controlled Trial Fuels Debate Rather than Closing the Question. <i>European Urology</i> , 2017 , 71, 307-308	10.2 8
536	Durability of Artificial Urinary Sphincter With Prior Radiation Therapy. 2017 , 15, e175-e180	5
535	The Surgical Management of Prostate Cancer. 2017 , 44, 347-357	32
534	Male Incontinence: The Etiology or Basis of Treatment. 2017 , 3, 377-384	9
533	Meta-analysis of studies comparing oncologic outcomes of radical prostatectomy and brachytherapy for localized prostate cancer. 2017 , 9, 241-250	3
532	Surgical Management of Localized and Locally Advanced Prostate Cancer. 2017 , 1-19	
531	Sur quels arguments peut-on prendre en charge un acte de chirurgie robotique sans preuves de supériorité. 2017 , 201, 1071-1078	
530	Literature review of factors affecting continence after radical prostatectomy. 2017 , 38, 9-17	15
529	The Long-Term Effect of Radical Prostatectomy on Erectile Function, Urinary Continence, and Lower Urinary Tract Symptoms: A Comparison to Age-Matched Healthy Controls. 2017 , 2017, 9615080	10
528	Direct Administration of Nerve-Specific Contrast to Improve Nerve Sparing Radical Prostatectomy. 2017 , 7, 573-593	28
527	Comprehensive approach for post-prostatectomy incontinence in the era of robot-assisted radical prostatectomy. 2017 , 63, 46-56	6
526	Robotic vs. Retropubic radical prostatectomy in prostate cancer: A systematic review and an meta-analysis update. 2017 , 8, 32237-32257	43
525	Impact of preoperative and postoperative membranous urethral length measured by 3 Tesla magnetic resonance imaging on urinary continence recovery after robotic-assisted radical prostatectomy. 2017 , 11, E93-E99	23
524	Surgical treatment for urinary incontinence after prostatectomy: A meta-analysis and systematic review. 2017 , 12, e0130867	15
523	Combined bladder neck preservation and posterior musculofascial reconstruction during robotic assisted radical prostatectomy: effects on early and long term urinary continence recovery. 2017 , 17, 119	8

522	The efficacy and feasibility of total reconstruction versus nontotal reconstruction of the pelvic floor on short-term and long-term urinary continence rates after radical prostatectomy: a meta-analysis. 2017 , 15, 228	9
521	An objective measurement of urinary continence recovery with pelvic floor physiotherapy following robotic assisted radical prostatectomy. 2017 , 6, S59-S63	3
520	Orgasmic Dysfunction after Radical Prostatectomy. 2017 , 35, 1-13	22
519	Robot-assisted radical cystectomy: patient selection and special considerations. 2017 , 4, 101-106	3
518	Focal therapy will be the next step on prostate cancer management? Opinion: No. 2017 , 43, 1017-1020	2
517	Virtue Quadratic Male Sling for stress incontinence-surgical guide for placement and delayed revision. 2017 , 6, 666-673	8
516	Human and robot: an amity not a discord. 2017 , 6, 310-312	
515	Prostatectomies for localized prostate cancer: a mixed comparison network and cumulative meta-analysis. 2018 , 12, 633-639	1
514	The Role of Urodynamics in Post-Prostatectomy Incontinence. 2018 , 19, 21	13
513	Development and internal validation of a side-specific, multiparametric magnetic resonance imaging-based nomogram for the prediction of extracapsular extension of prostate cancer. 2018 , 122, 1025-1033	54
512	Long-term functional outcome analysis in a large cohort of patients after radical prostatectomy. 2018 , 37, 2263-2270	10
511	Exploring pathways towards improving patient experience of robot-assisted radical prostatectomy (RARP): assessing patient satisfaction and attitudes. 2018 , 121 Suppl 3, 33-39	17
510	Pair-matched patient-reported quality of life and early oncological control following focal irreversible electroporation versus robot-assisted radical prostatectomy. 2018 , 36, 1383-1389	15
509	Targeted biopsy: benefits and limitations. 2018 , 28, 219-226	3
508	Robot-assisted radical prostatectomy vs laparoscopic and open retropubic radical prostatectomy: functional outcomes 18 months after diagnosis from a national cohort study in England. 2018 , 118, 489-494	26
507	Superior Biochemical Recurrence and Long-term Quality-of-life Outcomes Are Achievable with Robotic Radical Prostatectomy After a Long Learning Curve-Updated Analysis of a Prospective Single-surgeon Cohort of 2206 Consecutive Cases. <i>European Urology</i> , 2018 , 73, 664-671	10.2 38
506	Prostate Cancer: A Contemporary Approach to Treatment and Outcomes. 2018 , 102, 215-229	11
505	Penile and Urethral Reconstructive Surgery. 2018 , 102, 325-335	1

504	Long-term penile morphometric alterations in patients treated with robot-assisted versus open radical prostatectomy. 2018 , 6, 136-141		5
503	Robotic Radical Prostatectomy in the Large Prostate. 2018 , 153-165		
502	Review of optimal techniques for robotic-assisted radical prostatectomy. 2018 , 28, 102-107		2
501	Refined nomogram incorporating standing cough test improves prediction of male transobturator sling success. 2018 , 37, 2632-2637		8
500	Prospective longitudinal outcomes of quality of life after laparoscopic radical prostatectomy compared with retropubic radical prostatectomy. 2018 , 16, 7		4
499	The impact of time to catheter removal on short-, intermediate- and long-term urinary continence after radical prostatectomy. 2018 , 36, 1247-1253		9
498	Functional outcomes of robot-assisted radical prostatectomy in patients eligible for active surveillance. 2018 , 36, 1391-1397		2
497	The impact of nerve-sparing robot-assisted radical prostatectomy on lower urinary tract function: Prospective assessment of patient-reported outcomes and frequency volume charts. 2018 , 37, 322-330		8
496	Community-based Outcomes of Open versus Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2018 , 73, 215-223	10.2	31
495	Five-year Outcomes for a Prospective Randomised Controlled Trial Comparing Laparoscopic and Robot-assisted Radical Prostatectomy. 2018 , 4, 80-86		34
494	Quantitative assessment of fascia preservation improves the prediction of membranous urethral length and inner levator distance on continence outcome after robot-assisted radical prostatectomy. 2018 , 37, 417-425		11
493	Causative factors for de novo inguinal hernia after robot-assisted radical prostatectomy. 2018 , 12, 277-282		4
492	Management of Postradical Prostatectomy Urinary Incontinence: A Review. 2018 , 113, 13-19		33
491	The Impact of Lateral Bladder Neck Preservation on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy. 2018 , 32, 40-45		11
490	Prevalence analysis of urinary incontinence after radical prostatectomy and influential preoperative factors in a single institution. 2018 , 21, 24-30		23
489	Robotic radical prostatectomy with concomitant repair of inguinal hernia: is it safe?. 2018 , 12, 325-330		11
488	Depressive Symptoms and Low Sexual Desire after Radical Prostatectomy: Early and Long-Term Outcomes in a Real-Life Setting. 2018 , 199, 474-480		15
487	Multicenter Analysis of Patient Reported Outcomes Following Artificial Urinary Sphincter Placement for Male Stress Urinary Incontinence. 2018 , 199, 785-790		6

486	A match-pair analysis of continence in intermediate and high-risk prostate cancer patients after robot-assisted radical prostatectomy: the role of urine loss ratio and predictive analysis. 2018 , 6, 94-98	5
485	Estimated Minimal Residual Membranous Urethral Length on Preoperative Magnetic Resonance Imaging Can Be a New Predictor for Continence After Radical Prostatectomy. 2018 , 112, 138-144	11
484	Prevention of Urethral Retraction with Stay Sutures (PURS) During Robot-Assisted Radical Prostatectomy Improves Early Urinary Control: A Prospective Cohort Study. 2018 , 32, 125-132	2
483	Robotic surgery in urology: facts and reality. What are the real advantages of robotic approaches for prostate cancer patients?. 2018 , 28, 153-158	27
482	High-Risk Localized Prostate Cancer: How Important Is the Addition of Brachytherapy to External-Beam Radiotherapy?. 2018 , JCO1800704	2
481	Intrafascial nerve-sparing radical prostatectomy improves patients' postoperative continence recovery and erectile function: A pooled analysis based on available literatures. 2018 , 97, e11297	9
480	The prostate cancer focal therapy. 2018 , 7, 89-102	12
479	Robotic-assisted open radical prostatectomy: an update to the never-ending debate. 2018 , 7, S120-S123	6
478	Radical prostatectomy performed via robotic, transperitoneal and extraperitoneoscopic approaches: functional and early oncological outcomes. 2018 , 71, 378-385	1
477	Quality of life worsened the most severely in patients immediately after intensity-modulated radiotherapy for prostate cancer. 2018 , 10, 169-180	2
476	Current Update on Management of Male Stress Urinary Incontinence. 2018 , 13, 244-251	
475	Appropriate preoperative membranous urethral length predicts recovery of urinary continence after robot-assisted laparoscopic prostatectomy. 2018 , 16, 224	8
474	A Randomized Control Trial Of Anti-Inflammatory Regional Hypothermia On Urinary Continence During Robot-Assisted Radical Prostatectomy. 2018 , 8, 16352	3
473	Use of cumulative summation (CUSUM) as a tool for early feedback and monitoring in robot-assisted radical prostatectomy outcomes and performance. 2019 , 13, 53-58	6
472	[Focal HIFU vs robot-assisted total prostatectomy: Functionnal and oncologic outcomes at one year]. 2018 , 28, 603-610	1
471	Robot-Assisted Radical Prostatectomy. 2018 , 113-125	
470	Health Services Research and Robotic Surgery. 2018 , 235-252	
469	Techniques to Improve Urinary Continence Following Robot-Assisted Radical Prostatectomy. 2018 , 375-399	

468	Robotic Urologic Surgery: How to Make an Effective Robotic Program – European Perspective. 2018 , 129-140		
467	Perioperative predictors for post-prostatectomy urinary incontinence in prostate cancer patients following robotic-assisted radical prostatectomy: Long-term results of a Canadian prospective cohort. 2019 , 13, E125-E131		12
466	[Is transition from pure laparoscopic to robotic-assisted radical prostatectomy associated with increase of surgical procedures for urinary incontinence and erectile dysfunction?]. 2018 , 28, 921-926		
465	"Super-active surveillance": MRI ultrasound fusion biopsy and ablation for less invasive management of prostate cancer. 2018 , 7, 166-187		16
464	Nonhuman primate model of persistent erectile and urinary dysfunction following radical prostatectomy: Feasibility of minimally invasive therapy. 2018 , 37, 2141-2150		8
463	A systematic review of physical activity-based behaviour change interventions reaching men with prostate cancer. 2018 , 12, 571-591		18
462	Cirugía laparoscópica en urología: breve reseña histórica y estado actual del arte. 2018 , 29, 169-179		1
461	A Novel Approach for Apical Dissection During Robot-assisted Radical Prostatectomy: The "Collar" Technique. 2018 , 4, 677-685		22
460	Long-Term Continence Outcomes in Men Undergoing Radical Prostatectomy: A Prospective 15-Year Longitudinal Study. 2018 , 200, 626-632		5
459	Does partnership status affect the quality of life of men having robotic-assisted radical prostatectomy (RARP) for localised prostate cancer?. 2018 , 42, 51-55		3
458	Functional and Oncologic Outcomes Between Open and Robotic Radical Prostatectomy at 24-month Follow-up in the Swedish LAPPRO Trial. 2018 , 1, 353-360		35
457	A Multicentre Study of 5-year Outcomes Following Focal Therapy in Treating Clinically Significant Nonmetastatic Prostate Cancer. <i>European Urology</i> , 2018 , 74, 422-429	10.2	122
456	Changes in penile length after radical prostatectomy: effect of neoadjuvant androgen deprivation therapy. 2018 , 6, 903-908		2
455	Radical prostatectomy then and now: Surgical overtreatment of prostate cancer is declining from 2009 to 2016 at a tertiary referral center. 2018 , 36, 401.e19-401.e25		3
454	Robot-assisted laparoscopic prostatectomy versus open radical retropubic prostatectomy: 24-month outcomes from a randomised controlled study. 2018 , 19, 1051-1060		181
453	Harninkontinenz des Mannes. 2018 , 22, 44-47		
452	The age of robotic surgery - Is laparoscopy dead?. 2018 , 16, 262-269		10
451	Time of catheterization as an independent predictor of early urinary continence recovery after radical prostatectomy. 2018 , 70, 401-407		10

450	Prolonged Duration of Incontinence for Men Before Initial Anti-incontinence Surgery: An Opportunity for Improvement. 2018 , 119, 149-154	7
449	Detailed analysis of patient-reported lower urinary tract symptoms and effect on quality of life after robotic radical prostatectomy. 2018 , 36, 364.e15-364.e22	9
448	Interrupted versus Continuous Suturing for Vesicourethral Anastomosis During Radical Prostatectomy: A Systematic Review and Meta-analysis. 2019 , 5, 980-991	4
447	Clinical outcomes and costs of robotic surgery in prostate cancer: a multiinstitutional study in Korea. 2019 , 7, 19-24	7
446	Significant association between urethral length measured by magnetic resonance imaging and urinary continence recovery after robot-assisted radical prostatectomy. 2019 , 7, 54-59	14
445	Salvage robotic-assisted radical prostatectomy: oncologic and functional outcomes from two high-volume institutions. 2019 , 37, 1499-1505	13
444	Results of Phase 1 study on cytoreductive radical prostatectomy in men with newly diagnosed metastatic prostate cancer. 2019 , 7, 102-107	7
443	Screening of Prostate Cancer. 2019 , 97-108	
442	Robot-assisted single-port radical prostatectomy: A phase 1 clinical study. 2019 , 26, 878-883	21
441	Contemporary treatments in prostate cancer focal therapy. 2019 , 31, 200-206	31
440	The EORTC quality of life questionnaire predicts early and long-term incontinence in patients treated with robotic assisted radical prostatectomy: Analysis of a large single center cohort. 2019 , 37, 1006-1013	4
439	Comparison of various continence definitions in a large group of patients undergoing radical prostatectomy: a multicentre, prospective study. 2019 , 19, 70	11
438	Population-based, nationwide registration of prostatectomies in Sweden. 2019 , 120, 803-812	4
437	Treatment paths for localised prostate cancer in Italy: The results of a multidisciplinary, observational, prospective study (Pros-IT CNR). 2019 , 14, e0224151	5
436	Effectiveness of surgical management with an adjustable sling an artificial urinary sphincter in patients with severe urinary postprostatectomy incontinence: a systematic review and network meta-analysis. 2019 , 11, 1756287219875581	2
435	Factors affecting urinary continence and sexual potency recovery after robotic-assisted radical prostatectomy. 2019 , 45, 703-712	9
434	Laparoscopic radical prostatectomy with no anastomosis. 2019 , 27, 101005	
433	Improvement in early urinary continence recovery after robotic-assisted radical prostatectomy based on postoperative pelvic anatomic features: a retrospective review. 2019 , 19, 87	5

432	Lower urinary tract symptoms (LUTS) before and after robotic-assisted laparoscopic prostatectomy: does improvement of LUTS mitigate worsened incontinence after robotic prostatectomy?. 2019 , 8, 320-328	8
431	Psychological nursing approach on anxiety and depression of patients with severe urinary incontinence after radical prostatectomy - a pilot study. 2019 , 47, 5689-5701	4
430	Open and robotic radical prostatectomy. 2019 , 6, 125-128	5
429	Outcomes of health-related quality of life after open, laparoscopic, or robot-assisted radical prostatectomy in China. 2019 , 11, 899-907	6
428	Urethral Bulking and Salvage Techniques for Post-Prostatectomy Incontinence. 2019 , 14, 1-8	
427	Longitudinal study on the impact of urinary continence and sexual function on health-related quality of life among Japanese men after robot-assisted radical prostatectomy. 2019 , 15, e2018	3
426	Urethral pressure profile assessment after artificial urinary sphincter implantation (FlowSecure and AMS-800): A case series. 2019 , 7, 2050313X19851379	0
425	Prostate cancer "super-active surveillance" era opened by vascular targeted photodynamic therapy. 2019 , 11, 157-163	2
424	Salvage Prostate Cryoablation for the Management of Local Recurrence After Primary Cryotherapy: A Retrospective Analysis of Functional and Intermediate-Term Oncological Outcomes Associated With a Second Therapeutic Freeze. 2019 , 17, e831-e836	5
423	Validated Prospective Assessment of Quality of Life After Robot-Assisted Laparoscopic Prostatectomy: Beyond Continence and Erections. 2019 , 13, 1557988319854555	3
422	Improved lower urinary tract symptoms after robot-assisted radical prostatectomy: implications for survivorship, treatment selection and patient counselling. 2019 , 123 Suppl 5, 47-53	7
421	Longitudinal change of comprehensive lower urinary tract symptoms and various types of urinary incontinence during robot-assisted radical prostatectomy. 2019 , 38, 1067-1075	6
420	Application of hyaluronic acid/carboxymethyl cellulose membrane for early continence after nerve-sparing robot-assisted radical prostatectomy. 2019 , 19, 25	1
419	Role of MRI in planning radical prostatectomy: what is the added value?. 2019 , 37, 1289-1292	15
418	Effect of artificial urinary sphincter implantation on erectile function and sexual satisfaction. 2019 , 51, e13295	1
417	Comparison of renal function after robot - assisted laparoscopic radical prostatectomy versus retropubic radical prostatectomy. 2019 , 45, 83-88	2
416	Implant of ATOMS [®] system for the treatment of postoperative male stress urinary incontinence: results of a single centre. 2019 , 45, 127-136	11
415	Effect of radical prostatectomy on involuntary pelvic floor muscle contraction. 2019 , 38, 1093-1099	0

414	Artificial urinary sphincter longevity following transurethral resection of the prostate in the setting of prostate cancer. 2019 , 37, 2755-2761	2
413	A deep-learning model using automated performance metrics and clinical features to predict urinary continence recovery after robot-assisted radical prostatectomy. 2019 , 124, 487-495	51
412	Detrusorrhaphy during Robot-Assisted Radical Prostatectomy: Early Recovery of Urinary Continence and Surgical Technique. 2019 , 2019, 1528142	4
411	[Current controversies in the treatment of localized prostate cancer]. 2019 , 58, 524-528	0
410	Predictors for immediate recovery of continence following Retzius-sparing robot-assisted radical prostatectomy: a case-control study. 2019 , 51, 825-830	7
409	Patient-reported outcomes and urodynamic findings in men with persistent lower urinary tract symptoms following robot-assisted radical prostatectomy. 2019 , 38, 1353-1362	7
408	A comparative study of robot-assisted and open radical prostatectomy in 10 790 men treated by highly trained surgeons for both procedures. 2019 , 123, 1031-1040	49
407	Objective assessment of early urinary continence by analysis and visualisation of intraoperative variables of radical robotic prostatectomies with a video editor. 2019 , 43, 99-105	
406	Uroflow stop test with electromyography: a novel index of urinary continence recovery after RARP. 2019 , 51, 609-615	9
405	Objective assessment of early urinary continence by analysis and visualisation of intraoperative variables of radical robotic prostatectomies with a video editor. 2019 , 43, 99-105	1
404	Total anatomical reconstruction during robot-assisted radical prostatectomy: focus on urinary continence recovery and related complications after 1000 procedures. 2019 , 124, 477-486	19
403	Risk of Depression After Radical Prostatectomy-A Nationwide Registry-based Study. 2021 , 4, 601-608	6
402	[Experience of day case robotic prostatectomy. About thirty-two patients]. 2019 , 29, 619-626	3
401	[Geriatric specificities of prostate cancer]. 2019 , 29, 828-839	
400	Early continence after radical prostatectomy: A systematic review. 2019 , 43, 526-535	2
399	Arousal Incontinence in Men Following Radical Prostatectomy: Prevalence, Impact and Predictors. 2019 , 16, 1947-1952	2
398	Robot-assisted and laparoscopic vs open radical prostatectomy in clinically localized prostate cancer: perioperative, functional, and oncological outcomes: A Systematic review and meta-analysis. 2019 , 98, e15770	37
397	Survival After Robotic-assisted Prostatectomy for Localized Prostate Cancer: An Epidemiologic Study. 2021 , 274, e507-e514	4

396	Post-Prostatectomy Incontinence: an Update on Current Management. 2019 , 14, 256-265		1
395	Direct mechanical characterization of prostate tissue-a systematic review. 2019 , 79, 115-125		6
394	An updated approach to incremental nerve sparing for robot-assisted radical prostatectomy. 2019 , 124, 103-108		10
393	Does Type 2 Diabetes Mellitus Have an Impact on Postoperative Early, Mid-Term and Late-Term Urinary Continence After Robot-Assisted Radical Prostatectomy?. 2019 , 33, 201-206		4
392	Robotic urologic surgery: trends in litigation over the last decade. 2019 , 13, 729-734		10
391	Functional results in the treatment of localized prostate cancer. An updated literature review. 2019 , 17, 143-154		1
390	Re: Robot-assisted Laparoscopic Prostatectomy Versus Open Radical Retropubic Prostatectomy: 24-month Outcomes from a Randomised Controlled Study. <i>European Urology</i> , 2019 , 75, 200	10.2	1
389	An overview of the ATOMS generations: port types, functionality and risk factors. 2019 , 37, 1679-1686		10
388	May perioperative ultrasound-guided pelvic floor muscle training promote early recovery of urinary continence after robot-assisted radical prostatectomy?. 2019 , 38, 158-164		12
387	Combined Placement of Artificial Urinary Sphincter and Inflatable Penile Prosthesis Does Not Increase Risk of Perioperative Complications or Impact Long-term Device Survival. 2019 , 124, 264-270		7
386	Pelvic magnetic resonance imaging parameters predict urinary incontinence after robot-assisted radical prostatectomy. 2019 , 11, 122-126		13
385	Posterior, Anterior, and Periurethral Surgical Reconstruction of Urinary Continence Mechanisms in Robot-assisted Radical Prostatectomy: A Description and Video Compilation of Commonly Performed Surgical Techniques. <i>European Urology</i> , 2019 , 76, 814-822	10.2	21
384	A Propensity Score-matched Comparison Study of Surgical Outcomes in Patients with Differentiated Thyroid Cancer After Robotic Versus Open Total Thyroidectomy. 2019 , 43, 540-551		8
383	Simultaneous laparoscopic proctocolectomy (TaTME) and robot-assisted radical prostatectomy for synchronous rectal and prostate cancer. 2019 , 119, 47-51		1
382	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. 2019 , 5, 389-398		18
381	Is Retzius-sparing robot-assisted radical prostatectomy associated with better functional and oncological outcomes? Literature review and meta-analysis. 2019 , 6, 174-182		11
380	Male Slings for Postprostatectomy Incontinence: A Systematic Review and Meta-analysis. 2020 , 6, 575-592		21
379	Early Catheter Removal After Robot-assisted Radical Prostatectomy: Results from a Prospective Single-institutional Randomized Trial (Ripreca Study). 2020 , 6, 259-266		8

378	Association Between Preoperative Magnetic Resonance Imaging-based Urethral Parameters and Continence Recovery Following Robot-assisted Radical Prostatectomy. 2020 , 6, 1013-1020		8
377	Recovery of pad-free continence in elderly men does not differ from younger men undergoing robot-assisted radical prostatectomy for aggressive prostate cancer. 2020 , 38, 351-360		4
376	Impact of previous urethroplasty on the outcome after artificial urinary sphincter implantation: a prospective evaluation. 2020 , 38, 183-191		2
375	Initial Experience with da Vinci Single-port Robot-assisted Radical Prostatectomies. <i>European Urology</i> , 2020 , 77, 373-379	10.2	57
374	Retrograde Release of the Neurovascular Bundle with Preservation of Dorsal Venous Complex During Robot-assisted Radical Prostatectomy: Optimizing Functional Outcomes. <i>European Urology</i> , 2020 , 77, 628-635	10.2	34
373	Infrapubic approach for placement of inflatable penile prosthesis: contemporary review of technique and implications. 2020 , 32, 10-17		2
372	Contrast media kinetics in multiparametric magnetic resonance imaging before radical prostatectomy predicts the probability of postoperative incontinence. 2020 , 38, 1741-1748		3
371	Long-term functional outcomes after robotic vs. retropubic radical prostatectomy in routine care: a 6-year follow-up of a large German health services research study. 2020 , 38, 1701-1709		11
370	A prospective study of patient reported urinary incontinence among American, Norwegian and Spanish men 1 year after prostatectomy. 2020 , 7, 161-169		4
369	Advanced Reconstruction of Vesicourethral Support (ARVUS) during robot-assisted radical prostatectomy: first independent evaluation and review of other factors influencing 1 year continence outcomes. 2020 , 38, 1933-1941		1
368	Characteristics of urodynamic study parameters associated with intermediate-term continence after robot-assisted radical prostatectomy in elderly patients. 2020 , 23, 1039-1045		1
367	Clinical Anatomy of the Puboprostatic Ligament for the Safe Guidance for the Prostate Surgery. 2020 , 136, 190-195		1
366	Feasibility and continence outcomes of extended prostatic urethral preservation during robot-assisted radical prostatectomy. 2020 , 23, 286-294		3
365	Robotic Radical Prostatectomy for Prostate Cancer: Natural Evolution of Surgery for Prostate Cancer?. 2020 , 171-192		
364	Low Serum Albumin Correlates With Adverse Events Following Surgery for Male Urinary Incontinence: Analysis of the American College of Surgeons National Surgical Quality Improvement Project. 2020 , 137, 178-182		1
363	Reconsideration of pelvic floor muscle training to prevent and treat incontinence after radical prostatectomy. 2020 , 38, 354-371		18
362	Smooth muscle of the male pelvic floor: An anatomic study. 2020 , 33, 810-822		6
361	Effect of personalized extracorporeal biofeedback device for pelvic floor muscle training on urinary incontinence after robot-assisted radical prostatectomy: A randomized controlled trial. 2020 , 39, 674-681		11

360	Application of Dried Human Amnion Graft to Improve Post-Prostatectomy Incontinence and Potency: A Randomized Exploration Study Protocol. 2020 , 37, 592-602	4
359	Salvage radical prostatectomy following focal therapy: functional and oncological outcomes. 2020 , 125, 525-530	16
358	Effect of penile rehabilitation with low intensity extracorporeal shock wave therapy on erectile function recovery following robot-assisted laparoscopic prostatectomy. 2020 , 9, 1559-1565	2
357	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. 2021 , 15, 536-545	1
356	Postoperative membranous urethral length is the single most important surgical factor predicting recovery of postoperative urinary continence. 2020 , 38, 930.e7-930.e12	2
355	Subsphincteric Anastomosis During Laparoscopic Robot-Assisted Radical Prostatectomy and Its Positive Impact on Continence Recovery. 2020 , 34, 1235-1241	
354	Outcomes of Minimally Invasive Radical Prostatectomy-a Contemporary Review. 2020 , 11, 580-588	
353	Psychological nursing intervention on anxiety and depression in patients with urinary incontinence after radical prostatectomy: A randomized controlled study protocol. 2020 , 99, e23127	1
352	Treatment of post-prostatectomy urinary incontinence and erectile dysfunction: there is insufficient utilisation of care in German cancer survivors. 2021 , 39, 2929-2936	1
351	Comparison of Retzius-sparing robot-assisted laparoscopic radical prostatectomy vs standard robot-assisted radical prostatectomy: a meta-analysis. 2020 , 20, 114	6
350	Association between masturbation and functional outcome in the postoperative course after nerve-sparing radical prostatectomy. 2020 , 9, 1286-1295	
349	Combined Robotic Surgery for Double Renal Masses and Prostate Cancer: Myth or Reality?. 2020 , 56,	5
348	Deep learning using preoperative magnetic resonance imaging information to predict early recovery of urinary continence after robot-assisted radical prostatectomy. 2020 , 27, 922-928	3
347	Improvement in early continence after introduction of periurethral suspension stitch in robotic prostatectomy. 2021 , 15, 679-686	1
346	Comparison between laparoscopic and open prostatectomy: Postoperative urinary continence analysis. 2020 , 44, 535-541	0
345	Retrotrigonal muscular layer sling associated with total anatomical reconstruction in robot-assisted radical prostatectomy and early continence. 2021 , 39, 2475-2481	0
344	Comparison between laparoscopic and open prostatectomy: Postoperative urinary continence analysis. 2020 , 44, 535-541	
343	Effects of nerve-sparing procedures on bowel function after robot-assisted radical prostatectomy: A longitudinal study. 2020 , 16, 1-10	1

342	Patient reported outcome measures concerning urinary incontinence after robot assisted radical prostatectomy: development and validation of an online prediction model using clinical parameters, lower urinary tract symptoms and surgical experience. 2021 , 15, 593-602	4
341	Impact of organ confined prostate cancer treatment on quality of life. 2020 , 44, 630-636	
340	Complications after male adjustable suburethral sling implantation. 2020 , 15, 496-502	1
339	Intravesical prostatic protrusion may affect early postoperative continence undergoing robot-assisted radical prostatectomy. 2020 , 20, 164	2
338	Impact of organ confined prostate cancer treatment on quality of life. 2020 , 44, 630-636	0
337	Proper 6-branch suburethral autologous sling tensioning during robotic assisted radical prostatectomy with the intraoperative use of retrograde perfusion sphincterometry: the technique. 2021 , 15, 603-609	
336	Anatomical robotic prostatectomy: technical factors to achieve superb continence and erectile function. 2020 , 9, 887-897	1
335	Predictive model using prostate MRI findings can predict candidates for nerve sparing radical prostatectomy among low-intermediate risk prostate cancer patients. 2020 , 9, 437-444	1
334	Association of preoperative urethral parameters on magnetic resonance imaging and immediate recovery of continence following Retzius-sparing robot-assisted radical prostatectomy. 2020 , 9, 501-509	1
333	Preoperative Predictive Model of Narrow Pelvis in Laparoscopic Radical Prostatectomy Through Computed Tomography. 2020 , 34, 763-769	0
332	Correlation between lumbar skeletal muscle size and urinary incontinence after radical prostatectomy. 2020 , 12, 245-252	4
331	Randomised comparison of techniques for control of the dorsal venous complex during robot-assisted laparoscopic radical prostatectomy. 2020 , 126, 586-594	4
330	Urinary continence outcomes of four years of follow-up and predictors of early and late urinary continence in patients undergoing robot-assisted radical prostatectomy. 2020 , 20, 29	7
329	Impact of Preoperative Magnetic Resonance Imaging Anatomic Features on Urinary Continence Recovery after Laparoscopic Radical Prostatectomy. 2020 , 104, 239-246	2
328	Use of Duloxetine for Postprostatectomy Stress Urinary Incontinence: A Systematic Review. 2021 , 7, 618-628	4
327	Treatment of Urinary Incontinence in Patients With Erectile Dysfunction. 2021 , 9, 593-604	2
326	Modified Apical Dissection and Lateral Prostatic Fascia Preservation Improves Early Postoperative Functional Recovery in Robotic-assisted Laparoscopic Radical Prostatectomy: Results from a Propensity Score-matched Analysis. <i>European Urology</i> , 2020 , 78, 875-884	10.2 27
325	Single port robotic radical prostatectomy: a systematic review. 2020 , 9, 898-905	9

324	Evaluating the impact of minimally invasive vs open trials in urologic malignancy. Are we missing the mark?. 2020 , 38, 643-645		
323	Functional and perioperative outcomes in elderly men after robotic-assisted radical prostatectomy for prostate cancer. 2020 , 38, 2791-2798		10
322	Oncological and Postoperative Outcomes of Robot-Assisted Laparoscopic Radical Prostatectomy in Renal Transplant Recipients: A Multicenter and Comparative Study. 2020 , 52, 850-856		4
321	Urethral realignment with maximal urethral length and bladder neck preservation in robot-assisted radical prostatectomy: Urinary continence recovery. 2020 , 15, e0227744		6
320	Lessons learned from 12,000 robotic radical prostatectomies: Is the journey as important as the outcome?. 2020 , 61, 1-10		15
319	The 100 most-cited articles in urological surgery: A bibliometric analysis. 2020 , 75, 74-79		20
318	Does urethral length affect continence outcomes following robot assisted laparoscopic radical prostatectomy (RALP)?. 2020 , 20, 8		5
317	Impact of surgically maximized versus native membranous urethral length on 30-day and long-term pad-free continence after robot-assisted radical prostatectomy. 2020 , 8, 55-61		5
316	The Efficacy of the WeChat App Combined with Pelvic Floor Muscle Exercise for the Urinary Incontinence after Radical Prostatectomy. 2020 , 2020, 6947839		5
315	Synchronous surgery for the combined treatment of post-radical prostatectomy erectile dysfunction and stress urinary incontinence: a lucrative evolution or an unnecessary complexity?. 2021 , 33, 6-15		3
314	Climacturia: a comprehensive review assessing pathophysiology, prevalence, impact, and treatment options regarding the "leak of pleasure". 2021 , 33, 259-270		6
313	Pathological features of prostate cancer in men treated with robot-assisted radical prostatectomy in the Middle East. 2021 , 15, 125-133		3
312	Retzius-sparing Robot-assisted Radical Prostatectomy Leads to Durable Improvement in Urinary Function and Quality of Life Versus Standard Robot-assisted Radical Prostatectomy Without Compromise on Oncologic Efficacy: Single-surgeon Series and Step-by-step Guide. <i>European Urology</i> , 2021 , 79, 839-857	10.2	20
311	Sustainable functional urethral reconstruction: Maximizing early continence recovery in robotic-assisted radical prostatectomy. 2021 , 8, 126-133		2
310	The male external urethral sphincter is autonomically innervated. 2021 , 34, 263-271		3
309	EAU-EANM-ESTRO-ESUR-SIOG Guidelines on Prostate Cancer-2020 Update. Part 1: Screening, Diagnosis, and Local Treatment with Curative Intent. <i>European Urology</i> , 2021 , 79, 243-262	10.2	382
308	Qualitative analysis of Amazon customer reviews of penile clamps for male urinary incontinence. 2021 , 40, 384-390		0
307	Comparison of Perioperative and Pathologic Outcomes Between Single-port and Standard Robot-assisted Radical Prostatectomy: An Analysis of a High-volume Center and the Pooled World Experience. 2021 , 147, 223-229		5

306	Retzius-sparing robot-assisted radical prostatectomy: early learning curve experience in three continents. 2021 , 127, 412-417	12
305	Athermal versus ultrasonic nerve-sparing laparoscopic radical prostatectomy: a comparison of functional and oncological outcomes. 2021 , 39, 1453-1462	1
304	Daily urine loss immediately after urethral catheter removal may be an effective predictor of long-term urinary incontinence following robot-assisted laparoscopic radical prostatectomy. 2021 , 75, e13736	0
303	Cine magnetic resonance imaging provides novel predictors of early continence recovery after radical prostatectomy: Assessment of the dynamics of pelvic floor muscles. 2021 , 40, 256-264	0
302	Retzius-Sparing Robot-Assisted Robotic Prostatectomy: Past, Present, and Future. 2021 , 48, 11-23	8
301	The effect of frailty on the quality of life and lower urinary symptoms following robot-assisted radical prostatectomy: A longitudinal analysis (FRARP-QL Study). 2021 , 39, 192.e7-192.e14	3
300	Surgeon case volume and continence recovery following radical prostatectomy: a systematic review. 2021 , 91, 521-529	5
299	Validation of "patient-reported outcomes via online questionnaire" as a urinary continence assessment and quality improvement tool following radical prostatectomy. 2021 , 39, 72.e15-72.e20	2
298	A novel tool to predict functional outcomes after robot-assisted radical prostatectomy and the value of additional surgery for incontinence. 2021 , 127, 575-584	4
297	The EPIC-26 domain scores after radical prostatectomy are associated with the personality trait of neuroticism. 2021 , 53, 691-698	2
296	A Comparative Analysis of Surgical Scar Cosmesis Based on Operative Approach for Radical Prostatectomy. 2021 , 35, 138-143	2
295	Evaluation of Risk Factors for Adverse Functional Outcomes after Radical Prostatectomy in Patients with Previous Transurethral Surgery of the Prostate. 2021 , 105, 408-413	
294	Anastomosis quality score during robot-assisted radical prostatectomy: a new simple tool to maximize postoperative management. 2021 , 39, 2921-2928	2
293	Transperineal ultrasound as a reliable tool in the assessment of membranous urethra length in radical prostatectomy patients. 2021 , 11, 1759	2
292	Pelvic floor muscle exercise with biofeedback helps regain urinary continence after robot-assisted radical prostatectomy. 2021 , 38, 39-46	1
291	Robotic Surgery in Urology: Effectiveness of da Vinci [®] Surgical System. 2021 , 39, 235-237	
290	Evaluation of Age- and Radical-Prostatectomy Related Changes in Male Pelvic Floor Anatomy Based on Magnetic Resonance Imaging and 3-Dimensional Reconstruction. 2021 , 39, 566-575	1
289	To sling or not to sling? Impact of intraoperative sling procedures during radical prostatectomy on postoperative continence outcomes: A systematic review and meta-analysis.. 2021 , 2, 226-237	0

288	Recommendations on robotic-assisted radical prostatectomy: a Brazilian experts' consensus. 2021 , 15, 829-839	1
287	Laparoscopic single port radical prostatectomy in the 2020: Why not? Our experience. 2021 , 88, 212-217	1
286	New Evolution of Robotic Radical Prostatectomy: A Single Center Experience with PERUSIA Technique. 2021 , 11, 1513	2
285	What is the impact of post-radical prostatectomy urinary incontinence on everyday quality of life? Linking Pad usage and International Consultation on Incontinence Questionnaire Short-Form (ICIQ-SF) for a COMBined definition (PICOMB definition). 2021 , 40, 840-847	2
284	MRI predicts prostatic urethral involvement in men undergoing radical prostatectomy: implications for cryo-ablation of localized prostate cancer. 2021 , 39, 3309-3314	
283	Patient Satisfaction and Regret After Robot-assisted Radical Prostatectomy: A Decision Regret Analysis. 2021 , 149, 122-128	4
282	MiRNAs and radical prostatectomy: Current data, bioinformatic analysis and utility as predictors of tumour relapse. 2021 , 9, 1092-1107	0
281	Laparoscopic surgery experience does not influence oncological and functional results of robotic-assisted laparoscopic prostatectomy. 2021 , 3915603211004781	
280	Artificial Urinary Sphincter Complications: Risk Factors, Workup, and Clinical Approach. 2021 , 22, 30	0
279	Standing cough test stratification of moderate male stress urinary incontinence. 2021 , 47, 415-422	0
278	Urinary continence recovery and oncological outcomes after surgery for prostate cancer analysed by risk category: results from the LAParoscopic prostatectomy robot and open trial. 2021 , 39, 3239-3249	2
277	Association between cystographic anastomotic urinary leakage following retropubic radical prostatectomy and early urinary incontinence. 2021 , 38, 142-147	0
276	Urodynamic evaluation before and after to RARP to identify pre and intraoperative factors affecting postoperative continence. 2021 , 40, 1147-1153	0
275	Use of isotonic contrast solution in the artificial urinary sphincter does not impact device longevity. 2021 , 40, 1056-1062	0
274	Preoperative exercise interventions to optimize continence outcomes following radical prostatectomy. 2021 , 18, 259-281	8
273	Robot-assisted Radical Prostatectomy Using the Novel Urethral Fixation Technique Versus Standard Vesicourethral Anastomosis. <i>European Urology</i> , 2021 , 79, 530-536	10.2 0
272	Treatment of Stress Urinary Incontinence with Muscle Stem Cells and Stem Cell Components: Chances, Challenges and Future Prospects. 2021 , 22,	4
271	Anatomical predictors of long-term urinary incontinence after robot-assisted laparoscopic prostatectomy: A systematic review. 2021 , 40, 1089-1097	3

- 270 Urinary incontinence after radical prostatectomy: prognostic factors. **2021**, 17, 159-166
- 269 Comparative effectiveness of robotic and open radical prostatectomy. **2021**, 10, 2158-2170 0
- 268 Patient- and Tumour-related Prognostic Factors for Urinary Incontinence After Radical Prostatectomy for Nonmetastatic Prostate Cancer: A Systematic Review and Meta-analysis. **2021**, 6
- 267 Change of preoperative symptoms of the late-onset hypogonadism syndrome after robot-assisted radical prostatectomy. **2021**, 15, 85-90
- 266 Salvage Versus Primary Robot-assisted Radical Prostatectomy: A Propensity-matched Comparative Effectiveness Study from a High-volume Tertiary Centre. **2021**, 27, 43-52 4
- 265 Radical Prostatectomy: Sequelae in the Course of Time. **2021**, 8, 684088 1
- 264 Contemporary outcomes following robotic prostatectomy for locally advanced and metastatic prostate cancer. **2021**, 10, 2178-2187 1
- 263 Surgeon Automated Performance Metrics as Predictors of Early Urinary Continence Recovery After Robotic Radical Prostatectomy-A Prospective Bi-institutional Study. **2021**, 27, 65-72 1
- 262 Irreversible Electroporation for Prostate Cancer. **2021**, 11, 1
- 261 A Bibliometric Analysis of Overall and Top 100 Most-Cited Studies About Robotic Surgery Versus Open Surgery. **2021**, 15533506211026411 0
- 260 Measuring Quality of Life Following Robot-Assisted Radical Prostatectomy. **2021**, 15, 1373-1382
- 259 Robotic Radical Prostatectomy at the Egyptian National Cancer Institute: Overcoming the Challenges in the Initial Case Series. **2020**, 9, 367-372
- 258 A risk grouping algorithm for predicting factors of persistently elevated prostate-specific antigen in patients following robot-assisted radical prostatectomy. **2021**, 75, e14495 0
- 257 A Study of Predictive Models for Early Outcomes of Post-Prostatectomy Incontinence: Machine Learning Approach vs. Logistic Regression Analysis Approach. **2021**, 11, 6225 0
- 256 Robot-Assisted Radical Prostatectomy in Low-Volume Regions: Should It Be Abandoned or Adopted? A Multi-Institutional Outcome Study. **2021**, 35, 1013-1019 1
- 255 Early Revision after Artificial Urinary Sphincter Implantation Does Not Impair the Long-Term Treatment Success. **2021**, 1-8
- 254 Re: Loc Trinh, Samuel Mingo, Erik B. Vanstrum, et al. Survival Analysis Using Surgeon Skill Metrics and Patient Factors to Predict Urinary Continence Recovery After Robot-assisted Radical Prostatectomy. *Eur Urol Focus*. In press. <https://doi.org/10.1016/j.euf.2021.04.001>. **2021**,
- 253 Feasibility and outcome of radical prostatectomy following inductive neoadjuvant therapy in patients with suspicion of rectal infiltration. **2021**, 2

252	Perioperative adverse events and functional outcomes following open and robot-assisted prostatectomy in patients over age 70. 2021 , 75, e14754		1
251	Beitrag von Patient-reported outcomes zur Verbesserung der Ergebnisqualität 2021 , 27, 992-1003		
250	Improvement of quality of life and symptom burden after robot-assisted radical prostatectomy in patients with moderate to severe LUTS. 2021 , 11, 16757		2
249	Management of Medium and Long Term Complications Following Prostate Cancer Treatment Resulting in Urinary Diversion - A Narrative Review. 2021 , 8, 688394		0
248	Myosteatorsis as a novel predictor of urinary incontinence after robot-assisted radical prostatectomy. 2021 ,		2
247	Angiogenesis and Anti-Angiogenic Treatment in Prostate Cancer: Mechanisms of Action and Molecular Targets. 2021 , 22,		10
246	Strategy for laparoscopic repair of inguinal hernia after robot-assisted radical prostatectomy. 2021 ,		1
245	Impact of Bladder Neck Angle Measured by Postoperative Magnetic Resonance Imaging on Midterm Recovery of Urinary Continence in Prostate Cancer Patients Undergoing Robot-Assisted Radical Prostatectomy. 2021 , 35, 1610-1615		0
244	Implementation of radioguided surgery in prostate cancer. 2021 , 65, 202-214		1
243	Functional and Oncological Outcomes After Open Versus Robot-assisted Laparoscopic Radical Prostatectomy for Localised Prostate Cancer: 8-Year Follow-up. <i>European Urology</i> , 2021 , 80, 650-660	10.2	12
242	Stratification of Potency Outcomes Following Robot-Assisted Laparoscopic Radical Prostatectomy Based on Age, Preoperative Potency, and Nerve Sparing. 2021 , 35, 1631-1638		2
241	Prevalence of Postprostatectomy Incontinence Requiring Anti-incontinence Surgery After Radical Prostatectomy for Prostate Cancer: A Retrospective Population-Based Analysis. 2021 , 25, 263-270		1
240	Cryopreserved placental tissue allograft accelerates time to continence following robot-assisted radical prostatectomy. 2021 , 15, 877-883		1
239	How to Prevent and Manage Post-Prostatectomy Incontinence: A Review. 2021 , 39, 581-597		8
238	Correlation of urinary loss rate after catheter removal and long-term urinary continence after robot-assisted laparoscopic radical prostatectomy. 2021 , 28, 440-443		3
237	The impact of transition from conventional robot-assisted radical prostatectomy to retzius sparing robot-assisted radical prostatectomy: A retrospective multivariate analysis. 2021 , 37, 140-146		2
236	Making a case "for" focal therapy of the prostate in intermediate risk prostate cancer: current perspective and ongoing trials. 2021 , 39, 729-739		3
235	Starting a Robotic Surgery Program. 2017 , 513-524		3

234	Management of Localized and Locally Advanced Prostate Cancer. 2020 , 579-590	0
233	The Vision of Digital Surgery. 2021 , 11-23	4
232	Urinary Incontinence: Conservative and Medical Management and Injectable Therapy. 2016 , 31-52	1
231	Pathophysiologie der männlichen Harninkontinenz. 2016 , 1399-1405	0
230	Effect of Denonvilliers' Fascia Preservation Versus Resection During Laparoscopic Total Mesorectal Excision on Postoperative Urogenital Function of Male Rectal Cancer Patients: Initial Results of Chinese PUF-01 Randomized Clinical Trial. 2021 , 274, e473-e480	8
229	Fluorescence Image-Guided Surgery - a Perspective on Contrast Agent Development. 2020 , 11222,	26
228	Age and Body Mass Index: the most important factors of urinary and erectile function recovery after robotic assisted radical prostatectomy. 2019 , 45, 653-654	1
227	Bladder neck preservation improves time to continence after radical prostatectomy: a systematic review and meta-analysis. 2016 , 7, 67463-67475	41
226	Surgical techniques to improve continence recovery after robot-assisted radical prostatectomy. 2020 , 9, 3036-3048	3
225	Monocyte Chemotactic Protein-1 (MCP-1) as a Predictor of Prolonged Urinary Incontinence After Radical Prostatectomy. 2016 , 9, 44-50	1
224	Role of Artificial Intelligence in Patient Safety Outcomes: Systematic Literature Review. 2020 , 8, e18599	38
223	Technical details to achieve perfect early continence after radical prostatectomy. 2019 , 74, 63-77	12
222	Effect of puboprostatic ligament reconstruction on continence recovery after robot-assisted laparoscopic prostatectomy: our initial experience. 2019 , 71, 230-239	14
221	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. 2019 , 71, 38-46	10
220	Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy. 2019 , 71, 324-338	15
219	Implant of ATOMS [®] system for the treatment of postoperative male stress urinary incontinence: an Italian multicentric study. 2020 , 72, 770-777	4
218	Efficacy of modified radical prostatectomy technique for recovery of urinary incontinence in high-grade prostate cancer. 2020 , 72, 605-614	4
217	Conservative management of urinary incontinence following robot-assisted radical prostatectomy. 2020 , 72, 555-562	6

216	Health Related Quality of Life in Japanese Patients with Localized Prostate Cancer: Comparative Retrospective Study of Robot-Assisted Laparoscopic Radical Prostatectomy Versus Radiation Therapy. 2020 , 63, 55-62	3
215	Penile rehabilitation after radical prostatectomy: does it work?. 2015 , 4, 110-23	24
214	Newer concepts in neural anatomy and neurovascular preservation in robotic radical prostatectomy. 2014 , 30, 399-409	6
213	Predictive factors for lymph node positivity in patients undergoing extended pelvic lymphadenectomy during robot assisted radical prostatectomy. 2015 , 31, 217-22	5
212	Significance of preoperatively observed detrusor overactivity as a predictor of continence status early after robot-assisted radical prostatectomy. 2014 , 16, 869-72	16
211	Contemporary trends in radical prostatectomy and predictors of recovery of urinary continence in men aged over 70 years: comparisons between cohorts aged over 70 and less than 70 years. 2020 , 22, 280-286	2
210	Radiotherapy is associated with reduced continence outcomes following implantation of the artificial urinary sphincter in men with post-radical prostatectomy incontinence. 2017 , 9, 253-256	7
209	Single-port robot-assisted radical prostatectomy with the da Vinci SP system: A single surgeon's experience. 2020 , 61, 173-179	9
208	Robot-assisted radical prostatectomy in low- and high-risk prostate cancer patients. 2017 , 43, 36-41	2
207	Comparison of surgical, oncological, and functional outcomes of robot-assisted and laparoscopic radical prostatectomy in patients with prostate cancer. 2019 , 45, 410-417	8
206	Robot-assisted laparoscopic total extraperitoneal hernia repair during prostatectomy: technique and initial experience. 2015 , 68, 240-4	12
205	Effect of Nerve-Sparing Radical Prostatectomy on Urinary Continence in Patients With Preoperative Erectile Dysfunction. 2016 , 20, 69-74	17
204	Sling Surgery for Male Urinary Incontinence Including Post Prostatectomy Incontinence: A Challenge to the Urologist. 2019 , 23, 185-194	6
203	Current Status and Future Prospect of Robotic Surgery in Korea. 2014 , 17, 55-61	3
202	Prostate Cancer: Locoregional Disease. 2021 , 791-803	
201	Changes in quality of life and lower urinary tract symptoms over time in cancer patients after a total prostatectomy: systematic review and meta-analysis. 2021 , 30, 2959	1
200	Evolution of Focal Therapy in Prostate Cancer: Past, Present, and Future. 2022 , 49, 129-152	1
199	Robot-Assisted Surgery in Urology. 2014 , 87-101	

- 198 Continencc outcomes following robotic radical prostatectomy: Our experience from 150 consecutive patients. **2014**, 30, 374-7 5
- 197 Simultaneous vs staged treatment of urolithiasis in patients undergoing radical prostatectomy. **2014**, 2, 698-704
- 196 Pathophysiologie der männlichen Harninkontinenz. **2014**, 1-10
- 195 Dealing with Pelvic Dysfunction: Multi and Interdisciplinary Team Approach. **2015**, 49-56
- 194 Incontinence: Definition and Classification. **2015**, 35-44
- 193 Indikationsstellung und Strategien beim Prostatakarzinom (PCa). **2015**, 1-11
- 192 Management of Pelvic Retroperitoneal Tumors. **2015**, 209-216
- 191 Prostatakarzinom: kurative Therapie. **2015**, 1-31
- 190 Treating Incontinence after Prostatectomy and Cystectomy: Role of Advanced Minimally Invasive Surgery. **2016**, 71-83
- 189 Reimbursement for Prostate Cancer Treatment. **2016**, 367-374
- 188 Robot-Assisted Laparoscopic Radical Prostatectomy [Extraperitoneal and Transperitoneal Technique]. **2016**, 165-172
- 187 Indikationsstellung und Strategien beim Prostatakarzinom (PCa). **2016**, 1133-1140 1
- 186 Prostatakarzinom: Kurative Therapie. **2016**, 1341-1362
- 185 Preserving Continence during Laparoscopic (LRP) or Robot-Assisted Radical Prostatectomy (RARP). **2016**, 31-38
- 184 Structured Reporting of RARP Complications: Are We Making Measurable Progress?. **2016**, 227-246
- 183 Innovation and Orientation Challenges: Posterior Betzius-Sparing Technique. **2016**, 151-157
- 182 EXPERIENCE OF 424 ROBOT-ASSISTED OPERATIONS IN ST-PETERSBURG: RADICAL PROSTATECTOMY, PARTIAL AND RADICAL NEPHRECTOMY. **2016**, 175, 74-77 2
- 181 El desarrollo de empuñadura de karabela de las espadas y sables: un estudio comparativo. 36, 181

180 Tips to Preserve Continence During Robotic Radical Prostatectomy. **2017**, 645-655

179 Pathophysiologic Mechanisms in Postprostatectomy Urinary Incontinence. **2017**, 11-21

178 Screening of Prostate Cancer. **2017**, 1-12

177 Robotic Surgery in Prostate Cancer. **2017**, 205-229

176 Factors affecting continence after radical prostatectomy. **2017**, 18, 115-118

175 Antegrade Robot-Assisted Radical Prostatectomy: Factors Impacting Potency Preservation. **2018**, 329-341

174 Outcome Measures After Robot-Assisted Radical Prostatectomy. **2018**, 421-437

173 Les raisons du succ s de la chirurgie robot assist e en urologie. **2017**, 201, 1059-1070

172 Robot-Assisted Kidney Transplantation. **2018**, 697-712

171 Outcomes of robotic-assisted radical prostatectomy for patients in two extreme age-groups (65 years). **2018**, 91, 92-97

1

170 Comparison of Perioperative and Functional Outcomes between Standard Laparoscopic and Robotic-Assisted Radical Prostatectomy: A Systemic Review and Meta-Analysis. **2018**, 07, 17-30

169 [8. How We Can Treat the Patients with Prostate Cancer-Surgical Option and Change over Time]. **2018**, 74, 208-218

168 Radical Prostatectomy in the Metastatic Setting. **2018**, 169-184

167 Anterior Reconstruction After Radical Prostatectomy. **2018**, 391-400

166 Prostate Cancer: Management in Elderly Men Population in 2017. **2018**, 1-16

165 Outcomes Following Various Treatment Options for Clinically Localized Prostate Cancer. **2018**, 16, 7-14

164 Medical rehabilitation of patients with urinary incontinence. **2018**, 19, 48-52

163 Neuro-anatomic basis of potency recovery after radical prostatectomy: an expert's point of view. **2019**, 74, 28-36

0

- 162 Robot-Assisted Radical Prostatectomy: The Evolution of Technique. **2019**, 105-109
- 161 Surgical Management of Localized and Locally Advanced Prostate Cancer. **2019**, 191-209
- 160 Peri- and post-operative results of initial robot-assisted radical prostatectomies of a surgeon graduating from a structured fellowship.. **2019**, 13, 17-21
- 159 Fluorescent nerve identification in resected human tissue specimens. **2019**,
- 158 Analysis of Anatomical Factors Contributing to Urinary Incontinence After Radical Prostatectomy (Literature Review). **2019**, 92-95
- 157 Outcomes of robotic-assisted laparoscopic prostatectomy versus open prostatectomy in surgical intervention of localized prostate cancer. **2019**, 5,
- 156 Roboto asistuojamos radikalios prostatektomijos pirminiai rezultatai Klaipėdos universitetinėje ligoninėje: vieno centro patirtis. **2019**, 18, 23-27
- 155 Prostatectomija total laparoscopica robotica. **2019**, 51, 1-13
- 154 Virtue Chapter. **2020**, 823-838
- 153 Urinary continence outcomes of four years of follow-up and predictors of early and late urinary continence in patients undergoing robot-assisted radical prostatectomy.
- 152 Comparative Analysis of Results Between Robot-Assisted and Open Radical Prostatectomy. **2019**, 12, 157-161
- 151 Analysis of Biological Factors Causing Urinary Incontinence After Radical Prostatectomy (Literature Review). **2019**, 88-91
- 150 Does urethral length affect continence outcomes following robot assisted laparoscopic radical prostatectomy (RALP)?.
- 149 Robot-Assisted Radical Prostatectomy. **2020**, 63-91
- 148 Early continence after radical prostatectomy: A systematic review. **2019**, 43, 526-535 2
- 147 Prostate Cancer: Management in Elderly Men Population in 2017. **2020**, 655-670
- 146 What the Urologist Wants to Know from Prostate MRI. **2020**, 13-35
- 145 Systematic review comparing Anterior vs Retzius-sparing robotic assisted radical prostatectomy: can the approach really make a difference?. **2021**, 1

144 Does urethral length affect continence outcomes following robot assisted laparoscopic radical prostatectomy (RALP)?.

143 Epidemiology of Urinary and Fecal Incontinence. **2020**, 3-10

142 Early Continence and Extravasation After Open Retropubic Radical Prostatectomy - Interrupted vs Continuous Suturing for Vesicourethral Anastomosis. **2020**, 16, 1289-1296

141 Five-year data on the first UK experience of using urethral bulking agents in treating men with stress urinary incontinence. 205141582098275

140 Mucosal coaptation technique for early urinary continence after robot-assisted radical prostatectomy: a comparative exploratory study.. **2021**, 74, 528-534

139 Urologic Surgery in the Elderly. **2020**, 339-361

138 Does urethral length affect continence outcomes following robot assisted laparoscopic radical prostatectomy (RALP)?.

137 Early and late postoperative complications of radical prostatectomy with extended pelvic lymphadenectomy. **2020**, 9, 66

1

136 Urinary continence outcomes of four years of follow-up and predictors of early and late urinary continence in patients undergoing robot-assisted radical prostatectomy.

135 Prostate volume as an independent predictor of results robot-assisted prostatectomy. **2020**, 15, 73-83

134 The effects of bladder neck sparing with an additional anterior urethral fixation on postoperative continence after robot-assisted radical prostatectomy. **2021**, 8, 57-62

133 Effect of Reconstructive Techniques on Continence in Robot-Assisted Laparoscopic Prostatectomy: Novel Combination of Long Urethral Stump and Anterior Suspension Suture. **2020**, 52, 57-60

1

132 Urinary continence outcomes of four years of follow-up and predictors of early and late urinary continence in patients undergoing robot-assisted radical prostatectomy.

131 Role of Artificial Intelligence in Patient Safety Outcomes: Systematic Literature Review (Preprint).

130 The role of laparoscopic experience on the learning curve of HoLEP surgery: A questionnaire-based study. **2020**, 46, 129-133

1

129 Selection of patients for nerve sparing surgery in robot-assisted radical prostatectomy.. **2022**, 3, 6-18

2

128 Controversies in Prostate Cancer Diagnosis and Management. **2021**, 163-184

127 Management of erectile dysfunction following robot-assisted radical prostatectomy: a systematic review. **2020**, 72, 543-554

4

126	Surgical Telementoring and Teleproctoring. 2021 , 431-453	
125	Short-, Intermediate-, and Long-term Quality of Life Outcomes Following Radical Prostatectomy for Clinically Localized Prostate Cancer. 2013 , 15, 161-77	19
124	Post-radical prostatectomy incontinence: etiology and prevention. 2014 , 16, 181-8	36
123	Evaluation of Incontinence after Robot-Assisted Laparoscopic Radical Prostatectomy: Using the International Consultation on Incontinence Modular Questionnaire Short Form and Noting the Number of Safety Pads Needed by Japanese Patients. 2017 , 60, 52-55	3
122	Robotic Surgical System for Radical Prostatectomy: A Health Technology Assessment. 2017 , 17, 1-172	10
121	Preservation of continence in radical prostatectomy patients: a laparoscopic surgeon's perspective. 2019 , 72, 32-38	4
120	[Evaluating continence recovery time after robot-assisted radical prostatectomy]. 2021 , 53, 697-703	
119	[Relationship between prostate apex depth and early recovery of urinary continence after laparoscopic radical prostatectomy]. 2021 , 53, 692-696	
118	Focal Laser Ablation for Prostate Cancer. 2021 , 215-226	
117	Correlation of Urine Loss after Catheter Removal and Early Continence in Men Undergoing Radical Prostatectomy.. 2021 , 28, 4738-4747	3
116	The influence of the long duration from biopsy to surgery on biochemical recurrence after robot-assisted radical prostatectomy in Japanese patients. 2021 ,	1
115	Independent Factors Affecting Postoperative Short-Term Urinary Continence Recovery after Robot-Assisted Radical Prostatectomy. 2021 , 2021, 9523442	0
114	Longer preserved urethral length in robot-assisted radical prostatectomy significantly contributes to post-operative urinary continence recovery.. 2022 , 3, 184-190	1
113	Longitudinal, 5-year long-term outcomes for urinary continence and quality of life after robot-assisted radical prostatectomy in Japanese patients. 2021 ,	
112	Initial Experience of Robotic-assisted Radical Prostatectomy in Juntendo Nerima Hospital. 2021 , 67, 537-541	
111	Outpatient versus inpatient robot-assisted radical prostatectomy: a meta-analysis of comparative outcomes.. 2021 ,	1
110	Male sling placement for post-prostatectomy incontinence can involve a lengthy learning curve: A multi-outcome assessment via cumulative sum failure analysis.. 2022 , 3915603211072844	
109	Current strategies to improve erectile function in patients undergoing radical prostatectomy-intraoperative scenario.. 2022 , 40, 79-79	0

108	Comparaci3n entre la prostatectom3a con preservaci3n del espacio de Retzius y la prostatectom3a radical est3andar asistida por robot para el c3ncer de pr3stata. 2022,	0
107	Should obesity be associated with worse urinary continence outcomes after robotic-assisted radical prostatectomy? a propensity score matching analysis. 2022, 48, 122-130	1
106	Preoperative Prostate MRI Predictors of Urinary Continence Following Radical Prostatectomy.. 2022, 210500	2
105	Impact of the severity of urethrovesical anastomotic leakage on urinary continence following robot-assisted laparoscopic prostatectomy.. 2022,	
104	External Validation of a Prediction Model for Side-specific Extraprostatic Extension of Prostate Cancer at Robot-assisted Radical Prostatectomy.. 2022, 37, 50-52	
103	Pathophysiologie der m3nlichen Harninkontinenz. 2022, 1-8	
102	Safety of robot-assisted radical prostatectomy in an Italian spoke hospital: Long-term oncologic and functional outcomes with median 11.3 years follow-up.. 2022, 3915603221077595	
101	Retzius-sparing technique independently predicts early recovery of urinary continence after robot-assisted radical prostatectomy.. 2022, 1	
100	Robotic-assisted Versus Laparoscopic Radical Prostatectomy: 12-month Outcomes of the Multicentre Randomised Controlled LAP-01 Trial.. 2022,	0
99	MR Imaging in Real Time Guiding of Therapies in Prostate Cancer.. 2022, 12,	
98	Comparison of Retzius-sparing versus standard robot-assisted radical prostatectomy for prostate cancer.. 2022,	
97	Effectiveness of ultrasound-guided pelvic floor muscle training in improving prolonged urinary incontinence after robot-assisted radical prostatectomy.. 2022, 16, 37-42	0
96	Implantation of an artificial urinary sphincter for urinary incontinence after radical prostatectomy (current aspects). 2022, 23, 21-29	
95	Prospective quality of life in men choosing open vs. robotic radical prostatectomy: long-term results from a racially diverse multi-institutional database.. 2022, 1	
94	The effect of preoperative membranous urethral length on likelihood of postoperative urinary incontinence after robot-assisted radical prostatectomy.. 2022,	1
93	Prediction of Incontinence after Robot-Assisted Radical Prostatectomy: Development and Validation of a 24-Month Incontinence Nomogram.. 2022, 14,	0
92	Robot-assisted radical prostatectomy in the treatment of patients with clinically high-risk localized and locally advanced prostate cancer: single surgeons functional and oncologic outcomes.. 2022, 22, 49	0
91	Post-prostatectomy incontinence in patients with adjuvant radiotherapy: is there a therapeutic space for transobturator sling?. 2022, 41, 54-62	

- 90 A clinically relevant formulation for direct administration of nerve specific fluorophores to mitigate iatrogenic nerve injury.. **2022**, 284, 121490 ○
- 89 Adjustable Transobturator Male System (ATOMS) as a novel treatment for men with stress urinary incontinence in the United Kingdom. 205141582210864
- 88 Radical Prostatectomy for Prostate Cancer [Hong Kong Status in the Era of SOMIP.
- 87 Effect of endoscopic urethral procedures applied after robotic radical prostatectomy on urinary incontinence: A prospective cohort pilot study.. **2022**, 3915603221093733
- 86 A new method for posterior pelvic reconstruction with autologous tissue in robot-assisted radical prostatectomy. **2022**, 12, 33-40
- 85 Retzius-sparing versus modified anatomical structures preserving and retzius repairing robotic-assisted radical prostatectomy: A prospective randomized comparison on functional outcomes with a 1-year follow-up.. **2022**, ○
- 84 Alternatives to whole gland treatment for localized prostate cancer: a review of novel focal therapies.. **2022**, 32, 239-247 ○
- 83 Nachkontrolle beim kurativ behandelten Prostatakarzinom.
- 82 Quantitative analysis of urinary incontinence after prostatectomy: lack of standardization in trials. **2022**, 74, ○
- 81 The AdVance Sling and Male Sexual Function: A Prospective Analysis on the Impact of Pelvic Mesh on Erectile and Orgasmic Domains in Sexually Active Men With Postprostatectomy Stress Urinary Incontinence. **2022**, 10, 100529
- 80 Toward an Ecologically Valid Conceptual Framework for the Use of Artificial Intelligence in Clinical Settings: Need for Systems Thinking, Accountability, Decision-making, Trust, and Patient Safety Considerations in Safeguarding the Technology and Clinicians (Preprint).
- 79 Toward an Ecologically Valid Conceptual Framework for the Use of Artificial Intelligence in Clinical Settings: Need for Systems Thinking, Accountability, Decision-making, Trust, and Patient Safety Considerations in Safeguarding the Technology and Clinicians. **2022**, 9, e35421 1
- 78 The role of preoperative prostatic shape in the recovery of urinary continence after robotic radical prostatectomy: a single cohort analysis. 1
- 77 Comparative analysis of minimally invasive methods of treatment of localized prostate cancer. **2022**, 23, 34-46
- 76 Perioperative factors contributing to delayed return of continence after radical prostatectomy: The role of race and comorbidities. **2022**, 100496
- 75 Contemporary trends in the surgical management of urinary incontinence after radical prostatectomy in the United States. 4
- 74 Self-management of lower urinary tract symptoms in post-prostatectomy cancer patients: Content analysis. ○
- 73 The key role of levator ani thickness for early urinary continence recovery in patients undergoing robot-assisted radical prostatectomy: A multi-institutional study.

- 72 Impact of prostate biopsy technique on outcomes of the precision prostatectomy procedure. **2022**, 4, e000122
- 71 Association of Suturing Technical Skill Assessment Scores between Virtual Reality Simulation and Live Surgery. ○
- 70 Comparison of the medical costs between active surveillance and other treatments for early prostate cancer in Japan using data from the PRIAS-JAPAN study.
- 69 Die posteriore muskulofasziale Rekonstruktion im Rahmen der roboterassistierten laparoskopischen Prostatektomie.
- 68 Utility of fusion biopsy for choosing prostate cancer patients eligible for focal therapy. **2022**, 18, 66-75
- 67 Retzius-sparing robotic prostatectomy is associated with higher positive surgical margin rate in anterior tumors, but not in posterior tumors, compared to conventional anterior robotic prostatectomy. **2022**, 1
- 66 The predictors of short and long term urinary continence recovery after laparoscopic radical prostatectomy: a single cancer center report in China.
- 65 Global research trends and foci of artificial intelligence-based tumor pathology: a scientometric study. **2022**, 20, ○
- 64 Techniques to Improve Urinary Continence Outcomes Following Robot-Assisted Radical Prostatectomy. **2022**, 217-223 ○
- 63 Intraoperative Evaluation and Management of High-Risk Prostate Cancer during Robot-Assisted Radical Prostatectomy. **2022**, 241-249 ○
- 62 Pelvic Anatomy and Its Relationship to Radical Prostatectomy Urinary Continence Outcomes. **2022**, 145-155 ○
- 61 Outcomes of RALP: An Evidence-Based Approach. **2022**, 199-216 ○
- 60 Step-by-Step Approach to Robotic-Assisted Radical Prostatectomy. **2022**, 193-198 ○
- 59 References. **2023**, 113-141 ○
- 58 Significance of postoperative membranous urethral length and position of vesicourethral anastomosis for short-term continence recovery following robot-assisted laparoscopic radical prostatectomy. **2022**, 22, ○
- 57 Surgeon volume and patient-reported urinary incontinence after radical prostatectomy. Population-based register study in Sweden. 1-8 1
- 56 A Matched-Pair Analysis after Robotic and Retropubic Radical Prostatectomy: A New Definition of Continence and the Impact of Different Surgical Techniques. **2022**, 14, 4350 1
- 55 Minimal residual membranous urethral length and membranous urethral length predict poor recovery from incontinence after robot-assisted radical prostatectomy and after open radical prostatectomy. ○

- 54 Comparison of early oncologic and functional results of open and robot-assisted laparoscopic radical prostatectomy. **2022**, 61, 403-410 ○
- 53 Management of Localized Prostate Cancer in Elderly Patients. **2022**, 21, 73-79 ○
- 52 Single-port robot-assisted perineal radical prostatectomy with the da Vinci XI system: initial experience and learning curve using the cumulative sum method. ○
- 51 Preservation of pelvic floor muscles contributes to early continence recovery after robot-assisted radical prostatectomy. **2022**, 17, e0275792 ○
- 50 The association between the parameters of uroflowmetry and lower urinary tract symptoms in prostate cancer patients after robot-assisted radical prostatectomy. **2022**, 17, e0275069 ○
- 49 Synchronous Surgical Management of Erectile Dysfunction and Stress Urinary Incontinence: A Systematic Review and Meta-Analysis of Reoperation Rates. **2022**, 10, 782-790 ○
- 48 Comparison of the therapeutic effects of human umbilical cord blood-derived mesenchymal stem cells and adipose-derived stem cells on erectile dysfunction in a rat model of bilateral cavernous nerve injury. 10, ○
- 47 Indikationsstellung und Strategien beim Prostatakarzinom (PCa). **2022**, 1-8 ○
- 46 Modified apical dissection improves early continence in robot-assisted laparoscopic radical prostatectomy: Comparative study between modified apical dissection and anterior suspension stitch. **2022**, 63, 639 ○
- 45 Prediction of recovery time of urinary incontinence following robot-assisted laparoscopic prostatectomy. ○
- 44 The pursuit of excellence. 1-2 ○
- 43 Eingriffe an der Prostata. **2022**, 1-21 ○
- 42 Efficacy and Complications of the Re-Adjustable Male Sling System for Stress Urinary Incontinence after Radical Prostatectomy. **2022**, 11, 6764 ○
- 41 Prostatectomia totale laparoscopica robot-assistita. **2019**, 19, 1-12 ○
- 40 Fudan Zhongshan Technique: Single-Port Suprapubic Transvesical Robotic Assisted Radical Prostatectomy. **2022**, 317-321 ○
- 39 Functional Recovery POST-RALP: Continence. **2022**, 397-409 ○
- 38 Total Anatomical Reconstruction. **2022**, 149-157 ○
- 37 Robot-assisted radical prostatectomy using a novel urethral reconstruction technique vs standard vesicourethral anastomosis. A retrospective cohort study. ○

36	Acupuncture treatment for persistent post-prostatectomy urinary incontinence: a case series. 096452842211313	
35	A standardized method to measure the membranous urethral length (MUL) on MRI of the prostate with high inter- and intra-observer agreement.	1
34	Preoperative predictive model of early urinary continence recovery after laparoscopic radical prostatectomy.	0
33	Correlation between extended pelvic lymph node dissection and urinary incontinence at early phase after robot-assisted radical prostatectomy.	0
32	Sustainable functional urethral reconstruction improves early urinary continence after RARP : an RCT.	0
31	Functional outcomes after prostate cancer treatment: A comparison between single and multiple modalities. 2022,	0
30	Retzius-sparing robot-assisted radical prostatectomy in a medium size oncological center holds adequate oncological and functional outcomes.	0
29	Management of Urinary Incontinence Following Radical Prostatectomy: Challenges and Solutions. Volume 19, 43-56	0
28	Recognition of Postoperative Cystography Features by Artificial Intelligence to Predict Recovery from Postprostatectomy Urinary Incontinence: A Rapid and Easy Way to Predict Functional Outcome. 2023, 13, 126	0
27	A retrospective study to evaluate the effect of preoperative hormonal therapy on continence recovery. 12,	0
26	Association of hospital volume with perioperative and oncological outcomes of robot-assisted laparoscopic radical prostatectomy: a retrospective multicenter cohort study. 2023, 23,	0
25	Predictors of urinary function recovery after laparoscopic and robot-assisted radical prostatectomy. 2023, 49, 50-60	1
24	Urinary Continence Recovery after Robotic Radical Prostatectomy without Anterior or Posterior Reconstruction: Experience from a Tertiary Referral Center. 2023, 12, 1358	0
23	Single-port robot-assisted perineal radical prostatectomy with the da Vinci XI system: initial experience and learning curve using the cumulative sum method. 2023, 21,	0
22	Risk factors for urinary incontinence in patients undergoing radical robot-assisted prostatectomy. 2023, 11, 150-158	0
21	Climacturia and Penile Length Shortening: Adverse Outcomes Following Robot-Assisted Radical Prostatectomy.	0
20	Erectile function, urinary continence and oncologic outcomes of neurovascular bundle sparing robot-assisted radical prostatectomy for high-risk prostate cancer: A systematic review and meta-analysis. 13,	0
19	Latest Evidence on Post-Prostatectomy Urinary Incontinence. 2023, 12, 1190	0

- 18 Pentafecta outcomes of robotic laparoscopically assisted radical prostatectomy during the initial experience in a university hospital. **2023**, 29, ○
- 17 Robot assisted radical prostatectomy in fit older patients compared to a standard population: Clinical characteristics, surgical, oncological and functional outcomes. **2023**, 33, 272-278 ○
- 16 Effects of early pelvic floor muscle training on early recovery of urinary incontinence after prostate surgery. **2023**, 0 ○
- 15 Improved early and late continence following robot-assisted radical prostatectomy with concurrent bladder neck fascial sling (RoboSling). ○
- 14 Inter-observer variability in male pelvic-floor MRI measurements that might predict post-prostatectomy incontinence. ○
- 13 Duration and Influencing Factors of Postoperative Urinary Incontinence after Robot-Assisted Radical Prostatectomy in a Japanese Community Hospital: A Single-Center Retrospective Cohort Study. **2023**, 20, 4085 ○
- 12 Oncological and functional outcomes of high-risk and very high-risk prostate cancer patients after robot-assisted radical prostatectomy. **2023**, 18, e0282494 ○
- 11 Efficacy of surgical treatment for post-prostatectomy urinary incontinence: a systematic review and network meta-analysis. **2023**, 109, 401-411 ○
- 10 Robot-assisted radical prostatectomy following holmium laser enucleation of the prostate: Perioperative, functional, and oncological outcomes. ○
- 9 Infrared neural stimulation markedly enhances nerve functionality assessment during nerve monitoring. **2023**, 13, ○
- 8 R-LESS-RP versus C-LESS-RP: a single-institution retrospective comparative study. **2023**, 13, ○
- 7 Role of pelvic drain and timing of urethral catheter removal following RARP : a systematic review and meta-analysis. ○
- 6 Dr. Google - Fluch oder Segen?. **2023**, 27, 16-19 ○
- 5 Reconstruction of Complex Midline Septal Corporal Defect in a Distal Crossover Penile Implant Cylinder: a Step-by-Step Demonstration of Surgical Technique. **2023**, 100218 ○
- 4 Single-Port and Multiport Robot-Assisted Radical Prostatectomy: A Meta-Analysis. **2023**, ○
- 3 Single-Port Robot-Assisted Radical Prostatectomy: Where Do We Stand?. **2023**, 30, 4301-4310 ○
- 2 Simultaneous placement of Inflatable Penile Prosthesis and Artificial Urinary Sphincter following radical prostatectomy via penoscrotal approach: A Step-by-Step Surgical Technique. **2023**, 18, 100224 ○
- 1 Predictors of urinary outcomes following robotic-assisted laparoscopic prostatectomy. ○

