

CITATION REPORT

List of articles citing

Protein supplementation improves physical performance in frail elderly people: a randomized, double-blind, placebo-controlled trial

DOI: 10.1016/j.jamda.2012.07.005

Journal of the American Medical Directors Association, 2012, 13, 720-6.

Source: <https://exaly.com/paper-pdf/53322246/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
334	Timing of creatine or protein supplementation and resistance training in the elderly. 2008 , 33, 184-90		41
333	Do frail older persons need more protein?. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 667-8	5.9	12
332	Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 542-59	5.9	1257
331	Frailty: A time for action. 2013 , 4, 215-216		13
330	Frailty and heart disease. 2013 , 168, 1745-7		56
329	Porvoo sarcopenia and nutrition trial: effects of protein supplementation on functional performance in home-dwelling sarcopenic older people - study protocol for a randomized controlled trial. 2013 , 14, 387		15
328	Low vitamin D status is associated with reduced muscle mass and impaired physical performance in frail elderly people. 2013 , 67, 1050-5		68
327	Mechanisms of skeletal muscle aging: insights from Drosophila and mammalian models. 2013 , 6, 1339-52		153
326	Perspective: Optimal protein intake in the elderly. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 65-6	5.9	11
325	Effectiveness of nutritional supplementation on muscle mass in treatment of sarcopenia in old age: a systematic review. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 10-7	5.9	150
324	JAMDA impact factor. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 629-31	5.9	3
323	Perspective: Interventions are relevant in frail older adults. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 63-5	5.9	
322	Perspective: Protein supplementation against sarcopenia and frailty: future perspectives from novel data. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 62-3	5.9	10
321	Fighting sarcopenia in older frail subjects: protein fuel for strength, exercise for mass. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 140-3	5.9	28
320	Perspective: Protein and exercise for frailty and sarcopenia: still learning. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 69-71	5.9	14
319	Perspective: Dietary protein needs of elderly people: protein supplementation as an effective strategy to counteract sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 67-9	5.9	8
318	Protein supplementation and physical function: muscular and cognitive perspectives. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 144-5	5.9	1

317	SARC-F: a simple questionnaire to rapidly diagnose sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 531-2	5.9	371
316	Perspective: Protein: what kind, how much, when?. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 66-7	5.9	10
315	Serum 25-hydroxyvitamin D is associated with cognitive executive function in Dutch prefrail and frail elderly: a cross-sectional study exploring the associations of 25-hydroxyvitamin D with glucose metabolism, cognitive performance and depression. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 852.e9-17	5.9	26
314	Dietary protein intake is associated with lean body mass in community-dwelling older adults. 2013 , 33, 608-12		39
313	Frailty consensus: a call to action. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 392-7	5.9	1930
312	Anorexia of aging: can we decrease protein energy undernutrition in the nursing home?. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 77-9	5.9	16
311	Perspective: Exercise and protein supplementation in frail elders. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 73-4	5.9	6
310	Perspective: Protein supplementation in frail older persons: often necessary but not always sufficient. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 72-3	5.9	4
309	Hypogonadism, testosterone, and nursing home residents. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 381-3	5.9	10
308	Nutritionally essential amino acids and metabolic signaling in aging. 2013 , 45, 431-41		47
307	Effects of whey proteins and carbohydrates on the efficacy of resistance training in elderly people: double blind, randomised controlled trial. 2013 , 67, 821-6		71
306	Scientific overview of hormone treatment used for rejuvenation. 2013 , 99, 1807-13		18
305	Frailty, sarcopenia, and hormones. 2013 , 42, 391-405		84
304	The role of dietary protein intake in the prevention of sarcopenia of aging. 2013 , 28, 684-90		101
303	Minimum Data Set 3.0: a giant step forward. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 1-3	5.9	23
302	Perspective: Protein supplementation during prolonged resistance type exercise training augments skeletal muscle mass and strength gains. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 71-2	5.9	8
301	Literature review on the role of dietary protein and amino acids in cognitive functioning and cognitive decline. 2013 , 45, 1035-45		40
300	Exercise as a remedy for sarcopenia. 2014 , 17, 25-31		117

299	Protein nutrition mediates lean body mass homeostasis in the aging warfighter. 2013 , 143, 1857S-1861S		2
298	An update on frailty diagnosis and management. 2013 , 23, 196-205		3
297	Elderly men and women benefit equally from prolonged resistance-type exercise training. 2013 , 68, 769-79		141
296	Biomarker-calibrated protein intake and physical function in the Women's Health Initiative. 2013 , 61, 1863-71		79
295	Essential nutrient requirements of the elderly. 2014 , 59		3
294	Nutrient-rich dairy proteins improve appendicular skeletal muscle mass and physical performance, and attenuate the loss of muscle strength in older men and women subjects: a single-blind randomized clinical trial. 2014 , 9, 1517-25		46
293	Nutritional guidelines for older people in Finland. 2014 , 18, 861-7		39
292	Effectiveness of a primary care based multifactorial intervention to improve frailty parameters in the elderly: a randomised clinical trial: rationale and study design. <i>BMC Geriatrics</i> , 2014 , 14, 125	4.1	21
291	Nutrition as a part of healthy aging and reducing cardiovascular risk: improving functionality in later life using quality protein, with optimized timing and distribution. 2014 , 40, 695-703		6
290	[Protein requirements of elderly people]. 2014 , 139, 239-42		5
289	Immunomodulatory agents for the treatment of cachexia. 2014 , 8, 328-33		5
288	Sexually dimorphic patterns of nutritional intake and eating behaviors in community-dwelling older adults with normal and slow gait speed. 2014 , 18, 228-33		12
287	Dietary protein considerations to support active aging. 2014 , 44 Suppl 2, S185-94		36
286	JAMDA: The Future History of the Journal. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 775-779	5.9	1
285	Clinical update on nursing home medicine: 2014. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 786-801	5.9	7
284	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). 2014 , 43, 748-59		1063
283	Importance of frailty in patients with cardiovascular disease. 2014 , 35, 1726-31		159
282	Keeping older muscle "young" through dietary protein and physical activity. 2014 , 5, 599S-607S		51

281	The role of dietary protein and vitamin D in maintaining musculoskeletal health in postmenopausal women: a consensus statement from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). 2014 , 79, 122-32		169
280	Evidence-based recommendations for addressing malnutrition in health care: an updated strategy from the feedM.E. Global Study Group. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 544-50	5.9	84
279	The importance of dietary protein for muscle health in inactive, hospitalized older adults. 2014 , 1328, 1-9		15
278	The impact of protein supplementation on cognitive performance in frail elderly. 2014 , 53, 803-12		21
277	Adequate dietary protein is associated with better physical performance among post-menopausal women 60-90 years. 2014 , 18, 155-60		96
276	Are we closer to having drugs to treat muscle wasting disease?. 2014 , 5, 83-7		51
275	Therapeutic interventions for frail elderly patients: part I. Published randomized trials. 2014 , 57, 134-43		108
274	Neuromuscular electrical stimulation prevents muscle disuse atrophy during leg immobilization in humans. 2014 , 210, 628-41		132
273	Validating the SARC-F: a suitable community screening tool for sarcopenia?. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 630-4	5.9	200
272	Nutrition and protein energy homeostasis in elderly. 2014 , 136-137, 76-84		52
271	Is it possible to prevent injurious falls?. 2014 , 5, 75-77		4
270	Chronic obstructive pulmonary disease: a disease of older persons. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 151-153	5.9	8
269	Role of exercise in optimizing the functional status of patients with nonalcoholic fatty liver disease. 2014 , 18, 113-27		14
268	Effect of resistance-type exercise training with or without protein supplementation on cognitive functioning in frail and pre-frail elderly: secondary analysis of a randomized, double-blind, placebo-controlled trial. 2014 , 136-137, 85-93		60
267	The effect of a six-month resistance-type exercise training program on the course of high sensitive cardiac troponin T levels in (pre)frail elderly. 2014 , 175, 374-5		4
266	JAMDA: The Journal Continues to Have a High Impact. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 804-807	5.9	0
265	Cachexia: a nutritional syndrome?. 2015 , 6, 269-71		25
264	Nutritional Assessment. 2015 , 1-14		

263	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. <i>BMC Geriatrics</i> , 2015 , 15, 149	4.1	24
262	The Link between Dietary Protein Intake, Skeletal Muscle Function and Health in Older Adults. 2015 , 3, 529-43		29
261	Protein Requirements and Recommendations for Older People: A Review. <i>Nutrients</i> , 2015 , 7, 6874-99	6.7	139
260	Lean Body Mass Associated with Upper Body Strength in Healthy Older Adults While Higher Body Fat Limits Lower Extremity Performance and Endurance. <i>Nutrients</i> , 2015 , 7, 7126-42	6.7	19
259	Dietary Protein Intake in Dutch Elderly People: A Focus on Protein Sources. <i>Nutrients</i> , 2015 , 7, 9697-706	6.7	64
258	Sarcopenic obesity and complex interventions with nutrition and exercise in community-dwelling older persons--a narrative review. 2015 , 10, 1267-82		75
257	Nutrition for Sarcopenia. 2015 , 7, 926-31		55
256	The pathogenetic bases of sarcopenia. 2015 , 12, 22-6		75
255	Fall and Fracture Risk in Sarcopenia and Dynapenia With and Without Obesity: the Role of Lifestyle Interventions. 2015 , 13, 235-44		54
254	Mail-Based Intervention for Sarcopenia Prevention Increased Anabolic Hormone and Skeletal Muscle Mass in Community-Dwelling Japanese Older Adults: The INE (Intervention by Nutrition and Exercise) Study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 654-60	5.9	44
253	Counteracting inflammation and insulin resistance with diet and exercise: A strategy for frailty prevention?. 2015 , 6, 220-231		7
252	Effects of an Oral Nutritional Supplementation Plus Physical Exercise Intervention on the Physical Function, Nutritional Status, and Quality of Life in Frail Institutionalized Older Adults: The ACTIVNES Study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 439.e9-439.e16	5.9	77
251	Rapid screening for sarcopenia. 2015 , 6, 312-4		35
250	Nutritional Guidance Improves Nutrient Intake and Quality of Life, and May Prevent Falls in Aged Persons with Alzheimer Disease Living with a Spouse (NuAD Trial). 2015 , 19, 901-7		26
249	Cardiac cachexia: hic et nunc: "hic et nunc" - here and now. 2015 , 201, e1-12		15
248	Nutritional supplementation and sarcopenia: the evidence grows. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 717-9	5.9	9
247	Nutritional Strategies Against Sarcopenia of Aging: Current Evidence and Future Directions. 2015 , 231-238		1
246	Supplemental protein in support of muscle mass and health: advantage whey. 2015 , 80 Suppl 1, A8-A15		167

245	Prevention and optimal management of sarcopenia: a review of combined exercise and nutrition interventions to improve muscle outcomes in older people. 2015 , 10, 859-69		177
244	Dietary Protein, Cognitive Decline, and Dementia. 2015 , 773-783		1
243	The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): Design and methods. 2015 , 43, 164-71		19
242	Bio-impedance analysis for appendicular skeletal muscle mass assessment in (pre-) frail elderly people. 2015 , 10, e147-e153		7
241	Update on protein intake: importance of milk proteins for health status of the elderly. 2015 , 73 Suppl 1, 41-7		36
240	Nutritional supplements in support of resistance exercise to counter age-related sarcopenia. 2015 , 6, 452-60		94
239	Protein and Older Persons. 2015 , 31, 327-38		11
238	Exercise and Sarcopenia. 2015 , 18, 488-92		94
237	Handgrip strength does not represent an appropriate measure to evaluate changes in muscle strength during an exercise intervention program in frail older people. 2015 , 25, 27-36		63
236	Need-based nutritional intervention is effective in improving handgrip strength and Barthel Index scores of older people living in a nursing home: a randomized controlled trial. 2015 , 52, 904-12		13
235	Nutritional interventions in sarcopenia: a critical review. 2015 , 74, 378-86		40
234	Predicting 3-year survival in older people with intellectual disabilities using a Frailty Index. 2015 , 63, 531-6		25
233	Protein and healthy aging. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1339S-1345S	7	162
232	Effects of a combined physical training and nutrition intervention on physical performance and health-related quality of life in prefrail older women living in the community: a randomized controlled trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 263.e1-8	5.9	52
231	[Frailty in people with intellectual disabilities: operationalization, risks and detection]. 2015 , 46, 92-103		4
230	Burden of frailty in the elderly population: perspectives for a public health challenge. 2015 , 73, 19		218
229	Insufficient Protein Intake Is Associated With Increased Mortality in 630 Patients With Cirrhosis Awaiting Liver Transplantation. 2015 , 30, 530-6		54
228	Protein supplementation with aging. 2015 , 18, 24-31		11

227	Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 740-7	5.9	350
226	Rapid Geriatric Assessment. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 808-12	5.9	48
225	Effects of leucine-rich protein supplements on anthropometric parameter and muscle strength in the elderly: a systematic review and meta-analysis. 2015 , 19, 437-46		90
224	Frailty and nutrition: searching for evidence. 2015 , 19, 250-7		107
223	Fragilidad en el adulto mayor: detección, intervención en la comunidad y toma de decisiones en el manejo de enfermedades crónicas. 2016 , 33, 328		4
222	Protein Metabolism in the Elderly: Molecular and Cellular Aspects. 2016 , 79-97		
221	The Aging Muscle and Sarcopenia. 2016 , 355-361		
220	Effect of Loquat Leaf Extract on Muscle Strength, Muscle Mass, and Muscle Function in Healthy Adults: A Randomized, Double-Blinded, and Placebo-Controlled Trial. 2016 , 2016, 4301621		14
219	Protein Intake and Muscle Health in Old Age: From Biological Plausibility to Clinical Evidence. <i>Nutrients</i> , 2016 , 8,	6.7	111
218	Protein Requirements during Aging. <i>Nutrients</i> , 2016 , 8,	6.7	31
217	mTORC1 in the Control of Myogenesis and Adult Skeletal Muscle Mass. 2016 , 37-56		3
216	La nutrition dans le parcours de soins des personnes âgées. 2016 , 30, 340-346		1
215	Welcome to the ICD-10 code for sarcopenia. 2016 , 7, 512-514		323
214	Effects of a nutrition plus exercise programme on physical function in sarcopenic obese elderly people: study protocol for a randomised controlled trial. 2016 , 6, e012140		6
213	Identifying effective and feasible interventions to accelerate functional recovery from hospitalization in older adults: A randomized controlled pilot trial. 2016 , 49, 6-14		14
212	Whey protein stories - An experiment in writing a multidisciplinary biography. 2016 , 107, 285-294		6
211	Sarcopenia Is Recognized as an Independent Condition by an International Classification of Disease, Tenth Revision, Clinical Modification (ICD-10-CM) Code. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 675-7	5.9	171
210	Expression of protocadherin gamma in skeletal muscle tissue is associated with age and muscle weakness. 2016 , 7, 604-614		32

209	The role of exercise, milk, dairy foods and constituent proteins on the prevention and management of sarcopenia. 2016 , 69, 13-21		2
208	Cardiac cachexia: hic et nunc. 2016 , 7, 246-60		74
207	The effect of exercise training on the course of cardiac troponin T and I levels: three independent training studies. <i>Scientific Reports</i> , 2015 , 5, 18320	4.9	5
206	JAMDA: The State of the Journal. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 867-715.9		
205	The mTOR Conundrum: Essential for Muscle Function, but Dangerous for Survival. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 963-966	5.9	2
204	Counteracting Age-related Loss of Skeletal Muscle Mass: a clinical and ethnological trial on the role of protein supplementation and training load (CALM Intervention Study): study protocol for a randomized controlled trial. 2016 , 17, 397		28
203	The Muscle Metabolome Differs between Healthy and Frail Older Adults. 2016 , 15, 499-509		56
202	Double-blind, placebo-controlled pilot trial of L-Leucine-enriched amino-acid mixtures on body composition and physical performance in men and women aged 65-75 years. 2016 , 70, 182-8		40
201	Pharmacologic Options for the Treatment of Sarcopenia. 2016 , 98, 319-33		115
200	Dietary Variety and Decline in Lean Mass and Physical Performance in Community-Dwelling Older Japanese: A 4-year Follow-Up Study. 2017 , 21, 11-16		45
199	Comparison of the prevalence of sarcopenia using skeletal muscle mass index and calf circumference applying the European consensus definition in elderly Mexican women. 2017 , 17, 161-170		20
198	Nutritional Considerations for Healthy Aging and Reduction in Age-Related Chronic Disease. 2017 , 8, 17-26		158
197	Rapid Geriatric Assessment: A Tool for Primary Care Physicians. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 195-199	5.9	21
196	Effects of Aerobic and Resistance Training Combined with Fortified Milk on Muscle Mass, Muscle Strength, and Physical Performance in Older Adults: A Randomized Controlled Trial. 2017 , 21, 1349-1357		9
195	Impact of nutrition for rehabilitation of older patients: Report on the 1st EICA-ESPRM-EUGMS Train the Trainers Course. 2017 , 8, 183-190		6
194	Protein and exercise in the prevention of sarcopenia and aging. 2017 , 40, 1-20		70
193	Efficacy of an Exercise and Nutritional Supplement Program on Physical Performance and Nutritional Status in Older Adults With Mobility Limitations Residing at Senior Living Facilities. 2017 , 25, 453-463		5
192	Efficacy of a novel formulation of L-Carnitine, creatine, and leucine on lean body mass and functional muscle strength in healthy older adults: a randomized, double-blind placebo-controlled study. 2017 , 14, 7		31

191	Nutrition and Aging Well. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 91-94	5.9	3
190	The Impact of Dietary Protein or Amino Acid Supplementation on Muscle Mass and Strength in Elderly People: Individual Participant Data and Meta-Analysis of RCT's. 2017 , 21, 994-1001		76
189	Epidemiology of Sarcopenia: Determinants Throughout the Lifecourse. 2017 , 101, 229-247		74
188	Effectiveness of nutritional and exercise interventions to improve body composition and muscle strength or function in sarcopenic obese older adults: A systematic review. 2017 , 43, 3-15		36
187	Epidemiology of sarcopenia and insight into possible therapeutic targets. 2017 , 13, 340-347		90
186	Habituation to low or high protein intake does not modulate basal or postprandial muscle protein synthesis rates: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 332-342	7	32
185	Even mealtime distribution of protein intake is associated with greater muscle strength, but not with 3-y physical function decline, in free-living older adults: the Quebec longitudinal study on Nutrition as a Determinant of Successful Aging (NuAge study). <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 113-124	7	69
184	Nutrition and aging successfully. 2017 , 20, 1-3		10
183	Computed tomography measured psoas density predicts outcomes in trauma. 2017 , 162, 377-384		42
182	Malnutrition or frailty? Overlap and evidence gaps in the diagnosis and treatment of frailty and malnutrition. 2017 , 42, 449-458		66
181	Animal models of cachexia and sarcopenia in chronic illness: Cardiac function, body composition changes and therapeutic results. 2017 , 238, 12-18		21
180	Optimizing Protein Intake in Adults: Interpretation and Application of the Recommended Dietary Allowance Compared with the Acceptable Macronutrient Distribution Range. 2017 , 8, 266-275		61
179	Intake of a Protein-Enriched Milk and Effects on Muscle Mass and Strength. A 12-Week Randomized Placebo Controlled Trial among Community-Dwelling Older Adults. 2017 , 21, 1160-1169		18
178	The effects of dietary protein intake on appendicular lean mass and muscle function in elderly men: a 10-wk randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 1375-1383	7	81
177	The Multidomain Nature of Malnutrition in Older Persons. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 908-912	5.9	6
176	Supplementing Breakfast with a Vitamin D and Leucine-Enriched Whey Protein Medical Nutrition Drink Enhances Postprandial Muscle Protein Synthesis and Muscle Mass in Healthy Older Men. 2017 , 147, 2262-2271		63
175	Protein Ingestion before Sleep Increases Overnight Muscle Protein Synthesis Rates in Healthy Older Men: A Randomized Controlled Trial. 2017 , 147, 2252-2261		56
174	JAMDA Maintains Excellent Impact Factor. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 737-740	5.9	0

173	Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. 2017 , 21, 936-942		34
172	Different protein and derivatives supplementation strategies combined with resistance training in pre-frail and frail elderly: Rationale and protocol for the "Pro-Elderly" Study. 2017 , 23, 251-260		5
171	Sarcopenia. 2017 , 31, 218-242		56
170	Muscle Protein Synthesis and Muscle Mass in Healthy Older Men. 2017 , 147, 2209-2211		4
169	The Asia-Pacific Clinical Practice Guidelines for the Management of Frailty. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 564-575	5.9	227
168	A 12-week intervention with protein-enriched foods and drinks improved protein intake but not physical performance of older patients during the first 6 months after hospital release: a randomised controlled trial. 2017 , 117, 1541-1549		21
167	Dietary protein supplementation in the elderly for limiting muscle mass loss. 2017 , 49, 33-47		33
166	Development of a Japanese version of the SARC-F for diabetic patients: an examination of reliability and validity. 2017 , 29, 935-942		68
165	Populations and outcome measures used in ongoing research in sarcopenia. 2017 , 29, 695-700		7
164	Integrated care for geriatric frailty and sarcopenia: a randomized control trial. 2017 , 8, 78-88		34
163	A combination of Korean mistletoe extract and resistance exercise retarded the decline in muscle mass and strength in the elderly: A randomized controlled trial. 2017 , 87, 48-56		5
162	Whey Protein Supplementation Improves Rehabilitation Outcomes in Hospitalized Geriatric Patients: A Double Blinded, Randomized Controlled Trial. 2017 , 36, 149-165		19
161	Importance of Frailty Concept in a Superaged Society, and its Diagnosis and Management. 2017 , 44, 370-377		
160	Implications of ICD-10 for Sarcopenia Clinical Practice and Clinical Trials: Report by the International Conference on Frailty and Sarcopenia Research Task Force. 2018 , 7, 2-9		59
159	The Role of Inflammation in Age-Related Sarcopenia. 2017 , 8, 1045		219
158	Link between blood flow and muscle protein metabolism in elderly adults. 2017 , 6, 25-31		5
157	Novel essential amino acid supplements enriched with L-leucine facilitate increased protein and energy intakes in older women: a randomised controlled trial. 2017 , 16, 75		10
156	Evaluation and management of frailty. 2017 , 60, 314		6

155	Approaches to therapy and prevention of frailty in the light of contemporary medicine. 2017 , 3, 289-297		1
154	Systematic review and meta-analysis of the effect of protein and amino acid supplements in older adults with acute or chronic conditions. 2018 , 119, 527-542		28
153	Protein and Peptides for Elderly Health. 2018 , 112, 265-308		6
152	Identifying acceptable components for home-based health promotion services for older people with mild frailty: A qualitative study. 2018 , 26, 393-403		15
151	Dietary Protein and Preservation of Physical Functioning Among Middle-Aged and Older Adults in the Framingham Offspring Study. 2018 , 187, 1411-1419		28
150	Effect of Protein Intake on Lean Body Mass in Functionally Limited Older Men: A Randomized Clinical Trial. 2018 , 178, 530-541		64
149	Physical and Nutritional Prehabilitation in Older Patients With Colorectal Carcinoma: A Systematic Review. 2018 , 41, 236-244		30
148	Supplemental protein from dairy products increases body weight and vitamin D improves physical performance in older adults: a systematic review and meta-analysis. 2018 , 49, 1-22		17
147	Does nutrition play a role in the prevention and management of sarcopenia?. 2018 , 37, 1121-1132		179
146	Reconsideration of frailty in relation to surgical indication. 2018 , 66, 201-213		1
145	Fish oil-derived n-3 polyunsaturated fatty acids for the prevention and treatment of sarcopenia. 2018 , 21, 104-109		27
144	Personalising nutrition for older adults: The InCluSilver project. 2018 , 43, 442-455		3
143	Effects of protein supplementation on lean body mass, muscle strength, and physical performance in nonfrail community-dwelling older adults: a systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1043-1059	7	54
142	Protein supplementation improves muscle mass and physical performance in undernourished prefrail and frail elderly subjects: a randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1026-1033	7	70
141	Effects of Protein Supplementation Combined with Exercise Intervention on Frailty Indices, Body Composition, and Physical Function in Frail Older Adults. <i>Nutrients</i> , 2018 , 10,	6.7	30
140	Low Protein Intake Is Associated with Frailty in Older Adults: A Systematic Review and Meta-Analysis of Observational Studies. <i>Nutrients</i> , 2018 , 10,	6.7	52
139	Nordic walking training and nutritional supplementation in pre-frail older Indians: an open-labelled experimental pre-test and post-test pilot study to develop intervention model. <i>BMC Geriatrics</i> , 2018 , 18, 212	4.1	4
138	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). 2018 , 13, e0196406		19

137	Green tea extracts ameliorate high-fat diet-induced muscle atrophy in senescence-accelerated mouse prone-8 mice. 2018 , 13, e0195753		26
136	Sarcopenic obesity in older adults: aetiology, epidemiology and treatment strategies. 2018 , 14, 513-537		325
135	The role of nutrition in ageing: A narrative review from the perspective of the European joint action on frailty - ADVANTAGE JA. 2018 , 56, 26-32		24
134	Einsatz und Nutzen funktioneller Parameter als Endpunkte in klinischen Ernährungsstudien. 2018 , 43, 162-172		0
133	Refeeding syndrome in the frail elderly population: prevention, diagnosis and management. 2018 , 11, 255-264		25
132	Dietary Protein, Muscle and Physical Function in the Very Old. <i>Nutrients</i> , 2018 , 10,	6.7	25
131	l-Carnitine Supplementation in Recovery after Exercise. <i>Nutrients</i> , 2018 , 10,	6.7	43
130	The Beneficial Effects of Taurine to Counteract Sarcopenia. 2018 , 19, 673-680		27
129	Leucine and ACE inhibitors as therapies for sarcopenia (LACE trial): study protocol for a randomised controlled trial. 2018 , 19, 6		28
128	Chapter 4 Treatment of sarcopenia. 2018 , 18 Suppl 1, 28-44		38
127	Approach to frailty in the elderly in primary care and the community. 2018 , 59, 240-245		25
126	An Update on Protein, Leucine, Omega-3 Fatty Acids, and Vitamin D in the Prevention and Treatment of Sarcopenia and Functional Decline. <i>Nutrients</i> , 2018 , 10,	6.7	55
125	Ingestion of a Multi-Ingredient Supplement Does Not Alter Exercise-Induced Satellite Cell Responses in Older Men. 2018 , 148, 891-899		9
124	What are the most effective interventions to improve physical performance in pre-frail and frail adults? A systematic review of randomised control trials. <i>BMC Geriatrics</i> , 2019 , 19, 184	4.1	44
123	Physical performance and muscular status in sarcopenic elderly following exercise and dietary supplement. 2019 , 1272, 012004		
122	Dietary Protein, Exercise, and Frailty Domains. <i>Nutrients</i> , 2019 , 11,	6.7	8
121	Efficacy of Nutritional Interventions as Stand-Alone or Synergistic Treatments with Exercise for the Management of Sarcopenia. <i>Nutrients</i> , 2019 , 11,	6.7	18
120	Malnutrition, frailty, and sarcopenia in pancreatic cancer patients: assessments and interventions for the pancreatic surgeon. 2019 , 2,		2

119	Function Promoting Therapies Come of Age. 2019 , 74, 1595-1597		
118	Effects of Leucine-Enriched Whey Protein Supplementation on Physical Function in Post-Hospitalized Older Adults Participating in 12-Weeks of Resistance Training Program: A Randomized Controlled Trial. <i>Nutrients</i> , 2019 , 11,	6.7	13
117	Multimodal prehabilitation in colorectal cancer patients to improve functional capacity and reduce postoperative complications: the first international randomized controlled trial for multimodal prehabilitation. 2019 , 19, 98		102
116	Considerations for the Development of Innovative Foods to Improve Nutrition in Older Adults. <i>Nutrients</i> , 2019 , 11,	6.7	7
115	Carbohydrate and Protein Metabolism: Influences on Cognition and Alzheimer's Disease. 2019 , 149-187		0
114	D-Creatine dilution and the importance of accuracy in the assessment of skeletal muscle mass. 2019 , 10, 14-21		69
113	Obesity, Physical Function, and Training Success in Community-Dwelling Nonsarcopenic Old Adults. 2019 , 2019, 5340328		3
112	Acute effects of essential amino acid gel-based and whey protein supplements on appetite and energy intake in older women. 2019 , 44, 1141-1149		7
111	A Phase I Randomized Clinical Trial of Evidence-Based, Pragmatic Interventions to Improve Functional Recovery After Hospitalization in Geriatric Patients. 2019 , 74, 1628-1636		8
110	Effect of nutritional supplementations on physical performance and muscle strength parameters in older people: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2019 , 51, 48-54	12	30
109	Improving Outcomes in Oncological Colorectal Surgery by Prehabilitation. 2019 , 98, 231-238		5
108	The effects of a combined bodyweight-based and elastic bands resistance training, with or without protein supplementation, on muscle mass, signaling and heat shock response in healthy older people. 2019 , 115, 104-113		28
107	The Effect of β-hydroxy-β-methylbutyrate (HMB) on Sarcopenia and Functional Frailty in Older Persons: A Systematic Review. 2019 , 23, 145-150		29
106	Moderate Protein Restriction in Advanced CKD: A Feasible Option in An Elderly, High-Comorbidity Population. A Stepwise Multiple-Choice System Approach. <i>Nutrients</i> , 2018 , 11,	6.7	15
105	The Impact of Dairy Protein Intake on Muscle Mass, Muscle Strength, and Physical Performance in Middle-Aged to Older Adults with or without Existing Sarcopenia: A Systematic Review and Meta-Analysis. 2019 , 10, 59-69		43
104	Branched-Chain Amino Acids (Leucine, Isoleucine, and Valine) and Skeletal Muscle. 2019 , 283-298		5
103	Higher protein intake is associated with a lower likelihood of frailty among older women, Kuopio OSTPRE-Fracture Prevention Study. 2020 , 59, 1181-1189		9
102	The effect of protein supplements on functional frailty in older persons: A systematic review and meta-analysis. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 86, 103938	4	12

101	Sarcopenia: Tilting the Balance of Protein Homeostasis. 2020 , 20, e1800411		12
100	Association between Traditional Japanese Diet Washoku and Sarcopenia in Community-Dwelling Older Adults: Findings from the Kashiwa Study. 2020 , 24, 282-289		10
99	A word of caution against excessive protein intake. 2020 , 16, 59-66		24
98	Guidelines for parenteral and enteral nutrition in geriatric patients in China. 2020 , 3, 110-124		2
97	Effects of Nutritional Interventions on Nutritional and Functional Outcomes in Geriatric Rehabilitation Patients: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1207-1215.e9	5.9	9
96	Effects of protein supplementation on muscle wasting disorders: A brief update of the evidence. 2020 , 39 Suppl 2, 3-10		1
95	Frailty Intervention through Nutrition Education and Exercise (FINE). A Health Promotion Intervention to Prevent Frailty and Improve Frailty Status among Pre-Frail Elderly-A Study Protocol of a Cluster Randomized Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	5
94	Sarcopenia and its relation to protein intake across older ethnic populations in the Netherlands: the HELIUS study. 2020 , 1-16		5
93	Effect of Dairy Protein Intake on Muscle Mass among Korean Adults: A Prospective Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	0
92	Nutritional interventions for the management of frailty in older adults: systematic review and meta-analysis of randomized clinical trials. 2021 , 79, 889-913		4
91	Effect of lean red meat combined with a multicomponent exercise program on muscle and cognitive function in older adults: a 6-month randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 113-128	7	7
90	Effects of a multinutrient-fortified milk drink combined with exercise on functional performance, muscle strength, body composition, inflammation, and oxidative stress in middle-aged women: a 4-month, double-blind, placebo-controlled, randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 107-116	7	5
89	Amount of Protein Required to Improve Muscle Mass in Older Adults. <i>Nutrients</i> , 2020 , 12,	6.7	3
88	Countering disuse atrophy in older adults with low-volume leucine supplementation. 2020 , 128, 967-977		8
87	Microbiota Stability and Gastrointestinal Tolerance in Response to a High-Protein Diet with and without a Prebiotic, Probiotic, and Synbiotic: A Randomized, Double-Blind, Placebo-Controlled Trial in Older Women. 2020 , 120, 500-516.e10		22
86	Physical activity and exercise: Strategies to manage frailty. 2020 , 35, 101513		62
85	Supplementation with Whey Protein, Omega-3 Fatty Acids and Polyphenols Combined with Electrical Muscle Stimulation Increases Muscle Strength in Elderly Adults with Limited Mobility: A Randomized Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	5
84	Leucine-Enriched Protein Supplementation Increases Lean Body Mass in Healthy Korean Adults Aged 50 Years and Older: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	2

83	Chapter 3 Frailty prevention. 2020 , 20 Suppl 1, 20-24		3
82	The Role of Protein Intake and its Timing on Body Composition and Muscle Function in Healthy Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2020 , 150, 1443-1460		9
81	Protein intake in older people : Why, how much and how?. 2020 , 53, 285-289		6
80	Dairy foods and maintenance of muscle mass in the elderly. 2020 , 371-405		
79	Strategies to Prevent or Remediate Cancer and Treatment-Related Aging. 2021 , 113, 112-122		18
78	Getting to grips with sarcopenia: recent advances and practical management for the gastroenterologist. 2021 , 12, 53-61		5
77	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. 2021 , 33, 3-17		16
76	Associations of coffee drinking with physical performance in the oldest-old community-dwelling men The Helsinki Businessmen Study (HBS). 2021 , 33, 1371-1375		1
75	Factors influencing the efficacy of nutritional interventions on muscle mass in older adults: a systematic review and meta-analysis. 2021 , 79, 315-330		9
74	The provision of recipes and single-use herb/spice packets to increase egg and protein intake in community-dwelling older adults: a randomised controlled trial. 2021 , 24, 2109-2122		1
73	The Impact of Protein Supplementation on Appetite and Energy Intake in Healthy Older Adults: A Systematic Review with Meta-Analysis. 2021 , 12, 490-502		3
72	Protein intake is not associated with functional biomarkers of physical frailty: A cross-sectional analysis of community-dwelling older adults with type 2 diabetes mellitus. 2021 , 31, 827-833		2
71	Effects of adequate dietary protein with whey protein, leucine, and vitamin D supplementation on sarcopenia in older adults: An open-label, parallel-group study. 2021 , 40, 1323-1329		10
70	Dietary approaches to maintaining muscle mass. 2021 , 81-107		
69	The effect of daily protein supplementation, with or without resistance training for 1 year, on muscle size, strength, and function in healthy older adults: A randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 790-800	7	11
68	Factors Influencing the Muscle Strength of the Elderly Without Activity Restrictions By Gender. 2021 , 23, 43-53		0
67	Association of regular aerobic exercises and neuromuscular junction variants with incidence of frailty: an analysis of the Chinese Longitudinal Health and Longevity Survey. 2021 , 12, 350-357		4
66	Digitally Supported Dietary Protein Counseling Changes Dietary Protein Intake, Sources and Distribution in Community-Dwelling Older Adults. <i>Nutrients</i> , 2021 , 13,	6.7	3

65	Increased Leg Strength After Concurrent Aerobic and Resistance Exercise Training in Older Adults Is Augmented by a Whole Food-Based High Protein Diet Intervention. 2021 , 3, 653962		4
64	Nutritional Approaches for Attenuating Muscle Atrophy.		1
63	High Frequency Protein-Rich Meal Service to Promote Protein Distribution to Stimulate Muscle Function in Preoperative Patients. <i>Nutrients</i> , 2021 , 13,	6.7	
62	Protein Source and Quality for Skeletal Muscle Anabolism in Young and Older Adults: A Systematic Review and Meta-Analysis. 2021 , 151, 1901-1920		1
61	Nutritional Approaches to Treat Sarcopenia. 2021 , 335-353		
60	Optimal Protein Intake in Pre-Dialysis Chronic Kidney Disease Patients with Sarcopenia: An Overview. <i>Nutrients</i> , 2021 , 13,	6.7	4
59	Interaction between APOE ϵ and dietary protein intake on cognitive decline: A longitudinal cohort study. 2021 , 40, 2716-2725		5
58	Sarcopenia among the Elderly Population: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2021 , 9,		2
57	Prehabilitation program composed of blood flow restriction training and sports nutrition improves physical functions in abdominal cancer patients awaiting surgery. 2021 , 47, 2952-2958		2
56	Daily Supplementation With Whey, Soy, or Whey-Soy Blended Protein for 6 Months Maintained Lean Muscle Mass and Physical Performance in Older Adults With Low Lean Mass. 2021 , 121, 1035-1048.e6		4
55	Impact of premature natural menopause on body composition and physical function in elderly women: A Korean frailty and aging cohort study. 2021 , 100, e26353		1
54	Effectiveness of nutrition interventions and combined nutrition and physical activity interventions in older adults with frailty or prefrailty: a systematic review and meta-analysis. 2021 , 9, E744-E756		3
53	The association of macronutrient deficit with functional status at discharge from the intensive care unit: a retrospective study from a single-center critical illness registry. 2021 ,		0
52	Frailty Assessment and Prehabilitation Before Complex Spine Surgery in Patients With Degenerative Spine Disease: A Narrative Review. 2021 ,		0
51	Effectiveness of a Supervised Group-Based Otago Exercise Program on Functional Performance in Frail Institutionalized Older Adults: A Multicenter Randomized Controlled Trial. 2021 ,		0
50	Perioperative Care of Patients Undergoing Major Complex Spinal Instrumentation Surgery: Clinical Practice Guidelines From the Society for Neuroscience in Anesthesiology and Critical Care. 2021 ,		0
49	Current perspectives on defining and mitigating frailty in relation to critical illness. 2021 , 40, 5430-5437		0
48	The impact of collagen protein ingestion on musculoskeletal connective tissue remodeling: a narrative review. 2021 ,		1

47	Frailty. 2017 , 89-97		1
46	Frailty, Sarcopenia and Falls. 2018 , 15-26		4
45	Sarcopenia during COVID-19 lockdown restrictions: long-term health effects of short-term muscle loss. 2020 , 42, 1547-1578		83
44	The Impact of Dietary Factors on Indices of Chronic Disease in Older People: A Systematic Review. 2018 , 22, 282-296		19
43	Effects of Protein, Essential Amino Acids, B-Hydroxy B-Methylbutyrate, Creatine, Dehydroepiandrosterone and Fatty Acid Supplementation on Muscle Mass, Muscle Strength and Physical Performance in Older People Aged 60 Years and Over. A Systematic Review on the Literature. 2018 , 22, 117-130		24
42	Impact of Sarcopenia on Degenerative Lumbar Spondylosis. 2021 , 34, 43-50		3
41	Nutrition, Physical Exercise, and the Prevalence of Sarcopenia in Elderly Residents in Nursing Homes in China. 2019 , 25, 4390-4399		17
40	Clinical effectiveness of protein and amino acid supplementation on building muscle mass in elderly people: a meta-analysis. 2014 , 9, e109141		37
39	Soluble Milk Protein Supplementation with Moderate Physical Activity Improves Locomotion Function in Aging Rats. 2016 , 11, e0167707		9
38	Wasting in Chronic Kidney Disease – A Complex Issue. 2018 , 3,		3
37	Nutrition Interventions to Manage Sarcopenia: An Appraisal of the Existing Evidence. 1-19		1
36	Frailty and Comprehensive Geriatric Assessment. 2020 , 35, e16		42
35	Frailty Among Non-Elderly Patients Undergoing Cardiac Surgery. 2020 , 115, 604-610		4
34	Association of Dietary Variety with Nutrient and Food Group Intake and Frailty among Community-dwelling Japanese Older Adults. <i>The Japanese Journal of Nutrition and Dietetics</i> , 2019 , 77, 19-28	0.2	6
33	Advantage of Dairy for Improving Aging Muscle. <i>Journal of Obesity and Metabolic Syndrome</i> , 2019 , 28, 167-174	4.4	2
32	Nutrition and Exercise to Maintain Physical Functioning During Ageing. <i>Healthy Ageing and Longevity</i> , 2021 , 275-298	0.5	
31	Protein interventions augment the effect of resistance exercise on appendicular lean mass and handgrip strength in older adults: a systematic review and meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2021 ,	7	5
30	The Link between Dietary Protein Intake, Skeletal Muscle Function and Health in Older Adults. 2016 , 127-146		

29	Comprehensive Geriatric Assessment (CGA): The Best Integrated Care Approach against Frailty. <i>MOJ Gerontology & Geriatrics</i> , 2017 , 1,	0.2	
28	15: Dietary Protein and Physical Training Effects on Body Composition and Performance. 2017 , 323-342		
27	PROTEIN AND PHYSICAL ACTIVITY IN PREVENTION AND TREATMENT OF SARCOPENIA. <i>Wiadomości Lekarskie</i> , 2019 , 72, 1660-1666	0.3	
26	Pharmacological Treatment of Sarcopenia. <i>Revista Brasileira De Ortopedia</i> , 2021 , 56, 425-431	0.5	0
25	Ondervoeding bij ouderen. 2021 , 43-66		
24	Nutrition and the Assessment of Sarcopenia. 2022 , 269-281		
23	The prevalence and prognostic value of frailty screening measures in patients undergoing surgery for colorectal cancer: observations from a systematic review.. <i>BMC Geriatrics</i> , 2022 , 22, 260	4.1	1
22	Patients with low muscle mass have characteristic microbiome with low potential for amino acid synthesis in chronic liver disease.. <i>Scientific Reports</i> , 2022 , 12, 3674	4.9	0
21	Effects and contextual factors of a diet and resistance exercise intervention vary across settings: an overview of three successive ProMuscle interventions.. <i>BMC Geriatrics</i> , 2022 , 22, 189	4.1	
20	Association between dietary protein intake and changes in health-related quality of life in older adults: findings from the AusDiab 12-year prospective study.. <i>BMC Geriatrics</i> , 2022 , 22, 211	4.1	2
19	Sarcopenia definition: does it really matter? Implications for resistance training?. <i>Ageing Research Reviews</i> , 2022 , 101617	12	0
18	Effects of Resistance Training Intervention along with Leucine-Enriched Whey Protein Supplementation on Sarcopenia and Frailty in Post-Hospitalized Older Adults: Preliminary Findings of a Randomized Controlled Trial.. <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	0
17	Strategies to Prevent Sarcopenia in the Aging Process: Role of Protein Intake and Exercise.. <i>Nutrients</i> , 2021 , 14,	6.7	5
16	Untargeted Metabolomic Assay of Pre frail Older Adults after Nutritional Intervention. <i>Metabolites</i> , 2022 , 12, 378	5.6	
15	Association of Dietary Protein Intake and Grip Strength Among Adults Aged 19+ Years: NHANES 2011â2014 Analysis. <i>Frontiers in Nutrition</i> , 2022 , 9,	6.2	1
14	Sarcopenia: molecular mechanism and current nutritional approach. 2022 ,		0
13	Effects of Protein and Amino Acid Supplementation on Muscle Mass and Strength in a Healthy Population. <i>Nutrition Today</i> , 2022 , 57, 166-178	1.6	
12	Taurine Administration Counteracts Aging-Associated Impingement of Skeletal Muscle Regeneration by Reducing Inflammation and Oxidative Stress. <i>Antioxidants</i> , 2022 , 11, 1016	7.1	1

11	Exercise and Nutrition Strategies for Combating Sarcopenia and Type 2 Diabetes Mellitus in Older Adults. <i>Journal of Functional Morphology and Kinesiology</i> , 2022 , 7, 48	2.4	1
10	Effects of leucine-rich protein supplements in older adults with sarcopenia: A systematic review and meta-analysis of randomized controlled trials. <i>Archives of Gerontology and Geriatrics</i> , 2022 , 104758	4	1
9	Management of Sarcopenia in Patients with Rheumatoid Arthritis.		0
8	Alternative dietary protein sources to support healthy and active skeletal muscle aging.		0
7	Sarcopenia and impairment in global cognitive, delayed memory, and olfactory function, among community-dwelling adults, in Jakarta, Indonesia: Active aging study. 2022 , 0		0
6	Effects of nutritional supplement and resistance training for sarcopenia in patients with inflammatory bowel disease: A randomized controlled trial. 2022 , 101, e30386		0
5	Leucine and perindopril to improve physical performance in people over 70 years with sarcopenia: the LACE factorial RCT. 2022 , 9, 1-82		0
4	Effects of multidomain interventions on skeletal muscle architecture and function in pre-frail older women: The WiiProtein study. 2022 , 48, 230-239		0
3	Protein intake and bone mineral density: Cross-sectional relationship and longitudinal effects in older adults.		1
2	Functional Nutrients to Ameliorate Neurogenic Muscle Atrophy. 2022 , 12, 1149		3
1	Sarcopenia and COVID-19 Outcomes. Volume 18, 359-373		0