

CITATION REPORT

List of articles citing

The relationship between contact force and clinical outcome during radiofrequency catheter ablation of atrial fibrillation in the TOCCATA study

DOI: 10.1016/j.hrthm.2012.07.016
Heart Rhythm, 2012, 9, 1789-95.

Source: <https://exaly.com/paper-pdf/53325938/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
408	2012 HRS/EHRA/ECAS expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial design: a report of the Heart Rhythm Society (HRS) Task Force on Catheter and Surgical Ablation of Atrial Fibrillation. Developed in partnership with the European Heart Rhythm Association (EHRA) and the European Society of Cardiology (ESC). <i>Heart Rhythm</i> , 2012 , 9, 1796-7	6.7	1314
407	How to achieve durable pulmonary vein isolation: use the force. <i>Heart Rhythm</i> , 2012 , 9, 1796-7	6.7	
406	Use of a closed loop irrigated catheter in epicardial ablation of ventricular tachycardia. 2013 , 38, 35-42		3
405	First experience with a novel robotic remote catheter system: Amigo mapping trial. 2013 , 37, 121-9		71
404	Innovations in heart rhythm disturbances: cardiac electrophysiology, arrhythmias, and cardiac pacing. 2013 , 66, 116-23		2
403	Ultrasound-guided transesophageal HIFU exposures for atrial fibrillation treatment: First animal experiment. 2013 , 34, 315-318		6
402	Ablation effect indicated by impedance fall is correlated with contact force level during ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1210-5	2.7	24
401	A new catheter for pulmonary vein isolation: the hole story?. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1336-7	2.7	5
400	Novedades en alteraciones del ritmo cardiaco: electrofisiología cardiaca, arritmias y estimulación cardiaca. 2013 , 66, 116-123		8
399	Predictive value of impedance changes for real-time contact force measurements during catheter ablation of atrial arrhythmias in humans. <i>Heart Rhythm</i> , 2013 , 10, 962-9	6.7	44
398	Update on atrial fibrillation catheter ablation technologies and techniques. 2013 , 10, 599-612		35
397	Characterization of catheter-tissue contact force during epicardial radiofrequency ablation in an ovine model. 2013 , 6, 1222-8		22
396	Unipolar electrogram morphology to assess lesion formation during catheter ablation of atrial fibrillation: successful translation into clinical practice. 2013 , 6, 1050-2		8
395	The impact of power output during percutaneous catheter radiofrequency ablation for atrial fibrillation on efficacy and safety outcomes: a systematic review. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1216-23	2.7	16
394	Design and evaluation of a transesophageal HIFU probe for ultrasound-guided cardiac ablation: simulation of a HIFU mini-maze procedure and preliminary ex vivo trials. 2013 , 60, 1868-83		21
393	Efficacy of additional radiofrequency applications for spontaneous dissociated pulmonary vein activity after pulmonary vein isolation in patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 894-901	2.7	10
392	Electrical reconnection after pulmonary vein isolation is contingent on contact force during initial treatment: results from the EFFICAS I study. 2013 , 6, 327-33		328

391	Mitral isthmus ablation is feasible, efficacious, and safe using a remote robotic catheter system. 2013 , 36, 1364-72		4
390	How effective is ablation therapy for cardiac arrhythmias?. 2013 , 10, 177-187		1
389	Contact force mapping during catheter ablation for atrial fibrillation: procedural data and one-year follow-up. 2014 , 10, 266-72		27
388	Improving ablation strategies for the treatment of atrial fibrillation. 2014 , 11, 77-88		1
387	The benefit of tissue contact monitoring with an electrical coupling index during ablation of typical atrial flutter--a prospective randomised control trial. 2014 , 41, 237-44		2
386	Relationship between catheter contact force and radiofrequency lesion size and incidence of steam pop in the beating canine heart: electrogram amplitude, impedance, and electrode temperature are poor predictors of electrode-tissue contact force and lesion size. 2014 , 7, 1174-80		141
385	Catheter-tissue contact force for pulmonary veins isolation: a pilot multicentre study on effect on procedure and fluoroscopy time. 2014 , 16, 335-40		48
384	Characterization of the impact of catheter-tissue contact force in lesion formation during cavo-tricuspid isthmus ablation in an experimental swine model. 2014 , 16, 1679-83		13
383	Safety and efficacy of multipolar pulmonary vein ablation catheter vs. irrigated radiofrequency ablation for paroxysmal atrial fibrillation: a randomized multicentre trial. 2014 , 16, 1145-53		39
382	Contact force and force-time integral in atrial radiofrequency ablation predict transmuralty of lesions. 2014 , 16, 660-7		78
381	Quantitative magnetic resonance imaging analysis of the relationship between contact force and left atrial scar formation after catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 138-45	2.7	59
380	Pulmonary vein isolation using "contact force" ablation: the effect on dormant conduction and long-term freedom from recurrent atrial fibrillation--a prospective study. <i>Heart Rhythm</i> , 2014 , 11, 1919-24	6.7	116
379	Regional difference of optimal contact force to prevent acute pulmonary vein reconnection during radiofrequency catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 941-947	2.7	26
378	Operator-blinded contact force monitoring during pulmonary vein isolation using conventional and steerable sheaths. 2014 , 177, 970-6		17
377	Mechanisms of pulmonary vein reconnection after radiofrequency ablation of atrial fibrillation: the deterministic role of contact force and interlesion distance. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 701-8	2.7	81
376	In vitro evaluation of ice-cold saline irrigation during catheter radiofrequency ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1125-32	2.7	7
375	Comparison of left atrial area marked ablated in electroanatomical maps with scar in MRI. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 457-463	2.7	38
374	Real-time contact force sensing for pulmonary vein isolation in the setting of paroxysmal atrial fibrillation: procedural and 1-year results. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 130-7	2.7	123

373	Periprocedural imaging and outcomes after catheter ablation of atrial fibrillation. 2014 , 100, 1871-7		12
372	[Catheter ablation of paroxysmal atrial fibrillation: state of the art]. 2014 , 25, 214-9		
371	In vivo left-ventricular contact force analysis: comparison of antegrade transeptal with retrograde transaortic mapping strategies and correlation of impedance and electrical amplitude with contact force. 2014 , 16, 1387-95		37
370	Tachyarrhythmias and catheter ablation in adult congenital heart disease. 2014 , 12, 751-70		6
369	Feasibility of near real-time lesion assessment during radiofrequency catheter ablation in humans using acoustic radiation force impulse imaging. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1275-83	2.7	17
368	First evidence of clinical benefit of robotically driven catheter ablation or an outlayer?. 2014 , 37, 1423-6		1
367	Initial impedance decrease as an indicator of good catheter contact: insights from radiofrequency ablation with force sensing catheters. <i>Heart Rhythm</i> , 2014 , 11, 194-201	6.7	68
366	Contact force-sensing catheters: evolution or revolution in catheter ablation technology?. 2014 , 7, 5-6		8
365	Which is the best catheter to perform atrial fibrillation ablation? A comparison between standard ThermoCool, SmartTouch, and Surround Flow catheters. 2014 , 39, 193-200		34
364	Acute pulmonary vein reconnection is a predictor of atrial fibrillation recurrence following pulmonary vein isolation. 2014 , 39, 225-32		45
363	Impact of real-time contact force and impedance measurement in pulmonary vein isolation procedures for treatment of atrial fibrillation. 2014 , 103, 97-106		56
362	Prolonged ablation on critical segments of pulmonary vein ostia in paroxysmal atrial fibrillation: a prospective randomized controlled study. 2014 , 37, 603-9		
361	The past, the present, and the future of cardiac arrhythmia ablation. 2014 , 30, S431-41		18
360	Catheter-tissue contact force determines atrial electrogram characteristics before and lesion efficacy after antral pulmonary vein isolation in humans. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 122-9	2.7	43
359	In vivo contact force analysis and correlation with tissue impedance during left atrial mapping and catheter ablation of atrial fibrillation. 2014 , 7, 46-54		43
358	Long-term comparison of cryoballoon and radiofrequency ablation of paroxysmal atrial fibrillation: a propensity score matched analysis. 2014 , 176, 645-50		32
357	Complications from catheter ablation of atrial fibrillation: impact of current and emerging ablation technologies. 2014 , 16, 344		6
356	When it comes to radiofrequency catheter ablation of atrial fibrillation, have all of our wishes been granted? A perspective on the SMART-AF trial. 2014 , 64, 657-9		3

355	Paroxysmal AF catheter ablation with a contact force sensing catheter: results of the prospective, multicenter SMART-AF trial. 2014 , 64, 647-56		318
354	The first human experience of a contact force sensing catheter for epicardial ablation of ventricular tachycardia. 2014 , 22, 225-30		2
353	Visual, tactile, and contact force feedback: which one is more important for catheter ablation? Results from an in vitro experimental study. <i>Heart Rhythm</i> , 2014 , 11, 506-13	6.7	14
352	Radiofrequency ablation annotation algorithm reduces the incidence of linear gaps and reconnection after pulmonary vein isolation. <i>Heart Rhythm</i> , 2014 , 11, 783-90	6.7	38
351	Current status and future catheter ablation strategies in atrial fibrillation. 2014 , 56, e19-e26		3
350	Comparison of lesion formation between contact force-guided and non-guided circumferential pulmonary vein isolation: a prospective, randomized study. <i>Heart Rhythm</i> , 2014 , 11, 984-91	6.7	102
349	Pulmonary vein isolation using new technologies to improve ablation lesion formation: Initial results comparing enhanced catheter tip irrigation (Surround Flow(®)) with contact force measurement (Smarttouch(®)). 2015 , 15, 152-7		6
348	Controversy: Differing energy sources ¶the use of radiofrequency energy. 2015 , 131-136		
347	Complications: early and late after ablation. 2015 , 361-370		
346	Electroanatomic mapping systems. 2015 , 65-74		
345	First-in-human case of repeat pulmonary vein isolation by targeting visual interlesion gaps using the direct endoscopic ablation catheter after single ring pulmonary vein isolation. 2015 , 1, 279-284		
344	Electromechanical mapping in electrophysiology and beyond. 2015 , 57, e470-e482		5
343	The Effect of Contact Force in Atrial Radiofrequency Ablation: Electroanatomical, Cardiovascular Magnetic Resonance, and Histological Assessment in a Chronic Porcine Model. 2015 , 1, 421-431		25
342	Radiofrequency Ablation with an Enhanced-Irrigation Flexible-Tip Catheter versus a Standard-Irrigation Rigid-Tip Catheter. 2015 , 38, 1151-8		5
341	Loss of Pace Capture on the Ablation Line During Pulmonary Vein Isolation versus "Dormant Conduction": Is Adenosine Expendable?. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 1075-80	2.7	23
340	Ablation of paroxysmal atrial fibrillation in 2015: radiofrequency or cryoenergy?. 2015 , 7, 295-303		
339	Cardiac shear-wave elastography using a transesophageal transducer: application to the mapping of thermal lesions in ultrasound transesophageal cardiac ablation. 2015 , 60, 7829-46		19
338	Predictors and Characteristics of Multiple (More Than 2) Catheter Ablation Procedures for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 1048-56	2.7	30

337	General anesthesia is not superior to local anesthesia for remote magnetic ablation of atrial fibrillation. 2015 , 38, 391-7		9
336	High Incidence of Low Catheter-Tissue Contact Force at the Cavotricuspid Isthmus During Catheter Ablation of Atrial Flutter: Implications for Achieving Isthmus Block. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 826-831	2.7	16
335	Safety and Clinical Outcome of Catheter Ablation of Ventricular Arrhythmias Using Contact Force Sensing: Consecutive Case Series. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 1224-1229	2.7	29
334	. 2015 ,		
333	Contemporary Mapping Techniques of Complex Cardiac Arrhythmias - Identifying and Modifying the Arrhythmogenic Substrate. 2015 , 4, 19-27		28
332	Low contact force and force-time integral predict early recovery and dormant conduction revealed by adenosine after pulmonary vein isolation. 2015 , 17, 877-83		29
331	Comparison of contact force-guided procedure with non-contact force-guided procedure during left atrial mapping and pulmonary vein isolation: impact of contact force on recurrence of atrial fibrillation. 2015 , 104, 861-70		19
330	Contact Force in Atrial Fibrillation: Role of Atrial Rhythm and Ventricular Contractions: Co-Force Atrial Fibrillation Study. 2015 , 8, 1342-50		17
329	Relationship between contact force sensing technology and medium-term outcome of atrial fibrillation ablation: a multicenter study of 600 patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 378-384	2.7	53
328	Optimizing radiofrequency ablation of paroxysmal and persistent atrial fibrillation by direct catheter force measurement-a case-matched comparison in 198 patients. 2015 , 38, 201-8		33
327	Optimal contact forces to minimize cardiac perforations before, during, and/or after radiofrequency or cryothermal ablations. <i>Heart Rhythm</i> , 2015 , 12, 291-6	6.7	17
326	[Interventional treatment for paroxysmal atrial fibrillation : which is the optimal ablation approach?]. 2015 , 40, 25-30		2
325	Open-irrigated laser catheter ablation: influence of catheter-tissue contact force on lesion formation. 2015 , 42, 77-81		4
324	EFFICAS II: optimization of catheter contact force improves outcome of pulmonary vein isolation for paroxysmal atrial fibrillation. 2015 , 17, 1229-35		222
323	Triggers, Substrate, and Hypertension in Atrial Fibrillation: How Does It All Add Up?. 2015 , 1, 174-176		1
322	Atrial fibrillation ablation: indications, emerging techniques, and follow-up. 2015 , 58, 202-12		4
321	Use of contact force sensing technology during radiofrequency ablation reduces recurrence of atrial fibrillation: A systematic review and meta-analysis. <i>Heart Rhythm</i> , 2015 , 12, 1990-6	6.7	63
320	Pulmonary vein orientation assessment: Is it necessary in patients undergoing contact force sensing guided radiofrequency catheter ablation of atrial fibrillation. 2015 , 8, 1-5		4

319	Atrial fibrillation ablation: less is more?. 2015 , 36, 1792-3		0
318	Elimination of the negative component of the unipolar atrial electrogram as an in vivo marker of transmural lesion creation: acute study in canines. 2015 , 8, 905-11		18
317	Comparison between radiofrequency with contact force-sensing and second-generation cryoballoon for paroxysmal atrial fibrillation catheter ablation: a multicentre European evaluation. 2015 , 17, 718-24		115
316	Atrial fibrillation ablation in the era of cryoballoon and force-sensing catheters: freeze or burn?. 2015 , 17, 374		2
315	Contact force-sensing catheters. 2015 , 30, 74-80		16
314	Real-time atrial wall imaging during radiofrequency ablation in a porcine model. <i>Heart Rhythm</i> , 2015 , 12, 1827-35	6.7	9
313	Contact force and impedance decrease during ablation depends on catheter location and orientation: insights from pulmonary vein isolation using a contact force-sensing catheter. 2015 , 43, 297-306		22
312	Randomized comparison of contact force-guided versus conventional circumferential pulmonary vein isolation of atrial fibrillation: prevalence, characteristics, and predictors of electrical reconnections and clinical outcomes. 2015 , 44, 235-45		21
311	Impact of Contact Force Technology on Atrial Fibrillation Ablation: A Meta-Analysis. 2015 , 4, e002476		69
310	Catheter Ablation of Paroxysmal Atrial Fibrillation: Have We Achieved Cure with Pulmonary Vein Isolation?. 2015 , 11, 71-5		7
309	Superior efficacy of pulmonary vein isolation with online contact force measurement persists after the learning period: a prospective case control study. 2015 , 43, 287-96		7
308	Arrhythmia Termination Versus Elimination of Dormant Pulmonary Vein Conduction as a Procedural End Point of Catheter Ablation for Paroxysmal Atrial Fibrillation: A Prospective Randomized Trial. 2015 , 8, 1080-7		7
307	Feasibility, efficacy, and safety of radiofrequency ablation of atrial fibrillation guided by monitoring of the initial impedance decrease as a surrogate of catheter contact. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 390-396	2.7	31
306	Magnetic guidance versus manual control: comparison of radiofrequency lesion dimensions and evaluation of the effect of heart wall motion in a myocardial phantom. 2015 , 44, 1-8		19
305	Real-time contact force measurement: a key parameter for controlling lesion creation with radiofrequency energy. 2015 , 8, 713-21		24
304	Demonstrating the Value of Contact Force Sensing: More Difficult Than Meets the Eye. 2015 , 132, 901-3		16
303	Randomized, Controlled Trial of the Safety and Effectiveness of a Contact Force-Sensing Irrigated Catheter for Ablation of Paroxysmal Atrial Fibrillation: Results of the TactiCath Contact Force Ablation Catheter Study for Atrial Fibrillation (TOCCASTAR) Study. 2015 , 132, 907-15		234
302	Pre-Clinical Investigation of a Low-Intensity Collimated Ultrasound System for Pulmonary Vein Isolation in a Porcine Model. 2015 , 1, 306-314		12

301	A prospective study on safety of catheter ablation procedures: contact force guided ablation could reduce the risk of cardiac perforation. 2015 , 179, 441-8		36
300	Higher contact-force values associated with better mid-term outcome of paroxysmal atrial fibrillation ablation using the SmartTouch [®] catheter. 2015 , 17, 56-63		33
299	Catheter-tissue contact force values do not impact mid-term clinical outcome following pulmonary vein isolation in patients with paroxysmal atrial fibrillation. 2015 , 42, 21-6		19
298	Contact-force guided radiofrequency vs. second-generation balloon cryotherapy for pulmonary vein isolation in patients with paroxysmal atrial fibrillation-a prospective evaluation. 2015 , 17, 225-31		100
297	Pulmonary vein isolation in the treatment of atrial fibrillation. 2016 , 47		0
296	Update on Atrial Fibrillation. 2016 , 43, 412-414		1
295	Contact force-guided catheter ablation for the treatment of atrial fibrillation: a meta-analysis of randomized, controlled trials. 2016 , 49,		1
294	Contact-force-guided vs. contact-force-blinded catheter ablation of typical atrial flutter: a prospective study. 2017 , 19, 1043-1048		10
293	Impact of Catheter Contact Force on Superior Vena Cava Mapping and Localization of the Right Phrenic Nerve by High Output Pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 290-5	2.7	5
292	Optimal Force-Time Integral for Pulmonary Vein Isolation According to Anatomical Wall Thickness Under the Ablation Line. 2016 , 5, e003155		27
291	Multimodality Imaging for Guiding EP Ablation Procedures. 2016 , 9, 873-886		21
290	Electromagnetic Contact-Force Sensing Electrophysiological Catheters: How Accurate is the Technology?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 347-50	2.7	19
289	Towards a tri-axial flexible force sensor for catheter contact force measurement. 2016 ,		4
288	Force Analysis and Modelling of Soft Actuators for Catheter Robots. 2016 ,		1
287	[Catheter ablation for paroxysmal atrial fibrillation: new generation cryoballoon or contact force sensing radiofrequency ablation?]. 2016 , 157, 849-54		5
286	Utilidad de los cateteres con sensor de fuerza de contacto en la ablaci3n de la fibrilaci3n auricular. 2016 , 23, 159-164		
285	Catheter ablation of ventricular tachycardia: Lessons learned from past clinical trials and implications for future clinical trials. <i>Heart Rhythm</i> , 2016 , 13, 1748-54	6.7	16
284	Wall thickness of the pulmonary vein-left atrial junction rather than electrical information as the major determinant of dormant conduction after contact force-guided pulmonary vein isolation. 2016 , 46, 325-33		19

283	Clinical impact of contact force and its regional variability on efficiency and effectiveness of pulmonary vein isolation for atrial fibrillation. <i>Journal of Cardiology</i> , 2016 , 68, 335-41	3	5
282	Steerable versus non-steerable sheaths during pulmonary vein isolation: impact of left atrial enlargement on the catheter-tissue contact force. 2016 , 47, 99-107		6
281	Five seconds of 50-60 W radio frequency atrial ablations were transmural and safe: an in vitro mechanistic assessment and force-controlled in vivo validation. 2017 , 19, 874-880		74
280	Ultrasound-Guided Transesophageal High-Intensity Focused Ultrasound Cardiac Ablation in a Beating Heart: A Pilot Feasibility Study in Pigs. 2016 , 42, 1848-61		19
279	Contact force sensing during atrial fibrillation ablation: clinical experience and effects on outcomes. 2016 , 14, 749-59		6
278	Recent Advances in Lesion Formation for Catheter Ablation of Atrial Fibrillation. 2016 , 9,		16
277	Randomized trial comparing pulmonary vein isolation using the SmartTouch catheter with or without real-time contact force data. <i>Heart Rhythm</i> , 2016 , 13, 1761-7	6.7	103
276	Clinical Handbook of Cardiac Electrophysiology. 2016 ,		0
275	Use of the new contact force sensing ablation catheter dramatically reduces fluoroscopy time during atrial fibrillation ablation procedures. 2016 , 16, 83-87		5
274	Impedance Guided Radiofrequency Ablation for Atrial Fibrillation: Something Old Is New Again. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 1399-1402	2.7	2
273	Factors impacting complication rates for catheter ablation of atrial fibrillation from 2003 to 2015. 2017 , 19, 241-249		32
272	Characteristics of Cavotricuspid Isthmus Ablation for Atrial Flutter Guided by Novel Parameters Using a Contact Force Catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 1429-1436	2.7	8
271	What have we learned of ablation procedures for atrial fibrillation?. 2016 , 279, 439-48		2
270	Automated lesion annotation during pulmonary vein isolation: influence on acute isolation rates and lesion characteristics. 2016 , 47, 349-356		2
269	Radiofrequency Ablation of Atrial Fibrillation: Nonrandomized Comparison of Circular versus Point-by-Point "Smart" Ablation for Achieving Circumferential Pulmonary Vein Isolation and Curing Arrhythmic Symptoms. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 1282-1287	2.7	13
268	Contact-Force Catheters: Efficacy Versus Safety? Case Report of 2 Atrioesophageal Fistulae. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 1483-1487	2.7	6
267	Relationship Between Catheter Stability and 12-Month Success After Pulmonary Vein Isolation: A Subanalysis of the SMART-AF Trial. 2016 , 2, 691-699		26
266	Contact Force-Guided Pulmonary Vein Isolation: The Quest for Perfection Continues. 2016 , 2, 700-702		1

265	Predictors of chronic pulmonary vein reconnections after contact force-guided ablation: importance of completing electrical isolation with circumferential lines and creating sufficient ablation lesion densities. 2016 , 47, 321-331	6
264	Invasive management of atrial fibrillation. 2016 , 2, 158-166	
263	Ultrathin Injectable Sensors of Temperature, Thermal Conductivity, and Heat Capacity for Cardiac Ablation Monitoring. 2016 , 5, 373-81	36
262	Clinical utility of automated ablation lesion tagging based on catheter stability information (VisiTag Module of the CARTO 3 System) with contact force-time integral during pulmonary vein isolation for atrial fibrillation. 2016 , 47, 245-252	24
261	Atrial rhythm influences catheter tissue contact during radiofrequency catheter ablation of atrial fibrillation: comparison of contact force between sinus rhythm and atrial fibrillation. 2016 , 31, 1544-52	12
260	Contact forces during hybrid atrial fibrillation ablation: an in vitro evaluation. 2016 , 45, 189-97	2
259	The importance of catheter stability evaluated by Visitag(TM) during pulmonary vein isolation. 2016 , 46, 161-6	10
258	Reduced residual conduction gaps and favourable outcome in contact force-guided circumferential pulmonary vein isolation. 2016 , 18, 531-7	32
257	Friendly Fire During RF: Be Firm but Gentle!. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 296-7 2.7	
256	Impact of Contact Force Monitoring in Acute Pulmonary Vein Isolation Using an Anatomic Approach. A Randomized Study. 2016 , 39, 361-9	19
255	Contact force monitoring during catheter ablation of intraatrial reentrant tachycardia in patients with congenital heart disease. 2016 , 46, 191-8	3
254	Analysis of catheter contact force during atrial fibrillation ablation using the robotic navigation system: results from a randomized study. 2016 , 46, 97-103	17
253	Impact of Complete Versus Incomplete Circumferential Lines Around the Pulmonary Veins During Catheter Ablation of Paroxysmal Atrial Fibrillation: Results From the Gap-Atrial Fibrillation-German Atrial Fibrillation Competence Network 1 Trial. 2016 , 9, e003337	151
252	A critical evaluation of second-generation AF ablation technologies: cryoballoons and contact forces. 2016 , 13, 305-7	
251	Design and Evaluation of a Catheter Contact-Force Controller for Cardiac Ablation Therapy. 2016 , 63, 2301-2307	11
250	Making better scar: Emerging approaches for modifying mechanical and electrical properties following infarction and ablation. 2016 , 120, 134-48	25
249	Optimizing contact force during ablation of atrial fibrillation: available technologies and a look to the future. 2016 , 12, 197-207	1
248	Electrophysiological findings following pulmonary vein isolation using radiofrequency catheter guided by contact-force and second-generation cryoballoon: lessons from repeat ablation procedures. 2016 , 18, 71-7	51

247	Reducing contact forces in the arch and supra-aortic vessels using the Magellan robot. 2016 , 64, 1422-1432		21
246	First-line catheter ablation of paroxysmal atrial fibrillation: outcome of radiofrequency vs. cryoballoon pulmonary vein isolation. 2016 , 18, 368-75		57
245	Three-Degree-of-Freedom MR-Compatible Multisegment Cardiac Catheter Steering Mechanism. 2016 , 63, 2425-2435		22
244	Electrophysiology Catheter Detection and Reconstruction From Two Views in Fluoroscopic Images. 2016 , 35, 567-79		19
243	Contact force threshold for permanent lesion formation in atrial fibrillation ablation: A cardiac magnetic resonance-based study to detect ablation gaps. <i>Heart Rhythm</i> , 2016 , 13, 37-45	6.7	25
242	Cryoballoon ablation versus radiofrequency ablation for atrial fibrillation. 2017 , 27, 271-277		13
241	Remote magnetic catheter navigation versus conventional ablation in atrial fibrillation ablation: Fluoroscopy reduction. 2017 , 33, 167-171		7
240	Prediction of radiofrequency ablation lesion formation using a novel temperature sensing technology incorporated in a force sensing catheter. <i>Heart Rhythm</i> , 2017 , 14, 248-254	6.7	24
239	Long-term efficacy of catheter ablation as first-line therapy for paroxysmal atrial fibrillation: 5-year outcome in a randomised clinical trial. 2017 , 103, 368-376		49
238	Effective contact and outcome after pulmonary vein isolation in 'novel' circular multi-electrode atrial fibrillation ablation. 2017 , 25, 16-23		8
237	Objective Assessment of Endovascular Navigation Skills with Force Sensing. 2017 , 45, 1315-1327		26
236	Safety and efficacy of pulmonary vein isolation using a surround flow catheter with contact force measurement capabilities: A multicenter registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 762-767	2.7	16
235	General anesthesia improves contact force and reduces gap formation in pulmonary vein isolation: a comparison with conscious sedation. 2017 , 32, 997-1005		18
234	Risk of atrioesophageal fistula formation with contact force-sensing catheters. <i>Heart Rhythm</i> , 2017 , 14, 1328-1333	6.7	69
233	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Heart Rhythm</i> , 2017 , 14, e275-e444	6.7	878
232	Qualitätskriterien zur Durchführung der Katheterablation von Vorhofflimmern. 2017 , 11, 161-182		11
231	How to Approach Difficult Cases of AVNRT. 2017 , 19, 34		1
230	Contact force technology integrated with 3D navigation system for atrial fibrillation ablation: improving results?. 2017 , 14, 461-467		5

229	High-voltage zones within the pulmonary vein antra: Major determinants of acute pulmonary vein reconnections after atrial fibrillation ablation. 2017 , 49, 137-145		11
228	Is the knowledge of contact force beneficial in pulmonary vein antrum isolation?. 2017 , 51, 129-137		7
227	Contact-force guided single-catheter approach for pulmonary vein isolation: Feasibility, outcomes, and cost-effectiveness. <i>Heart Rhythm</i> , 2017 , 14, 331-338	6.7	18
226	Cardiac Magnetic Resonance for Lesion Assessment in the Electrophysiology Laboratory. 2017 , 10,		3
225	WITHDRAWN: 2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. 2017 ,		
224	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. 2017 , 33, 369-409		148
223	Reconstruction left atrium and isolation pulmonary veins of paroxysmal atrial fibrillation using single contact force catheter with zero x-ray exposure: A CONSORT Study. 2017 , 96, e7726		6
222	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. 2017 , 50, 1-55		58
221	Atrial Fibrillation Ablation. 2017 , 143-155		
220	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Heart Rhythm</i> , 2017 , 14, e445-e494	6.7	72
219	Force-Sensing Catheters During Pediatric Radiofrequency Ablation: The FEDERATION Study. 2017 , 6,		7
218	The quest for durable lesions in catheter ablation of atrial fibrillation - technological advances in radiofrequency catheters and balloon devices. 2017 , 14, 621-631		6
217	Efficacy of adjunctive measures used to assist pulmonary vein isolation for atrial fibrillation: a systematic review. 2017 , 32, 58-68		3
216	Three-year outcomes and reconnection patterns after initial contact force guided pulmonary vein isolation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 984-993 ²⁻⁷		15
215	Elimination of the negative component of the unipolar electrogram as a local procedural endpoint during paroxysmal atrial fibrillation catheter ablation using contact-force sensing: the UNIFORCE study. 2017 , 49, 299-306		7
214	Ablation Index and Surround Flow Catheter Irrigation: Impedance-Based Appraisal in Clinical Ablation. 2017 , 3, 1080-1088		27
213	Fiberoptic Contact-Force Sensing Electrophysiological Catheters: How Precise Is the Technology?. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 109-114	2.7	25
212	Impact of contact force technology on reducing the recurrence and major complications of atrial fibrillation ablation: A systematic review and meta-analysis. 2017 , 17, 82-91		12

211	Increasing the Single-Procedure Success Rate of Pulmonary Vein Isolation. 2017 , 6, 217-221		6
210	Atrial fibrillation ablation using very short duration 50 W ablations and contact force sensing catheters. 2018 , 52, 1-8		62
209	Contact force facilitates the achievement of an unexcitable ablation line during pulmonary vein isolation. 2018 , 107, 632-641		5
208	Strategy and Outcome of Catheter Ablation for Persistent Atrial Fibrillation - Impact of Progress in the Mapping and Ablation Technologies. 2017 , 82, 2-9		9
207	Impact of left atrial size on isolation area in the acute phase of pulmonary vein isolation using 28 mm cryoballoon. 2018 , 41, 700-706		2
206	. 2018 , 65, 8215-8223		34
205	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. 2018 , 20, e1-e160		461
204	A comparison of contact force and remote magnetic navigation on lesion formation for the ablation of atrial fibrillation. 2018 , 41, 450-458		3
203	Durable lesion formation while avoiding esophageal injury during ablation of atrial fibrillation: Lessons learned from late gadolinium MR imaging. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 385-392	2.7	13
202	Safety and long-term effectiveness of paroxysmal atrial fibrillation ablation with a contact force-sensing catheter: real-world experience from a prospective, multicentre observational cohort registry. 2018 , 20, f410-f418		14
201	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. 2018 , 20, 157-208		227
200	Comparison of the efficacy between impedance-guided and contact force-guided atrial fibrillation ablation using an automated annotation system. 2018 , 34, 239-246		3
199	Voltage and pace-capture mapping of linear ablation lesions overestimates chronic ablation gap size. 2018 , 20, 2028-2035		2
198	Irreversible electroporation for the treatment of cardiac arrhythmias. 2018 , 16, 349-360		20
197	Design and evaluation of safety operation VR training system for robotic catheter surgery. 2018 , 56, 25-35		14
196	Contact force sensing for ablation of persistent atrial fibrillation: A randomized, multicenter trial. <i>Heart Rhythm</i> , 2018 , 15, 201-208	6.7	37
195	Catheter Ablation. 2018 , 1194-1210		
194	Ablation in Pediatrics. 2018 , 1270-1279		

193	Relation between denaturation time measured by optical coherence reflectometry and thermal lesion depth during radiofrequency cardiac ablation: Feasibility numerical study. 2018 , 50, 222-229		5
192	Ice or fire? Comparison of second-generation cryoballoon ablation and radiofrequency ablation in patients with symptomatic persistent atrial fibrillation and an enlarged left atrium. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 375-384	2.7	15
191	Recurrence after pulmonary vein isolation is associated with low contact force. 2018 , 52, 28-33		2
190	Biophysics of Ablation Radiofrequency and Cryoablation. 2018 , 334-349		1
189	Catheter Ablation for Atrial Fibrillation (Methods). 2018 , 553-565		
188	A Pilot Study on Parameter Setting of VisiTag Module during Pulmonary Vein Isolation. 2018 , 2018, 8960941		
187	OBSOLETE: Biophysics of Ablation - Radiofrequency and Cryoablation. 2018 ,		
186	OBSOLETE: Catheter Ablation for Atrial Fibrillation (Methods). 2018 ,		
185	Prospective Evaluation of Lesion Index-Guided Pulmonary Vein Isolation Technique in Patients with Paroxysmal Atrial Fibrillation: 1-year Follow-Up. 2018 , 10, 1858		17
184	Optimal lesion size index to prevent conduction gap during pulmonary vein isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1616-1623	2.7	23
183	Contiguity Between Ablation Lesions and Strict Catheter Stability Settings Assessed by VISITAG Module Improve Clinical Outcomes of Paroxysmal Atrial Fibrillation Ablation - Results From the VISITALY Study. 2018 , 82, 974-982		18
182	Pulmonary vein volume predicts the outcome of radiofrequency catheter ablation of paroxysmal atrial fibrillation. 2018 , 13, e0201199		11
181	From early beginnings to elaborate tools: contribution of German electrophysiology to the interventional treatment of cardiac arrhythmias : The German Cardiac Society welcomes ESC in Munich 2018. 2018 , 107, 94-99		1
180	The best of two worlds? Pulmonary vein isolation using a novel radiofrequency ablation catheter incorporating contact force sensing technology and 56-hole porous tip irrigation. 2018 , 107, 1003-1012		17
179	Contact force-sensing catheters: performance in an ex vivo porcine heart model. 2018 , 53, 141-150		7
178	Role of Contact Force Sensing in Catheter Ablation of Cardiac Arrhythmias: Evolution or History Repeating Itself?. 2018 , 4, 707-723		43
177	Safety and efficacy of atrial fibrillation ablation guided by Ablation Index module. 2019 , 54, 9-15		38
176	Contact force and ablation assessment of surgical bipolar radiofrequency clamps in the treatment of atrial fibrillation. 2019 , 28, 85-93		3

175	Radiofrequenz-Ablation. 2019 , 19, 43-47		
174	Comparison of high-power short-duration (HPSD) ablation of atrial fibrillation using a contact force-sensing catheter and conventional technique: Initial results. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1877-1883	2.7	40
173	Comparison Between Contact Force Monitoring and Unipolar Signal Modification as a Guide for Catheter Ablation of Atrial Fibrillation: Prospective Multi-Center Randomized Study. 2019 , 12, e007311		5
172	Acute and one year outcome of premature ventricular contraction ablation guided by contact force and automated pacemapping software. 2019 , 35, 542-549		7
171	High-power application is associated with shorter procedure time and higher rate of first-pass pulmonary vein isolation in ablation index-guided atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2751-2758	2.7	31
170	Cryoballoon or Radiofrequency Ablation for Atrial Fibrillation Assessed by Continuous Monitoring: A Randomized Clinical Trial. 2019 , 140, 1779-1788		163
169	Contact Forces Required to Record Monophasic Action Potentials: A Complement to Catheter Contact Force Measurement. 2019 , 66, 2974-2978		
168	Low complication rates using high power (45-50 W) for short duration for atrial fibrillation ablations. <i>Heart Rhythm</i> , 2019 , 16, 165-169	6.7	107
167	Usefulness of Electroanatomical Mapping with Contact Force Monitoring for Accessory Pathways Ablation in Pediatric Population. 2019 , 40, 713-718		2
166	Complex Congenital Heart Disease With Brady-Tachy Syndrome and Antitachycardia Pacing. 2019 , 101-111		0
165	Atrial fibrillation ablation with a spring sensor-irrigated contact force-sensing catheter compared with other ablation catheters: systematic literature review and meta-analysis. 2019 , 9, e023775		14
164	Transmural unipolar electrogram change occurs within 7's at the left atrial posterior wall during pulmonary vein isolation. 2019 , 42, 922-929		2
163	How is Contact Force implemented in routine clinical practice? Results from a French National and Monaco Survey. 2019 , 35, 238-243		0
162	Biophysics and Pathophysiology of Radiofrequency Lesion Formation. 2019 , 2-17.e4		
161	Guiding Lesion Formation During Radiofrequency Catheter Ablation. 2019 , 18-26.e3		
160	A novel assessment of local impedance during catheter ablation: initial experience in humans comparing local and generator measurements. 2019 , 21, i34-i42		31
159	Low-fluoroscopy atrial fibrillation ablation with contact force and ultrasound technologies: a learning curve. 2019 , 10, 1-7		3
158	Special Problems in Ablation of Accessory Pathways. 2019 , 429-446.e5		

157	A Review of the Use of Cryoballoon Ablation for the Treatment of Persistent Atrial Fibrillation. 2019 , 13, 1	
156	Assessment of ablation catheter contact on valve annulus: Implications on accessory pathway ablation. 2019 , 19, 84-89	0
155	Integration of Contact Force into Mapping and Ablation Systems. 2019 , 289-299	
154	Wearable and Implantable Devices for Cardiovascular Healthcare: from Monitoring to Therapy Based on Flexible and Stretchable Electronics. 2019 , 29, 1808247	207
153	Contact Force and Ablation Index. 2019 , 11, 473-479	4
152	The Effective Contact Force to Minimize Edema Relative to Chronic Lesion Formation During Radiofrequency Ablation in Ventricular Wall. 2019 , 60, 1407-1414	1
151	Novel Ablation Approaches for Challenging Atrial Fibrillation Cases (Mapping, Irrigation, and Catheters). 2019 , 37, 207-219	6
150	Endothelial damage and thromboembolic risk after pulmonary vein isolation using the latest ablation technologies: a comparison of the second-generation cryoballoon vs. contact force-sensing radiofrequency ablation. 2019 , 34, 509-516	8
149	Cardiac Ablation Technologies. 2019 , 83-118	
148	Ablation Energy Sources. 2019 , 206-237	2
147	The modified ablation index: a novel determinant of acute pulmonary vein reconnections after pulmonary vein isolation. 2019 , 55, 277-285	5
146	Economic impact of atrial fibrillation ablation with radiofrequency contact force catheter versus cryoballoon catheter. 2019 , 8, 251-264	2
145	Lesion index: a novel guide in the path of successful pulmonary vein isolation. 2019 , 55, 27-34	8
144	Left atrial roof ablation in patients with persistent atrial fibrillation using the second-generation cryoballoon: benefit or wasted time?. 2020 , 109, 714-724	4
143	One-year outcomes after pulmonary vein isolation plus posterior wall isolation and additional non-pulmonary vein trigger ablation for persistent atrial fibrillation with or without contact force sensing: a propensity score-matched comparison. 2020 , 59, 585-593	3
142	Circumferential pulmonary vein antrum ablation for the treatment of paroxysmal atrial fibrillation: A randomized controlled trial. 2020 , 43, 280-288	1
141	Comparing rates of atrioesophageal fistula with contact force-sensing and non-contact force-sensing catheters: analysis of post-market safety surveillance data. 2020 , 59, 49-55	4
140	Quantitative analysis of ablation technique predicts arrhythmia recurrence following atrial fibrillation ablation. 2020 , 220, 176-183	6

139	Partnering with robotic technology in electrophysiology: have we arrived at a tipping point?. 2020 , 35, 8-12		
138	Catheter Ablation of Atrial Fibrillation: State of the Art and Future Perspectives. 2020 , 9, 45-58		27
137	Impact of catheter-tissue contact force on lesion size during right ventricular outflow tract ablation in a swine model. 2020 , 133, 1680-1687		1
136	Contact Stability Analysis of Magnetically-Actuated Robotic Catheter Under Surface Motion. 2020 , 2020, 4455-4462		1
135	Electrical Impedance Tomography for monitoring cardiac radiofrequency ablation: a scoping review of an emerging technology. 2020 , 84, 36-50		4
134	Repeat Atrial Fibrillation Ablation Procedures in the CIRCA-DOSE Study. 2020 , 13, e008480		4
133	New Results in Catheter Ablation for Atrial Fibrillation. 2020 ,		0
132	Oesophageal Probe Evaluation in Radiofrequency Ablation of Atrial Fibrillation (OPERA): results from a prospective randomized trial. 2020 , 22, 1487-1494		26
131	Catheter ablation for atrial fibrillation in a low-volume center using contemporary technology. 2020 , 31, 100661		
130	Changes and impacts in early recurrences after atrial fibrillation ablation in contact force era: comparison of high-power short-duration with conventional technique-FIRST experience data. 2021 , 62, 363-371		6
129	Ablation catheter orientation: In vitro effects on lesion size and in vivo analysis during PVI for atrial fibrillation. 2020 , 43, 1554-1563		5
128	Catheter ablation for the management of atrial fibrillation: current technical perspectives. 2020 , 7,		4
127	Innovative tools for atrial fibrillation ablation. 2020 , 17, 555-563		3
126	A novel local impedance algorithm to guide effective pulmonary vein isolation in atrial fibrillation patients: Preliminary experience across different ablation sites from the CHARISMA pilot study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2319-2327	2.7	12
125	Impact of Left Common Pulmonary Veins in the Contact-Force vs. Cryoballoon Atrial Fibrillation Ablation (CIRCA-DOSE) Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2300	2.7	2
124	Injectable Biomedical Devices for Sensing and Stimulating Internal Body Organs. 2020 , 32, e1907478		23
123	Experimental Study with Regard to the Effects of Energy Titration of the Laserballoon on the Lesion Creation Using Porcine Myocardium. 2020 , 61, 121-127		2
122	The force stability of tissue contact and lesion size index during radiofrequency ablation: An ex-vivo study. 2020 , 43, 327-331		4

121	Ablation Approaches and Imaging Modalities to Lower Risk of Atrioesophageal Injury During Catheter Ablation for Atrial Fibrillation. 2020 , 14, 1		1
120	Contact-Force-Sensing-Based Radiofrequency Catheter Ablation in Paroxysmal Supraventricular Tachycardias (COBRA-PATH): a randomized controlled trial. 2020 , 21, 321		1
119	A mesh-type flexible tip catheter vs a contact force catheter for catheter ablation of atrial fibrillation: A prospective nonrandomized 1:1 matched study. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1279-1288	2.7	2
118	A randomized trial of contact force in atrial flutter ablation. 2020 , 22, 947-955		5
117	High-power, short-duration atrial fibrillation ablations using contact force sensing catheters: Outcomes and predictors of success including posterior wall isolation. <i>Heart Rhythm</i> , 2020 , 17, 1223-1231	6.7	19
116	Role of pre-procedural CT imaging on catheter ablation in patients with atrial fibrillation: procedural outcomes and radiological exposure. 2021 , 60, 477-484		1
115	Radiofrequency ablation: technological trends, challenges, and opportunities. 2021 , 23, 511-519		8
114	Clinical impact of eliminating nonpulmonary vein triggers of atrial fibrillation and nonpulmonary vein premature atrial contractions at initial ablation for persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 224-234	2.7	5
113	Promises and pitfalls of standardized AF ablations. 2021 , 44, 573-574		
112	Contact force ablation of accessory pathways in pediatric patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 370-375	2.7	0
111	Atrial fibrillation ablation [From surgery to radiofrequency, cryo and beyond. 2021 , 30, 553-570		
110	Cardiac Electrophysiology Study, Diagnostic Maneuvers and Ablation. 2021 , 31-80		
109	How to leverage local impedance to guide effective ablation strategy: A case series. 2021 , 7, 65-68		0
108	Prognostic value of time dependent voltage abatement during remote magnetic navigation guided ablation in idiopathic right ventricular outflow tract arrhythmias. 2021 , 63, 11-14		
107	Contact Stability and Contact Safety of a Magnetic Resonance Imaging-Guided Robotic Catheter Under Heart Surface Motion. 2021 , 143, 071010		2
106	Similar outcomes with manual contact force ablation catheters and traditional catheters in the treatment of outflow tract premature ventricular complexes. 2021 , 23, 596-602		1
105	Lesion size and adjacent tissue damage assessment with high power and short duration radiofrequency ablation: comparison to conventional radiofrequency ablation power setting. 2021 , 36, 1438-1444		3
104	A Novel Temperature-Controlled Radiofrequency Catheter Ablation System Used to Treat Patients With Paroxysmal Atrial Fibrillation. 2021 , 7, 352-363		12

103	Radiofrequency induced lesion characteristics according to force-time integral in experimental model. 2021 , 100, e25126		0
102	A Probabilistic Approach for Contact Stability and Contact Safety Analysis of Robotic Intracardiac Catheter. 2021 , 143, 094502		
101	Predictors of recurrent atrial fibrillation following catheter ablation. 2021 , 19, 237-246		1
100	Change in the local impedance and electrograms recorded by a micro-electrode tip catheter during initial atrial fibrillation ablation. 2021 , 37, 566-573		1
99	Initial Experience and Results of Combined Treatment for Atrial Fibrillation: Catheter Ablation with High-Power Short Duration Ablation and Left Atrial Appendage Closure. 2021 , 69-78		
98	Exploiting the instability of eccentric tube robots for distal force control in minimally invasive cardiac ablation. 095440622110075		
97	High-power, short-duration ablation for atrial fibrillation: Pros and cons. 2021 , 66, 86-91		1
96	Contact force sensors in minimally invasive catheters: current and future applications. 2021 , 18, 445-455		1
95	A multi-center experience of ablation index for evaluating lesion delivery in typical atrial flutter. 2021 , 44, 1039-1046		1
94	Fiber Bragg Grating-Based Force Sensing in Robot-Assisted Cardiac Interventions: A Review. 2021 , 21, 10317-10331		6
93	JCS/JHRS 2019 Guideline on Non-Pharmacotherapy of Cardiac Arrhythmias. 2021 , 85, 1104-1244		17
92	A Soft Resistive Sensor with a Semicircular Cross-Sectional Channel for Soft Cardiac Catheter Ablation. 2021 , 21,		1
91	Reduced esophageal heating in high-power short-duration atrial fibrillation ablation in the contact force catheter era. 2021 , 44, 1185-1192		1
90	JCS/JHRS 2019 guideline on non-pharmacotherapy of cardiac arrhythmias. 2021 , 37, 709-870		22
89	Regional differences in the predictors of acute electrical reconnection following high-power pulmonary vein isolation for paroxysmal atrial fibrillation. 2021 , 37, 1260-1269		
88	Assessing the Relationship of Applied Force and Ablation Duration on Lesion Size Using a Diamond Tip Catheter Ablation System. 2021 , 14, e009541		5
87	The optimal ablation setting for a local impedance guided catheter in an in vitro experimental model. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 2069-2076	2.7	2
86	Improved durable pulmonary vein isolation with shorter procedure times and lower energy levels using RF ablation with ablation index and a stringent lesion contiguity. 2021 , 21, 337-341		1

85	Higher than recommended lesion size index target values for pulmonary vein isolation result in better clinical outcomes in paroxysmal atrial fibrillation patients. 2021 , 1	0
84	Ablation Index-Guided High-Power Radiofrequency Application Shortens the Procedure Time With Similar Outcomes to Conventional Power Application in Atrial Fibrillation Ablation. 2021 , 3, 559-568	1
83	Characteristics and optimal ablation settings of a novel, contact-force sensing and local impedance-enabled catheter in an ex vivo perfused swine ventricle model. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 3187-3194	2.7 2
82	Nonhomogeneous force application during typical flutter ablation explains local difficulties in lesion creation. 2021 , 30, 605-610	
81	Catheter Ablation. 2014 , 1199-1207	1
80	Transmural unipolar electrogram morphology is achieved within 7s at the posterior left atrial wall during pulmonary vein isolation: VISITAG [®] Module-based lesion assessment during radiofrequency ablation.	1
79	Lesion modeling, characterization, and visualization for image-guided cardiac ablation therapy monitoring. 2018 , 5, 021218	5
78	Randomised clinical trial of cryoballoon versus irrigated radio frequency catheter ablation for atrial fibrillation-the effect of double short versus standard exposure cryoablation duration during pulmonary vein isolation (CIRCA-DOSE): methods and rationale. 2017 , 7, e017970	12
77	Management of atrial fibrillation. 2014 , 6, 22	4
76	Integrated RFA/PSOCT catheter for real-time guidance of cardiac radio-frequency ablation. 2018 , 9, 6400-6411	19
75	Benefit of Contact Force-Guided Catheter Ablation for Treating Premature Ventricular Contractions. 2020 , 47, 3-9	1
74	THERMOCOOL [®] SMARTTOUCH [®] CATHETER - The Evidence So Far for Contact Force Technology and the Role of VISITAG [®] MODULE. 2014 , 3, 44-7	15
73	New Ablation Technologies and Techniques. 2014 , 3, 107-12	5
72	High-power, Short-duration Radiofrequency Ablation for the Treatment of AF. 2020 , 8, 265-272	10
71	The Cryoballoon vs Irrigated Radiofrequency Catheter Ablation (CIRCA-DOSE) Study Results in Context. 2020 , 9, 34-39	1
70	Catheter Ablation for Ventricular Tachycardia in Patients with Structural Heart Disease. 2018 , 12, 51-56	2
69	2018 Korean Guidelines for Catheter Ablation of Atrial Fibrillation: Part II. 2018 , 19, 235-284	1
68	The First-Pass Isolation Effect in High-Power Short-Duration Compared to Low-Power Long-Duration Atrial Fibrillation Ablation: a Predictor of Success. 2020 , 33, 161-169	2

67	Radiofrequency catheter ablation of atrial fibrillation performed under general anesthesia: results of a unicentric randomized trial. 2017 , 63, 163-169	4
66	The Role Of Contact Force In Atrial Fibrillation Ablation. 2014 , 7, 1027	17
65	Electroanatomical mapping of atrial fibrillation: Review of the current techniques and advances. 2014 , 7, 1140	11
64	Atrial Fibrillation Ablation Using Magnetic Navigation Comparison With Conventional Approach During Long-Term Follow-Up. 2015 , 8, 1276	5
63	Contact Force and Atrial Fibrillation Ablation. 2016 , 8, 1282	5
62	Electrophysiological Perspectives on Hybrid Ablation of Atrial Fibrillation. 2015 , 8, 1290	4
61	Advanced Mapping Systems To Guide Atrial Fibrillation Ablation: Electrical Information That Matters. 2016 , 8, 1337	15
60	Contact-Force Guided Pulmonary Vein Isolation does not Improve Success Rate in Persistent Atrial Fibrillation Patients and Severe Left Atrial Enlargement: A 12-month Follow-Up Study. 2018 , 11, 2060	3
59	Impact of computed tomography image and contact force technology on catheter ablation for atrial fibrillation. 2016 , 8, 317-22	3
58	OUP accepted manuscript.	
57	Remote magnetic navigation versus manual catheter ablation of atrial fibrillation: A single center long-term comparison. 2021 ,	
56	Cardiac Electrophysiology Study, Diagnostic Maneuvers and Ablation. 2016 , 39-102	
55	Evolution of Force Sensing Technologies. 2017 , 6, 75-79	1
54	Dormant Conduction after Second-Generation Cryoballoon-Mediated Pulmonary Vein Isolation for Atrial Fibrillation: Comparison with Contact Force-guided Irrigated-Tip Radiofrequency Ablation. 2017 , 76, 281-287	
53	Pulmonary Vein Isolation Lesion Set Assessment During Radiofrequency Catheter Ablation for Atrial Fibrillation. 2017 , 8, 2602-2611	
52	How to Improve Atrial Fibrillation Ablation Outcome?. 2017 , 2, 14-17	
51	Derivation and validation of a VISITAGE-guided contact force ablation protocol for pulmonary vein isolation.	0
50	Mechanisms of Atrial Fibrillation and Their Impact on Strategies for Catheter Ablation. 2018 , 4, 56	1

49	Clinical and Procedural Effects of Transitioning to Contact Force Guided Ablation for Atrial Fibrillation. 2019 , 11, 2081	2
48	Quantitative Analysis of Ablation Technique Predicts Arrhythmia Recurrence Following Atrial Fibrillation Ablation.	
47	Ablation therapy and implantable device based approaches for supraventricular arrhythmias. 2020 , 741-760	
46	Current Status of Esophageal Protection. 2020 , 12, 247-257	0
45	Design and Evaluation of a Passive Constant Force Mechanism for a Cardiac Ablation Catheter. 2021 , 15,	2
44	Comparison of atrial fibrillation ablation efficacy using remote magnetic navigation vs. manual navigation with contact-force control. 2020 , 164, 387-393	
43	Better Lesion Creation And Assessment During Catheter Ablation. 2015 , 8, 1189	15
42	Radiation Dose is Significantly Reduced by Use of Contact Force Sensing Catheter During Circumferential Pulmonary Vein Isolation. 2015 , 7, 1229	1
41	Observations Of Electrical Coupling Index Using the ContactForce System During Pulmonary Vein Electrical Isolation Procedures. 2014 , 7, 1028	
40	Should Adenosine Test be Performed Systematically at the End of Atrial Fibrillation Ablation Procedure?. 2014 , 7, 1154	
39	How To Achieve Durable Pulmonary Vein Antral Isolation?. 2014 , 6, 1039	4
38	Contact Force Assessment In Catheter Ablation Of Atrial Fibrillation. 2014 , 6, 1047	3
37	New Technologies In Atrial Fibrillation Ablation. 2014 , 7, 1022	
36	Atrial Fibrillation Radiofrequency Ablation: Safety Using Contact Force Catheter In A Low-Volume Centre. 2014 , 7, 1043	3
35	Improvements In AF Ablation Outcome Will Be Based More On Technological Advancement Versus Mechanistic Understanding. 2014 , 7, 1120	1
34	Catheter Ablation of Atrial Fibrillation to Maintain Sinus Rhythm. 2013 , 5, 739	
33	Myocardial Ischemia as a Genuine Cause Responsible for the Organization and "Fertilization" of Conflictogenic Atrial Fibrillation:New Conceptual Insights Into Arrhythmogenicity. 2013 , 5, 797	3
32	Risks From Catheter Ablation of Atrial Fibrillation: A Review of Methods, Efficacy, and Safety. 2012 , 4, 455	2

31	Analysis of Contact Stability and Contact Safety of a Robotic Intravascular Cardiac Catheter under Blood Flow Disturbances. 2020 , 2020, 3216-3223		1
30	Relationship between ablation index and myocardial biomarkers after radiofrequency catheter ablation for atrial fibrillation. 2021 ,		0
29	Effects of the visualized steerable sheath applied to catheter ablation of paroxysmal atrial fibrillation. 2021 , 1		1
28	Analysis of Contact Stability and Contact Safety of a Robotic Intravascular Cardiac Catheter under Blood Flow Disturbances. 2020 , 2020, 3216-3223		1
27	Recurrent atrial arrhythmia in a randomised controlled trial comparing contact force-guided and contact force-blinded ablation for typical atrial flutter.. 2022 , 1		0
26	Pulmonary vein isolation using Cryoballoon ablation versus RF ablation using ablation index following the CLOSE protocol: a Prospective Randomized Trial.. <i>Journal of Cardiovascular Electrophysiology</i> , 2022 ,	2.7	0
25	Catheter contact angle influences local impedance drop during radiofrequency catheter ablation: Insight from a porcine experimental study with 2 different LI-sensing catheters.. <i>Journal of Cardiovascular Electrophysiology</i> , 2022 ,	2.7	1
24	Contact Force-Sensing versus Standard Catheters in Non-Fluoroscopic Radiofrequency Catheter Ablation of Idiopathic Outflow Tract Ventricular Arrhythmias.. 2022 , 11,		
23	Acute Lesion Imaging in Predicting Chronic Tissue Injury in the Ventricles.. 2021 , 8, 791217		0
22	A Systematic Review and Meta-Analysis of the Direct Comparison of Second-Generation Cryoballoon Ablation and Contact Force-Sensing Radiofrequency Ablation in Patients with Paroxysmal Atrial Fibrillation.. 2022 , 12,		0
21	Will the insulated-tip radiofrequency catheter transform ablation procedures?. <i>Journal of Cardiovascular Electrophysiology</i> , 2022 ,	2.7	
20	When local impedance meets contact force: preliminary experience from the CHARISMA registry.. 2022 , 1		0
19	Ultrasound to CT rigid image registration using CNN for the HIFU treatment of heart arrhythmias. 2022 ,		
18	Impact of baseline impedance of pulmonary vein antrum on success of catheter ablation for paroxysmal atrial fibrillation guided by ablation index.. 2022 , 22, 179		0
17	Comparison of outcomes with low-power long duration versus high-power short duration of ablation: the role of the acute change in sinus rhythm after the ablation as a predictor of long-term success.. 2022 , 1		
16	Contact Force Guided Radiofrequency Current Application at Developing Myocardium: Summary and Conclusions.. <i>Journal of Cardiovascular Electrophysiology</i> , 2022 ,	2.7	
15	Cardiac-Gated Spectroscopic Photoacoustic Imaging for Ablation-Induced Necrotic Lesion Visualization: In Vivo Demonstration in a Beating Heart.		0
14	Novel tissue-pressure sensing technology using a wide-band dielectric imaging system: An in vivo study. <i>Journal of Cardiology</i> , 2022 ,	3	

- 13 Cutting-Edge Technologies for Cardiac Rhythm Treatment: Recent Progress of Catheter Ablation Using Radiofrequency Current and Pulsed Electric Field. **2022**, 393-403
- 12 Lesion Index Guided Workflow for the Treatment of Paroxysmal Atrial Fibrillation is Safe and Effective [Final Results from the LSI Workflow Study. *Heart Rhythm O2*, **2022**, 1.5 ○
- 11 Effects of Electrode-Tissue Proximity on Cardiac Lesion Formation Using Pulsed Field Ablation. 1
- 10 Time dependency in the radiofrequency lesion formation for a local impedance guided catheter in an ex vivo experimental model. 1
- 9 Improvement in Lesion Formation with Radiofrequency Energy and Utilization of Alternate Energy Sources (Cryoablation and Pulsed Field Ablation) for Ventricular Arrhythmia Ablation. **2022**, 14, 757-767 ○
- 8 High-power Short-duration Radiofrequency Ablation for Atrial Fibrillation: A Clinical Review. **2022**, 8, 13 ○
- 7 Technical and Clinical Progress on Robot-Assisted Endovascular Interventions: A Review. **2023**, 14, 197 ○
- 6 Differential Gap Location after Radiofrequency versus Cryoballoon Pulmonary Vein Isolation: Insights from a Randomized Trial with Protocol-Mandated Repeat Procedure. ○
- 5 Effect of Contact Force on Pulsed Field Ablation Lesions in Porcine Cardiac Tissue. ○
- 4 Mechanisms of late arrhythmia recurrence after initially successful pulmonary vein isolation in patients with atrial fibrillation. ○
- 3 Safety and Efficacy of a Novel Approach to Pulmonary Vein Isolation Using Prolonged Apneic Oxygenation. **2023**, ○
- 2 Detailed investigation of the lesion formation with a novel contact force sensing catheter with a mesh-shaped irrigation tip. **2023**, 39, 166-174 ○
- 1 Pulsed Field Ablation for Atrial Fibrillation. 12, ○