The relationship between contact force and clinical out
catheter ablation of atrial fibrillation in the TOCCATA s

Heart Rhythm

9, 1789-1795

DOI: 10.1016/j.hrthm.2012.07.016

Citation Report

#	Article	IF	Citations
1	2012 HRS/EHRA/ECAS Expert Consensus Statement on Catheter and Surgical Ablation of Atrial Fibrillation: Recommendations for Patient Selection, Procedural Techniques, Patient Management and Follow-up, Definitions, Endpoints, and Research Trial Design. Heart Rhythm, 2012, 9, 632-696.e21.	0.7	1,541
2	How to achieve durable pulmonary vein isolation: Use the force. Heart Rhythm, 2012, 9, 1796-1797.	0.7	0
3	Use of a closed loop irrigated catheter in epicardial ablation of ventricular tachycardia. Journal of Interventional Cardiac Electrophysiology, 2013, 38, 35-42.	1.3	4
4	First experience with a novel robotic remote catheter system: Amigoâ„¢ mapping trial. Journal of Interventional Cardiac Electrophysiology, 2013, 37, 121-129.	1.3	133
5	Innovations in Heart Rhythm Disturbances: Cardiac Electrophysiology, Arrhythmias, and Cardiac Pacing. Revista Espanola De Cardiologia (English Ed), 2013, 66, 116-123.	0.6	3
6	Ultrasound-guided transesophageal HIFU exposures for atrial fibrillation treatment: First animal experiment. Irbm, 2013, 34, 315-318.	5.6	7
7	Ablation Effect Indicated by Impedance Fall is Correlated with Contact Force Level During Ablation for Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2013, 24, 1210-1215.	1.7	32
8	A New Catheter for Pulmonary Vein Isolation: The Hole Story?. Journal of Cardiovascular Electrophysiology, 2013, 24, 1336-1337.	1.7	6
10	Predictive value of impedance changes for real-time contact force measurements during catheter ablation of atrial arrhythmias in humans. Heart Rhythm, 2013, 10, 962-969.	0.7	58
11	Update on atrial fibrillation catheter ablation technologies and techniques. Nature Reviews Cardiology, 2013, 10, 599-612.	13.7	40
12	Characterization of Catheterâ€"Tissue Contact Force During Epicardial Radiofrequency Ablation in an Ovine Model. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 1222-1228.	4.8	36
13	Unipolar Electrogram Morphology to Assess Lesion Formation During Catheter Ablation of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 1050-1052.	4.8	15
14	The Impact of Power Output During Percutaneous Catheter Radiofrequency Ablation for Atrial Fibrillation on Efficacy and Safety Outcomes: A Systematic Review. Journal of Cardiovascular Electrophysiology, 2013, 24, 1216-1223.	1.7	21
15	Design and evaluation of a transesophageal HIFU probe for ultrasound-guided cardiac ablation: simulation of a HIFU mini-maze procedure and preliminary ex vivo trials. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2013, 60, 1868-1883.	3.0	30
16	Efficacy of Additional Radiofrequency Applications for Spontaneous Dissociated Pulmonary Vein Activity After Pulmonary Vein Isolation in Patients with Paroxysmal Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2013, 24, 894-901.	1.7	11
17	Electrical Reconnection After Pulmonary Vein Isolation Is Contingent on Contact Force During Initial Treatment. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 327-333.	4.8	401
18	Mitral Isthmus Ablation is Feasible, Efficacious, and Safe Using a Remote Robotic Catheter System. PACE - Pacing and Clinical Electrophysiology, 2013, 36, 1364-1372.	1.2	5
19	How effective is ablation therapy for cardiac arrhythmias?. Clinical Practice (London, England), 2013, 10, 177-187.	0.1	1

#	Article	IF	Citations
20	Contact force mapping during catheter ablation for atrial fibrillation: procedural data and one-year follow-up. Archives of Medical Science, 2014, 2, 266-272.	0.9	31
21	Improving ablation strategies for the treatment of atrial fibrillation. Expert Review of Medical Devices, 2014, 11, 77-88.	2.8	1
22	The benefit of tissue contact monitoring with an electrical coupling index during ablation of typical atrial flutterâ€"a prospective randomised control trial. Journal of Interventional Cardiac Electrophysiology, 2014, 41, 237-244.	1.3	5
23	Relationship Between Catheter Contact Force and Radiofrequency Lesion Size and Incidence of Steam Pop in the Beating Canine Heart. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 1174-1180.	4.8	198
24	Catheter-tissue contact force for pulmonary veins isolation: a pilot multicentre study on effect on procedure and fluoroscopy time. Europace, 2014, 16, 335-340.	1.7	55
25	Characterization of the impact of catheter-tissue contact force in lesion formation during cavo-tricuspid isthmus ablation in an experimental swine model. Europace, 2014, 16, 1679-1683.	1.7	19
26	Safety and efficacy of multipolar pulmonary vein ablation catheter vs. irrigated radiofrequency ablation for paroxysmal atrial fibrillation: a randomized multicentre trial. Europace, 2014, 16, 1145-1153.	1.7	48
27	Contact force and force-time integral in atrial radiofrequency ablation predict transmurality of lesions. Europace, 2014, 16, 660-667.	1.7	105
28	Quantitative Magnetic Resonance Imaging Analysis of the Relationship Between Contact Force and Left Atrial Scar Formation After Catheter Ablation of Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2014, 25, 138-145.	1.7	70
29	Pulmonary vein isolation using â€œcontact forceâ€•ablation: The effect on dormant conduction and long-term freedom from recurrent atrial fibrillationâ€"A prospective study. Heart Rhythm, 2014, 11, 1919-1924.	0.7	144
30	Regional Difference of Optimal Contact Force to Prevent Acute Pulmonary Vein Reconnection During Radiofrequency Catheter Ablation for Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2014, 25, 941-947.	1.7	29
31	Operator-blinded contact force monitoring during pulmonary vein isolation using conventional and steerable sheaths. International Journal of Cardiology, 2014, 177, 970-976.	1.7	18
32	Mechanisms of Pulmonary Vein Reconnection After Radiofrequency Ablation of Atrial Fibrillation: The Deterministic Role of Contact Force and Interlesion Distance. Journal of Cardiovascular Electrophysiology, 2014, 25, 701-708.	1.7	106
33	In Vitro Evaluation of Iceâ€Cold Saline Irrigation During Catheter Radiofrequency Ablation. Journal of Cardiovascular Electrophysiology, 2014, 25, 1125-1132.	1.7	12
34	Comparison of Left Atrial Area Marked Ablated in Electroanatomical Maps with Scar in MRI. Journal of Cardiovascular Electrophysiology, 2014, 25, 457-463.	1.7	46
35	Realâ€Time Contact Force Sensing for Pulmonary Vein Isolation in the Setting of Paroxysmal Atrial Fibrillation: Procedural and 1â€Year Results. Journal of Cardiovascular Electrophysiology, 2014, 25, 130-137.	1.7	146
36	Periprocedural imaging and outcomes after catheter ablation of atrial fibrillation. Heart, 2014, 100, 1871-1877.	2.9	16
38	In vivo left-ventricular contact force analysis: comparison of antegrade transseptal with retrograde transaortic mapping strategies and correlation of impedance and electrical amplitude with contact force. Europace, 2014, 16, 1387-1395.	1.7	45

#	Article	IF	Citations
39	Tachyarrhythmias and catheter ablation in adult congenital heart disease. Expert Review of Cardiovascular Therapy, 2014, 12, 751-770.	1.5	8
40	Feasibility of Near Realâ€Time Lesion Assessment During Radiofrequency Catheter Ablation in Humans Using Acoustic Radiation Force Impulse Imaging. Journal of Cardiovascular Electrophysiology, 2014, 25, 1275-1283.	1.7	23
41	First Evidence of Clinical Benefit of Robotically Driven Catheter Ablation or an Outlayer?. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 1423-1426.	1.2	1
42	Initial impedance decrease as an indicator of good catheter contact: Insights from radiofrequency ablation with force sensing catheters. Heart Rhythm, 2014, 11, 194-201.	0.7	92
43	Contact Forceâ€"Sensing Catheters. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 5-6.	4.8	12
44	Which is the best catheter to perform atrial fibrillation ablation? A comparison between standard ThermoCool, SmartTouch, and Surround Flow catheters. Journal of Interventional Cardiac Electrophysiology, 2014, 39, 193-200.	1.3	36
45	Acute pulmonary vein reconnection is a predictor of atrial fibrillation recurrence following pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2014, 39, 225-232.	1.3	58
46	Impact of real-time contact force and impedance measurement in pulmonary vein isolation procedures for treatment of atrial fibrillation. Clinical Research in Cardiology, 2014, 103, 97-106.	3.3	63
47	Prolonged Ablation on Critical Segments of Pulmonary Vein Ostia in Paroxysmal Atrial Fibrillation: A Prospective Randomized Controlled Study. PACE - Pacing and Clinical Electrophysiology, 2014, 37, 603-609.	1.2	0
48	The Past, the Present, and the Future of Cardiac ArrhythmiaÂAblation. Canadian Journal of Cardiology, 2014, 30, S431-S441.	1.7	21
49	Catheterâ€Tissue Contact Force Determines Atrial Electrogram Characteristics Before and Lesion Efficacy After Antral Pulmonary Vein Isolation in Humans. Journal of Cardiovascular Electrophysiology, 2014, 25, 122-129.	1.7	50
50	In Vivo Contact Force Analysis and Correlation With Tissue Impedance During Left Atrial Mapping and Catheter Ablation of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 46-54.	4.8	51
51	Long-term comparison of cryoballoon and radiofrequency ablation of paroxysmal atrial fibrillation: A propensity score matched analysis. International Journal of Cardiology, 2014, 176, 645-650.	1.7	37
52	Complications from Catheter Ablation of Atrial Fibrillation: Impact of Current and Emerging Ablation Technologies. Current Treatment Options in Cardiovascular Medicine, 2014, 16, 344.	0.9	6
53	When It Comes to Radiofrequency Catheter Ablation of Atrial Fibrillation, Have All of Our Wishes Been Granted?. Journal of the American College of Cardiology, 2014, 64, 657-659.	2.8	3
54	Paroxysmal AF Catheter Ablation With a Contact Force Sensing Catheter. Journal of the American College of Cardiology, 2014, 64, 647-656.	2.8	420
55	The first human experience of a contact force sensing catheter for epicardial ablation of ventricular tachycardia. Netherlands Heart Journal, 2014, 22, 225-230.	0.8	3
56	Visual, tactile, and contact force feedback: Which one is more important for catheter ablation? Results from an in vitro experimental study. Heart Rhythm, 2014, 11, 506-513.	0.7	17

#	Article	IF	Citations
57	Radiofrequency ablation annotation algorithm reduces the incidence of linear gaps and reconnection after pulmonary vein isolation. Heart Rhythm, 2014, 11, 783-790.	0.7	48
58	Current status and future catheter ablation strategies in atrial fibrillation. Cor Et Vasa, 2014, 56, e19-e26.	0.1	4
59	Comparison of lesion formation between contact force-guided and non-guided circumferential pulmonary vein isolation: A prospective, randomized study. Heart Rhythm, 2014, 11, 984-991.	0.7	118
60	Pulmonary vein isolation using new technologies to improve ablation lesion formation: Initial results comparing enhanced catheter tip irrigation (Surround FlowÂ®) with contact force measurement (SmarttouchÂ®). Indian Pacing and Electrophysiology Journal, 2015, 15, 152-157.	0.6	8
64	First-in-human case of repeat pulmonary vein isolation by targeting visual interlesion gaps using the direct endoscopic ablation catheter after single ring pulmonary vein isolation. HeartRhythm Case Reports, 2015, 1, 279-284.	0.4	1
65	Electromechanical mapping in electrophysiology and beyond. Cor Et Vasa, 2015, 57, e470-e482.	0.1	9
66	The Effect of Contact Force in Atrial RadiofrequencyÂAblation. JACC: Clinical Electrophysiology, 2015, 1, 421-431.	3.2	30
67	Radiofrequency Ablation with an Enhancedâ€Irrigation Flexibleâ€Tip Catheter versus a Standardâ€Irrigation Rigidâ€Tip Catheter. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 1151-1158.	1.2	7
68	Loss of Pace Capture on the Ablation Line During Pulmonary Vein Isolation versus â€œDormant Conductionâ€: Is Adenosine Expendable?. Journal of Cardiovascular Electrophysiology, 2015, 26, 1075-1080.	1.7	30
69	Ablation of paroxysmal atrial fibrillation in 2015: radiofrequency or cryoenergy?. Interventional Cardiology, 2015, 7, 295-303.	0.0	0
70	Cardiac shear-wave elastography using a transesophageal transducer: application to the mapping of thermal lesions in ultrasound transesophageal cardiac ablation. Physics in Medicine and Biology, 2015, 60, 7829-7846.	3.0	21
71	Predictors and Characteristics of Multiple (More Than 2) Catheter Ablation Procedures for Atrial Fibrillation. Journal of Cardiovascular Electrophysiology, 2015, 26, 1048-1056.	1.7	44
72	General Anesthesia is Not Superior to Local Anesthesia for Remote Magnetic Ablation of Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 391-397.	1.2	11
73	High Incidence of Low Catheterâ€Tissue Contact Force at the Cavotricuspid Isthmus During Catheter Ablation of Atrial Flutter: Implications for Achieving Isthmus Block. Journal of Cardiovascular Electrophysiology, 2015, 26, 826-831.	1.7	23
74	Safety and Clinical Outcome of Catheter Ablation of Ventricular Arrhythmias Using Contact Force Sensing: Consecutive Case Series. Journal of Cardiovascular Electrophysiology, 2015, 26, 1224-1229.	1.7	38
76	Contemporary Mapping Techniques of Complex Cardiac Arrhythmias â€" Identifying and Modifying the Arrhythmogenic Substrate. Arrhythmia and Electrophysiology Review, 2015, 4, 19.	2.4	31
77	Low contact force and force-time integral predict early recovery and dormant conduction revealed by adenosine after pulmonary vein isolation. Europace, 2015, 17, 877-883.	1.7	39
78	Comparison of contact force-guided procedure with non-contact force-guided procedure during left atrial mapping and pulmonary vein isolation: impact of contact force on recurrence of atrial fibrillation. Clinical Research in Cardiology, 2015, 104, 861-870.	3.3	22

#	Article	IF	Citations
79	Magnetic guidance versus manual control:comparison of radiofrequency lesion dimensions and evaluation of the effect of heart wall motion in a myocardial phantom. Heart Lung and Circulation, 2015, 24, S241.	0.4	0
80	Contact Force in Atrial Fibrillation: Role of Atrial Rhythm and Ventricular Contractions. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 1342-1350.	4.8	26
81	Relationship Between Contact Force Sensing Technology and Mediumâ€Term Outcome of Atrial Fibrillation Ablation: A Multicenter Study of 600 Patients. Journal of Cardiovascular Electrophysiology, 2015, 26, 378-384.	1.7	63
82	Optimizing Radiofrequency Ablation of Paroxysmal and Persistent Atrial Fibrillation by Direct Catheter Force Measurementâ€"A Caseâ€Matched Comparison in 198 Patients. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 201-208.	1.2	38
83	Optimal contact forces to minimize cardiac perforations before, during, and/or after radiofrequency or cryothermal ablations. Heart Rhythm, 2015, 12, 291-296.	0.7	19
85	Open-irrigated laser catheter ablation: influence of catheterâ€"tissue contact force on lesion formation. Journal of Interventional Cardiac Electrophysiology, 2015, 42, 77-81.	1.3	4
86	EFFICAS II: optimization of catheter contact force improves outcome of pulmonary vein isolation for paroxysmal atrial fibrillation. Europace, 2015, 17, 1229-1235.	1.7	302
87	Triggers, Substrate, and Hypertension inÂAtrial Fibrillation. JACC: Clinical Electrophysiology, 2015, 1, 174-176.	3.2	2
88	Atrial Fibrillation Ablation: Indications, Emerging Techniques, and Follow-Up. Progress in Cardiovascular Diseases, 2015, 58, 202-212.	3.1	13
89	Use of contact force sensing technology during radiofrequency ablation reduces recurrence of atrial fibrillation: A systematic review and meta-analysis. Heart Rhythm, 2015, 12, 1990-1996.	0.7	85
90	Pulmonary vein orientation assessment: Is it necessary in patients undergoing contact force sensing guided radiofrequency catheter ablation of atrial fibrillation. IJC Heart and Vasculature, 2015, 8, 1-5.	1.1	4
91	Atrial fibrillation ablation: less is more?: FigureÂ1. European Heart Journal, 2015, 36, 1792-1793.	2.2	2
92	Elimination of the Negative Component of the Unipolar Atrial Electrogram as an In Vivo Marker of Transmural Lesion Creation. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 905-911.	4.8	29
93	Comparison between radiofrequency with contact force-sensing and second-generation cryoballoon for paroxysmal atrial fibrillation catheter ablation: a multicentre European evaluation. Europace, 2015, 17, 718-724.	1.7	135
94	Atrial Fibrillation Ablation in the Era of Cryoballoon and Force-Sensing Catheters: Freeze or Burn?. Current Treatment Options in Cardiovascular Medicine, 2015, 17, 374.	0.9	2
95	Contact force-sensing catheters. Current Opinion in Cardiology, 2015, 30, 74-80.	1.8	19
96	Real-time atrial wall imaging during radiofrequency ablation in a porcine model. Heart Rhythm, 2015, 12, 1827-1835.	0.7	11
97	Contact force and impedance decrease during ablation depends on catheter location and orientation: insights from pulmonary vein isolation using a contact force-sensing catheter. Journal of Interventional Cardiac Electrophysiology, 2015, 43, 297-306.	1.3	30

#	Article	IF	Citations
98	Randomized comparison of contact force-guided versus conventional circumferential pulmonary vein isolation of atrial fibrillation: prevalence, characteristics, and predictors of electrical reconnections and clinical outcomes. Journal of Interventional Cardiac Electrophysiology, 2015, 44, 235-245.	1.3	24
99	Impact of Contact Force Technology on Atrial Fibrillation Ablation: A Metaâ€Analysis. Journal of the American Heart Association, 2015, 4, e002476.	3.7	88
100	Catheter Ablation of Paroxysmal Atrial Fibrillation: Have We Achieved Cure with Pulmonary Vein Isolation?. Methodist DeBakey Cardiovascular Journal, 2021, 11, 71.	1.0	17
101	Superior efficacy of pulmonary vein isolation with online contact force measurement persists after the learning period: a prospective case control study. Journal of Interventional Cardiac Electrophysiology, 2015, 43, 287-296.	1.3	7
102	Arrhythmia Termination Versus Elimination of Dormant Pulmonary Vein Conduction as a Procedural End Point of Catheter Ablation for Paroxysmal Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 1080-1087.	4.8	9
103	Feasibility, Efficacy, and Safety of Radiofrequency Ablation of Atrial Fibrillation Guided by Monitoring of the Initial Impedance Decrease as a Surrogate of Catheter Contact. Journal of Cardiovascular Electrophysiology, 2015, 26, 390-396.	1.7	40
104	Magnetic guidance versus manual control: comparison of radiofrequency lesion dimensions and evaluation of the effect of heart wall motion in a myocardial phantom. Journal of Interventional Cardiac Electrophysiology, 2015, 44, 1-8.	1.3	27
105	Real-Time Contact Force Measurement. Circulation: Arrhythmia and Electrophysiology, 2015, 8, 713-721.	4.8	30
106	Demonstrating the Value of Contact Force Sensing. Circulation, 2015, 132, 901-903.	1.6	18
107	Randomized, Controlled Trial of the Safety and Effectiveness of a Contact Forceâ€"Sensing Irrigated Catheter for Ablation of Paroxysmal Atrial Fibrillation. Circulation, 2015, 132, 907-915.	1.6	327
108	Pre-Clinical Investigation of a Low-Intensity Collimated Ultrasound System for Pulmonary VeinÂIsolation inÂaÂPorcineÂModel. JACC: Clinical Electrophysiology, 2015, 1, 306-314.	3.2	17
109	A prospective study on safety of catheter ablation procedures: Contact force guided ablation could reduce the risk of cardiac perforation. International Journal of Cardiology, 2015, 179, 441-448.	1.7	44
110	Higher contact-force values associated with better mid-term outcome of paroxysmal atrial fibrillation ablation using the SmartTouchâ„¢ catheter. Europace, 2015, 17, 56-63.	1.7	41
111	Catheter-tissue contact force values do not impact mid-term clinical outcome following pulmonary vein isolation in patients with paroxysmal atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2015, 42, 21-26.	1.3	23
112	Contact-force guided radiofrequency vs. second-generation balloon cryotherapy for pulmonary vein isolation in patients with paroxysmal atrial fibrillation--a prospective evaluation. Europace, 2015, 17, 225-231.	1.7	117
113	Pulmonary vein isolation in the treatment of atrial fibrillation. Research Reports in Clinical Cardiology, 0, , 47.	0.2	2
114	Update on Atrial Fibrillation. Texas Heart Institute Journal, 2016, 43, 412-414.	0.3	2
115	Contact force-guided catheter ablation for the treatment of atrial fibrillation: a meta-analysis of randomized, controlled trials. Brazilian Journal of Medical and Biological Research, 2016, 49, .	1.5	2

#	Article	IF	Citations
116	Contact-force-guided vs. contact-force-blinded catheter ablation of typical atrial flutter: a prospective study. Europace, 2017, 19, euw137.	1.7	19
117	Impact of Catheter Contact Force on Superior Vena Cava Mapping and Localization of the Right Phrenic Nerve by High Output Pacing. Journal of Cardiovascular Electrophysiology, 2016, 27, 290-295.	1.7	9
118	Optimal Forceâ€"Time Integral for Pulmonary Vein Isolation According to Anatomical Wall Thickness Under the Ablation Line. Journal of the American Heart Association, 2016, 5, e003155.	3.7	36
119	Multimodality Imaging for Guiding EPÂAblation Procedures. JACC: Cardiovascular Imaging, 2016, 9, 873-886.	5.3	32
120	Electromagnetic Contactâ€Force Sensing Electrophysiological Catheters: How Accurate Is the Technology?. Journal of Cardiovascular Electrophysiology, 2016, 27, 347-350.	1.7	24
121	Towards a tri-axial flexible force sensor for catheter contact force measurement. , 2016, , .		7
122	Force Analysis and Modelling of Soft Actuators for Catheter Robots. , 2016, , .		2
125	Catheter ablation of ventricular tachycardia: Lessons learned from past clinical trials and implications for future clinical trials. Heart Rhythm, 2016, 13, 1748-1754.	0.7	28
126	Wall thickness of the pulmonary vein-left atrial junction rather than electrical information as the major determinant of dormant conduction after contact force-guided pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2016, 46, 325-333.	1.3	29
127	Clinical impact of contact force and its regional variability on efficiency and effectiveness of pulmonary vein isolation for atrial fibrillation. Journal of Cardiology, 2016, 68, 335-341.	1.9	6
128	Steerable versus non-steerable sheaths during pulmonary vein isolation: impact of left atrial enlargement on the catheterâ€"tissue contact force. Journal of Interventional Cardiac Electrophysiology, 2016, 47, 99-107.	1.3	10
129	Five seconds of 50â€"60 W radio frequency atrial ablations were transmural and safe: anin vitromechanistic assessment and force-controlledin vivovalidation. Europace, 2017, 19, euw077.	1.7	111
130	Ultrasound-Guided Transesophageal High-Intensity Focused Ultrasound Cardiac Ablation in a Beating Heart: A Pilot Feasibility Study in Pigs. Ultrasound in Medicine and Biology, 2016, 42, 1848-1861.	1.5	24
131	Contact force sensing during atrial fibrillation ablation: clinical experience and effects on outcomes. Expert Review of Cardiovascular Therapy, 2016, 14, 749-759.	1.5	7
132	Recent Advances in Lesion Formation for Catheter Ablation of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	21
133	Randomized trial comparing pulmonary vein isolation using the SmartTouch catheter with or without real-time contact force data. Heart Rhythm, 2016, 13, 1761-1767.	0.7	134
135	Use of the new contact force sensing ablation catheter dramatically reduces fluoroscopy time during atrial fibrillation ablation procedures. Indian Pacing and Electrophysiology Journal, 2016, 16, 83-87.	0.6	5
136	Impedance Guided Radiofrequency Ablation for Atrial Fibrillation: Something Old Is New Again. Journal of Cardiovascular Electrophysiology, 2016, 27, 1399-1402.	1.7	2

#	Article	IF	Citations
137	Factors impacting complication rates for catheter ablation of atrial fibrillation from 2003 to 2015. Europace, 2016, 19, euw178.	1.7	35
138	Characteristics of Cavotricuspid Isthmus Ablation for Atrial Flutter Guided by Novel Parameters Using a Contact Force Catheter. Journal of Cardiovascular Electrophysiology, 2016, 27, 1429-1436.	1.7	14
139	What have we learned of ablation procedures for atrial fibrillation?. Journal of Internal Medicine, 2016, 279, 439-448.	6.0	4
140	Automated lesion annotation during pulmonary vein isolation: influence on acute isolation rates and lesion characteristics. Journal of Interventional Cardiac Electrophysiology, 2016, 47, 349-356.	1.3	2
141	Radiofrequency Ablation of Atrial Fibrillation: Nonrandomized Comparison of Circular versus Pointâ€byâ€Point â€œSmartâ€•Ablation for Achieving Circumferential Pulmonary Vein Isolation and Curing Arrhythmic Symptoms. Journal of Cardiovascular Electrophysiology, 2016, 27, 1282-1287.	1.7	15
142	Contactâ€Force Catheters: Efficacy Versus Safety? Case Report of 2 Atrioesophageal Fistulae. Journal of Cardiovascular Electrophysiology, 2016, 27, 1483-1487.	1.7	6
143	Relationship Between Catheter Stability andÂ12-Month Success After PulmonaryÂVeinÂIsolation. JACC: Clinical Electrophysiology, 2016, 2, 691-699.	3.2	39
144	Contact Forceâ€"Guided PulmonaryÂVeinÂIsolation. JACC: Clinical Electrophysiology, 2016, 2, 700-702.	3.2	2
145	Predictors of chronic pulmonary vein reconnections after contact force-guided ablation: importance of completing electrical isolation with circumferential lines and creating sufficient ablation lesion densities. Journal of Interventional Cardiac Electrophysiology, 2016, 47, 321-331.	1.3	6
146	Invasive management of atrial fibrillation. Continuing Cardiology Education, 2016, 2, 158-166.	0.4	0
147	Ultrathin Injectable Sensors of Temperature, Thermal Conductivity, and Heat Capacity for Cardiac Ablation Monitoring. Advanced Healthcare Materials, 2016, 5, 373-381.	7.6	47
148	Clinical utility of automated ablation lesion tagging based on catheter stability information (VisiTag) Tj ETQq1 1 0.784314 rgBT /Over atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2016, 47, 245-252.	1.3	27
149	Atrial rhythm influences catheter tissue contact during radiofrequency catheter ablation of atrial fibrillation: comparison of contact force between sinus rhythm and atrial fibrillation. Heart and Vessels, 2016, 31, 1544-1552.	1.2	14
150	Contact forces during hybrid atrial fibrillation ablation: an in vitro evaluation. Journal of Interventional Cardiac Electrophysiology, 2016, 45, 189-197.	1.3	2
151	The importance of catheter stability evaluated by VisitagTM during pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2016, 46, 161-166.	1.3	12
152	Reduced residual conduction gaps and favourable outcome in contact force-guided circumferential pulmonary vein isolation. Europace, 2016, 18, 531-537.	1.7	36
153	Friendly Fire During RF: Be Firm But Gentle!. Journal of Cardiovascular Electrophysiology, 2016, 27, 296-297.	1.7	0
154	Impact of Contact Force Monitoring in Acute Pulmonary Vein Isolation Using an Anatomic Approach. A Randomized Study. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 361-369.	1.2	23

#	Article	IF	Citations
155	Contact force monitoring during catheter ablation of intraatrial reentrant tachycardia in patients with congenital heart disease. Journal of Interventional Cardiac Electrophysiology, 2016, 46, 191-198.	1.3	5
156	Analysis of catheter contact force during atrial fibrillation ablation using the robotic navigation system: results from a randomized study. Journal of Interventional Cardiac Electrophysiology, 2016, 46, 97-103.	1.3	24
157	Impact of Complete Versus Incomplete Circumferential Lines Around the Pulmonary Veins During Catheter Ablation of Paroxysmal Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2016, 9, e003337.	4.8	213
158	A critical evaluation of second-generation AF ablation technologies: cryoballoons and contact forces. Expert Review of Medical Devices, 2016, 13, 305-307.	2.8	0
159	Design and Evaluation of a Catheter Contact-Force Controller for Cardiac Ablation Therapy. IEEE Transactions on Biomedical Engineering, 2016, 63, 2301-2307.	4.2	14
160	Making better scar: Emerging approaches for modifying mechanical and electrical properties following infarction and ablation. Progress in Biophysics and Molecular Biology, 2016, 120, 134-148.	2.9	28
161	Optimizing contact force during ablation of atrial fibrillation: available technologies and a look to the future. Future Cardiology, 2016, 12, 197-207.	1.2	1
162	Electrophysiological findings following pulmonary vein isolation using radiofrequency catheter guided by contact-force and second-generation cryoballoon: lessons from repeat ablation procedures. Europace, 2016, 18, 71-77.	1.7	69
163	Reducing contact forces in the arch and supra-aortic vessels using the Magellan robot. Journal of Vascular Surgery, 2016, 64, 1422-1432.	1.1	30
164	First-line catheter ablation of paroxysmal atrial fibrillation: outcome of radiofrequency vs. cryoballoon pulmonary vein isolation. Europace, 2016, 18, 368-375.	1.7	70
165	Three-Degree-of-Freedom MR-Compatible Multisegment Cardiac Catheter Steering Mechanism. IEEE Transactions on Biomedical Engineering, 2016, 63, 2425-2435.	4.2	32
166	Electrophysiology Catheter Detection and Reconstruction From Two Views in Fluoroscopic Images. IEEE Transactions on Medical Imaging, 2016, 35, 567-579.	8.9	27
167	Contact force threshold for permanent lesion formation in atrial fibrillation ablation: A cardiac magnetic resonanceâ€"based study to detect ablation gaps. Heart Rhythm, 2016, 13, 37-45.	0.7	29
168	Cryoballoon ablation versus radiofrequency ablation for atrial fibrillation. Trends in Cardiovascular Medicine, 2017, 27, 271-277.	4.9	18
169	Remote magnetic catheter navigation versus conventional ablation in atrial fibrillation ablation: Fluoroscopy reduction. Journal of Arrhythmia, 2017, 33, 167-171.	1.2	9
170	Prediction of radiofrequency ablation lesion formation using a novel temperature sensing technology incorporated in a force sensing catheter. Heart Rhythm, 2017, 14, 248-254.	0.7	33
171	Long-term efficacy of catheter ablation as first-line therapy for paroxysmal atrial fibrillation: 5-year outcome in a randomised clinical trial. Heart, 2017, 103, 368-376.	2.9	74
172	Effective contact and outcome after pulmonary vein isolation inÂnovelÂcircular multi-electrode atrial fibrillation ablation. Netherlands Heart Journal, 2017, 25, 16-23.	0.8	9

#	Article	IF	Citations
173	Objective Assessment of Endovascular Navigation Skills with Force Sensing. Annals of Biomedical Engineering, 2017, 45, 1315-1327.	2.5	50
174	Safety and efficacy of pulmonary vein isolation using a surround flow catheter with contact force measurement capabilities: A multicenter registry. Journal of Cardiovascular Electrophysiology, 2017, 28, 762-767.	1.7	23
175	General anesthesia improves contact force and reduces gap formation in pulmonary vein isolation: a comparison with conscious sedation. Heart and Vessels, 2017, 32, 997-1005.	1.2	36
176	Risk of atrioesophageal fistula formation with contact forceâ€"sensing catheters. Heart Rhythm, 2017, 14, 1328-1333.	0.7	91
177	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. Heart Rhythm, 2017, 14, e275-e444.	0.7	1,671
179	How to Approach Difficult Cases of AVNRT. Current Treatment Options in Cardiovascular Medicine, 2017, 19, 34.	0.9	1
180	Contact force technology integrated with 3D navigation system for atrial fibrillation ablation: improving results?. Expert Review of Medical Devices, 2017, 14, 461-467.	2.8	6
181	High-voltage zones within the pulmonary vein antra: Major determinants of acute pulmonary vein reconnections after atrial fibrillation ablation. Journal of Interventional Cardiac Electrophysiology, 2017, 49, 137-145.	1.3	17
183	Is the knowledge of contact force beneficial in pulmonary vein antrum isolation?. Scandinavian Cardiovascular Journal, 2017, 51, 129-137.	1.2	9
184	Contact-force guided single-catheter approach for pulmonary vein isolation: Feasibility, outcomes, and cost-effectiveness. Heart Rhythm, 2017, 14, 331-338.	0.7	28
185	Cardiac Magnetic Resonance for Lesion Assessment in the Electrophysiology Laboratory. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	4.8	5
187	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Journal of Arrhythmia, 2017, 33, 369-409.	1.2	348
188	Reconstruction left atrium and isolation pulmonary veins of paroxysmal atrial fibrillation using single contact force catheter with zero x-ray exposure. Medicine (United States), 2017, 96, e7726.	1.0	6
189	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. Journal of Interventional Cardiac Electrophysiology, 2017, 50, 1-55.	1.3	83
190	Atrial Fibrillation Ablation. Cardiovascular Medicine, 2017, , 143-155.	0.0	0
191	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Heart Rhythm, 2017, 14, e445-e494.	0.7	135
192	Forceâ€Sensing Catheters During Pediatric Radiofrequency Ablation: The FEDERATION Study. Journal of the American Heart Association, 2017, 6, .	3.7	13
193	The quest for durable lesions in catheter ablation of atrial fibrillation - technological advances in radiofrequency catheters and balloon devices. Expert Review of Medical Devices, 2017, 14, 621-631.	2.8	8

#	Article	IF	Citations
194	Efficacy of adjunctive measures used to assist pulmonary vein isolation for atrial fibrillation. Current Opinion in Cardiology, 2017, 32, 58-68.	1.8	5
195	Threeâ€year outcomes and reconnection patterns after initial contact force guided pulmonary vein isolation for paroxysmal atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2017, 28, 984-993.	1.7	17
196	Elimination of the negative component of the unipolar electrogram as a local procedural endpoint during paroxysmal atrial fibrillation catheter ablation using contact-force sensing: the UNIFORCE study. Journal of Interventional Cardiac Electrophysiology, 2017, 49, 299-306.	1.3	9
197	Ablation Index and Surround Flow Catheter Irrigation. JACC: Clinical Electrophysiology, 2017, 3, 1080-1088.	3.2	37
198	Fiberoptic Contactâ€Force Sensing Electrophysiological Catheters: How Precise Is the Technology?. Journal of Cardiovascular Electrophysiology, 2017, 28, 109-114.	1.7	32
199	Impact of contact force technology on reducing the recurrence and major complications of atrial fibrillation ablation: A systematic review and meta-analysis. Anatolian Journal of Cardiology, 2017, 17, 82-91.	0.9	15
200	Increasing the Single-Procedure Success Rate of Pulmonary Vein Isolation. Arrhythmia and Electrophysiology Review, 2017, 6, 217.	2.4	7
201	Atrial fibrillation ablation using very short duration 50ÂW ablations and contact force sensing catheters. Journal of Interventional Cardiac Electrophysiology, 2018, 52, 1-8.	1.3	85
202	Contact force facilitates the achievement of an unexcitable ablation line during pulmonary vein isolation. Clinical Research in Cardiology, 2018, 107, 632-641.	3.3	9
203	Strategy and Outcome of Catheter Ablation for Persistent Atrial Fibrillationã€€â€• Impact of Progress in the Mapping and Ablation Technologies â€•. Circulation Journal, 2018, 82, 2-9.	1.6	12
204	Impact of left atrial size on isolation area in the acute phase of pulmonary vein isolation using 28Âmm cryoballoon. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 700-706.	1.2	3
205	Fiber Bragg Grating-Based Triaxial Force Sensor With Parallel Flexure Hinges. IEEE Transactions on Industrial Electronics, 2018, 65, 8215-8223.	7.9	66
206	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. Europace, 2018, 20, e1-e160.	1.7	767
207	A comparison of contact force and remote magnetic navigation on lesion formation for the ablation of atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2018, 41, 450-458.	1.2	4
208	Durable lesion formation while avoiding esophageal injury during ablation of atrial fibrillation: Lessons learned from late gadolinium MR imaging. Journal of Cardiovascular Electrophysiology, 2018, 29, 385-392.	1.7	16
209	Safety and long-term effectiveness of paroxysmal atrial fibrillation ablation with a contact force-sensing catheter: real-world experience from a prospective, multicentre observational cohort registry. Europace, 2018, 20, f410-f418.	1.7	21
210	2017â€‰HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. Europace, 2018, 20, 157-208.	1.7	375
211	Comparison of the efficacy between impedanceâ€guided and contact forceâ€guided atrial fibrillation ablation using an automated annotation system. Journal of Arrhythmia, 2018, 34, 239-246.	1.2	3

#	Article	IF	Citations
212	Voltage and pace-capture mapping of linear ablation lesions overestimates chronic ablation gap size. Europace, 2018, 20, 2028-2035.	1.7	4
213	Irreversible electroporation for the treatment of cardiac arrhythmias. Expert Review of Cardiovascular Therapy, 2018, 16, 349-360.	1.5	42
214	Design and evaluation of safety operation VR training system for robotic catheter surgery. Medical and Biological Engineering and Computing, 2018, 56, 25-35.	2.8	34
215	Contact force sensing for ablation of persistent atrial fibrillation: A randomized, multicenter trial. Heart Rhythm, 2018, 15, 201-208.	0.7	52
216	Catheter Ablation. , 2018, , 1194-1210.		0
217	Ablation in Pediatrics. , 2018, , 1270-1279.		0
218	Relation between denaturation time measured by optical coherence reflectometry and thermal lesion depth during radiofrequency cardiac ablation: Feasibility numerical study. Lasers in Surgery and Medicine, 2018, 50, 222-229.	2.1	7
219	Ice or fire? Comparison of secondâ€generation cryoballoon ablation and radiofrequency ablation in patients with symptomatic persistent atrial fibrillation and an enlarged left atrium. Journal of Cardiovascular Electrophysiology, 2018, 29, 375-384.	1.7	21
220	Recurrence after pulmonary vein isolation is associated with low contact force. Scandinavian Cardiovascular Journal, 2018, 52, 28-33.	1.2	3
221	Biophysics of Ablationâ€"Radiofrequency and Cryoablation. , 2018, , 334-349.		2
222	Catheter Ablation for Atrial Fibrillation (Methods). , 2018, , 553-565.		0
223	A Pilot Study on Parameter Setting of VisiTagâ„¢ Module during Pulmonary Vein Isolation. Cardiology Research and Practice, 2018, 2018, 1-5.	1.1	0
224	OBSOLETE: Biophysics of Ablation - Radiofrequency and Cryoablation. , 2018, , .		0
225	OBSOLETE: Catheter Ablation for Atrial Fibrillation (Methods). , 2018, , .		0
226	Prospective Evaluation of Lesion Index-Guided Pulmonary Vein Isolation Technique in Patients with Paroxysmal Atrial Fibrillation: 1-year Follow-Up.. Journal of Atrial Fibrillation, 2018, 10, 1858.	0.5	36
227	Optimal lesion size index to prevent conduction gap during pulmonary vein isolation. Journal of Cardiovascular Electrophysiology, 2018, 29, 1616-1623.	1.7	41
228	Contiguity Between Ablation Lesions and Strict Catheter Stability Settings Assessed by VISITAG^{TM} Module Improve Clinical Outcomes of Paroxysmal Atrial Fibrillation Ablationã€€â€• Results From the VISITALY Study â€•. Circulation Journal, 2018, 82, 974-982.	1.6	19
229	Pulmonary vein volume predicts the outcome of radiofrequency catheter ablation of paroxysmal atrial fibrillation. PLoS ONE, 2018, 13, e0201199.	2.5	14

#	Article	IF	Citations
230	From early beginnings to elaborate tools: contribution of German electrophysiology to the interventional treatment of cardiac arrhythmias. Clinical Research in Cardiology, 2018, 107, 94-99.	3.3	1
231	The best of two worlds? Pulmonary vein isolation using a novel radiofrequency ablation catheter incorporating contact force sensing technology and 56-hole porous tip irrigation. Clinical Research in Cardiology, 2018, 107, 1003-1012.	3.3	24
232	Contact force-sensing catheters: performance in an ex vivo porcine heart model. Journal of Interventional Cardiac Electrophysiology, 2018, 53, 141-150.	1.3	11
233	Role of Contact Force Sensing in Catheter Ablation of Cardiac Arrhythmias. JACC: Clinical Electrophysiology, 2018, 4, 707-723.	3.2	75
234	Safety and efficacy of atrial fibrillation ablation guided by Ablation Index module. Journal of Interventional Cardiac Electrophysiology, 2019, 54, 9-15.	1.3	55
235	Contact force and ablation assessment of surgical bipolar radiofrequency clamps in the treatment of atrial fibrillationâ€. Interactive Cardiovascular and Thoracic Surgery, 2019, 28, 85-93.	1.1	5
237	Comparison of highâ€power shortâ€duration (HPSD) ablation of atrial fibrillation using a contact forceâ€sensing catheter and conventional technique: Initial results. Journal of Cardiovascular Electrophysiology, 2019, 30, 1877-1883.	1.7	60
238	Comparison Between Contact Force Monitoring and Unipolar Signal Modification as a Guide for Catheter Ablation of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2019, 12, e007311.	4.8	8
239	Acute and one year outcome of premature ventricular contraction ablation guided by contact force and automated pacemapping software. Journal of Arrhythmia, 2019, 35, 542-549.	1.2	13
240	Highâ€power application is associated with shorter procedure time and higher rate of firstâ€pass pulmonary vein isolation in ablation indexâ€guided atrial fibrillation ablation. Journal of Cardiovascular Electrophysiology, 2019, 30, 2751-2758.	1.7	62
241	Cryoballoon or Radiofrequency Ablation for Atrial Fibrillation Assessed by Continuous Monitoring. Circulation, 2019, 140, 1779-1788.	1.6	345
242	Contact Forces Required to Record Monophasic Action Potentials: A Complement to Catheter Contact Force Measurement. IEEE Transactions on Biomedical Engineering, 2019, 66, 2974-2978.	4.2	0
243	Low complication rates using high power (45â€“50 W) for short duration for atrial fibrillation ablations. Heart Rhythm, 2019, 16, 165-169.	0.7	175
244	Usefulness of Electroanatomical Mapping with Contact Force Monitoring for Accessory Pathways Ablation in Pediatric Population. Pediatric Cardiology, 2019, 40, 713-718.	1.3	4
245	Complex Congenital Heart Disease With Brady-Tachy Syndrome and Antitachycardia Pacing. , 2019, , 101-111.		1
246	Atrial fibrillation ablation with a spring sensor-irrigated contact force-sensing catheter compared with other ablation catheters: systematic literature review and meta-analysis. BMJ Open, 2019, 9, e023775.	1.9	25
247	Transmural unipolar electrogram change occurs within 7Âs at the left atrial posterior wall during pulmonary vein isolation. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 922-929.	1.2	3
248	How is Contact Force implemented in routine clinical practice? Results from a French National and Monaco Survey. Journal of Arrhythmia, 2019, 35, 238-243.	1.2	1

#	Article	IF	Citations
249	Biophysics and Pathophysiology of Radiofrequency Lesion Formation. , 2019, , 2-17.e4.		0
250	Guiding Lesion Formation During Radiofrequency Catheter Ablation. , 2019, , 18-26.e3.		1
251	A novel assessment of local impedance during catheter ablation: initial experience in humans comparing local and generator measurements. Europace, 2019, 21, i34-i42.	1.7	47
252	Low-fluoroscopy atrial fibrillation ablation with contact force and ultrasound technologies: a learning curve. Journal of Pragmatic and Observational Research, 2019, Volume 10, 1-7.	1.5	6
253	Special Problems in Ablation of Accessory Pathways. , 2019, , 429-446.e5.		0
254	A Review of the Use of Cryoballoon Ablation for the Treatment of Persistent Atrial Fibrillation. Current Cardiovascular Risk Reports, 2019, 13, 1.	2.0	0
255	Assessment of ablation catheter contact on valve annulus: Implications on accessory pathway ablation. Indian Pacing and Electrophysiology Journal, 2019, 19, 84-89.	0.6	2
257	Wearable and Implantable Devices for Cardiovascular Healthcare: from Monitoring to Therapy Based on Flexible and Stretchable Electronics. Advanced Functional Materials, 2019, 29, 1808247.	14.9	345
258	Contact Force and Ablation Index. Cardiac Electrophysiology Clinics, 2019, 11, 473-479.	1.7	7
259	The Effective Contact Force to Minimize Edema Relative to Chronic Lesion Formation During Radiofrequency Ablation in Ventricular Wall. International Heart Journal, 2019, 60, 1407-1414.	1.0	3
260	Novel Ablation Approaches for Challenging Atrial Fibrillation Cases (Mapping, Irrigation, and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 342 T	2.2	8
261	Endothelial damage and thromboembolic risk after pulmonary vein isolation using the latest ablation technologies: a comparison of the second-generation cryoballoon vs. contact force-sensing radiofrequency ablation. Heart and Vessels, 2019, 34, 509-516.	1.2	16
262	Cardiac Ablation Technologies. , 2019, , 83-118.		1
263	Ablation Energy Sources. , 2019, , 206-237.		7
264	The modified ablation index: a novel determinant of acute pulmonary vein reconnections after pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 277-285.	1.3	12
265	Economic impact of atrial fibrillation ablation with radiofrequency contact force catheter versus cryoballoon catheter. Journal of Comparative Effectiveness Research, 2019, 8, 251-264.	1.4	2
266	Lesion index: a novel guide in the path of successful pulmonary vein isolation. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 27-34.	1.3	20
267	Left atrial roof ablation in patients with persistent atrial fibrillation using the second-generation cryoballoon: benefit or wasted time?. Clinical Research in Cardiology, 2020, 109, 714-724.	3.3	15

#	Article	IF	Citations
268	One-year outcomes after pulmonary vein isolation plus posterior wall isolation and additional non-pulmonary vein trigger ablation for persistent atrial fibrillation with or without contact force sensing: a propensity score-matched comparison. Journal of Interventional Cardiac Electrophysiology, 2020, 59, 585-593.	1.3	5
269	Circumferential pulmonary vein antrum ablation for the treatment of paroxysmal atrial fibrillation: A randomized controlled trial. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 280-288.	1.2	2
270	Comparing rates of atrioesophageal fistula with contact force-sensing and non-contact force-sensing catheters: analysis of post-market safety surveillance data. Journal of Interventional Cardiac Electrophysiology, 2020, 59, 49-55.	1.3	5
271	Quantitative analysis of ablation technique predicts arrhythmia recurrence following atrial fibrillation ablation. American Heart Journal, 2020, 220, 176-183.	2.7	7
272	Partnering with robotic technology in electrophysiology. Current Opinion in Cardiology, 2020, 35, 8-12.	1.8	1
273	Catheter Ablation of Atrial Fibrillation: State of the Art and Future Perspectives. Cardiology and Therapy, 2020, 9, 45-58.	2.6	57
274	Impact of catheter-tissue contact force on lesion size during right ventricular outflow tract ablation in a swine model. Chinese Medical Journal, 2020, 133, 1680-1687.	2.3	2
275	Contact Stability Analysis of Magnetically-Actuated Robotic Catheter Under Surface Motion. , 2020, 2020, 4455-4462.		2
276	Electrical Impedance Tomography for monitoring cardiac radiofrequency ablation: a scoping review of an emerging technology. Medical Engineering and Physics, 2020, 84, 36-50.	1.7	15
277	Repeat Atrial Fibrillation Ablation Procedures in the CIRCA-DOSE Study. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008480.	4.8	14
278	New Results in Catheter Ablation for Atrial Fibrillation. , 2020, , .		1
279	Oesophageal Probe Evaluation in Radiofrequency Ablation of Atrial Fibrillation (OPERA): results from a prospective randomized trial. Europace, 2020, 22, 1487-1494.	1.7	54
280	Catheter ablation for atrial fibrillation in a low-volume center using contemporary technology. IJC Heart and Vasculature, 2020, 31, 100661.	1.1	0
281	Changes and impacts in early recurrences after atrial fibrillation ablation in contact force era: comparison of high-power short-duration with conventional techniqueâ€"FIRST experience data. Journal of Interventional Cardiac Electrophysiology, 2020, 62, 363-371.	1.3	8
282	Ablation catheter orientation: In vitro effects on lesion size and in vivo analysis during PVI for atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 1554-1563.	1.2	17
283	Catheter ablation for the management of atrial fibrillation: current technical perspectives. Open Heart, 2020, 7, e001207.	2.3	13
284	Innovative tools for atrial fibrillation ablation. Expert Review of Medical Devices, 2020, 17, 555-563.	2.8	4
285	A novel local impedance algorithm to guide effective pulmonary vein isolation in atrial fibrillation patients: Preliminary experience across different ablation sites from the CHARISMA pilot study. Journal of Cardiovascular Electrophysiology, 2020, 31, 2319-2327.	1.7	22

#	Article	IF	Citations
286	Impact of left common pulmonary veins in the contact force versus cryoballoon atrial fibrillation ablation (CIRCAâ€DOSE) study. Journal of Cardiovascular Electrophysiology, 2020, 31, 2300-2307.	1.7	9
287	Injectable Biomedical Devices for Sensing and Stimulating Internal Body Organs. Advanced Materials, 2020, 32, e1907478.	21.0	42
288	Experimental Study with Regard to the Effects of Energy Titration of the Laserballoon on the Lesion Creation Using Porcine Myocardium. International Heart Journal, 2020, 61, 121-127.	1.0	3
289	The force stability of tissue contact and lesion size index during radiofrequency ablation: An exâ€vivo study. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 327-331.	1.2	9
290	Ablation Approaches and Imaging Modalities to Lower Risk of Atrioesophageal Injury During Catheter Ablation for Atrial Fibrillation. Current Cardiovascular Risk Reports, 2020, 14, 1.	2.0	1
291	Contact-Force-Sensing-Based Radiofrequency Catheter Ablation in Paroxysmal Supraventricular Tachycardias (COBRA-PATH): a randomized controlled trial. Trials, 2020, 21, 321.	1.6	3
292	A meshâ€type flexible tip catheter vs a contact force catheter for catheter ablation of atrial fibrillation: A prospective nonrandomized 1:1 matched study. Journal of Cardiovascular Electrophysiology, 2020, 31, 1279-1288.	1.7	3
293	A randomized trial of contact force in atrial flutter ablation. Europace, 2020, 22, 947-955.	1.7	11
294	High-power, short-duration atrial fibrillation ablations using contact force sensing catheters: Outcomes and predictors of success including posterior wall isolation. Heart Rhythm, 2020, 17, 1223-1231.	0.7	37
295	Role of pre-procedural CT imaging on catheter ablation in patients with atrial fibrillation: procedural outcomes and radiological exposure. Journal of Interventional Cardiac Electrophysiology, 2021, 60, 477-484.	1.3	9
296	Radiofrequency ablation: technological trends, challenges, and opportunities. Europace, 2021, 23, 511-519.	1.7	28
297	Clinical impact of eliminating nonpulmonary vein triggers of atrial fibrillation and nonpulmonary vein premature atrial contractions at initial ablation for persistent atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2021, 32, 224-234.	1.7	22
298	Promises and pitfalls of standardized AF ablations. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 573-574.	1.2	0
299	Contact force ablation of accessory pathways in pediatric patients. Journal of Cardiovascular Electrophysiology, 2021, 32, 370-375.	1.7	4
300	Atrial fibrillation ablation â€“ from surgery to radiofrequency, cryo and beyond. Revista Romana De Cardiologie, 2021, 30, 553-570.	0.1	0
301	Cardiac Electrophysiology Study, Diagnostic Maneuvers and Ablation. , 2021, , 31-80.		0
302	How to leverage local impedance to guide effective ablation strategy: A case series. HeartRhythm Case Reports, 2021, 7, 65-68.	0.4	5
303	Prognostic value of time dependent voltage abatement during remote magnetic navigation guided ablation in idiopathic right ventricular outflow tract arrhythmias. Cor Et Vasa, 2021, 63, 11-14.	0.1	0

#	Article	IF	Citations
304	Contact Stability and Contact Safety of a Magnetic Resonance Imaging-Guided Robotic Catheter Under Heart Surface Motion. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2021, 143, 071010.	1.6	4
305	Similar outcomes with manual contact force ablation catheters and traditional catheters in the treatment of outflow tract premature ventricular complexes. Europace, 2021, 23, 596-602.	1.7	8
306	Lesion size and adjacent tissue damage assessment with high power and short duration radiofrequency ablation: comparison to conventional radiofrequency ablation power setting. Heart and Vessels, 2021, 36, 1438-1444.	1.2	10
307	A Novel Temperature-Controlled Radiofrequency Catheter Ablation System Used to Treat Patients With Paroxysmal Atrial Fibrillation. JACC: Clinical Electrophysiology, 2021, 7, 352-363.	3.2	33
308	Radiofrequency induced lesion characteristics according to forceâ€"time integral in experimental model. Medicine (United States), 2021, 100, e25126.	1.0	3
309	A Probabilistic Approach for Contact Stability and Contact Safety Analysis of Robotic Intracardiac Catheter. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2021, 143, 094502.	1.6	1
310	Predictors of recurrent atrial fibrillation following catheter ablation. Expert Review of Cardiovascular Therapy, 2021, 19, 237-246.	1.5	5
311	Change in the local impedance and electrograms recorded by a microâ€electrode tip catheter during initial atrial fibrillation ablation. Journal of Arrhythmia, 2021, 37, 566-573.	1.2	3
312	Initial Experience and Results of Combined Treatment for Atrial Fibrillation: Catheter Ablation with High-Power Short Duration Ablation and Left Atrial Appendage Closure. Journal of Cardiac Arrhythmias, 2021, , 69-78.	0.1	0
313	Exploiting the instability of eccentric tube robots for distal force control in minimally invasive cardiac ablation. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2021, 235, 7212-7232.	2.1	3
314	High-power, short-duration ablation for atrial fibrillation: Pros and cons. Progress in Cardiovascular Diseases, 2021, 66, 86-91.	3.1	4
315	Contact force sensors in minimally invasive catheters: current and future applications. Expert Review of Medical Devices, 2021, 18, 1-11.	2.8	2
316	A multiâ€center experience of ablation index for evaluating lesion delivery in typical atrial flutter. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1039-1046.	1.2	4
317	Fiber Bragg Grating-Based Force Sensing in Robot-Assisted Cardiac Interventions: A Review. IEEE Sensors Journal, 2021, 21, 10317-10331.	4.7	20
318	JCS/JHRS 2019 Guideline on Non-Pharmacotherapy of Cardiac Arrhythmias. Circulation Journal, 2021, 85, 1104-1244.	1.6	77
319	A Soft Resistive Sensor with a Semicircular Cross-Sectional Channel for Soft Cardiac Catheter Ablation. Sensors, 2021, 21, 4130.	3.8	2
320	Reduced esophageal heating in highâ€power shortâ€duration atrial fibrillation ablation in the contact force catheter era. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1185-1192.	1.2	7
321	JCS/JHRS 2019 guideline on nonâ€pharmacotherapy of cardiac arrhythmias. Journal of Arrhythmia, 2021, 37, 709-870.	1.2	91

#	Article	IF	Citations
322	Regional differences in the predictors of acute electrical reconnection following highâ€power pulmonary vein isolation for paroxysmal atrial fibrillation. Journal of Arrhythmia, 2021, 37, 1260-1269.	1.2	2
323	Assessing the Relationship of Applied Force and Ablation Duration on Lesion Size Using a Diamond Tip Catheter Ablation System. Circulation: Arrhythmia and Electrophysiology, 2021, 14, e009541.	4.8	15
324	The optimal ablation setting for a local impedance guided catheter in an in vitro experimental model. Journal of Cardiovascular Electrophysiology, 2021, 32, 2069-2076.	1.7	8
325	Improved durable pulmonary vein isolation with shorter procedure times and lower energy levels using RF ablation with ablation index and a stringent lesion contiguity. Indian Pacing and Electrophysiology Journal, 2021, 21, 337-341.	0.6	5
326	Higher than recommended lesion size index target values for pulmonary vein isolation result in better clinical outcomes in paroxysmal atrial fibrillation patients. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 463-468.	1.3	2
327	Ablation Index-Guided High-Power Radiofrequency Application Shortens the Procedure Time With Similar Outcomes to Conventional Power Application in Atrial Fibrillation Ablation. Circulation Reports, 2021, 3, 559-568.	1.0	11
328	Characteristics and optimal ablation settings of a novel, contactâ€force sensingÂand local impedanceâ€enabled catheter in an ex vivo perfused swine ventricle model. Journal of Cardiovascular Electrophysiology, 2021, 32, 3187-3194.	1.7	11
329	Nonhomogeneous force application during typical flutter ablation explains local difficulties in lesion creation. Revista Romana De Cardiologie, 2021, 30, 605-610.	0.1	0
330	Catheter Ablation. , 2014, , 1199-1207.		4
332	Lesion modeling, characterization, and visualization for image-guided cardiac ablation therapy monitoring. Journal of Medical Imaging, 2018, 5, 1.	1.5	9
333	Randomised clinical trial of cryoballoon versus irrigated radio frequency catheter ablation for atrial fibrillation-the effect of double short versus standard exposure cryoablation duration during pulmonary vein isolation (CIRCA-DOSE): methods and rationale. BMJ Open, 2017, 7, e017970.	1.9	15
334	Management of atrial fibrillation. F1000prime Reports, 2014, 6, 22.	5.9	4
335	Integrated RFA/PSOCT catheter for real-time guidance of cardiac radio-frequency ablation. Biomedical Optics Express, 2018, 9, 6400.	2.9	28
336	Benefit of Contact Forceâ€"Guided Catheter Ablation for Treating Premature Ventricular Contractions. Texas Heart Institute Journal, 2020, 47, 3-9.	0.3	6
337	ThermoCoolÂ® SmartTouchÂ® Catheter â€" The Evidence So Far for Contact Force Technology and the Role of VisiTagâ„¢ Module. Arrhythmia and Electrophysiology Review, 2014, 3, 44-47.	2.4	20
338	New Ablation Technologies and Techniques. Arrhythmia and Electrophysiology Review, 2014, 3, 107.	2.4	5
339	High-power, Short-duration Radiofrequency Ablation for the Treatment of AF. Arrhythmia and Electrophysiology Review, 2020, 8, 265-272.	2.4	35
340	The Cryoballoon vs Irrigated Radiofrequency Catheter Ablation (CIRCA-DOSE) Study Results in Context. Arrhythmia and Electrophysiology Review, 2020, 9, 34-39.	2.4	15

#	Article	IF	Citations
341	Catheter Ablation for Ventricular Tachycardia in Patients with Structural Heart Disease. US Cardiology Review, 2018, 12, 51-56.	0.5	2
342	2018 Korean Guidelines for Catheter Ablation of Atrial Fibrillation: Part II. International Journal of Arrhythmia, 2018, 19, 235-284.	0.6	2
343	The First-Pass Isolation Effect in High-Power Short-Duration Compared to Low-Power Long-Duration Atrial Fibrillation Ablation: a Predictor of Success. Journal of Cardiac Arrhythmias, 2020, 33, 161-169.	0.1	3
344	Radiofrequency catheter ablation of atrial fibrillation performed under general anesthesia: results of a unicentric randomized trial. Vnitrni Lekarstvi, 2017, 63, 163-169.	0.2	4
345	The Role Of Contact Force In Atrial Fibrillation Ablation. Journal of Atrial Fibrillation, 2014, 7, 1027.	0.5	30
346	Electroanatomical mapping of atrial fibrillation: Review of the current techniques and advances. Journal of Atrial Fibrillation, 2014, 7, 1140.	0.5	20
347	Atrial Fibrillation Ablation Using Magnetic Navigation Comparison With Conventional Approach During Long-Term Follow-Up. Journal of Atrial Fibrillation, 2015, 8, 1276.	0.5	7
348	Contact Force and Atrial Fibrillation Ablation. Journal of Atrial Fibrillation, 2016, 8, 1282.	0.5	6
349	Electrophysiological Perspectives on Hybrid Ablation of Atrial Fibrillation. Journal of Atrial Fibrillation, 2015, 8, 1290.	0.5	5
350	Advanced Mapping Systems To Guide Atrial Fibrillation Ablation: Electrical Information That Matters. Journal of Atrial Fibrillation, 2016, 8, 1337.	0.5	19
351	Contact-Force Guided Pulmonary Vein Isolation does not Improve Success Rate in Persistent Atrial Fibrillation Patients and Severe Left Atrial Enlargement: A 12-month Follow-Up Study. Journal of Atrial Fibrillation, 2018, 11, 2060.	0.5	3
352	Impact of computed tomography image and contact force technology on catheter ablation for atrial fibrillation. World Journal of Cardiology, 2016, 8, 317.	1.5	5
353	Real-time contact force measurement for catheter ablation of cardiac arrhythmias. Cardiovascular Medicine(Switzerland), 2015, 18, 155-162.	0.0	2
354	What we have learned: is pulmonary vein isolation still the cornerstone of atrial fibrillation ablation?. Europace, 2022, 24, ii8-ii13.	1.7	8
355	Remote magnetic navigation versus manual catheter ablation of atrial fibrillation: A single center longâ€term comparison. PACE - Pacing and Clinical Electrophysiology, 2022, 45, 14-22.	1.2	5
356	Cardiac Electrophysiology Study, Diagnostic Maneuvers and Ablation. , 2016, , 39-102.		1
357	Evolution of Force Sensing Technologies. Arrhythmia and Electrophysiology Review, 2017, 6, 75.	2.4	1
358	Dormant Conduction after Second-Generation Cryoballoon-Mediated Pulmonary Vein Isolation for Atrial Fibrillation: Comparison with Contact Force-guided Irrigated-Tip Radiofrequency Ablation. Journal of the Nihon University Medical Association, 2017, 76, 281-287.	0.0	0

#	Article	IF	Citations
359	Pulmonary Vein Isolation Lesion Set Assessment During Radiofrequency Catheter Ablation for Atrial Fibrillation. Journal of Innovations in Cardiac Rhythm Management, 2017, 8, 2602-2611.	0.5	0
360	How to Improve Atrial Fibrillation Ablation Outcome?. In A Good Rythm, 2017, 2, 14-17.	0.0	0
362	Mechanisms of Atrial Fibrillation and Their Impact on Strategies for Catheter Ablation. European Journal of Arrhythmia & Electrophysiology, 2018, 4, 56.	0.2	1
364	Incomplete endothelialization of WatchmanTM Device: Predictors and Implications from Two Cases. Journal of Atrial Fibrillation, 2019, 11, 2081.	0.5	3
366	Ablation therapy and implantable device based approaches for supraventricular arrhythmias. , 2020, , 741-760.		0
367	Current Status of Esophageal Protection. Cardiac Electrophysiology Clinics, 2020, 12, 247-257.	1.7	1
368	Smart Touch Radiofrequency Catheter Ablation versus Cryoballoon Ablation of Pulmonary Veins in Patients with Paroxysmal Atrial Fibrillation. Open Access Macedonian Journal of Medical Sciences, 2020, 8, 563-568.	0.2	1
369	Design and Evaluation of a Passive Constant Force Mechanism for a Cardiac Ablation Catheter. Journal of Medical Devices, Transactions of the ASME, 2021, 15, .	0.7	3
370	Comparison of atrial fibrillation ablation efficacy using remote magnetic navigation vs. manual navigation with contact-force control. Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia, 2020, 164, 387-393.	0.6	3
371	Better Lesion Creation And Assessment During Catheter Ablation. Journal of Atrial Fibrillation, 2015, 8, 1189.	0.5	19
372	Radiation Dose is Significantly Reduced by Use of Contact Force Sensing Catheter During Circumferential Pulmonary Vein Isolation. Journal of Atrial Fibrillation, 2015, 7, 1229.	0.5	1
373	Observations Of Electrical Coupling Index Using the Contactâ„¢ System During Pulmonary Vein Electrical Isolation Procedures. Journal of Atrial Fibrillation, 2014, 7, 1028.	0.5	0
374	Should Adenosine Test be Performed Systematically at the End of Atrial Fibrillation Ablation Procedure?. Journal of Atrial Fibrillation, 2014, 7, 1154.	0.5	0
375	How To Achieve Durable Pulmonary Vein Antral Isolation?. Journal of Atrial Fibrillation, 2014, 6, 1039.	0.5	5
376	Contact Force Assessment In Catheter Ablation Of Atrial Fibrillation. Journal of Atrial Fibrillation, 2014, 6, 1047.	0.5	5
377	New Technologies In Atrial Fibrillation Ablation. Journal of Atrial Fibrillation, 2014, 7, 1022.	0.5	0
378	Atrial Fibrillation Radiofrequency Ablation: Safety Using Contact Force Catheter In A Low-Volume Centre. Journal of Atrial Fibrillation, 2014, 7, 1043.	0.5	3
379	Improvements In AF Ablation Outcome Will Be Based More On Technological Advancement Versus Mechanistic Understanding. Journal of Atrial Fibrillation, 2014, 7, 1120.	0.5	1

#	Article	IF	Citations
380	Catheter Ablation of Atrial Fibrillation to Maintain Sinus Rhythm. Journal of Atrial Fibrillation, 2013, 5, 739.	0.5	0
381	Myocardial Ischemia as a Genuine Cause Responsible for the Organization and "Fertilization" of Conflictogenic Atrial Fibrillation:New Conceptual Insights Into Arrhythmogenicity. Journal of Atrial Fibrillation, 2013, 5, 797.	0.5	6
382	Risks from Catheter Ablation of Atrial Fibrillation: A Review of Methods, Efficacy, and Safety. Journal of Atrial Fibrillation, 2012, 4, 455.	0.5	2
383	Analysis of Contact Stability and Contact Safety of a Robotic Intravascular Cardiac Catheter under Blood Flow Disturbances. IEEE International Conference on Intelligent Robots and Systems, 2020, 2020, 3216-3223.	0.6	1
384	Relationship between ablation index and myocardial biomarkers after radiofrequency catheter ablation for atrial fibrillation. Indian Pacing and Electrophysiology Journal, 2021, , .	0.6	1
385	Effects of the visualized steerable sheath applied to catheter ablation of paroxysmal atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2022, 64, 511-518.	1.3	6
386	Analysis of Contact Stability and Contact Safety of a Robotic Intravascular Cardiac Catheter under Blood Flow Disturbances. , 2020, 2020, 3216-3223.		2
387	Recurrent atrial arrhythmia in a randomised controlled trial comparing contact forceâ€“guided and contact forceâ€“blinded ablation for typical atrial flutter. Journal of Interventional Cardiac Electrophysiology, 2022, , 1.	1.3	2
388	Pulmonary vein isolation using Cryoballoon ablation versus RF ablation using ablation index following the CLOSE protocol: a Prospective Randomized Trial. Journal of Cardiovascular Electrophysiology, 2022, , .	1.7	1
389	Catheter contact angle influences local impedance drop during radiofrequency catheter ablation: Insight from a porcine experimental study with 2 different Llâ€sensing catheters. Journal of Cardiovascular Electrophysiology, 2022, 33, 380-388.	1.7	7
390	Contact Force-Sensing versus Standard Catheters in Non-Fluoroscopic Radiofrequency Catheter Ablation of Idiopathic Outflow Tract Ventricular Arrhythmias. Journal of Clinical Medicine, 2022, 11, 593.	2.4	0
391	Acute Lesion Imaging in Predicting Chronic Tissue Injury in the Ventricles. Frontiers in Cardiovascular Medicine, 2021, 8, 791217.	2.4	2
392	A Systematic Review and Meta-Analysis of the Direct Comparison of Second-Generation Cryoballoon Ablation and Contact Force-Sensing Radiofrequency Ablation in Patients with Paroxysmal Atrial Fibrillation. Journal of Personalized Medicine, 2022, 12, 298.	2.5	6
393	Will the insulatedâ€tip radiofrequency catheter transform ablation procedures?. Journal of Cardiovascular Electrophysiology, 2022, , .	1.7	0
394	When local impedance meets contact force: preliminary experience from the CHARISMA registry. Journal of Interventional Cardiac Electrophysiology, 2022, 63, 749-758.	1.3	7
395	Ultrasound to CT rigid image registration using CNN for the HIFU treatment of heart arrhythmias. , 2022, , .		0
397	Impact of baseline impedance of pulmonary vein antrum on success of catheter ablation for paroxysmal atrial fibrillation guided by ablation index. BMC Cardiovascular Disorders, 2022, 22, 179.	1.7	4
398	Comparison of outcomes with low-power long duration versus high-power short duration of ablation: the role of the acute change in sinus rhythm after the ablation as a predictor of long-term success. Heart and Vessels, 2022, 37, 1749-1756.	1.2	1

#	Article	IF	Citations
410	Contact Force Guided Radiofrequency Current Application at Developing Myocardium. Journal of Cardiovascular Electrophysiology, 2022, , .	1.7	0
412	Novel tissue-pressure sensing technology using a wide-band dielectric imaging system: An in vivo study. Journal of Cardiology, 2022, , .	1.9	0
413	Cutting-Edge Technologies for Cardiac Rhythm Treatment: Recent Progress of Catheter Ablation Using Radiofrequency Current and Pulsed Electric Field. , 2022, , 393-403.		0
414	Lesion Indexâ€"guided workflow for the treatment of paroxysmal atrial fibrillation is safe and effective â€" Final results from the LSI Workflow Study. Heart Rhythm O2, 2022, 3, 526-535.	1.7	4
415	First clinical experience of high-power ablation of atrial fibrillation with a novel contact force-sensing gold-tip catheter. Cardiology Journal, 0, , .	1.2	0
416	Effects of Electrode-Tissue Proximity on Cardiac Lesion Formation Using Pulsed Field Ablation. Circulation: Arrhythmia and Electrophysiology, 2022, 15, .	4.8	21
417	Time dependency in the radiofrequency lesion formation for a local impedance guided catheter in an ex vivo experimental model. Journal of Arrhythmia, 2022, 38, 1080-1087.	1.2	3
418	Improvement in Lesion Formation with Radiofrequency Energy and Utilization of Alternate Energy Sources (Cryoablation and Pulsed Field Ablation) for Ventricular Arrhythmia Ablation. Cardiac Electrophysiology Clinics, 2022, 14, 757-767.	1.7	4
419	High-power Short-duration Radiofrequency Ablation for Atrial Fibrillation: A Clinical Review. European Journal of Arrhythmia & Electrophysiology, 2022, 8, 13.	0.2	0
420	Technical and Clinical Progress on Robot-Assisted Endovascular Interventions: A Review. Micromachines, 2023, 14, 197.	2.9	13
421	Differential gap location after radiofrequency versus cryoballoon pulmonary vein isolation: Insights from a randomized trial with protocolâ€mandated repeat procedure. Journal of Cardiovascular Electrophysiology, 2023, 34, 519-526.	1.7	6
422	Effect of contact force on pulsed field ablation lesions in porcine cardiac tissue. Journal of Cardiovascular Electrophysiology, 2023, 34, 693-699.	1.7	10
423	Mechanisms of late arrhythmia recurrence after initially successful pulmonary vein isolation in patients with atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2023, 46, 161-168.	1.2	5
424	Safety and Efficacy of a Novel Approach to Pulmonary Vein Isolation Using Prolonged Apneic Oxygenation. JACC: Clinical Electrophysiology, 2023, , .	3.2	0
425	Detailed investigation of the lesion formation with a novel contact force sensing catheter with a meshâ€shaped irrigation tip. Journal of Arrhythmia, 2023, 39, 166-174.	1.2	2
426	Pulsed Field Ablation for Atrial Fibrillation. Arrhythmia and Electrophysiology Review, 0, 12, .	2.4	4
427	Does the same lesion index mean the same efficacy and safety profile: influence of the differential power, time, and contact force on the lesion size and steam pops under the same lesion index. Journal of Interventional Cardiac Electrophysiology, 2024, 67, 147-155.	1.3	0
428	Catheter ablation of atrial fibrillation using FireMagic TrueForce ablation catheter: The TRUEFORCE trial. PACE - Pacing and Clinical Electrophysiology, 0, , .	1.2	0

#	Article	IF	Citations
429	Insight into contact force local impedance technology for predicting effective pulmonary vein isolation. Frontiers in Cardiovascular Medicine, 0, 10, .	2.4	2
430	Contact Force-Guided versus Contact Force-Blinded Cavo-Tricuspid Isthmus Ablation for Atrial Flutter: A Systematic Review and Meta-Analysis. Diseases (Basel, Switzerland), 2023, 11, 98.	2.5	0
431	Progress in atrial fibrillation ablation during 25 years of Europace journal. Europace, 2023, 25, .	1.7	8
432	Radiofrequency ablation of atrial fibrillation: A 14 yearsâ€™ experience at a tertiary care center in Thailand. Asian Cardiovascular and Thoracic Annals, 2023, 31, 723-730.	0.5	0
433	Robotic magnetic navigationâ€guided catheter ablation establishes highly effective pulmonary vein isolation in patients with paroxysmal atrial fibrillation when compared to conventional ablation techniques. Journal of Cardiovascular Electrophysiology, 0, , .	1.7	0
434	Optimal Interlesion Distance for 90- and 50-Watt Radiofrequency Applications with low Ablation Index Values: Experimental Findings in a Chronic Ovine Model. Europace, 0, , .	1.7	0
435	Esophageal injury, perforation, and fistula formation following atrial fibrillation ablation. Journal of Interventional Cardiac Electrophysiology, 2024, 67, 409-424.	1.3	0
436	Atrial Fibrillation Ablation: Current Practice and Future Perspectives. Journal of Clinical Medicine, 2023, 12, 7556.	2.4	0
437	Evaluation and comparison of impedance and amplitude changes in lesion indexâ€guided pulmonary vein isolation. Journal of Arrhythmia, 2024, 40, 100-108.	1.2	0
438	Analytical Computation of the Contact Force Jacobian for MRI-Actuated Robotic Catheter. , 2023, , .		0
439	Contact force sensing manual catheter versus remote magnetic navigation ablation of atrial fibrillation: a single-center comparison. Heart and Vessels, 2024, 39, 427-437.	1.2	0
440	Robotics, remote medicine, AI: Oh my!. HeartRhythm Case Reports, 2024, , .	0.4	0