## Sustainable management of coffee industry by-product

Resources, Conservation and Recycling

66, 45-58

DOI: 10.1016/j.resconrec.2012.06.005

**Citation Report** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Evaluation of Spent Coffee Obtained from the Most Common Coffeemakers as a Source of Hydrophilic Bioactive Compounds. Journal of Agricultural and Food Chemistry, 2012, 60, 12565-12573.                       | 2.4 | 120       |
| 2  | STATISTICAL OPTIMIZATION OF BIOPROCESS PARAMETERS FOR ENHANCED GALLIC ACID PRODUCTION FROM COFFEE PULP TANNINS BY <i>Penicillium verrucosum</i> Preparative Biochemistry and Biotechnology, 2013, 43, 350-363. | 1.0 | 15        |
| 3  | Post-combustion CO2 capture adsorbents from spent coffee grounds. Energy Procedia, 2013, 37, 134-141.  | 1.8 | 36        |
| 4  | Sequential co-production of biodiesel and bioethanol with spent coffee grounds. Bioresource<br>Technology, 2013, 136, 475-480.   | 4.8 | 163       |
| 6  | Supercritical Fluid Extraction. , 2014, , .  |     | 10        |
| 7  | Enhanced biogas production from coffee pulp through deligninocellulosic photocatalytic pretreatment. Energy Science and Engineering, 2014, 2, 177-187.   | 1.9 | 38        |
| 8  | Reusing coffee waste in manufacture of ceramics for construction. Advances in Applied Ceramics, 2014, 113, 159-166.  | 0.6 | 40        |
| 9  | Coffee husk mulch on soil erosion and runoff: experiences under rainfall simulation experiment.<br>Solid Earth, 2014, 5, 851-862.  | 1.2 | 64        |
| 10 | Chemical characterization and antioxidant properties of a new coffee blend with cocoa, coffee silverskin and green coffee minimally processed. Food Research International, 2014, 61, 39-47.                   | 2.9 | 35        |
| 11 | Review on utilization and composition of coffee silverskin. Food Research International, 2014, 61, 16-22.  | 2.9 | 98        |
| 12 | Improvement of vegetables elemental quality by espresso coffee residues. Food Chemistry, 2014, 148, 294-299.   | 4.2 | 42        |
| 13 | How can science help to create new value in coffee?. Food Research International, 2014, 63, 477-482.   | 2.9 | 17        |
| 14 | Utilization of oil extracted from spent coffee grounds for sustainable production of polyhydroxyalkanoates. Applied Microbiology and Biotechnology, 2014, 98, 5883-5890.                                       | 1.7 | 163       |
| 15 | Isolation of green coffee chlorogenic acids using activated carbon. Journal of Food Composition and Analysis, 2014, 33, 55-58.   | 1.9 | 45        |
| 16 | Coffee husk composting: An investigation of the process using molecular and non-molecular tools.<br>Waste Management, 2014, 34, 642-652.   | 3.7 | 84        |
| 17 | Supercritical fluid extraction of spent coffee grounds: Measurement of extraction curves, oil characterization and economic analysis. Journal of Supercritical Fluids, 2014, 86, 150-159.                      | 1.6 | 98        |
| 18 | Enzymes as useful tools for environmental purposes. Chemosphere, 2014, 107, 145-162.   | 4.2 | 211       |
| 19 | Coffee Silverskin: Characterization, Possible Uses, and Safety Aspects. Journal of Agricultural and<br>Food Chemistry, 2014, 62, 10836-10844.  | 2.4 | 94        |

ATION RED

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 20 | Preparation and characterization of bio-safe activated charcoal derived from coffee waste residue and its application for removal of lead and copper ions. RSC Advances, 2014, 4, 38839.                   | 1.7 | 45        |
| 21 | Isolation, selection and evaluation of yeasts for use in fermentation of coffee beans by the wet process. International Journal of Food Microbiology, 2014, 188, 60-66.                                    | 2.1 | 124       |
| 22 | Soluble and Bound Hydroxycinnamates in Coffee Pulp ( <i>Coffea arabica</i> ) from Seven Cultivars at Three Ripening Stages. Journal of Agricultural and Food Chemistry, 2014, 62, 7869-7876.               | 2.4 | 30        |
| 23 | Utilization of coffee by-products obtained from semi-washed process for production of value-added compounds. Bioresource Technology, 2014, 166, 142-150.   | 4.8 | 86        |
| 24 | Production of polyhydroxyalkanoates using hydrolysate of spent coffee grounds. Process<br>Biochemistry, 2014, 49, 1409-1414.   | 1.8 | 119       |
| 25 | A new alternative use for coffee pulp from semi-dry process to β-glucosidase production by Bacillus subtilis. Letters in Applied Microbiology, 2015, 61, 588-595.  | 1.0 | 20        |
| 26 | Enhanced extraction of phenolic compounds from coffee industry's residues through solid state fermentation by Penicillium purpurogenum. Food Science and Technology, 2015, 35, 704-711.                    | 0.8 | 22        |
| 27 | New Trends in Cosmetics: By-Products of Plant Origin and Their Potential Use as Cosmetic Active Ingredients. Cosmetics, 2015, 2, 82-92.  | 1.5 | 113       |
| 28 | Utilização de ResÃduos de Borra de Café e Serragem na Moldagem de Briquetes e Avaliação de<br>Propriedades. Revista Materia, 2015, 20, 550-560.  | 0.1 | 7         |
| 29 | The influence of extraction parameters on spent coffee grounds as a renewable tannin resource.<br>Journal of Cleaner Production, 2015, 101, 222-228.   | 4.6 | 37        |
| 30 | Cyclically pressurized extraction of solutes from ground coffee: Kinetic experiments and modeling.<br>Separation and Purification Technology, 2015, 141, 256-262.  | 3.9 | 7         |
| 31 | A comprehensive review on utilization of wastewater from coffee processing. Environmental Science and Pollution Research, 2015, 22, 6461-6472.   | 2.7 | 81        |
| 32 | Biotechnological conversion of spent coffee grounds into polyhydroxyalkanoates and carotenoids.<br>New Biotechnology, 2015, 32, 569-574.   | 2.4 | 111       |
| 33 | Green coffee based CO2 adsorbent with high performance in postcombustion conditions. Fuel, 2015, 140, 633-648.   | 3.4 | 37        |
| 34 | Conducting starter culture-controlled fermentations of coffee beans during on-farm wet<br>processing: Growth, metabolic analyses and sensorial effects. Food Research International, 2015, 75,<br>348-356. | 2.9 | 108       |
| 35 | Spent coffee grounds: A review on current research and future prospects. Trends in Food Science and Technology, 2015, 45, 24-36.   | 7.8 | 416       |
| 36 | Green composites based on polypropylene matrix and hydrophobized spend coffee ground (SCG) powder. Composites Part B: Engineering, 2015, 78, 256-265.  | 5.9 | 134       |
| 37 | Bio-based polyurethane foams toward applications beyond thermal insulation. Materials & Design, 2015, 76, 77-85.   | 5.1 | 120       |

| #<br>38 | ARTICLE<br>Analysis of the lignocellulosic components of biomass residues for biorefinery opportunities.<br>Talanta, 2015, 144, 696-703.   | lF<br>2.9 | CITATIONS |
|---------|--|-----------|-----------|
| 39      | Agricultural and agro-industrial residues-to-energy: Techno-economic and environmental assessment<br>in Brazil. Biomass and Bioenergy, 2015, 81, 521-533.  | 2.9       | 88        |
| 40      | Renewable resource-based green composites of surface-treated spent coffee grounds and polylactide:<br>Characterisation and biodegradability. Polymer Degradation and Stability, 2015, 121, 51-59.  | 2.7       | 90        |
| 41      | Coffee extract residue for production of ethanol and activated carbons. Journal of Cleaner Production, 2015, 91, 64-70.  | 4.6       | 58        |
| 42      | An Overview of the Potential Uses for Coffee Husks. , 2015, , 283-291.   |           | 54        |
| 43      | The Coffee Plant and Beans. , 2015, , 5-10.  |           | 18        |
| 44      | Revalorization of spent coffee residues by a direct agronomic approach. Food Research International,<br>2015, 73, 190-196.   | 2.9       | 52        |
| 45      | Thermal degradation behavior of coffee residue in comparison with biomasses and its product yields from gasification. Journal of the Energy Institute, 2015, 88, 323-331.  | 2.7       | 11        |
| 46      | Spent coffee grounds as a renewable source for ecopolyols production. Journal of Chemical Technology and Biotechnology, 2015, 90, 1480-1488.   | 1.6       | 38        |
| 47      | Electroanalytical Performance of a Carbon Paste Electrode Modified by Coffee Husks for the<br>Quantification of Acetaminophen in Quality Control of Commercialized Pharmaceutical Tablets.<br>International Journal of Electrochemistry, 2016, 2016, 1-10. | 2.4       | 23        |
| 48      | An Investigation into Spent Coffee Waste as a Renewable Source of Bioactive Compounds and Industrially Important Sugars. Bioengineering, 2016, 3, 33.  | 1.6       | 57        |
| 49      | Potential of lactic acid bacteria to improve the fermentation and quality of coffee during onâ€farm processing. International Journal of Food Science and Technology, 2016, 51, 1689-1695.   | 1.3       | 66        |
| 50      | Fermentative utilization of coffee mucilage using Bacillus coagulans and investigation of<br>down-stream processing of fermentation broth for optically pure l(+)-lactic acid production.<br>Bioresource Technology, 2016, 211, 398-405.                   | 4.8       | 84        |
| 51      | The anti-biofilm potential of commonly discarded agro-industrial residues against opportunistic pathogens. Industrial Crops and Products, 2016, 87, 150-160.   | 2.5       | 21        |
| 52      | In-situ transesterification of wet spent coffee grounds for sustainable biodiesel production.<br>Bioresource Technology, 2016, 221, 55-60.   | 4.8       | 113       |
| 53      | Fabrication of granular activated carbons derived from spent coffee grounds by entrapment in calcium alginate beads for adsorption of acid orange 7 and methylene blue. Bioresource Technology, 2016, 219, 185-195.  | 4.8       | 179       |
| 54      | Hydrolytic enzyme activities in shiitake mushroom (Lentinula edodes) strains cultivated on coffee<br>pulp. Revista Argentina De Microbiologia, 2016, 48, 191-195.  | 0.4       | 15        |
| 55      | Microencapsulation of natural antioxidants for food application – The specific case of coffee antioxidants – A review. Trends in Food Science and Technology, 2016, 58, 21-39.   | 7.8       | 165       |

## # ARTICLE

56 Comparison of antioxidant, antimicrobial activities and chemical profiles of three coffee (Coffea) Tj ETQq0 0 0 rgBT (Qverlock 10 Tf 50 7

| 57 | Growth, ethanol production, and inulinase activity on various inulin substrates by mutant<br><i>Kluyveromyces marxianus</i> strains NRRL Y-50798 and NRRL Y-50799. Journal of Industrial<br>Microbiology and Biotechnology, 2016, 43, 927-939.   | 1.4 | 20  |
|----|--|-----|-----|
| 58 | Fermentative lactic acid production from coffee pulp hydrolysate using Bacillus coagulans at laboratory and pilot scales. Bioresource Technology, 2016, 218, 167-173.  | 4.8 | 112 |
| 59 | Kinetics of Ultrasound-Assisted Polyphenol Extraction from Spent Filter Coffee Using Aqueous<br>Glycerol. Chemical Engineering Communications, 2016, 203, 407-413.   | 1.5 | 36  |
| 60 | Application of Coffee Silverskin in cosmetic formulations: physical/antioxidant stability studies and cytotoxicity effects. Drug Development and Industrial Pharmacy, 2016, 42, 99-106.  | 0.9 | 33  |
| 61 | Neuro-fuzzy model based on digital images for the monitoring of coffee bean color during roasting in a spouted bed. Expert Systems With Applications, 2016, 54, 162-169.   | 4.4 | 23  |
| 62 | Characterization of the Cultivation Region of Ethiopian Coffee by Elemental Analysis. Analytical<br>Letters, 2016, 49, 2474-2489.  | 1.0 | 28  |
| 64 | Valorization of soy waste through SSF for the production of compost enriched with Bacillus<br>thuringiensis with biopesticide properties. Journal of Environmental Management, 2016, 169, 126-131.   | 3.8 | 32  |
| 66 | Current state of research on cocoa and coffee fermentations. Current Opinion in Food Science, 2016, 7, 50-57.  | 4.1 | 65  |
| 67 | Simultaneous Determination of Alkaloids in Green Coffee Beans from Ethiopia: Chemometric Evaluation of Geographical Origin. Food Analytical Methods, 2016, 9, 1627-1637.   | 1.3 | 40  |
| 68 | Selective electrochemical determination of caffeine at a gold-chitosan nanocomposite sensor: May<br>little change on nanocomposites synthesis affect selectivity?. Journal of Electroanalytical Chemistry,<br>2017, 788, 99-106.                 | 1.9 | 46  |
| 69 | Microwaveâ€Assisted Valorization of Biowastes to Levulinic Acid. ChemistrySelect, 2017, 2, 1375-1380.  | 0.7 | 27  |
| 70 | Towards a competitive solid state fermentation: Cellulases production from coffee husk by<br>sequential batch operation and role of microbial diversity. Science of the Total Environment, 2017,<br>589, 56-65.                                  | 3.9 | 59  |
| 71 | Modulation of the interface between polyester and spent coffee grounds in polysaccharide<br>membranes: Preparation, cell proliferation, antioxidant activity and tyrosinase activity. Materials<br>Science and Engineering C, 2017, 78, 530-538. | 3.8 | 11  |
| 72 | Development of polylactic acid nanocomposite films reinforced with cellulose nanocrystals derived from coffee silverskin. Carbohydrate Polymers, 2017, 169, 495-503.   | 5.1 | 166 |
| 73 | Environmental characterisation of coffee chaff, a new recycled material for building applications.<br>Construction and Building Materials, 2017, 147, 185-193.   | 3.2 | 41  |
| 74 | Kinetics of extraction and in situ transesterification of oils from spent coffee grounds. Journal of<br>Environmental Chemical Engineering, 2017, 5, 2611-2616.  | 3.3 | 41  |
| 75 | Valorisation of Biowastes for the Production of Green Materials Using Chemical Methods. Topics in Current Chemistry, 2017, 375, 46.  | 3.0 | 44  |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 76 | A review: Modified agricultural by-products for the development and fortification of food products and nutraceuticals. Trends in Food Science and Technology, 2017, 59, 148-160.   | 7.8 | 88        |
| 77 | Bioactives of coffee cherry pulp and its utilisation for production of Cascara beverage. Food<br>Chemistry, 2017, 221, 969-975.  | 4.2 | 115       |
| 78 | Anaerobic Digestion of Liquid Fraction Coffee Grounds at Laboratory Scale: Evaluation of the Biogas<br>Yield. Energy Procedia, 2017, 105, 1096-1101.   | 1.8 | 18        |
| 79 | Fast pyrolysis of coffee ground in a tiltedâ <b>€s</b> lide reactor and characteristics of biocrude oil.<br>Environmental Progress and Sustainable Energy, 2017, 36, 655-661.  | 1.3 | 15        |
| 80 | Valorization of Mexican biomasses through pyrolysis, combustion and gasification processes.<br>Renewable and Sustainable Energy Reviews, 2017, 71, 509-522.  | 8.2 | 57        |
| 81 | A novel strategy for producing compost with enhanced biopesticide properties through solid-state fermentation of biowaste and inoculation with Bacillus thuringiensis. Waste Management, 2017, 70, 53-58.  | 3.7 | 37        |
| 82 | Development of functional composts using spent coffee grounds, poultry manure and biochar<br>through microbial bioaugmentation. Journal of Environmental Science and Health - Part B Pesticides,<br>Food Contaminants, and Agricultural Wastes, 2017, 52, 802-811. | 0.7 | 14        |
| 83 | Utilization of agroindustrial waste for biosurfactant production by native bacteria from chiapas.<br>Open Agriculture, 2017, 2, 341-349.   | 0.7 | 19        |
| 84 | Hydrothermal carbonization of coffee husk: Optimization of experimental parameters and adsorption of methylene blue dye. Journal of Environmental Chemical Engineering, 2017, 5, 4841-4849.  | 3.3 | 79        |
| 85 | Multi-frequency multimode modulated technology as a clean, fast, and sustainable process to recover antioxidants from a coffee by-product. Journal of Cleaner Production, 2017, 168, 14-21.  | 4.6 | 26        |
| 86 | Spent coffee grounds as heat source for coffee roasting plants: Experimental validation and case study. Applied Thermal Engineering, 2017, 126, 730-736.   | 3.0 | 37        |
| 88 | Anaerobic digestion of coffee grounds soluble fraction at laboratory scale: Evaluation of the biomethane potential. Applied Energy, 2017, 207, 166-175.  | 5.1 | 40        |
| 89 | Use of spent coffee grounds as food ingredient in bakery products. Food Chemistry, 2017, 216, 114-122.   | 4.2 | 158       |
| 90 | Valueâ€Adding Practices in Food Supply Chain: Evidence from Indian Food Industry. Agribusiness, 2017, 33, 116-130.   | 1.9 | 30        |
| 91 | Removal of phenols and methane production with coffee processing wastewater supplemented with phosphorous. International Journal of Environmental Science and Technology, 2017, 14, 61-74.   | 1.8 | 7         |
| 92 | Using cow dung and spent coffee grounds to enhance the two-stage co-composting of green waste.<br>Bioresource Technology, 2017, 245, 152-161.  | 4.8 | 58        |
| 93 | The potential of pyrolysing exhausted coffee residue for the production of biochar. , 2017, , 299-322.   |     | 7         |
| 94 | The biorefinery concept for the industrial valorization of coffee processing by-products. , 2017, , 63-92.   |     | 20        |

ARTICLE IF CITATIONS State of the art in coffee processing by-products., 2017, , 1-26. 42 95 Biotechnological applications of coffee processing by-products., 2017,, 221-244. 97 Applications of recovered bioactive compounds in cosmetics and other products., 2017, , 195-220. 1 Vermicompost derived from spent coffee grounds: assessing the potential for enzymatic 98 bioremediation., 2017,, 369-398. Potential of Streptomyces sp. and Trichoderma sp. as compost microbiota for coffee husk. African 99 0.4 1 Journal of Microbiology Research, 2017, 11, 560-567. Characterization of coffee (Coffea arabica) husk lignin and degradation products obtained after oxygen and alkali addition. Bioresource Technology, 2018, 257, 172-180. 4.8 Influence of solvent selection and extraction temperature on yield and composition of lipids 101 2.5102 extracted from spent coffee grounds. Industrial Crops and Products, 2018, 119, 49-56. Spent coffee ground as a new bulking agent for accelerated biodrying of dewatered sludge. Water 5.3 Research, 2018, 138, 250-263. Extraction of lipids from spent coffee grounds with non-polar renewable solvents as alternative. 103 2.5 47 Industrial Crop's and Products, 2018, 119, 152-161. Spent coffee enhanced biomethane potential via an integrated hydrothermal carbonization-anaerobic 104 4.8 digestion process. Bioresource Technology, 2018, 256, 102-109. Thermochemical decomposition of coffee ground residues by TG-MS: A kinetic study. Journal of 105 2.6 53 Analytical and Applied Pyrolysis, 2018, 130, 358-367. Biotechnological conversion of spent coffee grounds into lactic acid. Letters in Applied 1.0 Microbiology, 2018, 66, 306-312 Pulsed Electric Field Assisted Extraction of Bioactive Compounds from Cocoa Bean Shell and Coffee 107 2.6 103 Silverskin. Food and Bioprocess Technology, 2018, 11, 818-835. Coffee silverskin as fat replacer in cake formulations and its effect on physical, chemical and sensory 2.5 attributes of cakes. LWT - Food Science and Technology, 2018, 90, 519-525. Determination of functional properties of cocoa waste from concentrated cocoa drink. Journal of 109 1.6 4 Food Measurement and Characterization, 2018, 12, 2094-2102. Technoeconomic and environmental assessment of a process for biodiesel production from spent coffee grounds (SCGs). Resources, Conservation and Recycling, 2018, 134, 156-164. Sustainable Use of Coffee Husks For Reinforcing Polyethylene Composites. Journal of Polymers and 111 2.4 49 the Environment, 2018, 26, 48-58. Optimization of torrefaction conditions of coffee industry residues using desirability function approach. Waste Management, 2018, 73, 523-534.

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 113 | The broad spectrum of possibilities for spent coffee grounds valorisation. Journal of Material Cycles and Waste Management, 2018, 20, 695-701.   | 1.6 | 48        |
| 114 | Performance of active nickel loaded lignite char catalyst on conversion of coffee residue into rich-synthesis gas by gasification. Journal of the Energy Institute, 2018, 91, 222-232.         | 2.7 | 3         |
| 115 | Direct Dilute Acid Hydrolysis of Spent Coffee Grounds: A New Approach in Sugar and Lipid Recovery.<br>Waste and Biomass Valorization, 2018, 9, 235-246.  | 1.8 | 32        |
| 116 | Valorisation of textile waste by fungal solid state fermentation: An example of circular waste-based biorefinery. Resources, Conservation and Recycling, 2018, 129, 27-35.                     | 5.3 | 91        |
| 117 | Valorization of spent coffee grounds – A new approach. Separation and Purification Technology, 2018, 192, 271-277.   | 3.9 | 36        |
| 118 | Impact of spent coffee grounds as organic amendment on soil fertility and lettuce growth in two<br>Mediterranean agricultural soils. Archives of Agronomy and Soil Science, 2018, 64, 790-804. | 1.3 | 60        |
| 119 | Caffeine degradation by methanogenesis: Efficiency in anaerobic membrane bioreactor and analysis of kinetic behavior. Chemical Engineering Journal, 2018, 334, 444-452.                        | 6.6 | 50        |
| 120 | Customizing the spent coffee for Trichoderma reesei cellulase immobilization by modification with activating agents. International Journal of Biological Macromolecules, 2018, 107, 1856-1863. | 3.6 | 8         |
| 121 | Chemical composition and value-adding applications of coffee industry by-products: A review.<br>Resources, Conservation and Recycling, 2018, 128, 110-117.                                     | 5.3 | 236       |
| 122 | Bio-refinery approach for spent coffee grounds valorization. Bioresource Technology, 2018, 247, 1077-1084.   | 4.8 | 153       |
| 123 | Characteristics of food processing wastes and their use in sustainable alcohol production.<br>Renewable and Sustainable Energy Reviews, 2018, 81, 510-523.                                     | 8.2 | 79        |
| 124 | Assessment of the effluent quality of wet coffee processing wastewater and its influence on downstream water quality. Ecohydrology and Hydrobiology, 2018, 18, 201-211.                        | 1.0 | 37        |
| 125 | Properties of natural rubber filled with untreated and treated spent coffee grounds. Journal of<br>Applied Polymer Science, 2018, 135, 46060.  | 1.3 | 23        |
| 126 | Production of (3-hydroxybutyrate-co-3-hydroxyhexanoate) copolymer from coffee waste oil using engineered Ralstonia eutropha. Bioprocess and Biosystems Engineering, 2018, 41, 229-235.         | 1.7 | 90        |
| 127 | A spent coffee grounds based biorefinery for the production of biofuels, biopolymers, antioxidants and biocomposites. Waste Management, 2018, 72, 240-254.                                     | 3.7 | 183       |
| 128 | Spent Coffee Grounds Alkaline Pre-treatment as Biorefinery Option to Enhance their Anaerobic<br>Digestion Yield. Waste and Biomass Valorization, 2018, 9, 2565-2570.                           | 1.8 | 36        |
| 129 | Quality of clonal plantlets of Coffea canephora Pierre ex A. Froehner produced using coffee husk in<br>the substrate. African Journal of Agricultural Research Vol Pp, 2018, 13, 2826-2835.    | 0.2 | 2         |
| 130 | Experimental Study on the Mechanical Properties of Biomass Briquettes from Different Agricultural<br>Residues Combination. MATEC Web of Conferences, 2018, 225, 04026.                         | 0.1 | 8         |

| _ |     |      | _   |    |       |
|---|-----|------|-----|----|-------|
| C | TAT | ION. | Dr  | DO | DT    |
|   | пап |      | ILL | РU | INC I |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 131 | Analysis of coffee quality along the coffee value chain in Jimma zone, Ethiopia. African Journal of<br>Agricultural Research Vol Pp, 2018, 13, 1468-1475.   | 0.2 | 5         |
| 132 | Efecto del Añejamiento del Café ( Coffea arabica L. var. Castillo ) sobre la Composición de Fenoles<br>Totales, Flavonoides, Ãcido Clorogénico y la Actividad Antioxidante. Informacion Tecnologica<br>(discontinued), 2018, 29, 187-196.   | 0.1 | 1         |
| 133 | Solid coffee waste as alternative to produce carotenoids with antioxidant and antimicrobial activities. Waste Management, 2018, 82, 93-99.  | 3.7 | 73        |
| 134 | Coffee processing industrial wastewater treatment using batch electrochemical coagulation with stainless steel and Fe electrodes and their combinations, and recovery and reuse of sludge. Water Science and Technology, 2018, 78, 279-289. | 1.2 | 16        |
| 135 | Smartphone-based monitoring system of a coffee roaster machine, applied to small industry. , 2018, , .  |     | 0         |
| 136 | Combustion characteristics of spent coffee ground mixed with crude glycerol briquette fuel.<br>Combustion Science and Technology, 2018, 190, 2030-2043.   | 1.2 | 17        |
| 137 | Decolorization of remazol brilliant blue R with laccase from Lentinus crinitus grown in<br>agro-industrial by-products. Anais Da Academia Brasileira De Ciencias, 2018, 90, 3463-3473.  | 0.3 | 20        |
| 138 | Effect of Solid Biological Waste Compost on the Metabolite Profile of Brassica rapa ssp. chinensis.<br>Frontiers in Plant Science, 2018, 9, 305.  | 1.7 | 13        |
| 139 | Optimization and Scale-Up of Coffee Mucilage Fermentation for Ethanol Production. Energies, 2018, 11, 786.  | 1.6 | 34        |
| 140 | Valorization of spent coffee ground with wheat or miscanthus straw: Yield improvement by the<br>combined conversion to mushrooms and biomethane. Energy for Sustainable Development, 2018, 45,<br>171-179.                                  | 2.0 | 6         |
| 141 | Ethanol production from coffee mucilage fermentation by S. cerevisiae immobilized in calcium-alginate beads. Bioresource Technology Reports, 2018, 3, 200-204.  | 1.5 | 29        |
| 142 | Chemical composition and antioxidant capacity of coffee pulp. Ciencia E Agrotecnologia, 2018, 42, 307-313.  | 1.5 | 33        |
| 143 | Converting environmental risks to benefits by using spent coffee grounds (SCG) as a valuable resource. Environmental Science and Pollution Research, 2018, 25, 35776-35790.   | 2.7 | 56        |
| 144 | Valorizing coffee pulp by-products as anti-inflammatory ingredient of food supplements acting on IL-8 release. Food Research International, 2018, 112, 129-135.   | 2.9 | 31        |
| 145 | Development of Sustainable Novel Foods and Beverages Based on Coffee By-Products for Chronic Diseases. , 2019, , 307-315.   |     | 7         |
| 146 | Conventional Methods for the Removal of Industrial Pollutants, Their Merits and Demerits. , 2019, ,<br>1-31.  |     | 16        |
| 147 | Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review.<br>Food Chemistry, 2019, 272, 441-452.   | 4.2 | 165       |
| 148 | System dynamics modeling of waste management, greenhouse gas emissions, and environmental costs from convenience stores. Journal of Cleaner Production, 2019, 239, 118006.  | 4.6 | 19        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 149 | The Possibility of Using Spent Coffee Grounds to Improve Wastewater Treatment Due to Respiration Activity of Microorganisms. Applied Sciences (Switzerland), 2019, 9, 3155.                                      | 1.3 | 25        |
| 150 | Extraction, identification and quantification of polyphenols from spent coffee grounds by chromatographic methods and chemometric analyses. Waste Management, 2019, 96, 15-24.                                   | 3.7 | 71        |
| 152 | Coffee starter microbiome and in-silico approach to improve Arabica coffee. LWT - Food Science and Technology, 2019, 114, 108382.  | 2.5 | 11        |
| 153 | Total phenolic content and primary antioxidant capacity of aqueous extracts of coffee husk: chemical evaluation and beverage development. Food Science and Technology, 2019, 39, 348-353.                        | 0.8 | 18        |
| 154 | Coffee mucilage impact on young coffee seedlings and soil microorganisms. Journal of Plant<br>Nutrition and Soil Science, 2019, 182, 782-790.  | 1.1 | 1         |
| 155 | Enzymatic Bioremediation: Current Status, Challenges of Obtaining Process, and Applications.<br>Microorganisms for Sustainability, 2019, , 79-101.   | 0.4 | 27        |
| 156 | Conceptualization of a spent coffee grounds biorefinery: A review of existing valorisation approaches. Food and Bioproducts Processing, 2019, 118, 149-166.  | 1.8 | 59        |
| 157 | Comparison of three Mexican biomasses valorization through combustion and gasification:<br>Environmental and economic analysis. Energy, 2019, 189, 116095.   | 4.5 | 19        |
| 158 | Isolation, Identification, and Characterization of Pectinolytic Yeasts for Starter Culture in Coffee<br>Fermentation. Microorganisms, 2019, 7, 401.  | 1.6 | 48        |
| 159 | Spent Coffee Grounds in the Production of Lightweight Clay Ceramic Aggregates in View of Urban and Agricultural Sustainable Development. Materials, 2019, 12, 3581.  | 1.3 | 30        |
| 160 | Prospect of Fe non-heme on coffee flour made from solid coffee waste: Mini review. IOP Conference<br>Series: Earth and Environmental Science, 2019, 293, 012035.   | 0.2 | 4         |
| 161 | A Homogenization Approach for the Roasting of an Array of Coffee Beans. SIAM Journal on Applied<br>Mathematics, 2019, 79, 1550-1580.   | 0.8 | 3         |
| 162 | Spent Coffee Grounds-Templated Magnetic Nanocatalysts for Mild Oxidations. ACS Sustainable<br>Chemistry and Engineering, 2019, 7, 17030-17038.   | 3.2 | 13        |
| 163 | Application of a screening design to recover phytochemicals from spent coffee grounds. Food and Bioproducts Processing, 2019, 118, 50-57.  | 1.8 | 14        |
| 164 | Solidâ€Wasteâ€Derived Carbon Dioxide apturing Materials. ChemSusChem, 2019, 12, 2055-2082.   | 3.6 | 43        |
| 165 | Promoting Circular Economy Through Sustainable Agriculture in Hidalgo: Recycling of<br>Agro-Industrial Waste for Production of High Nutritional Native Mushrooms. Climate Change<br>Management, 2019, , 455-469. | 0.6 | 4         |
| 166 | Valorization of Residues From Beverage Production. , 2019, , 451-494.  |     | 7         |
| 167 | Hydrogen Production from Coffee Mucilage in Dark Fermentation with Organic Wastes. Energies, 2019, 12, 71.   | 1.6 | 15        |

| <u> </u> |      |     | -   |    |     |
|----------|------|-----|-----|----|-----|
| (†17     | ΓΑΤΙ | ION | I K | FP | ORT |
|          |      |     |     |    |     |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 168 | Secado de Pulpa de Café: Condiciones de Proceso, Modelación Matemática y Efecto sobre Propiedades<br>FisicoquÃmicas. Informacion Tecnologica (discontinued), 2019, 30, 189-200.   | 0.1 | 12        |
| 169 | Simultaneous pretreatment and hydrolysis of hardwood biomass species catalyzed by combination of<br>modified activated carbon and ionic liquid in biphasic system. Bioresource Technology, 2019, 289,<br>121675.                              | 4.8 | 29        |
| 170 | Bioaccesibility, Metabolism, and Excretion of Lipids Composing Spent Coffee Grounds. Nutrients, 2019, 11, 1411.   | 1.7 | 16        |
| 171 | Valorization of spent coffee grounds into biofuels and value-added products: Pathway towards integrated bio-refinery. Fuel, 2019, 254, 115640.  | 3.4 | 100       |
| 172 | High resolution liquid chromatography tandem mass spectrometry for the separation and<br>identification of peptides in coffee silverskin protein hydrolysates. Microchemical Journal, 2019, 149,<br>103951.                                   | 2.3 | 10        |
| 173 | Effect of alkaline pre-treatment on the anaerobic biodegradability of coffee husk. Revista Facultad De<br>IngenierÃa, 2019, , 36-41.  | 0.5 | 3         |
| 174 | Composting and co-composting of coffee husk and pulp with source-separated municipal solid waste:<br>a breakthrough in valorization of coffee waste. International Journal of Recycling of Organic Waste<br>in Agriculture, 2019, 8, 263-277. | 2.0 | 30        |
| 175 | Mexican biomasses valorization through pyrolysis process: Environmental and costs analysis. Waste<br>Management, 2019, 95, 171-181.   | 3.7 | 15        |
| 176 | Recovering Cucurbita pepo cv. â€~Lungo Fiorentino' Wastes: UHPLC-HRMS/MS Metabolic Profile, the Basis for Establishing Their Nutra- and Cosmeceutical Valorisation. Molecules, 2019, 24, 1479.  | 1.7 | 15        |
| 177 | Formulation of Green Particulate Composites from PLA and PBS Matrix and Wastes Deriving from the Coffee Production. Journal of Polymers and the Environment, 2019, 27, 1488-1496.   | 2.4 | 37        |
| 178 | Biotechnological approaches for cocoa waste management: A review. Waste Management, 2019, 90,<br>72-83.   | 3.7 | 123       |
| 179 | Valorization of Agro-Industrial Waste into Bioactive Compounds: Techno-Economic Considerations. , 2019, , 235-252.  |     | 13        |
| 180 | Comparative assessment of methylene blue biosorption using coffee husks and corn cobs: towards the elaboration of a lignocellulosic-based amperometric sensor. SN Applied Sciences, 2019, 1, 1.   | 1.5 | 11        |
| 181 | Use of coffee silverskin to improve the functional properties of cookies. Journal of Food Science and Technology, 2019, 56, 2979-2988.  | 1.4 | 25        |
| 182 | The Role of Microbes in Coffee Fermentation and Their Impact on Coffee Quality. Journal of Food Quality, 2019, 2019, 1-6.   | 1.4 | 111       |
| 183 | A chemical equilibrium model for biomass gasification. Application to Costa Rican coffee pulp<br>transformation unit. Biomass and Bioenergy, 2019, 123, 89-103.   | 2.9 | 17        |
| 184 | The impact of sustainability in coffee production on consumers' willingness to pay–new evidence<br>from the field of ethical consumption. Journal of Management Control, 2019, 30, 65-93.   | 0.8 | 21        |
| 185 | New Alcoholic Fermented Beverages—Potentials and Challenges. , 2019, , 577-603.   |     | 16        |

|          | Сіт  | TATION REPORT |           |
|----------|--|---------------|-----------|
| #<br>186 | ARTICLE<br>Ecofuel conversion technology of inedible lipid feedstocks to renewable fuel. , 2019, , 237-276.  | IF            | CITATIONS |
| 187      | Solid-state fermentation as a sustainable method for coffee pulp treatment and production of an extract rich in chlorogenic acids. Food and Bioproducts Processing, 2019, 115, 175-184.  | 1.8           | 41        |
| 188      | Bacterial community structure of two Mediterranean agricultural soils amended with spent coffee<br>grounds. Applied Soil Ecology, 2019, 137, 12-20.  | 2.1           | 13        |
| 189      | Plant food by-products as feed: Characteristics, possibilities, environmental benefits, and negative sides. Food Reviews International, 2019, 35, 363-389.   | 4.3           | 16        |
| 190      | Production and characterization of coffee-pine wood residue briquettes as an alternative fuel for local firing systems in Brazil. Biomass and Bioenergy, 2019, 123, 70-77.   | 2.9           | 52        |
| 191      | Bio-sourced porous cellulose microfibrils from coffee pulp for wastewater treatment. Cellulose, 2019, 26, 3873-3889.   | 2.4           | 36        |
| 192      | Ion Exchange Modeling of the Competitive Adsorption of Cu(II) and Pb(II) Using Chemically Modified Solid Waste Coffee. Water, Air, and Soil Pollution, 2019, 230, 1.   | 1.1           | 13        |
| 193      | Waste Coffee Ground Biochar: A Material for Humidity Sensors. Sensors, 2019, 19, 801.  | 2.1           | 49        |
| 194      | Prioritize the key parameters of Vietnamese coffee industries for sustainability. International Journal of Productivity and Performance Management, 2019, 69, 1153-1176.   | 2.2           | 12        |
| 195      | Food industry processing by-products in foods. , 2019, , 239-281.  |               | 7         |
| 196      | Numerical determination of the correct solvents to extract a phytochemical from coffee pulp using<br>Hansen solubility parameters, risk assessment, sustainability evaluation, and economic analysis. DYNA<br>(Colombia), 2019, 86, 138-147. | 0.2           | 3         |
| 197      | The Role of ICT in Supporting Spent Coffee Grounds Collection and Valorization: A Quantitative Assessment. Sustainability, 2019, 11, 6572.   | 1.6           | 5         |
| 198      | Sustainable management of coffee fruit waste biomass in ecological farming systems at West<br>Lampung, Indonesia. IOP Conference Series: Earth and Environmental Science, 2019, 345, 012007.   | 0.2           | 1         |
| 199      | Material flow analysis for energy potential in coffee production. IOP Conference Series: Earth and Environmental Science, 2019, 399, 012011.   | 0.2           | 0         |
| 200      | Power Generation with Biomass from Coffee: A Literature Review, Current Trend and Scope for Future Research. MATEC Web of Conferences, 2019, 293, 05002.   | 0.1           | 1         |
| 201      | Influence of Various Processing Parameters on the Microbial Community Dynamics, Metabolomic<br>Profiles, and Cup Quality During Wet Coffee Processing. Frontiers in Microbiology, 2019, 10, 2621.  | 1.5           | 48        |
| 203      | Physical, chemical and sensory characteristics of fiber-enriched cakes prepared with coffee silverskin as wheat flour substitution. Journal of Food Measurement and Characterization, 2019, 13, 755-763.                                     | 1.6           | 31        |
| 204      | Characterization of residual biomasses from the coffee production chain and assessment the potential for energy purposes. Biomass and Bioenergy, 2019, 120, 68-76.   | 2.9           | 60        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 205 | Advances in renewable plant-derived protein source: The structure, physicochemical properties affected by ultrasonication. Ultrasonics Sonochemistry, 2019, 53, 83-98.                                   | 3.8 | 101       |
| 206 | TOC and COD removal from instant coffee and coffee products production wastewater by chemical coagulation assisted electrooxidation. Journal of Water Process Engineering, 2019, 28, 28-35.              | 2.6 | 37        |
| 207 | Isothermal combustion characteristics of anthracite and spent coffee grounds briquettes. Journal of Thermal Analysis and Calorimetry, 2019, 136, 1447-1456.  | 2.0 | 7         |
| 208 | Food waste valorization advocating Circular Bioeconomy - A critical review of potentialities and perspectives of spent coffee grounds biorefinery. Journal of Cleaner Production, 2019, 211, 1553-1566.  | 4.6 | 122       |
| 209 | Coffee Supplements. , 2019, , 177-185.   |     | 0         |
| 210 | Investigation into role of CO2 in two-stage pyrolysis of spent coffee grounds. Bioresource<br>Technology, 2019, 272, 48-53.  | 4.8 | 23        |
| 211 | Availability and Suitability of Agroindustrial Residues as Feedstock for Cellulose-Based Materials:<br>Brazil Case Study. Waste and Biomass Valorization, 2019, 10, 2863-2878.                           | 1.8 | 22        |
| 212 | Taguchi method to improve the production of sugar-rich hydrolysate from non-delipidated spent<br>coffee grounds, and subsequent recovery of lipids and bioactive compounds. Biofuels, 2019, 10, 193-205. | 1.4 | 9         |
| 213 | Enhancement of Sewage Sludge Bioconversion to Methane by the Addition of Exhausted Coffee<br>Biowaste Liquid Fraction. Waste and Biomass Valorization, 2020, 11, 1125-1130.                              | 1.8 | 3         |
| 214 | Composting and Anaerobic Digestion as Biotechnological Alternatives for the Valorization of Used<br>Coffee Ground in University Campus. World Sustainability Series, 2020, , 789-802.                    | 0.3 | 1         |
| 215 | Optimisation and characterisation of hydrochar production from spent coffee grounds by hydrothermal carbonisation. Renewable Energy, 2020, 147, 1380-1391.   | 4.3 | 100       |
| 216 | Ultrasonic assisted oil extraction and biodiesel synthesis of Spent Coffee Ground. Fuel, 2020, 261, 116121.  | 3.4 | 52        |
| 217 | Energetic use of biogas from the anaerobic digestion of coffee wastewater in southern Minas Gerais,<br>Brazil. Renewable Energy, 2020, 146, 2084-2094.   | 4.3 | 23        |
| 218 | Sustainable Management and Valorization of Spent Coffee Grounds Through the Optimization of Thin<br>Layer Hot Air-Drying Process. Waste and Biomass Valorization, 2020, 11, 5015-5026.                   | 1.8 | 16        |
| 219 | Anaerobic Co-digestion of Pig Manure and Spent Coffee Grounds for Enhanced Biogas Production.<br>Waste and Biomass Valorization, 2020, 11, 4613-4620.  | 1.8 | 21        |
| 220 | The potential of coffee stems gasification to provide bioenergy for coffee farms: a case study in the<br>Colombian coffee sector. Biomass Conversion and Biorefinery, 2020, 10, 1137-1152.               | 2.9 | 14        |
| 221 | Circular Economy - A challenge and an opportunity for Process Systems Engineering. Computers and<br>Chemical Engineering, 2020, 133, 106629.   | 2.0 | 77        |
| 222 | Green coffee nanoparticles: optimisation, <i>inÂvitro</i> bioactivity and bio-release property. Journal of Microencapsulation, 2020, 37, 52-64.  | 1.2 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 223 | Annual biomass variation of agriculture crops and forestry residues, and seasonality of crop residues for energy production in Mexico. Food and Bioproducts Processing, 2020, 119, 1-19.                          | 1.8 | 42        |
| 224 | Phytoremediation of real coffee industry effluent through a continuous two-stage constructed wetland system. Environmental Technology and Innovation, 2020, 17, 100502.   | 3.0 | 34        |
| 225 | Ionic liquids: A milestone on the pathway to greener recycling of cellulose from biomass. Resources,<br>Conservation and Recycling, 2020, 155, 104678.  | 5.3 | 52        |
| 226 | The effect of organic farming on total phenols, total flavonoids, brown compounds and antioxidant<br>activity of spent coffee grounds from Mexico. Biological Agriculture and Horticulture, 2020, 36,<br>107-118. | 0.5 | 6         |
| 228 | Black Soldier Fly (Hermetia illucens) reared on roasted coffee by-product and Schizochytrium sp. as a<br>sustainable terrestrial ingredient for aquafeeds production. Aquaculture, 2020, 518, 734659.             | 1.7 | 60        |
| 229 | Microbial strategies for bio-transforming food waste into resources. Bioresource Technology, 2020, 299, 122580.   | 4.8 | 248       |
| 230 | Integrating spent coffee grounds and silver skin as biofuels using torrefaction. Renewable Energy, 2020, 148, 275-283.  | 4.3 | 18        |
| 231 | Management options for coffee processing wastewater. A review. Journal of Material Cycles and<br>Waste Management, 2020, 22, 454-469.   | 1.6 | 17        |
| 232 | Short-term impact of spent coffee grounds over soil organic matter composition and stability in two contrasted Mediterranean agricultural soils. Journal of Soils and Sediments, 2020, 20, 1182-1198.             | 1.5 | 18        |
| 233 | High-pressure fractionation of spent coffee grounds oil using green solvents. Journal of<br>Supercritical Fluids, 2020, 157, 104689.  | 1.6 | 15        |
| 234 | Growth and metal uptake of spinach with application of co-compost of cat manure and spent coffee ground. Heliyon, 2020, 6, e05086.  | 1.4 | 7         |
| 235 | Fermentation of coffee pulp using indigenous lactic acid bacteria with simultaneous aeration to produce cascara with a high antioxidant activity. Heliyon, 2020, 6, e04462.                                       | 1.4 | 19        |
| 236 | Environmental trade-offs associated with bioenergy from agri-residues in sub-tropical regions: A case study of the Colombian coffee sector. Biomass and Bioenergy, 2020, 140, 105581.                             | 2.9 | 8         |
| 237 | Embracing nutritional qualities, biological activities and technological properties of coffee<br>byproducts in functional food formulation. Trends in Food Science and Technology, 2020, 104, 235-261.            | 7.8 | 53        |
| 238 | Coffee By-Products: Nowadays and Perspectives. , 2020, , .  |     | 6         |
| 239 | Subcritical water and supercritical carbon dioxide: efficient and selective eco-compatible solvents for coffee and coffee by-products valorization. Green Chemistry, 2020, 22, 8544-8571.                         | 4.6 | 34        |
| 240 | Prebiotic oligosaccharide enriched green coffee spent cookies and their nutritional, physicochemical and sensory properties. LWT - Food Science and Technology, 2020, 134, 109924.                                | 2.5 | 14        |
| 241 | Evaluation of the Use of a Coffee Industry By-Product in a Cereal-Based Extruded Food Product.<br>Foods, 2020, 9, 1008.   | 1.9 | 24        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 242 | Effects of Caffeine on Egg Quality and Performance of Laying Hens. Frontiers in Veterinary Science, 2020, 7, 545359.   | 0.9 | 1         |
| 243 | Fruit Spirit Production from Coffee Cherries—Process Analysis and Sensory Evaluation. Beverages, 2020, 6, 57.  | 1.3 | 10        |
| 244 | Coffee silverskin and starch-rich potato washing slurries as raw materials for elastic, antioxidant, and UV-protective biobased films. Food Research International, 2020, 138, 109733.             | 2.9 | 18        |
| 246 | Nutritional and functional properties of spent coffee groundâ€cheese whey powder. Journal of Food<br>Process Engineering, 2022, 45, e13524.  | 1.5 | 3         |
| 247 | Biorefining of Waste Coffee Grounds: Turning an Environmental Problem into an Opportunity. IOP<br>Conference Series: Earth and Environmental Science, 2020, 505, 012026.                           | 0.2 | 2         |
| 248 | Feasibility of Vermicomposting of Spent Coffee Grounds and Silverskin from Coffee Industries: A<br>Laboratory Study. Agronomy, 2020, 10, 1125.   | 1.3 | 16        |
| 249 | Applications of Compounds from Coffee Processing By-Products. Biomolecules, 2020, 10, 1219.  | 1.8 | 57        |
| 250 | Performability evaluation of transport modes for cloud-based inbound logistics: a study based on coffee industry. International Journal of Manufacturing Technology and Management, 2020, 34, 126. | 0.1 | 1         |
| 251 | Application of Thermal Methods to Analyze the Properties of Coffee Silverskin and Oil Extracted from the Studied Roasting By-Product. Applied Sciences (Switzerland), 2020, 10, 8790.              | 1.3 | 9         |
| 252 | Torrefaction of Coffee Husk Flour for the Development of Injection-Molded Green Composite Pieces of Polylactide with High Sustainability. Applied Sciences (Switzerland), 2020, 10, 6468.          | 1.3 | 22        |
| 253 | In search of the optimal inoculum to substrate ratio during anaerobic co-digestion of spent coffee grounds and cow manure. Waste Management and Research, 2020, 38, 1278-1283.                     | 2.2 | 15        |
| 254 | Production and characterization of a new distillate obtained from fermentation of wet processing coffee by-products. Journal of Food Science and Technology, 2020, 57, 4481-4491.                  | 1.4 | 13        |
| 255 | Production of antioxidants and other value-added compounds from coffee silverskin via pyrolysis<br>under a biorefinery approach. Waste Management, 2020, 109, 19-27.                               | 3.7 | 42        |
| 256 | Biologically active components in byâ€products of food processing. Food Science and Nutrition, 2020, 8, 3004-3022.   | 1.5 | 24        |
| 257 | Assessment of Healthy and Harmful Maillard Reaction Products in a Novel Coffee Cascara Beverage:<br>Melanoidins and Acrylamide. Foods, 2020, 9, 620.   | 1.9 | 37        |
| 258 | Improving the hydrogen production from coffee waste through hydrothermal pretreatment,<br>co-digestion and microbial consortium bioaugmentation. Biomass and Bioenergy, 2020, 137, 105551.         | 2.9 | 19        |
| 259 | Roasted coffee wastes as a substrate for <i>Escherichia coli</i> to grow and produce hydrogen. FEMS<br>Microbiology Letters, 2020, 367, .  | 0.7 | 11        |
| 260 | A Review of Coffee By-Products Including Leaf, Flower, Cherry, Husk, Silver Skin, and Spent Grounds as<br>Novel Foods within the European Union. Foods, 2020, 9, 665.                              | 1.9 | 128       |

ARTICLE IF CITATIONS # Valorization of Mushroom By-Products as a Source of Value-Added Compounds and Potential 261 1.7 48 Applications. Molecules, 2020, 25, 2672. Utilization of Spent Coffee Grounds as Media for Stone Pine (Pinus pinea) Seedlings. Journal of Soil 1.7 Science and Plant Nutrition, 2020, 20, 2014-2024. 263 Revalorization of Coffee Waste., 0, , . 9 Characterization of coffee parchment and innovative steam explosion treatment to obtain microfibrillated cellulose as potential composite reinforcement. Journal of Materials Research and Technology, 2020, 9, 9412-9421. 264 Drying Applications during Value-Added Sustainable Processing for Selected Mass-Produced Food 265 1.3 11 Coproducts. Processes, 2020, 8, 307. Alcoholic fermentation as a potential tool for coffee pulp detoxification and reuse: Analysis of phenolic composition and caffeine content by HPLC-DAD-MS/MS. Food Chemistry, 2020, 319, 126600. 4.2 Identification and Quantification of Bioactive Molecules Inhibiting Pro-inflammatory Cytokine 267 Production in Spent Coffee Grounds Using Metabolomics Analyses. Frontiers in Pharmacology, 2020, 1.6 16 11, 229. Primary Metabolism Is Distinctly Modulated by Plant Resistance Inducers in Coffea arabica Leaves 1.7 Infected by Hemileia vastatrix. Frontiers in Plant Science, 2020, 11, 309. Structural characterization of cellulose nanofibers isolated from spent coffee grounds and their 269 2.4 40 composite films with poly(vinyl alcohol): a new non-wood source. Cellulose, 2020, 27, 5017-5028. Chemical composition, structural and functional properties of soluble dietary fiber obtained from 270 54 coffee peel using different extraction methods. Food Research International, 2020, 136, 109497. Effect of <i>Thymus</i> <i>vulgaris</i> postâ€extraction waste and spent coffee grounds on the quality 271 0.9 8 of cultivated <i>Pleurotus eryngii</i>. Journal of Food Processing and Preservation, 2020, 44, e14648. PIXE analysis of green and roasted coffee beans and filter coffee powder for the inter-comparison study of major, minor and trace elements. AIP Conference Proceedings, 2020, , . Process optimisation of methylene blue sequestration onto physical and chemical treated coffee husk 273 1.5 13 based adsorbent. SN Applied Sciences, 2020, 2, 1. Enzymatic potential for the valorization of agro-industrial by-products. Biotechnology Letters, 2020, 274 1.1 42, 1799-1827. A statistical approach to study the valorization process of spent coffee ground. Biomass Conversion 275 2.9 3 and Biorefinery, 2022, 12, 2463-2475. Added-value molecules recovery and biofuels production from spent coffee grounds. Renewable and Sustainable Energy Reviews, 2020, 131, 110007. A review on valorization of spent coffee grounds (SCG) towards biopolymers and biocatalysts 277 4.8 54 production. Bioresource Technology, 2020, 314, 123800. Removal of ochratoxin A from liquid media using novel low-cost biosorbents. Environmental Science 278 and Pollution Research, 2020, 27, 34484-34494.

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 279 | Low energy spent coffee grounds briquetting with organic binders for biomass fuel manufacturing.<br>Fuel, 2020, 278, 118310.  | 3.4 | 37        |
| 280 | β-Mannanase Production Using Coffee Industry Waste for Application in Soluble Coffee Processing.<br>Biomolecules, 2020, 10, 227.  | 1.8 | 25        |
| 281 | Valorization of agro-industry residues in the building and environmental sector: A review. Waste<br>Management and Research, 2020, 38, 487-513.   | 2.2 | 48        |
| 282 | Phytotoxicity and chelating capacity of spent coffee grounds: Two contrasting faces in its use as soil organic amendment. Science of the Total Environment, 2020, 717, 137247.                                    | 3.9 | 31        |
| 283 | Fuel properties of biochar from torrefaction of ground coffee residue: effect of process temperature, time, and sweeping gas. Biomass Conversion and Biorefinery, 2020, 10, 743-753.                              | 2.9 | 33        |
| 284 | Butyric acid production from spent coffee grounds by engineered Clostridium tyrobutyricum overexpressing galactose catabolism genes. Bioresource Technology, 2020, 304, 122977.                                   | 4.8 | 26        |
| 285 | Chemical composition and health properties of coffee and coffee by-products. Advances in Food and Nutrition Research, 2020, 91, 65-96.  | 1.5 | 68        |
| 286 | Biorefinery of spent coffee grounds waste: Viable pathway towards circular bioeconomy.<br>Bioresource Technology, 2020, 302, 122821.  | 4.8 | 71        |
| 287 | Modeling Dark Fermentation of Coffee Mucilage Wastes for Hydrogen Production: Artificial Neural<br>Network Model vs. Fuzzy Logic Model. Energies, 2020, 13, 1663.   | 1.6 | 11        |
| 288 | Resource Recovery from Waste Coffee Grounds Using Ultrasonic-Assisted Technology for Bioenergy<br>Production. Energies, 2020, 13, 1770.   | 1.6 | 22        |
| 289 | An Insight into the Reactivity of the Electrogenerated Radical Cation of Caffeine. Electrochem, 2020, 1, 44-55.   | 1.7 | 4         |
| 291 | Adsorption isotherms and kinetic modeling of methylene blue dye onto a carbonaceous hydrochar adsorbent derived from coffee husk waste. Science of the Total Environment, 2020, 725, 138325.                      | 3.9 | 191       |
| 292 | From Coffee to Biodiesel—Deep Eutectic Solvents for Feedstock and Biodiesel Purification.<br>Separations, 2020, 7, 22.  | 1.1 | 19        |
| 293 | The use of spent coffee grounds in growing media for the production of Brassica seedlings in nurseries. Environmental Science and Pollution Research, 2021, 28, 24279-24290.                                      | 2.7 | 16        |
| 294 | Influence of particle size on the physico-mechanical and energy properties of briquettes produced with coffee husks. Environmental Science and Pollution Research, 2021, 28, 8215-8223.                           | 2.7 | 15        |
| 295 | Efficient biobutanol production by acetone-butanol-ethanol fermentation from spent coffee grounds with microwave assisted dilute sulfuric acid pretreatment. Bioresource Technology, 2021, 320, 124348.           | 4.8 | 28        |
| 296 | Structural characterization of native and oxidized procyanidins (condensed tannins) from coffee pulp (Coffea arabica) using phloroglucinolysis and thioglycolysis-HPLC-ESI-MS. Food Chemistry, 2021, 340, 127830. | 4.2 | 26        |
| 297 | Anabolism of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by Cupriavidus necator DSM 545 from spent coffee grounds oil. New Biotechnology, 2021, 60, 12-19.   | 2.4 | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 298 | Strength characteristics of spent coffee grounds and oyster shells cemented with GGBS-based alkaline-activated materials. Construction and Building Materials, 2021, 267, 120986.   | 3.2 | 9         |
| 300 | Foaming agents from spent coffee grounds: A mechanistic understanding of the modes of foaming and the role of coffee oil as antifoam. Food Hydrocolloids, 2021, 112, 106354.  | 5.6 | 5         |
| 301 | Magnetic spent coffee ground as an efficient and green catalyst for aerobic oxidation of alcohols<br>and tandem oxidative Groebke–Blackburn–Bienaymé reaction. Journal of the Iranian Chemical Society,<br>2021, 18, 1199-1209. | 1.2 | 10        |
| 302 | The implementation of the Circular Economy: Barriers and enablers in the coffee value chain. Journal of Cleaner Production, 2021, 281, 125033.  | 4.6 | 59        |
| 303 | Extruded coffee parchment shows enhanced antioxidant, hypoglycaemic, and hypolipidemic properties by releasing phenolic compounds from the fibre matrix. Food and Function, 2021, 12, 1097-1110.                                | 2.1 | 26        |
| 304 | Fermentation of spent coffee grounds by Bacillus clausii induces release of potentially bioactive peptides. LWT - Food Science and Technology, 2021, 138, 110685.   | 2.5 | 26        |
| 305 | Enzymatic Technology Application on Coffee Co-products: A Review. Waste and Biomass Valorization, 2021, 12, 3521-3540.  | 1.8 | 24        |
| 306 | Food waste biorefinery: A case study for spent coffee grounds (SCGs) into bioactive compounds across the European Union. , 2021, , 459-473.   |     | 3         |
| 307 | Coffee and Yeasts: From Flavor to Biotechnology. Fermentation, 2021, 7, 9.  | 1.4 | 25        |
| 308 | Solid Fuel Characteristics of Pellets Comprising Spent Coffee Grounds and Wood Powder. Energies, 2021, 14, 371.   | 1.6 | 11        |
| 309 | Contribution of the Environmental Biotechnology to the Sustainability of the Coffee Processing<br>Industry in Developing Countries. Environmental and Microbial Biotechnology, 2021, , 565-589.                                 | 0.4 | 0         |
| 310 | Integrated Design of Biorefineries Based on Spent Coffee Grounds. Industrial & Engineering<br>Chemistry Research, 2021, 60, 494-506.  | 1.8 | 9         |
| 311 | Recycling of spent coffee grounds for useful extracts and green composites. RSC Advances, 2021, 11, 2682-2692.  | 1.7 | 36        |
| 312 | Cosmetics—food waste recovery. , 2021, , 503-528.   |     | 7         |
| 313 | Methods of Synthesis of Magnetic Adsorbents. Environmental Chemistry for A Sustainable World, 2021, , 25-58.  | 0.3 | 1         |
| 314 | Microbial Degradation in the Biogas Production of Value-Added Compounds. Environmental and<br>Microbial Biotechnology, 2021, , 47-90.   | 0.4 | 1         |
| 315 | Gasification of spent coffee grounds in a semi-fluidized bed reactor using steam and CO2 gasification medium. Journal of the Taiwan Institute of Chemical Engineers, 2021, 119, 115-127.  | 2.7 | 16        |
| 316 | The Effect of Heat Removal during Thermophilic Phase on Energetic Aspects of Biowaste Composting<br>Process. Energies, 2021, 14, 1183.  | 1.6 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 317 | Spent Coffee Grounds and Coffee Silverskin as Potential Materials for Packaging: A Review. Journal of Polymers and the Environment, 2021, 29, 2372-2384.  | 2.4 | 26        |
| 318 | Potential applications of by-products from the coffee industry in polymer technology – Current state and perspectives. Waste Management, 2021, 121, 296-330.  | 3.7 | 42        |
| 319 | Utilization of Coffee By-Products as Profitable Foods - A Mini Review. IOP Conference Series: Earth and<br>Environmental Science, 2021, 672, 012077.  | 0.2 | 9         |
| 320 | Recycling of spent coffee grounds in construction materials: A review. Journal of Cleaner<br>Production, 2021, 289, 125837.   | 4.6 | 71        |
| 321 | Evaluation of thermochemical routes for the valorization of solid coffee residues to produce biofuels: A Brazilian case. Renewable and Sustainable Energy Reviews, 2021, 137, 110585.   | 8.2 | 44        |
| 322 | Isolation and characterization of cellulose nanocrystals from coffee grounds for tissue engineering. Materials Letters, 2021, 287, 129311.  | 1.3 | 12        |
| 323 | Life cycle assessment of a circular, urban mushroom farm. Journal of Cleaner Production, 2021, 288, 125668.   | 4.6 | 42        |
| 324 | Chemical Characteristics of Cascara, Coffee Cherry Tea, Made of Various Coffee Pulp Treatments. IOP<br>Conference Series: Earth and Environmental Science, 2021, 709, 012030.   | 0.2 | 4         |
| 325 | Coffee By-Products and Their Suitability for Developing Active Food Packaging Materials. Foods, 2021, 10, 683.  | 1.9 | 35        |
| 326 | The wastes of coffee bean processing for utilization in food: a review. Journal of Food Science and Technology, 2022, 59, 429-444.  | 1.4 | 41        |
| 327 | Effect of thermal and acid pre-treatment on increasing organic loading rate of anaerobic digestion of coffee pulp for biogas production. Biomass Conversion and Biorefinery, 0, , 1.  | 2.9 | 11        |
| 328 | Spent ground coffee $\hat{a} \in$ " awaking the sustainability prospects. Environmental and Toxicology Management, 2021, 1, 1-6.  | 0.3 | 9         |
| 329 | Performance column adsorption of methylene blue using composite spent coffe ground-copper<br>ferrites (SCG/CuFe <sub>2</sub> O <sub>4</sub> ). Journal of Physics: Conference Series, 2021, 1876,<br>012010.  | 0.3 | 0         |
| 330 | Enhancing Coffee Supply Chain towards Sustainable Growth with Big Data and Modern Agricultural Technologies. Sustainability, 2021, 13, 4593.  | 1.6 | 27        |
| 331 | Coffee Cherry Pulp by-Product as a Potential Fiber Source for Bread Production: A Fundamental and<br>Empirical Rheological Approach. Foods, 2021, 10, 742.  | 1.9 | 6         |
| 332 | Valorisation of Coffee Roasting By-Products: Recovery of Silverskin Fat By Supercritical CO2<br>Extraction. Waste and Biomass Valorization, 2021, 12, 6021-6033.  | 1.8 | 8         |
| 333 | Converting coffee silverskin to value-added products by a slow pyrolysis-based biorefinery process.<br>Fuel Processing Technology, 2021, 214, 106708.   | 3.7 | 24        |
| 334 | Effect of Increasing Supplementation Levels of Coffee Pulp on Milk Yield and Food Intake in<br>Dual-Purpose Cows: An Alternative Feed Byproduct for Smallholder Dairy Systems of Tropical Climate<br>Regions. Agriculture (Switzerland), 2021, 11, 416. | 1.4 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 335 | Response surface methodology applied to spent coffee residue pyrolysis: effect of temperature and heating rate on product yield and product characterization. Biomass Conversion and Biorefinery, 2023, 13, 3555-3568.   | 2.9 | 3         |
| 336 | Antioxidant and Anti-Inflammatory Profiles of Spent Coffee Ground Extracts for the Treatment of Neurodegeneration. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-19.  | 1.9 | 16        |
| 337 | Eco-dyeing with biocolorant from spent coffee ground on low molecular weight chitosan crosslinked cotton. Sustainable Chemistry and Pharmacy, 2021, 20, 100389.  | 1.6 | 18        |
| 338 | Improved TGA-MS measurements for evolved gas analysis (EGA) during pyrolysis process of various<br>biomass feedstocks. Syngas energy balance determination. Thermochimica Acta, 2021, 699, 178912.   | 1.2 | 22        |
| 339 | Coffee by-products in topical formulations: A review. Trends in Food Science and Technology, 2021, 111, 280-291.   | 7.8 | 51        |
| 340 | Potential for Farmers' Cooperatives to Convert Coffee Husks into Biochar and Promote the<br>Bioeconomy in the North Ecuadorian Amazon. Applied Sciences (Switzerland), 2021, 11, 4747.   | 1.3 | 6         |
| 341 | Anaerobic digestion of hydrothermal liquefaction wastewater from spent coffee grounds. Biomass and Bioenergy, 2021, 148, 106030.   | 2.9 | 14        |
| 342 | Effect of Processed Beverage By-Product-Based Diets on Biological Parameters, Conversion Efficiency<br>and Body Composition of Hermetia illucens (L) (Diptera: Stratiomyidae). Insects, 2021, 12, 475.   | 1.0 | 11        |
| 343 | Graphene Quantum Dots from Carbonized Coffee Bean Wastes for Biomedical Applications.<br>Nanomaterials, 2021, 11, 1423.  | 1.9 | 27        |
| 344 | Technical Report on the notification of cherry pulp from Coffea arabica L. and Coffea canephora<br>Pierre ex A. Froehner as a traditional food from a third country following Article 14 of Regulation<br>(EU) 2015/2283. EFSA Supporting Publications, 2021, 18, 6657E. | 0.3 | 8         |
| 345 | Beyond HRMâ $€$ ™s Performance Management: Towards Strategic Workforce Resilience. , 0, , .  |     | 0         |
| 346 | Aroma-Active Compounds in Robusta Coffee Pulp Puree—Evaluation of Physicochemical and Sensory<br>Properties. Molecules, 2021, 26, 3925.  | 1.7 | 9         |
| 347 | Caffeinating the biofuels market: Effect of the processing conditions during the production of<br>biofuels and high-value chemicals by hydrothermal treatment of residual coffee pulp. Journal of<br>Cleaner Production, 2021, 302, 127008.                              | 4.6 | 9         |
| 348 | Effect of in vitro digestion on bioactive compounds, antioxidant and antimicrobial activities of coffee<br>(Coffea arabica L.) pulp aqueous extract. Food Chemistry, 2021, 348, 129094.  | 4.2 | 27        |
| 349 | Vulnerability of coffee (Coffea spp.) genetic resources in the United States. Genetic Resources and<br>Crop Evolution, 2021, 68, 2691-2710.  | 0.8 | 7         |
| 350 | Characterization of Coffee Silver Skin as Potential Food-Safe Ingredient. Foods, 2021, 10, 1367.   | 1.9 | 30        |
| 351 | Circular economy of bio compost from coffee waste to support sustainable development goals in<br>alleviating poverty in communities around the Sidoarjo coffee industry. IOP Conference Series: Earth<br>and Environmental Science, 2021, 802, 012016.                   | 0.2 | 0         |
| 352 | Monomers, Materials and Energy from Coffee By-Products: A Review. Sustainability, 2021, 13, 6921.  | 1.6 | 20        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 353 | New sustainable perspectives for "Coffee Wastewater―and other by-products: A critical review.<br>Future Foods, 2021, 4, 100058.  | 2.4 | 23        |
| 354 | Characterization of the Aroma Profile and Main Key Odorants of Espresso Coffee. Molecules, 2021, 26, 3856.   | 1.7 | 37        |
| 355 | Coffee Silver Skin: Chemical Characterization with Special Consideration of Dietary Fiber and Heat-Induced Contaminants. Foods, 2021, 10, 1705.  | 1.9 | 24        |
| 356 | Pore volume upgrade of biochar from spent coffee grounds by sodium bicarbonate during torrefaction. Chemosphere, 2021, 275, 129999.  | 4.2 | 21        |
| 357 | Bored Coffee Beans for Production of Hyaluronic Acid by Streptococcus zooepidemicus.<br>Fermentation, 2021, 7, 121.  | 1.4 | 5         |
| 358 | Conceptually integrating a multi-product strategy for the valorization of kitchen waste towards a more sustainable management. Journal of Cleaner Production, 2021, 306, 127292.   | 4.6 | 12        |
| 359 | A comprehensive analysis of operations and mass flows in postharvest processing of washed coffee.<br>Resources, Conservation and Recycling, 2021, 170, 105554.   | 5.3 | 11        |
| 360 | Coffee Wastes as Sustainable Flame Retardants for Polymer Materials. Coatings, 2021, 11, 1021.   | 1.2 | 19        |
| 361 | In Vitro Bioaccessibility and Antioxidant Activity of Polyphenolic Compounds from Spent Coffee<br>Grounds-Enriched Cookies. Foods, 2021, 10, 1837.   | 1.9 | 24        |
| 362 | Spent marigold flower meal as an alternate feed for goats. Tropical Animal Health and Production, 2021, 53, 430.   | 0.5 | 2         |
| 363 | Coffee biowaste valorization within circular economy: an evaluation method of spent coffee<br>grounds potentials for mortar production. International Journal of Life Cycle Assessment, 2021, 26,<br>1805-1815.  | 2.2 | 27        |
| 364 | Glutathione fermentation by Millerozyma farinosa using spent coffee grounds extract and seawater.<br>Bioresource Technology Reports, 2021, 15, 100777.   | 1.5 | 4         |
| 365 | Anti-counterfeiting application of fluorescent carbon dots derived from wasted coffee grounds.<br>Optik, 2021, 241, 166449.  | 1.4 | 19        |
| 366 | Technical Report on the notification of dried cherry pulp from Coffea arabica L. and Coffea canephora<br>Pierre ex A. Froehner as a traditional food from a third country pursuant to Article 14 of Regulation<br>(EU) 2015/2283. EFSA Supporting Publications, 2021, 18, 6808E. | 0.3 | 4         |
| 367 | Green additive to upgrade biochar from spent coffee grounds by torrefaction for pollution mitigation. Environmental Pollution, 2021, 285, 117244.  | 3.7 | 13        |
| 368 | The effect of head group of surfactant on the adsorption of methyl red onto modified coffee residues. Journal of Molecular Structure, 2022, 1249, 131527.  | 1.8 | 15        |
| 369 | Effective Synergistic Effect of Treatment and Modification on Spent Coffee Grounds for Sustainable<br>Biobased Composites. Waste and Biomass Valorization, 2022, 13, 1339-1348.  | 1.8 | 4         |
| 370 | Study on the feasibility of using agricultural waste in the production of concrete blocks. Journal of<br>Building Engineering, 2021, 42, 102491.   | 1.6 | 9         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 371 | A systems engineering framework for the optimization of food supply chains under circular economy considerations. Science of the Total Environment, 2021, 794, 148726.                                       | 3.9 | 33        |
| 372 | Conventional and pressurized ethanolic extraction of oil from spent coffee grounds: Kinetics study and evaluation of lipid and defatted solid fractions. Journal of Supercritical Fluids, 2021, 177, 105332. | 1.6 | 8         |
| 373 | Evaluation of the aluminum migration from metallic seals to coffee beverage after using a high-pressure coffee pod machine. Journal of Food Composition and Analysis, 2021, 104, 104131.                     | 1.9 | 2         |
| 374 | Bioprocesses for the recovery of bioenergy and value-added products from wastewater: A review.<br>Journal of Environmental Management, 2021, 300, 113831.  | 3.8 | 21        |
| 375 | Conversion of spent coffee grounds into vermicompost. Bioresource Technology, 2021, 341, 125925.   | 4.8 | 13        |
| 376 | Synthesis and Initial Evaluation of Solid Acid Catalyst Derived from Spent Coffee Grounds for the Esterification of Oleic Acid and Methanol. Waste and Biomass Valorization, 2021, 12, 4387-4397.            | 1.8 | 7         |
| 377 | The Effect of Atmosphere Media on Temperature and Mass of Torrefacted Coffee Beans. Lecture Notes in Mechanical Engineering, 2021, , 151-160.  | 0.3 | 3         |
| 378 | Valorization of coffee wastes for effective recovery of value-added bio-based products: an aim to enhance the sustainability and productivity of the coffee industry. , 2021, , 199-218.                     |     | 0         |
| 379 | Circular Economy Systems Engineering: A case study on the Coffee Supply Chain. Computer Aided<br>Chemical Engineering, 2021, 50, 1541-1546.  | 0.3 | 3         |
| 381 | Initial Results of Using Biochar Derived from Spent Coffee Grounds to Remove Pollutants from<br>Livestock Wastewater in Vietnam. Lecture Notes in Civil Engineering, 2021, , 305-325.                        | 0.3 | 2         |
| 383 | Spent coffee ground as renewable energy source: Evaluation of the drying processes. Journal of Environmental Management, 2020, 275, 111204.  | 3.8 | 24        |
| 384 | Physicochemical and structural characterization of biochar derived from the pyrolysis of biosolids, cattle manure and spent coffee grounds. Journal of the Energy Institute, 2020, 93, 2063-2073.            | 2.7 | 66        |
| 385 | Intake, digestibility and feeding behaviour of grazing dairy cows supplemented with common bean<br>(Phaseolus vulgaris L.) residue. Animal Production Science, 2020, 60, 1607.                               | 0.6 | 4         |
| 386 | Chemical Nature of Spent Coffee Grounds and Husks. Australian Journal of Chemistry, 2020, 73, 1284.  | 0.5 | 5         |
| 387 | Coffee Pulp Waste as a Functional Ingredient: Effect on Salty Cookies Quality. Journal of Food and<br>Nutrition Research (Newark, Del ), 2019, 7, 632-638.   | 0.1 | 21        |
| 388 | Comparison of Metal Content of Coffee Samples Grown in Different Countries by Inductively Coupled<br>Plasma Optical Emission Spectroscopy. Celal Bayar Universitesi Fen Bilimleri Dergisi, 2019, 15, 35-43.  | 0.1 | 3         |
| 389 | Sustainability Analysis for Gayo Coffee Supply Chain. International Journal on Advanced Science,<br>Engineering and Information Technology, 2013, 3, 122.  | 0.2 | 10        |
| 390 | Coffee crop science metric: A review. Coffee Science, 0, 15, 1-11.   | 0.5 | 5         |

| #   | Article  | IF                | CITATIONS    |
|-----|--|-------------------|--------------|
| 391 | DIETARY FIBER AND ANTIOXIDANT ACTIVITY OF GLUTEN-FREE COOKIES WITH COFFEE CHERRY FLOUR ADDITION. Coffee Science, 2019, 14, 493.  | 0.5               | 21           |
| 392 | Nutritional Quality, Potential Health Promoting Properties and Sensory Perception of an Improved<br>Gluten-Free Bread Formulation Containing Inulin, Rice Protein and Bioactive Compounds Extracted<br>from Coffee Byproducts. Polish Journal of Food and Nutrition Sciences, 2019, 69, 157-166. | 0.6               | 35           |
| 393 | Critical Evaluation of Coffee Pulp as an Innovative Antioxidant Dietary Fiber Ingredient: Nutritional Value, Functional Properties, and Acute and Sub-Chronic Toxicity. Proceedings (mdpi), 2021, 70, 65.  | 0.2               | 10           |
| 394 | Formulation of Nutraceutical Biscuits Based on Dried Spent Coffee Grounds. International Journal of Pharmacology, 2018, 14, 584-594.   | 0.1               | 16           |
| 395 | Influence of Spent Coffee Ground as Fiber Source on Chemical, Rheological and Sensory Properties of<br>Sponge Cake. Pakistan Journal of Biological Sciences, 2019, 22, 273-282.  | 0.2               | 8            |
| 396 | Impact of Effluents from Wet Coffee Processing Plants on the Walleme River of Southern Ethiopia.<br>Research Journal of Environmental Toxicology, 2017, 11, 90-96.   | 1.0               | 8            |
| 397 | Sustainable Management of Coffee and Cocoa Agro-Waste. Advances in Environmental Engineering and<br>Green Technologies Book Series, 2019, , 141-164.   | 0.3               | 2            |
| 398 | Characteristics of direct transesterification using ultrasound on oil extracted from spent coffee grounds. Environmental Engineering Research, 2020, 25, 470-478.  | 1.5               | 4            |
| 399 | The Solid Wastes of Coffee Production and of Olive Oil Extraction: Management Perspectives in Rural Areas. , 0, , .  |                   | 5            |
| 400 | Evaluation of coffee pulp as substrate for polygalacturonase production in solid state fermentation.<br>Emirates Journal of Food and Agriculture, 0, , 117.  | 1.0               | 12           |
| 401 | Food Processing Industries, Food Waste Classification and Handling, Target Compounds. , 2021, , 17-78.   |                   | 1            |
| 402 | Composting of solid waste from the coffee milling process using trench composting and a bioreactor with the help of efficient microorganisms in the Libre University, Socorro headquarters. IngenierÃa Solidaria, 2021, 17, 1-28.  | 0.1               | 1            |
| 403 | Biocascading: Platform Molecules, Value Added Chemicals, and Bioactives. , 2021, , 169-229.  |                   | 1            |
| 404 | Superhydrophilic three-dimensional porous spent coffee ground reduced palladium nanoparticles for efficient catalytic reduction. Journal of Colloid and Interface Science, 2022, 608, 1414-1421.   | 5.0               | 12           |
| 405 | A biorefinery approach towards valorization of spent coffee ground: Extraction of the oil by supercritical carbon dioxide and utilizing the defatted spent in formulating functional cookies. Future Foods, 2021, 4, 100090.   | 2.4               | 16           |
| 406 | Extraction and Chemical Characterization of Functional Phenols and Proteins from Coffee (Coffea) Tj ETQq1 1 C  | ).784314 r<br>1.8 | gBT /Overloc |
| 407 | Value-Added Metabolites from Agricultural Waste and Application of Green Extraction Techniques.<br>Sustainability, 2021, 13, 11432.  | 1.6               | 30           |
| 408 | Polyethylene-coffee husk eco-composites for production of value-added consumer products.<br>Sustainable Environment Research, 2021, 31, .  | 2.1               | 7            |
|     |  |                   |              |

| #   | Article   | IF               | CITATIONS |
|-----|---|------------------|-----------|
| 409 | Coffee Pulp, a By-Product of Coffee Production, Modulates Gut Microbiota and Improves Metabolic<br>Syndrome in High-Carbohydrate, High-Fat Diet-Fed Rats. Pathogens, 2021, 10, 1369.  | 1.2              | 16        |
| 410 | Spent coffee grounds based circular bioeconomy: Technoeconomic and commercialization aspects.<br>Renewable and Sustainable Energy Reviews, 2021, 152, 111721.   | 8.2              | 17        |
| 413 | POTENCIAL DE GERAÇÃO DE ELETRICIDADE COM CODIGESTÃO DE RESÃÐUOS AGROPECUÃRIOS NA REGIÃO DA ZONA DA MATA, MINAS GERAIS, BRASIL. Revista Gestão & Sustentabilidade Ambiental, 0, 4, 302.  | О <sub>0.1</sub> | 2         |
| 414 | Roasting Effects on Nutritional and Antinutritional Compounds in Coffee. , 2016, , 47-76.   |                  | 0         |
| 415 | 14: Potential Application of Bioactive Compounds from Agroindustrial Waste in the Cosmetic Industry. , 2017, , 357-382.   |                  | 0         |
| 416 | Potansiyel Fonksiyonel Bileşen: Kahve Çekirdeği Zarı. Akademik Gıda, 0, , 66-66.  | 0.5              | 0         |
| 417 | Essential oil of Coffee arabica L. husks: a brilliant source of antimicrobial and antioxidant agents.<br>Biomedical Research (Aligarh, India), 2018, 29, .  | 0.1              | 6         |
| 418 | Anti-quorum and biofilm formation inhibition by coffee husk oil (Coffee arabica L.). Biomedical<br>Research (Aligarh, India), 2018, 29, .   | 0.1              | 1         |
| 419 | Glucose Production from Spent Coffee Grounds by Acid Pretreatment and Enzymatic Hydrolysis. KSBB<br>Journal, 2018, 33, 247-252.   | 0.1              | 0         |
| 420 | Optimization of the infeed formula for spent coffee ground extract encapsulation using the response surface methodology. Journal on Processing and Energy in Agriculture, 2019, 23, 108-112.  | 0.3              | 0         |
| 421 | Impact of eight dimensions on the business of specialty coffee shop. Pressacademia, 2019, 6, 79-87.   | 0.2              | 3         |
| 422 | Possibilities of Applying the Gasification Process in Coffee Grounds Treatment. Springer Proceedings in Energy, 2020, , 703-713.  | 0.2              | 0         |
| 423 | Supply Chain Performance Measurement Model of Passion Fruit Agro-Industry for Sustainable Micro,<br>Small, and Medium Enterprises with System Dynamics in North Sumatra Province. International<br>Journal on Advanced Science, Engineering and Information Technology, 2019, 9, 1885-1891. | 0.2              | 0         |
| 424 | Biorefinery Concept Applied to Phytochemical Extraction and Bio-Syngas Production using<br>Agro-Industrial Waste Biomass: A Review. Ingenieria E Investigacion, 2020, 40, .   | 0.2              | 0         |
| 425 | Efecto del tiempo de fermentación sobre la calidad nutricional del ensilaje de pulpa de Coffea arabica<br>L Ciencia Tecnologia Agropecuaria, 2020, 21, 1-11.  | 0.3              | 2         |
| 426 | Pós ricos em fibras oriundos de subprodutos de resÃduos de frutos tropicais: um levantamento<br>bibliográfico sobre seus compostos bioativos. Research, Society and Development, 2020, 9, e80996803.  | 0.0              | 0         |
| 427 | Evaluation of antioxidant, organic acid, and volatile compounds in coffee pulp wine fermented with native yeasts isolated from coffee cherries. Food Science and Technology International, 2022, 28, 716-727.   | 1.1              | 3         |
| 428 | Coffee as a Naturally Beneficial and Sustainable Ingredient in Personal Care Products: A Systematic<br>Scoping Review of the Evidence. Frontiers in Sustainability, 2021, 2, .  | 1.3              | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 429 | Agricultural crop waste materials – A potential reservoir of molecules. Environmental Research, 2022, 206, 112284.  | 3.7 | 9         |
| 430 | Spent coffee grounds as a source of smart biochelates to increase Fe and Zn levels in lettuces.<br>Journal of Cleaner Production, 2021, 328, 129548.  | 4.6 | 14        |
| 431 | Review Manajemen Rantai Pasok Produk Pertanian Berkelanjutan: Konseptual, Isu Terkini, dan Penelitian<br>Mendatang. Jurnal Ilmu Pertanian Indonesia, 2021, 26, 78-91.   | 0.1 | 0         |
| 432 | The Importance of Natural Products in Cosmetics. Advanced Structured Materials, 2021, , 643-685.  | 0.3 | 8         |
| 433 | Sensory evaluation and mixture design assessment of coffee-flavored liquor obtained from spent coffee grounds. Food Quality and Preference, 2022, 96, 104427.   | 2.3 | 8         |
| 434 | Quantification of Chlorogenic Acid and Vanillin from Coffee Peel Extract and its Effect on α-Amylase Activity, Immunoregulation, Mitochondrial Oxidative Stress, and Tumor Suppressor Gene Expression Levels in H2O2-Induced Human Mesenchymal Stem Cells. Frontiers in Pharmacology, 2021, 12, 760242. | 1.6 | 6         |
| 435 | Coffee berry and green bean chemistry $\hat{a} \in$ Opportunities for improving cup quality and crop circularity. Food Research International, 2022, 151, 110825.   | 2.9 | 27        |
| 436 | Changes in Bioactive Compounds of Coffee Pulp through Fermentation-Based Biotransformation<br>Using Lactobacillus plantarum TISTR 543 and Its Antioxidant Activities. Fermentation, 2021, 7, 292.   | 1.4 | 16        |
| 437 | Optimization of Ultrasound-Assisted Extraction of Spent Coffee Grounds Oil Using Response Surface<br>Methodology. Processes, 2021, 9, 2085.   | 1.3 | 7         |
| 438 | Reducing sugar production from spent coffee grounds using microbubble-assisted synthesis of silica acid catalyst. Catalysis Today, 2022, 388-389, 3-11.   | 2.2 | 7         |
| 439 | Multiparameter-analysis of CO2/Steam-enhanced gasification and pyrolysis for syngas and biochar production from low-cost feedstock. Energy Conversion and Management: X, 2021, 12, 100138.  | 0.9 | 9         |
| 440 | Valorization of lignocellulosic wastes for extracellular enzyme production by novel Basidiomycetes: screening, hydrolysis, and bioethanol production. Biomass Conversion and Biorefinery, 0, , 1.   | 2.9 | 4         |
| 441 | Recent advances in biotransformation, extraction and green production of D-mannose. Current<br>Research in Food Science, 2022, 5, 49-56.  | 2.7 | 8         |
| 442 | Architectural technologies for life environment: Spent coffee ground reuse in lime-based mortars. A preliminary assessment for innovative green thermo-plasters. Construction and Building Materials, 2022, 319, 126079.  | 3.2 | 9         |
| 443 | Evaluation of thermal/acoustic performance to confirm the possibility of coffee waste in building materials in using bio-based microencapsulated PCM. Environmental Pollution, 2022, 294, 118616.   | 3.7 | 11        |
| 444 | An integrated process for conversion of spent coffee grounds into value-added materials.<br>Bioresource Technology, 2022, 346, 126618.  | 4.8 | 11        |
| 445 | Spontaneous Precipitation of Caffeine from Supercritical Extracts of Roasted Coffee Beans.<br>Theoretical Foundations of Chemical Engineering, 2021, 55, 1010-1015.   | 0.2 | 1         |
| 446 | Valorization of spent coffee grounds by 2-methyloxolane as bio-based solvent extraction. Viable pathway towards bioeconomy for lipids and biomaterials. OCL - Oilseeds and Fats, Crops and Lipids, 2022, 29, 7.   | 0.6 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 447 | Analysis of Gayo wine-coffee processing facility development. IOP Conference Series: Earth and Environmental Science, 2022, 951, 012094.   | 0.2 | 1         |
| 448 | Effect of the Post-Harvest Processing on Protein Modification in Green Coffee Beans by Phenolic Compounds. Foods, 2022, 11, 159.   | 1.9 | 9         |
| 449 | Pectin and cellulose extracted from coffee pulps and their potential in formulating biopolymer films.<br>Biomass Conversion and Biorefinery, 0, , 1.   | 2.9 | 6         |
| 450 | Influence of Urea on Organic Bulk Fertilizer of Spent Coffee Grounds and Green Algae Chlorella sp.<br>Biomass. Sustainability, 2022, 14, 1261.   | 1.6 | 2         |
| 451 | Effect of spent coffee grounds extract on astaxanthin production by Xanthophyllomyces dendrorhous. Bioresource Technology Reports, 2022, 17, 100953.   | 1.5 | 1         |
| 452 | Biomass/Biochar carbon materials for CO2 capture and sequestration by cyclic adsorption processes:<br>A review and prospects for future directions. Journal of CO2 Utilization, 2022, 57, 101890.  | 3.3 | 82        |
| 453 | Optimal conditions to produce extracts of compost and vermicompost from oil palm and coffee pulp wastes. Journal of Material Cycles and Waste Management, 0, , .   | 1.6 | 4         |
| 454 | Recent Applications of the Electrocoagulation Process on Agro-Based Industrial Wastewater: A<br>Review. Sustainability, 2022, 14, 1985.  | 1.6 | 32        |
| 456 | Valorization of coffee leaves as a potential agri-food resource: bio-active compounds, applications and future prospective. Planta, 2022, 255, 67.   | 1.6 | 7         |
| 457 | Coffee by-products as the source of antioxidants: a systematic review. F1000Research, 0, 11, 220.  | 0.8 | 6         |
| 458 | Bio-Wastes as Aggregates for Eco-Efficient Boards and Panels: Screening Tests of Physical Properties and Bio-Susceptibility. Infrastructures, 2022, 7, 26.   | 1.4 | 9         |
| 459 | Spent Coffee Grounds Improve the Nutritional Value and Technological Properties of Gluten-free Cookies. Journal of Culinary Science and Technology, 0, , 1-11.   | 0.6 | 1         |
| 460 | Fabrication of Biochar Materials from Biowaste Coffee Grounds and Assessment of Its Adsorbent<br>Efficiency for Remediation of Water-Soluble Pharmaceuticals. Sustainability, 2022, 14, 2931.  | 1.6 | 14        |
| 461 | Smart preparation of microporous carbons from spent coffee grounds. Comprehensive characterization and application in explosives removal from water samples. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, , 128889. | 2.3 | 3         |
| 462 | Effect of coffee husk compost to increase peanut yield in inceptisol. IOP Conference Series: Earth and<br>Environmental Science, 2022, 1005, 012013.   | 0.2 | 0         |
| 463 | Potential Evolution of the Cooling Market in the EU27+UK: An Outlook until 2030. Sustainability, 2022, 14, 4461.   | 1.6 | 2         |
| 464 | Multi-Objective Statistical Optimization of Pectinolytic Enzymes Production by an Aspergillus sp. on<br>Dehydrated Coffee Residues in Solid-State Fermentation. Fermentation, 2022, 8, 170.  | 1.4 | 7         |
| 465 | Comparative Analysis of Selected Chemical Parameters of Coffea arabica, from Cascara to Silverskin.<br>Foods, 2022, 11, 1082.  | 1.9 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 466 | High-Pressure Technologies for the Recovery of Bioactive Molecules from Agro-Industrial Waste.<br>Applied Sciences (Switzerland), 2022, 12, 3642.   | 1.3 | 12        |
| 467 | Phenolic compounds from coffee by-products: Extraction and application in the food and pharmaceutical industries. Trends in Food Science and Technology, 2022, 123, 172-186.  | 7.8 | 52        |
| 468 | Techno – Economic analysis of activated carbon production from spent coffee grounds: Comparative evaluation of different production routes. Energy Conversion and Management: X, 2022, 14, 100218.                                | 0.9 | 6         |
| 469 | Fabrication and characterization of new eco-friendly composites obtained by the complete recycling of exhausted coffee capsules. Composites Science and Technology, 2022, 222, 109358.  | 3.8 | 5         |
| 470 | Effects of pyrolysis temperature and aging treatment on the adsorption of Cd2+ and Zn2+ by coffee grounds biochar. Chemosphere, 2022, 296, 134051.  | 4.2 | 30        |
| 471 | Biomass and organic waste potentials towards implementing circular bioeconomy platforms: A systematic bibliometric analysis. Fuel, 2022, 318, 123585.   | 3.4 | 50        |
| 472 | Acid hydrolysis of spent coffee grounds: effects on possible prebiotic activity of oligosaccharides.<br>Chemical and Biological Technologies in Agriculture, 2021, 8, .   | 1.9 | 7         |
| 473 | Aprovechamiento de los polisacáridos de la pulpa de café residual para la obtención de bioetanol<br>como estrategia hacia la bioeconomÃa. Gestión Y Ambiente, 2021, 24, 100-113.  | 0.1 | 1         |
| 474 | Scientometric Overview of Coffee By-Products and Their Applications. Molecules, 2021, 26, 7605.   | 1.7 | 19        |
| 475 | Circular Economy Business Models for the Tanzanian Coffee Sector: A Teaching Case Study.<br>Sustainability, 2021, 13, 13931.  | 1.6 | 8         |
| 476 | Antioxidation and Tyrosinase Inhibitory Ability of Coffee Pulp Extract by Ethanol. Journal of Chemistry, 2021, 2021, 1-8.   | 0.9 | 7         |
| 477 | Effectiveness of direct application of top dressing with spent coffee grounds for soil improvement and weed control in wheat-soybean double cropping system. Plant Production Science, 0, , 1-9.                                  | 0.9 | 5         |
| 478 | Integrated biopolymer and bioenergy production from organic wastes: Recent advances and future outlook. , 2022, , 261-283.  |     | 1         |
| 479 | Valorization of spent coffee grounds through pyrolysis as adsorbent for the removal of Vivizole Red<br>3BS dye from aqueous solution. Water Practice and Technology, 2022, 17, 1019-1034.   | 1.0 | 1         |
| 480 | Preparation of purified spent coffee ground and its reinforcement in natural rubber composite.<br>Arabian Journal of Chemistry, 2022, 15, 103917.   | 2.3 | 13        |
| 481 | A Review of Recent Advances in Spent Coffee Grounds Upcycle Technologies and Practices. Frontiers in Chemical Engineering, 2022, 4, .   | 1.3 | 9         |
| 493 | Comprehensive and Integrated Impact Assessment Framework for Development Policies Evaluation:<br>Definition and Application to Kenyan Coffee Sector. Energies, 2022, 15, 3071.  | 1.6 | 1         |
| 494 | A novel intelligent film with high stability based on chitosan/sodium alginate and coffee peel<br>anthocyanin for monitoring minced beef freshness. International Journal of Food Science and<br>Technology, 2022, 57, 4673-4686. | 1.3 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 495 | Holistic Exploitation of Spent Coffee Ground: Use as Biosorbent for Olive Mill Wastewaters After<br>Extraction of Its Phenolic Compounds. Water, Air, and Soil Pollution, 2022, 233, .                                     | 1.1 | 5         |
| 497 | History, Techniques and Technologies of Soil-Less Cultivation. Urban Agriculture, 2022, , 45-86.   | 0.5 | 1         |
| 498 | Proximate Composition, Antioxidant Activity, Mineral and Lipid Profiling of Spent Coffee Grounds<br>Collected in Morocco Reveal a Great Potential of Valorization. Waste and Biomass Valorization, 2022,<br>13, 4495-4510. | 1.8 | 14        |
| 499 | A review on enhanced biofuel production from coffee by-products using different enhancement techniques. Materials for Renewable and Sustainable Energy, 2022, 11, 91-103.  | 1.5 | 8         |
| 500 | Recovery of Phenolic Compounds and Antioxidants from Coffee Pulp (Coffea canephora) Waste Using<br>Ultrasound and Microwave-Assisted Extraction. Processes, 2022, 10, 1011.  | 1.3 | 4         |
| 501 | An overview of sustainable approaches for bioenergy production from agro-industrial wastes. Energy<br>Nexus, 2022, 6, 100086.  | 3.3 | 26        |
| 502 | The effect of reactor scale on biochars and pyrolysis liquids from slow pyrolysis of coffee silverskin, grape pomace and olive mill waste, in auger reactors. Waste Management, 2022, 148, 106-116.                        | 3.7 | 5         |
| 503 | Production of Coffee Cherry Spirits from Coffea arabica Varieties. Foods, 2022, 11, 1672.  | 1.9 | 4         |
| 504 | Potential of Using Dual-Media Biofilm Reactors as a Real Coffee Industrial Effluent Pre-Treatment.<br>Water (Switzerland), 2022, 14, 2025.   | 1.2 | 2         |
| 505 | Torrefacción de biomasa en un reactor de tornillo a escala de banco: efecto de la temperatura y del<br>tipo de biomasa. Tecno Lógicas, 2022, 25, e2269.  | 0.1 | 0         |
| 506 | Physiological behavior and nutritional status of coffee ( <i>Coffea arabica</i> L. var. Castillo) trees in response to biochar application. Journal of Agricultural Science, 0, , 1-47.                                    | 0.6 | 0         |
| 507 | Coffee pulp as a source for polyphenols extraction using ultrasound, microwave, and green solvents.<br>Environmental Quality Management, 2022, 32, 451-461.  | 1.0 | 7         |
| 508 | Fluidised bed combustion and ash fusibility behaviour of coal and spent coffee grounds blends: CO<br>and NOx emissions, combustion performance and agglomeration tendency. Fuel, 2022, 326, 125008.                        | 3.4 | 7         |
| 509 | Microbial Processes for Upcycling Food Wastes Into Sustainable Bioplastics. , 2023, , 51-74.   |     | 2         |
| 510 | Antioxidant and pro-apoptosis activities of coffee husk (Coffea arabica) anthocyanins. , 2021, 28, 1187-1195.  |     | 2         |
| 511 | Thermogravimetric analysis of co-combustion of a bituminous coal and coffee industry by-products.<br>Thermochimica Acta, 2022, 715, 179296.  | 1.2 | 13        |
| 512 | Green Synthesis of Silver Nanoparticles Using Spent Coffee Ground Extracts: Process Modelling and Optimization. Nanomaterials, 2022, 12, 2597.   | 1.9 | 3         |
| 513 | The Effect of Extract Tannins from Spent Coffee Ground on Waste Water Treatment. Journal of Physics: Conference Series, 2022, 2309, 012006.  | 0.3 | 0         |

|     | Сіт   | CITATION REPORT |           |
|-----|---|-----------------|-----------|
| #   | Article   | IF              | CITATIONS |
| 514 | The second life of coffee can be even more energizing: Circularity of materials for bio-based electrochemical energy storage devices. MRS Energy & Sustainability, 2022, 9, 443-460.                      | 1.3             | 1         |
| 515 | Valorization of SCG through Extraction of Phenolic Compounds and Synthesis of New Biosorbent.<br>Sustainability, 2022, 14, 9358.  | 1.6             | 4         |
| 517 | Valorization of Fruit and Vegetable Waste by Anaerobic Digestion: Definition of Co-substrates and Inoculum. Waste and Biomass Valorization, 2023, 14, 407-419.  | 1.8             | 3         |
| 518 | Robusta coffee cherry fermentation: Physicochemical and sensory evaluation of fermented cascara tea. Journal of Food Processing and Preservation, 2022, 46, .   | 0.9             | 4         |
| 519 | Spent Coffee Grounds Characterization and Reuse in Composting and Soil Amendment. , 2022, 1, 2-20   | ).              | 17        |
| 520 | Ultrasounds application for nut and coffee wastes valorisation via biomolecules solubilisation and methane production. Waste Management, 2022, 150, 373-382.  | 3.7             | 6         |
| 521 | Coffee Leaf Tea from El Salvador: On-Site Production Considering Influences of Processing on Chemical Composition. Foods, 2022, 11, 2553.   | 1.9             | 3         |
| 522 | Are important phenomena of joint production still being neglected by economic theory? A review of recent literature. Journal of Business Economics, 0, , .  | 1.3             | 3         |
| 523 | Process design and techno-economic assessment of cellulolytic enzymes production from coffee husk through process simulation. Biomass Conversion and Biorefinery, 0, , .                                  | 2.9             | 3         |
| 524 | Impact of a Pretreatment Step on the Acidogenic Fermentation of Spent Coffee Grounds.<br>Bioengineering, 2022, 9, 362.  | 1.6             | 1         |
| 525 | Conceptualizing network approaches for a successful farm entrepreneurship using ATLAS.ti®. , 2023, 100026.  | 2,              | 4         |
| 526 | Optimization of ultrasound-assisted extraction of bioactive compounds from coffee pulp using propylene glycol as a solvent and their antioxidant activities. Ultrasonics Sonochemistry, 2022, 89, 106127. | 3.8             | 20        |
| 527 | Valorization of coffee industry wastes: Comprehensive physicochemical characterization of coffee silverskin and multipurpose recycling applications. Journal of Cleaner Production, 2022, 370, 133520.    | 4.6             | 15        |
| 528 | Physicochemical and sensory characteristics of dehydrated coffee pulp in function of drying temperature. Revista Brasileira De Engenharia Agricola E Ambiental, 2022, 26, 894-900.                        | 0.4             | 0         |
| 529 | Enzymes in ready-to-drink tea and coffee products. , 2023, , 105-124.   |                 | 1         |
| 530 | Activated Carbon Production from Coffee Waste via Slow Pyrolysis Using a Fixed Bed Reactor.<br>Environmental and Climate Technologies, 2022, 26, 720-729.   | 0.5             | 2         |
| 531 | Extraction efficiency of phenolic compounds by bioconversion and their implication on their biological effects. , 2022, , 271-300.  |                 | 0         |
| 532 | Impact of export and import on value addition of ready-made garments sector in Bangladesh. Journal of International Studies, 2022, 15, 24-39.   | 0.7             | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 533 | Factors That Influence Sustainable Selection and Reselection Intentions Regarding Soluble/Instant<br>Coffee—The Case of Serbian Consumers. Sustainability, 2022, 14, 10701.   | 1.6 | 5         |
| 534 | Combined Pulsed Electric Field and Microwave-Assisted Extraction as a Green Method for the<br>Recovery of Antioxidant Compounds with Electroactive Potential from Coffee Agro-Waste. Plants,<br>2022, 11, 2362.                           | 1.6 | 7         |
| 535 | Factors Affecting Mechanical Properties of Reinforced Bioplastics: A Review. Polymers, 2022, 14, 3737.  | 2.0 | 33        |
| 536 | Use of Unmodified Coffee Husk Biochar and Ashes as Heterogeneous Catalysts in Biodiesel Synthesis.<br>Bioenergy Research, 2023, 16, 1746-1757.  | 2.2 | 7         |
| 537 | Coffee Silverskin: Chemical and Biological Risk Assessment and Health Profile for Its Potential Use in<br>Functional Foods. Foods, 2022, 11, 2834.  | 1.9 | 6         |
| 538 | El procesamiento del grano de café. Del tueste a la infusión. Revista Bionatura, 2022, 7, 1-23.   | 0.1 | Ο         |
| 539 | Evaluation of Recycled Spent Coffee Material Treated with Animal Glue, Starch, and Red Clay as Acid<br>Materials. Materials, 2022, 15, 6622.  | 1.3 | 3         |
| 540 | Microbiome Applications for Sustainable Food Systems. , 2023, , 243-273.  |     | 0         |
| 541 | Pyrolysis of four waste biomasses and elucidation of reaction kinetics and pyrolytic products.<br>Combustion Theory and Modelling, 2022, 26, 1217-1238.   | 1.0 | 2         |
| 542 | Structure, morphology, thermal, and sorption characteristics of epoxidized natural rubber<br>conjugated spent coffee via <scp>oneâ€pot</scp> synthesis. Journal of Applied Polymer Science, 0, , .  | 1.3 | Ο         |
| 543 | Energy recovery from brewery spent grains and spent coffee grounds: a circular economy approach to waste valorization. Biofuels, 0, , 1-10.   | 1.4 | 4         |
| 544 | Food industry waste - An opportunity for black soldier fly larvae protein production in Tanzania.<br>Science of the Total Environment, 2023, 858, 159985.   | 3.9 | 6         |
| 545 | Why Should We Be Concerned with the Use of Spent Coffee Grounds as an Organic Amendment of Soils? A Narrative Review. Agronomy, 2022, 12, 2771.   | 1.3 | 2         |
| 546 | Life cycle analysis of innovative building materials based on circular coffee ground supply chain.<br>Transportation Research Procedia, 2022, 67, 100-108.  | 0.8 | 4         |
| 547 | The effect of atmospheric media variations on the characteristics of torrefied coffee beans. Results in Engineering, 2023, 17, 100826.  | 2.2 | 0         |
| 548 | Capacidad antioxidante y contenido de fenoles totales en café y subproductos del café producido y<br>comercializado en Norte de Santander (Colombia). Vitae, 2015, 21, 228-236.   | 0.2 | 3         |
| 549 | Treatment Performance Assessment of Natural and Constructed Wetlands on Wastewater From Kege<br>Wet Coffee Processing Plant in Dale Woreda, Sidama Regional State, Ethiopia. Environmental Health<br>Insights, 2022, 16, 117863022211427. | 0.6 | 4         |
| 551 | Zero-Waste Management and Sustainable Consumption: A Comprehensive Bibliometric Mapping<br>Analysis. Sustainability, 2022, 14, 16269.   | 1.6 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 552 | Fundamental Study on Combustion Characteristics of Bio-briquette as Alternative Fuels for Domestic Coffee Stove. IOP Conference Series: Earth and Environmental Science, 2022, 1121, 012013.         | 0.2 | 0         |
| 553 | Risk Assessment of Coffee Cherry (Cascara) Fruit Products for Flour Replacement and Other<br>Alternative Food Uses. Molecules, 2022, 27, 8435.   | 1.7 | 7         |
| 554 | Sustainability issues along the coffee chain: From the field to the cup. Comprehensive Reviews in Food Science and Food Safety, 2023, 22, 287-332.   | 5.9 | 11        |
| 555 | Usage of Beta in Risk Analysis of Coffee Retailers: Study of Dutch bros and Starbucks. , 0, 34, 1494-1499.   |     | Ο         |
| 556 | Facile Preparation of Multifunctional Ag-Fe <sub>x</sub> O <sub>y</sub> /C<br>Composite from Coffee Husk for Antibacterial and Catalytic Applications. Advances in Science and<br>Technology, 0, , . | 0.2 | 1         |
| 557 | Valorization of Spent coffee Grounds: A sustainable resource for Bio-based phase change materials for thermal energy storage. Waste Management, 2023, 157, 339-347.                                  | 3.7 | 19        |
| 558 | Effects of entrepreneurial behaviour on market outlets choice: Evidence from rice producers in Ashanti Region, Ghana. , 2023, 2, 100037.   |     | 2         |
| 559 | Mechanisms Underlying Neurodegenerative Disorders and Potential Neuroprotective Activity of Agrifood By-Products. Antioxidants, 2023, 12, 94.  | 2.2 | 7         |
| 560 | Coffee Industry and Ways of Using By-Products as Bioadsorbents for Removal of Pollutants. Water (Switzerland), 2023, 15, 112.  | 1.2 | 2         |
| 561 | Growth of Coffee Cultivation, Consumption & Production in India – An Overview. International Journal of Case Studies in Business, IT, and Education, 0, , 755-770.                                   | 0.0 | 3         |
| 562 | Multifunctional Polyurethane Composites with Coffee Grounds and Wood Sawdust. Materials, 2023, 16, 278.  | 1.3 | 6         |
| 563 | Plant Microbiome in Agroecosystems for Sustainable Agriculture and Environments. Microorganisms for Sustainability, 2023, , 423-438.   | 0.4 | 0         |
| 564 | Impact of Integrating Annual and Perennial Legumes under Coffea arabica on Sloping Land.<br>Sustainability, 2023, 15, 2453.  | 1.6 | 0         |
| 565 | Spent Coffee Grounds Applied as a Top-Dressing or Incorporated into the Soil Can Improve Plant<br>Growth While Reducing Slug Herbivory. Agriculture (Switzerland), 2023, 13, 257.                    | 1.4 | 6         |
| 567 | Coffee fibres from coffee waste. , 2023, , 287-307.  |     | 0         |
| 568 | Recent patent applications for coffee and coffee byâ€products as active ingredients in cosmetics.<br>International Journal of Cosmetic Science, 2023, 45, 267-287.                                   | 1.2 | 2         |
| 569 | Risk Assessment of Trigonelline in Coffee and Coffee By-Products. Molecules, 2023, 28, 3460.   | 1.7 | 15        |
| 570 | The coffee-house: Upcycling spent coffee grounds for the production of green geopolymeric architectural energy-saving products. Energy and Buildings, 2023, 286, 112956.                             | 3.1 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 571 | Untargeted LC-QTOF-MS/MS-based metabolomics of spent coffee grounds alcoholic beverages<br>fermented with Lachancea thermotolerans and Lactiplantibacillus plantarum. Food Research<br>International, 2023, 167, 112733. | 2.9 | 4         |
| 572 | Spent coffee grounds and orange peel residues based biorefinery for microbial oil and biodiesel conversion estimation. Renewable Energy, 2023, 209, 382-392.   | 4.3 | 6         |
| 573 | Development of natural deep eutectic solvent (NADES) based on choline chloride as a green solvent<br>to extract phenolic compound from coffee husk waste. Arabian Journal of Chemistry, 2023, 16, 104634.                | 2.3 | 14        |
| 574 | Pyrolysis of tea and coffee wastes: effect of physicochemical properties on kinetic and thermodynamic characteristics. Journal of Thermal Analysis and Calorimetry, 2023, 148, 2501-2515.                                | 2.0 | 8         |
| 575 | Production and Partial Purification of Cellulase from Aspergillus sp. VT12 by Solid-State Fermentation Using Coffee Pulp. , 2023, , 467-474.   |     | 0         |
| 576 | Effects of the inclusion of coffee pulp silage in the diet on the performance and profitability of crossbred milk cows in the middle tropics. Tropical Animal Health and Production, 2023, 55, .                         | 0.5 | 1         |
| 577 | UHPLC-QTOF/MS Untargeted Lipidomics and Caffeine Carry-Over in Milk of Goats under Spent Coffee<br>Ground Enriched Diet. Applied Sciences (Switzerland), 2023, 13, 2477.   | 1.3 | 1         |
| 578 | Chloride Applied via Fertilizer Affects Plant Nutrition and Coffee Quality. Plants, 2023, 12, 885.   | 1.6 | 4         |
| 579 | The Potential of Spent Coffee Grounds in Functional Food Development. Nutrients, 2023, 15, 994.  | 1.7 | 11        |
| 580 | First report on the occurrence of aflatoxin B1 in coffee marketed in eastern Algeria. International<br>Journal of Environmental Studies, 0, , 1-9.   | 0.7 | 0         |
| 581 | Extraction of Micro, Nanocrystalline Cellulose and Textile Fibers from Coffee Waste. Journal of Testing and Evaluation, 2023, 51, 3042-3056.   | 0.4 | 4         |
| 583 | Use of biobased materials from agro-industrial residues in food packaging. , 2023, , 173-229.  |     | 1         |
| 584 | Twelve-Week Safety and Potential Lipid Control Efficacy of Coffee Cherry Pulp Juice Concentrate in<br>Healthy Volunteers. Nutrients, 2023, 15, 1602.   | 1.7 | 0         |
| 585 | Scale Insects and Natural Enemies Associated with Conilon Coffee (Coffea canephora) in São Paulo<br>State, Brazil. Agriculture (Switzerland), 2023, 13, 829.   | 1.4 | 1         |
| 586 | Developing PMMA/Coffee Husk Green Composites to Meet the Individual Requirements of People with<br>Disabilities: Hip Spacer Case Study. Journal of Functional Biomaterials, 2023, 14, 200.                               | 1.8 | 4         |
| 587 | Formulation of Edible Films Based on W/O/W Emulsions Stabilized by Coffee Byproducts. Food and Bioprocess Technology, 2023, 16, 2531-2540.   | 2.6 | 1         |
| 588 | Valorization of cocoa, tea and coffee processing by-products-wastes. Advances in Food and Nutrition<br>Research, 2023, , .   | 1.5 | 0         |
| 589 | Polysaccharide-Based Carriers for Pulmonary Insulin Delivery: The Potential of Coffee as an Unconventional Source. Pharmaceutics, 2023, 15, 1213.  | 2.0 | Ο         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 590 | Value-Added Products from Coffee Waste: A Review. Molecules, 2023, 28, 3562.   | 1.7 | 15        |
| 591 | Waste-to-energy: Biogas potential of waste from coffee production and consumption. Energy, 2023, 276, 127604.  | 4.5 | 7         |
| 592 | Properties of activated carbon from arabica coffee grounds originating from Papua highlands. AIP<br>Conference Proceedings, 2023, , .                                    | 0.3 | 0         |
| 594 | Spent Coffee Ground Briquettes. Advances in Environmental Engineering and Green Technologies<br>Book Series, 2023, , 244-270.  | 0.3 | 1         |
| 602 | Impact of raw and pre-treated spent coffee grounds on soil properties and plant growth: a mini-review. Clean Technologies and Environmental Policy, 2023, 25, 2831-2843. | 2.1 | 2         |
| 618 | Biochar in Carbon Sequestration. Materials Horizons, 2023, , 73-105.   | 0.3 | 0         |
| 629 | Potential of coffee waste as nanocomposite and activated carbon for efficiency removal of PFOA and PFOS in water. AIP Conference Proceedings, 2023, , .                  | 0.3 | 0         |
| 632 | A comprehensive overview of eco-friendly bio-fertilizers extracted from living organisms.<br>Environmental Science and Pollution Research, 2023, 30, 113119-113137.      | 2.7 | 3         |
| 641 | Extraction of coffee and tea. , 2024, , 247-277.   |     | 0         |
| 642 | Application of Potential Microbial Biotechnology for Sustainable Human Health. , 2023, , 111-158.  |     | 0         |
| 644 | Spent Coffee Grounds—A Coffee By-Product Abundant in Bioactive Compounds with Antioxidant<br>Properties. , 0, , .  |     | 0         |