

Normalized difference chlorophyll index: A novel mode
chlorophyll-a concentration in turbid productive water

Remote Sensing of Environment

117, 394-406

DOI: [10.1016/j.rse.2011.10.016](https://doi.org/10.1016/j.rse.2011.10.016)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Retrieval of absorption and backscattering coefficients from HJ-1A/CCD imagery in coastal waters. Optics Express, 2013, 21, 5803.	3.4	18
2	Hyperspectral signal bands to HICO image data bands for seagrass mapping. , 2013, , .		1
3	Remote estimation of chlorophyll-a concentration in turbid water using a spectral index: a case study in Taihu Lake, China. Journal of Applied Remote Sensing, 2013, 7, 073465.	1.3	17
4	Spatial Interpolation of Two-Wavelengths Bio-Optical Models to Estimate the Concentration of Chlorophyll-a in A Tropical Aquatic System. Environment and Pollution, 2013, 2, .	0.2	0
5	Performance Analysis of MODIS 500-m Spatial Resolution Products for Estimating Chlorophyll-a Concentrations in Oligo- to Meso-Trophic Waters Case Study: Itumbiara Reservoir, Brazil. Remote Sensing, 2014, 6, 1634-1653.	4.0	18
6	Analysis of MERIS Reflectance Algorithms for Estimating Chlorophyll-a Concentration in a Brazilian Reservoir. Remote Sensing, 2014, 6, 11689-11707.	4.0	52
7	A Spectral Decomposition Algorithm for Estimating Chlorophyll-a Concentrations in Lake Taihu, China. Remote Sensing, 2014, 6, 5090-5106.	4.0	22
8	Noise tolerance of algorithms for estimating chlorophyll a concentration in turbid waters. Environmental Monitoring and Assessment, 2014, 186, 2297-2311.	2.7	4
9	Validation of a synthetic chlorophyll index for remote estimates of chlorophyll-a in a turbid hypereutrophic lake. International Journal of Remote Sensing, 2014, 35, 289-305.	2.9	9
10	Evaluation of Lake Eutrophication Based on the HJ-1 Satellite Multispectral Data. Applied Mechanics and Materials, 2014, 519-520, 1184-1187.	0.2	1
11	Coastal Remote Sensing. GIScience and Remote Sensing, 2014, 51, 115-119.	5.9	2
12	Performance evaluation of normalized difference chlorophyll index in northern Gulf of Mexico estuaries using the Hyperspectral Imager for the Coastal Ocean. GIScience and Remote Sensing, 2014, 51, 175-198.	5.9	29
13	Assessment of NIR-red algorithms for observation of chlorophyll-a in highly turbid inland waters in China. ISPRS Journal of Photogrammetry and Remote Sensing, 2014, 93, 29-39.	11.1	39
14	Estimation of Chlorophyll-a Concentration and the Trophic State of the Barra Bonita Hydroelectric Reservoir Using OLI/Landsat-8 Images. International Journal of Environmental Research and Public Health, 2015, 12, 10391-10417.	2.6	126
15	A Multiscale Mapping Assessment of Lake Champlain Cyanobacterial Harmful Algal Blooms. International Journal of Environmental Research and Public Health, 2015, 12, 11560-11578.	2.6	14
16	Long-Term Distribution Patterns of Chlorophyll-a Concentration in China's Largest Freshwater Lake: MERIS Full-Resolution Observations with a Practical Approach. Remote Sensing, 2015, 7, 275-299.	4.0	77
17	Monitoring of the 2011 Super Algal Bloom in Indian River Lagoon, FL, USA, Using MERIS. Remote Sensing, 2015, 7, 1441-1460.	4.0	22
18	An Improved Unmixing-Based Fusion Method: Potential Application to Remote Monitoring of Inland Waters. Remote Sensing, 2015, 7, 1640-1666.	4.0	7

#	ARTICLE	IF	CITATIONS
19	A Weighted Algorithm Based on Normalized Mutual Information for Estimating the Chlorophyll-a Concentration in Inland Waters Using Geostationary Ocean Color Imager (GOCI) Data. Remote Sensing, 2015, 7, 11731-11752.	4.0	21
20	Assimilation of Two Variables Derived from Hyperspectral Data into the DSSAT-CERES Model for Grain Yield and Quality Estimation. Remote Sensing, 2015, 7, 12400-12418.	4.0	51
21	Algorithms and Schemes for Chlorophyll <i>a</i> Estimation by Remote Sensing and Optical Classification for Turbid Lake Taihu, China. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 350-364.	4.9	41
22	Monitoring and modelling of chlorophyll-a concentrations in rivers using a high-resolution satellite image: a case study in the Nakdong river, Korea. International Journal of Remote Sensing, 2015, 36, 1645-1660.	2.9	9
23	Using field spectral measurements to estimate chlorophyll-a in waterlogged areas of Huainan, China. GIScience and Remote Sensing, 2015, 52, 660-679.	5.9	3
24	Estimating wheat yield and quality by coupling the DSSAT-CERES model and proximal remote sensing. European Journal of Agronomy, 2015, 71, 53-62.	4.1	42
25	Coupling remote sensing bio-optical and three-dimensional hydrodynamic modeling to study the phytoplankton dynamics in a tropical hydroelectric reservoir. Remote Sensing of Environment, 2015, 157, 185-198.	11.0	20
26	Bio-Optical Modeling in a Tropical Hypersaline Lagoon Environment. , 2016, , .		0
27	Slope algorithm to map algal blooms in inland waters for Landsat 8/Operational Land Imager images. Journal of Applied Remote Sensing, 2016, 11, 012005.	1.3	15
28	The influence of bubble populations generated under windy conditions on the blue-green light transmission in the upper ocean: An exploratory approach. Modern Physics Letters B, 2016, 30, 1650420.	1.9	5
29	A novel MODIS algorithm to estimate chlorophyll a concentration in eutrophic turbid lakes. Ecological Indicators, 2016, 69, 138-151.	6.3	31
30	An investigation into the phytoplankton package effect on the chlorophyll- <i>a</i> specific absorption coefficient in Barra Bonita reservoir, Brazil. Remote Sensing Letters, 2016, 7, 761-770.	1.4	21
31	Parametrization and calibration of a quasi-analytical algorithm for tropical eutrophic waters. ISPRS Journal of Photogrammetry and Remote Sensing, 2016, 121, 28-47.	11.1	58
32	Re-parameterization of a quasi-analytical algorithm for colored dissolved organic matter dominant inland waters. International Journal of Applied Earth Observation and Geoinformation, 2016, 53, 128-145.	2.8	21
33	Neural network technology and semi-analytical approach combined model for remote sensing chlorophyll-a concentration. , 2016, , .		3
34	Data Driven Analysis of Algal Bloom Activity for Effective Water Sustainability. , 2016, , .		1
35	Modeling Chlorophyll a Concentration Affected by Artificial Upwelling in Qiandao Lake. IEEE Journal of Oceanic Engineering, 2016, 41, 960-969.	3.8	5
36	Retrieving absorption coefficients of multiple phytoplankton pigments from hyperspectral remote sensing reflectance measured over cyanobacteria bloom waters. Limnology and Oceanography: Methods, 2016, 14, 432-447.	2.0	38

#	ARTICLE	IF	CITATIONS
37	Remote monitoring of sediment dynamics in a coastal lagoon: Long-term spatio-temporal variability of suspended sediment in Chilika. <i>Estuarine, Coastal and Shelf Science</i> , 2016, 170, 155-172.	2.1	40
38	Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations. <i>Remote Sensing of Environment</i> , 2016, 178, 15-30.	11.0	92
39	Applications of Imaging Spectrometry in Inland Water Quality Monitoring—a Review of Recent Developments. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	2.4	19
40	Long-term MODIS observations of cyanobacterial dynamics in Lake Taihu: Responses to nutrient enrichment and meteorological factors. <i>Scientific Reports</i> , 2017, 7, 40326.	3.3	139
41	Which ocean colour algorithm for MERIS in North West European waters?. <i>Remote Sensing of Environment</i> , 2017, 189, 132-151.	11.0	34
42	Retrieving Total Suspended Matter in Tropical Reservoirs Within a Cascade System With Widely Differing Optical Properties. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2017, 10, 5495-5512.	4.9	8
43	CyanoSense: A Wireless Remote Sensor System Using Raspberry-Pi and Arduino with Application to Algal Bloom. , 2017, , .		3
44	Remote Sensing of Inland Waters. , 2017, , 1-24.		31
45	Differential Impact of Anniversary-Severe Cyclones on the Water Quality of a Tropical Coastal Lagoon. <i>Estuaries and Coasts</i> , 2017, 40, 317-342.	2.2	14
46	A Spatio-Temporal Mining Approach for Enhancing Satellite Data Availability: A Case Study on Blue Green Algae. , 2017, , .		1
47	Semi-analytical approach combined & neural network technology model chlorophyll-a concentration by remote sensing. , 2017, , .		0
48	Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. <i>Remote Sensing</i> , 2017, 9, 538.	4.0	39
49	Assessment of Chlorophyll-a Algorithms Considering Different Trophic Statuses and Optimal Bands. <i>Sensors</i> , 2017, 17, 1746.	3.8	26
50	An Alternative Method of Spatial Autocorrelation for Chlorophyll Detection in Water Bodies Using Remote Sensing. <i>Sustainability</i> , 2017, 9, 416.	3.2	25
51	Retrieval of Chlorophyll-a and Total Suspended Solids Using Iterative Stepwise Elimination Partial Least Squares (ISE-PLS) Regression Based on Field Hyperspectral Measurements in Irrigation Ponds in Higashiroshima, Japan. <i>Remote Sensing</i> , 2017, 9, 264.	4.0	41
52	Bio-optical Modeling of Phytoplankton Chlorophyll- a. , 2017, , 157-188.		7
53	Multi-Algorithm Indices and Look-Up Table for Chlorophyll-a Retrieval in Highly Turbid Water Bodies Using Multispectral Data. <i>Remote Sensing</i> , 2017, 9, 556.	4.0	18
54	Phytoplankton community dynamic detection from the chlorophyll-specific absorption coefficient in productive inland waters. <i>Acta Limnologica Brasiliensia</i> , 2017, 29, .	0.4	3

#	ARTICLE	IF	CITATIONS
55	Monitoring algal blooms in drinking water reservoirs using the Landsat-8 Operational Land Imager. <i>International Journal of Remote Sensing</i> , 2018, 39, 2818-2846.	2.9	22
56	High performance of chlorophyll- <i>a</i> prediction algorithms based on simulated OLCI Sentinel-3A bands in cyanobacteria-dominated inland waters. <i>Advances in Space Research</i> , 2018, 62, 265-273.	2.6	8
57	A novel cross-satellite based assessment of the spatio-temporal development of a cyanobacterial harmful algal bloom. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2018, 66, 69-81.	2.8	46
58	Remote Sensing of Chlorophyll- <i>a</i> in Case II Waters: A Novel Approach With Improved Accuracy Over Widely Implemented Turbid Water Indices. <i>Journal of Geophysical Research: Oceans</i> , 2018, 123, 8138-8158.	2.6	14
59	A Multi-Cloud Cyber Infrastructure for Monitoring Global Proliferation of Cyanobacterial Harmful Algal Blooms. , 2018, , .		2
60	Estimation of chlorophyll <i>a</i> content in inland turbidity waters using WorldView-2 imagery: a case study of the Guanting Reservoir, Beijing, China. <i>Environmental Monitoring and Assessment</i> , 2018, 190, 620.	2.7	25
61	Evaluation of MODIS- <i>Aqua</i> Chlorophyll- <i>a</i> Algorithms in the Basilicata Ionian Coastal Waters. <i>Remote Sensing</i> , 2018, 10, 987.	4.0	10
62	Evaluating the portability of satellite derived chlorophyll- <i>a</i> algorithms for temperate inland lakes using airborne hyperspectral imagery and dense surface observations. <i>Harmful Algae</i> , 2018, 76, 35-46.	4.8	22
63	Assessing the effectiveness of Landsat 8 chlorophyll <i>a</i> retrieval algorithms for regional freshwater monitoring. <i>Ecological Applications</i> , 2018, 28, 1044-1054.	3.8	58
64	Spatio-temporal dynamics of inherent optical properties in oligotrophic northern Gulf of Mexico estuaries. <i>Continental Shelf Research</i> , 2018, 166, 92-107.	1.8	7
65	Remote sensing of the chlorophyll- <i>a</i> based on OLI/Landsat-8 and MSI/Sentinel-2A (Barra Bonita) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34	0.8	55
66	A Comparison of Crop Parameters Estimation Using Images from UAV-Mounted Snapshot Hyperspectral Sensor and High-Definition Digital Camera. <i>Remote Sensing</i> , 2018, 10, 1138.	4.0	118
67	An optimized Chlorophyll <i>a</i> switching algorithm for MERIS and OLCI in phytoplankton-dominated waters. <i>Remote Sensing of Environment</i> , 2018, 215, 217-227.	11.0	84
68	Quantification of cell concentration in biofuel-important microalgae using hyperspectral reflectance and hyperspectral extinction coefficient. <i>International Journal of Remote Sensing</i> , 2019, 40, 8764-8792.	2.9	1
69	First Results of Phytoplankton Spatial Dynamics in Two NW-Mediterranean Bays from Chlorophyll- <i>a</i> Estimates Using Sentinel 2: Potential Implications for Aquaculture. <i>Remote Sensing</i> , 2019, 11, 1756.	4.0	22
70	The Use of Sentinel-3 Imagery to Monitor Cyanobacterial Blooms. <i>Environments - MDPI</i> , 2019, 6, 60.	3.3	20
71	Market Demand Forecasting Model of Urban Underground Comprehensive Pipe Gallery PPP Project. , 2019, , .		0
72	Estimation of Chlorophyll- <i>a</i> Concentrations in a Highly Turbid Eutrophic Lake Using a Classification-Based MODIS Land-Band Algorithm. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2019, 12, 3769-3783.	4.9	21

#	ARTICLE	IF	CITATIONS
73	Novel Spectra-Derived Features for Empirical Retrieval of Water Quality Parameters: Demonstrations for OLI, MSI, and OLCI Sensors. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 10285-10300.	6.3	52
74	Seasonal variation in optically active substances at a coastal site along western Bay of Bengal. <i>SN Applied Sciences</i> , 2019, 1, 1.	2.9	2
75	Remote sensing estimation of chlorophyll-a concentration in Taihu Lake considering spatial and temporal variations. <i>Environmental Monitoring and Assessment</i> , 2019, 191, 84.	2.7	9
76	Satellite monitoring of harmful algal blooms in the Western Basin of Lake Erie: A 20-year time-series. <i>Journal of Great Lakes Research</i> , 2019, 45, 508-521.	1.9	41
77	Regional Models for High-Resolution Retrieval of Chlorophyll a and TSM Concentrations in the Gorky Reservoir by Sentinel-2 Imagery. <i>Remote Sensing</i> , 2019, 11, 1215.	4.0	42
78	Application of Extreme Learning Machine for Predicting Chlorophyll-a Concentration Inartificial Upwelling Processes. <i>Mathematical Problems in Engineering</i> , 2019, 2019, 1-11.	1.1	16
79	Mapping the chlorophyll-a horizontal gradient in a cascading reservoirs system using MSI Sentinel-2A images. <i>Advances in Space Research</i> , 2019, 64, 581-590.	2.6	16
80	A global approach for chlorophyll-a retrieval across optically complex inland waters based on optical water types. <i>Remote Sensing of Environment</i> , 2019, 229, 159-178.	11.0	137
81	Spatial and temporal changes of primary production in a deep peri-alpine lake. <i>Inland Waters</i> , 2019, 9, 49-60.	2.2	15
82	Real time HABs mapping using NASA Glenn hyperspectral imager. <i>Journal of Great Lakes Research</i> , 2019, 45, 596-608.	1.9	10
83	Regionally and Locally Adaptive Models for Retrieving Chlorophyll-a Concentration in Inland Waters From Remotely Sensed Multispectral and Hyperspectral Imagery. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 4758-4774.	6.3	30
84	Monitoring the Water Quality of Small Water Bodies Using High-Resolution Remote Sensing Data. <i>ISPRS International Journal of Geo-Information</i> , 2019, 8, 553.	2.9	42
85	Assessment of Water Quality Parameters for Some Inland Water Bodies of Western India Using Landsat 8 Data. , 2019, , .		2
86	Temporal patterns of phytoplankton phenology across high latitude lakes unveiled by long-term time series of satellite data. <i>Remote Sensing of Environment</i> , 2019, 221, 609-620.	11.0	28
87	An assessment of semi-analytical models based on the absorption coefficient in retrieving the chlorophyll-a concentration from a reservoir. <i>Advances in Space Research</i> , 2019, 63, 2175-2188.	2.6	8
88	Comparison of satellite reflectance algorithms for estimating turbidity and cyanobacterial concentrations in productive freshwaters using hyperspectral aircraft imagery and dense coincident surface observations. <i>Journal of Great Lakes Research</i> , 2019, 45, 413-433.	1.9	14
89	Evaluation of RapidEye data for mapping algal blooms in inland waters. <i>International Journal of Remote Sensing</i> , 2019, 40, 2811-2829.	2.9	8
90	Linking phytoplankton pigment composition and optical properties: A framework for developing remote-sensing metrics for monitoring cyanobacteria. <i>Water Research</i> , 2019, 148, 504-514.	11.3	4

#	ARTICLE	IF	CITATIONS
91	A soft-classification-based chlorophyll-a estimation method using MERIS data in the highly turbid and eutrophic Taihu Lake. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2019, 74, 138-149.	2.8	25
92	A nitrogen spectral response model and nitrogen estimation of summer maize during the entire growth period. <i>International Journal of Remote Sensing</i> , 2020, 41, 1867-1883.	2.9	2
93	Spectral Feature Selection Optimization for Water Quality Estimation. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 272.	2.6	12
94	Inland harmful cyanobacterial bloom prediction in the eutrophic Tri An Reservoir using satellite band ratio and machine learning approaches. <i>Environmental Science and Pollution Research</i> , 2020, 27, 9135-9151.	5.3	27
95	Hybrid Chlorophyll-a Algorithm for Assessing Trophic States of a Tropical Brazilian Reservoir Based on MSI/Sentinel-2 Data. <i>Remote Sensing</i> , 2020, 12, 40.	4.0	31
96	The impact of sea bottom effects on the retrieval of water constituent concentrations from MERIS and OLCI images in shallow tidal waters supported by radiative transfer modeling. <i>Remote Sensing of Environment</i> , 2020, 237, 111596.	11.0	7
97	Application of Sentinel 3 OLCI for chl-a retrieval over small inland water targets: Successes and challenges. <i>Remote Sensing of Environment</i> , 2020, 237, 111562.	11.0	51
98	Risks for cyanobacterial harmful algal blooms due to land management and climate interactions. <i>Science of the Total Environment</i> , 2020, 703, 134608.	8.0	39
99	Geosynchronous Satellite GF-4 Observations of Chlorophyll-a Distribution Details in the Bohai Sea, China. <i>Sensors</i> , 2020, 20, 5471.	3.8	10
100	Monitoring cyanobacterial harmful algal blooms at high spatiotemporal resolution by fusing Landsat and MODIS imagery. <i>Environmental Advances</i> , 2020, 2, 100008.	4.8	8
101	Using Copernicus Sentinel-2 and Sentinel-3 data to monitor harmful algal blooms in Southern Chile during the COVID-19 lockdown. <i>Marine Pollution Bulletin</i> , 2020, 161, 111722.	5.0	47
102	Copula-based probabilistic spectral algorithms for high-frequent streamflow estimation. <i>Remote Sensing of Environment</i> , 2020, 251, 112092.	11.0	24
103	A machine learning approach to estimate chlorophyll-a from Landsat-8 measurements in inland lakes. <i>Remote Sensing of Environment</i> , 2020, 248, 111974.	11.0	184
104	Physics-based Bathymetry and Water Quality Retrieval Using PlanetScope Imagery: Impacts of 2020 COVID-19 Lockdown and 2019 Extreme Flood in the Venice Lagoon. <i>Remote Sensing</i> , 2020, 12, 2381.	4.0	59
105	Field-Validated Detection of <i>Aureoumbra lagunensis</i> Brown Tide Blooms in the Indian River Lagoon, Florida, Using Sentinel-3A OLCI and Ground-Based Hyperspectral Spectroradiometers. <i>GeoHealth</i> , 2020, 4, e2019GH000238.	4.0	10
106	Decline in Phytoplankton Biomass along Indian Coastal Waters due to COVID-19 Lockdown. <i>Remote Sensing</i> , 2020, 12, 2584.	4.0	36
107	Evaluation of Sentinel-2 and Landsat 8 Images for Estimating Chlorophyll-a Concentrations in Lake Chad, Africa. <i>Remote Sensing</i> , 2020, 12, 2437.	4.0	52
108	A fuzzy function model for remote evaluation of chlorophyll-a concentration in the Northern of South China Sea-Hong Kong. <i>E3S Web of Conferences</i> , 2020, 158, 05001.	0.5	0

#	ARTICLE	IF	CITATIONS
109	New capabilities of Sentinel-2A/B satellites combined with in situ data for monitoring small harmful algal blooms in complex coastal waters. <i>Scientific Reports</i> , 2020, 10, 8743.	3.3	89
110	CyanoTRACKER: A cloud-based integrated multi-platform architecture for global observation of cyanobacterial harmful algal blooms. <i>Harmful Algae</i> , 2020, 96, 101828.	4.8	31
111	A GIS-Based Approach for Determining Potential Runoff Coefficient and Runoff Depth for the Indian River Lagoon, Florida, USA. , 0, , .		0
112	An UAV and Satellite Multispectral Data Approach to Monitor Water Quality in Small Reservoirs. <i>Remote Sensing</i> , 2020, 12, 1514.	4.0	62
113	A Novel Algorithm to Estimate Phytoplankton Carbon Concentration in Inland Lakes Using Sentinel-3 OLCI Images. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 6512-6523.	6.3	12
114	Spatiotemporal Relationships of Phytoplankton Blooms, Drought, and Rainstorms in Freshwater Reservoirs. <i>Water (Switzerland)</i> , 2020, 12, 404.	2.7	4
115	A review of remote sensing applications for water security: Quantity, quality, and extremes. <i>Journal of Hydrology</i> , 2020, 585, 124826.	5.4	148
116	Estimation of Crop Growth Parameters Using UAV-Based Hyperspectral Remote Sensing Data. <i>Sensors</i> , 2020, 20, 1296.	3.8	101
117	Remote estimation of chlorophyll a concentrations over a wide range of optical conditions based on water classification from VIIRS observations. <i>Remote Sensing of Environment</i> , 2020, 241, 111735.	11.0	37
118	WaterNet: A Convolutional Neural Network for Chlorophyll-a Concentration Retrieval. <i>Remote Sensing</i> , 2020, 12, 1966.	4.0	28
119	Estimation of lake ecological quality from Sentinel-2 remote sensing imagery. <i>Hydrobiologia</i> , 2020, 847, 1423-1438.	2.0	12
120	Ignition delay times of live and dead pinus radiata needles. <i>Fire Safety Journal</i> , 2020, 112, 102948.	3.1	15
121	Research Trends in the Use of Remote Sensing for Inland Water Quality Science: Moving Towards Multidisciplinary Applications. <i>Water (Switzerland)</i> , 2020, 12, 169.	2.7	156
122	An OLCI-based algorithm for semi-empirically partitioning absorption coefficient and estimating chlorophyll a concentration in various turbid case-2 waters. <i>Remote Sensing of Environment</i> , 2020, 239, 111648.	11.0	72
123	Monitoring inland water quality using remote sensing: potential and limitations of spectral indices, bio-optical simulations, machine learning, and cloud computing. <i>Earth-Science Reviews</i> , 2020, 205, 103187.	9.1	254
124	Spectral and spatial kernel water quality mapping. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 299.	2.7	5
125	Optical Water Type Guided Approach to Estimate Optical Water Quality Parameters. <i>Remote Sensing</i> , 2020, 12, 931.	4.0	28
126	A single semi-analytical algorithm to retrieve chlorophyll-a concentration in oligo-to-hypereutrophic waters of a tropical reservoir cascade. <i>Ecological Indicators</i> , 2021, 120, 106913.	6.3	19

#	ARTICLE	IF	CITATIONS
127	Improved red-edge chlorophyll-a detection for Sentinel 2. <i>Ecological Indicators</i> , 2021, 120, 106876.	6.3	50
128	Satellite evidence for pervasive water eutrophication in the Doce River reservoirs following the collapse of the Fundão dam in Brazil†. <i>Environmental Pollution</i> , 2021, 272, 116014.	7.5	15
129	Hyperspectral retrievals of phytoplankton absorption and chlorophyll-a in inland and nearshore coastal waters. <i>Remote Sensing of Environment</i> , 2021, 253, 112200.	11.0	59
130	Water Chlorophyll Estimation in an Urban Canal System With High-Resolution Remote Sensing Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2021, , 1-5.	3.1	1
131	Assessment of Algorithms for Estimating Chlorophyll-a Concentration in Inland Waters: A Round-Robin Scoring Method Based on the Optically Fuzzy Clustering. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-17.	6.3	4
132	Two decades of seagrass area change: Organic carbon sources and stock. <i>Marine Pollution Bulletin</i> , 2021, 163, 111913.	5.0	14
133	Sensitivity Analysis and Optimization of a Radiative Transfer Numerical Model for Turbid Lake Water. <i>Remote Sensing</i> , 2021, 13, 709.	4.0	3
134	Estimating Coastal Chlorophyll-A Concentration from Time-Series OLCI Data Based on Machine Learning. <i>Remote Sensing</i> , 2021, 13, 576.	4.0	36
135	Water quality assessment of the Ganges River during COVID-19 lockdown. <i>International Journal of Environmental Science and Technology</i> , 2021, 18, 1645-1652.	3.5	33
136	Short-Term Response of Chlorophyll a Concentration Due to Intense Wind and Freshwater Peak Episodes in Estuaries: The Case of Fangar Bay (Ebro Delta). <i>Water (Switzerland)</i> , 2021, 13, 701.	2.7	3
137	Potential for High Fidelity Global Mapping of Common Inland Water Quality Products at High Spatial and Temporal Resolutions Based on a Synthetic Data and Machine Learning Approach. <i>Frontiers in Environmental Science</i> , 2021, 9, .	3.3	17
138	Hotspot analysis of spatial distribution of algae blooms in small and medium water bodies. <i>Environmental Monitoring and Assessment</i> , 2021, 193, 221.	2.7	5
139	A spectral index for the detection of algal blooms using Sentinel-2 Multispectral Instrument (MSI) imagery: a case study of Hulun Lake, China. <i>International Journal of Remote Sensing</i> , 2021, 42, 4514-4535.	2.9	18
140	Retrieval and Evaluation of Chlorophyll-a Concentration in Reservoirs with Main Water Supply Function in Beijing, China, Based on Landsat Satellite Images. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4419.	2.6	12
141	Atmospheric and sunglint correction for retrieving chlorophyll-a in a productive tropical estuarine-lagoon system using Sentinel-2 MSI imagery. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2021, 174, 215-236.	11.1	37
142	Anomalous behaviour detection using one-class support vector machine and remote sensing images: a case study of algal bloom occurrence in inland waters. <i>International Journal of Digital Earth</i> , 2021, 14, 921-942.	3.9	12
143	The Use of Sentinel-2 for Chlorophyll-a Spatial Dynamics Assessment: A Comparative Study on Different Lakes in Northern Germany. <i>Remote Sensing</i> , 2021, 13, 1542.	4.0	21
144	Prospects for the Assessment of Phytoplankton Biomass in the Black Sea (on the Example of the) Tj ETQq1 1 0.784314 rgBT /Overloc 2021, 720, 012054.	0.3	0

#	ARTICLE	IF	CITATIONS
145	Earth Observations Based Assessment of Impact of COVID-19 Lockdown on Surface Water Quality of Buddha Nala, Punjab, India. <i>Water (Switzerland)</i> , 2021, 13, 1363.	2.7	9
146	Comparing PlanetScope to Landsat-8 and Sentinel-2 for Sensing Water Quality in Reservoirs in Agricultural Watersheds. <i>Remote Sensing</i> , 2021, 13, 1847.	4.0	36
147	A critical and intensive review on assessment of water quality parameters through geospatial techniques. <i>Environmental Science and Pollution Research</i> , 2021, 28, 41612-41626.	5.3	10
148	Quantification of chlorophyll-a in typical lakes across China using Sentinel-2 MSI imagery with machine learning algorithm. <i>Science of the Total Environment</i> , 2021, 778, 146271.	8.0	81
149	Effects of resampling image methods in sugarcane classification and the potential use of vegetation indices related to chlorophyll. , 2021, , .		3
150	AlgaeMAP: Algae Bloom Monitoring Application for Inland Waters in Latin America. <i>Remote Sensing</i> , 2021, 13, 2874.	4.0	20
151	A novel multi-source data fusion method based on Bayesian inference for accurate estimation of chlorophyll-a concentration over eutrophic lakes. <i>Environmental Modelling and Software</i> , 2021, 141, 105057.	4.5	16
152	Uncertainty of atmospheric correction algorithms for chlorophyll $\hat{\pm}$ concentration retrieval in lakes from Sentinel-2 data. <i>Geocarto International</i> , 2022, 37, 6867-6891.	3.5	6
153	Water Mixing Conditions Influence Sentinel-2 Monitoring of Chlorophyll Content in Monomictic Lakes. <i>Remote Sensing</i> , 2021, 13, 2699.	4.0	5
154	Hybrid Approach of Unmanned Aerial Vehicle and Unmanned Surface Vehicle for Assessment of Chlorophyll-a Imagery Using Spectral Indices in Stream, South Korea. <i>Water (Switzerland)</i> , 2021, 13, 1930.	2.7	16
155	Changes in the flood plains and water quality along the Himalayan rivers after the Chamoli disaster of 7 February 2021. <i>International Journal of Remote Sensing</i> , 2021, 42, 6984-7001.	2.9	12
156	Adaptation and Validation of a Sentinel-Based Chlorophyll-a Retrieval Software for the Central European Freshwater Lake, Balaton. <i>PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science</i> , 2021, 89, 335-344.	1.1	5
157	Chamoli disaster: pronounced changes in water quality and flood plains using Sentinel data. <i>Environmental Earth Sciences</i> , 2021, 80, 601.	2.7	14
158	A satellite-based investigation into the algae bloom variability in large water supply urban reservoirs during COVID-19 lockdown. <i>Remote Sensing Applications: Society and Environment</i> , 2021, 23, 100555.	1.5	6
159	Long-term observations of chlorophyll-a concentration in Honghu Lake using multi-source remote sensing data. , 2021, , .		0
160	Comparing the performance of machine learning algorithms for remote and in situ estimations of chlorophyll content: A case study in the Tri An Reservoir, Vietnam. <i>Water Environment Research</i> , 2021, 93, 2941-2957.	2.7	14
161	Monitoring cyanoHABs and water quality in Laguna Lake (Philippines) with Sentinel-2 satellites during the 2020 Pacific typhoon season. <i>Science of the Total Environment</i> , 2021, 788, 147700.	8.0	33
162	A new approach to monitor water quality in the Menor sea (Spain) using satellite data and machine learning methods. <i>Environmental Pollution</i> , 2021, 286, 117489.	7.5	39

#	ARTICLE	IF	CITATIONS
163	Cyanobacterial pigment concentrations in inland waters: Novel semi-analytical algorithms for multi- and hyperspectral remote sensing data. <i>Science of the Total Environment</i> , 2022, 805, 150423.	8.0	19
164	Seamless retrievals of chlorophyll-a from Sentinel-2 (MSI) and Sentinel-3 (OLCI) in inland and coastal waters: A machine-learning approach. <i>Remote Sensing of Environment</i> , 2020, 240, 111604.	11.0	247
165	Assessing the origin of a massive cyanobacterial bloom in the Río de la Plata (2019): Towards an early warning system. <i>Water Research</i> , 2020, 181, 115944.	11.3	44
166	Multi-task Convolution Neural Network for Season-Insensitive Chlorophyll-A Estimation in Inland Water. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 10439-10449.	4.9	3
167	Alert System for Algae Bloom Detection in Inland Waters of Latin America: An Ongoing Project. , 2021, , .		0
168	Evaluation of Multi- and Hyper- Spectral Chl-A Algorithms in the Río De La Plata Turbid Waters During a Cyanobacteria Bloom. , 2021, , .		5
169	Support Vector Regression for Chlorophyll-A Estimation Using Sentinel-2 Images in Small Waterbodies. , 2021, , .		8
170	A chlorophyll-a retrieval algorithm for the Coastal Zone Imager (CZI) onboard the HY-1C satellite in the Pearl River Estuary, China. <i>International Journal of Remote Sensing</i> , 2021, 42, 8365-8379.	2.9	2
171	UAV-Borne Hyperspectral Imaging Remote Sensing System Based on Acousto-Optic Tunable Filter for Water Quality Monitoring. <i>Remote Sensing</i> , 2021, 13, 4069.	4.0	43
172	Exploring Emergent Vegetation Time-History at Malheur Lake, Oregon Using Remote Sensing. <i>Natural Resources</i> , 2015, 06, 553-565.	0.4	1
173	BLUEWATER EYE: using satellite as a low cost water pollution sensor: analytics for deriving long term pollution insights based on mapping water turbidity. , 2018, , .		1
174	Monitoring algal bloom in river using unmanned aerial vehicle(UAV) imagery technique. <i>Journal of the Korean Society of Water and Wastewater</i> , 2018, 32, 573-581.	0.3	1
175	Ultraviolet fluorescence lidar (UFL) as a high-resolution measurement tool for water quality parameters used as ground-truth data for Sentinel-2 regional models. , 2019, , .		1
176	An Empirical Algorithm using Derivative Difference for Estimating Chlorophyll-A in Case-II Water. <i>International Journal of Advanced Remote Sensing and GIS</i> , 2020, 9, 3170-3184.	0.2	1
177	Quantifying spatiotemporal variability of glacier algal blooms and the impact on surface albedo in southwestern Greenland. <i>Cryosphere</i> , 2020, 14, 2687-2713.	3.9	9
178	A Meta-Analysis on Harmful Algal Bloom (HAB) Detection and Monitoring: A Remote Sensing Perspective. <i>Remote Sensing</i> , 2021, 13, 4347.	4.0	28
179	Water clarity in Brazilian water assessed using Sentinel-2 and machine learning methods. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2021, 182, 134-152.	11.1	42
180	Monitoring Flue-Cured Tobacco Leaf Chlorophyll Content under Different Light Qualities by Hyperspectral Reflectance. <i>American Journal of Plant Sciences</i> , 2020, 11, 1217-1234.	0.8	3

#	ARTICLE	IF	CITATIONS
182	Water Resource Management. Advances in Geospatial Technologies Book Series, 2022, , 197-218.	0.2	0
183	Natural effects on remote sensing of water quality parameters data: a case study on available algorithms at the Jupia Reservoir, Brazil. , 2019, , .		1
184	Long-Term Analysis of Water Quality in Chilika Lagoon and Application of Bio-optical Models for Cyclone Impact Assessment. Wetlands: Ecology, Conservation and Management, 2020, , 165-202.	0.2	0
185	Using multimodal remote sensing data to estimate regional-scale soil moisture content: A case study of Beijing, China. Agricultural Water Management, 2022, 260, 107298.	5.6	17
186	Exceptional landscape-wide cyanobacteria bloom in Okavango Delta, Botswana in 2020 coincided with a mass elephant die-off event. Harmful Algae, 2022, 111, 102145.	4.8	20
187	The estimation of total suspended matter from satellite imagery of tropical coastal water Berau Estuary, Indonesia. IOP Conference Series: Earth and Environmental Science, 2022, 950, 012089.	0.3	1
188	Estimation of Chlorophyll-a Concentrations in Small Water Bodies: Comparison of Fused Gaofen-6 and Sentinel-2 Sensors. Remote Sensing, 2022, 14, 229.	4.0	25
189	Continuous and Synoptic Assessment of Indian Inland Waters for Harmful Algae Blooms. Harmful Algae, 2022, 111, 102160.	4.8	9
190	COVID-19 lockdown effects on a coastal marine environment: Disentangling perception versus reality. Science of the Total Environment, 2022, 817, 153002.	8.0	14
191	Remote Analysis of the Chlorophyll-a Concentration Using Sentinel-2 MSI Images in a Semi-arid Environment in Northeastern Brazil. Water (Switzerland), 2022, 14, 451.	2.7	13
192	Algorithm of Additional Correction of Level 2 Remote Sensing Reflectance Data Using Modelling of the Optical Properties of the Black Sea Waters. Remote Sensing, 2022, 14, 831.	4.0	3
193	Estimation of soil moisture content under high maize canopy coverage from UAV multimodal data and machine learning. Agricultural Water Management, 2022, 264, 107530.	5.6	42
194	Towards the Combination of C2RCC Processors for Improving Water Quality Retrieval in Inland and Coastal Areas. Remote Sensing, 2022, 14, 1124.	4.0	17
195	Estimation of cyanobacteria pigments in the main rivers of South Korea using spatial attention convolutional neural network with hyperspectral imagery. GIScience and Remote Sensing, 2022, 59, 547-567.	5.9	11
196	Study and Evaluation of Surface Water Resources Affected by Ancient and Illegal Mining in the Upper Part of the Milluni Micro-Basin, Bolivia. Resources, 2022, 11, 36.	3.5	1
197	QDA-System: A Cloud-Based System for Monitoring Water Quality in Brazilian Hydroelectric Reservoirs from Space. Remote Sensing, 2022, 14, 1541.	4.0	2
198	Sugarcane Nitrogen Concentration and Irrigation Level Prediction Based on UAV Multispectral Imagery. Sensors, 2022, 22, 2711.	3.8	6
199	Hybrid Semi-Analytical Algorithm for Estimating Chlorophyll-A Concentration in Lower Amazon Floodplain Waters. Frontiers in Remote Sensing, 2022, 3, .	3.5	4

#	ARTICLE	IF	CITATIONS
200	Remote estimation of phytoplankton primary production in clear to turbid waters by integrating a semi-analytical model with a machine learning algorithm. <i>Remote Sensing of Environment</i> , 2022, 275, 113027.	11.0	8
201	A Transfer Learning Technique for Inland Chlorophyll-a Concentration Estimation Using Sentinel-3 Imagery. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 203.	2.5	1
202	Life at the borderline: Responses of Ganges river dolphins to dryâ€season flow regulation of river and canal habitats by the Farakka barrage. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2022, 32, 294-308.	2.0	6
203	Prioritizing conservation in subâ€Saharan African lakes based on freshwater biodiversity and algal bloom metrics. <i>Conservation Biology</i> , 2022, 36, .	4.7	4
204	Retrieval of Chlorophyll-a Concentrations of Class II Water Bodies of Inland Lakes and Reservoirs Based on ZY1-02D Satellite Hyperspectral Data. <i>Remote Sensing</i> , 2022, 14, 1842.	4.0	9
205	Population growth of the golden mussel (<i>L. fortunei</i>) in hydroelectric power plants: a study via mathematical and computational modeling. <i>Revista Brasileira De Recursos Hidricos</i> , 0, 27, .	0.5	4
206	Combining Remote and In-situ Sensing for Persistent Monitoring of Water Quality. , 2022, , .		0
207	Mangrove Health Analysis Using Multi-Temporal Sentinel-2 Multi-Spectral Instrument (MSI) Data. , 2022, , 71-106.		2
208	UAVs vs Satellites: Comparison of tools for water quality monitoring. , 2022, , .		0
209	Mapping algal bloom dynamics in small reservoirs using Sentinel-2 imagery in Google Earth Engine. <i>Ecological Indicators</i> , 2022, 140, 109041.	6.3	15
210	Spectral mixture analysis for surveillance of harmful algal blooms (SMASH): A field-, laboratory-, and satellite-based approach to identifying cyanobacteria genera from remotely sensed data. <i>Remote Sensing of Environment</i> , 2022, 279, 113089.	11.0	19
211	Evaluating the Performance of Algorithms in Estimating the Chl-a Concentration of Lake Bafa. <i>Turkish Journal of Geosciences</i> , 2022, 3, 30-38.	0.2	0
212	A ground-based remote sensing system for high-frequency and real-time monitoring of phytoplankton blooms. <i>Journal of Hazardous Materials</i> , 2022, 439, 129623.	12.4	19
213	Improving Satellite Retrieval of Coastal Aquaculture Pond by Adding Water Quality Parameters. <i>Remote Sensing</i> , 2022, 14, 3306.	4.0	11
214	Accurate mapping of Chinese coastal aquaculture ponds using biophysical parameters based on Sentinel-2 time series images. <i>Marine Pollution Bulletin</i> , 2022, 181, 113901.	5.0	15
215	Characterising retrieval uncertainty of chlorophyll-a algorithms in oligotrophic and mesotrophic lakes and reservoirs. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2022, 190, 279-300.	11.1	10
216	Data reconstruction of daily MODIS chlorophyll-a concentration and spatio-temporal variations in the Northwestern Pacific. <i>Science of the Total Environment</i> , 2022, 843, 156981.	8.0	8
217	Modeling ocean surface chlorophyll-a concentration from ocean color remote sensing reflectance in global waters using machine learning. <i>Science of the Total Environment</i> , 2022, 844, 157191.	8.0	13

#	ARTICLE	IF	CITATIONS
218	Increased chlorophyll-a concentration in Barra Bonita reservoir during extreme drought periods. <i>Science of the Total Environment</i> , 2022, 843, 157106.	8.0	4
219	Assessing the Performance and Application of Operational Lagrangian Transport HAB Forecasting Systems. <i>Frontiers in Marine Science</i> , 0, 9, .	2.5	5
221	Satellite-Based Monitoring of the Algal Communities of Aras Dam Reservoir: Meteorological Dependence Analysis and the Footprint of COVID-19 Pandemic Lockdown on the Eutrophication Status. <i>International Journal of Environmental Research</i> , 2022, 16, .	2.3	3
223	Comparison of Winter Wheat Yield Estimation Based on Near-Surface Hyperspectral and UAV Hyperspectral Remote Sensing Data. <i>Remote Sensing</i> , 2022, 14, 4158.	4.0	12
224	Ocean water quality monitoring using remote sensing techniques: A review. <i>Marine Environmental Research</i> , 2022, 180, 105701.	2.5	25
225	Remote sensing to detect harmful algal blooms in inland waterbodies. <i>Science of the Total Environment</i> , 2022, 851, 158096.	8.0	6
226	Developing remote sensing methods for monitoring water quality of alpine rivers on the Tibetan Plateau. <i>GIScience and Remote Sensing</i> , 2022, 59, 1384-1405.	5.9	9
227	Phytoplankton biomass variation after cage aquaculture removal from the Daheiting Reservoir, China: observations from satellite data. <i>Hydrobiologia</i> , 2022, 849, 4759-4775.	2.0	5
228	MODIS-Landsat fusion-based single-band algorithms for TSS and turbidity estimation in an urban-waste-dominated river reach. <i>Water Research</i> , 2022, 224, 119082.	11.3	7
229	Water quality monitoring in an estuary using UAV hyperspectral imaging and satellite algorithms. , 2022, , .		0
230	Spatiotemporal dynamics and anthropologically dominated drivers of chlorophyll-a, TN and TP concentrations in the Pearl River Estuary based on retrieval algorithm and random forest regression. <i>Environmental Research</i> , 2022, 215, 114380.	7.5	10
231	Harmonized Chlorophyll-a Retrievals in Inland Lakes From Landsat-8/9 and Sentinel 2A/B Virtual Constellation Through Machine Learning. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-16.	6.3	7
232	A Fully Unsupervised Machine Learning Framework for Algal Bloom Forecasting in Inland Waters Using MODIS Time Series and Climatic Products. <i>Remote Sensing</i> , 2022, 14, 4283.	4.0	7
233	Chlorophyll-a concentrations in the Arabian Gulf waters of arid region: A case study from the northern coast of Qatar. <i>Regional Studies in Marine Science</i> , 2022, , 102680.	0.7	0
234	Extraction of macrophyte community spatial variation allows to adapt the macrophyte biological index for rivers to the conditions of the middle Dnipro river. <i>Limnologica</i> , 2022, 97, 126036.	1.5	5
235	Quality control based Chlorophyll-a Estimation with two-band and three-band algorithms using Sentinel-2 MSI data in a complex inland lake, China. <i>Geocarto International</i> , 2024, 37, 18094-18115.	3.5	2
236	Retrieval of Chlorophyll-a Concentrations Using Sentinel-2 MSI Imagery in Lake Chagan Based on Assessments with Machine Learning Models. <i>Remote Sensing</i> , 2022, 14, 4924.	4.0	8
237	Remote Sensing of Chlorophyll-a in Xinkai Lake Using Machine Learning and GF-6 WFV Images. <i>Remote Sensing</i> , 2022, 14, 5136.	4.0	13

#	ARTICLE	IF	CITATIONS
238	Accurate Estimation of Chlorophyll-a Concentration in the Coastal Areas of the Ebro Delta (NW) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 7 Remote Sensing, 2022, 14, 5235.	4.0	3
239	Integrated approach of remote sensing and machine learning to simulate and predict petroleum pollution and algal blooms along Aqaba Gulf. Biocatalysis and Agricultural Biotechnology, 2022, 46, 102528.	3.1	2
240	Classification of Aquaculture Waters through Remote Sensing on the Basis of a Time-Series Water Index. Journal of Coastal Research, 2022, 38, .	0.3	1
241	Deep Learning-Based Method for Classification of Sugarcane Varieties. Agronomy, 2022, 12, 2722.	3.0	8
242	A Bayesian approach for remote sensing of chlorophyll-a and associated retrieval uncertainty in oligotrophic and mesotrophic lakes. Remote Sensing of Environment, 2022, 283, 113295.	11.0	22
243	Random forest: An optimal chlorophyll-a algorithm for optically complex inland water suffering atmospheric correction uncertainties. Journal of Hydrology, 2022, 615, 128685.	5.4	19
244	Empirical and semi-empirical chlorophyll-a modeling for water quality assessment through river-lake transition in extreme Southern Brazil. Anais Da Academia Brasileira De Ciencias, 2022, 94, .	0.8	0
245	Study on Chl-a Concentration in Yuehai National Wetland Park Using Remote Sensing Data. , 2022, , .		0
246	Combining Remote and In-situ Sensing for Autonomous Underwater Vehicle Localization and Navigation. , 2022, , .		0
247	Monitoring trophic status using in situ data and Sentinel-2 MSI algorithm: lesson from Lake Malombe, Malawi. Environmental Science and Pollution Research, 2023, 30, 29755-29772.	5.3	2
248	Salt pond detection on Sentinel 2 Satellite Imagery using Object-Based Image Analysis (OBIA) Approach. IOP Conference Series: Earth and Environmental Science, 2022, 1109, 012058.	0.3	1
249	Using a Remote-Sensing-Based Piecewise Retrieval Algorithm to Map Chlorophyll-a Concentration in a Highland River System. Remote Sensing, 2022, 14, 6119.	4.0	0
250	Mapping the probability of freshwater algal blooms with various spectral indices and sources of training data. Journal of Applied Remote Sensing, 2022, 16, .	1.3	2
251	Monitoring Uruguay's freshwaters from space: An assessment of different satellite image processing schemes for chlorophyll-a estimation. Remote Sensing Applications: Society and Environment, 2023, 29, 100891.	1.5	0
252	Regional Satellite Algorithms to Estimate Chlorophyll-a and Total Suspended Matter Concentrations in Vembanad Lake. Remote Sensing, 2022, 14, 6404.	4.0	2
253	Water Chlorophyll a Estimation Using UAV-Based Multispectral Data and Machine Learning. Drones, 2023, 7, 2.	4.9	7
254	Challenges for chlorophyll-a remote sensing in a highly variable turbidity estuary, an implementation with sentinel-2. Geocarto International, 2023, 38, .	3.5	8
255	Fusion of Satellite Images and Weather Data With Transformer Networks for Downy Mildew Disease Detection. IEEE Access, 2023, 11, 5406-5416.	4.2	3

#	ARTICLE	IF	CITATIONS
256	Automated mucilage extraction index (AMEI): a novel spectral water index for identifying marine mucilage formations from Sentinel-2 imagery. <i>International Journal of Remote Sensing</i> , 2023, 44, 105-141.	2.9	5
257	Remote sensing for mapping algal blooms in freshwater lakes: a review. <i>Environmental Science and Pollution Research</i> , 2023, 30, 19602-19616.	5.3	10
258	Mapping dinoflagellate blooms (<i>Noctiluca</i> and <i>Alexandrium</i>) in aquaculture production areas in the NW Iberian Peninsula with the Sentinel-2/3 satellites. <i>Science of the Total Environment</i> , 2023, 868, 161579.	8.0	6
259	Digital Mapping of Root-Zone Soil Moisture Using UAV-Based Multispectral Data in a Kiwifruit Orchard of Northwest China. <i>Remote Sensing</i> , 2023, 15, 646.	4.0	5
260	Prediction of lake chlorophyll concentration using the BP neural network and Sentinel-2 images based on time features. <i>Water Science and Technology</i> , 2023, 87, 539-554.	2.5	5
261	Satellite assessment of eutrophication hot spots and algal blooms in small and medium-sized productive reservoirs in Uruguay's main drinking water basin. <i>Environmental Science and Pollution Research</i> , 2023, 30, 43604-43618.	5.3	3
262	Index-Based Spatiotemporal Assessment Of Water Quality In Tarbela Reservoir, Pakistan (1990a~2020). <i>Geography, Environment, Sustainability</i> , 2023, 15, 232-242.	1.3	3
264	Development of chlorophyll-a concentration estimation algorithm for turbid productive inland waters in India. <i>Geocarto International</i> , 2023, 38, .	3.5	1
265	A standardized catalogue of spectral indices to advance the use of remote sensing in Earth system research. <i>Scientific Data</i> , 2023, 10, .	5.3	11
266	A satellite-based hybrid model for trophic state evaluation in inland waters across China. <i>Environmental Research</i> , 2023, 225, 115509.	7.5	1
267	Increase in chlorophyll-a concentration in Lake Taihu from 1984 to 2021 based on Landsat observations. <i>Science of the Total Environment</i> , 2023, 873, 162168.	8.0	9
268	Learning and inferring the diurnal variability of cyanobacterial blooms from high-frequency time-series satellite-based observations. <i>Harmful Algae</i> , 2023, 123, 102383.	4.8	2
270	The many shades of red tides: Sentinel-2 optical types of highly-concentrated harmful algal blooms. <i>Remote Sensing of Environment</i> , 2023, 287, 113486.	11.0	8
271	Smart Water Dam Transformation in Industry 4.0. <i>Lecture Notes in Mechanical Engineering</i> , 2023, , 118-129.	0.4	1
272	ABD: A machine intelligent-based algal bloom detector for remote sensing images. <i>Software Impacts</i> , 2023, 15, 100482.	1.4	0
273	Spatiotemporal Dynamics of Water Quality Indicators in Koka Reservoir, Ethiopia. <i>Remote Sensing</i> , 2023, 15, 1155.	4.0	2
274	Machine Learning for Detection of Macroalgal Blooms in the Mar Menor Coastal Lagoon Using Sentinel-2. <i>Remote Sensing</i> , 2023, 15, 1208.	4.0	2
275	An integrated water resource management approach for Lake Trasimeno, Italy. <i>Hydrological Sciences Journal</i> , 2023, 68, 630-644.	2.6	0

#	ARTICLE	IF	CITATIONS
276	Assessment of Estimated Phycocyanin and Chlorophyll-a Concentration from PRISMA and OLCI in Brazilian Inland Waters: A Comparison between Semi-Analytical and Machine Learning Algorithms. <i>Remote Sensing</i> , 2023, 15, 1299.	4.0	8
277	Evaluation of eight band SuperDove imagery for aquatic applications. <i>Optics Express</i> , 2023, 31, 13851.	3.4	6
278	Causes and Impacts of Decreasing Chlorophyll-a in Tibet Plateau Lakes during 1986–2021 Based on Landsat Image Inversion. <i>Remote Sensing</i> , 2023, 15, 1503.	4.0	1
280	Band Ratios Combination for Estimating Chlorophyll-a from Sentinel-2 and Sentinel-3 in Coastal Waters. <i>Remote Sensing</i> , 2023, 15, 1653.	4.0	6
281	Monitoring Coastal Water Body Health with Sentinel-2 MSI Imagery. <i>Remote Sensing</i> , 2023, 15, 1734.	4.0	0
282	Improved Crop Biomass Algorithm with Piecewise Function (iCBA-PF) for Maize Using Multi-Source UAV Data. <i>Drones</i> , 2023, 7, 254.	4.9	2
283	Assessment of Cyanobacterial Chlorophyll A as an Indicator of Water Quality in Two Wetlands Using Multi-Temporal Sentinel-2 Images. , 0, , .		3
284	High-frequency zones of phytoplankton blooms in the Río de la Plata Estuary associated with El Niño-Southern Oscillation. <i>Estuarine, Coastal and Shelf Science</i> , 2023, 286, 108342.	2.1	2
285	Temporal Synchrony in Satellite-Derived Ocean Parameters in the Inner Sea of Chiloé, Northern Patagonia, Chile. <i>Remote Sensing</i> , 2023, 15, 2182.	4.0	0
286	The Estimation of Maize Grain Protein Content and Yield by Assimilating LAI and LNA, Retrieved from Canopy Remote Sensing Data, into the DSSAT Model. <i>Remote Sensing</i> , 2023, 15, 2576.	4.0	3
287	Eutrophication assessment in Pannonian Basin (the case of Luda Lake Special Nature Reserve and Palić Lake). <i>Environmental Monitoring and Assessment</i> , 2023, 244, 1000000.	2.7	2
288	Ground-based remote sensing provides alternative to satellites for monitoring cyanobacteria in small lakes. <i>Water Research</i> , 2023, 242, 120076.	11.3	6
289	Using Imagery Collected by an Unmanned Aerial System to Monitor Cyanobacteria in New Hampshire, USA, Lakes. <i>Remote Sensing</i> , 2023, 15, 2839.	4.0	4
290	Remote sensing water quality inversion using sparse representation: Chlorophyll-a retrieval from Sentinel-2 MSI data. <i>Remote Sensing Applications: Society and Environment</i> , 2023, 31, 101006.	1.5	3
291	Comparative Analysis of Empirical and Machine Learning Models for Chl <i>a</i> Extraction Using Sentinel-2 and Landsat OLI Data: Opportunities, Limitations, and Challenges. <i>Canadian Journal of Remote Sensing</i> , 2023, 49, .	2.4	3
292	Using C2X to Explore the Uncertainty of In Situ Chlorophyll-a and Improve the Accuracy of Inversion Models. <i>Sustainability</i> , 2023, 15, 9516.	3.2	1
293	Improving lake chlorophyll-a interpreting accuracy by combining spectral and texture features of remote sensing. <i>Environmental Science and Pollution Research</i> , 2023, 30, 83628-83642.	5.3	3
294	An application of C2-Net atmospheric corrections for chlorophyll-a estimation in small reservoirs. <i>Remote Sensing Applications: Society and Environment</i> , 2023, 32, 101021.	1.5	0

#	ARTICLE	IF	CITATIONS
295	Recurrence of <i>Gonyaulax polygramma</i> bloom in the southeastern Arabian Sea. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	1
296	Comparing Unmanned Aerial Multispectral and Hyperspectral Imagery for Harmful Algal Bloom Monitoring in Artificial Ponds Used for Fish Farming. <i>Drones</i> , 2023, 7, 410.	4.9	0
297	Predicting water quality variability in a Mediterranean hypereutrophic monomictic reservoir using Sentinel 2 MSI: the importance of considering model functional form. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	0
298	Downscaling Sentinel-3 Chlorophyll-a Concentration for Inland Lakes based on Multivariate Analysis and Gradient Boosting Decision Trees Regression. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2023, , 1-18.	4.9	0
299	Estimation of Soil Moisture Using Multi-Source Remote Sensing and Machine Learning Algorithms in Farming Land of Northern China. <i>Remote Sensing</i> , 2023, 15, 4214.	4.0	0
300	A Comparative Analysis of Machine Learning Methods for Algal Bloom Detection Using Remote Sensing Images. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2023, , 1-15.	4.9	1
301	Spatiotemporal variation in the water quality of Vembanad Lake, Kerala, India: a remote sensing approach. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	0
302	Leveraging multimission satellite data for spatiotemporally coherent cyanoHAB monitoring. <i>Frontiers in Remote Sensing</i> , 0, 4, .	3.5	0
303	Detection and mapping of water and chlorophyll-a spread using Sentinel-2 satellite imagery for water quality assessment of inland water bodies. <i>Environmental Monitoring and Assessment</i> , 2023, 195, .	2.7	0
304	Causes and effects of Shisper glacial lake outburst flood event in Karakoram in 2022. <i>Geomatics, Natural Hazards and Risk</i> , 2023, 14, .	4.3	1
305	Estimation of the ratio of leaf carbon to nitrogen in winter wheat based on hyperspectral data and machine learning method. , 2023, , .		0
306	Advancements of remote data acquisition and processing in unmanned vehicle technologies for water quality monitoring: An extensive review. <i>Chemosphere</i> , 2023, 343, 140198.	8.2	0
307	Water Quality Analysis from Satellite Images. , 2023, , .		1
308	Estimation of Water Quality Parameters Using Water Indices and GEE. , 2023, , .		0
309	Challenges and Advances of Inland Waters Monitoring: A Case Study Highlighting the Use of Satellite Imagery and Cloud Computing in Brazil. <i>Limnology and Oceanography Bulletin</i> , 0, , .	0.4	0
310	Retrievals of Chlorophyll-a from GOCI and GOCI-II Data in Optically Complex Lakes. <i>Remote Sensing</i> , 2023, 15, 4886.	4.0	0
311	Monitoring of chlorophyll-a and suspended sediment concentrations in optically complex inland rivers using multisource remote sensing measurements. <i>Ecological Indicators</i> , 2023, 155, 111041.	6.3	3
312	Validation of Sentinel-2/MSI water reflectance and water quality products in the turbid waters of R�o de la Plata estuary using fixed automated hyperspectral in situ observations. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
313	Satellite monitoring of chlorophyll-a threshold levels during an exceptional cyanobacterial bloom (2018-2019) in the R�o de la Plata. Ribagua, O, , 1-17.	0.3	0
314	Detection of the Status of Diatom Blooms in the Tributaries of the Yangtze River Based on Sentinel-2 Images. IEEE Transactions on Geoscience and Remote Sensing, 2023, 61, 1-15.	6.3	1
315	Estimation of Water Quality Parameters in Oligotrophic Coastal Waters Using Uncrewed-Aerial-Vehicle-Obtained Hyperspectral Data. Journal of Marine Science and Engineering, 2023, 11, 2026.	2.6	1
316	Monitoring temporal chlorophyll-a using Sentinel-2 imagery in urban retention ponds receiving a biological-chemical treatment. Ecological Engineering, 2023, 197, 107123.	3.6	0
317	U-Net Performance for Beach Wrack Segmentation: Effects of UAV Camera Bands, Height Measurements, and Spectral Indices. Drones, 2023, 7, 670.	4.9	2
318	Monitoring Maize Leaf Spot Disease Using Multi-Source UAV Imagery. Drones, 2023, 7, 650.	4.9	0
319	Breaking the ESG rating divergence: An open geospatial framework for environmental scores. Journal of Environmental Management, 2024, 349, 119477.	7.8	0
320	Monitoring of wetland turbidity using multi-temporal Landsat-8 and Landsat-9 satellite imagery in the Bisalpur wetland, Rajasthan, India. Environmental Research, 2024, 241, 117638.	7.5	5
321	Meteorological and potential climatic influence on high cyanobacterial biomass within Patos Lagoon (southern Brazil): A case study of the summer of 2019�2020. Ocean and Coastal Research, 2023, 71, .	0.6	0
322	Research on the Characteristic Spectral Band Determination for Water Quality Parameters Retrieval Based on Satellite Hyperspectral Data. Remote Sensing, 2023, 15, 5578.	4.0	0
323	Monitoring Lake Chad Basin Water Quality Using Earth Observation Satellite Observations. , 2023, , .		0
324	Constructing a Consistent and Continuous Cyanobacteria Bloom Monitoring Product from Multi-Mission Ocean Color Instruments. Remote Sensing, 2023, 15, 5291.	4.0	0
325	Near real-time satellite detection and monitoring of aquatic algae and cyanobacteria: how a combination of chlorophyll-a indices and water-quality sampling was applied to north Texas reservoirs. Journal of Applied Remote Sensing, 2023, 17, .	1.3	0
326	Retrieving Lake Chla concentration from remote Sensing: Sampling time matters. Ecological Indicators, 2024, 158, 111290.	6.3	0
327	Water Quality and Flooding Impact of the Record-Breaking Storm Gloria in the Ebro Delta (Western) Tj ETQq0 0 0 rgBT /Overlock 10 TF 5	4.0	0
328	Defining Collision Risk: Lesser Flamingo Phoeniconaias minor Power Line Collision Sensitivity and Exposure for Proactive Mitigation. Birds, 2023, 4, 315-329.	1.4	0
329	Prediction of vertical distribution of SPAD values within maize canopy based on unmanned aerial vehicles multispectral imagery. Frontiers in Plant Science, 0, 14, .	3.6	0
330	Evaluating the capabilities of China's new satellite HJ-2 for monitoring chlorophyll a concentration in eutrophic lakes. International Journal of Applied Earth Observation and Geoinformation, 2024, 126, 103618.	1.9	0

#	ARTICLE	IF	CITATIONS
331	Mapping of Chl-a in Indonesia's Five Priority Lakes Using Linear Regression (Case Studies: Lake Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 Science, 2023, 1276, 012063.	0.3	0
332	Risk assessment and spatio-temporal characteristics analysis of water bloom in three large-scale eutrophic reservoirs in Fujian Province, China. Ecological Indicators, 2024, 158, 111539.	6.3	0
333	Mapping of nearshore bathymetry using Gaofen-6 images for the Yellow River Delta-Laizhou Bay, China. Ecological Informatics, 2024, 80, 102497.	5.2	0
334	Monitoring network optimization and impact of fish farming upon water quality in the TrÃs Marias Hydroelectric Reservoir, Brazil. Environmental Science and Pollution Research, 2024, 31, 13455-13470.	5.3	1
335	An improved algorithm for the column-integrated algal biomass retrieval in Lake Chaohu, a large eutrophic lake. International Journal of Applied Earth Observation and Geoinformation, 2024, 127, 103670.	1.9	0
336	An Unprecedented Bloom of Oceanic Dinoflagellates (Karenia spp.) Inside a Fjord within a Highly Dynamic Multifrontal Ecosystem in Chilean Patagonia. Toxins, 2024, 16, 77.	3.4	0
337	Automated spectral transfer learning strategy for semi-supervised regression on Chlorophyll-a retrievals with Sentinel-2 imagery. International Journal of Digital Earth, 2024, 17, .	3.9	0
338	PRIMA MAGO project: open-source applications based on Copernicus data for agricultural water management. , 2023, , .		0
339	Inversion of Chlorophyll-a Concentrations in Chaohu Lake Based on GF-1 WFV Images. IEEE Access, 2024, 12, 24791-24802.	4.2	0
340	Remote sensing of lake chlorophyll-a in Qinghai-Tibet Plateau responding to climate factors: Implications for oligotrophic lakes. Ecological Indicators, 2024, 159, 111674.	6.3	0
341	Linking optical data and nitrates in the Lower Mississippi River to enable satellite-based monitoring of nutrient reduction goals. Ecohydrology, 0, , .	2.4	0
343	Satellite Remote Sensing: A Tool to Support Harmful Algal Bloom Monitoring and Recreational Health Advisories in a California Reservoir. GeoHealth, 2024, 8, .	4.0	0
344	A Machine Learning and Remote Sensing-based Model for Algae Pigment and Dissolved Oxygen Retrieval on a Small Inland Lake. Water Resources Research, 2024, 60, .	4.2	0
345	PROSAIL-Net: A transfer learning-based dual stream neural network to estimate leaf chlorophyll and leaf angle of crops from UAV hyperspectral images. ISPRS Journal of Photogrammetry and Remote Sensing, 2024, 210, 1-24.	11.1	0
346	Satellite-Based Water Quality Assessment of the Beijing Section of the Grand Canal: Implications for SDG11.4 Evaluation. Remote Sensing, 2024, 16, 909.	4.0	0
347	A Broadscale Assessment of Sentinel-2 Imagery and the Google Earth Engine for the Nationwide Mapping of Chlorophyll a. Sustainability, 2024, 16, 2090.	3.2	0
348	Spatio-Temporal Variation of Cyanobacteria Blooms in Taihu Lake Using Multiple Remote Sensing Indices and Machine Learning. Remote Sensing, 2024, 16, 889.	4.0	0
349	Heterogeneity and influencing factors of algal blooms in the reservoir-impacted tributary: Evidence from remote sensing and physical-based model. Journal of Hydrology, 2024, 634, 131058.	5.4	0

#	ARTICLE	IF	CITATIONS
350	A comprehensive research on open surface drinking water resources in Istanbul using remote sensing technologies. Environmental Monitoring and Assessment, 2024, 196, .	2.7	0