

# RGB-D mapping: Using Kinect-style depth cameras for environments

International Journal of Robotics Research

31, 647-663

DOI: 10.1177/0278364911434148

Citation Report

#	ARTICLE	IF	CITATIONS
1	KinectFusion: Real-time dense surface mapping and tracking. , 2011, , .		2,480
2	Range sensor based model construction by sparse surface adjustment. , 2011, , .		3
3	Using the Kinect as a navigation sensor for mobile robotics. , 2012, , .		61
4	Topological Indoor Localization & Navigation for Autonomous Industrial Mobile Manipulator. , 2012, , .		2
5	2D RGB depth map building for outdoor mobile robots using Particle Filter. , 2012, , .		0
6	Cooperative multi-agent mapping of three-dimensional structures for pipeline inspection applications. International Journal of Robotics Research, 2012, 31, 1489-1503.	8.5	20
7	Mobile 3D indoor mapping using the Continuous Normal Distributions Transform. , 2012, , .		3
8	3D point cloud registration based on planar surfaces. , 2012, , .		24
9	GPU-based real-time RGB-D 3D SLAM. , 2012, , .		4
10	An interactive approach to semantic modeling of indoor scenes with an RGBD camera. ACM Transactions on Graphics, 2012, 31, 1-11.	7.2	167
11	Human-like indoor navigation for Autonomous Industrial Mobile Manipulator. , 2012, , .		4
12	The University of Pennsylvania MAGIC 2010 multi-robot unmanned vehicle system. Journal of Field Robotics, 2012, 29, 745-761.	6.0	17
13	SLAM using both points and planes for hand-held 3D sensors. , 2012, , .		16
14	Indoor localization and 3D scene reconstruction for mobile robots using the Microsoft Kinect sensor. , 2012, , .		13
15	Incremental registration of RGB-D images. , 2012, , .		13
16	Real-time volumetric 3D capture of room-sized scenes for telepresence. , 2012, , .		28
17	Depth Camera in Human-Computer Interaction: An Overview. , 2012, , .		4
18	Using depth in visual simultaneous localisation and mapping. , 2012, , .		27

#	ARTICLE	IF	CITATIONS
19	Replacing Projective Data Association with Lucas-Kanade for KinectFusion. , 2013, , .		7
20	Simultaneous Color Camera and Depth Sensor Calibration with Correction of Triangulation Errors. Lecture Notes in Computer Science, 2013, , 301-311.	1.3	2
21	Visual and Inertial Data Fusion for Globally Consistent Point Cloud Registration. , 2013, , .		1
22	Path Planning in Complex 3D Environments Using a Probabilistic Roadmap Method. International Journal of Automation and Computing, 2013, 10, 525-533.	4.5	113
23	Guided depth enhancement via a fast marching method. Image and Vision Computing, 2013, 31, 695-703.	4.5	41
24	Fast and Accurate Calibration of a Kinect Sensor. , 2013, , .		39
25	Enhanced Computer Vision With Microsoft Kinect Sensor: A Review. IEEE Transactions on Cybernetics, 2013, 43, 1318-1334.	9.5	1,211
26	Occupancy Mapping and Surface Reconstruction Using Local Gaussian Processes With Kinect Sensors. IEEE Transactions on Cybernetics, 2013, 43, 1335-1346.	9.5	80
27	A robust RGB-D SLAM system for 3D environment with planar surfaces. , 2013, , .		5
28	Detecting, locating and crossing a door for a wide indoor surveillance robot. , 2013, , .		9
29	Change Their Perception: RGB-D for 3-D Modeling and Recognition. IEEE Robotics and Automation Magazine, 2013, 20, 49-59.	2.0	23
30	High resolution 3D content creation using unconstrained and uncalibrated cameras. , 2013, , .		1
31	Elastic Fragments for Dense Scene Reconstruction. , 2013, , .		67
32	3D environmental mapping of mobile robot using a low-cost depth camera. , 2013, , .		2
33	3D Registration in Dark Environments Using RGB-D Cameras. , 2013, , .		4
34	A real-time distributed relative pose estimation algorithm for RGB-D camera equipped visual sensor networks. , 2013, , .		3
35	A vision and GPS-based real-time trajectory planning for MAV in unknown urban environments. , 2013, , .		15
36	Combining two point clouds generated from depth camera. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
37	Combining photometric and depth data for lightweight and robust visual odometry. , 2013, , .		20
38	Experimental validation of a visual odometry system for indoor unstructured environments. , 2013, , .		1
39	Real-time RGB-D camera relocalization. , 2013, , .		106
40	Mobil robot localization using RGB-D camera. , 2013, , .		6
41	A One-Year Introductory Robotics Curriculum for Computer Science Upperclassmen. IEEE Transactions on Education, 2013, 56, 54-60.	2.4	33
42	Combining color and depth data for edge detection. , 2013, , .		0
43	Object recognition and localization based on kinect camera in complex environment. , 2013, , .		6
44	An improved visual odometry optimization algorithm based on Kinect camera. , 2013, , .		1
45	Object handling using Autonomous Industrial Mobile Manipulator. , 2013, , .		8
46	Deformation-based loop closure for large scale dense RGB-D SLAM. , 2013, , .		69
47	Kinect based real time obstacle detection for legged robots in complex environments. , 2013, , .		4
48	Field of view alignment with multiple RGB-D cameras. , 2013, , .		0
49	Optimal control of the dynamic stability for robotic vehicles in rough terrain. Nonlinear Dynamics, 2013, 73, 981-992.	5.2	13
50	Multimodal Indoor Tracking of a Single Elder in an AAL Environment. Advances in Intelligent Systems and Computing, 2013, , 137-145.	0.6	8
51	2D Image Feature-Based Real-Time RGB-D 3D SLAM. Advances in Intelligent Systems and Computing, 2013, , 485-492.	0.6	6
52	Feature extraction based on hierarchical growing neural gas for informationally structured space. , 2013, , .		1
53	RGB-D Object Recognition: Features, Algorithms, and a Large Scale Benchmark. Advances in Computer Vision and Pattern Recognition, 2013, , 167-192.	1.3	46
54	Hybrid optical system for three-dimensional shape acquisition. Applied Optics, 2013, 52, 3680.	1.8	0

#	ARTICLE	IF	CITATIONS
55	Patch Volumes: Segmentation-Based Consistent Mapping with RGB-D Cameras. , 2013, , .		56
56	3D with Kinect. , 2013, , 3-25.		158
57	Taking Advantage of Selective Change Driven Processing for 3D Scanning. Sensors, 2013, 13, 13143-13162.	3.8	3
58	Combined Hand Gesture “ Speech Model for Human Action Recognition. Sensors, 2013, 13, 17098-17129.	3.8	10
59	Dense scene reconstruction with points of interest. ACM Transactions on Graphics, 2013, 32, 1-8.	7.2	139
60	Learning human activities and object affordances from RGB-D videos. International Journal of Robotics Research, 2013, 32, 951-970.	8.5	497
61	Mesh Based Semantic Modelling for Indoor and Outdoor Scenes. , 2013, , .		69
62	Real-time 3D reconstruction at scale using voxel hashing. ACM Transactions on Graphics, 2013, 32, 1-11.	7.2	541
63	Stereo and kinect fusion for continuous 3D reconstruction and visual odometry. , 2013, , .		13
64	Handheld scanning with 3D cameras. , 2013, , .		12
65	A projected augmented reality system for remote collaboration. , 2013, , .		5
66	Planar simplification and texturing of dense point cloud maps. , 2013, , .		15
67	Graph-based visual SLAM and visual odometry using an RGB-D camera. , 2013, , .		5
68	Design and performance analysis of an indoor position tracking technique for smart rollators. , 2013, , .		11
69	Session 5: Information security. , 2013, , .		1
70	Calibration of multi-Kinect and multi-camera setup for full 3D reconstruction. , 2013, , .		6
71	In-situ indoor 3-D land mapping and radioactive source localization. , 2013, , .		3
72	Hierarchical OBB-sphere tree for large-scale range data management. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
74	Guided Real-time Scanning of Indoor Objects. Computer Graphics Forum, 2013, 32, 177-186.	3.0	28
75	Generating colored point cloud under the calibration between TOF and RGB cameras. , 2013, , .		4
76	Integrated perception, mapping, and footstep planning for humanoid navigation among 3D obstacles. , 2013, , .		36
77	Efficient compositional approaches for real-time robust direct visual odometry from RGB-D data. , 2013, , .		36
78	Design and implementation of a RANSAC RGB-D mapping algorithm for multi-view point cloud registration. , 2013, , .		3
79	Consistency based calibration approach for visual-laser scanner. , 2013, , .		0
80	Robust real-time visual odometry for dense RGB-D mapping. , 2013, , .		242
81	Metric-based detection of robot kidnapping. , 2013, , .		5
82	Preprocessing and modeling for visual-based 3D indoor scene reconstruction. , 2013, , .		0
83	Building semantic object maps from sparse and noisy 3D data. , 2013, , .		13
84	Real-Time 3D Reconstruction in Dynamic Scenes Using Point-Based Fusion. , 2013, , .		246
85	A divide-and-conquer approach to large scene reconstruction with interactive scene analysis and segmentation. , 2013, , .		1
86	Sparse keypoint models for 6D object pose estimation. , 2013, , .		2
87	A Bayesian grid method PCA-based for mobile robots localization in unstructured environments. , 2013, , .		3
88	Robust Motion Estimation with RGB-D Cameras. , 2013, , .		4
89	A Survey on sensing Methods and Feature Extraction Algorithms for Slam Problem. International Journal of Computer Science, Engineering and Applications, 2013, 3, 59-63.	0.1	3
90	IMU and Multiple RGB-D Camera Fusion for Assisting Indoor Stop-and-Go 3D Terrestrial Laser Scanning. Robotics, 2014, 3, 247-280.	3.5	37
91	A COMPARATIVE STUDY OF SOFTWARE FILTERS APPLIED AS A PREVIOUS STEP OF THE ICP ALGORITHM IN ROBOT LOCATION. Journal of Circuits, Systems and Computers, 2014, 23, 1450118.	1.5	1

#	ARTICLE	IF	CITATIONS
92	Real-time ground-plane based mobile localization using depth camera in real scenarios. , 2014, , .		2
93	RGB-D Multi-view System Calibration for Full 3D Scene Reconstruction. , 2014, , .		12
94	3D shape reconstruction from a humanoid generated video sequence. , 2014, , .		2
96	A pose graph based visual SLAM algorithm for robot pose estimation. , 2014, , .		2
97	Low-Cost 3D Systems: Suitable Tools for Plant Phenotyping. Sensors, 2014, 14, 3001-3018.	3.8	215
98	A Multi-Resolution Approach for an Automated Fusion of Different Low-Cost 3D Sensors. Sensors, 2014, 14, 7563-7579.	3.8	12
99	3D FastSLAM algorithm with Kinect sensor. , 2014, , .		1
100	Real-time indoor mapping by fusion of structured light sensors. , 2014, , .		1
101	3D vision system for intelligent milking robot automation. , 2014, , .		4
102	Motion segmentation based robust RGB-D SLAM. , 2014, , .		18
103	A Fast Visual Odometry and Mapping System for RGB-D Cameras. , 2014, , .		3
104	Robust localization using RGB-D images. , 2014, , .		0
105	3D map reconstruction with sensor kinect: Searching for solution applicable to small mobile robots. , 2014, , .		5
106	[Poster] View independence in remote collaboration using AR. , 2014, , .		4
107	Experimental study of odometry estimation methods using RGB-D cameras. , 2014, , .		11
108	Adaptive Selection of Color Images or Depth to Align RGB-D Point Clouds. , 2014, , .		2
109	Towards dense moving object segmentation based robust dense RGB-D SLAM in dynamic scenarios. , 2014, , .		45
110	Accelerating vision-based 3D indoor localization by distributing image processing over space and time. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
111	High level landmark-based visual navigation using unsupervised geometric constraints in local bundle adjustment. , 2014, , .		15
112	Motion-Depth: RGB-D Depth Map Enhancement with Motion and Depth in Complement. , 2014, , .		5
113	Three-dimensional object reconstruction of symmetric objects by fusing visual and tactile sensing. International Journal of Robotics Research, 2014, 33, 321-341.	8.5	28
114	A Fast Feature Tracking Algorithm for Visual Odometry and Mapping Based on RGB-D Sensors. , 2014, , .		2
115	2D-3D camera fusion for visual odometry in outdoor environments. , 2014, , .		9
116	Simultaneous prototype selection and outlier isolation for traffic sign recognition: A collaborative sparse optimization method. , 2014, , .		1
117	Real-time depth enhanced monocular odometry. , 2014, , .		96
118	Submap-Based Bundle Adjustment for 3D Reconstruction from RGB-D Data. Lecture Notes in Computer Science, 2014, , 54-65.	1.3	25
119	Real-time obstacle detection for legged robots using the Kinect sensor. Advanced Robotics, 2014, 28, 1375-1387.	1.8	3
120	Indoor localization on depth data and digital-piano decoder algorithm (D-PDA). , 2014, , .		1
121	RGB-D Based Face Reconstruction and Recognition. , 2014, , .		3
122	A catadioptric extension for RGB-D cameras. , 2014, , .		10
123	Fast 3D modeling in complex environments using a single Kinect sensor. Optics and Lasers in Engineering, 2014, 53, 104-111.	3.8	32
124	3-D Mapping With an RGB-D Camera. IEEE Transactions on Robotics, 2014, 30, 177-187.	10.3	662
125	Simultaneous evaluation of wall motion and blood perfusion of a beating heart using stereoscopic fluorescence camera system. Computerized Medical Imaging and Graphics, 2014, 38, 276-284.	5.8	1
126	Using Kinectâ„¢ sensor in observational methods for assessing postures at work. Applied Ergonomics, 2014, 45, 976-985.	3.1	149
127	Live RGB-D camera tracking for television production studios. Journal of Visual Communication and Image Representation, 2014, 25, 207-217.	2.8	7
128	An improved edge detection algorithm for depth map inpainting. Optics and Lasers in Engineering, 2014, 55, 69-77.	3.8	34



#	ARTICLE	IF	CITATIONS
129	Contextual object category recognition for RGB-D scene labeling. Robotics and Autonomous Systems, 2014, 62, 241-256.	5.1	22
130	RGBD sensors correction with Gaussian process regression. , 2014, , .		0
131	Real-time RGB-D registration and mapping in texture-less environments using ranked order statistics. , 2014, , .		7
132	Image Retrieval Using Landmark Indexing for Indoor Navigation. , 2014, , .		9
133	RGB-D-Based Face Reconstruction and Recognition. IEEE Transactions on Information Forensics and Security, 2014, 9, 2110-2118.	6.9	28
134	RGB-D fusion: Real-time robust tracking and dense mapping with RGB-D data fusion. , 2014, , .		4
135	Two-pass ICP with Color constraint for noisy RGB-D point cloud registration. , 2014, , .		4
136	Volumetric reconstruction applied to perceptual studies of size and weight. , 2014, , .		3
137	Efficient Closed-Loop Multiple-View Registration. IEEE Transactions on Intelligent Transportation Systems, 2014, 15, 2524-2538.	8.0	1
138	Piecewise Planar and Compact Floorplan Reconstruction from Images. , 2014, , .		80
139	Robust 3D Reconstruction With an RGB-D Camera. IEEE Transactions on Image Processing, 2014, 23, 4893-4906.	9.8	34
140	Three-Dimensional Indoor Mobile Mapping With Fusion of Two-Dimensional Laser Scanner and RGB-D Camera Data. IEEE Geoscience and Remote Sensing Letters, 2014, 11, 843-847.	3.1	26
141	An improvement of a SLAM RGB-D method with movement prediction derived from a study of visual features. Advanced Robotics, 2014, 28, 1231-1242.	1.8	1
142	Real-time virtual fitting with body measurement and motion smoothing. Computers and Graphics, 2014, 43, 31-43.	2.5	23
143	KinectFaceDB: A Kinect Database for Face Recognition. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2014, 44, 1534-1548.	9.3	206
144	Diversified Key-Frame Selection Using Structured $L_{2,1}$ Norm Optimization. IEEE Transactions on Industrial Informatics, 2014, 10, 1736-1745.	11.3	25
145	Error Analysis for Visual Odometry on Indoor, Wheeled Mobile Robots With 3-D Sensors. IEEE/ASME Transactions on Mechatronics, 2014, 19, 1896-1906.	5.8	39
146	A fast egomotion estimation method based on visual feature tracking and Iterative Closest Point. , 2014, , .		6

#	ARTICLE	IF	CITATIONS
147	In situ clouds-powered 3-D radiation detection and localization using novel color-depth-radiation (CDR) mapping. Advanced Robotics, 2014, 28, 841-857.	1.8	3
148	RGB-D map for robot navigation. , 2014, , .		2
149	RGB-D based place representation in topological maps. Machine Vision and Applications, 2014, 25, 1913-1927.	2.7	6
150	A Vision and GPS-Based Real-Time Trajectory Planning for a MAV in Unknown and Low-Sunlight Environments. Journal of Intelligent and Robotic Systems: Theory and Applications, 2014, 74, 59-67.	3.4	36
151	3D Scan Registration Using Curvelet Features. , 2014, , .		2
152	A Consensus-Driven Approach for Structure and Texture Aware Depth Map Upsampling. IEEE Transactions on Image Processing, 2014, 23, 3321-3335.	9.8	31
153	Calibrated depth and color cameras for accurate 3D interaction in a stereoscopic augmented reality environment. Journal of Visual Communication and Image Representation, 2014, 25, 227-237.	2.8	46
154	Multi-resolution surfel maps for efficient dense 3D modeling and tracking. Journal of Visual Communication and Image Representation, 2014, 25, 137-147.	2.8	153
155	3D Modeling with a Moving Tilting Laser Sensor for Indoor Environments. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 7604-7609.	0.4	2
156	A Taxonomy of Vision Systems for Ground Mobile Robots. International Journal of Advanced Robotic Systems, 2014, 11, 111.	2.1	28
157	Algorithm Modification Approach to Improve the Kinectâ€™s Performance in Point Cloud Processing. , 2014, , .		2
158	3D Depth Cameras in Vision: Benefits and Limitations of the Hardware. Advances in Computer Vision and Pattern Recognition, 2014, , 3-26.	1.3	42
159	Gesture recognition using Laser Sensor Enhanced with different parameters. , 2014, , .		3
160	Study on indoor robot of self-localization based on RGB-D sensor. , 2014, , .		1
161	Robust reconstruction of indoor scenes. , 2015, , .		111
162	An EKF-SLAM method with filter consistency test for mobile robots using a 3D camera. , 2015, , .		3
163	Mobile robot navigation in unknown corridors using line and dense features of point clouds. , 2015, , .		4
164	Intelligent Robotic Systems. , 2015, , 310-335.		0

#	ARTICLE	IF	CITATIONS
165	A Review of Point Cloud Registration Algorithms for Mobile Robotics. Foundations and Trends in Robotics, 2015, 4, 1-104.	6.9	425
166	A Software Platform for Architectural Robots. , 2015, , .		1
167	Vision-Based Cooperative Pose Estimation for Localization in Multi-Robot Systems Equipped with RGB-D Cameras. Robotics, 2015, 4, 1-22.	3.5	15
168	The application of service orientation on a mobile AR platform “a museum scenario. , 2015, , .		6
169	A dynamic portrait segmentation by merging colors and depth information. International Journal of Control, Automation and Systems, 2015, 13, 1286-1293.	2.7	1
170	The Effect of View Independence in a Collaborative AR System. Computer Supported Cooperative Work, 2015, 24, 563-589.	2.9	70
171	A 3D local descriptor SHOT on massively parallel processors. , 2015, , .		2
172	Visual-Inertial Combined Odometry System for Aerial Vehicles. Journal of Field Robotics, 2015, 32, 1043-1055.	6.0	8
173	MAPEAMENTO 3D DE AMBIENTES INTERNOS USANDO DADOS RGB-D. Boletim De Ciencias Geodesicas, 2015, 21, 442-464.	0.3	0
174	Assessment and Calibration of a RGB-D Camera (Kinect v2 Sensor) Towards a Potential Use for Close-Range 3D Modeling. Remote Sensing, 2015, 7, 13070-13097.	4.0	169
175	DEVELOPMENT OF A MOTION CAPTURE SYSTEM USING KINECT. Jurnal Teknologi (Sciences and) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 3	0.4	2
176	Modelling of Building Interiors with Mobile Phone Sensor Data. ISPRS International Journal of Geo-Information, 2015, 4, 989-1012.	2.9	15
177	Graph Structure-Based Simultaneous Localization and Mapping Using a Hybrid Method of 2D Laser Scan and Monocular Camera Image in Environments with Laser Scan Ambiguity. Sensors, 2015, 15, 15830-15852.	3.8	22
178	RGB-D SLAM Combining Visual Odometry and Extended Information Filter. Sensors, 2015, 15, 18742-18766.	3.8	4
179	A Fast Robot Identification and Mapping Algorithm Based on Kinect Sensor. Sensors, 2015, 15, 19937-19967.	3.8	20
180	A Probabilistic Feature Map-Based Localization System Using a Monocular Camera. Sensors, 2015, 15, 21636-21659.	3.8	13
181	Toward 3D Reconstruction of Outdoor Scenes Using an MMW Radar and a Monocular Vision Sensor. Sensors, 2015, 15, 25937-25967.	3.8	19
182	Locomotion Strategy Selection for a Hybrid Mobile Robot Using Time of Flight Depth Sensor. Journal of Sensors, 2015, 2015, 1-14.	1.1	7

#	ARTICLE	IF	CITATIONS
183	Sufficient Condition for Estimation in DesigningHâ€ŽFilter-Based SLAM. Mathematical Problems in Engineering, 2015, 2015, 1-14.	1.1	3
184	Kinect-based Universal Range Sensor and its Application in Educational Laboratories. International Journal of Online and Biomedical Engineering, 2015, 11, 26.	1.4	2
185	Visual Navigation Using Heterogeneous Landmarks and Unsupervised Geometric Constraints. IEEE Transactions on Robotics, 2015, 31, 736-749.	10.3	75
186	Full-parallax 3D display from single-shot Kinect capture. Proceedings of SPIE, 2015, , .	0.8	1
187	3D Plant Modeling: Localization, Mapping and Segmentation for Plant Phenotyping Using a Single Hand-held Camera. Lecture Notes in Computer Science, 2015, , 247-263.	1.3	14
188	Robust Real Time Face Recognition and Tracking on GPU Using Fusion of RGB and Depth Image. , 2015, , .		5
189	Visual Odometry Algorithm Using an RGB-D Sensor and IMU in a Highly Dynamic Environment. Advances in Intelligent Systems and Computing, 2015, , 11-26.	0.6	37
191	Accurate depth sensing by filtering IR cost on the guide of RGB information. Optical Review, 2015, 22, 443-447.	2.0	2
192	On the Performance of Pose-Based RGB-D Visual Navigation Systems. Lecture Notes in Computer Science, 2015, , 407-423.	1.3	13
193	Experimental Evaluation of RGB-D Visual Odometry Methods. International Journal of Advanced Robotic Systems, 2015, 12, 26.	2.1	24
194	A New Flying Range Sensor: Aerial Scan in Omni-Directions. , 2015, , .		3
195	Simultaneous localization and mapping with TurtleBotII. , 2015, , .		2
196	Fusion of Inertial and Visual Measurements for RGB-D SLAM on Mobile Devices. , 2015, , .		18
197	Robust RGB-D Odometry Using Point and Line Features. , 2015, , .		69
198	Building temporal consistent semantic maps for indoor scenes. , 2015, , .		2
199	Real-time and scalable incremental segmentation on dense SLAM. , 2015, , .		76
200	Fast RGBD-ICP with bionic vision depth perception model. , 2015, , .		2
201	Indoor localization by denoising autoencoders and semi-supervised learning in 3D simulated environment. , 2015, , .		5

#	ARTICLE	IF	CITATIONS
202	Aligning RGB-D Point Clouds through Adaptive Integration of Color and Depth Cues. , 2015, , .		0
203	Monocular visual SLAM for tactical situational awareness. , 2015, , .		5
204	Depth Fields: Extending Light Field Techniques to Time-of-Flight Imaging. , 2015, , .		12
205	Registration with the Point Cloud Library: A Modular Framework for Aligning in 3-D. IEEE Robotics and Automation Magazine, 2015, 22, 110-124.	2.0	223
206	Planes Detection for Robust Localization and Mapping in RGB-D SLAM Systems. , 2015, , .		8
207	Approximate surface reconstruction and registration for RGB-D SLAM. , 2015, , .		3
208	RGBD Point Cloud Alignment Using Lucasâ€“Kanade Data Association and Automatic Error Metric Selection. IEEE Transactions on Robotics, 2015, 31, 1548-1554.	10.3	2
209	Path planning of mobile robot by mixing experience with modified artificial potential field method. Advances in Mechanical Engineering, 2015, 7, 168781401561927.	1.6	23
210	Robustness to lighting variations: An RGB-D indoor visual odometry using line segments. , 2015, , .		22
211	An Overview to Visual Odometry and Visual SLAM: Applications to Mobile Robotics. Intelligent Industrial Systems, 2015, 1, 289-311.	1.0	214
212	SRSL: Monocular self-referenced line structured light. , 2015, , .		12
213	3D indoor scene modeling from RGB-D data: a survey. Computational Visual Media, 2015, 1, 267-278.	17.5	72
214	Removing dynamic 3D objects from point clouds of a moving RGB-D camera. , 2015, , .		8
215	The importance of measurement uncertainty modelling in the feature-based RGB-D SLAM. , 2015, , .		5
216	Label Propagation for Large Scale 3D Indoor Scenes. Lecture Notes in Computer Science, 2015, , 253-264.	1.3	0
217	Structure from motion using a hybrid stereo-vision system. , 2015, , .		0
218	3D pose estimation with one plane correspondence using kinect and IMU. , 2015, , .		5
219	Sparse Depth Odometry: 3D keypoint based pose estimation from dense depth data. , 2015, , .		14

#	ARTICLE	IF	CITATIONS
220	3D Background Modeling in Multi-view RGB-D Video. , 2015, , .		0
221	Cloud-Based Analysis and Control for Robots in Industrial Automation. , 2015, , .		6
222	Localization Challenges for the Emergence of the Smart World. IEEE Access, 2015, 3, 3058-3067.	4.2	138
223	Automatic and adaptable registration of live RGBD video streams. , 2015, , .		2
224	An improved ICP registration algorithm with a weight-bootstrap scheme. , 2015, , .		0
226	Multi-volume mapping and tracking for real-time RGB-D sensing. Proceedings of SPIE, 2015, , .	0.8	1
227	Parallel RANSAC: Speeding up plane extraction in RGBD image sequences using GPU. , 2015, , .		14
228	Fused 2D/3D position tracking for robust SLAM on mobile robots. , 2015, , .		8
229	Direct 6-DoF Pose Estimation from Point-Plane Correspondences. , 2015, , .		6
230	Automatic registration of unordered point clouds acquired by Kinect sensors using an overlap heuristic. ISPRS Journal of Photogrammetry and Remote Sensing, 2015, 102, 96-109.	11.1	47
231	Fusion of Range and Stereo Data for High-Resolution Scene-Modeling. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2015, 37, 2178-2192.	13.9	29
232	Theoretical and experimental study on remote dynamic balance control for a suspended wheeled mobile manipulator. Nonlinear Dynamics, 2015, 79, 851-864.	5.2	8
233	Semi-automated approach to indoor mapping for 3D as-built building information modeling. Computers, Environment and Urban Systems, 2015, 51, 34-46.	7.1	88
234	Segmentation of building point cloud models including detailed architectural/structural features and MEP systems. Automation in Construction, 2015, 51, 32-45.	9.8	141
235	Real-Time Ground-Plane Based Mobile Localization Using Depth Camera in Real Scenarios. Journal of Intelligent and Robotic Systems: Theory and Applications, 2015, 80, 525-536.	3.4	4
236	RGB-D Sensors in Social Robotics. Journal of Automation, Mobile Robotics and Intelligent Systems, 2015, 9, 18-27.	0.4	3
237	Real-Time RGB-D Camera Relocalization via Randomized Ferns for Keyframe Encoding. IEEE Transactions on Visualization and Computer Graphics, 2015, 21, 571-583.	4.4	84
238	Shading-based refinement on volumetric signed distance functions. ACM Transactions on Graphics, 2015, 34, 1-14.	7.2	105

#	ARTICLE	IF	CITATIONS
239	Virtual, Augmented and Mixed Reality. Lecture Notes in Computer Science, 2015, , .	1.3	6
240	Local 3D Pose Estimation of Feature Points Based on RGB-D Information for Object Based Augmented Reality. Lecture Notes in Computer Science, 2015, , 130-141.	1.3	0
241	A review and quantitative comparison of methods for kinect calibration. , 2015, , .		4
242	Real-time onboard 6DoF localization of an indoor MAV in degraded visual environments using a RGB-D camera. , 2015, , .		26
243	3D Modeling of Building Indoor Spaces and Closed Doors from Imagery and Point Clouds. Sensors, 2015, 15, 3491-3512.	3.8	82
244	Characterization of Different Microsoft Kinect Sensor Models. IEEE Sensors Journal, 2015, 15, 4554-4564.	4.7	56
245	Real-time monocular image-based 6-DoF localization. International Journal of Robotics Research, 2015, 34, 476-492.	8.5	36
246	The VLSI implementation of a high-resolution depth-sensing SoC based on active structured light. Machine Vision and Applications, 2015, 26, 533-548.	2.7	7
247	Graph-Based Segmentation for RGB-D Data Using 3-D Geometry Enhanced Superpixels. IEEE Transactions on Cybernetics, 2015, 45, 927-940.	9.5	52
248	Robust RGB-D simultaneous localization and mapping using planar point features. Robotics and Autonomous Systems, 2015, 72, 1-14.	5.1	40
249	Estimating the Dead Space Volume Between a Headform and N95 Filtering Facepiece Respirator Using Microsoft Kinect. Journal of Occupational and Environmental Hygiene, 2015, 12, 538-546.	1.0	18
250	Telerobotic Haptic Exploration in Art Galleries and Museums for Individuals with Visual Impairments. IEEE Transactions on Haptics, 2015, 8, 327-338.	2.7	14
251	Visual-lidar odometry and mapping: low-drift, robust, and fast. , 2015, , .		414
252	Depth Error Elimination for RGB-D Cameras. ACM Transactions on Intelligent Systems and Technology, 2015, 6, 1-16.	4.5	9
253	A review of visual inertial odometry from filtering and optimisation perspectives. Advanced Robotics, 2015, 29, 1289-1301.	1.8	61
254	Textured voxel-bounded planes: Efficient representation of color points for 3D mapping and visualization. , 2015, , .		2
255	An improved RGB-D SLAM algorithm based on Kinect sensor. , 2015, , .		6
256	A Comparison of Feature Detectors and Descriptors in RGB-D SLAM Methods. Lecture Notes in Computer Science, 2015, , 297-305.	1.3	6

#	ARTICLE	IF	CITATIONS
257	Some improvements in the RGB-D SLAM system. , 2015, , .		0
258	PiP Virtual Rehabilitation System. , 2015, , .		0
259	Registration System Errors Perception in Augmented Reality Based on RGB-D Cameras. Lecture Notes in Computer Science, 2015, , 119-129.	1.3	1
261	Optimization-based automatic parameter tuning for stereo vision. , 2015, , .		4
262	Real-time large-scale dense RGB-D SLAM with volumetric fusion. International Journal of Robotics Research, 2015, 34, 598-626.	8.5	313
263	Depth map reconstruction and rectification through coding parameters for mobile 3D video system. Neurocomputing, 2015, 151, 663-673.	5.9	8
264	Dense real-time mapping of object-class semantics from RGB-D video. Journal of Real-Time Image Processing, 2015, 10, 599-609.	3.5	50
265	Topological Indoor Localization and Navigation for Autonomous Mobile Robot. IEEE Transactions on Automation Science and Engineering, 2015, 12, 729-738.	5.2	54
266	A Kinectâ€Based System for 3D Reconstruction of Sewer Manholes. Computer-Aided Civil and Infrastructure Engineering, 2015, 30, 906-917.	9.8	13
267	Metric-based detection of robot kidnapping with an SVM classifier. Robotics and Autonomous Systems, 2015, 69, 40-51.	5.1	3
268	RGB-D SLAM Based on Extended Bundle Adjustment with 2D and 3D Information. Sensors, 2016, 16, 1285.	3.8	20
269	Experience based localization in wide open indoor environments. Paladyn, 2016, 9, 82-94.	2.7	0
270	A Novel Improved Probability-Guided RANSAC Algorithm for Robot 3D Map Building. Journal of Sensors, 2016, 2016, 1-18.	1.1	8
271	3D Measurement with High Accuracy and Robust Estimation for Bin Picking. Journal of the Robotics Society of Japan, 2016, 34, 261-271.	0.1	3
272	Extracting Semantic Information from Visual Data: A Survey. Robotics, 2016, 5, 8.	3.5	25
273	Enhanced RGB-D Mapping Method for Detailed 3D Indoor and Outdoor Modeling. Sensors, 2016, 16, 1589.	3.8	28
274	Geomatics and Forensic: Progress and Challenges. , 0, , .		1
275	Characterizing wave propagation to improve indoor step-level person localization using floor vibration. , 2016, , .		16



#	ARTICLE	IF	CITATIONS
276	Building 3D semantic maps for mobile robots using RGB-D camera. Intelligent Service Robotics, 2016, 9, 297-309.	2.6	29
277	Robust Visual Place Recognition with Graph Kernels. , 2016, , .		33
278	Maximum clique based RGB-D visual odometry. , 2016, , .		2
279	Occlusion Detection and Localization from Kinect Depth Images. , 2016, , .		13
280	Parsing main structures of indoor scenes from single RGB-D image. Journal of Advanced Mechanical Design, Systems and Manufacturing, 2016, 10, JAMDSM0102-JAMDSM0102.	0.7	7
281	Development of a Mobile Robot Providing a Natural Way to Interact With Electronic Devices. , 2016, , .		0
282	A 3D Reconstruction with High Density and Accuracy Using Laser Profiler and Camera Fusion System on a Rover. , 2016, , .		6
283	A method of simultaneous location and mapping based on RGB-D cameras. , 2016, , .		2
284	Depth data fusion for simultaneous localization and mapping " RGB-DD SLAM. , 2016, , .		5
285	UGI. , 2016, , .		2
286	Improved KinectFusion based on graph-based optimization and large loop model. , 2016, , .		3
287	3D map-building from RGB-D data considering noise characteristics of Kinect. , 2016, , .		0
288	Online Reconstruction of Indoor Scenes from RGB-D Streams. , 2016, , .		16
289	Efficient 3D mapping with RGB-D camera based on distance dependent update. , 2016, , .		2
290	Research and implementation of 3D SLAM algorithm based on Kinect depth sensor. , 2016, , .		3
291	Real-time multiview data fusion for object tracking with RGBD sensors. Robotica, 2016, 34, 1855-1879.	1.9	9
292	Visual servoing in a cable robot using Microsoft Kinect v2 sensor. , 2016, , .		2
293	Towards an omnidirectional catadioptric RGB-D camera. , 2016, , .		3

#	ARTICLE	IF	CITATIONS
294	Visual programming for mobile robot navigation using high-level landmarks. , 2016, , .		3
295	Human-guided robot 3D mapping using virtual reality technology. , 2016, , .		7
296	Differential Histogram of Normal Vectors for Object Recognition with Depth Sensors. , 2016, , .		5
297	Histogram Based Visual Place Recognition for Improving SLAM Performance. , 2016, , .		2
298	A localization and navigation method with ORB-SLAM for indoor service mobile robots. , 2016, , .		8
299	The applications of robust estimation method BaySAC in indoor point cloud processing. Geo-Spatial Information Science, 2016, 19, 182-187.	5.3	2
300	Vision based persistent localization of a humanoid robot for locomotion tasks. International Journal of Applied Mathematics and Computer Science, 2016, 26, 669-682.	1.5	4
301	Applications of RGB-D data for 3D reconstruction in the indoor environment. , 2016, , .		1
302	Combining virtual reality enabled simulation with 3D scanning technologies towards smart manufacturing. , 2016, , .		13
303	An omnidirectional 3D sensor with line laser scanning. Optics and Lasers in Engineering, 2016, 84, 96-104.	3.8	28
304	Local quality assessment of point clouds for indoor mobile mapping. Neurocomputing, 2016, 196, 59-69.	5.9	13
305	Cost-efficient RGB-D smart camera for people detection and tracking. Journal of Electronic Imaging, 2016, 25, 041007.	0.9	13
306	A robust online path planning approach in cluttered environments for micro rotorcraft drones. Control Theory and Technology, 2016, 14, 83-96.	1.6	37
307	A novel hardware plane fitting implementation and applications for bionic vision. Machine Vision and Applications, 2016, 27, 967-982.	2.7	3
308	Analysis and Comparison of Motion Capture Systems for Human Walking. Experimental Techniques, 2016, 40, 875-883.	1.5	5
309	Efficient generation of 3D surfel maps using RGB-D sensors. International Journal of Applied Mathematics and Computer Science, 2016, 26, 99-122.	1.5	9
310	All-optical depth coloring based on directional gating. Optics Express, 2016, 24, 21329.	3.4	1
311	A framework for multi-session RGBD SLAM in low dynamic workspace environment. CAAI Transactions on Intelligence Technology, 2016, 1, 90-103.	8.1	17

#	ARTICLE	IF	CITATIONS
312	Distance matching based gesture recognition for healthcare using Microsoft's Kinect sensor. , 2016, , .		10
313	An efficient algorithm for matching of SLAM video sequences. , 2016, , .		1
314	Indoor 3D scene reconstruction for mobile robots using Microsoft kinect sensor. , 2016, , .		6
315	Mobility and Manipulation. Springer Handbooks, 2016, , 1007-1036.	0.6	8
316	Comparing bare-hand-in-air Gesture and Object-in-hand Tangible User Interaction for Navigation of 3D Objects in Modeling. , 2016, , .		6
317	Simultaneous Localization and Mapping. Springer Handbooks, 2016, , 1153-1176.	0.6	60
318	A survey of sketch based modeling systems. Frontiers of Computer Science, 2016, 10, 985-999.	2.4	34
319	A Geometric Localization Method with Monocular Vision for Robots. , 2016, , .		0
320	High-speed three-dimensional mapping by direct estimation of a small motion using range images. , 2016, , .		1
321	Towards a compositional service architecture for real-time cloud robotics. ACM SIGBED Review, 2016, 13, 63-64.	1.8	0
322	A flexible embedded hardware platform supporting low-cost human pose estimation. , 2016, , .		3
323	Scalable inside-out image-based rendering. ACM Transactions on Graphics, 2016, 35, 1-11.	7.2	100
324	Effective Background Model-Based RGB-D Dense Visual Odometry in a Dynamic Environment. IEEE Transactions on Robotics, 2016, 32, 1565-1573.	10.3	126
325	Integration of 3D SLAM, Rigid Body Landmarks and 3D Path Planning. , 2016, , .		1
326	A review of quadruped robots and environment perception. , 2016, , .		16
327	3D reconstruction of indoor building environments with new generation of tablets. , 2016, , .		5
328	3D Planar RGB-D SLAM System. Lecture Notes in Computer Science, 2016, , 486-497.	1.3	0
329	R <sup>3</sup> P: Real-time RGB-D Registration Pipeline. Lecture Notes in Computer Science, 2016, , 385-397.	1.3	0

#	ARTICLE	IF	CITATIONS
330	Three-Dimensional Surface Reconstruction of RGB-D Sensors for Complex Environment: Surface Reconstruction. , 2016, , .		0
331	The Pose Estimation of Mobile Robot Based on Improved Point Cloud Registration. International Journal of Advanced Robotic Systems, 2016, 13, 52.	2.1	6
332	Object recognition for SLAM in floor environments using a depth sensor. , 2016, , .		7
333	Fast and robust mapping with low-cost Kinect V2 for photovoltaic panel cleaning robot. , 2016, , .		3
334	Improved real-time odometry estimation method for incremental RGB-D mapping by fusing IMU data. , 2016, , .		0
335	Expression invariant 3D face modeling from an RGB-D video. , 2016, , .		0
336	Measuring and modeling apple trees using time-of-flight data for automation of dormant pruning applications. , 2016, , .		21
337	Local optimized and scalable frame-to-model SLAM. Multimedia Tools and Applications, 2016, 75, 8675-8694.	3.9	10
338	Augmented Reality, Virtual Reality, and Computer Graphics. Lecture Notes in Computer Science, 2016, , .	1.3	11
339	An Indoor Backpack System for 2-D and 3-D Mapping of Building Interiors. IEEE Geoscience and Remote Sensing Letters, 2016, 13, 992-996.	3.1	32
340	CoRBS: Comprehensive RGB-D benchmark for SLAM using Kinect v2. , 2016, , .		58
341	Investigation of human-robot interface performance in household environments. , 2016, , .		3
342	Improving accuracy of feature-based RGB-D SLAM by modeling spatial uncertainty of point features. , 2016, , .		20
343	When 2.5D is not enough: Simultaneous reconstruction, segmentation and recognition on dense SLAM. , 2016, , .		59
344	A graph theory-based online keywords model for image semantic extraction. , 2016, , .		0
345	Extension of an iterative closest point algorithm for simultaneous localization and mapping in corridor environments. Journal of Electronic Imaging, 2016, 25, 023015.	0.9	4
346	Time-of-Flight and Structured Light Depth Cameras. , 2016, , .		59
347	3D Scene Reconstruction from Depth Camera Data. , 2016, , 231-251.		2

#	ARTICLE	IF	CITATIONS
348	Coupled depth learning. , 2016, , .		18
349	Indoor assistance for visually impaired people using a RGB-D camera. , 2016, , .		13
350	Pedestrian behaviour analysis using the microsoft kinect. , 2016, , .		0
351	Three-dimensional Scan Registration using Curvelet Features in Planetary Environments. Journal of Field Robotics, 2016, 33, 243-259.	6.0	3
352	3D scanning of cultural heritage with consumer depth cameras. Multimedia Tools and Applications, 2016, 75, 3631-3654.	3.9	16
353	Kinect based real-time synthetic aperture imaging through occlusion. Multimedia Tools and Applications, 2016, 75, 6925-6943.	3.9	20
354	SAGE: Semantic Annotation of Georeferenced Environments. Journal of Intelligent and Robotic Systems: Theory and Applications, 2016, 83, 635-648.	3.4	0
355	Mapping Indoor Spaces by Adaptive Coarse-to-Fine Registration of RGB-D Data. IEEE Geoscience and Remote Sensing Letters, 2016, 13, 262-266.	3.1	32
356	Accurate Map-Based RGB-D SLAM for Mobile Robots. Advances in Intelligent Systems and Computing, 2016, , 533-545.	0.6	8
357	Feature selection for quality assessment of indoor mobile mapping point clouds. Proceedings of SPIE, 2016, , .	0.8	0
358	3D spatial pyramid: descriptors generation from point clouds for indoor scene classification. Machine Vision and Applications, 2016, 27, 263-273.	2.7	2
359	Evaluating Map-Based RGB-D SLAM on an Autonomous Walking Robot. Advances in Intelligent Systems and Computing, 2016, , 469-481.	0.6	2
360	Structure-Preserving Binary Representations for RGB-D Action Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2016, 38, 1651-1664.	13.9	89
361	Complementary Cohort Strategy for Multimodal Face Pair Matching. IEEE Transactions on Information Forensics and Security, 2016, 11, 937-950.	6.9	7
362	Possibilities of depth cameras and ultra wide band sensor. , 2016, , .		1
363	Low-Cost Reflectance-Based Method for the Radiometric Calibration of Kinect 2. IEEE Sensors Journal, 2016, 16, 1975-1985.	4.7	6
364	Nonparametric Calibration for Depth Sensors. Advances in Intelligent Systems and Computing, 2016, , 923-935.	0.6	5
365	Large-scale mapping in complex field scenarios using an autonomous car. Expert Systems With Applications, 2016, 46, 439-462.	7.6	70

#	ARTICLE	IF	CITATIONS
366	Low-Cost Real-Time 3D Reconstruction of Large-Scale Excavation Sites. Journal on Computing and Cultural Heritage, 2016, 9, 1-20.	2.1	22
367	Dense RGB-D visual odometry using inverse depth. Robotics and Autonomous Systems, 2016, 75, 571-583.	5.1	26
368	Dense 3D reconstruction combining depth and RGB information. Neurocomputing, 2016, 175, 644-651.	5.9	31
369	Assessment of a Microsoft Kinect-based 3D scanning system for taking body segment girth measurements: a comparison to ISAK and ISO standards. Journal of Sports Sciences, 2016, 34, 1006-1014.	2.0	22
370	Reconstructing 3D human models with a Kinect. Computer Animation and Virtual Worlds, 2016, 27, 72-85.	1.2	18
371	Fast Depth Video Compression for Mobile RGB-D Sensors. IEEE Transactions on Circuits and Systems for Video Technology, 2016, 26, 673-686.	8.3	11
372	Model-based furniture recognition for building semantic object maps. Artificial Intelligence, 2017, 247, 336-351.	5.8	27
373	Unsupervised learning to detect loops using deep neural networks for visual SLAM system. Autonomous Robots, 2017, 41, 1-18.	4.8	146
374	A real-time method for depth enhanced visual odometry. Autonomous Robots, 2017, 41, 31-43.	4.8	52
375	A Survey of Surface Reconstruction from Point Clouds. Computer Graphics Forum, 2017, 36, 301-329.	3.0	296
376	Monocular scene flow estimation via variational method. Multimedia Tools and Applications, 2017, 76, 10575-10597.	3.9	15
377	Towards a Realistic Indoor World Reconstruction: Preliminary Results for an Object-Oriented 3D RGB-D Mapping. Intelligent Automation and Soft Computing, 2017, 23, 207-218.	2.1	1
378	Evaluation of sampling method effects in 3D non-rigid registration. Neural Computing and Applications, 2017, 28, 953-967.	5.6	11
379	Semi-direct tracking and mapping with RGB-D camera for MAV. Multimedia Tools and Applications, 2017, 76, 4445-4469.	3.9	13
380	A novel system for object pose estimation using fused vision and inertial data. Information Fusion, 2017, 33, 15-28.	19.1	35
382	Comprehensive Use of Curvature for Robust and Accurate Online Surface Reconstruction. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2017, 39, 2349-2365.	13.9	29
383	SRAL: Shared Representative Appearance Learning for Long-Term Visual Place Recognition. IEEE Robotics and Automation Letters, 2017, 2, 1172-1179.	5.1	36
384	Kinect v2 Sensor-Based Mobile Terrestrial Laser Scanner for Agricultural Outdoor Applications. IEEE/ASME Transactions on Mechatronics, 2017, 22, 2420-2427.	5.8	36

#	ARTICLE	IF	CITATIONS
385	Using RGB-D sensors and evolutionary algorithms for the optimization of workstation layouts. Applied Ergonomics, 2017, 65, 530-540.	3.1	10
386	3D SLAM in texture-less environments using rank order statistics. Robotica, 2017, 35, 809-831.	1.9	5
387	A high-throughput stereo-imaging system for quantifying rape leaf traits during the seedling stage. Plant Methods, 2017, 13, 7.	4.3	59
388	Safety Services in Smart Environments Using Depth Cameras. Lecture Notes in Computer Science, 2017, , 80-93.	1.3	4
389	Three-dimensional object reconstruction using patch significance correspondence. Journal of Electronic Imaging, 2017, 26, 023017.	0.9	0
390	A Hierarchical Optimization Algorithm Based on GPU for Real-Time 3D Reconstruction. 3D Research, 2017, 8, 1.	1.8	1
391	Feature-based RGB-D camera pose optimization for real-time 3D reconstruction. Computational Visual Media, 2017, 3, 95-106.	17.5	13
392	Teleoperation control of Baxter robot using Kalman filter-based sensor fusion. Systems Science and Control Engineering, 2017, 5, 156-167.	3.1	24
393	Friend or foe: exploiting sensor failures for transparent object localization and classification. Proceedings of SPIE, 2017, , .	0.8	4
394	Data-driven estimation of building interior plans. International Journal of Geographical Information Science, 2017, 31, 1652-1674.	4.8	10
395	Modeling large-scale indoor scenes with rigid fragments using RGB-D cameras. Computer Vision and Image Understanding, 2017, 157, 103-116.	4.7	8
396	A new method for inpainting of depth maps from time-of-flight sensors based on a modified closing by reconstruction algorithm. Journal of Visual Communication and Image Representation, 2017, 47, 36-47.	2.8	10
397	Data-Driven Neural Network Model for Robust Reconstruction of Automobile Casting. 3D Research, 2017, 8, 1.	1.8	0
398	Visual SLAM algorithms: a survey from 2010 to 2016. IPSJ Transactions on Computer Vision and Applications, 2017, 9, .	4.4	416
399	Kinect depth image enhancement with adaptive joint multi-lateral discrete filters. Journal of Difference Equations and Applications, 2017, 23, 350-366.	1.1	1
400	Fast, Accurate, Small-Scale 3D Scene Capture Using a Low-Cost Depth Sensor. , 2017, 2017, 1268-1276.		10
401	IMU aided RGB-D SLAM. , 2017, , .		7
402	Happy Index. , 2017, , .		2

#	ARTICLE	IF	CITATIONS
403	Potato feature prediction based on machine vision and 3D model rebuilding. Computers and Electronics in Agriculture, 2017, 137, 41-51.	7.7	30
404	Direct Visual Odometry in Low Light Using Binary Descriptors. IEEE Robotics and Automation Letters, 2017, 2, 444-451.	5.1	52
405	Parametric Surface Representation with Bump Image for Dense 3D Modeling Using an RGB-D Camera. International Journal of Computer Vision, 2017, 123, 206-225.	15.6	2
406	Improving RGB-D SLAM in dynamic environments: A motion removal approach. Robotics and Autonomous Systems, 2017, 89, 110-122.	5.1	265
407	KINECT Face Recognition Using Occluded Area Localization Method. Lecture Notes in Computer Science, 2017, , 12-28.	1.3	4
408	BreakSense. , 2017, , .		34
409	RGB-D object recognition with multimodal deep convolutional neural networks. , 2017, , .		20
410	RGB-D SLAM in Dynamic Environments Using Static Point Weighting. IEEE Robotics and Automation Letters, 2017, 2, 2263-2270.	5.1	172
411	Activity recognition for indoor fall detection using convolutional neural network. , 2017, , .		74
412	ORB-SLAM-based tracing and 3D reconstruction for robot using Kinect 2.0. , 2017, , .		16
413	Probabilistic data association for semantic SLAM. , 2017, , .		283
414	Enabling aggressive motion estimation at low-drift and accurate mapping in real-time. , 2017, , .		23
415	A Fast 3D Object Recognition Pipeline in Cluttered and Occluded Scenes. Lecture Notes in Computer Science, 2017, , 588-598.	1.3	4
416	Interactive smart home design based on Internet of Things. , 2017, , .		4
417	Camera-laser fusion sensor system and environmental recognition for humanoids in disaster scenarios. Journal of Mechanical Science and Technology, 2017, 31, 2997-3003.	1.5	7
418	Stereo Object Proposals. IEEE Transactions on Image Processing, 2017, 26, 671-683.	9.8	3
419	Large scale and long standing simultaneous reconstruction and segmentation. Computer Vision and Image Understanding, 2017, 157, 138-150.	4.7	6
420	A framework for mapping with biobotic insect networks: From local to global maps. Robotics and Autonomous Systems, 2017, 88, 79-96.	5.1	22



#	ARTICLE	IF	CITATIONS
421	Colour Hue and Texture Evaluation for 3D Symbolization of Indoor Environments Using RGB-D Data. Cartographic Journal, 2017, 54, 233-241.	1.5	0
422	Multi-view Non-rigid Refinement and Normal Selection for High Quality 3D Reconstruction. , 2017, , .		1
423	SPLODE: Semi-probabilistic point and line odometry with depth estimation from RGB-D camera motion. , 2017, , .		4
424	3D textile reconstruction based on KinectFusion and synthesized texture. International Journal of Clothing Science and Technology, 2017, 29, 793-806.	1.1	3
425	Invisibility: A moving-object removal approach for dynamic scene modelling using RGB-D camera. , 2017, , .		5
426	A computer vision method for respiratory monitoring in intensive care environment using RGB-D cameras. , 2017, , .		5
427	An automatic image registration evaluation model on dense feature points by pinhole camera simulation. , 2017, , .		6
428	A fast 3D map building method for indoor robots based on point-line features extraction. , 2017, , .		0
429	3D handheld scanning based on multiview 3D registration using Kinect Sensing device. , 2017, , .		2
430	Mobile robot SLAM methods improved for adapting to search and rescue environments. , 2017, , .		2
431	An effective approach to SLAM toward autonomous operation for a Leg/Arm composite mobile robot in unknown environment based on RGB-D images. , 2017, , .		0
432	Enhancing Robot Capabilities of Environmental Perception through Embedded GPU. , 2017, , .		2
433	UAV 3D mapping with RGB-D camera. , 2017, , .		1
434	Improving accuracy of feature matching in visual SLAM using spatial consistency of point features. , 2017, , .		0
435	Six-DoF pose estimation using dual-axis rotating laser sweeps using a probabilistic framework. , 2017, , .		4
436	[POSTER] ORBFusion: Real-Time and Accurate Dense SLAM at Large Scale. , 2017, , .		0
437	Information-fusion based robot simultaneous localization and mapping adapted to search and rescue cluttered environment. , 2017, , .		4
438	Low power depth estimation for time-of-flight imaging. , 2017, , .		6

#	ARTICLE	IF	CITATIONS
439	RGBDTAM: A cost-effective and accurate RGB-D tracking and mapping system. , 2017, , .		28
440	Colored Point Cloud Registration Revisited. , 2017, , .		174
441	Fusion hand gesture segmentation and extraction based on CMOS sensor and 3D sensor. International Journal of Wireless and Mobile Computing, 2017, 12, 305.	0.2	18
442	Simulating real-world scenes viewed through ophthalmic lenses. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2017, 34, 1301.	1.5	6
443	Depth Errors Analysis and Correction for Time-of-Flight (ToF) Cameras. Sensors, 2017, 17, 92.	3.8	62
444	A Semantic Labeling of the Environment Based on What People Do. Sensors, 2017, 17, 260.	3.8	1
445	New Compact 3-Dimensional Shape Descriptor for a Depth Camera in Indoor Environments. Sensors, 2017, 17, 876.	3.8	0
446	CuFusion: Accurate Real-Time Camera Tracking and Volumetric Scene Reconstruction with a Cuboid. Sensors, 2017, 17, 2260.	3.8	8
447	A Quantitative Comparison of Calibration Methods for RGB-D Sensors Using Different Technologies. Sensors, 2017, 17, 243.	3.8	22
448	Globally Consistent Indoor Mapping via a Decoupling Rotation and Translation Algorithm Applied to RGB-D Camera Output. ISPRS International Journal of Geo-Information, 2017, 6, 323.	2.9	0
449	A Post-Rectification Approach of Depth Images of Kinect v2 for 3D Reconstruction of Indoor Scenes. ISPRS International Journal of Geo-Information, 2017, 6, 349.	2.9	29
450	Tracking a Subset of Skeleton Joints: An Effective Approach towards Complex Human Activity Recognition. Journal of Robotics, 2017, 2017, 1-8.	0.9	4
451	Obstacle avoidance for mobile robot using RGB-D camera. , 2017, , .		5
452	Easy and Fast Reconstruction of a 3D Avatar with an RGB-D Sensor. Sensors, 2017, 17, 1113.	3.8	12
453	3D shape, deformation, and vibration measurements using infrared Kinect sensors and digital image correlation. Applied Optics, 2017, 56, 9030.	1.8	35
454	Visual Slam and Obstacle Avoidance Based on RGB-D Camera. , 2017, , .		1
455	Real-time volumetric reconstruction of Manhattan indoor scenes from depth sequences. , 2017, , .		0
456	Remote control non-contact manipulation system for micro robotics. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
457	An improved RGB-D SLAM algorithm. , 2017, , .		2
458	Non-iterative SLAM. , 2017, , .		16
459	Perception-Driven Obstacle-Aided Locomotion for Snake Robots: The State of the Art, Challenges and Possibilities â€. Applied Sciences (Switzerland), 2017, 7, 336.	2.5	52
460	A Real-time and Low-cost 3D SLAM System Based on a Continuously Rotating 2D Laser Scanner. , 2017, , .		4
461	Robust RGB-D Visual Odometry Based on Planar Features. , 2017, , .		0
462	A Real-time Handheld 3D Temperature Field Reconstruction System. , 2017, , .		3
463	Improving Robot Navigation and Obstacle Avoidance using Kinect 2.0. , 2017, , .		4
464	An automatic shoe-groove feature extraction method based on robot and structural laser scanning. International Journal of Advanced Robotic Systems, 2017, 14, 172988141667813.	2.1	7
465	Model-Based 3D Object Recognition in RGB-D Images. Intelligent Systems Reference Library, 2018, , 73-96.	1.2	0
466	Personalized 3D mannequin reconstruction based on 3D scanning. International Journal of Clothing Science and Technology, 2018, 30, 159-174.	1.1	22
467	Depth camera indoor mapping for 3D virtual radio play. Photogrammetric Record, 2018, 33, 171-195.	0.4	15
468	Portable 3-D modeling using visual pose tracking. Computers in Industry, 2018, 99, 53-68.	9.9	2
469	Wearable-Assisted Localization and Inspection Guidance System Using Egocentric Stereo Cameras. IEEE Sensors Journal, 2018, 18, 809-821.	4.7	16
470	Construction of a 3D Map of Indoor Environment. Procedia Computer Science, 2018, 125, 124-131.	2.0	4
471	Location of Things (LoT): A Review and Taxonomy of Sensors Localization in IoT Infrastructure. IEEE Communications Surveys and Tutorials, 2018, 20, 2028-2061.	39.4	153
472	Optimized Self-Localization for SLAM in Dynamic Scenes Using Probability Hypothesis Density Filters. IEEE Transactions on Signal Processing, 2018, 66, 863-878.	5.3	27
473	An Efficient 3-D Mapping Algorithm for RGB-D SLAM. Communications in Computer and Information Science, 2018, , 466-477.	0.5	0
474	Mapping and localization module in a mobile robot for insulating building crawl spaces. Automation in Construction, 2018, 87, 248-262.	9.8	13

#	ARTICLE	IF	CITATIONS
475	3D scene reconstruction using a texture probabilistic grammar. Multimedia Tools and Applications, 2018, 77, 28417-28440.	3.9	3
476	Occupant localization using footstep-induced structural vibration. Mechanical Systems and Signal Processing, 2018, 112, 77-97.	8.0	91
477	Sequence-based sparse optimization methods for long-term loop closure detection in visual SLAM. Autonomous Robots, 2018, 42, 1323-1335.	4.8	21
478	RGB-D SLAM in Indoor Environments With STING-Based Plane Feature Extraction. IEEE/ASME Transactions on Mechatronics, 2018, 23, 1071-1082.	5.8	26
479	3D Scene Reconstruction Using Colorimetric and Geometric Constraints on Iterative Closest Point Method. Multimedia Tools and Applications, 2018, 77, 14381-14406.	3.9	3
480	3D reconstruction framework via combining one 3D scanner and multiple stereo trackers. Visual Computer, 2018, 34, 377-389.	3.5	12
481	Neuro-Activity-Based Dynamic Path Planner for 3-D Rough Terrain. IEEE Transactions on Cognitive and Developmental Systems, 2018, 10, 138-150.	3.8	12
482	Range image registration based on 2D synthetic images. CAD Computer Aided Design, 2018, 94, 16-27.	2.7	20
483	Pairwise registration in indoor environments using adaptive combination of 2D and 3D cues. Image and Vision Computing, 2018, 69, 113-124.	4.5	3
484	From one to crowd: a survey on crowdsourcing-based wireless indoor localization. Frontiers of Computer Science, 2018, 12, 423-450.	2.4	29
485	Characterizing human activity induced impulse and slip-pulse excitations through structural vibration. Journal of Sound and Vibration, 2018, 414, 61-80.	3.9	18
486	Real-time enhancement of sparse 3D maps using a parallel segmentation scheme based on superpixels. Journal of Real-Time Image Processing, 2018, 14, 667-683.	3.5	2
487	Occupant Activity Level Estimation Using Floor Vibration. , 2018, , .		10
488	Combining ElasticFusion with PSPNet for RGB-D Based Indoor Semantic Mapping. , 2018, , .		9
489	An Improved Fast Visual Odometry Based on Semi-probabilistic Trimmed ICP. , 2018, , .		0
490	State of the Art on 3D Reconstruction with RGB-D Cameras. Computer Graphics Forum, 2018, 37, 625-652.	3.0	191
491	MaskFusion: Real-Time Recognition, Tracking and Reconstruction of Multiple Moving Objects. , 2018, , .		216
492	A RGB-D SLAM Algorithm Combining ORB Features and BOW. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
493	Bionic Visual-based Data Conversion for SLAM. , 2018, , .		0
494	A Combined RGB and Depth Descriptor for SLAM with Humanoids. , 2018, , .		3
495	Robust 2D Indoor Localization Through Laser SLAM and Visual SLAM Fusion. , 2018, , .		59
496	Directional Grid Maps: Modeling Multimodal Angular Uncertainty in Dynamic Environments. , 2018, , .		13
497	Multi-scale Voxel Hashing and Efficient 3D Representation for Mobile Augmented Reality. , 2018, , .		7
498	Design of The 3D Surface Scanning System for Human Wrist Contour Using Laser Line Imaging. , 2018, , .		4
499	A JOINT EFFORT OF SPEEDED-UP ROBUST FEATURES ALGORITHM AND A DISPARITY-BASED MODEL FOR 3D INDOOR MAPPING USING RGB-D DATA. Boletim De Ciencias Geodesicas, 2018, 24, 351-366.	0.3	0
500	Potato volume measurement based on RGB-D camera. IFAC-PapersOnLine, 2018, 51, 515-520.	0.9	12
501	A General Approach of Calculating Semantic Object Distances from Complex Point Clouds. , 2018, , .		0
502	Study on Increased Fusion Map Based on RGB-D Sensor. , 2018, , .		0
503	Dense 3-D Mapping with Spatial Correlation via Gaussian Filtering. , 2018, , .		2
504	Particle Filter Based Tracking and Mapping. Lecture Notes in Computer Science, 2018, , 299-308.	1.3	0
505	Feature Regions Segmentation Based RGB-D Visual Odometry in Dynamic Environment. , 2018, , .		5
506	Keyframe-Based RGB-D SLAM for Mobile Robots with Visual Odometry in Indoor Environments Using Graph Optimization. , 2018, , .		3
507	Management of Subdivided Dynamic Indoor Environments by Autonomous Scanning System. , 2018, , .		1
508	Studies on Three-Dimensional (3D) Modeling of UAV Oblique Imagery with the Aid of Loop-Shooting. ISPRS International Journal of Geo-Information, 2018, 7, 356.	2.9	9
509	Real-time collaborative reconstruction of digital building models with mobile devices. Advanced Engineering Informatics, 2018, 38, 569-580.	8.0	11
510	StaticFusion: Background Reconstruction for Dense RGB-D SLAM in Dynamic Environments. , 2018, , .		117

#	ARTICLE	IF	CITATIONS
511	Real-Time Re-Textured Geometry Modeling Using Microsoft HoloLens. , 2018, , .		9
512	Efficient Global Point Cloud Registration by Matching Rotation Invariant Features Through Translation Search. Lecture Notes in Computer Science, 2018, , 460-474.	1.3	42
513	Multi-view registration of unordered range scans by fast correspondence propagation of multi-scale descriptors. PLoS ONE, 2018, 13, e0203139.	2.5	4
514	Relative Pose Based Redundancy Removal: Collaborative RGB-D Data Transmission in Mobile Visual Sensor Networks. Sensors, 2018, 18, 2430.	3.8	3
515	Laserâ€“visualâ€“inertial odometry and mapping with high robustness and low drift. Journal of Field Robotics, 2018, 35, 1242-1264.	6.0	153
516	Real-time High-accuracy Three-Dimensional Reconstruction with Consumer RGB-D Cameras. ACM Transactions on Graphics, 2018, 37, 1-16.	7.2	47
517	UFSM VO: Stereo Odometry Based on Uniformly Feature Selection and Strictly Correspondence Matching. , 2018, , .		4
518	Modeling spatial uncertainty of point features in feature-based RGB-D SLAM. Machine Vision and Applications, 2018, 29, 827-844.	2.7	12
519	Grid Map Guided Indoor 3D Reconstruction for Mobile Robots with RGB-D Sensors. , 2018, , .		2
520	Recent Developments in Game-Based Virtual Reality Educational Laboratories Using the Microsoft Kinect. International Journal of Emerging Technologies in Learning, 2018, 13, 138.	1.3	53
521	Research on 3D Point Cloud Model Reconstruction Method Based on Multi-Kinects. , 2018, , .		1
522	An IMU-aided Visual Odometry with Loop-closure Optimization. , 2018, , .		0
523	Automatic Generation of Semantically Rich Asâ€“Built Building Information Models Using 2D Images: A Derivativeâ€“Free Optimization Approach. Computer-Aided Civil and Infrastructure Engineering, 2018, 33, 926-942.	9.8	45
524	An Image Representation for the 3D Face Synthesis. , 2018, , .		0
525	Visual-Inertial RGB-D SLAM for Mobile Augmented Reality. Lecture Notes in Computer Science, 2018, , 928-938.	1.3	1
526	Tracking an RGB-D Camera on Mobile Devices Using an Improved Frame-to-Frame Pose Estimation Method. , 2018, , .		0
528	A Real-Time 3D Perception and Reconstruction System Based on a 2D Laser Scanner. Journal of Sensors, 2018, 2018, 1-14.	1.1	19
529	Information-Fusion Methods Based Simultaneous Localization and Mapping for Robot Adapting to Search and Rescue Postdisaster Environments. Journal of Robotics, 2018, 2018, 1-13.	0.9	2

#	ARTICLE	IF	CITATIONS
530	A dense mapping method based on CNN. , 2018, , .		0
531	Depth and thermal sensor fusion to enhance 3D thermographic reconstruction. Optics Express, 2018, 26, 8179.	3.4	33
532	A 3D Point Cloud Segmentation Method Based on Local Convexity and Dimension Features. , 2018, , .		3
533	Single-photon 3D imaging with deep sensor fusion. ACM Transactions on Graphics, 2018, 37, 1-12.	7.2	120
534	A hybrid method for skeleton extraction on Kinect sensor data: Combination of L 1 -Median and Laplacian shrinking algorithms. Measurement: Journal of the International Measurement Confederation, 2018, 125, 535-544.	5.0	16
535	3D body reconstruction using graph optimization. , 2018, , .		0
536	Calibrate Multiple Consumer RGB-D Cameras for Low-Cost and Efficient 3D Indoor Mapping. Remote Sensing, 2018, 10, 328.	4.0	42
537	Geometric Integration of Hybrid Correspondences for RGB-D Unidirectional Tracking. Sensors, 2018, 18, 1385.	3.8	7
538	Real-Time Large-Scale Dense Mapping with Surfels. Sensors, 2018, 18, 1493.	3.8	9
539	Scale Estimation and Correction of the Monocular Simultaneous Localization and Mapping (SLAM) Based on Fusion of 1D Laser Range Finder and Vision Data. Sensors, 2018, 18, 1948.	3.8	34
540	A Survey of Enabling Technologies for Network Localization, Tracking, and Navigation. IEEE Communications Surveys and Tutorials, 2018, 20, 3607-3644.	39.4	281
541	Pose Estimation Algorithm Based on Improved RANSAC with an RGB-D Camera. , 2018, , .		1
542	An Improvement Algorithm for OctoMap Based on RGB-D SLAM. , 2018, , .		1
543	Metrological evaluation of modeling method between Kinect Fusion and 3D Scan with Kinect V2. , 2018, , .		0
544	Effective outlier matches pruning algorithm for rigid pairwise point cloud registration using distance disparity matrix. IET Computer Vision, 2018, 12, 220-232.	2.0	8
545	3D Reconstruction of Indoor Scenes via Image Registration. Neural Processing Letters, 2018, 48, 1281-1304.	3.2	15
546	Mobile Robot Based on FPGA. , 2018, , .		1
547	A real-time interactive system of surface reconstruction and dynamic projection mapping with RGB-depth sensor and projector. International Journal of Distributed Sensor Networks, 2018, 14, 155014771879085.	2.2	11

#	ARTICLE	IF	CITATIONS
548	A Robust and Accurate Simultaneous Localization and Mapping System for RGB-D Cameras. , 2018, , .		1
549	Point Cloud Based Autonomous Area Exploration Algorithm. , 2018, , .		1
550	Feasibility of Google Tango and Kinect for Crowdsourcing Forestry Information. Forests, 2018, 9, 6.	2.1	53
551	Keyframe extraction and loop closure detection considering robot motion. , 2018, , .		2
552	IoT - An Opportunity for Autonomous BIM Reconstruction?. Lecture Notes in Computer Science, 2018, , 61-81.	1.3	0
553	Global Localization Using Low-frequency Image-based Descriptor and Range Data-based Validation. International Journal of Control, Automation and Systems, 2018, 16, 1332-1340.	2.7	2
554	Aligning 2.5D Scene Fragments With Distinctive Local Geometric Features and Voting-Based Correspondences. IEEE Transactions on Circuits and Systems for Video Technology, 2019, 29, 714-729.	8.3	29
555	Designing and evaluating safety services using depth cameras. Journal of Ambient Intelligence and Humanized Computing, 2019, 10, 747-759.	4.9	8
556	Efficient Velodyne SLAM with point and plane features. Autonomous Robots, 2019, 43, 1207-1224.	4.8	31
558	Efficient Planar Surface-Based 3D Mapping Method for Mobile Robots Using Stereo Vision. IEEE Access, 2019, 7, 73593-73601.	4.2	5
559	Semi-direct Tracking and Mapping with RGB-D Camera. Lecture Notes in Computer Science, 2019, , 461-472.	1.3	2
560	Oriented Point Sampling for Plane Detection in Unorganized Point Clouds. , 2019, , .		7
561	On Realistic Target Coverage by Autonomous Drones. ACM Transactions on Sensor Networks, 2019, 15, 1-33.	3.6	24
562	Feasibility of Using Grammars to Infer Room Semantics. Remote Sensing, 2019, 11, 1535.	4.0	6
563	ROS-Based Mobile Robot Pose Planning for a Good View of an Onboard Camera using Costmap. , 2019, , .		1
564	Multi-view registration based on weighted LRS matrix decomposition of motions. IET Computer Vision, 2019, 13, 376-384.	2.0	6
565	3D Reconstruction system for collaborative scanning based on multiple RGB-D cameras. Pattern Recognition Letters, 2019, 128, 505-512.	4.2	21
566	Revisiting Depth Image Fusion with Variational Message Passing. , 2019, , .		0



#	ARTICLE	IF	CITATIONS
567	Spatial Uncertainty Model Based on Scale-Space for RGBD-SLAM System. , 2019, , .		1
568	Improved-ORB-based SLAM Using RGB-D Data. , 2019, , .		0
569	Towards an Integrated Autonomous Data-Driven Grasping System with a Mobile Manipulator. , 2019, , .		6
570	Global Localization with Object-Level Semantics and Topology. , 2019, , .		34
571	A Human-Following Mobile Robot Providing Natural and Universal Interfaces for Control With Wireless Electronic Devices. IEEE/ASME Transactions on Mechatronics, 2019, 24, 2377-2385.	5.8	15
572	NeuroSLAM: a brain-inspired SLAM system for 3D environments. Biological Cybernetics, 2019, 113, 515-545.	1.3	56
573	High-Level Teleoperation System for Aerial Exploration of Indoor Environments. Frontiers in Robotics and AI, 2019, 6, 95.	3.2	8
574	Aura. , 2019, , .		17
575	From 2D to 3D geodesic-based garment matching. Multimedia Tools and Applications, 2019, 78, 25829-25853.	3.9	1
576	Reconstruction of Three-Dimensional Maps Based on Closed-Form Solutions of the Variational Problem of Multisensor Data Registration. Doklady Mathematics, 2019, 99, 108-112.	0.6	3
577	Geometry-Aware ICP for Scene Reconstruction from RGB-D Camera. Journal of Computer Science and Technology, 2019, 34, 581-593.	1.5	5
578	A 2D-3D Object Detection System for Updating Building Information Models with Mobile Robots. , 2019, , .		13
579	State Transition for Statistical SLAM Using Planar Features in 3D Point Clouds. Sensors, 2019, 19, 1614.	3.8	9
580	An optimal measurement method for spatial distribution of radio frequency identification multi-tag based on image analysis and PSO. Transactions of the Institute of Measurement and Control, 2019, 41, 3331-3339.	1.7	4
581	RGB-D SLAM with Manhattan Frame Estimation Using Orientation Relevance. Sensors, 2019, 19, 1050.	3.8	13
582	A Vertex-to-Edge Weighted Closed-Form Method for Dense RGB-D Indoor SLAM. IEEE Access, 2019, 7, 32019-32029.	4.2	11
583	High-Accuracy Globally Consistent Surface Reconstruction Using Fringe Projection Profilometry. Sensors, 2019, 19, 668.	3.8	10
584	Bootstrapping the Dynamic Generation of Indoor Maps with Crowdsourced Smartphone Sensor Data. Communications in Computer and Information Science, 2019, , 70-84.	0.5	1

#	ARTICLE	IF	CITATIONS
585	Combined Sensing, Cognition, Learning, and Control for Developing Future Neuro-Robotics Systems: A Survey. IEEE Transactions on Cognitive and Developmental Systems, 2019, 11, 148-161.	3.8	22
586	A voxelize structured refinement method for registration of point clouds from Kinect sensors. Engineering Science and Technology, an International Journal, 2019, 22, 555-568.	3.2	2
587	Using Unsupervised Deep Learning Technique for Monocular Visual Odometry. IEEE Access, 2019, 7, 18076-18088.	4.2	17
588	Online Reconstruction of Indoor Scenes With Local Manhattan Frame Growing. , 2019, , .		3
589	Comparative analysis of range sensors for the robust autonomous navigation “ a review. Sensor Review, 2020, 40, 17-41.	1.8	17
590	A Marauder's Map for the IoT Edge. , 2019, , .		0
591	Bidirectional Removal of Reverse Gravitational Acceleration Based on Data Segmentation. , 2019, , .		0
592	Information Filter Occupancy Mapping using Decomposable Radial Kernels. , 2019, , .		2
593	Online Manhattan Keyframe-based Dense Reconstruction from Indoor Depth Sequences. , 2019, , .		1
594	Outdoor RGB-D Mapping Using Intel-RealSense. , 2019, , .		2
595	A Dense Segmentation Network for Fine Semantic Mapping. , 2019, , .		1
596	Vision Based Autonomous Navigation of Quadcopter using Reinforcement Learning. , 2019, , .		3
597	Indoor Depth Completion with Boundary Consistency and Self-Attention. , 2019, , .		43
598	Low-Cost 3D Scanning in a Smart Learning Factory. Procedia Manufacturing, 2019, 38, 824-831.	1.9	2
599	Cost Efficient Virtual Environment Generation Framework Using Annotated Panoramic Videos. IEEE Access, 2019, 7, 121024-121036.	4.2	2
600	Visual SLAM in Human Populated Environments: Exploring the Trade-off between Accuracy and Speed of YOLO and Mask R-CNN. , 2019, , .		14
601	Extreme Relative Pose Estimation for RGB-D Scans via Scene Completion. , 2019, , .		21
602	Blended-Keyframes for Mobile Mediated Reality Applications. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
603	Robust Point Cloud Based Reconstruction of Large-Scale Outdoor Scenes. , 2019, , .		11
604	BAD SLAM: Bundle Adjusted Direct RGB-D SLAM. , 2019, , .		128
605	3D Sensor-Based UAV Localization for Bridge Inspection. , 2019, , .		6
606	Model-Based Occupant Tracking Using Slab-Vibration Measurements. Frontiers in Built Environment, 2019, 5, .	2.3	19
607	Wireless Power At-A-Distance Technology “ A Strategy for Nurturing Ecosystem Development. , 2019, , .		0
608	Similarity Graph-Based Camera Tracking for Effective 3D Geometry Reconstruction with Mobile RGB-D Camera. Sensors, 2019, 19, 4897.	3.8	0
609	Simultaneous kinematic calibration, localization, and mapping (SKCLAM) for industrial robot manipulators. Advanced Robotics, 2019, 33, 1225-1234.	1.8	5
610	Outdoor Mapping Framework: from Images to 3D Model. , 2019, , .		2
611	Scanning-based 3D reconstruction of large-scale objects. , 2019, , .		3
612	Visual Odometry based on Semantic Supervision. , 2019, , .		0
613	A New Model of RGB-D Camera Calibration Based On 3D Control Field. Sensors, 2019, 19, 5082.	3.8	14
614	Survey on Indoor Map Standards and Formats. , 2019, , .		13
615	Building-Scale Virtual Reality. International Journal of Multimedia Data Engineering and Management, 2019, 10, 1-21.	0.4	6
616	Nonparametric background modelling and segmentation to detect micro air vehicles using RGB-D sensor. International Journal of Micro Air Vehicles, 2019, 11, 175682931882232.	1.3	3
617	A Novel RGB-D SLAM Algorithm Based on Cloud Robotics. Sensors, 2019, 19, 5288.	3.8	12
618	Hybrid Underwater Robot System Based on ROS. , 2019, , .		1
619	Automatic reconstruction method for large scene based on multi-site point cloud stitching. Measurement: Journal of the International Measurement Confederation, 2019, 131, 590-596.	5.0	37
620	Geographical Information Systems Theory, Applications and Management. Communications in Computer and Information Science, 2019, , .	0.5	1

#	ARTICLE	IF	CITATIONS
621	Toward analyzing mutual interference on infrared-enabled depth cameras. Computer Vision and Image Understanding, 2019, 178, 1-15.	4.7	6
622	Shared autonomy for low-cost underwater vehicles. Journal of Field Robotics, 2019, 36, 495-516.	6.0	4
623	Three-dimensional cameras and skeleton pose tracking for physical function assessment: A review of uses, validity, current developments and Kinect alternatives. Gait and Posture, 2019, 68, 193-200.	1.4	135
624	Nonrigid reconstruction of 3D breast surfaces with a low-cost RGBD camera for surgical planning and aesthetic evaluation. Medical Image Analysis, 2019, 53, 11-25.	11.6	11
625	An Overview of SLAM. Lecture Notes in Electrical Engineering, 2019, , 673-681.	0.4	4
626	C curve Fusion. ACM Transactions on Graphics, 2019, 37, 1-12.	7.2	7
627	Adaptive Motion Planning Based on Vehicle Characteristics and Regulations for Off-Road UGVs. IEEE Transactions on Industrial Informatics, 2019, 15, 599-611.	11.3	18
628	Fast and Effective Loop Closure Detection to Improve SLAM Performance. Journal of Intelligent and Robotic Systems: Theory and Applications, 2019, 93, 495-517.	3.4	18
629	2D-to-3D synchronous/asynchronous camera fusion for visual odometry. Autonomous Robots, 2019, 43, 21-35.	4.8	4
630	Real-time Recognition and Pursuit in Robots Based on 3D Depth Data. Journal of Intelligent and Robotic Systems: Theory and Applications, 2019, 93, 587-600.	3.4	4
631	Computational Methods of Acquisition and Processing of 3D Point Cloud Data for Construction Applications. Archives of Computational Methods in Engineering, 2020, 27, 479-499.	10.2	114
632	Three-Dimensional Reconstruction Based on Visual SLAM of Mobile Robot in Search and Rescue Disaster Scenarios. Robotica, 2020, 38, 350-373.	1.9	17
633	Design of Elderly Care System Integrated with SLAM Algorithm. Advances in Intelligent Systems and Computing, 2020, , 503-513.	0.6	1
634	Low Power Depth Estimation of Rigid Objects for Time-of-Flight Imaging. IEEE Transactions on Circuits and Systems for Video Technology, 2020, 30, 1524-1534.	8.3	9
635	Handheld 3D reconstruction based on closed-loop detection and nonlinear optimization. Measurement Science and Technology, 2020, 31, 025401.	2.6	8
636	DVL-SLAM: sparse depth enhanced direct visual-LiDAR SLAM. Autonomous Robots, 2020, 44, 115-130.	4.8	52
637	A Guide for 3D Mapping with Low-Cost Sensors Using ROS. Studies in Computational Intelligence, 2020, , 3-23.	0.9	2
638	Integrating global and local image features for enhanced loop closure detection in RGB-D SLAM systems. Visual Computer, 2020, 36, 1271-1290.	3.5	14

#	ARTICLE	IF	CITATIONS
639	Toward Efficient 3-D Colored Mapping in GPS-/GNSS-Denied Environments. IEEE Geoscience and Remote Sensing Letters, 2020, 17, 147-151.	3.1	28
640	A framework for topological based map building: A solution to autonomous robot navigation in smart cities. Future Generation Computer Systems, 2020, 111, 644-653.	7.5	21
641	Use Cases for Architects and Engineers. , 2020, , 203-266.		1
642	Grasp Detection Based on Faster Region CNN. , 2020, , .		5
643	Differentiable Mapping Networks: Learning Structured Map Representations for Sparse Visual Localization. , 2020, , .		3
644	A highly robust automatic 3D reconstruction system based on integrated optimization by point line features. Engineering Applications of Artificial Intelligence, 2020, 95, 103879.	8.1	9
645	Low-cost 3D scanning using ultrasonic and camera data fusion for CNC Engraving Laser-Based Machine. , 2020, , .		0
646	Object-Based Pose Graph for Dynamic Indoor Environments. IEEE Robotics and Automation Letters, 2020, 5, 5401-5408.	5.1	7
647	Potato Quality Grading Based on Depth Imaging and Convolutional Neural Network. Journal of Food Quality, 2020, 2020, 1-9.	2.6	9
648	A 30â€MB re-configurable convolutional neural network processor for high-performance and energy-efficient operation. Materials Today: Proceedings, 2020, , .	1.8	0
649	Collision free motion planning for robots by capturing the environment. , 2020, , .		1
650	A Comprehensive Review of Applications of Drone Technology in the Mining Industry. Drones, 2020, 4, 34.	4.9	172
651	Unsupervised Deep Learning-Based RGB-D Visual Odometry. Applied Sciences (Switzerland), 2020, 10, 5426.	2.5	6
652	Improving Obstacle Awareness to Enhance Interaction in Virtual Reality. , 2020, , .		16
653	3D reconstruction of human head based on consumer RGB-D sensors. International Journal of Modeling, Simulation, and Scientific Computing, 2020, 11, 2050061.	1.4	1
654	FAst Detection Algorithm for 3D Keypoints (FADA-3K). IEEE Access, 2020, 8, 189556-189564.	4.2	4
655	A Comparison of Low-Cost Sensor Systems in Automatic Cloud-Based Indoor 3D Modeling. Remote Sensing, 2020, 12, 2624.	4.0	13
656	UrbanLoco: A Full Sensor Suite Dataset for Mapping and Localization in Urban Scenes. , 2020, , .		52

#	ARTICLE	IF	CITATIONS
657	Indoor objects detection and recognition for an ICT mobility assistance of visually impaired people. Multimedia Tools and Applications, 2020, 79, 31645-31662.	3.9	44
658	Training End-to-End Steering of a Self-Balancing Mobile Robot Based on RGB-D Image and Deep ConvNet. , 2020, , .		6
659	A Real-Time Infrared Stereo Matching Algorithm for RGB-D Camerasâ€™ Indoor 3D Perception. ISPRS International Journal of Geo-Information, 2020, 9, 472.	2.9	8
660	Analysis of RGB-D camera technologies for supporting different facial usage scenarios. Multimedia Tools and Applications, 2020, 79, 29375-29398.	3.9	29
661	Robust RGB-D SLAM Using Point and Line Features for Low Textured Scene. Sensors, 2020, 20, 4984.	3.8	13
662	RGB-D camera calibration and trajectory estimation for indoor mapping. Autonomous Robots, 2020, 44, 1485-1503.	4.8	8
663	Minimal Solvers for 3D Scan Alignment With Pairs of Intersecting Lines. , 2020, , .		8
664	From Depth What Can You See? Depth Completion via Auxiliary Image Reconstruction. , 2020, , .		41
665	A Robust SLAM towards Dynamic Scenes Involving Non-rigid Objects. , 2020, , .		0
666	One-step Local Feature Extraction using CNN. , 2020, , .		1
667	An Improved Calibration Method for Photonic Mixer Device Solid-State Array Lidars Based on Electrical Analog Delay. Sensors, 2020, 20, 7329.	3.8	4
668	Assessing the Performance of RGB-D Sensors for 3D Fruit Crop Canopy Characterization under Different Operating and Lighting Conditions. Sensors, 2020, 20, 7072.	3.8	18
669	Comparative Analysis of Position and Pose Estimation Methods of RGB-D Camera. Journal of Physics: Conference Series, 2020, 1631, 012175.	0.4	0
670	Scale-Aware Multi-View Reconstruction Using an Active Triple-Camera System. Sensors, 2020, 20, 6726.	3.8	3
671	3D scan process optimisation study for rapid virtualization.. Procedia CIRP, 2020, 91, 911-916.	1.9	1
672	Deep-Learning-Based Indoor Human Following of Mobile Robot Using Color Feature. Sensors, 2020, 20, 2699.	3.8	39
673	Surfel-Based Incremental Reconstruction of the Boundary Between Known and Unknown Space. IEEE Transactions on Visualization and Computer Graphics, 2020, 26, 2683-2695.	4.4	1
674	Measurement Linearity and Accuracy Optimization for Time-of-Flight Range Imaging Cameras. , 2020, , .		3

#	ARTICLE	IF	CITATIONS
675	Improving Obstacle Awareness to Enhance Interaction in Virtual Reality. , 2020, , .		0
676	Inexpensive RGB-D Sensors Performance Measurement in Pavement Data Collection”Part I. IEEE Sensors Journal, 2020, 20, 11992-11996.	4.7	7
677	Laser Scanned Real Environment for Intelligent Virtualization of Crane Lifting. Virtual Reality & Intelligent Hardware, 2020, 2, 87-103.	3.2	6
678	Robotics and Artificial Intelligence. , 2020, , 1-36.		3
679	Automatic Indoor as-Built Building Information Models Generation by Using Low-Cost RGB-D Sensors. Sensors, 2020, 20, 293.	3.8	30
680	Improving Plane Fitting Accuracy with Rigorous Error Models of Structured Light-Based RGB-D Sensors. Remote Sensing, 2020, 12, 320.	4.0	8
681	Three-dimensional Visual Mapping of Underwater Ship Hull Surface Using Piecewise-planar SLAM. International Journal of Control, Automation and Systems, 2020, 18, 564-574.	2.7	22
682	Depth Information Enhancement Using Block Matching and Image Pyramiding Stereo Vision Enabled RGB-D Sensor. IEEE Sensors Journal, 2020, 20, 5406-5414.	4.7	17
683	CrowdLIM: Crowdsourcing to enable lifecycle infrastructure management. Computers in Industry, 2020, 115, 103185.	9.9	8
684	Towards Intelligent Retail: Automated on-Shelf Availability Estimation Using a Depth Camera. IEEE Access, 2020, 8, 19353-19363.	4.2	15
685	Pose and Optical Flow Fusion (POFF) for accurate tremor detection and quantification. Biocybernetics and Biomedical Engineering, 2020, 40, 468-481.	5.9	8
686	Temporal delay estimation of sparse direct visual inertial odometry for mobile robots. Journal of the Franklin Institute, 2020, 357, 3893-3906.	3.4	4
687	A Review of Visual-LiDAR Fusion based Simultaneous Localization and Mapping. Sensors, 2020, 20, 2068.	3.8	211
688	Multi-sensor data fusion for accurate surface modeling. Soft Computing, 2020, 24, 14449-14462.	3.6	6
689	Interactive dense point clouds in a game engine. ISPRS Journal of Photogrammetry and Remote Sensing, 2020, 163, 375-389.	11.1	23
690	Constrained RGBD-SLAM. Robotica, 2021, 39, 277-290.	1.9	8
691	Real-time 3D reconstruction techniques applied in dynamic scenes: A systematic literature review. Computer Science Review, 2021, 39, 100338.	15.3	10
692	SLAM; definition and evolution. Engineering Applications of Artificial Intelligence, 2021, 97, 104032.	8.1	67

#	ARTICLE	IF	CITATIONS
693	Nontarget-Based Measurement of 6-DOF Structural Displacement Using Combined RGB Color and Depth Information. IEEE/ASME Transactions on Mechatronics, 2021, 26, 1358-1368.	5.8	6
694	Dynamic Object Elimination based Indoor 3D Mapping System. International Journal for Research in Applied Science and Engineering Technology, 2021, 9, 670-677.	0.1	0
695	Indoor Navigation Aid Systems for the Blind and Visually Impaired Based on Depth Sensors. Advances in Computational Intelligence and Robotics Book Series, 2021, , 187-223.	0.4	1
696	Gradient Flow Evolution for 3D Fusion From a Single Depth Sensor. IEEE Transactions on Circuits and Systems for Video Technology, 2022, 32, 2211-2225.	8.3	7
697	Object-Level Semantic Map Construction for Dynamic Scenes. Applied Sciences (Switzerland), 2021, 11, 645.	2.5	4
698	Selection and Evaluation of Color/Depth Camera for Imaging Surgical Stoma. Lecture Notes in Computer Science, 2021, , 601-614.	1.3	3
699	GEM: Online Globally Consistent Dense Elevation Mapping for Unstructured Terrain. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-13.	4.7	12
700	PL-CM:RGB-D SLAM With a Novel 2D and 3D Geometric Constraint Model of Point and Line Features. IEEE Access, 2021, 9, 9958-9971.	4.2	12
701	A dense map optimization method based on common-view geometry. Signal, Image and Video Processing, 2021, 15, 1179-1187.	2.7	3
702	Context-Consistent Generation of Indoor Virtual Environments Based on Geometry Constraints. IEEE Transactions on Visualization and Computer Graphics, 2022, 28, 3986-3999.	4.4	4
703	Evaluation of the Azure Kinect and Its Comparison to Kinect V1 and Kinect V2. Sensors, 2021, 21, 413.	3.8	151
704	SLAM Algorithm: Overview and Evaluation in a Heterogeneous System. Algorithms for Intelligent Systems, 2021, , 165-177.	0.6	3
705	Accurate 3D Localization Using RGB-TOF Camera and IMU for Industrial Mobile Robots. Robotica, 2021, 39, 1816-1833.	1.9	7
706	Overview of Visualizing Historical Architectural Knowledge through Virtual Reality. , 2021, , .		1
707	Generative multiview inpainting for object removal in large indoor spaces. International Journal of Advanced Robotic Systems, 2021, 18, 172988142199654.	2.1	5
708	FSD-SLAM: a fast semi-direct SLAM algorithm. Complex & Intelligent Systems, 2022, 8, 1823-1834.	6.5	11
709	TEASER: Fast and Certifiable Point Cloud Registration. IEEE Transactions on Robotics, 2021, 37, 314-333.	10.3	279
710	Crowd-SLAM: Visual SLAM Towards Crowded Environments using Object Detection. Journal of Intelligent and Robotic Systems: Theory and Applications, 2021, 102, 1.	3.4	19



#	ARTICLE	IF	CITATIONS
711	DP-SLAM: A visual SLAM with moving probability towards dynamic environments. Information Sciences, 2021, 556, 128-142.	6.9	61
712	The Construction Method of the Digital Operation Environment for Bridge Cranes. Mathematical Problems in Engineering, 2021, 2021, 1-13.	1.1	1
714	Combining Time of Flight and Photometric Stereo Imaging for 3D Reconstruction of Discontinuous Scenes. Optics Letters, 2021, 46, 3612-3615.	3.3	7
715	Skeleton Tracking Accuracy and Precision Evaluation of Kinect V1, Kinect V2, and the Azure Kinect. Applied Sciences (Switzerland), 2021, 11, 5756.	2.5	47
716	LiDAR Simulation for Performance Evaluation of UAS Detect and Avoid. , 2021, , .		10
717	3D Reconstruction of Non-Rigid Plants and Sensor Data Fusion for Agriculture Phenotyping. Sensors, 2021, 21, 4115.	3.8	9
718	A survey on indoor 3D modeling and applications via RGB-D devices. Frontiers of Information Technology and Electronic Engineering, 2021, 22, 815-826.	2.6	14
719	Application of Deep Learning for Drone Obstacle Avoidance and Goal Directed Navigation. , 2021, , .		2
720	Outdoor Mobile Mapping and AI-Based 3D Object Detection with Low-Cost RGB-D Cameras: The Use Case of On-Street Parking Statistics. Remote Sensing, 2021, 13, 3099.	4.0	12
721	Using footstep-induced vibrations for occupant detection and recognition in buildings. Advanced Engineering Informatics, 2021, 49, 101289.	8.0	9
722	Dynamic Target Tracking and Ingressing of a Small UAV Using Monocular Sensor Based on the Geometric Constraints. Electronics (Switzerland), 2021, 10, 1931.	3.1	5
723	Real-Time 3D Reconstruction Method Based on Monocular Vision. Sensors, 2021, 21, 5909.	3.8	7
724	Triplet loss based metric learning for closed loop detection in VSLAM system. Expert Systems With Applications, 2021, 185, 115646.	7.6	3
725	RANSIC: Fast and Highly Robust Estimation for Rotation Search and Point Cloud Registration Using Invariant Compatibility. IEEE Robotics and Automation Letters, 2022, 7, 143-150.	5.1	9
726	Reconstruction of a fluttering flag from a single image. Journal of Algorithms and Computational Technology, 2021, 15, 174830262098365.	0.7	0
727	Elasticity Meets Continuous-Time: Map-Centric Dense 3D LiDAR SLAM. IEEE Transactions on Robotics, 2022, 38, 978-997.	10.3	20
729	VSO: Visual Semantic Odometry. Lecture Notes in Computer Science, 2018, , 246-263.	1.3	77
730	DDRNet: Depth Map Denoising and Refinement for Consumer Depth Cameras Using Cascaded CNNs. Lecture Notes in Computer Science, 2018, , 155-171.	1.3	35

#	ARTICLE	IF	CITATIONS
731	Understanding Movement and Interaction: An Ontology for Kinect-Based 3D Depth Sensors. Lecture Notes in Computer Science, 2013, , 254-261.	1.3	16
732	Visual Loop-Closure Detection Method Using Average Feature Descriptors. Advances in Intelligent Systems and Computing, 2014, , 113-118.	0.6	5
734	An Easy to Use Mobile Augmented Reality Platform for Assisted Living Using Pico-projectors. Lecture Notes in Computer Science, 2014, , 552-561.	1.3	3
735	3D Scanning Using RGBD Imaging Devices: A Survey. Lecture Notes in Computational Vision and Biomechanics, 2015, , 379-395.	0.5	14
736	Online 3D Reconstruction and 6-DoF Pose Estimation for RGB-D Sensors. Lecture Notes in Computer Science, 2015, , 238-254.	1.3	3
737	Assessing the Suitability of the Microsoft Kinect for Calculating Person Specific Body Segment Parameters. Lecture Notes in Computer Science, 2015, , 372-385.	1.3	10
738	SlamDunk: Affordable Real-Time RGB-D SLAM. Lecture Notes in Computer Science, 2015, , 401-414.	1.3	6
739	Vision-Based SLAM and Moving Objects Tracking for the Perceptual Support of a Smart Walker Platform. Lecture Notes in Computer Science, 2015, , 407-423.	1.3	8
740	Finding Objects Faster in Dense Environments Using a Projection Augmented Robotic Arm. Lecture Notes in Computer Science, 2015, , 221-238.	1.3	4
741	A Skill-Based Architecture for Pick and Place Manipulation Tasks. Lecture Notes in Computer Science, 2015, , 457-468.	1.3	6
742	Kelja-LC: A Low-Cost Mobile Robot Platform â€” Champion of Demo Challenge on Benchmarking Service Robots at RoboCup 2015. Lecture Notes in Computer Science, 2015, , 60-71.	1.3	4
743	The Virtual Experiences Portals â€” A Reconfigurable Platform for Immersive Visualization. Lecture Notes in Computer Science, 2016, , 186-197.	1.3	3
744	VolumeDeform: Real-Time Volumetric Non-rigid Reconstruction. Lecture Notes in Computer Science, 2016, , 362-379.	1.3	146
745	A Powerful and Cost-Efficient Human Perception System for Camera Networks and Mobile Robotics. Advances in Intelligent Systems and Computing, 2017, , 485-497.	0.6	2
746	Driversâ€™ Manoeuvre Classification for Safe HRI. Lecture Notes in Computer Science, 2017, , 475-483.	1.3	5
747	Towards Usability Evaluation of Multimodal Assistive Technologies Using RGB-D Sensors. Lecture Notes in Computer Science, 2013, , 210-219.	1.3	3
748	Object Detection Using Active Contour Model with Depth Clue. Lecture Notes in Computer Science, 2013, , 640-647.	1.3	5
749	Efficient Transmission and Rendering of RGB-D Views. Lecture Notes in Computer Science, 2013, , 517-526.	1.3	1

#	ARTICLE	IF	CITATIONS
750	A State of the Art Report on Kinect Sensor Setups in Computer Vision. Lecture Notes in Computer Science, 2013, , 257-272.	1.3	15
752	Simultaneous Localization and Mapping. , 2017, , 293-320.		2
753	A framework for registration of multiple point clouds derived from a static terrestrial laser scanner system. Applied Geomatics, 2020, 12, 409-425.	2.5	2
754	A 3D Tracking and Registration Method Based on Point Cloud and Visual Features for Augmented Reality Aided Assembly System. Xibei Gongye Daxue Xuebao/Journal of Northwestern Polytechnical University, 2019, 37, 143-151.	0.5	9
755	Autonomous computational intelligence-based behaviour recognition in security and surveillance. , 2018, , .		4
756	Stereo Imagery Based Depth Sensing in Diverse Outdoor Environments. , 2019, , .		4
757	Mechanism, Actuation, Perception, and Control of Highly Dynamic Multilegged Robots: A Review. Chinese Journal of Mechanical Engineering (English Edition), 2020, 33, .	3.7	42
758	A Study on the Fabric Drape Evaluation Using a 3D Scanning System Based on Depth Camera with Elevating Device. Fashion Business, 2015, 19, 28-41.	0.1	4
759	Design and analysis of full-scale scanning system for curved glass based on motion and 3D features. Applied Optics, 2020, 59, 9195.	1.8	1
760	Texture mapping based on photogrammetric reconstruction of the coded markers. Applied Optics, 2019, 58, A48.	1.8	4
761	Accurate three dimensional body scanning system based on structured light. Optics Express, 2018, 26, 28544.	3.4	14
762	SPADnet: deep RGB-SPAD sensor fusion assisted by monocular depth estimation. Optics Express, 2020, 28, 14948.	3.4	37
763	Generations of chaos-modulated pulses based on a gain-switched semiconductor laser subject to delay-synchronized optical feedback for pulsed chaos lidar applications. Optics Express, 2020, 28, 24037.	3.4	14
764	Weighted Unsupervised Learning for 3D Object Detection. International Journal of Advanced Computer Science and Applications, 2016, 7, .	0.7	8
765	WSDF: Weighting of Signed Distance Function for Camera Motion Estimation in RGB-D Data. International Journal of Advanced Research in Artificial Intelligence, 2016, 5, .	0.2	2
766	Distortion Correction of Depth Data from Consumer Depth Cameras. , 2013, , .		6
767	Unsupervised Intrinsic Calibration of Depth Sensors via SLAM. , 0, , .		46
768	Robust Multimodal Sequence-Based Loop Closure Detection via Structured Sparsity. , 0, , .		22

#	ARTICLE	IF	CITATIONS
769	Browser based 3D for the built environment. Nordic Journal of Surveying and Real Estate Research, 2018, 13, 54-76.	0.5	5
770	Real Life Human Movement Realization in Multimodal Group Communication Using Depth Map Information and Machine Learning. Journal of Innovative Image Processing, 2020, 2, 93-101.	3.0	38
771	Research on the Availability of VINS-Mono and ORB-SLAM3 Algorithms for Aviation. WSEAS Transactions on Computers, 2020, 19, 216-223.	0.4	2
773	A Study on Static Hand Gesture Recognition Using Type-1 Fuzzy Membership Function. Advances in Systems Analysis, Software Engineering, and High Performance Computing Book Series, 2018, , 105-140.	0.5	1
774	Localization and Mapping for Indoor Navigation. , 2020, , 930-954.		2
775	Implementing Kinect Sensor for Building 3D Maps of Indoor Environments. International Journal of Computer Applications, 2014, 86, 18-22.	0.2	5
776	AN RGB-D DATA PROCESSING FRAMEWORK BASED ON ENVIRONMENT CONSTRAINTS FOR MAPPING INDOOR ENVIRONMENTS. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, IV-2/W5, 263-270.	0.0	2
777	GEOMETRICAL NETWORK MODEL GENERATION USING POINT CLOUD DATA FOR INDOOR NAVIGATION. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, IV-4, 141-146.	0.0	4
778	SEMANTIC SEGMENTATION OF INDOOR POINT CLOUDS USING CONVOLUTIONAL NEURAL NETWORK. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, IV-4/W4, 101-108.	0.0	13
779	TOWARDS OBJECT DRIVEN FLOOR PLAN EXTRACTION FROM LASER POINT CLOUD. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B3, 3-10.	0.2	8
780	A WEIGHTED CLOSED-FORM SOLUTION FOR RGB-D DATA REGISTRATION. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B3, 403-409.	0.2	2
781	COMPARISON BETWEEN RGB AND RGB-D CAMERAS FOR SUPPORTING LOW-COST GNSS URBAN NAVIGATION. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-2, 991-998.	0.2	3
782	A COST-EFFECTIVE METHOD FOR CRACK DETECTION AND MEASUREMENT ON CONCRETE SURFACE. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-2/W8, 237-241.	0.2	13
783	GRAMMAR-SUPPORTED 3D INDOOR RECONSTRUCTION FROM POINT CLOUDS FOR “AS-BUILT” BIM. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, II-3/W4, 17-24.	0.0	41
784	Generation and weighting of 3D point correspondences for improved registration of RGB-D data. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, II-5/W2, 127-132.	0.0	19
785	RGB-D Indoor Plane-based 3D-Modeling using Autonomous Robot. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-1, 301-308.	0.2	4
786	KINECT, A NOVEL CUTTING EDGE TOOL IN PAVEMENT DATA COLLECTION. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-1/W5, 425-431.	0.2	12
787	Documentation of cultural heritage; techniques, potentials, and constraints. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-5/W7, 207-214.	0.2	69

#	ARTICLE	IF	CITATIONS
788	M5AIE - A Method for Body Part Detection and Tracking using RGB-D Images. , 2014, , .		2
789	Hindsight Intermediate Targets for Mapless Navigation With Deep Reinforcement Learning. IEEE Transactions on Industrial Electronics, 2022, 69, 11816-11825.	7.9	4
790	Exploration: Simultaneous Localization and Mapping (SLAM). , 2021, , 412-420.		0
791	Resonant scanning design and control for fast spatial sampling. Scientific Reports, 2021, 11, 20011.	3.3	3
792	A Fast and Robust Rotation Search and Point Cloud Registration Method for 2D Stitching and 3D Object Localization. Applied Sciences (Switzerland), 2021, 11, 9775.	2.5	5
793	Self-Balancing Two-Wheeled Robot Featuring Intelligent End-to-End Deep Visual-Steering. IEEE/ASME Transactions on Mechatronics, 2021, 26, 2263-2273.	5.8	13
794	Human pose recognition based on multiple features and random forest algorithm. , 2021, , .		0
795	Lookup Table Hough Transform for Real Time Range Image Segmentation and Featureless Co-Registration. Journal of Sensor Technology, 2012, 02, 148-154.	1.0	0
796	Asynchronous Telemedicine Diagnosis of Musculoskeletal Injuries through a Prototype Interface in Virtual Reality Environment. Lecture Notes in Computer Science, 2013, , 50-59.	1.3	0
797	Comparison of Active Sensors for 3D Modeling of Indoor Environments. , 2013, , .		1
798	Is Kinect Depth Data Accurate for the Aesthetic Evaluation after Breast Cancer Surgeries?. Lecture Notes in Computer Science, 2013, , 261-268.	1.3	2
800	Image Feature-Based Real-Time RGB-D 3D SLAM with GPU Acceleration. Journal of Institute of Control, Robotics and Systems, 2013, 19, 457-461.	0.2	5
801	Semi-Automatic Method for Constructing 2D and 3D Indoor GIS Maps based on Point Clouds from Terrestrial LiDAR. Journal of Korean Society for Geospatial Information Science, 2013, 21, 99-105.	0.0	3
802	Experimental Verification of a Walking Robot Self-Localization System with the Kinect Sensor. Journal of Automation, Mobile Robotics and Intelligent Systems, 2013, 7, 42.	0.4	6
804	Improved ICP-based Pose Estimation by Distance-aware 3D Mapping. , 2014, , .		3
805	Exploration: Simultaneous Localization and Mapping (SLAM). , 2014, , 268-275.		5
806	A Robust System for High-Quality Reconstruction of 3D Objects from Photographs. Studies in Computational Intelligence, 2014, , 3-15.	0.9	1
807	Planar surface segmentation using a color-enhanced hybrid model for RGB-D camera-based indoor mobile mapping point clouds. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, II-1, 61-67.	0.0	0

#	ARTICLE	IF	CITATIONS
809	A Human Body Posture Identification Algorithm Based on Kinect. , 0, , .		0
810	Towards Spatio-Temporally Consistent Semantic Mapping. Lecture Notes in Computer Science, 2015, , 258-269.	1.3	0
811	Visual Odometry and Mapping for Indoor Environments Using RGB-D Cameras. Communications in Computer and Information Science, 2015, , 16-31.	0.5	2
812	Interactive RGB-D SLAM on Mobile Devices. Lecture Notes in Computer Science, 2015, , 339-351.	1.3	4
813	A Two-Stage Strategy for Real-Time Dense 3D Reconstruction of Large-Scale Scenes. Lecture Notes in Computer Science, 2015, , 428-442.	1.3	1
814	3D Depth Perception from Single Monocular Images. Lecture Notes in Computer Science, 2015, , 510-521.	1.3	2
815	Ensemble Classifier-Based Physical Disorder Recognition System Using Kinect Sensor. Lecture Notes in Electrical Engineering, 2015, , 169-175.	0.4	1
816	Point-Based Object Recognition in RGB-D Images. Advances in Intelligent Systems and Computing, 2015, , 593-604.	0.6	0
817	Dense 3D Mapping for Indoor Environment Based on Kinect-Style Depth Cameras. Advances in Intelligent Systems and Computing, 2015, , 317-330.	0.6	1
818	Simultaneous Localization and Mapping. , 2015, , 1-28.		0
820	Simultaneous Localization and Mapping. , 2016, , 1-29.		0
821	Research of SLAM for Indoor Environment based on Kinect. , 2016, , .		0
822	UM MÃ%TODO ADAPTATIVO PARA REGISTRO DE DADOS RGB-D. Boletim De Ciencias Geodesicas, 2016, 22, 132-156.	0.3	0
823	Mobile Robot Path Finding Using Invariant Landmarks. IEIE Transactions on Smart Processing and Computing, 2016, 5, 178-184.	0.4	0
824	ENHANCED RGB-D MAPPING METHOD FOR DETAILED 3D MODELING OF LARGE INDOOR ENVIRONMENTS. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 0, III-1, 151-158.	0.0	1
825	COMBINATION OF TLS POINT CLOUDS AND 3D DATA FROM KINECT V2 SENSOR TO COMPLETE INDOOR MODELS. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B5, 659-666.	0.2	4
826	6D ICP Based on Adaptive Sampling of Color Distribution. KIPS Transactions on Software and Data Engineering, 2016, 5, 401-410.	0.1	0
827	Probabilistic Combination of Noisy Points and Planes for RGB-D Odometry. Lecture Notes in Computer Science, 2017, , 340-350.	1.3	4

#	ARTICLE	IF	CITATIONS
828	Silent Speech Interaction for Ambient Assisted Living Scenarios. Lecture Notes in Computer Science, 2017, , 369-387.	1.3	1
829	Localization and Mapping for Indoor Navigation. Advances in Computational Intelligence and Robotics Book Series, 2017, , 136-160.	0.4	2
830	Picking from Clutter: An Object Segmentation Method for Robot Grasping. Communications in Computer and Information Science, 2017, , 341-354.	0.5	0
831	Spatial Surface Reconstruction for Complex Environment Using Color-Depth Sensors. International Journal of Smart Computing and Artificial Intelligence, 2017, 1, 1-20.	0.3	0
832	Registration of RGB-D Images: Components of the System. , 2017, 21, 19-24.	0.1	0
833	Kinect-based 3D Indoor Environment Map Building. DEStech Transactions on Engineering and Technology Research, 2017, , .	0.0	0
834	Accurate generation of the 3D map of environment with a RGB-D camera. , 2017, , .		2
835	Loose fusion based on SLAM and IMU for indoor environment. , 2018, , .		1
836	INTEGRATING DEPTH AND IMAGE SEQUENCES FOR PLANETARY ROVER MAPPING USING RGB-D SENSOR. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLII-3, 1369-1374.	0.2	2
837	Augmented reality integration of fused LiDAR and spatial mapping. , 2018, , .		1
838	GPU and ROS the Use of General Parallel Processing Architecture for Robot Perception. Studies in Computational Intelligence, 2019, , 407-448.	0.9	0
839	An overview of SLAM. , 2018, , .		0
840	Accurate alignment of RGB-D frames for 3D map generation. , 2018, , .		1
841	Calculating the Truck's Box Volume with a Single Image Under the Circle Projection and Vanishing Points Constraint. Smart Innovation, Systems and Technologies, 2019, , 321-329.	0.6	0
842	A New Way to Age Estimation for RGB-D Images, based on a New Face Detection and Extraction Method for Depth Images. International Journal of Image Graphics and Signal Processing, 2018, 10, 10-18.	1.2	3
843	RGB-D dense mapping with feature-based method. , 2018, , .		0
844	Reconstructing a 3D Room from a Kinect Carrying UAV. Communications in Computer and Information Science, 2019, , 74-87.	0.5	0
845	Structure Reconstruction of Indoor Scene from Terrestrial Laser Scanner. Lecture Notes in Computer Science, 2019, , 91-98.	1.3	0



#	ARTICLE	IF	CITATIONS
846	RGB-D Sensors Data Quality Assessment and Improvement for Advanced Applications. Advances in Computer Vision and Pattern Recognition, 2019, , 67-86.	1.3	3
847	Reducing the cost of visual DL datasets. , 2019, , .		0
849	3D map generation based on keyframes selection and keypoints tracking. , 2019, , .		0
850	Planelet Transform: A New Geometrical Wavelet for Compression of Kinect-like Depth Images. Signal and Data Processing, 2019, 16, 41-60.	0.1	0
851	Adaptive algorithm for the SLAM design with a RGB-D camera. , 2019, , .		0
852	An efficient 3D mapping framework. , 2019, , .		0
853	3D Face Analysis vs Applications: Studies and Perspectives. , 0, , .		0
854	Sharing Heterogeneous Spatial Knowledge: Map Fusion Between Asynchronous Monocular Vision and Lidar or Other Prior Inputs. Springer Proceedings in Advanced Robotics, 2020, , 727-741.	1.3	7
855	The impression of virtual experience. , 2019, , .		0
856	Robust RGB-D Data Registration Based on Correntropy and Bi-directional Distance. Lecture Notes in Computer Science, 2020, , 316-326.	1.3	0
857	RGB-D Vision. , 2020, , 1-11.		0
858	An FPGA-based 3D-2D RANSAC Architecture for Matching Feature Points in RGB-D Slam. , 2020, , .		1
859	On Camera Pose Estimation for 3D Scene Reconstruction. , 2021, , .		0
860	Towards Fine-Grained Online Adaptive Approximation Control for Dense SLAM on Embedded GPUs. ACM Transactions on Design Automation of Electronic Systems, 2022, 27, 1-19.	2.6	0
861	ManhattanFusion: Online Dense Reconstruction of Indoor Scenes From Depth Sequences. IEEE Transactions on Visualization and Computer Graphics, 2022, 28, 2668-2681.	4.4	2
862	Where to Explore Next? ExHistCNN for History-Aware Autonomous 3D Exploration. Lecture Notes in Computer Science, 2020, , 125-140.	1.3	3
863	Uncertainty quantification for multi-scan registration. ACM Transactions on Graphics, 2020, 39, .	7.2	5
864	Algorithms and Law. , 2020, , .		33



#	ARTICLE	IF	CITATIONS
865	A fast Reconstruction Method of 3D Object Point Cloud Based on Realsense D435. , 2020, , .		0
866	Analysis and Comparison of Motion Capture Systems for Human Walking. Experimental Techniques, 2015, , n/a-n/a.	1.5	0
867	Interior dense 3D reconstruction system with RGB-D camera for complex large scenes. Measurement Science and Technology, 2021, 32, 015403.	2.6	5
868	Feature Point Matching Based on Four-point Order Consistency in the RGB-D SLAM System. , 2020, , .		0
869	Robust RGBD Visual Odometry Using Windowed Direct Bundle Adjustment and Slanted Support Plane. IEEE Robotics and Automation Letters, 2022, 7, 350-357.	5.1	2
870	A Mobile Robot Tracking Controller Design and Implementation on ROS-MATLAB based Experiment System. , 2021, , .		0
871	Visual SLAM algorithm based on RGB-D. , 2021, , .		0
872	Comparative Study of Slam Algorithms for Mobile Robots in Complex Environment. , 2021, , .		4
873	A Fast Scanning System for Automatic 3D Object Reconstruction. Lecture Notes in Mechanical Engineering, 2022, , 229-236.	0.4	1
874	Investigation of Widely Used SLAM Sensors Using Analytical Hierarchy Process. Journal of Sensors, 2022, 2022, 1-15.	1.1	4
875	A framework for occupancy detection and tracking using floor-vibration signals. Mechanical Systems and Signal Processing, 2022, 168, 108472.	8.0	8
876	INTERACTIVE GEO-INFORMATION IN VIRTUAL REALITY “ OBSERVATIONS AND FUTURE CHALLENGES. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLIV-4/W1-2020, 159-165.	0.2	2
877	A Robust RGB-D SLAM with Loosely-Coupled Semi-Direct Method. , 2020, , .		2
878	Dense Incremental Metric-Semantic Mapping via Sparse Gaussian Process Regression. , 2020, , .		9
879	A Semi-dense Visual Odometry Based on 3D Scene Flow. , 2020, , .		0
880	Building 3D Map Based on Monte Carlo Localization and Feature Extraction. , 2020, , .		0
881	A Fast and Robust Place Recognition Approach for Stereo Visual Odometry Using LiDAR Descriptors. , 2020, , .		8
882	Local to Global Plane Regularity Aggregation for Dense Surfel Mapping. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
883	Radiation Scene Reconstruction Based on Image Fusion from Gamma Camera and RGB-D Camera. , 2021, , .		0
884	Three-Dimensional Reconstruction of Rolling Contact Fatigue Characteristics. International Journal of Optics, 2022, 2022, 1-11.	1.4	0
885	Optimization algorithm for high precision RGB-D dense point cloud 3D reconstruction in indoor unbounded extension area. Measurement Science and Technology, 2022, 33, 055402.	2.6	6
886	Practical, Fast and Robust Point Cloud Registration for Scene Stitching and Object Localization. IEEE Access, 2022, 10, 3962-3978.	4.2	3
887	A novel approach of efficient 3D reconstruction for real scene using unmanned aerial vehicle oblique photogrammetry with five cameras. Computers and Electrical Engineering, 2022, 99, 107804.	4.8	23
888	An MICP Algorithm for 3D Map Reconstruction Based on 3D Cloud Information of Landmarks. European Journal of Education and Pedagogy, 2021, 6, 130-138.	0.3	1
889	A 3-D Reconstruction Method for Large Freeform Surfaces Based on Mobile Robotic Measurement and Global Optimization. IEEE Transactions on Instrumentation and Measurement, 2022, 71, 1-9.	4.7	9
890	HRBF-Fusion: Accurate 3D Reconstruction from RGB-D Data Using On-the-fly Implicits. ACM Transactions on Graphics, 2022, 41, 1-19.	7.2	8
891	Calibration of RGB-D Camera Using Depth Correction Model. Journal of Physics: Conference Series, 2022, 2203, 012032.	0.4	0
892	Towards Real-Time 3D Editable Model Generation for Existing Indoor Building Environments on a Tablet. Frontiers in Virtual Reality, 2022, 3, .	3.7	1
893	TriVoC: Efficient Voting-Based Consensus Maximization for Robust Point Cloud Registration With Extreme Outlier Ratios. IEEE Robotics and Automation Letters, 2022, 7, 4654-4661.	5.1	4
894	An online semantic mapping system for extending and enhancing visual SLAM. Engineering Applications of Artificial Intelligence, 2022, 111, 104830.	8.1	13
895	Autonomous mobile robot nonlinear trajectory tracking controller design and implementation on ROS-MATLAB system. , 2021, , .		0
896	Multi-Sensor SLAM for efficient Navigation of a Mobile Robot. , 2021, , .		2
897	Building Plane Segmentation Based on Point Clouds. Remote Sensing, 2022, 14, 95.	4.0	7
898	OVERVIEW OF EQUIPMENT &#x0D; FOR CAPTURING 3D IMAGES WITH SUBSEQUENT TRANSMISSION THROUGH A COMMUNICATION NETWORK. Telecom IT, 2021, 9, 56-71.	0.1	0
899	Facial Recognition based on Deep Learning. , 2021, , .		0
900	Dynamic Measurement of Portos Tomato Seedling Growth Using the Kinect 2.0 Sensor. Agriculture (Switzerland), 2022, 12, 449.	3.1	4

#	ARTICLE	IF	CITATIONS
901	An Efficient Plane-Segmentation Method for Indoor Point Clouds Based on Countability of Saliency Directions. ISPRS International Journal of Geo-Information, 2022, 11, 247.	2.9	0
902	Two-Stage Incremental Three-Dimensional Spatial Mapping Approach Using a Single-Layer Lidar. Journal of Russian Laser Research, 0, , .	0.6	0
908	Bundle ICP with Virtual Depth for Hand-Held 3d Scanner. , 2022, , .		0
909	Recent developments and applications of simultaneous localization and mapping in agriculture. Journal of Field Robotics, 2022, 39, 956-983.	6.0	24
910	Dense Incremental Metric-Semantic Mapping for Multiagent Systems via Sparse Gaussian Process Regression. IEEE Transactions on Robotics, 2022, 38, 3133-3153.	10.3	5
911	Study on Measurement Error Reduction Using the Internal Interference Light Reduction Structure of a Time-of-Flight Sensor. IEEE Sensors Journal, 2022, 22, 12967-12975.	4.7	4
913	Point Cloud Registration Leveraging Structural Regularity in Manhattan World. IEEE Robotics and Automation Letters, 2022, 7, 7888-7895.	5.1	1
914	Autonomous Navigation in Unknown Environments With Sparse Bayesian Kernel-Based Occupancy Mapping. IEEE Transactions on Robotics, 2022, 38, 3694-3712.	10.3	3
915	Scanning Path Planning of Ultrasonic Testing Robot Based on Deep Image Processing. Russian Journal of Nondestructive Testing, 2022, 58, 167-175.	0.9	1
916	VODRAC: Efficient and robust correspondence-based point cloud registration with extreme outlier ratios. Journal of King Saud University - Computer and Information Sciences, 2023, 35, 38-55.	3.9	1
917	AI-based 3D Spatial Structure Estimation Using Indoor Floor Point Cloud. Journal of Digital Contents Society, 2022, 23, 1013-1020.	0.4	1
918	Accurate Ground-Truth Depth Image Generation Via Overfit Training of Point Cloud Registration Using Local Frame Sets. SSRN Electronic Journal, 0, , .	0.4	1
919	Nerfels: Renderable Neural Codes for Improved Camera Pose Estimation. , 2022, , .		4
920	Polarization-based approach for multipath interference mitigation in time-of-flight imaging. Applied Optics, 2022, 61, 7206.	1.8	4
921	Photon-Efficient 3D Reconstruction with A Coarse-to-Fine Neural Network. Optics and Lasers in Engineering, 2022, 159, 107224.	3.8	0
922	On 3D Reconstruction Using RGB-D Cameras. Digital, 2022, 2, 401-421.	2.2	8
923	3D Vision Using Multiple Structured Light-Based Kinect Depth Cameras. International Journal of Image and Graphics, 2024, 24, .	1.5	1
924	Review of artificial intelligence-based bridge damage detection. Advances in Mechanical Engineering, 2022, 14, 168781322211227.	1.6	30

#	ARTICLE	IF	CITATIONS
925	Accuracy of RGB-D camera-based and stereophotogrammetric facial scanners: a comparative study. Journal of Dentistry, 2022, 127, 104302.	4.1	4
926	DANIEL: A fast and robust consensus maximization method for point cloud registration with high outlier ratios. Information Sciences, 2022, 614, 563-579.	6.9	5
927	A Survey on Depth Ambiguity of 3D Human Pose Estimation. Applied Sciences (Switzerland), 2022, 12, 10591.	2.5	4
928	A Voxel Generator Based on Autoencoder. Applied Sciences (Switzerland), 2022, 12, 10757.	2.5	2
929	Application of Artificial Intelligence in the Food Industry: AI-Based Automatic Pruning of Dormant Apple Trees. Studies in Computational Intelligence, 2023, , 1-15.	0.9	1
930	Accurate depth image generation via overfit training of point cloud registration using local frame sets. Computer Vision and Image Understanding, 2022, , 103588.	4.7	0
931	Indoor 3D Reconstruction of Buildings via Azure Kinect RGB-D Camera. Sensors, 2022, 22, 9222.	3.8	3
932	Case Study: Improving the Quality of Dairy Cow Reconstruction with a Deep Learning-Based Framework. Sensors, 2022, 22, 9325.	3.8	3
933	Hardware implementation of SLAM algorithms: a survey on implementation approaches and platforms. Artificial Intelligence Review, 2023, 56, 6187-6239.	15.7	2
934	An Optimization-Based Motion Planner for Car-like Logistics Robots on Narrow Roads. Sensors, 2022, 22, 8948.	3.8	2
935	A Generic Image Processing Pipeline for Enhancing Accuracy and Robustness of Visual Odometry. Sensors, 2022, 22, 8967.	3.8	3
936	A method for high dynamic range 3D color modeling of objects through a color camera. Machine Vision and Applications, 2023, 34, .	2.7	1
937	Random-modulated pulse lidar using a gain-switched semiconductor laser with a delayed self-homodyne interferometer. Optics Express, 2023, 31, 2013.	3.4	3
938	Experimental Procedure for the Metrological Characterization of Time-of-Flight Cameras for Human Body 3D Measurements. Sensors, 2023, 23, 538.	3.8	3
939	Hybrid metric-feature mapping based on camera and Lidar sensor fusion. Measurement: Journal of the International Measurement Confederation, 2023, 207, 112411.	5.0	3
940	Real-time 3D reconstruction of large-scale scenes with LOD representation. International Journal of Pattern Recognition and Artificial Intelligence, 0, , .	1.2	1
941	Fast Object Annotation in Point Clouds Aided by 3D Reconstruction. , 2022, , .		0
942	Centroid Distance Keypoint Detector for Colored Point Clouds. , 2023, , .		3

#	ARTICLE	IF	CITATIONS
943	Review of Research on Robot Visual Slam. , 2022, , .		1
944	Closed-form solution to point- and plane-based co-registration of terrestrial LiDAR point clouds. Applied Geomatics, 2023, 15, 421-439.	2.5	1
945	Simultaneous Localization and Mapping (SLAM) for Autonomous Driving: Concept and Analysis. Remote Sensing, 2023, 15, 1156.	4.0	14
946	Human-Focused Digital Twin Applications for Occupational Safety and Health in Workplaces: A Brief Survey and Research Directions. Applied Sciences (Switzerland), 2023, 13, 4598.	2.5	5
947	Pruning Points Detection of Sweet Pepper Plants Using 3D Point Clouds and Semantic Segmentation Neural Network. Sensors, 2023, 23, 4040.	3.8	4
948	Nonintrusive Load Monitoring Using Recurrent Neural Networks with Occupants Location Information in Residential Buildings. Energies, 2023, 16, 3688.	3.1	1
949	Comparison of Various Face Recognition Algorithms in ML/DS. , 2023, , .		0
950	Fast and Accurate 3D Registration from Line Intersection Constraints. International Journal of Computer Vision, 2023, 131, 2044-2069.	15.6	1
951	A Comprehensive and Systematic Review of Deep Learning Based Object Recognition Techniques for the Visually Impaired. , 2023, , .		0
952	Sistema de localiza��o e mapeamento simult�neos utilizando sensor RGB-D para rob�s de servi�o. Archives of Health, 2023, 4, 442-449.	0.1	0
953	How to make sense of 3D representations for plant phenotyping: a compendium of processing and analysis techniques. Plant Methods, 2023, 19, .	4.3	4
954	<scp>CHAN</scp>: Skeleton based action recognition by multi�level feature learning. Computer Animation and Virtual Worlds, 0, , .	1.2	0
955	Semantic Mapping with Confidence Scores through Metric Embeddings and Gaussian Process Classification. , 2023, , .		0
956	PVL-Cartographer: Panoramic Vision-Aided LiDAR Cartographer-Based SLAM for Maverick Mobile Mapping System. Remote Sensing, 2023, 15, 3383.	4.0	1
957	EdgeVO: An Efficient and Accurate Edge-based Visual Odometry. , 2023, , .		1
958	RGB to �Multispectral Remap: A�Cost-Effective Novel Approach to�Recognize and�Segment Plant Disease. Algorithms for Intelligent Systems, 2023, , 147-157.	0.6	0
959	RGB-L: Enhancing Indirect Visual SLAM Using LiDAR-Based Dense Depth Maps. , 2023, , .		0
960	Log-GPIS-MOP: A Unified Representation for Mapping, Odometry, and Planning. IEEE Transactions on Robotics, 2023, 39, 4078-4094.	10.3	2

#	ARTICLE	IF	CITATIONS
961	A Robust Keyframe-Based Visual SLAM for RGB-D Cameras in Challenging Scenarios. IEEE Access, 2023, 11, 97239-97249.	4.2	0
962	Dual-scale point cloud completion network based on high-frequency feature fusion. Image and Vision Computing, 2023, 139, 104818.	4.5	0
964	Vision-based environmental perception for autonomous driving. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering, 0, , .	1.9	0
965	Inexpensive Stereo System Using ReStereoNet for Disparity Map Estimation. , 2023, , .		0
966	3D pipeline reconstruction and diameter measurement method based on target segmentation. , 2024, , .		0
967	SLAM algorithms for autonomous mobile robots. , 2024, , 115-134.		0