

# Computed Micro-Tomographic Evaluation of Glide Path PathFile in Maxillary First Molars' Curved Canals

Journal of Endodontics

38, 389-393

DOI: [10.1016/j.joen.2011.11.011](https://doi.org/10.1016/j.joen.2011.11.011)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Evaluation of a New Nickel-Titanium System to Create the Glide Path in Root Canal Preparation of Curved Canals. <i>Journal of Endodontics</i> , 2013, 39, 1581-1584.	1.4	62
3	Critical evaluation of root canal transportation by instrumentation. <i>Endodontic Topics</i> , 2013, 29, 110-124.	0.5	54
4	Glide Path Preparation in S-shaped Canals with Rotary Pathfinding Nickel-Titanium Instruments. <i>Journal of Endodontics</i> , 2013, 39, 534-537.	1.4	51
5	The ability of the Reciproc R25 instrument to reach the full root canal working length without a glide path. <i>International Endodontic Journal</i> , 2013, 46, 993-998.	2.3	76
6	Changes in root canal anatomy using three nickel-titanium rotary system: a cone beam computed tomography analysis. <i>Brazilian Journal of Oral Sciences</i> , 2013, 12, 307-312.	0.1	5
7	An endodontic practice profile amongst general dental practitioners in Kathmandu: A questionnaire survey. <i>Journal of College of Medical Sciences-Nepal</i> , 2014, 9, 40-50.	0.2	3
8	Energy Consumption of ProTaper Next X1 after Glide Path with PathFiles and ProGlider. <i>Journal of Endodontics</i> , 2014, 40, 2015-2018.	1.4	34
9	Apical Root Canal Transportation and Remaining Dentin Thickness Associated with ProTaper Universal with and without PathFile. <i>Journal of Endodontics</i> , 2014, 40, 688-693.	1.4	28
10	Evaluation of Root Canal Transportation, Centering Ratio, and Remaining Dentin Thickness Associated with ProTaper Next Instruments with and without Glide Path. <i>Journal of Endodontics</i> , 2014, 40, 2053-2056.	1.4	111
11	Glide-path: comparison between manual instruments, first generation rotary instruments and M-Wire new generation rotary instruments. <i>Giornale Italiano Di Endodonzia</i> , 2014, 28, 36-40.	0.3	1
12	Comparison of two different preparation protocol of Ni-Ti Rotary PathFile-ProTaper instruments in simulated s-shaped canals. <i>Acta Odontologica Scandinavica</i> , 2014, 72, 76-80.	0.9	3
13	Canal shaping with WaveOne reciprocating files: influence of operator experience on instrument breakage and canal preparation time. <i>Odontology / the Society of the Nippon Dental University</i> , 2014, 102, 217-222.	0.9	16
14	Apical root canal transportation of different pathfinding systems and their effects on shaping ability of ProTaper Next. <i>Journal of Clinical and Experimental Dentistry</i> , 2015, 7, e392-e395.	0.5	13
15	Influence of a glide path on the dentinal crack formation of ProTaper Next system. <i>Restorative Dentistry &amp; Endodontics</i> , 2015, 40, 286.	0.6	3
16	Transportación y centricidad en conductos curvos con ProTaper Next y PathFile / Transportation and Centering in Curved Canals with ProTaper Next and PathFile. <i>Universitas Odontologica: Revista Científica De La Facultad De Odontologica</i> , 2015, 34, .	0.2	0
17	Glide Path Management with Single- and Multiple-instrument Rotary Systems in Curved Canals: A Micro-Computed Tomographic Study. <i>Journal of Endodontics</i> , 2015, 41, 1880-1883.	1.4	34
19	Apical Transportation, Centering Ability, and Cleaning Effectiveness of Reciprocating Single-file System Associated with Different Glide Path Techniques. <i>Journal of Endodontics</i> , 2015, 41, 2045-2049.	1.4	39
20	Micro-Computed Tomography Evaluation of ProTaper Next and BioRace Shaping Outcomes in Maxillary First Molar Curved Canals. <i>Journal of Endodontics</i> , 2015, 41, 1706-1710.	1.4	51

#	ARTICLE	IF	CITATIONS
21	Evaluation of Root Canal Obturation by Micro-computed Tomography for Endodontic Training in Dental Students. <i>Dentistry (Sunnyvale, Calif)</i> , 2016, 06, .	0.1	0
22	Endodontic Treatment of Hypertaurodontic Mandibular Molar Using Reciprocating Single-file System: A Case Report. <i>Bulletin of Tokyo Dental College, The</i> , 2016, 57, 83-89.	0.1	0
23	Incidence of dentinal defects after preparation of severely curved root canals using the Reciproc single-file system with and without prior creation of a glide path. <i>International Endodontic Journal</i> , 2016, 49, 1057-1064.	2.3	21
24	A micro-computed tomography study of the negotiation and anatomical feature in apical root canal of mandibular molars. <i>Scanning</i> , 2016, 38, 819-824.	0.7	6
25	Comparison of Canal Transportation and Centering Ability of K-files, ProGlider File, and G-Files: A Micro-Computed Tomography Study of Curved Root Canals. <i>Journal of Endodontics</i> , 2016, 42, 1105-1109.	1.4	43
26	Scouting Ability of 4 Pathfinding Instruments in Moderately Curved Molar Canals. <i>Journal of Endodontics</i> , 2016, 42, 1540-1544.	1.4	30
27	Differences in torsional performance of single- and multiple-instrument rotary systems for glide path preparation. <i>Odontology / the Society of the Nippon Dental University</i> , 2016, 104, 192-198.	0.9	22
28	Influence of Cervical and Apical Enlargement Associated with the WaveOne System on the Transportation and Centralization of Endodontic Preparations. <i>Journal of Endodontics</i> , 2016, 42, 626-631.	1.4	18
29	Micro-CT evaluation of several glide path techniques and ProTaper Next shaping outcomes in maxillary first molar curved canals. <i>International Endodontic Journal</i> , 2017, 50, 387-397.	2.3	49
30	Torsional Performance of ProTaper Gold Rotary Instruments during Shaping of Small Root Canals after 2 Different Glide Path Preparations. <i>Journal of Endodontics</i> , 2017, 43, 447-451.	1.4	12
31	A Comparison of the Cyclic Fatigue Resistance of Used and New Glide Path Files. <i>Journal of Endodontics</i> , 2017, 43, 477-480.	1.4	13
32	Glide Path Enlargement of Mandibular Molar Canals by Using K-files, the ProGlider File, and G-Files: A Comparative Study of the Preparation Times. <i>Journal of Endodontics</i> , 2017, 43, 609-612.	1.4	31
33	Influence of Artifact Reduction Tools in Micro-computed Tomography Images for Endodontic Research. <i>Journal of Endodontics</i> , 2017, 43, 2108-2111.	1.4	13
34	Apical transportation and canal straightening with different continuously tapered rotary file systems in severely curved root canals: F6 SkyTaper and OneShape versus Mtwo. <i>International Endodontic Journal</i> , 2017, 50, 983-990.	2.3	25
35	Permeabilización del Canal Radicular y Transporte Apical: Comparación de Tres Sistemas. <i>International Journal of Odontostomatology</i> , 2017, 11, 151-156.	0.0	0
36	Comparison of automatic and visual methods used for image segmentation in Endodontics: a microCT study. <i>Journal of Applied Oral Science</i> , 2017, 25, 674-679.	0.7	6
37	Cyclic fatigue resistance of new reciprocating glide path files in 45° and 60° degree curved canals. <i>International Endodontic Journal</i> , 2018, 51, 1053-1058.	2.3	18
38	Root Canal Shaping Effect of Instruments with Offset Mass of Rotation in the Mandibular First Molar: A Micro-computed Tomographic Study. <i>Journal of Endodontics</i> , 2018, 44, 822-827.	1.4	19

#	ARTICLE	IF	CITATIONS
39	Evaluation of selected mechanical properties of NiTi rotary glide path files manufactured from controlled memory wires. <i>Dental Materials Journal</i> , 2018, 37, 549-554.	0.8	16
40	Association of manual or engine-driven glide path preparation with canal centring and apical transportation: a systematic review. <i>International Endodontic Journal</i> , 2018, 51, 1239-1252.	2.3	28
41	Resistance to cyclic fatigue of PathFile, ScoutRaCe and ProGlider glide path files in an S-shaped canal. <i>International Endodontic Journal</i> , 2018, 51, 509-514.	2.3	20
42	Cyclic fatigue resistance of R-Pilot, HyFlex <sc>EDM</sc> and PathFile nickel-titanium glide path files in artificial canals with double (S-shaped) curvature. <i>International Endodontic Journal</i> , 2018, 51, 584-589.	2.3	33
43	Torsional fatigue resistance of pathfinding instruments manufactured from several nickel-titanium alloys. <i>International Endodontic Journal</i> , 2018, 51, 697-704.	2.3	18
44	Canal Transportation and Centering Ability of WaveOne Gold in Combination with and without Different Glide Path Techniques. <i>Journal of Endodontics</i> , 2018, 44, 1430-1435.	1.4	24
45	Cyclic Fatigue Resistance of Novel Glide Path Instruments with Different Alloy Properties and Kinematics. <i>Journal of Endodontics</i> , 2018, 44, 1422-1424.	1.4	17
46	Micro-computed tomographic evaluation of two single rotary glide path systems. <i>International Endodontic Journal</i> , 2019, 52, 352-358.	2.3	16
47	Methods for measurement of root canal curvature: a systematic and critical review. <i>International Endodontic Journal</i> , 2019, 52, 169-180.	2.3	41
48	Performance of Reciproc Blue R25 Instruments in Shaping the Canal Space without Glide Path. <i>Journal of Endodontics</i> , 2019, 45, 194-198.	1.4	13
49	Microcomputed Assessment of Transportation, Centering Ratio, Canal Area, and Volume Increase after Single-file Rotary and Reciprocating Glide Path Instrumentation in Curved Root Canals: A Laboratory Study. <i>Journal of Endodontics</i> , 2019, 45, 791-796.	1.4	22
50	Torsional fatigue resistance of R-Pilot and WaveOne Gold Glider NiTi glide path reciprocating systems. <i>International Endodontic Journal</i> , 2019, 52, 874-879.	2.3	15
51	Root Canal Shaping Using Nickel Titanium, M-Wire, and Gold Wire: A Micro-computed Tomographic Comparative Study of One Shape, ProTaper Next, and WaveOne Gold Instruments in Maxillary First Molars. <i>Journal of Endodontics</i> , 2019, 45, 62-67.	1.4	37
52	Comparison of torque, force generation and canal shaping ability between manual and nickel-titanium glide path instruments in rotary and optimum glide path motion. <i>Odontology / the Society of the Nippon Dental University</i> , 2020, 108, 188-193.	0.9	25
53	Comparison of Canal Transportation and Centering Ability of ProGlider and WaveOne Gold Glider in Curved Canals. <i>European Journal of Dentistry</i> , 2020, 14, 639-643.	0.8	6
54	Apically extruded debris produced during glide path preparation using R-Pilot, WaveOne Gold Glider and ProGlider in curved root canals. <i>Australian Endodontic Journal</i> , 2020, 46, 439-444.	0.6	9
55	Reduction of an in vitro Intraradicular Multispecies Biofilm Using Two Rotary Instrumentation Sequences. <i>European Journal of Dentistry</i> , 2020, 14, 001-007.	0.8	8
56	Influence of Negotiation, Glide Path, and Preflaring Procedures on Root Canal Shaping—Terminology, Basic Concepts, and a Systematic Review. <i>Journal of Endodontics</i> , 2020, 46, 707-729.	1.4	44

#	ARTICLE	IF	CITATIONS
57	Glide Path with Reciprocating Driven Pathfinding Instrument: Performance and Fracture Rate. <i>Journal of Endodontics</i> , 2021, 47, 100-104.	1.4	8
58	Evaluation of type of kinematics on glide path procedures and torsional fatigue resistance after preparation of moderately curved canals. <i>Brazilian Oral Research</i> , 2021, 35, e064.	0.6	2
59	Body temperature fatigue behaviour of reciprocating and rotary glide path instruments in sodium hypochlorite solutions alone or combined with etidronate. <i>Australian Endodontic Journal</i> , 2021, 47, 450-456.	0.6	3
60	Micro-CT evaluation of rotary and reciprocating glide path and shaping systems outcomes in maxillary molar curved canals. <i>Odontology / the Society of the Nippon Dental University</i> , 2022, 110, 54-61.	0.9	7
61	Evaluation of Design, Metallurgy, Microhardness, and Mechanical Properties of Glide Path Instruments: A Multimethod Approach. <i>Journal of Endodontics</i> , 2021, 47, 1917-1923.	1.4	13
62	Torsional fatigue strength of reciprocating and rotary pathfinding instruments manufactured from different NiTi alloys. <i>Brazilian Oral Research</i> , 2019, 33, e097.	0.6	9
63	Cone-beam computed tomography assessment of root canal transportation using WaveOne Gold and Neoniti single-file systems. <i>Journal of Conservative Dentistry</i> , 2017, 20, 434.	0.3	7
64	Influence of operator expertise on glide path and root canal preparation of curved root canals with rotary and reciprocating motions. <i>Australian Endodontic Journal</i> , 2021, , .	0.6	1
65	Advanced Imaging Techniques in Endodontology: A Review. <i>Annual Research &amp; Review in Biology</i> , 2014, 4, 790-804.	0.4	0
66	Comparison of PathFile and ProFinder systems to create a glide path in curved root canals. <i>European Endodontic Journal</i> , 2018, 3, 61-65.	0.4	1
67	Prevalence of Extra Root Canal Orifices of Maxillary First Permanent Molars in a Saudi Subpopulation Utilizing Microcomputed Tomography. <i>Journal of Contemporary Dental Practice</i> , 2018, 19, 1312-1316.	0.2	2
68	Micro-Computed Tomography (Micro-CT) Evaluation of Effects of Different Rotary Glide Path Techniques on Canal Transportation and Centering in Curved Root Canals. <i>Medical Science Monitor</i> , 2019, 25, 6351-6358.	0.5	3
70	Farklı rehber yol sistemleri ile kullanılan WaveOne Gold Primary™nin eÅri kanallarda Åkillendirme yeteneÅi. <i>Selcuk Dental Journal</i> , 0, , .	0.1	0
71	Cyclic Fatigue Resistance of WaveOne Gold, ProDesign R and ProDesign Logic Files in Curved Canals In Vitro. <i>Iranian Endodontic Journal</i> , 2017, 12, 468-473.	0.8	24
72	Comparison of Canal Transportation and Centering Ability of One-G, EdgeGlidePath, and Neolix: A MicroComputed Tomography Study of Curved Root Canals. <i>International Journal of Dentistry</i> , 2021, 2021, 1-6.	0.5	1
73	Reciprocating Movement: Mastering the Mechanical Preparation. , 2022, , 159-213.		0
74	Comparison of shaping ability of the Reciproc Blue and One Curve with or without glide path in simulated S-shaped root canals. <i>Restorative Dentistry &amp; Endodontics</i> , 2022, 47, .	0.6	2
75	Present status and future directions: Canal shaping. <i>International Endodontic Journal</i> , 2022, 55, 637-655.	2.3	28

#	ARTICLE	IF	CITATIONS
76	The Effect of Glide Path Preparation on Root Canal Shaping Procedures and Outcomes.. European Endodontic Journal, 2022, , .	0.4	1
77	Effect of Glide Path and Coronal Flaring on the Centering Ability and Transportation of Root Canals: Micro-CT In Vitro Study. Journal of Contemporary Dental Practice, 2022, 22, 1471-1476.	0.2	1
78	Endodontic Rotary Files, What Should an Endodontist Know?. Medicina (Lithuania), 2022, 58, 719.	0.8	3
79	Impact of kinematics on the efficiency and safety of an engine-driven file for glide path preparation in MB2 canals of maxillary molars. Clinical Oral Investigations, 0, , .	1.4	3