

CITATION REPORT

List of articles citing

Determination of maternal-fetal biomarkers of prenatal exposure to ethanol: a review

DOI: 10.1016/j.jpba.2012.01.006

Journal of Pharmaceutical and Biomedical Analysis,
2012, 69, 209-22.

Source: <https://exaly.com/paper-pdf/53628766/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
102	Protein biomarkers of alcohol abuse. 2012 , 9, 425-36		24
101	[Ethylglucuronide assays in urine and hair]. 2012 , 70, 629-34		1
100	A new method for quantifying prenatal exposure to ethanol by microwave-assisted extraction (MAE) of meconium followed by gas chromatography-mass spectrometry (GC-MS). 2012 , 404, 147-55		12
99	Application of dispersive liquid-liquid microextraction for the determination of phosphatidylethanol in blood by liquid chromatography tandem mass spectrometry. 2013 , 111, 189-95		27
98	Fetal alcohol spectrum disorders and fetal alcohol syndrome: the state of the art and new diagnostic tools. 2013 , 89 Suppl 1, S40-3		45
97	[Direct metabolites of ethanol as biological markers of alcohol use: basic aspects and applications]. 2013 , 81, 493-502		12
96	Comments and reflections on ethics in screening for biomarkers of prenatal alcohol exposure. 2013 , 37, 1451-5		33
95	Prevalence of fetal alcohol syndrome and maternal characteristics in a sample of schoolchildren from a rural province of Croatia. 2013 , 10, 1547-61		31
94	Effects of Ethanol Sustained Exposure on Human Trophoblast Cell Hormonal Production. 2014 , 05,		
93	Fetal Alcohol Spectrum Disorders. 2014 , 590-592		
92	Fetal alcohol spectrum disorders and neuroimmune changes. 2014 , 118, 41-80		58
91	Prenatal alcohol exposure and its repercussion on newborns. 2014 , 7, 47-54		8
90	Improved liquid chromatography-tandem mass spectrometric method for the determination of ethyl glucuronide concentrations in hair: applications to forensic cases. 2014 , 128, 53-8		11
89	[What ethanol metabolites as biological markers tell us about alcohol use]. 2014 , 164, 25-33		4
88	Validation of a novel method to identify in utero ethanol exposure: simultaneous meconium extraction of fatty acid ethyl esters, ethyl glucuronide, and ethyl sulfate followed by LC-MS/MS quantification. 2014 , 406, 1945-55		29
87	An Introduction to Toxicology. 2014 ,		5
86	A Bio-Social and Ethical Framework for Understanding Fetal Alcohol Spectrum Disorders. 2014 , 7, 337-344		9

85	A comparison of the prevalence of prenatal alcohol exposure obtained via maternal self-reports versus meconium testing: a systematic literature review and meta-analysis. 2014 , 14, 127	95
84	Quantification of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in meconium for detection of alcohol abuse during pregnancy: Correlation study between both biomarkers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 100, 74-78	3.5 16
83	Biomarkers in fetal alcohol syndrome. 2014 , 6, 12-22	12
82	Screening for alcohol and drug use during pregnancy. 2014 , 41, 205-12	15
81	The validity of phosphatidylethanol in dried blood spots of newborns for the identification of prenatal alcohol exposure. 2014 , 38, 1078-85	51
80	Ethical and social challenges in newborn screening for prenatal alcohol exposure. 2014 , 41, 115-8	5
79	Ethanol metabolites: their role in the assessment of alcohol intake. 2015 , 39, 2060-72	78
78	Advances in the development of novel antioxidant therapies as an approach for fetal alcohol syndrome prevention. 2015 , 103, 163-77	26
77	Neurobehavioural Effects of Prenatal Exposure to Alcohol. 2015 , 02,	
76	Prenatal ethanol exposure and placental hCG and IGF2 expression. 2015 , 36, 854-62	13
75	Alcohol consumption during pregnancy and adverse neurodevelopmental outcomes. 2015 , 69, 927-9	15
74	Clinical sensitivity and specificity of meconium fatty acid ethyl ester, ethyl glucuronide, and ethyl sulfate for detecting maternal drinking during pregnancy. 2015 , 61, 523-32	60
73	Maternal and neonatal hair and breast milk in the assessment of perinatal exposure to drugs of abuse. 2015 , 7, 1273-97	20
72	Determination of direct alcohol markers: a review. 2015 , 407, 4907-25	55
71	Improving Recognition of Children Affected by Prenatal Alcohol Exposure: Detection of Exposure in Pediatric Care. 2015 , 2, 165-174	5
70	Alcohol Consumption during Pregnancy: Analysis of Two Direct Metabolites of Ethanol in Meconium. 2016 , 17, 417	4
69	Fetal Alcohol Syndrome and Maternal Alcohol Biomarkers in Sera: A Register-Based Case-Control Study. 2016 , 40, 1507-14	8
68	A wearable biochemical sensor for monitoring alcohol consumption lifestyle through Ethyl glucuronide (EtG) detection in human sweat. 2016 , 6, 23111	88

67	An examination of sex differences in the effects of early-life opiate and alcohol exposure. 2016 , 371, 20150123	33
66	Objective Measures of Prenatal Alcohol Exposure: A Systematic Review. 2016 , 138,	25
65	Assays of Gamma-Glutamyl Transferase and Carbohydrate-Deficient Transferrin Combination from Maternal Serum Improve the Detection of Prenatal Alcohol Exposure. 2016 , 40, 2385-2393	6
64	The Detection of Fetal Alcohol Exposure by FAEEs Meconium Analysis. 2016 , 3, 235-241	2
63	Fetal alcohol spectrum disorders: Prevention, identification, and intervention. 2016 , 41, 28-34	1
62	A novel, simultaneous extraction of FAEE and EtG from meconium and analysis by LC-MS/MS. 2016 , 408, 2587-94	8
61	Alternative sampling strategies for the assessment of alcohol intake of living persons. 2016 , 49, 1078-91	29
60	Commercial Ethyl Glucuronide (EtG) and Ethyl Sulfate (EtS) Testing is Not Vulnerable to Incidental Alcohol Exposure in Pregnant Women. 2016 , 51, 126-30	4
59	Bioanalytical procedures and developments in the determination of alcohol biomarkers in biological specimens. 2016 , 8, 229-51	16
58	Segmental hair analysis to assess effectiveness of single-session motivational intervention to stop ethanol use during pregnancy. 2016 , 158, 45-51	8
57	Quantification of phosphatidylethanol 16:0/18:1, 18:1/18:1, and 16:0/16:0 in venous blood and venous and capillary dried blood spots from patients in alcohol withdrawal and control volunteers. 2016 , 408, 825-38	42
56	Determination of ethyl glucuronide in hair to assess excessive alcohol consumption in a student population. 2016 , 408, 2027-34	3
55	Biomarkers for the Detection of Prenatal Alcohol Exposure: A Review. 2017 , 41, 251-261	32
54	Ethylglucuronide in the urine as a marker of alcohol consumption during pregnancy: Comparison with four alcohol screening questionnaires. 2017 , 275, 49-56	21
53	A modified Timeline Followback assessment to capture alcohol exposure in pregnant women: Application in the Safe Passage Study. 2017 , 62, 17-27	14
52	Toxicology in clinical laboratories: challenging times. 2017 , 74, 110-120	1
51	Ethyl linolenate is elevated in meconium of very-low-birth-weight neonates exposed to alcohol in utero. 2017 , 81, 461-467	3
50	Placental Proteomics Reveal Insights into Fetal Alcohol Spectrum Disorders. 2017 , 41, 1551-1558	8

49	Drinking and smoking patterns during pregnancy: Development of group-based trajectories in the Safe Passage Study. 2017 , 62, 49-60		30
48	In utero alcohol effects on foetal, neonatal and childhood lung disease. 2017 , 21, 34-37		10
47	Prevalence of prenatal exposure to substances of abuse: questionnaire versus biomarkers. 2017 , 14, 137		19
46	Alcohol and substance use are associated with altered metabolome in the first trimester serum samples of pregnant mothers. 2018 , 223, 79-84		8
45	Fetal Cerebral Circulation as Target of Maternal Alcohol Consumption. 2018 , 42, 1006-1018		10
44	Determining the pattern and prevalence of alcohol consumption in pregnancy by measuring biomarkers in meconium. 2018 , 103, F216-F220		18
43	Metabolomics and fetal alcohol spectrum disorder. 2018 , 96, 198-203		2
42	Challenges of diagnosing fetal alcohol spectrum disorders in foster and adopted children. 2018 , 67, 37-43		10
41	The Ascidian Embryo Teratogenicity assay in <i>Ciona intestinalis</i> as a new teratological screening to test the mixture effect of the co-exposure to ethanol and fluconazole. 2018 , 57, 76-85		2
40	Prenatal alcohol exposure prevalence as measured by direct ethanol metabolites in meconium in a Native American tribe of the southwest. 2019 , 111, 53-61		4
39	Meconium analysis as a promising diagnostic tool for monitoring fetal exposure to toxic substances: Recent trends and perspectives. 2018 , 109, 124-141		7
38	Assessing prevalence of alcohol consumption in early pregnancy: Self-report compared to blood biomarker analysis. 2018 , 61, 531-538		8
37	Toxicological analyses of placenta and umbilical cord to document the death of a newborn: a case report. 2018 , 30, 256-262		
36	Sensitive and reliable gas chromatography tandem mass spectrometry assay for ethyl glucuronide in neonatal meconium. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 175, 112743	3.5	1
35	Novel fast ultra-performance liquid chromatography-tandem mass spectrometry (UHPLC-MS/MS) and extraction of ethylglucuronide in meconium samples. 2019 , 11, 1471-1475		3
34	Meconium Biomarkers of Prenatal Alcohol Exposure. 2019 , 585-594		
33	Alcohol Biomarkers: Clinical Issues and Analytical Methods. 2019 , 25-42		3
32	Serum concentrations of IGF-I/IGF-II as biomarkers of alcohol damage during foetal development and diagnostic markers of Foetal Alcohol Syndrome. 2019 , 9, 1562		6

31	The plasma metabolome of women in early pregnancy differs from that of non-pregnant women. 2019 , 14, e0224682	12
30	Minocycline attenuates ethanol-induced cell death and microglial activation in the developing spinal cord. 2019 , 79, 25-35	10
29	LC-MS in Drug Analysis. 2019 ,	2
28	Quantitation of Ethyl- β -Glucuronide in Human Umbilical Cord Tissue by Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS). 2019 , 1872, 223-236	0
27	Fetus morphology changes by second-trimester ultrasound in pregnant women drinking alcohol. 2020 , 25, e12724	8
26	The effect of maternal alcohol and drug abuse on first trimester screening analytes: a retrospective cohort study. 2020 , 20, 562	0
25	Absolute Addiction Psychiatry Review. 2020 ,	
24	Multiple Tools Are Needed for the Detection of Prenatal Alcohol Exposure: Findings From a Community Antenatal Setting. 2020 , 44, 1001-1011	1
23	Prenatal Alcohol Exposure and the Facial Phenotype in Adolescents: A Study Based on Meconium Ethyl Glucuronide. 2021 , 11,	1
22	Phosphatidylethanol as Blood Biomarker of Alcohol Consumption in Early Pregnancy: An Observational Study in 4,067 Pregnant Women. 2021 , 45, 886-892	0
21	Association of Prenatal Alcohol Exposure and Prenatal Maternal Depression with Offspring Low-Grade Inflammation in Early Adolescence. 2021 , 18,	3
20	Screening for Alcohol Use in Pregnancy: a Review of Current Practices and Perspectives. 2021 , 1-20	1
19	Clinical usefulness of a urine dipstick to detect ethyl glucuronide (EtG): A quantitative clinical study in healthy young female volunteers. 2021 , 128, 709-715	0
18	Maternal hair testing to disclose self-misreporting in drinking and smoking behavior during pregnancy. 2018 , 67, 1-6	20
17	n-Propyl 2,3,4,6-tetra-O-acetyl- β -glucopyran- <i>o</i> -side. 2013 , 69, o158	
16	Isopropyl 2,3,4,6-tetra-O-acetyl- β -glucopyran- <i>o</i> -side. 2013 , 69, o157	
15	Everyday Toxicology I: Alcohol. 2014 , 257-284	
14	Biological State Marker for Alcohol Consumption. 2015 , 261-292	

- 13 Analysis of protein profile changes in chronic alcohol intoxication to diagnose the development of these pathological conditions. **2015**, 70, 11-19
- 12 High-Risk Pregnancy: Management Options. **2018**, 1
- 11 Prospettiva e Valore della matrice Cheratinica nella valutazione dell'Utilizzo di Nuove Sostanze Psicoattive nella popolazione che afferisce ai SERD. **2020**, 39-44
- 10 Co-occurring Medical Disorders. **2020**, 327-333
- 9 Prenatal Alcohol Exposure and the Developing Immune System. **2015**, 37, 279-85 17
- 8 Markers of Neuroinflammation in the Serum of Prepubertal Children with Fetal Alcohol Spectrum Disorders. **2021**, 2
- 7 Alcohol Use Screening in Pregnant and Childbearing Aged Women: Practices and Implications. **2022**, 213-237 0
- 6 Determination of Ethyl Glucuronide and Ethyl Sulfate in Dried Blood Spots by UHPLC-MS-MS: Method Validation and Assessment of Ethanol Exposure in Postmortem Samples from Road Traffic Victims. 0
- 5 Phosphatidylethanol in Maternal or Neonatal Blood to Detect Alcohol Exposure during Pregnancy: A Systematic Review. **2022**, 12, 1528 0
- 4 Moderate alcohol consumption during pregnancy increases potency of two different drugs (the antifungal fluconazole and the antiepileptic valproate) in inducing craniofacial defects: prediction by the in vitro rat whole embryo culture. 0
- 3 Does ethyl glucuronide in hair correlates with alcohol consumption? A comparative study with other traditional biomarkers among individuals with alcohol dependence syndrome. **2022**, 0
- 2 Screening und Diagnostik von Intoxikation, riskantem, schädlichem und abhängigem Alkoholgebrauch. **2022**, 11-49 0
- 1 High-resolution imaging in studies of alcohol effect on prenatal development. 3, 0