

# CITATION REPORT

List of articles citing

New trends in reversed-phase liquid chromatographic separations of therapeutic peptides and proteins: theory and applications

DOI: 10.1016/j.jpba.2012.03.024

Journal of Pharmaceutical and Biomedical Analysis, 2012, 69, 9-27.

**Source:** <https://exaly.com/paper-pdf/53628776/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
111	Analysis of recombinant monoclonal antibodies by RPLC: toward a generic method development approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 70, 158-68	3.5	43
110	Ion selective electrodes for protonable nitrogen containing analytes: Metallacarboranes as active membrane components. <b>2013</b> , 113, 94-98		15
109	Development and optimization of on-line 2-dimensional chromatographic approaches for eliminating matrix effects and improving bioanalysis of peptides in human plasma using UHPLC-MS/MS. <b>2014</b> , 6, 415-25		4
108	Bioanalysis of therapeutic peptides: differentiating between total and anti-drug antibody bound drug using liquid chromatography-tandem mass spectrometry quantitation. <b>2013</b> , 1316, 69-77		12
107	UHPLC: The Greening Face of Liquid Chromatography. <b>2013</b> , 76, 1429-1437		39
106	Identifying analytics for high throughput bioprocess development studies. <b>2013</b> , 110, 1924-35		11
105	High-resolution peptide mapping separations with MS-friendly mobile phases and charge-surface-modified C18. <b>2013</b> , 85, 6936-44		24
104	Comparison of various silica-based monoliths for the analysis of large biomolecules. <i>Journal of Separation Science</i> , <b>2013</b> , 36, 2231-43	3.4	10
103	Automated solid-phase peptide synthesis to obtain therapeutic peptides. <b>2014</b> , 10, 1197-212		142
102	Evolution and Current Trends in Liquid and Supercritical Fluid Chromatography. <b>2014</b> , 1, 15-40		16
101	Preparation and evaluation of a novel monolithic column containing double octadecyl chains for reverse-phase micro high performance liquid chromatography. <b>2014</b> , 1345, 174-81		17
100	Modern chromatographic and mass spectrometric techniques for protein biopharmaceutical characterization. <b>2014</b> , 1335, 81-103		101
99	Theory and practice of size exclusion chromatography for the analysis of protein aggregates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 101, 161-73	3.5	167
98	Analytical characterization of NOTA-modified somatropins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 96, 1-9	3.5	9
97	Improved detection of variants in recombinant human interferon alpha-2a products by reverse-phase high-performance liquid chromatography on a core-shell stationary phase. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 88, 123-9	3.5	7
96	Current and future trends in UHPLC. <b>2014</b> , 63, 2-13		116
95	Challenging core-shell stationary phases with the separation of closely related anti-cancer compounds: performance studies and application to drug quantitation in cell cultures with multi-well plate clean-up. <b>2014</b> , 1364, 83-95		7

94	Ultra-high-performance liquid chromatography for the characterization of therapeutic proteins. <b>2014</b> , 63, 76-84		44
93	HPLC enrichment/isolation of proteins for post-translational modification studies from complex mixtures. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 98, 393-400	3-5	6
92	Sub-2 $\mu$ m fully porous and partially porous (core-shell) stationary phases for reversed phase liquid chromatography. <b>2014</b> , 4, 22875-22887		19
91	Toward enantioselective nano ultrahigh-performance liquid chromatography with Whelk-O1 chiral stationary phase. <b>2014</b> , 35, 2819-23		11
90	Influence of acid-induced conformational variability on protein separation in reversed phase high performance liquid chromatography. <b>2014</b> , 1325, 155-62		16
89	Protein Purification and Characterization. <b>2015</b> , 91-140		
88	Open tubular capillary column for the separation of cytochrome C tryptic digest in capillary electrochromatography. <i>Journal of Separation Science</i> , <b>2015</b> , 38, 3645-54	3-4	16
87	Reversed-phase chromatography: recent advances and novel applications. <b>2015</b> , 6-18		
86	Recovery of Proteins Affected by Mobile Phase Trifluoroacetic Acid Concentration in Reversed-Phase Chromatography. <b>2015</b> , 53, 1078-83		10
85	Silica, Hybrid Silica, Hydride Silica and Non-Silica Stationary Phases for Liquid Chromatography. Part II: Chemical and Thermal Stability. <b>2015</b> , 53, 1107-22		14
84	Submicrometer particles and slip flow in liquid chromatography. <b>2015</b> , 87, 2520-6		41
83	Systematic evaluation of mobile phase additives for the LC-MS characterization of therapeutic proteins. <b>2015</b> , 136, 60-7		29
82	Toward greener analytical techniques for the absolute quantification of peptides in pharmaceutical and biological samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 113, 181-8	3-5	13
81	Bifunctional glass membrane designed to interface SDS-PAGE separations of proteins with the detection of peptides by mass spectrometry. <b>2015</b> , 87, 3685-93		
80	Ion-exchange chromatography for the characterization of biopharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 113, 43-55	3-5	126
79	Rapid octreotide separation from synthetic peptide crude mixtures by chromatography on poly(styrene-co-divinylbenzene)-based reversed phases. <b>2015</b> , 154, 351-358		6
78	Evaluation of a new wide-pore superficially porous material with carbon core and nanodiamond-polymer shell for the separation of proteins. <b>2015</b> , 1414, 51-9		13
77	Synthesis and optimization of wide pore superficially porous particles by a one-step coating process for separation of proteins and monoclonal antibodies. <b>2015</b> , 1414, 147-57		28

76	Applications of hydrophilic interaction chromatography to amino acids, peptides, and proteins. <i>Journal of Separation Science</i> , <b>2015</b> , 38, 357-67	3-4	54
75	Evaluation of new superficially porous particles with carbon core and nanodiamond-polymer shell for proteins characterization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 104, 130-6	3-5	14
74	Core-shell particles lead the way to renewing high-performance liquid chromatography. <b>2015</b> , 64, 17-28		112
73	Marine Processing Proteinaceous By-Products: A Source of Biofunctional Food Ingredients. <b>2016</b> , 63-86		
72	Proteomic characterization of histone variants in the mouse testis by mass spectrometry-based top-down analysis. <b>2016</b> , 10, 357-364		11
71	Challenges in liquid chromatographic characterization of proteins. <b>2016</b> , 1032, 3-22		15
70	Importance of vial shape and type on the reproducibility of size exclusion chromatography measurement of monoclonal antibodies. <b>2016</b> , 1032, 131-138		7
69	Impact of organic modifier and temperature on protein denaturation in hydrophobic interaction chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 131, 124-132	3-5	26
68	New and Evolving Techniques for the Characterization of Peptide Therapeutics. <b>2016</b> , 105, 2989-3006		19
67	Challenges for the in vivo quantification of brain neuropeptides using microdialysis sampling and LC-MS. <b>2016</b> , 8, 1965-85		9
66	Separation of Peptides on HALO 2-Micron Particles. <b>2016</b> , 85, 11.6.1-11.6.16		3
65	High-Performance Liquid Chromatography/Mass Spectrometry in Peptide and Protein Analysis. <b>2016</b> , 1-33		
64	Recent applications of capillary electromigration methods to separation and analysis of proteins. <b>2016</b> , 933, 23-42		83
63	Prototype sphere-on-sphere silica particles for the separation of large biomolecules. <b>2016</b> , 1431, 94-102		9
62	Comparative studies of peak intensities and chromatographic separation of proteolytic digests, PTMs, and intact proteins obtained by nanoLC-ESI MS analysis at room and elevated temperatures. <b>2016</b> , 408, 3953-68		3
61	Quality control of cationic cell-penetrating peptides. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 117, 289-97	3-5	11
60	In Vitro Functional Quality Characterization of NOTA-Modified Somatropins. <b>2017</b> , 89, 2764-2772		4
59	Achievable separation performance and analysis time in current liquid chromatographic practice for monoclonal antibody separations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 141, 59-69	3-5	16

58	Protocols for the analytical characterization of therapeutic monoclonal antibodies. I - Non-denaturing chromatographic techniques. <b>2017</b> , 1058, 73-84		31
57	Development and validation of a rapid reversed-phase HPLC method for the quantification of monoclonal antibody bevacizumab from polyester-based nanoparticles. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 142, 171-177	3-5	14
56	Analysis of recombinant monoclonal antibodies in hydrophilic interaction chromatography: A generic method development approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 145, 24-32	3-5	21
55	The importance of ion-pairing in peptide purification by reversed-phase liquid chromatography. <b>2017</b> , 1496, 80-91		19
54	Analysis of streptokinase by validated liquid chromatography methods and correlation with an in vitro bioassay. <i>Journal of Separation Science</i> , <b>2017</b> , 40, 407-414	3-4	2
53	Technologies and strategies for bioanalysis of biopharmaceuticals. <b>2017</b> , 9, 1343-1347		4
52	Use of monolithic supports for high-throughput protein and peptide separation in proteomics. <b>2017</b> , 38, 2851-2869		19
51	Simple and rapid LC-MS/MS method for the absolute determination of cetuximab in human serum using an immobilized trypsin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 146, 266-272	3-5	23
50	Ultra-high performance liquid chromatography. <b>2017</b> , 719-769		8
49	Steady-migration retention characteristics of peptides under gradient elution: application towards a dynamic separation method for minor-adjustments of the retention of peptides in RPLC. <b>2017</b> , 60, 829-836		
48	A Targeted LC-MS Strategy for Low-Abundant HLA Class-I-Presented Peptide Detection Identifies Novel Human Papillomavirus T-Cell Epitopes. <b>2018</b> , 18, e1700390		18
47	Proteomics of Body Fluids. <b>2018</b> , 93-112		
46	Utility of a high coverage phenyl-bonding and wide-pore superficially porous particle for the analysis of monoclonal antibodies and related products. <b>2018</b> , 1549, 63-76		29
45	Complementation of UPLC-Q-TOF-MS and CESI-Q-TOF-MS on identification and determination of peptides from bovine lactoferrin. <b>2018</b> , 1084, 150-157		17
44	Current possibilities of liquid chromatography for the characterization of antibody-drug conjugates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 147, 493-505	3-5	39
43	Qualitative analysis of antibody-drug conjugates (ADCs): an experimental comparison of analytical techniques of cysteine-linked ADCs. <b>2018</b> , 143, 5487-5496		19
42	Development of Isocratic RP-HPLC Method for Separation and Quantification of L-Citrulline and L-Arginine in Watermelons. <b>2018</b> , 2018, 4798530		10
41	Bioactive Peptides From Fish Protein By-Products. <b>2018</b> , 1-35		7

40	Characterizing various monoclonal antibodies with milder reversed phase chromatography conditions. <b>2018</b> , 1096, 1-10		18
39	Sensitive quantification of the somatostatin analog AP102 in plasma by ultra-high pressure liquid chromatography-tandem mass spectrometry and application to a pharmacokinetic study in rats. <b>2018</b> , 10, 1448-1457		1
38	Microfluidics Chip for Directional Solvent Extraction Desalination of Seawater. <i>Scientific Reports</i> , <b>2019</b> , 9, 12576	4.9	5
37	Preparation of silica colloidal crystal column and its application in pressurized capillary electrochromatography. <b>2019</b> , 1587, 172-179		8
36	Bioactive Peptides from Fish Protein By-Products. <b>2019</b> , 355-388		8
35	Artificial Neural Network Prediction of Retention of Amino Acids in Reversed-Phase HPLC under Application of Linear Organic Modifier Gradients and/or pH Gradients. <b>2019</b> , 24,		6
34	Determining gradient conditions for peptide purification in RPLC with machine-learning-based retention time predictions. <b>2019</b> , 1598, 92-100		11
33	Recent Advances in Chromatography for Pharmaceutical Analysis. <b>2019</b> , 91, 210-239		47
32	Sub-picomolar quantification of PTH 1-34 in plasma by UHPLC-MS/MS after subcutaneous injection of teriparatide and identification of PTH 1-33, its degradation product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 166, 205-212	3.5	1
31	Fundamental Properties of Packing Materials for Liquid Chromatography. <b>2019</b> , 6, 2		6
30	Enhanced-Fluidity Liquid Chromatography-Mass Spectrometry for Intact Protein Separation and Characterization. <b>2019</b> , 91, 935-942		22
29	Physicochemical Stability of Monoclonal Antibodies: A Review. <b>2020</b> , 109, 169-190		88
28	Evaluation of additives on reversed-phase chromatography of monoclonal antibodies using a 1000 Å stationary phase. <b>2020</b> , 1610, 460562		10
27	Validation of an innovative analytical method for simultaneous quantification of alpha-cyano-4-hydroxycinnamic acid and the monoclonal antibody cetuximab using HPLC from PLGA-based nanoparticles. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 190, 113540	3.5	4
26	Bioactive Proteins and Peptides from Microalgae. <b>2020</b> , 1443-1474		1
25	Development of a generic reversed-phase liquid chromatography method for protein quantification using analytical quality-by-design principles. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 188, 113412	3.5	11
24	Current and future trends in reversed-phase liquid chromatography-mass spectrometry of therapeutic proteins. <b>2020</b> , 130, 115962		13
23	Trends in the Analysis of Biopharmaceuticals by HPLC. <b>2020</b> , 16, 52-58		2

22 Bioactive Peptide Analysis. **2021**, 243-262

21 Establishment of validated stability indicating purity method based on the stress degradation behavior of gonadotropin-releasing hormone antagonist (ganirelix) in an injectable formulation using HPLC and LC-MS-QTOF. **2021**, 27, 126-140 0

20 At-Line Reversed Phase Liquid Chromatography for In-Process Monitoring of Inclusion Body Solubilization. **2021**, 8, 3

19 Downstream Processing of Therapeutic Peptides by Means of Preparative Liquid Chromatography. **2021**, 26, 7

18 Chromatographic Strategies for the Successful Characterization of Protein Biopharmaceuticals. **2021**, 57-71

17 Development of a Novel and Stability Indicating RP-HPLC-UV Method for Simultaneous Analysis of Carbetocin and Ten Impurities in Carbetocin Injection Products. **2021**, 84, 967-978 0

16 Sustainable and Eco-Friendly Alternatives for Liquid Chromatographic Analysis. **2017**, 5, 5618-5634 32

15 Core-shell or fused-core particles. **2015**, 136-150

14 Methoden zur Synthese und Analyse von Peptiden und Proteinen. **2017**, 23-59

13 High-Performance Liquid Chromatography/Mass Spectrometry in Peptide and Protein Analysis. 1-58

12 Analysis of short-chain bioactive peptides by unified chromatography-electrospray ionization mass spectrometry. Part II. Comparison to reversed-phase ultra-high performance liquid chromatography.. **2021**, 1663, 462771 2

11 A story of peptides, lipophilicity and chromatography [back and forth in time. *RSC Medicinal Chemistry*, 3.5 2

10 Preparation of mixed-mode stationary phase for separation of peptides and proteins in high performance liquid chromatography.. *Scientific Reports*, **2022**, 12, 4061 4.9 0

9 Comparison of the separation of proteins of wide-ranging molecular weight via trilobal polypropylene capillary-channeled polymer fiber, commercial superficially porous, and commercial size exclusion columns.. *Journal of Separation Science*, **2022**, 3.4 0

8 An eco-friendly approach to enhance the extraction and recovery efficiency of isoflavones from kudzu roots and soy molasses wastes using ultrasound-assisted extraction with natural deep eutectic solvents (NADES). *Industrial Crops and Products*, **2022**, 182, 114886 5.9 1

7 Comparative analysis of trilobal capillary-channeled polymer fiber columns with superficially porous and monolithic phases toward reversed-phase protein separations. 0

6 Simple, rapid, and sensitive quantification of dolichyl phosphates using phosphate methylation and reverse-phase liquid chromatography-high resolution mass spectrometry. 0

5 LC-MS/MS method for the quantitation of serum tocilizumab in rheumatoid arthritis patients using rapid tryptic digestion without IgG purification. **2022**, 1

4	Proteomics Characterization of Food-Derived Bioactive Peptides with Anti-Allergic and Anti-Inflammatory Properties. <b>2022</b> , 14, 4400	1
3	Biological Evaluation and Conformational Preferences of Ferrocene Dipeptides with Hydrophobic Amino Acids. <b>2023</b> , 11, 29	1
2	Quantification of Dolichyl Phosphates Using Phosphate Methylation and Reverse-Phase Liquid ChromatographyHigh Resolution Mass Spectrometry. <b>2023</b> , 95, 3210-3217	0
1	Atomistic Details of Peptide Reversed-Phase Liquid Chromatography from Molecular Dynamics Simulations. <b>2023</b> , 95, 3892-3900	0