CITATION REPORT List of articles citing

LC-MS determination of bioactive molecules based upon stable isotope-coded derivatization method

DOI: 10.1016/j.jpba.2012.04.018 Journal of Pharmaceutical and Biomedical Analysis, 2012, 69, 174-84.

Source: https://exaly.com/paper-pdf/53628792/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
65	Stable isotope coded derivatizing reagents as internal standards in metabolite profiling. <i>Journal of Chromatography A</i> , 2013 , 1296, 196-203	4.5	82
64	Synthesis of [13C6]primaquine. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2013 , 56, 341	-3 .9	6
63	Derivatization in LC-MS Bioanalysis. 2013 , 239-248		2
62	Separation and Quantification of Water-Soluble Cellular Metabolites in Clostridium thermocellum using Liquid Chromatography-Isotope Dilution Tandem Mass Spectrometry. <i>Analytical Letters</i> , 2013 , 46, 2767-2786	2.2	8
61	Relative quantification of enantiomers of chiral amines by high-throughput LC-ESI-MS/MS using isotopic variants of light and heavy L-pyroglutamic acids as the derivatization reagents. <i>Analytica Chimica Acta</i> , 2013 , 773, 76-82	6.6	20
60	Evaluation of a microchip electrophoresis-mass spectrometry platform deploying a pressure-driven make-up flow. <i>Journal of Chromatography A</i> , 2013 , 1285, 159-64	4.5	13
59	In situ aqueous derivatization as sample preparation technique for gas chromatographic determinations. <i>Journal of Chromatography A</i> , 2013 , 1296, 70-83	4.5	54
58	Derivatization in liquid chromatography for mass spectrometric detection. <i>Drug Discoveries and Therapeutics</i> , 2013 , 7, 9-17	5	28
57	Development and application of a LC-MS/MS assay for the simultaneous quantification of edaravone and taurine in beagle plasma. <i>Journal of Separation Science</i> , 2013 , 36, 3837-44	3.4	13
56	LC/MS/MS of steroids having vicinal diol as electrospray-active boronates. <i>Chemical and Pharmaceutical Bulletin</i> , 2013 , 61, 326-32	1.9	5
55	Analysis of urinary vitamin DImetabolites by liquid chromatography/tandem mass spectrometry with ESI-enhancing and stable isotope-coded derivatization. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6647-54	4.4	29
54	Quantitative proteomics to study carbapenem resistance in Acinetobacter baumannii. <i>Frontiers in Microbiology</i> , 2014 , 5, 512	5.7	25
53	Enantioselective determination of ibuprofen in saliva by liquid chromatography/tandem mass spectrometry with chiral electrospray ionization-enhancing and stable isotope-coded derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 98, 387-92	3.5	25
52	Application of screening experimental designs to assess chromatographic isotope effect upon isotope-coded derivatization for quantitative liquid chromatography-mass spectrometry. <i>Analytical Chemistry</i> , 2014 , 86, 7033-40	7.8	23
51	Development of a pair of differential H/D isotope-coded derivatization reagents d(0)/d(3)-4-(1-methyl-1H-phenanthro[9,10-d]imidazol-2-yl)phenlamine and its application for determination of aldehydes in selected aquatic products by liquid chromatography-tandem mass	6.2	24
50	Isotope-labeled differential profiling of metabolites using N-benzoyloxysuccinimide derivatization coupled to liquid chromatography/high-resolution tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 1632-40	2.2	9
49	Improving detection sensitivity of amino acids in thyroid tissues by using phthalic acid as a mobile phase additive in hydrophilic interaction chromatography-electrospray ionization-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 870, 75-82	6.6	33

(2017-2015)

48	A novel amino acid analysis method using derivatization of multiple functional groups followed by liquid chromatography/tandem mass spectrometry. <i>Analyst, The</i> , 2015 , 140, 1965-73	5	29
47	Quantitative liquid chromatography-electrospray ionization-mass spectrometry analysis of amine-containing metabolites derivatized with cyanuric chloride and methylamine isotopologues. <i>Journal of Chromatography A</i> , 2015 , 1388, 60-8	4.5	14
46	Stable isotope labeling assisted liquid chromatography-electrospray tandem mass spectrometry for quantitative analysis of endogenous gibberellins. <i>Talanta</i> , 2015 , 144, 341-8	6.2	41
45	Quantitative Metabolome Analysis Based on Chromatographic Peak Reconstruction in Chemical Isotope Labeling Liquid Chromatography Mass Spectrometry. <i>Analytical Chemistry</i> , 2015 , 87, 7011-6	7.8	54
44	Chemical derivatization to enhance metabolomic analysis by LC/ESIMS. 2015, 6-21		
43	Development of versatile isotopic labeling reagents for profiling the amine submetabolome by liquid chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 881, 107-16	6.6	17
42	Matrix effect on chemical isotope labeling and its implication in metabolomic sample preparation for quantitative metabolomics. <i>Metabolomics</i> , 2015 , 11, 1733-1742	4.7	16
41	DnsID in MyCompoundID for rapid identification of dansylated amine- and phenol-containing metabolites in LC-MS-based metabolomics. <i>Analytical Chemistry</i> , 2015 , 87, 9838-45	7.8	78
40	Advantages and Pitfalls of Mass Spectrometry Based Metabolome Profiling in Systems Biology. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	98
39	Isotope-coded ESI-enhancing derivatization reagents for differential analysis, quantification and profiling of metabolites in biological samples by LC/MS: A review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 130, 181-193	3.5	49
38	Diagnostic Approach to Disease Using Non-invasive Samples Based on Derivatization and LC-ESI-MS/MS. <i>Biological and Pharmaceutical Bulletin</i> , 2016 , 39, 1397-411	2.3	13
37	LC/ESI-MS/MS method for determination of salivary eicosapentaenoic acid concentration to arachidonic acid concentration ratio. <i>Biomedical Chromatography</i> , 2016 , 30, 29-34	1.7	20
36	4-Phenylaminomethyl-Benzeneboric Acid Modified Tip Extraction for Determination of Brassinosteroids in Plant Tissues by Stable Isotope Labeling-Liquid Chromatography-Mass Spectrometry. <i>Analytical Chemistry</i> , 2016 , 88, 1286-93	7.8	52
35	Benzylic rearrangement stable isotope labeling for quantitation of guanidino and ureido compounds in thyroid tissues by liquid chromatography-electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2016 , 908, 132-40	6.6	14
34	Chemical derivatization for enhancing sensitivity during LC/ESI-MS/MS quantification of steroids in biological samples: a review. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 162, 57-69	5.1	58
33	Methods for differential and quantitative analyses of brain neurosteroid levels by LC/MS/MS with ESI-enhancing and isotope-coded derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 155-62	3.5	12
32	Mass spectrometric based approaches in urine metabolomics and biomarker discovery. <i>Mass Spectrometry Reviews</i> , 2017 , 36, 115-134	11	148
31	Isotope-coded derivatization based LC/ESI-MS/MS methods using a pair of novel reagents for quantification of hydroxycinnamic acids and hydroxybenzoic acids in fermented brown rice product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 142, 162-170	3.5	9

30	Hydrogen-Isotope Exchange (HIE) Reactions of Secondary and Tertiary Sulfonamides and Sulfonylureas with Iridium(I) Catalysts. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 1418-1424	3.2	31
29	Application of Cookson-type reagents for biomedical HPLC and LC/MS analyses: a brief overview. <i>Biomedical Chromatography</i> , 2017 , 31, e3808	1.7	13
28	Development of a validated LC- MS/MS method for the quantification of 19 endogenous asthma/COPD potential urinary biomarkers. <i>Analytica Chimica Acta</i> , 2017 , 989, 45-58	6.6	19
27	Research Progress in Analysis of Small Molecule Metabolites in Bio-matrices by Stable Isotope Coded Derivatization Combining with Liquid ChromatographyEandem Mass Spectrometry. <i>Chinese</i> Journal of Analytical Chemistry, 2017 , 45, 1066-1077	1.6	5
26	Enhanced detection of amino acids in hydrophilic interaction chromatography electrospray tandem mass spectrometry with carboxylic acids as mobile phase additives. <i>European Journal of Mass Spectrometry</i> , 2017 , 23, 98-104	1.1	4
25	The great importance of normalization of LC-MS data for highly-accurate non-targeted metabolomics. <i>Biomedical Chromatography</i> , 2017 , 31, e3864	1.7	33
24	Derivatization-based High-throughput Bioanalysis by LC-MS. <i>Analytical Sciences</i> , 2017 , 33, 555-564	1.7	33
23	Derivatization in liquid chromatography. 2017 , 39-68		1
22	Deuterium- und tritiummarkierte Verbindungen: Anwendungen in den modernen Biowissenschaften. <i>Angewandte Chemie</i> , 2018 , 130, 1774-1802	3.6	76
21	Deuterium- and Tritium-Labelled Compounds: Applications in the Life Sciences. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 1758-1784	16.4	281
21		16.4 7.8	281
	- International Edition, 2018, 57, 1758-1784 Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and		
20	- International Edition, 2018, 57, 1758-1784 Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and 9,10-Phenanthrenequinone. Analytical Chemistry, 2018, 90, 13867-13875 A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by	7.8	12
20	- International Edition, 2018, 57, 1758-1784 Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and 9,10-Phenanthrenequinone. Analytical Chemistry, 2018, 90, 13867-13875 A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. Analytical Sciences, 2018, 34, 1003-1009	7.8	7
20 19 18	Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and 9,10-Phenanthrenequinone. <i>Analytical Chemistry</i> , 2018 , 90, 13867-13875 A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. <i>Analytical Sciences</i> , 2018 , 34, 1003-1009 Synthesis of double-13C-labeled imidazole derivatives. <i>Tetrahedron Letters</i> , 2018 , 59, 3516-3518 An accurate differential analysis of carboxylic acids in beer using ultra high-performance liquid chromatography-quadrupole time-of-flight mass spectrometry based on chiral derivatization	7.8	12 7 10
20 19 18	Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and 9,10-Phenanthrenequinone. <i>Analytical Chemistry</i> , 2018 , 90, 13867-13875 A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. <i>Analytical Sciences</i> , 2018 , 34, 1003-1009 Synthesis of double-13C-labeled imidazole derivatives. <i>Tetrahedron Letters</i> , 2018 , 59, 3516-3518 An accurate differential analysis of carboxylic acids in beer using ultra high-performance liquid chromatography-quadrupole time-of-flight mass spectrometry based on chiral derivatization combining three isotopic reagents. <i>Talanta</i> , 2019 , 205, 120146 A Fairy Chemical, Imidazole-4-carboxamide, is Produced on a Novel Purine Metabolic Pathway in	7.8 1.7 2 6.2	12 7 10 12
20 19 18 17	Novel Isotope-Coded Derivatization Method for Aldehydes Using N/N-Ammonium Acetate and 9,10-Phenanthrenequinone. <i>Analytical Chemistry</i> , 2018 , 90, 13867-13875 A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. <i>Analytical Sciences</i> , 2018 , 34, 1003-1009 Synthesis of double-13C-labeled imidazole derivatives. <i>Tetrahedron Letters</i> , 2018 , 59, 3516-3518 An accurate differential analysis of carboxylic acids in beer using ultra high-performance liquid chromatography-quadrupole time-of-flight mass spectrometry based on chiral derivatization combining three isotopic reagents. <i>Talanta</i> , 2019 , 205, 120146 A Fairy Chemical, Imidazole-4-carboxamide, is Produced on a Novel Purine Metabolic Pathway in Rice. <i>Scientific Reports</i> , 2019 , 9, 9899 Derivatization for liquid chromatography-electrospray ionization-mass spectrometry analysis of	7.8 1.7 2 6.2	12 7 10 12

CITATION REPORT

12	Profiling of carboxyl-containing metabolites in smokers and non-smokers by stable isotope labeling combined with LC-MS/MS. <i>Analytical Biochemistry</i> , 2019 , 569, 1-9	3.1	7	
11	Comparative study of five different amine-derivatization methods for metabolite analyses by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1610, 460536	4.5	9	
10	Current trends in isotope-coded derivatization liquid chromatographic-mass spectrometric analyses with special emphasis on their biomedical application. <i>Biomedical Chromatography</i> , 2020 , 34, e4756	1.7	12	
9	Automated parallel derivatization of metabolites with SWATH-MS data acquisition for qualitative and quantitative analysis. <i>Analytica Chimica Acta</i> , 2020 , 1127, 198-206	6.6	8	
8	Derivatization-based sample-multiplexing for enhancing throughput in liquid chromatography/tandem mass spectrometry quantification of metabolites: an overview. <i>Journal of Chromatography A</i> , 2020 , 1634, 461679	4.5	6	
7	Current developments in LC-MS for pharmaceutical analysis. <i>Analyst, The</i> , 2020 , 145, 1129-1157	5	50	
6	Magnetic TiC MXene functionalized with Etyclodextrin as magnetic solid-phase extraction and in situ derivatization for determining 12 phytohormones in oilseeds by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Phytochemistry</i> , 2021 , 183, 112611	4	5	
5	STRATEGIES AND CHALLENGES IN METHOD DEVELOPMENT AND VALIDATION FOR THE ABSOLUTE QUANTIFICATION OF ENDOGENOUS BIOMARKER METABOLITES USING LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. <i>Mass Spectrometry Reviews</i> , 2021 , 40, 31-52	11	19	
4	Pharmacometabonomics: data processing and statistical analysis. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	9	
3	Quantitative metabolomic profiling using dansylation isotope labeling and liquid chromatography mass spectrometry. <i>Methods in Molecular Biology</i> , 2014 , 1198, 127-36	1.4	6	
2	Quaterization Derivatization with Bis(Pyridine) Iodine Tetrafluoroboride: High-Sensitivity Mass Spectrometric Analysis of Unsaturated Fatty Acids in Human Thyroid Tissues. 2022 , 94, 11185-11191		О	
1	Recent progress in the analysis of unsaturated fatty acids in biological samples by chemical derivatization-based chromatography-mass spectrometry methods. 2023 , 1215, 123572		0	