

CITATION REPORT

List of articles citing

Genome-wide analysis of the grapevine stilbene synthase multigenic family: genomic organization and expression profiles upon biotic and abiotic stresses

DOI: 10.1186/1471-2229-12-130
BMC Plant Biology, 2012, 12, 130.

Source: <https://exaly.com/paper-pdf/53697325/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
246	Structural, functional, and evolutionary analysis of the unusually large stilbene synthase gene family in grapevine. 2012 , 160, 1407-19		101
245	Transcriptome analysis at four developmental stages of grape berry (<i>Vitis vinifera</i> cv. Shiraz) provides insights into regulated and coordinated gene expression. 2012 , 13, 691		108
244	Transcriptional expression of Stilbene synthase genes are regulated developmentally and differentially in response to powdery mildew in Norton and Cabernet Sauvignon grapevine. 2012 , 197, 70-6		30
243	Patterns of Gene Duplication and Their Contribution to Expansion of Gene Families in Grapevine. 2013 , 31, 852-861		27
242	The R2R3-MYB transcription factors MYB14 and MYB15 regulate stilbene biosynthesis in <i>Vitis vinifera</i> . 2013 , 25, 4135-49		183
241	Sensorial, biochemical and molecular changes in Raboso Piave grape berries applying "Double Maturation Raisonné" and late harvest techniques. 2013 , 208, 50-7		14
240	<i>Vitis vinifera</i> secondary metabolism as affected by sulfate depletion: diagnosis through phenylpropanoid pathway genes and metabolites. 2013 , 66, 118-26		26
239	Advances in biotechnology and informatics to link variation in the genome to phenotypes in plants and animals. 2013 , 13, 1-9		12
238	Silicon era of carbon-based life: application of genomics and bioinformatics in crop stress research. 2013 , 14, 11444-83		7
237	Grapevine genomics and phenotypic diversity of bud sports, varieties and wild relatives. 2013 , 149-163		
236	Genome-wide analysis of the expansin gene superfamily reveals grapevine-specific structural and functional characteristics. 2013 , 8, e62206		79
235	Skin Browning and Expression of PPO, STS, and CHS Genes in the Grape Berries of Rhine Muscat. 2014 , 83, 122-132		12
234	The grapevine gene nomenclature system. 2014 , 15, 1077		67
233	Differential induction of antioxidant stilbenoids in hairy roots of <i>Vitis rotundifolia</i> treated with methyl jasmonate and hydrogen peroxide. 2014 , 74, 50-69		36
232	The comparative analysis of the potential relationship between resveratrol and stilbene synthase gene family in the development stages of grapes (<i>Vitis quinquangularis</i> and <i>Vitis vinifera</i>). 2014 , 74, 24-32		46
231	Comparison of distinct transcriptional expression patterns of flavonoid biosynthesis in Cabernet Sauvignon grapes from east and west China. 2014 , 84, 45-56		19
230	Differential responses of three grapevine cultivars to <i>Botryosphaeria dieback</i> . 2014 , 104, 1021-35		25

229	The SWEET family of sugar transporters in grapevine: VvSWEET4 is involved in the interaction with <i>Botrytis cinerea</i> . 2014 , 65, 6589-601		120
228	Molecular evolution and sequence divergence of plant chalcone synthase and chalcone synthase-Like genes. 2014 , 142, 215-25		15
227	Expression of Defense Genes in Strawberry Fruits Treated with Different Resistance Inducers. 2014 , 62, 3047-3056		73
226	Day and night heat stress trigger different transcriptomic responses in green and ripening grapevine (<i>Vitis vinifera</i>) fruit. <i>BMC Plant Biology</i> , 2014 , 14, 108	5-3	97
225	A deep survey of alternative splicing in grape reveals changes in the splicing machinery related to tissue, stress condition and genotype. <i>BMC Plant Biology</i> , 2014 , 14, 99	5-3	177
224	Metabolic and transcript analysis of the flavonoid pathway in diseased and recovered Nebbiolo and Barbera grapevines (<i>Vitis vinifera</i> L.) following infection by <i>Flavescence doré</i> phytoplasma. 2014 , 37, 2183-200		35
223	Genome and transcriptome analysis of the grapevine (<i>Vitis vinifera</i> L.) WRKY gene family. 2014 , 1, 14016		124
222	Transcriptome changes in <i>Polygonum multiflorum</i> Thunb. roots induced by methyl jasmonate. 2015 , 16, 1027-41		5
221	Five omic technologies are concordant in differentiating the biochemical characteristics of the berries of five grapevine (<i>Vitis vinifera</i> L.) cultivars. 2015 , 16, 946		30
220	Oxidative stress homeostasis in grapevine (<i>Vitis vinifera</i> L.). 2015 , 3,		47
219	A comprehensive survey of the grapevine VQ gene family and its transcriptional correlation with WRKY proteins. 2015 , 6, 417		42
218	Phenolic Constituents of <i>Carex vulpinoidea</i> Seeds and their Tyrosinase Inhibitory Activities. 2015 , 10, 1934578X1501000		4
217	Resveratrol derivatives in four tissues of six wild Chinese grapevine species. 2015 , 43, 204-213		14
216	Biosynthetic origin of E-resveratrol accumulation in grape canes during postharvest storage. 2015 , 63, 1631-8		50
215	Over-expression of bael quinolone synthase in tobacco improves plant vigor under favorable conditions, drought, or salt stress. 2015 , 589, 332-41		6
214	Correlation of nitric oxide produced by an inducible nitric oxide synthase-like protein with enhanced expression of the phenylpropanoid pathway in <i>Inonotus obliquus</i> cocultured with <i>Phellinus morii</i> . 2015 , 99, 4361-72		21
213	Genetic diversity of stilbene metabolism in <i>Vitis sylvestris</i> . 2015 , 66, 3243-57		55
212	Molecular grapevine breeding techniques. 2015 , 23-37		8

211	Regulatory and Biosynthetic Mechanisms Underlying Plant Chemical Defense Responses to Biotic Stresses. 2015 , 117-146		0
210	Chemistry and Biology of Resveratrol-Derived Natural Products. 2015 , 115, 8976-9027		206
209	The modulation of carbonyl reductase 1 by polyphenols. 2015 , 47, 520-33		17
208	Regulators and Pathway Enzymes That Contribute to Chemical Diversity in Phenylpropanoid and Aromatic Alkaloid Metabolism in Plant Immunity. 2015 , 137-162		1
207	Towards a scientific interpretation of the terroir concept: plasticity of the grape berry metabolome. <i>BMC Plant Biology</i> , 2015 , 15, 191	5-3	70
206	Comprehensive transcript profiling of two grapevine rootstock genotypes contrasting in drought susceptibility links the phenylpropanoid pathway to enhanced tolerance. 2015 , 66, 5739-52		87
205	Differential response of the biosynthesis of resveratrols and flavonoids to UV-C irradiation in grape leaves. 2015 , 43, 163-172		20
204	Resveratrol synthesis under natural conditions and after UV-C irradiation in berry skin is associated with berry development stages in 'Beihong' (<i>V. vinifera</i> L. amurensis). 2015 , 168, 430-8		36
203	Synthesis of resveratrol sulfates: turning a nightmare into a dream. 2015 , 71, 3100-3106		10
202	Transcriptomic and Metabolomic Networks in the Grape Berry Illustrate That it Takes More Than Flavonoids to Fight Against Ultraviolet Radiation. 2016 , 7, 1337		56
201	Insights into the Role of the Berry-Specific Ethylene Responsive Factor. 2016 , 7, 1793		17
200	Strategies for enhancing resveratrol production and the expression of pathway enzymes. 2016 , 100, 7407-21		34
199	Genome-wide characterisation and expression profile of the grapevine ATL ubiquitin ligase family reveal biotic and abiotic stress-responsive and development-related members. 2016 , 6, 38260		15
198	Evolutionary and functional analysis of mulberry type III polyketide synthases. 2016 , 17, 540		13
197	Transcriptome pathways in leaf and root of grapevine genotypes with contrasting drought tolerance. 2016 , 161-168		3
196	Strawberry tannins inhibit IL-8 secretion in a cell model of gastric inflammation. 2016 , 111, 703-712		29
195	In Depth Proteome Analysis of Ripening Muscadine Grape Berry cv. Carlos Reveals Proteins Associated with Flavor and Aroma Compounds. 2016 , 15, 2910-23		10
194	Arbuscular mycorrhizal symbiosis stimulates key genes of the phenylpropanoid biosynthesis and stilbenoid production in grapevine leaves in response to downy mildew and grey mould infection. 2016 , 131, 92-99		40

193	Grapevine abiotic and biotic stress genomics and identification of stress markers. 2016 , 320-346		
192	Deciphering the Biosynthetic Pathways of Bioactive Compounds In Planta Using Omics Approaches. 2016 , 129-165		3
191	A systems-oriented analysis of the grapevine R2R3-MYB transcription factor family uncovers new insights into the regulation of stilbene accumulation. 2016 , 23, 451-466		88
190	The effect of postharvest application of UV-C radiation on the phenolic compounds of conventional and organic grapes (<i>Vitis labrusca</i> cv. [Concord]) 2016 , 120, 84-91		32
189	Characterization of a multifunctional caffeoyl-CoA O-methyltransferase activated in grape berries upon drought stress. 2016 , 101, 23-32		25
188	Comparative genome-wide transcriptome analysis of <i>Vitis vinifera</i> responses to adapted and non-adapted strains of two-spotted spider mite, <i>Tetranychus urticae</i> . 2016 , 17, 74		32
187	Alternations in VaSTS gene cytosine methylation and t-resveratrol production in response to UV-C irradiation in <i>Vitis amurensis</i> Rupr. cells. 2016 , 124, 33-45		25
186	Transcriptome and metabolite profiling reveals that prolonged drought modulates the phenylpropanoid and terpenoid pathway in white grapes (<i>Vitis vinifera</i> L.). <i>BMC Plant Biology</i> , 2016 , 16, 67	5,3	160
185	Stilbene accumulation in cell cultures of <i>Vitis amurensis</i> Rupr. overexpressing VaSTS1, VaSTS2, and VaSTS7 genes. 2016 , 125, 329-339		25
184	Deep sequencing reveals transcriptome re-programming of <i>Polygonum multiflorum</i> thunb. roots to the elicitation with methyl jasmonate. 2016 , 291, 337-48		7
183	Response of <i>Vitis vinifera</i> cell cultures to <i>Eutypa lata</i> and <i>Trichoderma atroviride</i> culture filtrates: expression of defence-related genes and phenotypes. 2017 , 254, 863-879		9
182	Identification of a <i>Vitis vinifera</i> endo- β ,1,3-glucanase with antimicrobial activity against <i>Plasmopara viticola</i> . 2017 , 18, 708-719		13
181	Molecular analysis of the early interaction between the grapevine flower and <i>Botrytis cinerea</i> reveals that prompt activation of specific host pathways leads to fungus quiescence. 2017 , 40, 1409-1428		24
180	Genome-wide analysis of cis-regulatory element structure and discovery of motif-driven gene co-expression networks in grapevine. 2017 , 24, 311-326		25
179	Breeding for grapevine downy mildew resistance: a review of omics approaches. 2017 , 213, 1		47
178	Lipid, phenol and carotenoid changes in 'Bianca' grapevine leaves after mechanical wounding: a case study. 2017 , 254, 2095-2106		16
177	High temperature and UV-C treatments affect stilbenoid accumulation and related gene expression levels in <i>Gnetum parvifolium</i> . 2017 , 25, 43-49		17
176	Genome-wide dissection of the chalcone synthase gene family in <i>Oryza sativa</i> . 2017 , 37, 1		10

175	is essential for stilbene accumulation in grapevine. 2017 , 4, 17058		13
174	Resveratrol accumulation and its involvement in stilbene synthetic pathway of Chinese wild grapes during berry development using quantitative proteome analysis. 2017 , 7, 9295		9
173	Modern Biotechnologies and Phytonutritional Improvement of Grape and Wine. 2017 , 339-389		
172	Jasmonate-mediated defence responses, unlike salicylate-mediated responses, are involved in the recovery of grapevine from bois noir disease. <i>BMC Plant Biology</i> , 2017 , 17, 118	5-3	24
171	Ripening Transcriptomic Program in Red and White Grapevine Varieties Correlates with Berry Skin Anthocyanin Accumulation. 2017 , 174, 2376-2396		68
170	Regulation of stilbene biosynthesis in plants. 2017 , 246, 597-623		68
169	Genome-wide identification and phylogenetic analysis of the chalcone synthase gene family in rice. 2017 , 130, 95-105		14
168	WRKY transcription factors and regulation of the stilbene biosynthetic pathway in grapevine: new insights and perspectives. 2017 , 1-8		
167	Transcriptional Characterization of a Widely-Used Grapevine Rootstock Genotype under Different Iron-Limited Conditions. 2016 , 7, 1994		13
166	Dissecting the Biochemical and Transcriptomic Effects of a Locally Applied Heat Treatment on Developing Cabernet Sauvignon Grape Berries. 2017 , 8, 53		59
165	Sunlight Modulates Fruit Metabolic Profile and Shapes the Spatial Pattern of Compound Accumulation within the Grape Cluster. 2017 , 8, 70		37
164	Exploration of Elite Stilbene Synthase Alleles for Resveratrol Concentration in Wild Chinese spp. and Cultivars. 2017 , 8, 487		2
163	Constructing Integrated Networks for Identifying New Secondary Metabolic Pathway Regulators in Grapevine: Recent Applications and Future Opportunities. 2017 , 8, 505		42
162	Grapevine Grafting: Scion Transcript Profiling and Defense-Related Metabolites Induced by Rootstocks. 2017 , 8, 654		37
161	and Pyramiding in Grapevine (cv. Crimson Seedless) Displays an Improved Defense Response Leading to Enhanced Resistance to Powdery Mildew (). 2017 , 8, 758		17
160	Colonization of the Grapevine Woody Stem Triggers Asynchronous Host Responses at the Site of Infection and in the Leaves. 2017 , 8, 1117		23
159	An Overview of Stress-Induced Resveratrol Synthesis in Grapes: Perspectives for Resveratrol-Enriched Grape Products. 2017 , 22,		97
158	Expression of the Grape VaSTS19 Gene in Arabidopsis Improves Resistance to Powdery Mildew and Botrytis cinerea but Increases Susceptibility to Pseudomonas syringae pv Tomato DC3000. 2017 , 18,		8

157	Divergence in the transcriptional landscape between low temperature and freeze shock in cultivated grapevine (). 2018 , 5, 10	37
156	Combinatorial Regulation of Stilbene Synthase Genes by WRKY and MYB Transcription Factors in Grapevine (<i>Vitis vinifera</i> L.). 2018 , 59, 1043-1059	63
155	Comparison of postharvest UV-B and UV-C treatments on table grape: Changes in phenolic compounds and their transcription of biosynthetic genes during storage. 2018 , 138, 74-81	54
154	Comparison of the Impact of Two Molecules on Plant Defense and on Efficacy against <i>Botrytis cinerea</i> in the Vineyard: A Plant Defense Inducer (Benzothiadiazole) and a Fungicide (Pyrimethanil). 2018 , 66, 3338-3350	12
153	Ectopic expression of VpSTS29, a stilbene synthase gene from <i>Vitis pseudoreticulata</i> , indicates STS presence in cytosolic oil bodies. 2018 , 248, 89-103	12
152	Differential Expression Patterns Within the Grapevine Stilbene Synthase Gene Family Revealed Through Their Regulatory Regions. 2018 , 36, 225-238	6
151	<i>Muscadinia rotundifolia</i> 'Noble' defense response to <i>Plasmopara viticola</i> inoculation by inducing phytohormone-mediated stilbene accumulation. 2018 , 255, 95-107	11
150	Mechanical stress rapidly induces E-resveratrol and E-piceatannol biosynthesis in grape canes stored as a freshly-pruned byproduct. 2018 , 240, 1022-1027	36
149	Discovering Causal Relationships in Grapevine Expression Data to Expand Gene Networks. A Case Study: Four Networks Related to Climate Change. 2018 , 9, 1385	8
148	Effects of sugarcane aphid herbivory on transcriptional responses of resistant and susceptible sorghum. 2018 , 19, 774	16
147	Timing and Order of the Molecular Events Marking the Onset of Berry Ripening in Grapevine. 2018 , 178, 1187-1206	39
146	Annotation, classification, genomic organization and expression of the <i>Vitis vinifera</i> CYPome. 2018 , 13, e0199902	6
145	Molecular Profiling of Pierce's Disease Outlines the Response Circuitry of to Infection. 2018 , 9, 771	20
144	Structure and transcriptional regulation of the major intrinsic protein gene family in grapevine. 2018 , 19, 248	22
143	Stilbene biosynthesis and gene expression in response to methyl jasmonate and continuous light treatment in <i>Vitis vinifera</i> cv. Malvasia del Lazio and <i>Vitis rupestris</i> Du Lot cell cultures. 2019 , 166, 646-662	13
142	Rpv3-1 mediated resistance to grapevine downy mildew is associated with specific host transcriptional responses and the accumulation of stilbenes. <i>BMC Plant Biology</i> , 2019 , 19, 343	53 20
141	Transcription factor VqERF114 regulates stilbene synthesis in Chinese wild <i>Vitis quinquangularis</i> by interacting with VqMYB35. 2019 , 38, 1347-1360	10
140	VpSTS29/STS2 enhances fungal tolerance in grapevine through a positive feedback loop. 2019 , 42, 2979-2998	13

139	VqbZIP1 isolated from Chinese wild <i>Vitis quinquangularis</i> is involved in the ABA signaling pathway and regulates stilbene synthesis. 2019 , 287, 110202	9
138	Transcriptional regulation of stilbene synthases in grapevine germplasm differentially susceptible to downy mildew. <i>BMC Plant Biology</i> , 2019 , 19, 404	53 10
137	The MYB5-driven MBW complex recruits a WRKY factor to enhance the expression of targets involved in vacuolar hyper-acidification and trafficking in grapevine. 2019 , 99, 1220-1241	20
136	Evolution of nutraceutical onion plants engineered for resveratrol biosynthetic pathway. 2019 , 38, 1127-1137	4
135	Burdock fructooligosaccharides inhibits postharvest colour development in grape skins by altering phenylpropanoid fluxes from anthocyanin to the resistance-related phenolic substances. 2019 , 25, 307-315	2
134	Isolation and expression analysis of Salt Overly Sensitive gene family in grapevine (<i>Vitisvinifera</i>) in response to salt and PEG stress. 2019 , 14, e0212666	7
133	Haplotype analysis of a major and stable QTL underlying soybean (<i>Glycine max</i>) seed oil content reveals footprint of artificial selection. 2019 , 39, 1	2
132	The Haplotype and Stilbenoid Induction Mediate Downy Mildew Resistance in a Grapevine Interspecific Population. 2019 , 10, 234	29
131	Metabolomic and transcriptomic changes underlying cold and anaerobic stresses after storage of table grapes. 2019 , 9, 2917	18
130	Biochemical and Molecular Regulation of Phenylpropanoids Pathway Under Abiotic Stresses. 2019 , 183-192	6
129	Early stage metabolic events associated with the establishment of <i>Vitis vinifera</i> - <i>Plasmopara viticola</i> compatible interaction. 2019 , 137, 1-13	18
128	Biochemical and transcriptomic analysis in berries of wild and cultivated grapevine (<i>Vitis vinifera</i> L.). 2019 , 403-408	
127	Impact of PsJN on Grapevine Phenolic Metabolism. 2019 , 20,	5
126	Emergent Ascomycetes in Viticulture: An Interdisciplinary Overview. 2019 , 10, 1394	14
125	Distinct Metabolic Signals Underlie Clone by Environment Interplay in "Nebbiolo" Grapes Over Ripening. 2019 , 10, 1575	5
124	A Very Promising Molecule: Resveratrol, Induced Synthesis, and Health Benefits. 2019 , 153-164	
123	VvWRKY8 represses stilbene synthase genes through direct interaction with VvMYB14 to control resveratrol biosynthesis in grapevine. 2019 , 70, 715-729	36
122	Dynamic translocation of stilbene synthase VpSTS29 from a Chinese wild <i>Vitis</i> species upon UV irradiation. 2019 , 159, 137-147	2

121	A specific allele of MYB14 in grapevine correlates with high stilbene inducibility triggered by AI and UV-C radiation. 2019 , 38, 37-49	12
120	Whole-cell biocatalytic, enzymatic and green chemistry methods for the production of resveratrol and its derivatives. 2020 , 39, 107461	33
119	Analysis of the phenolic composition and yield of 'BRS Vitoria' seedless table grape under different bunch densities using HPLC-DAD-ESI-MS/MS. 2020 , 130, 108955	8
118	Drought activates MYB41 orthologs and induces suberization of grapevine fine roots. 2020 , 4, e00278	3
117	Molecular memory of phytoplasma in recovering grapevines. 2020 , 7, 126	7
116	Presence of resveratrol in wild <i>Arachis</i> species adds new value to this overlooked genetic resource. 2020 , 10, 12787	1
115	Long-Term Impact of Chemical and Alternative Fungicides Applied to Grapevine Nebbiolo on Berry Transcriptome. 2020 , 21,	2
114	Multiple gene clusters responsive to <i>Plasmopara viticola</i> infection in grapevines. 2020 , 158, 681-691	
113	Elucidating the Genetic Architecture of Fiber Quality in Hemp (<i>L.</i>) Using a Genome-Wide Association Study. 2020 , 11, 566314	5
112	Combined MS/MS-NMR Annotation Guided Discovery of var. Seed as a Source of Viral Neuraminidase Inhibitory Polyphenols. 2020 , 25,	2
111	The impact of B mics technologies for grapevine (<i>Vitis vinifera</i>) research. 2020 , 1-15	1
110	Table Grapes during Postharvest Storage: A Review of the Mechanisms Implicated in the Beneficial Effects of Treatments Applied for Quality Retention. 2020 , 21,	5
109	Comparative (Within Species) Genomics of the L. Terpene Synthase Family to Explore the Impact of Genotypic Variation Using Phased Diploid Genomes. 2020 , 11, 421	2
108	Resveratrol targeting tau proteins, amyloid-beta aggregations, and their adverse effects: An updated review. 2020 , 34, 2867-2888	7
107	Ultrasonic nebulization-assisted layer-by-layer assembly based on carboxymethyl chitosan: An emerging alternative for promoting phenylpropanoid metabolism. 2020 , 68, 105184	5
106	The WRKY53 transcription factor enhances stilbene synthesis and disease resistance by interacting with MYB14 and MYB15 in Chinese wild grape. 2020 , 71, 3211-3226	15
105	The Plant-Derived Compound Resveratrol in Brain Cancer: A Review. 2020 , 10,	38
104	WRKY genes family study reveals tissue-specific and stress-responsive TFs in wild potato species. 2020 , 10, 7196	13

103	Effect of high CO levels and low temperature on stilbene biosynthesis pathway gene expression and stilbenes production in white, red and black table grape cultivars during postharvest storage. 2020 , 151, 334-341	9
102	Overexpression of stilbene synthase genes to modulate the properties of plants and plant cell cultures. 2021 , 68, 13-19	4
101	Codon usage pattern analysis of <i>Gnetum luofuense</i> (Gnetales) based on transcriptome data. 2021 , 113, 696-705	0
100	Downy mildew resistance is genetically mediated by prophylactic production of phenylpropanoids in hop. 2021 , 44, 323-338	4
99	Response surface statistical optimization of fermentation parameters for resveratrol production by the endophytic fungus <i>Arcopilus aureus</i> and its tyrosinase inhibitory activity. 2021 , 43, 627-644	5
98	Phytostilbenes as agrochemicals: biosynthesis, bioactivity, metabolic engineering and biotechnology. 2021 , 38, 1282-1329	25
97	Glycyrrhizin, the active compound of the TCM drug Gan Cao stimulates actin remodelling and defence in grapevine. 2021 , 302, 110712	1
96	Role of exogenous melatonin involved in phenolic metabolism of <i>Zizyphus jujuba</i> fruit. 2021 , 341, 128268	15
95	Grape Berry Transcriptome. 2021 , 558-571	
94	Impact of Environmental Factors on Stilbene Biosynthesis. <i>Plants</i> , 2021 , 10,	4.5 27
93	Major orchestration of shikimate, early phenylpropanoid and stilbenoid pathways by Subgroup 2 R2R3-MYBs in grapevine.	2
92	Dual function of VvWRKY18 transcription factor in the β -aminobutyric acid-activated priming defense in grapes. 2021 , 172, 1477-1492	7
91	Grape Berry Secondary Metabolites and Their Modulation by Abiotic Factors in a Climate Change Scenario-A Review. 2021 , 12, 643258	22
90	Secondary Metabolism and Defense Responses Are Differently Regulated in Two Grapevine Cultivars during Ripening. 2021 , 22,	3
89	Transcriptomic analysis of temporal shifts in berry development between two grapevine cultivars of the Pinot family reveals potential genes controlling ripening time.	
88	Cytokinin but not gibberellin application had major impact on the phenylpropanoid pathway in grape. 2021 , 8, 51	5
87	Resveratrol Production in Yeast Hosts: Current Status and Perspectives. 2021 , 11,	2
86	Investigation of long non-coding RNAs as regulatory players of grapevine response to powdery and downy mildew infection. <i>BMC Plant Biology</i> , 2021 , 21, 265	5.3 3

85	Transcriptomic analysis of temporal shifts in berry development between two grapevine cultivars of the Pinot family reveals potential genes controlling ripening time. <i>BMC Plant Biology</i> , 2021 , 21, 327	53	0
84	Transcriptional profiling reveals multiple defense responses in downy mildew-resistant transgenic grapevine expressing a TIR-NBS-LRR gene located at the MrRUN1/MrRPV1 locus. 2021 , 8, 161		0
83	VqMYB154 promotes polygene expression and enhances resistance to pathogens in Chinese wild grapevine. 2021 , 8, 151		4
82	Metabolomics-Based Evaluation of Crop Quality Changes as a Consequence of Climate Change. 2021 , 11,		5
81	A Synchronized Increase of Stilbenes and Flavonoids in Metabolically Engineered cv. Gamay Red Cell Culture. 2021 , 69, 7922-7931		0
80	Calcium and methyl jasmonate cross-talk in the secondary metabolism of grape cells. 2021 , 165, 228-238		4
79	RNA inhibition of the JAZ9 gene increases the production of resveratrol in grape cell cultures. 1		1
78	The grapevine (<i>Vitis vinifera</i> L.) floral transcriptome in Pinot noir variety: identification of tissue-related gene networks and whorl-specific markers in pre- and post-anthesis phases. 2021 , 8, 200		1
77	Multi-omics analysis of Ginkgo biloba preliminarily reveals the co-regulatory mechanism between stilbenes and flavonoids. 2021 , 167, 113434		3
76	The Genomics of Grape Berry Ripening. 2019 , 247-274		1
75	Modern Plant Metabolomics for the Discovery and Characterization of Natural Products and Their Biosynthetic Genes. 2020 , 156-188		1
74	Induced extracellular production of stilbenes in grapevine cell culture medium by elicitation with methyl jasmonate and stevioside. 2020 , 7,		7
73	Genome wide transcriptional profile analysis of <i>Vitis amurensis</i> and <i>Vitis vinifera</i> in response to cold stress. 2013 , 8, e58740		80
72	Genome-Wide Analysis of the Expression of WRKY Family Genes in Different Developmental Stages of Wild Strawberry (<i>Fragaria vesca</i>) Fruit. 2016 , 11, e0154312		21
71	Silicon Era of Carbon-Based Life: Application of Genomics and Bioinformatics in Crop Stress Research. 2016 , 137-165		
70	Grape Transcriptomics and Viticulture. 2019 , 275-299		
69	Overexpression of a stilbene synthase gene from <i>Fallopia multiflora</i> causes trans-piceid accumulation in transgenic <i>Arabidopsis</i> . 64, 266-270		
68	VviMYB41 orthologs contribute to the water deficit induced suberization of grapevine fine roots.		

67	Down-Regulation of Phosphoenolpyruvate Carboxylase Kinase in Grapevine Cell Cultures and Leaves Is Linked to Enhanced Resveratrol Biosynthesis. 2021 , 11,	0
66	Vitis OneGenE: A Causality-Based Approach to Generate Gene Networks in Sheds Light on the Laccase and Dirigent Gene Families.. 2021 , 11,	3
65	Study on Kinetics of Trans-Resveratrol, Total Phenolic Content, and Antioxidant Activity Increase in Vine Waste during Post-Pruning Storage. 2022 , 12, 1450	0
64	The Grape Gene Reference Catalogue as a Standard Resource for Gene Selection and Genetic Improvement.. 2021 , 12, 803977	2
63	Direct regulation of shikimate, early phenylpropanoid and stilbenoid pathways by Subgroup 2 R2R3-MYBs in grapevine.. 2022 ,	3
62	Aluminum can activate grapevine defense through actin remodeling.. 2022 ,	0
61	Overexpression of VqWRKY31 enhances powdery mildew resistance in grapevine by promoting salicylic acid signaling and specific metabolite synthesis.. 2022 ,	1
60	Transcriptomic and metabolomic approaches to counter the effect of Botrytis cinerea in grape berry with the application of nitric oxide. 2022 , 296, 110901	0
59	Vine Shoots as a Source of -Resveratrol and -Viniferin: A Study of 23 Italian Varieties.. 2022 , 11,	3
58	Differential Response of Phenol Metabolism Associated with Antioxidative Network in Elicited Grapevine Suspension Cultured Cells under Saline Conditions.. 2022 , 11,	1
57	Novel sustainable strategies to control Plasmopara viticola in grapevine unveil new insights on priming responses and arthropods ecology.. 2022 ,	1
56	Expression of a Stilbene Synthase Gene from the x L. Hybrid Increases the Resistance of Transgenic L. Plants to .. <i>Plants</i> , 2022 , 11,	4.5
55	Redox and Hormonal Changes in the Transcriptome of Grape () Berries during Natural Noble Rot Development.. <i>Plants</i> , 2022 , 11,	4.5 0
54	Data_Sheet_1.PDF. 2020 ,	
53	Data_Sheet_2.PDF. 2020 ,	
52	Data_Sheet_3.PDF. 2020 ,	
51	Data_Sheet_4.ZIP. 2020 ,	
50	Data_Sheet_5.ZIP. 2020 ,	

49 Image_1.TIFF. **2020**,

48 Image_2.TIFF. **2020**,

47 Image_3.TIFF. **2020**,

46 Image_4.TIFF. **2020**,

45 Table_1.DOCX. **2020**,

44 Table_2.DOCX. **2020**,

43 Data_Sheet_1.docx. **2020**,

42 Data_Sheet_2.xlsx. **2020**,

41 DataSheet_1.pdf. **2019**,

40 DataSheet_2.xlsx. **2019**,

39 DataSheet_3.pdf. **2019**,

38 Image_1.TIF. **2018**,

37 Table_1.XLSX. **2018**,

36 Table_2.XLSX. **2018**,

35 Table_3.XLSX. **2018**,

34 Table_4.XLSX. **2018**,

33 Table_5.XLSX. **2018**,

32 Table_6.XLSX. **2018**,

31 Data_Sheet_1.XLSX. **2018**,

30 Image_1.TIF. **2019**,

29 Image_2.TIF. **2019**,

28 Image_3.TIF. **2019**,

27 Image_4.pdf. **2019**,

26 Image_5.tif. **2019**,

25 Image_6.tif. **2019**,

24 Table_1.XLSX. **2019**,

23 DataSheet_1.pdf. **2019**,

22 Presentation_1.pptx. **2019**,

21 Table_1.xlsx. **2019**,

20 Table_2.xlsx. **2019**,

19 Identification of potential key genes in resveratrol biosynthesis via transcriptional analyses of berry development in grapevine (<i>Vitis</i> spp.) genotypes varying in <i>trans</i>-resveratrol content. *Fruit Research*, **2022**, 2, 1-11

18 Abscisic Acid and Chitosan Modulate Polyphenol Metabolism and Berry Qualities in the Domestic White-Colored Cultivar Savvatiano. *Plants*, **2022**, 11, 1648 4.5 1

17 Identification and Expression Analysis of Stilbene Synthase Genes in *Arachis hypogaea* in Response to Methyl Jasmonate and Salicylic Acid Induction. *Plants*, **2022**, 11, 1776 4.5 0

16 Constitutive expression of VviNAC17 transcription factor significantly induces the synthesis of flavonoids and other phenolics in transgenic grape berry cells. 13, 0

15 The Type III polyketide synthase supergene family in plants: complex evolutionary history and functional divergence.

14 Proline synthesis and catabolism-related genes synergistically regulate proline accumulation in response to abiotic stresses in grapevines. **2022**, 305, 111373

- 13 Grapevine WRKY Transcription Factors. **2020**, 1-8
- 12 MYB30 and MYB14 form a repressor-activator module with WRKY8 that controls stilbene biosynthesis in grapevine.
- 11 Microbial Production of Resveratrol. **2022**, 1-34
- 10 Alfin-like transcription factor VqAL4 regulates a stilbene synthase to enhance powdery mildew resistance in grapevine.
- 9 Muscadine, Resveratrol (RSV) Synthesis, and the Nutritional Benefits to Humans and Plants.
- 8 Transcriptome analysis reveals novel regulators of the Scots pine stilbene pathway.
- 7 UV Light Stress Induces Phenolic Compounds in Plants. **2023**, 415-440
- 6 Genome-Wide Identification of BTB Domain-Containing Gene Family in Grapevine (*Vitis vinifera* L.). **2023**, 13, 252
- 5 VviKFB07 F-box E3 ubiquitin ligase promotes stilbene accumulation by ubiquitinating and degrading VviCHSs protein in grape. **2023**, 331, 111687
- 4 Effects of Water Stress on Resveratrol Accumulation and Synthesis in Cabernet Sauvignon Grape Berries. **2023**, 13, 633
- 3 Holistic understanding of the response of grapevines to foliar application of seaweed extracts. 14,
- 2 Benzothiadiazole Affects Grape Polyphenol Metabolism and Wine Quality in Two Greek Cultivars: Effects during Ripening Period over Two Years. **2023**, 12, 1179
- 1 Characterization of stilbene synthase genes by comparative genome sequencing of *Vitis flexuosa* with high contents of stilbene compounds to *Vitis vinifera* genome.