Cardiovascular risk factors and cognitive function in middle aged and elderly Lithuanian urban population: results from the HAPIEE study

DOI: 10.1186/1471-2377-12-149
BMC Neurology, 2012, 12, 149.

#	Paper	IF	Citations
8	Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). *BMC Neurology*, **2015**, 15, 191	3.1	43
7	Cognitive reserve and Alzheimer's disease. *Molecular Neurobiology*, **2015**, 51, 187-208	6.2	71
6	Factors related to the evolution of Health Related Quality of Life in coronary patients. A longitudinal approach using Weighted Generalized Estimating Equations with missing data. *International Journal of Cardiology*, **2016**, 223, 940-946	3.2	6
5	Psychological well-being and mortality: longitudinal findings from Lithuanian middle-aged and older adults study. *Social Psychiatry and Psychiatric Epidemiology*, **2019**, 54, 803-811	4.5	6
4	Cognitive Function and Mortality: Results from Kaunas HAPIEE Study 2006-2017. *International Journal of Environmental Research and Public Health*, **2020**, 17,	4.6	3
3	Lowered cognitive function and the risk of the first events of cardiovascular diseases: findings from a cohort study in Lithuania. *BMC Public Health*, **2021**, 21, 792	4.1	1
2	VYRESNIO AMŽIAUS LIETUVOS GYVENTOJŲ GEROVĖS IR SVEIKATOS SĄSAJOS. *Health Sciences*, **2017**, 27, 5-12	0	
1	Risk and protective factors of neurocognitive disorders in older adults in Central and Eastern Europe: A systematic review of population-based studies. *PLoS ONE*, **2021**, 16, e0260549	3.7	0