High acceptability for cell phone text messages to impreresults with HIV-infected patients in rural Uganda: a cre

BMC Medical Informatics and Decision Making 12, 56 DOI: 10.1186/1472-6947-12-56

Citation Report

#	Article	IF	CITATIONS
1	Test Result Management in Global Health Settings. Global Advances in Health and Medicine, 2012, 1, 42-46.	0.7	16
2	Combining rapid diagnostic tests and dried blood spot assays for point-of-care testing of human immunodeficiency virus, hepatitis B and hepatitis C infections in Burkina Faso, West Africa. Clinical Microbiology and Infection, 2013, 19, E533-E541.	2.8	59
3	Furthering the reliable and valid measurement of mental health screening, diagnoses, treatment and outcomes through health information technology. General Hospital Psychiatry, 2013, 35, 349-353.	1.2	30
4	Scaling Up mHealth: Where Is the Evidence?. PLoS Medicine, 2013, 10, e1001382.	3.9	570
5	Mobile phone text messages for improving adherence to antiretroviral therapy (ART): an individual patient data meta-analysis of randomised trials. BMJ Open, 2013, 3, e003950.	0.8	123
6	How does the mining industry contribute to sexual and reproductive health in developing countries? A narrative synthesis of current evidence to inform practice. Journal of Clinical Nursing, 2013, 22, 3597-3609.	1.4	6
7	Mobile phones to support adherence to antiretroviral therapy: what would it cost the Indian National AIDS Control Programme?. Journal of the International AIDS Society, 2014, 17, 19036.	1.2	20
8	The Clinical and Economic Impact of Point-of-Care CD4 Testing in Mozambique and Other Resource-Limited Settings: A Cost-Effectiveness Analysis. PLoS Medicine, 2014, 11, e1001725.	3.9	48
9	Hepatitis C testing for people who inject drugs in the United Kingdom: Why is uptake so low?. Drugs: Education, Prevention and Policy, 2014, 21, 333-342.	0.8	10
10	Barriers to the implementation of mobile phone reminders in pediatric HIV care: a pre-trial analysis of the Cameroonian MORE CARE study. BMC Health Services Research, 2014, 14, 523.	0.9	24
11	Impact of Geographic and Transportation-Related Barriers on HIV Outcomes in Sub-Saharan Africa: A Systematic Review. AIDS and Behavior, 2014, 18, 1199-1223.	1.4	199
12	Systematic review on what works, what does not work and why of implementation of mobile health (mHealth) projects in Africa. BMC Public Health, 2014, 14, 188.	1.2	450
13	Mobile Phone-Based mHealth Approaches for Public Health Surveillance in Sub-Saharan Africa: A Systematic Review. International Journal of Environmental Research and Public Health, 2014, 11, 11559-11582.	1.2	117
14	Assessing the impact of mHealth interventions in low- and middle-income countries – what has been shown to work?. Global Health Action, 2014, 7, 25606.	0.7	288
15	Text for a Ride, in Uganda. , 2015, , .		7
16	Feasibility and acceptability of mobile phone short message service as a support for patients receiving antiretroviral therapy in rural Uganda: a crossâ€sectional study. Journal of the International AIDS Society, 2015, 18, 20311.	1.2	17
17	†The phone reminder is important, but will others get to know about my illness?' Patient perceptions of an mHealth antiretroviral treatment support intervention in the HIVIND trial in South India. BMJ Open, 2015, 5, e007574.	0.8	45
18	Review of Key Stakeholders for an mHealth Pilot Study in Malawi Motivations and Expectations. International Journal of Reliable and Quality E-Healthcare, 2015, 4, 51-66.	1.0	5

#	Article	IF	CITATIONS
19	A combination SMS and transportation reimbursement intervention to improve HIV care following abnormal CD4 test results in rural Uganda: a prospective observational cohort study. BMC Medicine, 2015, 13, 160.	2.3	45
20	mHealth: An updated systematic review with a focus on HIV/AIDS and tuberculosis long term management using mobile phones. Computer Methods and Programs in Biomedicine, 2015, 122, 257-265.	2.6	89
21	Reducing lost to follow-up in a large clinical trial of prevention of mother-to-child transmission of HIV: The Breastfeeding, Antiretrovirals and Nutrition study experience. Clinical Trials, 2015, 12, 156-165.	0.7	9
23	Incomplete adherence among treatment-experienced adults on antiretroviral therapy in Tanzania, Uganda and Zambia. Aids, 2015, 29, 361-371.	1.0	67
24	Implementation of HIV and Tuberculosis Diagnostics: The Importance of Context. Clinical Infectious Diseases, 2015, 61, S119-S125.	2.9	9
25	Cell Phone-Based and Adherence Device Technologies for HIV Care and Treatment in Resource-Limited Settings: Recent Advances. Current HIV/AIDS Reports, 2015, 12, 523-531.	1.1	24
26	A demonstration of mobile phone deployment to support the treatment of acutely ill children under five in Bushenyi district, Uganda. African Health Sciences, 2016, 16, 89.	0.3	24
27	Mobile health adoption in Burundi: A UTAUT perspective. , 2016, , .		19
28	Health Worker mHealth Utilization. CIN - Computers Informatics Nursing, 2016, 34, 206-213.	0.3	92
29	The Acceptability and Perceived Usefulness of a Weekly Clinical SMS Program to Promote HIV Antiretroviral Medication Adherence in KwaZulu-Natal, South Africa. AIDS and Behavior, 2016, 20, 2629-2638.	1.4	55
30	The Technology Acceptance Model for Resource-Limited Settings (TAM-RLS): A Novel Framework for Mobile Health Interventions Targeted to Low-Literacy End-Users in Resource-Limited Settings. AIDS and Behavior, 2017, 21, 3129-3140.	1.4	82
31	Innovative Healthcare Applications of ICT for Developing Countries. Understanding Complex Systems, 2017, , 15-70.	0.3	17
32	Automatic Tracking of Behavior With Smartphones: Potential for Behavior Change Interventions. , 2017, , 137-165.		13
33	A design of a mobile health intervention to enhance home-carers' disposal of medical waste in South Africa. , 2017, , .		7
34	Barriers and opportunities to implementation of sustainable e-Health programmes in Uganda: A literature review. African Journal of Primary Health Care and Family Medicine, 2017, 9, e1-e10.	0.3	77
35	Communicating laboratory results through a Web site: Patients' priorities and viewpoints. Journal of Clinical Laboratory Analysis, 2018, 32, e22422.	0.9	7
36	Integrated Bio-behavioral Approach to Improve Adherence to Pre-exposure Prophylaxis and Reduce HIV Risk in People Who Use Drugs: A Pilot Feasibility Study. AIDS and Behavior, 2018, 22, 2640-2649.	1.4	29
37	Actual Versus Perceived HIV Testing Norms, and Personal HIV Testing Uptake: A Cross-Sectional, Population-Based Study in Rural Uganda. AIDS and Behavior, 2018, 22, 616-628.	1.4	36

CITATION REPORT

#	Article	IF	CITATIONS
38	Patterns of usage and preferences of users for tuberculosis-related text messages and voice calls in Uganda. International Journal of Tuberculosis and Lung Disease, 2018, 22, 530-536.	0.6	19
39	Digital adherence technologies for the management of tuberculosis therapy: mapping the landscape and research priorities. BMJ Global Health, 2018, 3, e001018.	2.0	166
40	Using mHealth to improve tuberculosis case identification and treatment initiation in South Africa: Results from a pilot study. PLoS ONE, 2018, 13, e0199687.	1.1	22
41	A comparative review of mobile health and electronic health utilization in sub-Saharan African countries. Social Science and Medicine, 2019, 232, 1-16.	1.8	45
42	If You Build It, Will They Use It? Preferences for Antiretroviral Therapy (ART) Adherence Monitoring Among People Who Inject Drugs (PWID) in Kazakhstan. AIDS and Behavior, 2019, 23, 3294-3305.	1.4	7
43	Clients' perceptions and experiences of targeted digital communication accessible via mobile devices for reproductive, maternal, newborn, child, and adolescent health: a qualitative evidence synthesis. The Cochrane Library, 2019, 2019, CD013447.	1.5	54
44	Understanding patients' experience living with diabetes type 2Âand effective disease management: a qualitative study following a mobile health intervention in Bangladesh. BMC Health Services Research, 2020, 20, 29.	0.9	20
45	Augmented reality in patient education and health literacy: a scoping review protocol. BMJ Open, 2020, 10, e038416.	0.8	30
46	A cohort study to assess a communication intervention to improve linkage to HIV care in Nakivale Refugee Settlement, Uganda. Global Public Health, 2021, 16, 1848-1855.	1.0	3
47	Experiences and intentions of Ugandan household tuberculosis contacts receiving test results via text message: an exploratory study. BMC Public Health, 2020, 20, 310.	1.2	6
48	The influence of mobile phone-based health reminders on patient adherence to medications and healthy lifestyle recommendations for effective management of diabetes type 2: a randomized control trial in Dhaka, Bangladesh. BMC Health Services Research, 2020, 20, 520.	0.9	20
49	<p>Feasibility and Acceptability of an mHealth-Based Approach as an HIV Prevention Strategy Among People Who Use Drugs on Pre-Exposure Prophylaxis</p> . Patient Preference and Adherence, 2020, Volume 14, 107-118.	0.8	12
50	Investigating usability of mobile health applications in Bangladesh. BMC Medical Informatics and Decision Making, 2020, 20, 19.	1.5	48
51	A Pilot RCT Evaluating InThistoGether, an mHealth HIV Prevention Program for Ugandan Youth. AIDS and Behavior, 2021, 25, 3437-3448.	1.4	8
52	Impact of a mobile phone-based interactive voice response software on tuberculosis treatment outcomes in Uganda (CFL-TB): a protocol for a randomized controlled trial. Trials, 2021, 22, 391.	0.7	29
53	Drop-out from the tuberculosis contact investigation cascade in a routine public health setting in urban Uganda: A prospective, multi-center study. PLoS ONE, 2017, 12, e0187145.	1.1	35
54	Developing SMS Content to Promote Papanicolaou Triage Among Women Who Performed HPV Self-collection Test: Qualitative Study. JMIR Formative Research, 2020, 4, e14652.	0.7	15
55	Acceptability and Use of Interactive Voice Response Mobile Phone Surveys for Noncommunicable Disease Behavioral Risk Factor Surveillance in Rural Uganda: Qualitative Study. JMIR Formative Research, 2019, 3, e15000.	0.7	6

#	Article	IF	CITATIONS
56	The Utility of SMS to Report Male Partner HIV Self-testing Outcomes Among Women Seeking Reproductive Health Services in Kenya: Cohort Study. JMIR MHealth and UHealth, 2020, 8, e15281.	1.8	2
57	Know Your Audience: Predictors of Success for a Patient-Centered Texting App to Augment Linkage to HIV Care in Rural Uganda. Journal of Medical Internet Research, 2015, 17, e78.	2.1	45
58	Mobile Technologies and Geographic Information Systems to Improve Health Care Systems: A Literature Review. JMIR MHealth and UHealth, 2014, 2, e21.	1.8	59
60	移动å¥åª·çš"ç†è®ºåŸ²ç¡€ä,Žæ•^æžœè⁻"ä¼°. Advances in Psychological Science, 2018, 26, 1232-1243.	0.2	1
62	Parental Notification Via Text Messaging for Infant Sickle Screening Programs: Exploration of Feasibility and Acceptability in Uganda. Journal of Pediatric Hematology/Oncology, 2020, 42, e593-e600.	0.3	0
63	Feasibility of upfront mobile money transfers for transportation reimbursement to promote retention among patients receiving lymphoma treatment in Malawi. International Health, 2021, 13, 297-304.	0.8	5
64	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. The East African Health Research Journal, 2020, 4, 140-148.	0.6	0
66	Feasibility of SMS to remind pregnant and breastfeeding women living with HIV to take antiretroviral treatment in Kilimanjaro region, Tanzania: a pilot study. The East African Health Research Journal, 2020, 4, 140-148.	0.6	3
68	Ethical, Legal, and Sociocultural Issues in the Use of Mobile Technologies and Call Detail Records Data for Public Health in the East African Region: Scoping Review. Interactive Journal of Medical Research, 2022, 11, e35062.	0.6	3
69	Cell Phone Availability and Usage for mHealth and Intervention Delivery to Persons Living With HIV in a Low-Resource Setting: Cross-sectional Study. JMIR Formative Research, 2022, 6, e35631.	0.7	1
70	Women's perceptions of telephone interviews about their experiences with childbirth care in Nigeria: A qualitative study. PLOS Global Public Health, 2023, 3, e0001833.	0.5	1