

Prolonged sedentary time and physical activity in work
cross-sectional study of office, customer service and call

International Journal of Behavioral Nutrition and Physical Activ
9, 128

DOI: 10.1186/1479-5868-9-128

Citation Report

#	ARTICLE	IF	CITATIONS
1	The contribution of office work to sedentary behaviour associated risk. BMC Public Health, 2013, 13, 296.	2.9	337
2	Reducing sitting time in office workers: Short-term efficacy of a multicomponent intervention. Preventive Medicine, 2013, 57, 43-48.	3.4	286
3	A caseâ€“control study of lifetime occupational sitting and likelihood of breast cancer. Cancer Causes and Control, 2013, 24, 1257-1262.	1.8	11
4	Reducing office workersâ€™ sitting time: rationale and study design for the Stand Up Victoria cluster randomized trial. BMC Public Health, 2013, 13, 1057.	2.9	111
5	ActiGraph GT3X determined variations in â€œfree-livingâ€“standing, lying, and sitting duration among sedentary adults. Journal of Sport and Health Science, 2013, 2, 249-256.	6.5	6
6	Multicomponent intervention to reduce daily sedentary time: a randomised controlled trial. BMJ Open, 2013, 3, e003261.	1.9	116
7	Scientific Statement: Socioecological Determinants of Prediabetes and Type 2 Diabetes. Diabetes Care, 2013, 36, 2430-2439.	8.6	130
8	Does an â€“Activity-Permissiveâ€“ Workplace Change Office Workersâ€™ Sitting and Activity Time?. PLoS ONE, 2013, 8, e76723.	2.5	74
9	Prompts to Disrupt Sitting Time and Increase Physical Activity at Work, 2011â€“2012. Preventing Chronic Disease, 2014, 11, E73.	3.4	52
11	The effectiveness of sit-stand workstations for changing office workersâ€™ sitting time: results from the Stand@Work randomized controlled trial pilot. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 127.	4.6	115
12	Socio-demographic, behavioural and cognitive correlates of work-related sitting time in German men and women. BMC Public Health, 2014, 14, 1259.	2.9	43
13	Reducing occupational sedentary time: a systematic review and metaâ€“analysis of evidence on activityâ€“permissive workstations. Obesity Reviews, 2014, 15, 822-838.	6.5	254
14	Workplace Sitting Breaks Questionnaire (SITBRQ): an assessment of concurrent validity and test-retest reliability. BMC Public Health, 2014, 14, 1249.	2.9	34
15	Sitting time and step counts in office workers. Occupational Medicine, 2014, 64, 188-192.	1.4	80
16	Alternating Bouts of Sitting and Standing Attenuate Postprandial Glucose Responses. Medicine and Science in Sports and Exercise, 2014, 46, 2053-2061.	0.4	160
17	Office Workers' Objectively Measured Sedentary Behavior and Physical Activity During and Outside Working Hours. Journal of Occupational and Environmental Medicine, 2014, 56, 298-303.	1.7	230
18	Understanding the health behaviors of Indiaâ€™s information technology and business process outsourcing employees. International Journal of Workplace Health Management, 2014, 7, 213-228.	1.9	3
19	Iterative development of Stand Up Australia: a multi-component intervention to reduce workplace sitting. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 21.	4.6	87

#	ARTICLE	IF	CITATIONS
20	Breaking up workplace sitting time with intermittent standing bouts improves fatigue and musculoskeletal discomfort in overweight/obese office workers. <i>Occupational and Environmental Medicine</i> , 2014, 71, 765-771.	2.8	161
21	Desk-based workers'™ perspectives on using sit-stand workstations: a qualitative analysis of the Stand@Work study. <i>BMC Public Health</i> , 2014, 14, 752.	2.9	76
22	Nine year changes in sitting time in young and mid-aged Australian women: Findings from the Australian Longitudinal Study for Women's Health. <i>Preventive Medicine</i> , 2014, 64, 1-7.	3.4	22
23	Intervening to reduce workplace sitting time: how and when do changes to sitting time occur?. <i>British Journal of Sports Medicine</i> , 2014, 48, 1037-1042.	6.7	41
24	Understanding occupational sitting: Prevalence, correlates and moderating effects in Australian employees. <i>Preventive Medicine</i> , 2014, 67, 288-294.	3.4	75
25	Workplace Sitting and Height-Adjustable Workstations. <i>American Journal of Preventive Medicine</i> , 2014, 46, 30-40.	3.0	187
26	Changing the way we work: elevating energy expenditure with workstation alternatives. <i>International Journal of Obesity</i> , 2014, 38, 755-765.	3.4	140
27	Accelerometer-measured sedentary time among Hispanic adults: Results from the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). <i>Preventive Medicine Reports</i> , 2015, 2, 845-853.	1.8	35
28	Total and domain-specific sitting time among employees in desk-based work settings in Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 237-242.	1.8	56
29	Factors Associated With Availability of, and Employee Participation in, Comprehensive Workplace Health Promotion in a Large and Diverse Australian Public Sector Setting. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 1197-1206.	1.7	19
30	Excessive sitting at work and at home: Correlates of occupational sitting and TV viewing time in working adults. <i>BMC Public Health</i> , 2015, 15, 899.	2.9	69
31	Differences between work and leisure in temporal patterns of objectively measured physical activity among blue-collar workers. <i>BMC Public Health</i> , 2015, 15, 976.	2.9	47
32	Providing NHS staff with height-adjustable workstations and behaviour change strategies to reduce workplace sitting time: protocol for the Stand More AT (SMARt) Work cluster randomised controlled trial. <i>BMC Public Health</i> , 2015, 15, 1219.	2.9	25
33	Acceptability and feasibility of a low-cost, theory-based and co-produced intervention to reduce workplace sitting time in desk-based university employees. <i>BMC Public Health</i> , 2015, 15, 1294.	2.9	50
34	Prolonged Sitting is Associated with Attenuated Heart Rate Variability during Sleep in Blue-Collar Workers. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 14811-14827.	2.6	37
35	Patterns of Impact Resulting from a "Sit Less, Move More"™ Web-Based Program in Sedentary Office Employees. <i>PLoS ONE</i> , 2015, 10, e0122474.	2.5	50
36	Qualidade de vida de operadores de telemarketing: Uma análise com o Whoqol-Bref. <i>Ciencia & Trabalho: C & T</i> , 2015, 17, 177-181.	0.3	0
37	The sedentary office: an expert statement on the growing case for change towards better health and productivity. <i>British Journal of Sports Medicine</i> , 2015, 49, 1357-1362.	6.7	315

#	ARTICLE	IF	CITATIONS
38	Fitness of the US Workforce. Annual Review of Public Health, 2015, 36, 131-149.	17.4	27
39	Workplace interventions for reducing sitting at work. , 2015, 1, CD010912.		59
40	Increasing physical activity in office workers – the Inphact Treadmill study; a study protocol for a 13-month randomized controlled trial of treadmill workstations. BMC Public Health, 2015, 15, 632.	2.9	10
41	Objectively measured and self-reported sedentary time in older Canadians. Preventive Medicine Reports, 2015, 2, 90-95.	1.8	38
42	Association between objectively measured sitting time and neck/shoulder pain among blue-collar workers. International Archives of Occupational and Environmental Health, 2015, 88, 1031-1042.	2.3	58
43	The association between sedentary behaviour, moderate/vigorous physical activity and frailty in NHANES cohorts. Maturitas, 2015, 80, 187-191.	2.4	170
44	Self-reported sitting time and physical activity: interactive associations with mental well-being and productivity in office employees. BMC Public Health, 2015, 15, 72.	2.9	67
45	A Physiological Perspective on Treadmill and Sit-to-Stand Workstations. Ergonomics in Design, 2015, 23, 14-19.	0.7	6
46	Work engagement and its association with occupational sitting time: results from the Stormont study. BMC Public Health, 2015, 15, 30.	2.9	51
47	Perspectives on a ‘Sit Less, Move More’™ Intervention in Australian Emergency Call Centres. AIMS Public Health, 2016, 3, 288-297.	2.6	10
48	Accelerometer-Measured Physical Activity and Sedentary Time Differ According to Education Level in Young Adults. PLoS ONE, 2016, 11, e0158902.	2.5	26
49	Effects of Standing and Light-Intensity Activity on Ambulatory Blood Pressure. Medicine and Science in Sports and Exercise, 2016, 48, 175-181.	0.4	63
50	Objectively Measured Patterns of Activities of Different Intensity Categories and Steps Taken Among Working Adults in a Multi-ethnic Asian Population. Journal of Occupational and Environmental Medicine, 2016, 58, e206-e211.	1.7	12
51	Self-Efficacy and Planning as Predictors of Physical Activity in the Context of Workplace Health Promotion. Applied Psychology: Health and Well-Being, 2016, 8, 301-321.	3.0	23
52	Workplace interventions for reducing sitting at work. The Cochrane Library, 2016, 3, CD010912.	2.8	189
53	Feasibility and acceptability of reducing workplace sitting time: a qualitative study with Australian office workers. BMC Public Health, 2016, 16, 933.	2.9	82
54	Unobtrusive Monitoring Respiration During Sedentary Behavior Using a Pressure Sensing Mat1. Journal of Medical Devices, Transactions of the ASME, 2016, 10, .	0.7	0
55	Effects of Standing and Light-Intensity Walking and Cycling on 24-h Glucose. Medicine and Science in Sports and Exercise, 2016, 48, 2503-2511.	0.4	40

#	ARTICLE	IF	CITATIONS
56	Effect of frequent interruptions of prolonged sitting on self-perceived levels of energy, mood, food cravings and cognitive function. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 113.	4.6	76
57	Evaluating the effectiveness of organisational-level strategies with or without an activity tracker to reduce office workers' sitting time: a cluster-randomised trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 115.	4.6	84
58	Take a Stand!—a multi-component intervention aimed at reducing sitting time among office workers—a cluster randomized trial. <i>International Journal of Epidemiology</i> , 2016, 46, dyw009.	1.9	78
59	Temporal patterns of sitting at work are associated with neck/shoulder pain in blue-collar workers: a cross-sectional analysis of accelerometer data in the DPHACTO study. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 823-833.	2.3	20
60	Sedentary bout durations and metabolic syndrome among working adults: a prospective cohort study. <i>BMC Public Health</i> , 2016, 16, 888.	2.9	65
61	Empirically derived cut-points for sedentary behaviour: are we sitting differently?. <i>Physiological Measurement</i> , 2016, 37, 1669-1685.	2.1	8
62	Novel technology to help understand the context of physical activity and sedentary behaviour. <i>Physiological Measurement</i> , 2016, 37, 1834-1851.	2.1	24
63	Comparing the effects of two different break strategies on occupational sedentary behavior in a real world setting: A randomized trial. <i>Preventive Medicine Reports</i> , 2016, 4, 423-428.	1.8	44
64	Sedentary Behavior and Cardiovascular Morbidity and Mortality: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2016, 134, e262-79.	1.6	490
65	Associations of sitting time and occupation with metabolic syndrome in South Korean adults: a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 943.	2.9	27
66	Intra-individual variability in day-to-day and month-to-month measurements of physical activity and sedentary behaviour at work and in leisure-time among Danish adults. <i>BMC Public Health</i> , 2016, 16, 1222.	2.9	34
67	Sedentary Behavior and Musculoskeletal Discomfort Are Reduced When Office Workers Trial an Activity-Based Work Environment. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 924-931.	1.7	60
68	Translating Physical Activity Evidence to Hospital Settings. <i>Clinical Nurse Specialist</i> , 2016, 30, 208-215.	0.5	11
69	Exercise following Mental Work Prevented Overeating. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1803-1809.	0.4	8
70	Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. <i>Preventive Medicine Reports</i> , 2016, 4, 184-191.	1.8	84
71	Sheffield Hallam Staff Wellness service: Four-year follow-up of the impact on health indicators. <i>Perspectives in Public Health</i> , 2016, 136, 295-301.	1.6	6
72	A systematic review of correlates of sedentary behaviour in adults aged 18–65 years: a socio-ecological approach. <i>BMC Public Health</i> , 2016, 16, 163.	2.9	345
73	Assessing and understanding sedentary behaviour in office-based working adults: a mixed-method approach. <i>BMC Public Health</i> , 2016, 16, 360.	2.9	73

#	ARTICLE	IF	CITATIONS
74	Breaking up prolonged sitting time with walking does not affect appetite or gut hormone concentrations but does induce an energy deficit and suppresses postprandial glycaemia in sedentary adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 324-331.	1.9	54
75	Deviation between self-reported and measured occupational physical activity levels in office employees: effects of age and body composition. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 575-582.	2.3	26
76	Descriptive epidemiology of domain-specific sitting in working adults: the Stormont Study. <i>Journal of Public Health</i> , 2016, 38, 53-60.	1.8	57
77	A review of occupational physical activity and sedentary behaviour correlates. <i>Occupational Medicine</i> , 2016, 66, 185-192.	1.4	83
78	More standing and just as productive: Effects of a sit-stand desk intervention on call center workers's sitting, standing, and productivity at work in the Opt to Stand pilot study. <i>Preventive Medicine Reports</i> , 2016, 3, 68-74.	1.8	71
79	Past-day recall of sedentary time: Validity of a self-reported measure of sedentary time in a university population. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 237-241.	1.3	28
80	Environments Associated with Moderate-to-Vigorous Physical Activity and Sedentary Behavior of Colorectal Cancer Survivors. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 120-126.	1.7	9
81	Strategies for Worksite Health Interventions to Employees with Elevated Risk of Chronic Diseases. <i>Safety and Health at Work</i> , 2017, 8, 117-129.	0.6	37
82	Workplace interventions for increasing standing or walking for preventing musculoskeletal symptoms in sedentary workers. <i>The Cochrane Library</i> , 2017, , .	2.8	9
83	The application of a feasible exercise training program in the office setting. <i>Work</i> , 2017, 56, 421-428.	1.1	36
84	Psychometric Properties of a Parental Questionnaire for Assessing Correlates of Toddlers's Physical Activity and Sedentary Behavior. <i>Measurement in Physical Education and Exercise Science</i> , 2017, 21, 190-200.	1.8	21
85	Pre-existing low-back symptoms impact adversely on sitting time reduction in office workers. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 609-618.	2.3	8
86	Breaks in Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2119-2130.	0.4	46
87	Correlates of sedentary behaviour in adults: a systematic review. <i>Obesity Reviews</i> , 2017, 18, 915-935.	6.5	115
88	Patterns of objectively measured sedentary time in 10- to 12-year-old Belgian children: an observational study within the ENERGY-project. <i>BMC Pediatrics</i> , 2017, 17, 147.	1.7	15
89	It's not an Obvious Issue, Is It? Office-Based Employees's Perceptions of Prolonged Sitting at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 1161-1165.	1.7	12
90	Effects of an Intervention to Reduce Sitting at Work on Arousal, Fatigue, and Mood Among Sedentary Female Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 1166-1171.	1.7	70
91	Energy Expenditure of Standing Compared to Sitting While Conducting Office Tasks. <i>Human Factors</i> , 2017, 59, 1078-1087.	3.5	28

#	ARTICLE	IF	CITATIONS
92	Comparison of subjective and objective measures of office workers' sedentary time. <i>Preventive Medicine Reports</i> , 2017, 8, 163-168.	1.8	29
93	Leisure sedentary time is differentially associated with hypertension, diabetes mellitus, and hyperlipidemia depending on occupation. <i>BMC Public Health</i> , 2017, 17, 278.	2.9	29
94	Impact of a workplace "sit less, move more"™ program on efficiency-related outcomes of office employees. <i>BMC Public Health</i> , 2017, 17, 455.	2.9	33
95	Intervening to reduce workplace sitting: mediating role of social-cognitive constructs during a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 27.	4.6	29
96	Concurrent Validity of Actigraph-Determined Sedentary Time Against the Actival Under Free-Living Conditions in a Sample of Bus Drivers. <i>Measurement in Physical Education and Exercise Science</i> , 2017, 21, 212-222.	1.8	11
97	Workplace interventions for increasing standing or walking for decreasing musculoskeletal symptoms in sedentary workers. <i>The Cochrane Library</i> , 0, , .	2.8	11
98	Sedentary behaviour in NHS staff: implications for organizations. <i>Occupational Medicine</i> , 2017, 67, 188-193.	1.4	2
99	Sitting Time, Physical Activity and Sleep by Work Type and Pattern"™The Australian Longitudinal Study on Women"™s Health. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 290.	2.6	24
100	A Mixed-Methods Examination of Physical Activity and Sedentary Time in Overweight and Obese South Asian Men Living in the United Kingdom. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 348.	2.6	17
101	Level of Sedentary Behavior and Its Associated Factors among Saudi Women Working in Office-Based Jobs in Saudi Arabia. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 659.	2.6	20
102	Back and neck pain and function in females with adolescent idiopathic scoliosis: A follow-up at least 23 years after conservative treatment with a Milwaukee brace. <i>PLoS ONE</i> , 2017, 12, e0189358.	2.5	9
103	What are the working mechanisms of a web-based workplace sitting intervention targeting psychosocial factors and action planning?. <i>BMC Public Health</i> , 2017, 17, 382.	2.9	19
104	Correlates of occupational, leisure and total sitting time in working adults: results from the Singapore multi-ethnic cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 169.	4.6	20
105	Adverse Effects of Prolonged Sitting Behavior on the General Health of Office Workers. <i>Journal of Lifestyle Medicine</i> , 2017, 7, 69-75.	0.8	74
106	The Effectiveness of Standing on a Balance Board for Increasing Energy Expenditure. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1710-1717.	0.4	0
107	Ecological Influences on Employees"™ Workplace Sedentary Behavior: A Cross-Sectional Study. <i>American Journal of Health Promotion</i> , 2018, 32, 1688-1696.	1.7	7
108	Census: Continuous posture sensing chair for office workers. , 2018, , .		14
109	Associations between change in sedentary behavior and outcome in standard behavioral weight loss treatment. <i>Translational Behavioral Medicine</i> , 2018, 8, 299-304.	2.4	8

#	ARTICLE	IF	CITATIONS
110	Differences in heart rate reserve of similar physical activities during work and in leisure time – A study among Danish blue-collar workers. <i>Physiology and Behavior</i> , 2018, 186, 45-51.	2.1	21
111	Association Between Employment Status and Objectively Measured Physical Activity and Sedentary Behavior – The Maastricht Study. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 309-315.	1.7	22
112	Models for Understanding Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 381-403.	0.5	10
113	Sedentary Behaviour at the Community Level: Correlates, Theories, and Interventions. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 509-543.	0.5	3
114	Examining relationships between perceptions and objective assessments of neighborhood environment and sedentary time: Data from the Washington, D.C. Cardiovascular Health and Needs Assessment. <i>Preventive Medicine Reports</i> , 2018, 9, 42-48.	1.8	10
115	Reliability and validity of self-reported sitting and breaks from sitting in the workplace. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 697-701.	1.3	14
116	Long-term effects of sit-stand workstations on workplace sitting: A natural experiment. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 811-816.	1.3	33
117	Work Engagement, Productivity, and Self-Reported Work-Related Sedentary Behavior Among Japanese Adults. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e173-e177.	1.7	28
118	Comparison of accelerometer-measured sedentary behavior, and light- and moderate-to-vigorous intensity physical activity in white- and blue-collar workers in a Japanese manufacturing plant. <i>Journal of Occupational Health</i> , 2018, 60, 246-253.	2.1	30
119	Work Site-Based Environmental Interventions to Reduce Sedentary Behavior: A Systematic Review. <i>American Journal of Health Promotion</i> , 2018, 32, 32-47.	1.7	39
120	Sitting patterns after relocation to activity-based offices: A controlled study of a natural intervention. <i>Preventive Medicine</i> , 2018, 111, 384-390.	3.4	22
121	Sit-stand workstations and impact on low back discomfort: a systematic review and meta-analysis. <i>Ergonomics</i> , 2018, 61, 538-552.	2.1	59
122	Determination of car seat contact area for personalised thermal sensation modelling. <i>PLoS ONE</i> , 2018, 13, e0208599.	2.5	7
123	What Do Workers Do to Reduce Their Sitting Time? The Relationships of Strategy Use and Workplace Support With Desk-Based Workers' Behavior Changes in a Workplace-Delivered Sitting-Reduction and Activity-Promoting Intervention. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 1026-1033.	1.7	8
124	Association between Psychosocial and Organizational Factors and Objectively Measured Sedentary Behavior in Desk-Dependent Office Workers. <i>Occupational Health Science</i> , 2018, 2, 323-335.	1.6	5
125	An Integrative, Systematic Review Exploring the Research, Effectiveness, Adoption, Implementation, and Maintenance of Interventions to Reduce Sedentary Behaviour in Office Workers. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2876.	2.6	15
126	Device-Measured Sedentary Behavior Patterns in Office-Based University Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 1150-1157.	1.7	19
127	Smartphone Application for Physical Activity Enhancement at Workplace: Would Office Workers Actually Use It?. , 2018, , .		5

#	ARTICLE	IF	CITATIONS
128	Association of self-reported sedentary time with insulin resistance among Korean adults without diabetes mellitus: a cross-sectional study. <i>BMC Public Health</i> , 2018, 18, 1335.	2.9	11
129	Leisure-time physical activity as a compensation for sedentary behaviour of professionally active population. <i>Work</i> , 2018, 60, 329-338.	1.1	6
130	Perceptions of the acceptability and feasibility of reducing occupational sitting: review and thematic synthesis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 90.	4.6	43
131	What strategies do desk-based workers choose to reduce sitting time and how well do they work? Findings from a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 98.	4.6	16
132	Prolonged Sitting Interrupted by 6-Min of High-Intensity Exercise: Circulatory, Metabolic, Hormonal, Thermal, Cognitive, and Perceptual Responses. <i>Frontiers in Physiology</i> , 2018, 9, 1279.	2.8	19
133	Evaluating Short-Term Musculoskeletal Pain Changes in Desk-Based Workers Receiving a Workplace Sitting-Reduction Intervention. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1975.	2.6	20
134	NEAT-Lamp and Talking Tree: Beyond Personal Informatics towards Active Workplaces. <i>Computers</i> , 2018, 7, 4.	3.3	7
135	Wearable Sensors and the Assessment of Frailty among Vulnerable Older Adults: An Observational Cohort Study. <i>Sensors</i> , 2018, 18, 1336.	3.8	70
136	Influences of continuous sitting and psychosocial stress on low back kinematics, kinetics, discomfort, and localized muscle fatigue during unsupported sitting activities. <i>Ergonomics</i> , 2018, 61, 1671-1684.	2.1	27
137	Objective assessment of physical activity and sedentary behaviour in knee osteoarthritis patients "beyond daily steps and total sedentary time. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 64.	1.9	43
138	Multi-Stakeholder Perspectives of Factors That Influence Contact Centre Call Agents' Workplace Physical Activity and Sedentary Behaviour. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1484.	2.6	14
139	Pilot Study of Impact of a Pedal Desk on Postprandial Responses in Sedentary Workers. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 2156-2163.	0.4	8
140	Workplace interventions for reducing sitting at work. <i>The Cochrane Library</i> , 2018, 6, CD010912.	2.8	102
141	The Effectiveness of Sedentary Behaviour Reduction Workplace Interventions on Cardiometabolic Risk Markers: A Systematic Review. <i>Sports Medicine</i> , 2019, 49, 1739-1767.	6.5	38
142	Breaking barriers: using the behavior change wheel to develop a tailored intervention to overcome workplace inhibitors to breaking up sitting time. <i>BMC Public Health</i> , 2019, 19, 1126.	2.9	50
143	Perceived Barriers and Facilitators to Breaking Up Sitting Time among Desk-Based Office Workers: A Qualitative Investigation Using the TDF and COM-B. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2903.	2.6	36
144	Low back pain and its relationship with sitting behaviour among sedentary office workers. <i>Applied Ergonomics</i> , 2019, 81, 102894.	3.1	122
145	How to Measure Sedentary Behavior at Work?. <i>Frontiers in Public Health</i> , 2019, 7, 167.	2.7	12

#	ARTICLE	IF	CITATIONS
146	Proper sitâ€ stand work schedule to reduce the negative outcomes of sedentary behavior: a randomized clinical trial. <i>International Journal of Occupational Safety and Ergonomics</i> , 2021, 27, 1039-1055.	1.9	13
147	Social-ecological correlates of accelerometer-measured occupational sitting among Japanese desk-based workers. <i>BMC Public Health</i> , 2019, 19, 1489.	2.9	4
148	Examining total and domain-specific sedentary behaviour using the socio-ecological model â€ a cross-sectional study of Irish adults. <i>BMC Public Health</i> , 2019, 19, 1155.	2.9	11
149	The Perceived Value of Reducing Sedentary Behavior in the Truck Driving Population. <i>Frontiers in Public Health</i> , 2019, 7, 214.	2.7	3
150	Working hours and nonalcoholic fatty liver disease according to sleep duration. <i>Chronobiology International</i> , 2019, 36, 1671-1680.	2.0	9
151	Physical activity levels of allied health professionals working in a large Australian metropolitan health district – an observational study. <i>Journal of Multidisciplinary Healthcare</i> , 2019, Volume 12, 51-62.	2.7	4
152	The effects of introducing electric adjustable height desks in an office setting on workplace physical activity levels: A randomised control field trial. <i>Work</i> , 2019, 62, 139-150.	1.1	7
153	Multi-Stage Receptivity Model for Mobile Just-In-Time Health Intervention. , 2019, 3, 1-26.		36
154	Consistency of Sedentary Behavior Patterns among Office Workers with Long-Term Access to Sit-Stand Workstations. <i>Annals of Work Exposures and Health</i> , 2019, 63, 583-591.	1.4	9
155	The effects of physical activity on sleep quality, job satisfaction, and quality of life in office workers. <i>Work</i> , 2019, 63, 3-7.	1.1	41
156	Physical Activity and Sedentary Behavior at the End of the Human Lifespan. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 899-905.	1.0	6
157	A multi-component intervention to sit less and move more in a contact centre setting: a feasibility study. <i>BMC Public Health</i> , 2019, 19, 292.	2.9	15
158	Thermal comfort and physical activity in an office setting. , 2019, , .		5
159	Correlates and Levels of Physical Activity and Body Mass Index Among Saudi Men Working in Office-Based Jobs. <i>Journal of Community Health</i> , 2019, 44, 815-821.	3.8	9
160	Device-measured physical activity, sedentary behaviour and cardiometabolic health and fitness across occupational groups: a systematic review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 30.	4.6	106
162	Upper Body Postural Analysis in Sitting Workplace Environment Using Microsoft Kinect V2 Sensor. <i>Smart Innovation, Systems and Technologies</i> , 2019, , 575-586.	0.6	3
163	Patterns of objectively assessed sedentary time and physical activity among Japanese workers: a cross-sectional observational study. <i>BMJ Open</i> , 2019, 9, e021690.	1.9	26
164	An intervention study to assess potential effect and user experience of an mHealth intervention to reduce sedentary behaviour among older office workers. <i>BMJ Health and Care Informatics</i> , 2019, 26, e100014.	3.0	5

#	ARTICLE	IF	CITATIONS
165	Workplace interventions for increasing standing or walking for decreasing musculoskeletal symptoms in sedentary workers. The Cochrane Library, 2019, 2019, .	2.8	34
166	Associations of Device-Measured Sitting, Standing, and Stepping Time With Informal Face-to-Face Interactions at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 431-436.	1.7	7
167	Physical activity levels in adults and elderly from triaxial and uniaxial accelerometry. The TromsÅ, Study. <i>PLoS ONE</i> , 2019, 14, e0225670.	2.5	43
168	The effects of sedentary behaviour interventions on work-related productivity and performance outcomes in real and simulated office work: A systematic review. <i>Applied Ergonomics</i> , 2019, 75, 27-73.	3.1	33
169	Energy Expenditure While Using Workstation Alternatives at Self-Selected Intensities. <i>Journal of Physical Activity and Health</i> , 2019, 16, 141-148.	2.0	4
170	Objectively-Assessed Patterns and Reported Domains of Sedentary Behavior Among Japanese Older Adults. <i>Journal of Epidemiology</i> , 2019, 29, 334-339.	2.4	32
171	How does light-intensity physical activity associate with adult cardiometabolic health and mortality? Systematic review with meta-analysis of experimental and observational studies. <i>British Journal of Sports Medicine</i> , 2019, 53, 370-376.	6.7	254
172	Objectively Measured Sedentary Time Before and After Transition to Retirement: The Finnish Retirement and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1737-1743.	3.6	17
173	Impact of a low-cost standing desk on reducing workplace sitting (StandUP UBC): A randomised controlled trial. <i>Applied Ergonomics</i> , 2020, 82, 102951.	3.1	14
174	Healthy workplaces, active employees: A systematic literature review on impacts of workplace environments on employeesâ€™ physical activity and sedentary behavior. <i>Building and Environment</i> , 2020, 168, 106455.	6.9	40
175	Sedentary behaviour at work increases muscle stiffness of the back: Why roller massage has potential as an active break intervention. <i>Applied Ergonomics</i> , 2020, 82, 102947.	3.1	29
176	Understanding and Influencing Occupational Sedentary Behavior: A Mixed-Methods Approach in a Multiethnic Asian Population. <i>Health Education and Behavior</i> , 2020, 47, 419-429.	2.5	8
177	Does It Work for Everyone? The Effect of the Take a Stand! Sitting-Intervention in Subgroups Defined by Socio-Demographic, Health-Related, Work-Related, and Psychosocial Factors. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 30-36.	1.7	2
178	Built environment correlates of objectively-measured sedentary behaviours in densely-populated areas. <i>Health and Place</i> , 2020, 66, 102447.	3.3	20
179	A Mixed Methods Evaluation of a Digital Intervention to Improve Sedentary Behaviour Across Multiple Workplace Settings. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4538.	2.6	6
180	Perceived musculoskeletal discomfort and its association with postural shifts during 4-h prolonged sitting in office workers. <i>Applied Ergonomics</i> , 2020, 89, 103225.	3.1	47
181	The Effects of Acute Exposure to Prolonged Sitting, With and Without Interruption, on Vascular Function Among Adults: A Meta-analysis. <i>Sports Medicine</i> , 2020, 50, 1929-1942.	6.5	67
182	Design, rationale and analysis plan for the Stand Up for Health trial in contact centres: a stepped wedge feasibility study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 139.	1.2	2

#	ARTICLE	IF	CITATIONS
183	Dog ownership and adultsâ€™ objectively-assessed sedentary behaviour and physical activity. <i>Scientific Reports</i> , 2020, 10, 17487.	3.3	14
184	Musculoskeletal pain and its relation to individual and work-related factors: a cross-sectional study among Turkish office workers who work using computers. <i>International Journal of Occupational Safety and Ergonomics</i> , 2022, 28, 790-797.	1.9	15
185	â€œOh-oh, the others are standing up... I better do the sameâ€• Mixed-method evaluation of the implementation process of â€œTake a Stand!â€™ - a cluster randomized controlled trial of a multicomponent intervention to reduce sitting time among office workers. <i>BMC Public Health</i> , 2020, 20, 1209.	2.9	3
186	Workplace Sedentary Behavior and Productivity: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6535.	2.6	39
187	Associations between 24 h Movement Behavior and Mental Health in Office Workers. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6214.	2.6	11
188	Firefighters Are More Physically Active On-Duty Compared to Off-Duty. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9380.	2.6	5
189	Interrupting Sedentary Time in the Workplace Using Regular Short Activity Breaks. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 317-324.	1.7	12
190	Neurobehavioral Effects of Restricted and Unpredictable Environmental Enrichment in Rats. <i>Frontiers in Pharmacology</i> , 2020, 11, 674.	3.5	22
191	A Combined Health Action Process Approach and mHealth Intervention to Increase Non-Sedentary Behaviours in Office-Working Adultsâ€”A Randomised Controlled Trial. <i>Applied Psychology: Health and Well-Being</i> , 2020, 12, 660-686.	3.0	20
192	Natural Patterns of Sitting, Standing and Stepping During and Outside Workâ€”Differences between Habitual Users and Non-Users of Sitâ€”Stand Workstations. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4075.	2.6	6
193	Accelerometer-Measured Diurnal Patterns of Sedentary Behavior among Japanese Workers: A Descriptive Epidemiological Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3814.	2.6	3
194	Time-Based Data in Occupational Studies: The Whys, the Hows, and Some Remaining Challenges in Compositional Data Analysis (CoDA). <i>Annals of Work Exposures and Health</i> , 2020, 64, 778-785.	1.4	31
195	Association of sedentary behaviour patterns with dietary and lifestyle habits among public school teachers: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e034322.	1.9	19
196	Office-based physical activity: mapping a social ecological model approach against COM-B. <i>BMC Public Health</i> , 2020, 20, 163.	2.9	16
197	Effects of a Workplace-Based Virtual-Run Intervention Among University Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2745.	2.6	3
198	Prevalence of mobile device-related lower extremity discomfort: a systematic review. <i>International Journal of Occupational Safety and Ergonomics</i> , 2022, 28, 1091-1103.	1.9	4
199	Spatial seated occupancy detection in offices with a chair-based temperature sensor array. <i>Building and Environment</i> , 2021, 187, 107360.	6.9	16
200	Planning for active office intervention in Thailand: survey and in-depth interview of university employees. <i>Journal of Health Research</i> , 2021, 35, 415-423.	0.8	2

#	ARTICLE	IF	CITATIONS
201	A longitudinal study of working hours and chronic kidney disease in healthy workers: The Kangbuk Samsung Health Study. <i>Journal of Occupational Health</i> , 2021, 63, e12266.	2.1	6
202	Acute Effect of Height-Adjustable Workstations on Blood Glucose Levels in Women with Impaired Fasting Glucose Levels While Working: A Pilot Study. <i>Translational Journal of the American College of Sports Medicine</i> , 2021, 6, .	0.6	0
203	Working from Home After the COVID-19 Pandemic: Do Company Employees Sit More and Move Less?. <i>Sustainability</i> , 2021, 13, 939.	3.2	33
204	An Evaluation of Physical Activity Levels amongst University Employees. <i>Advances in Physical Education</i> , 2021, 11, 158-171.	0.4	7
205	Gender differences in quality of life, physical activity, and risk of hypertension among sedentary occupation workers. <i>Quality of Life Research</i> , 2021, 30, 1365-1377.	3.1	18
206	Influence of lifestyle risk factors on work ability and sick leave in a general working population in Norway: a 5-year longitudinal study. <i>BMJ Open</i> , 2021, 11, e045678.	1.9	3
207	Why Exercise at Work: Development of the Office Exercise Behavior Determinants Scale. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2736.	2.6	4
208	The environmental enrichment model revisited: A translatable paradigm to study the stress of our modern lifestyle. <i>European Journal of Neuroscience</i> , 2022, 55, 2359-2392.	2.6	16
209	Sedentary Work and Physiological Markers of Health. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3230.	2.6	2
210	Infant motor development and physical activity and sedentary time at midlife. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1450-1460.	2.9	1
211	Occupational sitting and work engagement among university employees. <i>Journal of American College Health</i> , 2021, , 1-7.	1.5	1
212	Physical Exercise and Health-Related Quality of Life in Office Workers: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3791.	2.6	18
213	The active workplace study: Protocol for a randomized controlled trial with sedentary workers. <i>Contemporary Clinical Trials</i> , 2021, 103, 106311.	1.8	1
214	Identifying typologies of diurnal patterns in desk-based workers's sedentary time. <i>PLoS ONE</i> , 2021, 16, e0248304.	2.5	0
215	Call centre employee's reasons for variation in objective productivity during a cognitive ergonomics intervention. , 2021, , .		0
216	Effects of Two Randomized and Controlled Multi-Component Interventions Focusing On 24-Hour Movement Behavior among Office Workers: A Compositional Data Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4191.	2.6	12
217	The effectiveness of two levels of active office interventions to reduce sedentary behavior in office workers: a mixed-method approach. <i>Archives of Environmental and Occupational Health</i> , 2022, 77, 504-513.	1.4	4
218	Drivers of productivity: Being physically active increases yet sedentary bouts and lack of sleep decrease work ability. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1921-1931.	2.9	6

#	ARTICLE	IF	CITATIONS
219	Recent Trends in Sedentary Time: A Systematic Literature Review. <i>Healthcare (Switzerland)</i> , 2021, 9, 969.	2.0	14
220	Usage of sit-stand workstations: Benefits and barriers from decision makersâ€™ perspective in Australia. <i>Applied Ergonomics</i> , 2021, 94, 103426.	3.1	6
221	Changes in Workersâ€™ Physical Activity and Sedentary Behavior during the COVID-19 Pandemic. <i>Sustainability</i> , 2021, 13, 9524.	3.2	36
222	Analysis of sedentariness in women from a gender and equity perspective. <i>European Journal of Sport Science</i> , 2022, 22, 1898-1907.	2.7	0
223	Stop motion: using high resolution spatiotemporal data to estimate and locate stationary and movement behaviour in an office workplace. <i>Ergonomics</i> , 2021, , 1-16.	2.1	2
225	Stand Up for Health: programme theory for an intervention to reduce sedentary behaviour in contact centres. <i>Evaluation and Program Planning</i> , 2021, 89, 102002.	1.6	3
226	Low Back Pain Exacerbation Is Predictable Through Motif Identification in Center of Pressure Time Series Recorded During Dynamic Sitting. <i>Frontiers in Physiology</i> , 2021, 12, 696077.	2.8	0
227	Occupational sitting time, its determinants and intervention strategies in Malaysian office workers: a mixed-methods study. <i>Health Promotion International</i> , 2022, 37, .	1.8	6
228	Validity of the occupational sitting and physical activity questionnaire (OSPAQ) for home-based office workers during the COVID-19 global pandemic: A secondary analysis. <i>Applied Ergonomics</i> , 2021, 97, 103551.	3.1	11
229	Factors impacting workplace investment in sit-stand workstations from the perspective of purchasing decision-makers. <i>Applied Ergonomics</i> , 2022, 98, 103558.	3.1	1
230	Relationships between work and objectively measured sedentary time and physical activity in older adults: a descriptive cross-sectional study. <i>Environmental and Occupational Health Practice</i> , 2021, 3, n/a.	0.5	0
231	Workplace interventions for reducing sitting at work. <i>The Cochrane Library</i> , 2018, 2018, CD010912.	2.8	55
232	Prevalence, Trends, and Correlates of Sedentary Behavior. , 2015, , 79-90.		17
233	Sitting at work & waist circumferenceâ€”A cross-sectional study of Australian workers. <i>Preventive Medicine</i> , 2020, 141, 106243.	3.4	13
234	Beneficial, adverse, and spiraling health-promotion effects: Evidence from a longitudinal randomized controlled trial of working at sitâ€”stand desks.. <i>Journal of Occupational Health Psychology</i> , 2020, 25, 68-81.	3.3	5
235	Sit Less and Move Moreâ€”A Multicomponent Intervention With and Without Height-Adjustable Workstations in Contact Center Call Agents. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, 44-56.	1.7	5
236	Sedentary Behaviour and Diabetes Information as a Source of Motivation to Reduce Daily Sitting Time in Office Workers: A Pilot Randomised Controlled Trial. <i>Applied Psychology: Health and Well-Being</i> , 2020, 12, 449-470.	3.0	4
237	The cross-sectional associations between objectively measured sedentary time and cardiometabolic health markers in adults â€” a systematic review with meta-analysis component. <i>Obesity Reviews</i> , 2018, 19, 381-395.	6.5	46

#	ARTICLE	IF	CITATIONS
238	Sedentary and Physical Activity Behavior in “Blue-Collar” Workers: A Systematic Review of Accelerometer Studies. <i>Journal of Physical Activity and Health</i> , 2019, 16, 1060-1069.	2.0	25
239	Physical Activity Levels at Work and Leisure Among Kindergarten Workers. <i>Science Journal of Public Health</i> , 2016, 4, 147.	0.2	3
240	Multi-instrument assessment of physical activity in female office workers. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2016, 29, 937-945.	1.3	7
241	The Effect of Education on Compliance to a Workplace Health and Wellbeing Intervention: Closing the Loop. <i>Universal Journal of Public Health</i> , 2013, 1, 97-102.	0.1	6
242	Indoor Tracking to Understand Physical Activity and Sedentary Behaviour: Exploratory Study in UK Office Buildings. <i>PLoS ONE</i> , 2015, 10, e0127688.	2.5	36
243	Objectively Measured Total and Occupational Sedentary Time in Three Work Settings. <i>PLoS ONE</i> , 2016, 11, e0149951.	2.5	35
244	Physical Workload and Work Capacity across Occupational Groups. <i>PLoS ONE</i> , 2016, 11, e0154073.	2.5	31
245	An examination of objectively-measured sedentary behavior and mental well-being in adults across week days and weekends. <i>PLoS ONE</i> , 2017, 12, e0185143.	2.5	40
246	Accuracy of Sedentary Behavior “Triggered Ecological Momentary Assessment for Collecting Contextual Information:” Development and Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17852.	3.7	17
247	Assessing the Feasibility and Pre-Post Impact Evaluation of the Beta (Test) Version of the BeUpstanding Champion Toolkit in Reducing Workplace Sitting: Pilot Study. <i>JMIR Formative Research</i> , 2018, 2, e17.	1.4	11
248	The Effectiveness of a Web-Based Computer-Tailored Intervention on Workplace Sitting: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e96.	4.3	45
249	Organizational-Level Strategies With or Without an Activity Tracker to Reduce Office Workers’ Sitting Time: Rationale and Study Design of a Pilot Cluster-Randomized Trial. <i>JMIR Research Protocols</i> , 2016, 5, e73.	1.0	30
250	SHOULDER EXTERNAL ROTATOR STRENGTH IN RESPONSE TO VARIOUS SITTING POSTURES: A CONTROLLED LABORATORY STUDY. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 50-57.	1.3	2
251	The BeUpstanding Program™: Scaling up the “Stand Up Australia” Workplace Intervention for Translation into Practice. <i>AIMS Public Health</i> , 2016, 3, 341-347.	2.6	24
252	Patterns of Sedentary Behaviour in Female Office Workers. <i>AIMS Public Health</i> , 2016, 3, 423-431.	2.6	5
253	Theoretical Antecedents of Standing at Work: An Experience Sampling Approach Using the Theory of Planned Behavior. <i>AIMS Public Health</i> , 2016, 3, 682-701.	2.6	11
254	Interventions to reduce sedentary behavior and increase physical activity during productive work: a systematic review. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 181-191.	3.4	101
255	Measurement and assessment of workers’ physical activity and sedentary behavior. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2020, 69, 447-455.	0.0	1

#	ARTICLE	IF	CITATIONS
256	I Sit but I Don't Know Why: Investigating the Multiple Precursors of Leisure-Time Sedentary Behaviors. Research Quarterly for Exercise and Sport, 2022, 93, 548-563.	1.4	7
257	Schedules of standing and sitting directed by musculoskeletal discomfort in workers transitioning to sit-stand workstations: a cross-sectional study. Ergonomics, 2022, 65, 618-630.	2.1	2
258	Reducing Occupational Sitting While Working From Home. Journal of Occupational and Environmental Medicine, 2022, 64, 91-98.	1.7	4
259	Investigation of office workers's sitting behaviors in an ergonomically adjusted workstation. International Journal of Occupational Safety and Ergonomics, 2022, 28, 2346-2354.	1.9	8
260	Relationship Between Stem Cell Pluripotency And Physical Activity Levels In Office Workers: Rationale And Study Design For The Stand Up Stem Cells (SUSC) Randomized Trial. International Journal of Stem Cell Research and Transplantation, 0, , 40-51.	0.0	0
261	Creating a Sense of Unity: From Quantified Self to Qualitative Space. Lecture Notes in Computer Science, 2016, , 371-381.	1.3	0
262	The Awareness of Human's Sedentary Behavior in the Workplace and Product Design Guidelines. Advances in Intelligent Systems and Computing, 2017, , 349-359.	0.6	0
263	Challenges and Future Research Opportunities with New Ways of Working. Human Factors and Ergonomics, 2016, , 353-370.	0.0	0
264	OCCUPATIONAL SEDENTARY BEHAVIOR AND SOLUTIONS TO INCREASE NON-EXERCISE ACTIVITY THERMOGENESIS. Pensar En Movimiento: Revista De Ciencias Del Ejercicio Y La Salud, 2016, 14, 1-21.	0.1	0
265	CONDUCTA OCUPACIONAL SEDENTARIA Y SOLUCIONES PARA AUMENTAR LA TERMOGENESIS NO ASOCIADA AL EJERCICIO. Pensar En Movimiento: Revista De Ciencias Del Ejercicio Y La Salud, 2016, 14, 22-43.	0.1	2
268	Physical Activity Behaviours in the Workplace and Home in a University College Population. Physical Activity and Health, 2019, 3, 23-30.	1.6	1
269	Nudging vs. Budging - Users' Acceptance of Nudging for More Physical Activity. Advances in Intelligent Systems and Computing, 2020, , 20-33.	0.6	2
270	Objectively Measured Sedentary Behavior and Cardiovascular Disease Risk Factors. The Korean Journal of Sports Medicine, 2020, 38, 143-150.	0.2	0
271	"I Feel Unhealthy to be Sitting for 40 Hours a Week". Journal of Occupational and Environmental Medicine, 2021, 63, 322-328.	1.7	2
272	Different sit:stand time ratios within a 30-minute cycle change perceptions related to musculoskeletal disorders. Applied Ergonomics, 2022, 99, 103605.	3.1	2
273	Experimental Assessment of Thermal Sensation and Thermal Comfort of Sedentary Subjects: A Scoping Review. Studies in Systems, Decision and Control, 2020, , 427-434.	1.0	0
275	Is it possible to discriminate workers with a higher prevalence of low back pain considering daily exposure time in a work-related lumbar posture? A diagnostic accuracy study. Ergonomics, 2022, 65, 877-885.	2.1	1
276	Changes in prolonged sedentary behaviour across the transition to retirement. Occupational and Environmental Medicine, 2021, 78, 409-412.	2.8	13

#	ARTICLE	IF	CITATIONS
277	Occupational Sitting and Physical Activity Among University Employees. <i>International Journal of Exercise Science</i> , 2014, 7, 295-301.	0.5	19
278	Metabolic and Energy Cost of Sitting, Standing, and a Novel Sitting/Stepping Protocol in Recreationally Active College Students. <i>International Journal of Exercise Science</i> , 2016, 9, 223-229.	0.5	12
279	SHOULDER EXTERNAL ROTATOR STRENGTH IN RESPONSE TO VARIOUS SITTING POSTURES: A CONTROLLED LABORATORY STUDY. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 50-57.	1.3	0
280	Pain mechanisms in computer and smartphone users. , 2022, , 291-301.		2
281	Physical Activity Participation and Psychological Wellbeing in University Office Workers in China and Australia: An Online Survey. <i>Healthcare (Switzerland)</i> , 2021, 9, 1618.	2.0	3
282	The Effectiveness of Nutrition and Health Intervention in Workplace Setting: A Systematic Review. <i>Journal of Public Health Research</i> , 2022, 11, jphr.2021.2312.	1.2	4
283	Context-Aware Probabilistic Models for Predicting Future Sedentary Behaviors of Smartphone Users. <i>Journal of Healthcare Informatics Research</i> , 2022, 6, 112-152.	7.6	1
284	Relationships between Physical Activity, Work Ability, Absenteeism and Presenteeism in Australian and New Zealand Adults during COVID-19. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12563.	2.6	11
285	Walking Engagement in Mexican Americans Who Participated in a Community-Wide Step Challenge in El Paso, TX. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12738.	2.6	1
286	Social media connectivity and its effect on job stress among office employees in oil and gas sector Malaysia. <i>SHS Web of Conferences</i> , 2021, 124, 08006.	0.2	1
288	Workplace neighbourhood built-environment attributes and sitting at work and for transport among Japanese desk-based workers. <i>Scientific Reports</i> , 2022, 12, 195.	3.3	2
289	The Effects of Acute Exposure to Prolonged Sitting, with and Without Interruption, on Peripheral Blood Pressure Among Adults: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2022, 52, 1369-1383.	6.5	18
290	Effect of a Workplace-Driven Sitâ€“Stand Initiative on Sitting Time and Work Outcomes. <i>Translational Journal of the American College of Sports Medicine</i> , 2017, 2, 20-26.	0.6	3
291	Cost and cost-effectiveness of the â€“Stand and Move at Workâ€™ multicomponent intervention to reduce workplace sedentary time and cardiometabolic risk. <i>Scandinavian Journal of Work, Environment and Health</i> , 2022, 48, 399-409.	3.4	7
292	Evaluating a multi-component intervention to reduce and break up office workersâ€™ sitting with sit-stand desks using the APEASE criteria. <i>BMC Public Health</i> , 2022, 22, 458.	2.9	2
293	Postural strategies among office workers during a prolonged sitting bout. <i>Applied Ergonomics</i> , 2022, 102, 103723.	3.1	8
294	Pressure Sensor Substrate for Prolonged Sitting and Posture Monitoring. , 2021, , .		2
295	Association Between Occupational Sitting With High Sensitivity C-Reactive Protein: The Jackson Heart Study. <i>American Journal of Lifestyle Medicine</i> , 0, , 155982762110597.	1.9	1

#	ARTICLE	IF	CITATIONS
300	The effect of two multi-component behavior change interventions on cognitive functions. BMC Public Health, 2022, 22, .	2.9	3
301	Physical activity changes among office workers during the COVID-19 pandemic lockdown and the agreement between objective and subjective physical activity metrics. Applied Ergonomics, 2022, 105, 103845.	3.1	2
302	A-REST (Activity to Reduce Excessive Sitting Time): A Feasibility Trial to Reduce Prolonged Sitting in Police Staff. International Journal of Environmental Research and Public Health, 2022, 19, 9186.	2.6	1
303	Increasing physical activity in the vehicle with an interactive seating system in a male sample. Ergonomics, 2023, 66, 536-553.	2.1	0
304	EFFECT OF INDOOR HEATING SYSTEM AND THERMAL ENVIRONMENT ON SEDENTARY BEHAVIOR IN WINTER. Journal of Environmental Engineering (Japan), 2022, 87, 579-587.	0.4	0
305	Long Working Hours and the Risk of Glucose Intolerance: A Cohort Study. International Journal of Environmental Research and Public Health, 2022, 19, 11831.	2.6	1
306	Impact of Seat Material on Comfort, Preference and Performance During Computer-Based Tasks over a Prolonged Bout of Sitting. Proceedings of the Human Factors and Ergonomics Society, 2022, 66, 863-867.	0.3	0
307	Association of sitting time and cardiorespiratory fitness with cardiovascular disease risk and healthcare costs among office workers. Industrial Health, 2023, 61, 368-378.	1.0	1
308	Brief report: Free-living physical activity levels and cognitive control in multi-problem young adults. Frontiers in Human Neuroscience, 0, 16, .	2.0	0
309	Non-exercise activity thermogenesis in the workplace: The office is on fire. Frontiers in Public Health, 0, 10, .	2.7	1
311	Kelime Temsil YÄntemlerinin Hedef Tabanlı± Duygu Analizine Etkisi. BiliÅim Teknolojileri Dergisi, 2022, 15, 443-452.	0.6	0
312	Long working hours and risk of hypothyroidism in healthy workers: A cohort study. Epidemiology and Health, 0, , e2022104.	1.9	1
313	Working From Home: Experiences of Home-Working, Health Behavior and Well-Being During the 2020 UK COVID-19 Lockdown. Journal of Occupational and Environmental Medicine, 2023, 65, 330-336.	1.7	3
314	Sitting vs. standing: an urgent need to rebalance our world. Health Psychology Review, 0, , 1-22.	8.6	1
315	The relationship between leisure activities and the mental health of college students during the COVID-19 pandemic. World Leisure Journal, 2023, 65, 119-142.	1.2	4
316	Feasibility of a theory-based intervention to reduce sedentary behaviour among contact centre staff: the SUH stepped-wedge cluster RCT. Public Health Research, 2022, 10, 1-120.	1.3	1
317	The relationship between objectively measured sitting time, posture, and low back pain in sedentary employees during COVID-19. Sport Sciences for Health, 2023, 19, 259-266.	1.3	3
318	Health literacy of university employees: The role of sociodemographic characteristics and nutritional status. Work, 2023, , 1-11.	1.1	0

#	ARTICLE	IF	CITATIONS
319	Validity of the Modified SIT-Q 7d for Estimating Sedentary Break Frequency and Duration in Home-Based Office Workers During the COVID-19 Global Pandemic: A Secondary Analysis. <i>Journal for the Measurement of Physical Behaviour</i> , 2023, 6, 60-72.	0.8	0
320	Feasibility and Acceptability of an Internet of Thingsâ€œEnabled Sedentary Behavior Intervention: Mixed Methods Study. <i>Journal of Medical Internet Research</i> , 0, 25, e43502.	4.3	0
321	Breaking the Habit? Identifying Discrete Dimensions of Sitting Automaticity and Their Responsiveness to a Sitting-Reduction Intervention. <i>International Journal of Behavioral Medicine</i> , 2024, 31, 55-63.	1.7	1
322	Detrimental Impact of Sedentary Behaviour on Health. <i>European Journal of Medical and Health Sciences</i> , 2023, 5, 18-22.	0.2	0
323	Paradoxical effects of social media use on workplace interpersonal conflicts. <i>Cogent Business and Management</i> , 2023, 10, .	2.9	1
324	Relationship of Sedentary Lifestyle with Obesity and Comorbidities. , 2023, , 3-16.		2
325	The Walking Talking Stick: Understanding Automated Note-Taking in Walking Meetings. , 2023, , .		3
326	Home office shift and sedentary behaviour in Germany during the COVID-19 pandemic: descriptives and related socioecological correlates. <i>Ergonomics</i> , 0, , 1-12.	2.1	1
328	Paradoxical Associations of Occupational and Nonoccupational Sedentary Behavior With Cardiovascular Disease Risk Measures in Desk Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2023, 65, e506-e513.	1.7	0
329	Privacy-preserving activity recognition using multimodal sensors in smart office. <i>Future Generation Computer Systems</i> , 2023, 148, 27-38.	7.5	2
330	The Effectiveness of the DeskCycle in Reducing Sedentary Behavior Among Female Office Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2023, 65, e538-e544.	1.7	1
331	Increasing movement during office work at sit-stand workstations: A novel seating device to facilitate transitions. <i>Applied Ergonomics</i> , 2023, 111, 104044.	3.1	3
332	Insights on physical behavior while working from home: An ecological momentary assessment study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2023, 33, 2273-2285.	2.9	1
333	When it comes to sedentary behaviour modification, should people be told what to do? A randomized comparison trial among home-based office workers living in Ontario, Canada. <i>Translational Behavioral Medicine</i> , 2024, 14, 106-116.	2.4	0
334	Association of work-related sedentary behavior with mental health and work engagement among Japanese white-collar and blue-collar workers. <i>Journal of Occupational and Environmental Medicine</i> , 0, , .	1.7	0
335	â€œIt depends on the bossâ€œ a qualitative study of multi-level interventions aiming at office workersâ€™ movement behaviour and mental health. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2023, 18, .	1.6	2
336	Device-measured physical activity, sedentary time, and risk of all-cause mortality: an individual participant data analysis of four prospective cohort studies. <i>British Journal of Sports Medicine</i> , 2023, 57, 1457-1463.	6.7	4
337	Correlation analysis between physical activity and depressive tendencies among occupational groups: an isotemporal substitution approach. <i>BMC Public Health</i> , 2023, 23, .	2.9	0

#	ARTICLE	IF	CITATIONS
338	What it takes to reduce sitting at work: a pilot study on the effectiveness and correlates of a multicomponent intervention. <i>International Archives of Occupational and Environmental Health</i> , 0, , .	2.3	0
339	A mixed method evaluation of a theory based intervention to reduce sedentary behaviour in contact centres- the stand up for health stepped wedge feasibility study. <i>PLoS ONE</i> , 2023, 18, e0293602.	2.5	0
340	An Ecological Model for Understanding and Influencing Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , 2023, , 469-492.	0.5	0
341	The Descriptive Epidemiology of Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , 2023, , 45-80.	0.5	0
342	Association of sociodemographic, anthropometric, and sleep quality factors with accelerometer-measured sitting and physical activity times among Emirati working women during the COVID-19 pandemic: A cross-sectional study. <i>Women's Health</i> , 2024, 20, .	1.5	0
343	Improving movement behavior in office workers: effects of two multi-level cluster-RCT interventions on mental health. <i>BMC Public Health</i> , 2024, 24, .	2.9	0
344	Understanding prolonged sedentary behavior contexts among office workers as Input for Digital Technology-Empowered Physical Activity Interventions Design. , 2022, , .		0
345	Relationship between Lifestyle Determinants and Perceived Mental and Physical Health in Italian Nursery and Primary School Teachers after the COVID-19 Lockdown. <i>Journal of Functional Morphology and Kinesiology</i> , 2024, 9, 33.	2.4	0
346	Prior-Night Sleep Predicts Next-Day Sedentary Behavior as a Function of Work Duration in Public Safety Telecommunicators. <i>Occupational Health Science</i> , 0, , .	1.6	0
347	Facilitators and barriers to using a DeskCycle as a sedentary behavior intervention in the work environment. <i>PLoS ONE</i> , 2024, 19, e0299537.	2.5	0