

Systematic variation of the stellar initial mass function

Nature

484, 485-488

DOI: [10.1038/nature10972](https://doi.org/10.1038/nature10972)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Relaxation and stripping - The evolution of sizes, dispersions and dark matter fractions in major and minor mergers of elliptical galaxies. Monthly Notices of the Royal Astronomical Society, 2012, 425, 3119-3136.	1.6	124
2	Calibration of Star-Formation Rate Measurements Across the Electromagnetic Spectrum. Proceedings of the International Astronomical Union, 2012, 10, 495-527.	0.0	1
3	ANGULAR MOMENTUM AND GALAXY FORMATION REVISITED. Astrophysical Journal, Supplement Series, 2012, 203, 17.	3.0	212
4	Stars throw their weight in old galaxies. Nature, 2012, 484, 462-463.	13.7	0
5	FURTHER EVIDENCE FOR LARGE CENTRAL MASS-TO-LIGHT RATIOS IN EARLY-TYPE GALAXIES: THE CASE OF ELLIPTICALS AND LENTICULARS IN THE A262 CLUSTER. Astronomical Journal, 2012, 144, 78.	1.9	46
6	The current status of galaxy formation. Research in Astronomy and Astrophysics, 2012, 12, 917-946.	0.7	208
7	Astrophysical applications of gravitational microlensing. Research in Astronomy and Astrophysics, 2012, 12, 947-972.	0.7	74
8	Formation and evolution of early-type galaxies â€“ III. Dependence of the star formation history on the total mass and initial overdensity. Monthly Notices of the Royal Astronomical Society, 2012, 427, 1530-1554.	1.6	26
9	EVOLUTION OF QUIESCENT AND STAR-FORMING GALAXIES SINCE $z \sim 1.5$ AS A FUNCTION OF THEIR VELOCITY DISPERSIONS. Astrophysical Journal, 2012, 760, 62.	1.6	45
10	Dark matter in massive galaxies. Proceedings of the International Astronomical Union, 2012, 8, 211-220.	0.0	2
11	The stellar populations of massive galaxies in the local Universe. Proceedings of the International Astronomical Union, 2012, 8, 290-299.	0.0	0
12	The Intriguing Life of Massive Galaxies: Introducing the Final Discussion. Proceedings of the International Astronomical Union, 2012, 8, 377-382.	0.0	0
13	Dynamical masses of early-type galaxies at $z \sim 2$. Proceedings of the International Astronomical Union, 2012, 8, 37-44.	0.0	0
14	Understanding the growth of massive galaxies via stellar populations. Proceedings of the International Astronomical Union, 2012, 8, 125-128.	0.0	0
15	The XLENS Project: Do More Massive Early-Type Galaxies Have More Dark Matter or Different Stellar IMFs?. Proceedings of the International Astronomical Union, 2012, 8, 221-224.	0.0	0
16	Further evidence for large central mass-to-light ratios in massive early-type galaxies. Proceedings of the International Astronomical Union, 2012, 8, 225-228.	0.0	0
17	THE FAINT END OF THE CLUSTER-GALAXY LUMINOSITY FUNCTION AT HIGH REDSHIFT. Astrophysical Journal, 2012, 761, 141.	1.6	35
18	EVIDENCE FOR A MILD STEEPENING AND BOTTOM-HEAVY INITIAL MASS FUNCTION IN MASSIVE GALAXIES FROM SODIUM AND TITANIUM-OXIDE INDICATORS. Astrophysical Journal Letters, 2012, 753, L32.	3.0	155

#	ARTICLE	IF	CITATIONS
19	A STELLAR DYNAMICAL MASS MEASUREMENT OF THE BLACK HOLE IN NGC 3998 FROM KECK ADAPTIVE OPTICS OBSERVATIONS. <i>Astrophysical Journal</i> , 2012, 753, 79.	1.6	50
20	DEEP NEAR-INFRARED SPECTROSCOPY OF PASSIVELY EVOLVING GALAXIES AT $z \approx 1.4$. <i>Astrophysical Journal</i> , 2012, 755, 26.	1.6	128
21	SPIDER - VI. The central dark matter content of luminous early-type galaxies: Benchmark correlations with mass, structural parameters and environment. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 577-594.	1.6	39
22	Probing the peak of the star formation rate density with the extragalactic background light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1097-1106.	1.6	16
23	The SLUGGS survey: calcium triplet-based spectroscopic metallicities for over 900 globular clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1475-1495.	1.6	106
24	EzGal: A Flexible Interface for Stellar Population Synthesis Models. <i>Publications of the Astronomical Society of the Pacific</i> , 2012, 124, 606-615.	1.0	106
25	Confronting MOND and TeVeS with strong gravitational lensing over galactic scales: An extended survey. <i>Physical Review D</i> , 2012, 86, .	1.6	19
26	SPIDER - VII. Revealing the stellar population content of massive early-type galaxies out to $8 < i > R < / i > < sub > e < / sub >$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 2300-2317.	1.6	88
27	The delay-time distribution of Type Ia supernovae from Sloan II. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3282-3294.	1.6	203
28	The stellar initial mass function in red-sequence galaxies: $1-1\frac{1}{4}$ m spectroscopy of Coma cluster galaxies with Subaru/FMOS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 2994-3007.	1.6	57
29	On the fraction of star formation occurring in bound stellar clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3008-3040.	1.6	331
30	Semi-empirical catalog of early-type galaxy-halo systems: dark matter density profiles, halo contraction and dark matter annihilation strength. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012, 2012, 004-004.	1.9	7
31	Observational Evidence of Active Galactic Nuclei Feedback. <i>Annual Review of Astronomy and Astrophysics</i> , 2012, 50, 455-489.	8.1	1,890
32	THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES FROM ABSORPTION LINE SPECTROSCOPY. I. DATA AND EMPIRICAL TRENDS. <i>Astrophysical Journal</i> , 2012, 760, 70.	1.6	103
33	EVIDENCE FOR DARK MATTER CONTRACTION AND A SALPETER INITIAL MASS FUNCTION IN A MASSIVE EARLY-TYPE GALAXY. <i>Astrophysical Journal</i> , 2012, 752, 163.	1.6	137
34	THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES FROM ABSORPTION LINE SPECTROSCOPY. II. RESULTS. <i>Astrophysical Journal</i> , 2012, 760, 71.	1.6	411
35	Cosmological implications of a stellar initial mass function that varies with the Jeans mass in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 423, 3601-3615.	1.6	42
36	On galaxies and homology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 424, 635-648.	1.6	7

#	ARTICLE	IF	CITATIONS
37	The ATLAS project - XII. Recovery of the mass-to-light ratio of simulated early-type barred galaxies with axisymmetric dynamical models. Monthly Notices of the Royal Astronomical Society, 2012, 424, 1495-1521.	1.6	44
38	Modeling the Panchromatic Spectral Energy Distributions of Galaxies. Annual Review of Astronomy and Astrophysics, 2013, 51, 393-455.	8.1	626
39	Variations in the Galactic star formation rate and density thresholds for star formation. Monthly Notices of the Royal Astronomical Society, 2013, 429, 987-1000.	1.6	254
40	GALAXY CLUSTER BARYON FRACTIONS REVISITED. Astrophysical Journal, 2013, 778, 14.	1.6	229
41	SPIDER VIII â€œ constraints on the stellar initial mass function of early-type galaxies from a variety of spectral features. Monthly Notices of the Royal Astronomical Society, 2013, 433, 3017-3047.	1.6	226
42	Galactic evolution and the increasing opportunities for life. , 2013, , .		0
43	The ATLAS3D project â€œ XV. Benchmark for early-type galaxies scaling relations from 260 dynamical models: mass-to-light ratio, dark matter, Fundamental Plane and Mass Plane. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1709-1741.	1.6	532
44	The ATLAS3D project â€œ XXII. Low-efficiency star formation in early-type galaxies: hydrodynamic models and observations. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1914-1927.	1.6	94
45	The ATLAS3D project â€œ XIX. The hot gas content of early-type galaxies: fast versus slow rotators. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1845-1861.	1.6	50
46	Simulating galaxy evolution with a non-universal stellar initial mass function. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2254-2275.	1.6	29
47	Reconciling stellar dynamical and hydrostatic X-ray mass measurements of an elliptical galaxy with gas rotation, turbulence and magnetic fields. Monthly Notices of the Royal Astronomical Society, 2013, 430, 1516-1528.	1.6	14
48	How do minor mergers promote inside-out growth of ellipticals, transforming the size, density profile and dark matter fraction?. Monthly Notices of the Royal Astronomical Society, 2013, 429, 2924-2933.	1.6	221
49	The cosmic evolution of the IMF under the Jeans conjecture with implications for massive galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2892-2906.	1.6	26
50	The hybrid solution for the Fundamental Plane. Monthly Notices of the Royal Astronomical Society, 2013, 435, 45-63.	1.6	17
51	Molecular gas in the centre of nearby galaxies from VLT/SINFONI integral field spectroscopy â€œ I. Morphology and mass inventoryâ€œ.... Monthly Notices of the Royal Astronomical Society, 2013, 428, 2389-2406.	1.6	66
52	Universal IMF versus dark halo response in early-type galaxies: breaking the degeneracy with the Fundamental Plane. Monthly Notices of the Royal Astronomical Society, 2013, 432, 2496-2511.	1.6	87
53	The SWELLS survey â€œ V. A Salpeter stellar initial mass function in the bulges of massive spiral galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 428, 3183-3195.	1.6	65
54	A low-mass cut-off near the hydrogen burning limit for Salpeter-like initial mass functions in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 253-258.	1.6	66

#	ARTICLE	IF	CITATIONS
55	Colour gradients of high-redshift early-type galaxies from hydrodynamical monolithic models. Monthly Notices of the Royal Astronomical Society, 2013, 435, 786-797.	1.6	8
56	Single-colour diagnostics of the mass-to-light ratio $\hat{=}$ I. Predictions from galaxy formation models. Monthly Notices of the Royal Astronomical Society, 2013, 431, 430-439.	1.6	15
57	The m_{max} -Mecl relation, the IMF and IGIMF: probabilistically sampled functions. Monthly Notices of the Royal Astronomical Society, 2013, 434, 84-101.	1.6	85
58	The galaxy-wide initial mass function of dwarf late-type to massive early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 3309-3320.	1.6	76
59	The ATLAS3D project $\hat{=}$ XX. Mass $\hat{=}$ size and mass $\hat{=}$ $\hat{=}$ distributions of early-type galaxies: bulge fraction drives kinematics, mass-to-light ratio, molecular gas fraction and stellar initial mass function. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1862-1893.	1.6	496
60	Effect of the Remnant Mass in Estimating the Stellar Mass of Galaxies. Publication of the Astronomical Society of Japan, 2013, 65, .	1.0	6
61	Measuring the total and baryonic mass profiles of the very massive CASSOWARY 31 strong lens. A fossil system at $z \hat{=} 0.7$ Monthly Notices of the Royal Astronomical Society, 2013, 433, 2604-2612.	1.6	9
62	Variations in the stellar CMF and IMF: from bottom to top. Monthly Notices of the Royal Astronomical Society, 2013, 433, 170-177.	1.6	63
63	The (galaxy-wide) IMF in giant elliptical galaxies: from top to bottom. Monthly Notices of the Royal Astronomical Society, 2013, 435, 2274-2280.	1.6	69
64	The First Billion Years project: the impact of stellar radiation on the co-evolution of Populations II and III. Monthly Notices of the Royal Astronomical Society, 2013, 428, 1857-1872.	1.6	155
65	The ATLAS3D project $\hat{=}$ XXI. Correlations between gradients of local escape velocity and stellar populations in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1894-1913.	1.6	73
66	The Atacama Cosmology Telescope: the stellar content of galaxy clusters selected using the Sunyaev-Zel'dovich effect. Monthly Notices of the Royal Astronomical Society, 2013, 435, 3469-3480.	1.6	20
67	The impact of a non-universal Initial Mass Function on the star formation histories of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 431, 440-454.	1.6	32
68	EVIDENCE FOR TWO DISTINCT STELLAR INITIAL MASS FUNCTIONS: REVISITING THE EFFECTS OF CLUSTER DYNAMICAL EVOLUTION. Astrophysical Journal, 2013, 770, 121.	1.6	17
69	PERSPECTIVES ON INTRACLUSTER ENRICHMENT AND THE STELLAR INITIAL MASS FUNCTION IN ELLIPTICAL GALAXIES. Astrophysical Journal, 2013, 773, 52.	1.6	20
70	THE STELLAR HALOS OF MASSIVE ELLIPTICAL GALAXIES. II. DETAILED ABUNDANCE RATIOS AT LARGE RADIUS. Astrophysical Journal, 2013, 776, 64.	1.6	70
71	THE DARK HALO $\hat{=}$ SPHEROID CONSPIRACY AND THE ORIGIN OF ELLIPTICAL GALAXIES. Astrophysical Journal, 2013, 766, 71.	1.6	81
72	<i>HST</i> /WFC3 NEAR-INFRARED SPECTROSCOPY OF QUENCHED GALAXIES AT $z \hat{=} 1.5$ FROM THE WISP SURVEY: STELLAR POPULATION PROPERTIES. Astrophysical Journal, 2013, 778, 126.	1.6	19

#	ARTICLE	IF	CITATIONS
73	EVOLUTION OF THE HIGH-MASS END OF THE STELLAR INITIAL MASS FUNCTIONS IN STARBURST GALAXIES. <i>Astrophysical Journal Letters</i> , 2013, 765, L22.	3.0	7
74	AN INITIAL MASS FUNCTION STUDY OF THE DWARF STARBURST GALAXY NGC 4214. <i>Astrophysical Journal</i> , 2013, 767, 51.	1.6	49
75	THE INFLUENCE OF DARK MATTER HALOS ON DYNAMICAL ESTIMATES OF BLACK HOLE MASS: 10 NEW MEASUREMENTS FOR HIGH- z EARLY-TYPE GALAXIES. <i>Astronomical Journal</i> , 2013, 146, 45.	1.9	79
76	DEPLETED GALAXY CORES AND DYNAMICAL BLACK HOLE MASSES. <i>Astronomical Journal</i> , 2013, 146, 160.	1.9	60
77	STELLAR POPULATIONS AND EVOLUTION OF EARLY-TYPE CLUSTER GALAXIES: CONSTRAINTS FROM OPTICAL IMAGING AND SPECTROSCOPY OF $0.5 < z < i>= 0.9$ GALAXY CLUSTERS. <i>Astronomical Journal</i> , 2013, 145, 77.	1.9	61
78	EFFECT OF ENVIRONMENT ON GALAXIES' MASS-SIZE DISTRIBUTION: UNVEILING THE TRANSITION FROM OUTSIDE-IN TO INSIDE-OUT EVOLUTION. <i>Astrophysical Journal Letters</i> , 2013, 778, L2.	3.0	111
79	X-ray emission from the ultramassive black hole candidate NGC 1277: implications and speculations on its origin. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 431, L38-L42.	1.2	21
80	CORRELATIONS BETWEEN SDSS TYPE Ia SUPERNOVA RATES AND HOST GALAXY PROPERTIES. <i>Astronomical Journal</i> , 2013, 145, 83.	1.9	10
81	A NEW APPROACH TO IDENTIFYING THE MOST POWERFUL GRAVITATIONAL LENSING TELESCOPES. <i>Astrophysical Journal</i> , 2013, 769, 52.	1.6	21
82	THE DARK MATTER HALO CONCENTRATION AND STELLAR INITIAL MASS FUNCTION OF A CASSOWARY GROUP. <i>Astrophysical Journal</i> , 2013, 773, 7.	1.6	8
83	A LINK BETWEEN STAR FORMATION QUENCHING AND INNER STELLAR MASS DENSITY IN SLOAN DIGITAL SKY SURVEY CENTRAL GALAXIES. <i>Astrophysical Journal</i> , 2013, 776, 63.	1.6	238
84	THE EFFECT OF SECOND-GENERATION POPULATIONS ON THE INTEGRATED COLORS OF METAL-RICH GLOBULAR CLUSTERS IN EARLY-TYPE GALAXIES. <i>Astrophysical Journal Letters</i> , 2013, 769, L3.	3.0	12
85	DYNAMICAL VERSUS STELLAR MASSES IN COMPACT EARLY-TYPE GALAXIES: FURTHER EVIDENCE FOR SYSTEMATIC VARIATION IN THE STELLAR INITIAL MASS FUNCTION. <i>Astrophysical Journal Letters</i> , 2013, 776, L26.	3.0	79
86	Bottom-heavy initial mass function in a nearby compact $z \sim 1$ galaxy. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 434, L31-L35.	1.2	38
87	TIGHT CORRELATIONS BETWEEN MASSIVE GALAXY STRUCTURAL PROPERTIES AND DYNAMICS: THE MASS FUNDAMENTAL PLANE WAS IN PLACE BY $z \sim 2$. <i>Astrophysical Journal Letters</i> , 2013, 779, L21.	3.0	56
88	ORIGIN OF A BOTTOM-HEAVY STELLAR INITIAL MASS FUNCTION IN ELLIPTICAL GALAXIES. <i>Astrophysical Journal</i> , 2013, 779, 9.	1.6	14
89	THE STELLAR INITIAL MASS FUNCTION OF ULTRA-FAINT DWARF GALAXIES: EVIDENCE FOR IMF VARIATIONS WITH GALACTIC ENVIRONMENT. <i>Astrophysical Journal</i> , 2013, 771, 29.	1.6	158
90	ON THE NATURE OF SODIUM EXCESS OBJECTS. I. DATA AND OBSERVED TRENDS. <i>Astrophysical Journal, Supplement Series</i> , 2013, 208, 7.	3.0	37

#	ARTICLE	IF	CITATIONS
91	PRIMUS: CONSTRAINTS ON STAR FORMATION QUENCHING AND GALAXY MERGING, AND THE EVOLUTION OF THE STELLAR MASS FUNCTION FROM $z = 0-1$. <i>Astrophysical Journal</i> , 2013, 767, 50.	1.6	442
92	THE OPTICAL COLORS OF GIANT ELLIPTICAL GALAXIES AND THEIR METAL-RICH GLOBULAR CLUSTERS INDICATE A BOTTOM-HEAVY INITIAL MASS FUNCTION. <i>Astrophysical Journal</i> , 2013, 762, 107.	1.6	26
93	THE DENSITY PROFILES OF MASSIVE, RELAXED GALAXY CLUSTERS. I. THE TOTAL DENSITY OVER THREE DECADES IN RADIUS. <i>Astrophysical Journal</i> , 2013, 765, 24.	1.6	226
94	The galaxy stellar mass function and its evolution with time show no dependence on global environment. <i>Astronomy and Astrophysics</i> , 2013, 550, A58.	2.1	58
95	Unveiling the Influence of Dark Matter in Axially Symmetric Galaxies. <i>Publications of the Astronomical Society of Australia</i> , 2013, 30, .	1.3	8
96	The Dawes Review 1: Kinematic Studies of Star-Forming Galaxies Across Cosmic Time. <i>Publications of the Astronomical Society of Australia</i> , 2013, 30, .	1.3	117
97	THE DENSITY PROFILES OF MASSIVE, RELAXED GALAXY CLUSTERS. II. SEPARATING LUMINOUS AND DARK MATTER IN CLUSTER CORES. <i>Astrophysical Journal</i> , 2013, 765, 25.	1.6	224
98	AN INVENTORY OF THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2013, 765, 8.	1.6	92
99	Stellar populations. , 0, , 353-418.		5
100	Monolithic View of Galaxy Formation and Evolution. <i>Galaxies</i> , 2014, 2, 300-381.	1.1	7
101	On the surface density of dark matter haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 3512-3524.	1.6	34
102	EVIDENCE FOR TWO DISTINCT STELLAR INITIAL MASS FUNCTIONS: PROBING FOR CLUES TO THE DICHOTOMY. <i>Astrophysical Journal</i> , 2014, 796, 71.	1.6	19
103	REDSHIFT EVOLUTION OF THE DYNAMICAL PROPERTIES OF MASSIVE GALAXIES FROM SDSS-III/BOSS. <i>Astrophysical Journal</i> , 2014, 789, 92.	1.6	34
104	THE BARYONIC TULLY-FISHER RELATIONSHIP FOR $S ⁴G$ GALAXIES AND THE "CONDENSED" BARYON FRACTION OF GALAXIES. <i>Astronomical Journal</i> , 2014, 147, 134.	1.9	78
105	Depleted cores, multicomponent fits, and structural parameter relations for luminous early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 2700-2722.	1.6	64
106	Inference of the cold dark matter substructure mass function at $z = 0.2$ using strong gravitational lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 2017-2035.	1.6	142
107	The SLUGGS survey: exploring the metallicity gradients of nearby early-type galaxies to large radii. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 1003-1039.	1.6	70
108	Large Binocular Telescope/LUCIFER spectroscopy: kinematics of a compact early-type galaxy at $z \sim 1.4$ <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 3962-3968.	1.6	4

#	ARTICLE	IF	CITATIONS
109	MOND and IMF variations in early-type galaxies from ATLAS3D. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 438, L46-L50.	1.2	25
110	Destruction of wide binary stars in low-mass elliptical galaxies: implications for initial mass function estimates. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 442, L5-L8.	1.2	7
111	The stellar and dark matter distributions in elliptical galaxies from the ensemble of strong gravitational lenses. Monthly Notices of the Royal Astronomical Society, 2014, 439, 2494-2504.	1.6	94
112	How sensitive are predicted galaxy luminosities to the choice of stellar population synthesis model?. Monthly Notices of the Royal Astronomical Society, 2014, 439, 264-283.	1.6	156
113	Systematic variations of central mass density slopes in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2014, 445, 115-127.	1.6	45
114	Variations in the initial mass function in early-type galaxies: a critical comparison between dynamical and spectroscopic results. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 443, L69-L73.	1.2	83
115	The SLUGGS survey: breaking degeneracies between dark matter, anisotropy and the IMF using globular cluster subpopulations in the giant elliptical NGC 5846. Monthly Notices of the Royal Astronomical Society, 2014, 439, 659-672.	1.6	51
116	Evolution of central dark matter of early-type galaxies up to $z \approx 0.8$. Monthly Notices of the Royal Astronomical Society, 2014, 445, 162-174.	1.6	30
117	The Hector Survey: integral field spectroscopy of 100,000 galaxies. Proceedings of the International Astronomical Union, 2014, 10, 21-28.	0.0	4
118	Dissecting the 3D structure of elliptical galaxies with gravitational lensing and stellar kinematics. Proceedings of the International Astronomical Union, 2014, 10, 77-80.	0.0	0
119	Understanding the structural scaling relations of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2014, 444, 942-960.	1.6	85
120	The stellar mass function and efficiency of galaxy formation with a varying initial mass function. Monthly Notices of the Royal Astronomical Society, 2014, 438, 3188-3204.	1.6	7
121	BIG FISH IN SMALL PONDS: MASSIVE STARS IN THE LOW-MASS CLUSTERS OF M83. Astrophysical Journal, 2014, 793, 4.	1.6	31
122	COLOR-MAGNITUDE RELATIONS WITHIN GLOBULAR CLUSTER SYSTEMS OF GIANT ELLIPTICAL GALAXIES: THE EFFECTS OF GLOBULAR CLUSTER MASS LOSS AND THE STELLAR INITIAL MASS FUNCTION. Astrophysical Journal, 2014, 780, 43.	1.6	17
123	AN EMPIRICAL CONNECTION BETWEEN THE ULTRAVIOLET COLOR OF EARLY-TYPE GALAXIES AND THE STELLAR INITIAL MASS FUNCTION. Astrophysical Journal Letters, 2014, 780, L1.	3.0	10
124	THE PRESSURE OF THE STAR-FORMING INTERSTELLAR MEDIUM IN COSMOLOGICAL SIMULATIONS. Astrophysical Journal Letters, 2014, 781, L14.	3.0	6
125	DENSE CORES IN GALAXIES OUT TO $z = 2.5$ IN SDSS, UltraVISTA, AND THE FIVE 3D-HST/CANDELS FIELDS. Astrophysical Journal, 2014, 791, 45.	1.6	111
126	CONNECTION BETWEEN DYNAMICALLY DERIVED INITIAL MASS FUNCTION NORMALIZATION AND STELLAR POPULATION PARAMETERS. Astrophysical Journal Letters, 2014, 792, L37.	3.0	40

#	ARTICLE	IF	CITATIONS
127	CLASH: EXTENDING GALAXY STRONG LENSING TO SMALL PHYSICAL SCALES WITH DISTANT SOURCES HIGHLY MAGNIFIED BY GALAXY CLUSTER MEMBERS. <i>Astrophysical Journal</i> , 2014, 786, 11.	1.6	13
128	A CALIBRATION OF THE STELLAR MASS FUNDAMENTAL PLANE AT $z \sim 0.5$ USING THE MICRO-LENSING-INDUCED FLUX RATIO ANOMALIES OF MACRO-LENSED QUASARS. <i>Astrophysical Journal</i> , 2014, 793, 96.	1.6	73
129	Connection between dynamically derived IMF normalisation and stellar populations. <i>Proceedings of the International Astronomical Union</i> , 2014, 10, 49-52.	0.0	0
130	Filamentary star formation in NGC 1275. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 336-349.	1.6	48
131	Dynamical Mass Determinations and Scaling Relations of Early-Type Galaxies. <i>Proceedings of the International Astronomical Union</i> , 2014, 10, 20-30.	0.0	1
132	Angular Momentum across the Hubble sequence from the CALIFA survey. <i>Proceedings of the International Astronomical Union</i> , 2014, 10, 78-81.	0.0	11
133	Initial Mass Function for Massive Galaxies at $z \sim 1$. <i>Proceedings of the International Astronomical Union</i> , 2014, 10, 136-139.	0.0	0
134	Cosmic ray driven outflows in global galaxy disc models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 3312-3330.	1.6	175
135	Formation of S0 galaxies through mergers. <i>Astronomy and Astrophysics</i> , 2014, 570, A103.	2.1	53
136	The SWELLS survey – VI. Hierarchical inference of the initial mass functions of bulges and discs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 1950-1961.	1.6	17
137	The discrepancy between dynamical and stellar masses in massive compact galaxies traces non-homology. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 1634-1648.	1.6	14
138	Variations of the initial mass function in semi-analytical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 3138-3146.	1.6	11
139	Chemical evolution on the scale of clusters of galaxies: a conundrum?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 3581-3591.	1.6	46
140	THE SAGES LEGACY UNIFYING GLOBULARS AND GALAXIES SURVEY (SLUGGS): SAMPLE DEFINITION, METHODS, AND INITIAL RESULTS. <i>Astrophysical Journal</i> , 2014, 796, 52.	1.6	143
141	A TALE OF A RICH CLUSTER AT $z \sim 0.8$ AS SEEN BY THE STAR FORMATION HISTORIES OF ITS EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2014, 797, 136.	1.6	16
142	THE MASSIVE SURVEY. I. A VOLUME-LIMITED INTEGRAL-FIELD SPECTROSCOPIC STUDY OF THE MOST MASSIVE EARLY-TYPE GALAXIES WITHIN 108 Mpc. <i>Astrophysical Journal</i> , 2014, 795, 158.	1.6	154
143	SALPETER NORMALIZATION OF THE STELLAR INITIAL MASS FUNCTION FOR MASSIVE GALAXIES AT $z \sim 1$. <i>Astrophysical Journal Letters</i> , 2014, 786, L10.	3.0	26
144	The ATLAS3D Project – XXVIII. Dynamically driven star formation suppression in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 3427-3445.	1.6	150

#	ARTICLE	IF	CITATIONS
145	Optically selected BLR-less active galactic nuclei from the SDSS Stripe82 Database – I. The sample. Monthly Notices of the Royal Astronomical Society, 2014, 438, 557-572.	1.6	14
146	What controls star formation in the central 500 kpc of the Galaxy?. Monthly Notices of the Royal Astronomical Society, 2014, 440, 3370-3391.	1.6	201
147	EVIDENCE FOR A CONSTANT INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES BASED ON THEIR X-RAY BINARY POPULATIONS,. Astrophysical Journal, 2014, 784, 162.	1.6	31
148	VARIATIONS OF THE STELLAR INITIAL MASS FUNCTION IN THE PROGENITORS OF MASSIVE EARLY-TYPE GALAXIES AND IN EXTREME STARBURST ENVIRONMENTS. Astrophysical Journal, 2014, 796, 75.	1.6	112
149	Spaxel analysis: probing the physics of star formation in ultraluminous infrared galaxies. Astrophysics and Space Science, 2014, 350, 741-754.	0.5	25
150	The big problems in star formation: The star formation rate, stellar clustering, and the initial mass function. Physics Reports, 2014, 539, 49-134.	10.3	248
151	The stellar IMF in early-type galaxies from a non-degenerate set of optical line indices. Monthly Notices of the Royal Astronomical Society, 2014, 438, 1483-1499.	1.6	135
152	Observational dynamics of low-mass stellar systems. Astronomische Nachrichten, 2014, 335, 486-500.	0.6	3
153	Dynamical models of elliptical galaxies – I. Simple methods. Monthly Notices of the Royal Astronomical Society, 2014, 442, 3284-3298.	1.6	27
154	Epileptic Encephalopathies: New Genes and New Pathways. Neurotherapeutics, 2014, 11, 796-806.	2.1	96
155	Galaxy masses. Reviews of Modern Physics, 2014, 86, 47-119.	16.4	226
156	Observational Clues to the Progenitors of Type Ia Supernovae. Annual Review of Astronomy and Astrophysics, 2014, 52, 107-170.	8.1	711
157	What Regulates Galaxy Evolution? Open questions in our understanding of galaxy formation and evolution. New Astronomy Reviews, 2014, 62-63, 1-14.	5.2	11
158	A supermassive black hole in an ultra-compact dwarf galaxy. Nature, 2014, 513, 398-400.	13.7	203
159	Dusty star-forming galaxies at high redshift. Physics Reports, 2014, 541, 45-161.	10.3	564
160	DISCOVERY OF A STRONG LENSING GALAXY EMBEDDED IN A CLUSTER AT $z = 1.62$. Astrophysical Journal Letters, 2014, 789, L31.	3.0	16
161	The ATLAS3D project – XXV. Two-dimensional kinematic analysis of simulated galaxies and the cosmological origin of fast and slow rotators. Monthly Notices of the Royal Astronomical Society, 2014, 444, 3357-3387.	1.6	257
162	Evidence of a Global Gravitational Potential. The Astronomical Review, 2014, 9, 1-29.	4.0	2

#	ARTICLE	IF	CITATIONS
163	On disentangling initial mass function degeneracies in integrated light. Monthly Notices of the Royal Astronomical Society, 2015, 453, 4432-4444.	1.6	8
164	The SLUGGS survey: multipopulation dynamical modelling of the elliptical galaxy NGC 1407 from stars and globular clusters. Monthly Notices of the Royal Astronomical Society, 2015, 450, 3345-3358.	1.6	24
165	Constraints on the evolutionary mechanisms of massive galaxies since $z \sim 1$ from their velocity dispersions. Monthly Notices of the Royal Astronomical Society, 2015, 453, 704-720.	1.6	6
166	FORMING COMPACT MASSIVE GALAXIES. Astrophysical Journal, 2015, 813, 23.	1.6	240
167	IMF METALLICITY: A TIGHT LOCAL RELATION REVEALED BY THE CALIFA SURVEY. Astrophysical Journal Letters, 2015, 806, L31.	3.0	99
168	An Observational Perspective of the IMF: Progress and Challenges. Proceedings of the International Astronomical Union, 2015, 11, 73-80.	0.0	2
169	Single stellar populations in the near-infrared. Astronomy and Astrophysics, 2015, 582, A97.	2.1	19
170	THE BOTTOM-LIGHT PRESENT DAY MASS FUNCTION OF THE PECULIAR GLOBULAR CLUSTER NGC 6535. Astrophysical Journal, 2015, 815, 86.	1.6	7
171	Revisiting the original morphology-density relation. Monthly Notices of the Royal Astronomical Society, 2015, 451, 3427-3436.	1.6	23
172	The initial mass functions of M31 and M32 through far red stellar absorption features. Monthly Notices of the Royal Astronomical Society, 2015, 452, 597-606.	1.6	23
173	The triggering of local AGN and their role in regulating star formation. Monthly Notices of the Royal Astronomical Society, 2015, 452, 774-783.	1.6	32
174	MRK 1216 and NGC 1277 - an orbit-based dynamical analysis of compact, high-velocity dispersion galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 452, 1792-1816.	1.6	42
175	Observed trend in the star formation history and the dark matter fraction of galaxies at redshift $z < 0.8$. Monthly Notices of the Royal Astronomical Society, 2015, 454, 1332-1357.	1.6	27
176	Can we use weak lensing to measure total mass profiles of galaxies on 20 kpc scales?. Monthly Notices of the Royal Astronomical Society, 2015, 449, 2128-2143.	1.6	8
177	Are the total mass density and the low-mass end slope of the IMF anticorrelated?. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 452, L21-L25.	1.2	35
178	The IMF-SFH connection in massive early-type galaxies. Proceedings of the International Astronomical Union, 2015, 11, .	0.0	0
179	Abundance patterns in early-type galaxies: is there a knee in the $[Fe/H]$ vs. $[Fe/H]$ relation?. Astronomy and Astrophysics, 2015, 582, A46.	2.1	42
180	Can we infer the Initial Mass Function of galaxies at $z \sim 2$?. Proceedings of the International Astronomical Union, 2015, 11, 35-38.	0.0	0

#	ARTICLE	IF	CITATIONS
181	IMF variations in unresolved stellar populations: Challenges. Proceedings of the International Astronomical Union, 2015, 11, 193-194.	0.0	0
182	Lower mass normalization of the stellar initial mass function for dense massive early-type galaxies at $z \sim 1.4$. Astronomy and Astrophysics, 2015, 573, A110.	2.1	6
183	A DIRECT CONSTRAINT ON THE GAS CONTENT OF A MASSIVE, PASSIVELY EVOLVING ELLIPTICAL GALAXY AT $z = 1.43$. Astrophysical Journal Letters, 2015, 806, L20.	3.0	40
184	The chemical evolution of galaxies with a variable integrated galactic initial mass function. Monthly Notices of the Royal Astronomical Society, 2015, 446, 4168-4175.	1.6	30
185	Further evidence for a time-dependent initial mass function in massive early-type galaxies. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 448, L82-L86.	1.2	36
186	The initial mass function of a massive relic galaxy. Monthly Notices of the Royal Astronomical Society, 2015, 451, 1081-1089.	1.6	69
187	The ATLAS3D Project – XXX. Star formation histories and stellar population scaling relations of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 448, 3484-3513.	1.6	326
188	An assessment of the evidence from ATLAS3D for a variable initial mass function. Monthly Notices of the Royal Astronomical Society, 2015, 449, 4091-4104.	1.6	9
189	VIMOS mosaic integral-field spectroscopy of the bulge and disc of the early-type galaxy NGC 4697. Monthly Notices of the Royal Astronomical Society, 2015, 452, 99-114.	1.6	7
190	The X-Shooter Lens Survey – II. Sample presentation and spatially-resolved kinematics. Monthly Notices of the Royal Astronomical Society, 2015, 452, 2434-2444.	1.6	10
191	How elevated is the dynamical-to-stellar mass ratio of the ultracompact dwarf S999?. Monthly Notices of the Royal Astronomical Society, 2015, 449, 1716-1730.	1.6	22
192	The First Billion Years project: gamma-ray bursts at $z \gtrsim 5$. Monthly Notices of the Royal Astronomical Society, 2015, 446, 4239-4249.	1.6	13
193	Galaxies as simple dynamical systems: observational data disfavor dark matter and stochastic star formation. Canadian Journal of Physics, 2015, 93, 169-202.	0.4	131
194	MEASURING CONSISTENT MASSES FOR 25 MILKY WAY GLOBULAR CLUSTERS. Astronomical Journal, 2015, 149, 53.	1.9	76
195	THE STELLAR INITIAL MASS FUNCTION AT $0.9 < z < 1.5$. Astrophysical Journal Letters, 2015, 798, L4.	3.0	23
196	THE SL2S GALAXY-SCALE LENS SAMPLE. V. DARK MATTER HALOS AND STELLAR IMF OF MASSIVE EARLY-TYPE GALAXIES OUT TO REDSHIFT 0.8. Astrophysical Journal, 2015, 800, 94.	1.6	118
197	GLOBULAR CLUSTER POPULATIONS: FIRST RESULTS FROM $S^{4}G$ EARLY-TYPE GALAXIES. Astrophysical Journal, 2015, 799, 159.	1.6	10
198	Giant disc galaxies: where environment trumps mass in galaxy evolution. Monthly Notices of the Royal Astronomical Society, 2015, 448, 1767-1778.	1.6	17

#	ARTICLE	IF	CITATIONS
199	Radial variations in the stellar initial mass function of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 447, 1033-1048.	1.6	146
200	The SINFONI Nearby Elliptical Lens Locator Survey: discovery of two new low-redshift strong lenses and implications for the initial mass function in giant early-type galaxies... Monthly Notices of the Royal Astronomical Society, 2015, 449, 3441-3457.	1.6	94
201	The SLUGGS survey: globular cluster stellar population trends from weak absorption lines in stacked spectra. Monthly Notices of the Royal Astronomical Society, 2015, 446, 369-390.	1.6	31
202	The stellar initial mass function of early-type galaxies from low to high stellar velocity dispersion: homogeneous analysis of atlas3D and Sloan Lens ACS galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 446, 493-509.	1.6	77
203	Chemoarchaeological downsizing in a hierarchical universe: impact of a top-heavy IGIMF. Monthly Notices of the Royal Astronomical Society, 2015, 446, 3820-3841.	1.6	64
204	The initial mass function of early-type galaxies: no correlation with [Mg/Fe]. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 449, L137-L141.	1.2	32
205	The benchmark black hole in NGC 4258: dynamical models from high-resolution two-dimensional stellar kinematics. Monthly Notices of the Royal Astronomical Society, 2015, 450, 128-144.	1.6	19
206	The star formation history of galaxies: the role of galaxy mass, morphology and environment. Monthly Notices of the Royal Astronomical Society, 2015, 450, 2749-2763.	1.6	53
207	The connection between the UV colour of early-type galaxies and the stellar initial mass function revisited. Monthly Notices of the Royal Astronomical Society, 2015, 446, 2030-2037.	1.6	7
208	THE NON-UNIVERSALITY OF THE LOW-MASS END OF THE IMF IS ROBUST AGAINST THE CHOICE OF SSP MODEL. Astrophysical Journal, 2015, 803, 87.	1.6	36
209	Mapping stellar content to dark matter haloes using galaxy clustering and galaxy-galaxy lensing in the SDSS DR7. Monthly Notices of the Royal Astronomical Society, 2015, 454, 1161-1191.	1.6	145
210	THE NUCLEAR NEAR-INFRARED SPECTRAL PROPERTIES OF NEARBY GALAXIES. Astrophysical Journal, Supplement Series, 2015, 217, 13.	3.0	49
211	Powering reionization: assessing the galaxy ionizing photon budget at $z \lesssim 10$. Monthly Notices of the Royal Astronomical Society, 2015, 451, 2030-2049.	1.6	65
212	THE SLOAN LENS ACS SURVEY. XII. EXTENDING STRONG LENSING TO LOWER MASSES. Astrophysical Journal, 2015, 803, 71.	1.6	77
213	ON THE ABSOLUTE AGE OF THE METAL-RICH GLOBULAR M71 (NGC 6838). I. OPTICAL PHOTOMETRY. Astronomical Journal, 2015, 150, 51.	1.9	19
214	MERGERS IN GALAXY GROUPS. II. THE FUNDAMENTAL PLANE OF ELLIPTICAL GALAXIES. Astrophysical Journal, 2015, 803, 78.	1.6	17
215	THE MASSIVE SURVEY. II. STELLAR POPULATION TRENDS OUT TO LARGE RADIUS IN MASSIVE EARLY-TYPE GALAXIES. Astrophysical Journal, 2015, 807, 11.	1.6	107
216	MASSIVE RELIC GALAXIES CHALLENGE THE CO-EVOLUTION OF SUPER-MASSIVE BLACK HOLES AND THEIR HOST GALAXIES. Astrophysical Journal, 2015, 808, 79.	1.6	61

#	ARTICLE	IF	CITATIONS
217	How much dark matter is there inside early-type galaxies? Monthly Notices of the Royal Astronomical Society, 2015, 446, 85-103.	1.6	8
218	KMOS3D: DYNAMICAL CONSTRAINTS ON THE MASS BUDGET IN EARLY STAR-FORMING DISKS*. Astrophysical Journal, 2016, 831, 149.	1.6	83
219	THE NUCLEAR CLUSTER OF THE MILKY WAY: TOTAL MASS AND LUMINOSITY*. Astrophysical Journal, 2016, 821, 44.	1.6	63
220	Spiral-like star-forming patterns in CALIFA early-type galaxies. Astronomy and Astrophysics, 2016, 585, A92.	2.1	41
221	Implications of a variable IMF for the interpretation of observations of galaxy populations. Monthly Notices of the Royal Astronomical Society, 2016, 462, 2832-2846.	1.6	21
222	SDSS-IV MaNGA IFS GALAXY SURVEY SURVEY DESIGN, EXECUTION, AND INITIAL DATA QUALITY. Astronomical Journal, 2016, 152, 197.	1.9	266
223	Evolution of galaxy habitability. Astronomy and Astrophysics, 2016, 592, A96.	2.1	15
224	Radial constraints on the initial mass function from TiO features and Wing-Ford band in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 457, 1468-1489.	1.6	82
225	The atlas ^{3D} Project XXXI. Nuclear radio emission in nearby early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 458, 2221-2268.	1.6	53
226	Is the stellar initial mass function universal?. Astronomy and Geophysics, 2016, 57, 2.32-2.36.	0.1	3
227	Strong gravitational lensing and the stellar IMF of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 459, 3677-3692.	1.6	42
228	A hierarchical Bayesian approach for reconstructing the initial mass function of single stellar populations. Monthly Notices of the Royal Astronomical Society, 2016, 463, 886-912.	1.6	9
229	Dark matter inside early-type galaxies as function of mass and redshift. Monthly Notices of the Royal Astronomical Society, 2016, 462, 951-959.	1.6	7
230	Structure and Kinematics of Early-Type Galaxies from Integral Field Spectroscopy. Annual Review of Astronomy and Astrophysics, 2016, 54, 597-665.	8.1	330
231	The mass discrepancy acceleration relation in early-type galaxies: extended mass profiles and the phantom menace to MOND. Monthly Notices of the Royal Astronomical Society, 2016, 461, 2367-2373.	1.6	22
232	RADIAL TRENDS IN IMF-SENSITIVE ABSORPTION FEATURES IN TWO EARLY-TYPE GALAXIES: EVIDENCE FOR ABUNDANCE-DRIVEN GRADIENTS. Astrophysical Journal, 2016, 821, 39.	1.6	45
233	A unified multiwavelength model of galaxy formation. Monthly Notices of the Royal Astronomical Society, 2016, 462, 3854-3911.	1.6	290
234	A discrete chemo-dynamical model of the giant elliptical galaxy NGC 5846: dark matter fraction, internal rotation, and velocity anisotropy out to six effective radii. Monthly Notices of the Royal Astronomical Society, 2016, 462, 4001-4017.	1.6	27

#	ARTICLE	IF	CITATIONS
235	IMF shape constraints from stellar populations and dynamics from CALIFA. Monthly Notices of the Royal Astronomical Society, 2016, 463, 3220-3225.	1.6	66
236	Modelling and interpreting spectral energy distributions of galaxies with beagle. Monthly Notices of the Royal Astronomical Society, 2016, 462, 1415-1443.	1.6	246
237	The IMF as a function of supersonic turbulence. Monthly Notices of the Royal Astronomical Society, 2016, 462, 4171-4182.	1.6	23
238	Understanding the internal dynamics of elliptical galaxies without non-baryonic dark matter. Monthly Notices of the Royal Astronomical Society, 2016, 463, 1865-1880.	1.6	21
239	THE SCALING OF STELLAR MASS AND CENTRAL STELLAR VELOCITY DISPERSION FOR QUIESCENT GALAXIES AT $z \lesssim 0.7$. Astrophysical Journal, 2016, 832, 203.	1.6	59
240	EXPLAINING THE STELLAR INITIAL MASS FUNCTION WITH THE THEORY OF SPATIAL NETWORKS. Astrophysical Journal, 2016, 824, 17.	1.6	3
241	Dark matter and IMF normalization in Virgo dwarf early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 455, 308-317.	1.6	16
242	Galaxy structure from multiple tracers – II. M87 from parsec to megaparsec scales. Monthly Notices of the Royal Astronomical Society, 2016, 457, 421-439.	1.6	55
243	What physics determines the peak of the IMF? Insights from the structure of cores in radiation-magnetohydrodynamic simulations. Monthly Notices of the Royal Astronomical Society, 2016, 460, 3272-3283.	1.6	40
244	Revisiting the classics: is $[Mg/Fe]$ a good proxy for galaxy formation time-scales?. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 456, L104-L108.	1.2	18
245	Assessing the Jeans Anisotropic Multi-Gaussian Expansion method with the Illustris simulation. Monthly Notices of the Royal Astronomical Society, 2016, 455, 3680-3692.	1.6	46
246	Modern yields per stellar generation: the effect of the IMF. Monthly Notices of the Royal Astronomical Society, 2016, 455, 4183-4190.	1.6	89
247	The massive dark halo of the compact early-type galaxy NGC 1281. Monthly Notices of the Royal Astronomical Society, 2016, 456, 538-553.	1.6	15
248	The SLUGGS survey: the mass distribution in early-type galaxies within five effective radii and beyond. Monthly Notices of the Royal Astronomical Society, 2016, 460, 3838-3860.	1.6	45
249	UNCERTAINTIES IN GALACTIC CHEMICAL EVOLUTION MODELS. Astrophysical Journal, 2016, 824, 82.	1.6	44
250	The MASSIVE survey – III. Molecular gas and a broken Tully-Fisher relation in the most massive early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2016, 455, 214-226.	1.6	43
251	Dark matter fraction of low-mass cluster members probed by galaxy-scale strong lensing. Monthly Notices of the Royal Astronomical Society, 2016, 458, 1493-1503.	1.6	8
252	The necessity of feedback physics in setting the peak of the initial mass function. Monthly Notices of the Royal Astronomical Society, 2016, 458, 673-680.	1.6	50

#	ARTICLE	IF	CITATIONS
253	To test dual supermassive black hole model for broad line active galactic nucleus with double-peaked narrow [OIII] lines. Monthly Notices of the Royal Astronomical Society, 2016, 457, 3878-3886.	1.6	15
254	Improved Dynamical Constraints on the Mass of the Central Black Hole in NGC 404. Astrophysical Journal, 2017, 836, 237.	1.6	71
255	The MASSIVE Survey. VI. The Spatial Distribution and Kinematics of Warm Ionized Gas in the Most Massive Local Early-type Galaxies. Astrophysical Journal, 2017, 837, 40.	1.6	27
256	A Catalog of Narrow Line Seyfert 1 Galaxies from the Sloan Digital Sky Survey Data Release 12. Astrophysical Journal, Supplement Series, 2017, 229, 39.	3.0	105
257	Revisiting the Bulge-Halo Conspiracy. I. Dependence on Galaxy Properties and Halo Mass. Astrophysical Journal, 2017, 840, 34.	1.6	31
258	Yonsei Evolutionary Population Synthesis (YEPS). II. Spectro-photometric Evolution of Helium-enhanced Stellar Populations. Astrophysical Journal, 2017, 842, 91.	1.6	29
259	Further Constraints on Variations in the Initial Mass Function from Low-mass X-ray Binary Populations. Astrophysical Journal, 2017, 841, 28.	1.6	12
260	Velocity Dispersion, Size, S ₀ Index, and D ₄₀₀₀ : The Scaling of Stellar Mass with Dynamical Mass for Quiescent Galaxies. Astrophysical Journal, 2017, 841, 32.	1.6	36
261	Very low-mass stellar content of the young supermassive Galactic star cluster Westerlund 1. Astronomy and Astrophysics, 2017, 602, A22.	2.1	33
262	The Stellar Initial Mass Function in Early-type Galaxies from Absorption Line Spectroscopy. III. Radial Gradients. Astrophysical Journal, 2017, 841, 68.	1.6	126
263	SDSS-IV MaNGA: Variation of the Stellar Initial Mass Function in Spiral and Early-type Galaxies. Astrophysical Journal, 2017, 838, 77.	1.6	73
264	Deriving Physical Properties from Broadband Photometry with Prospector: Description of the Model and a Demonstration of its Accuracy Using 129 Galaxies in the Local Universe. Astrophysical Journal, 2017, 837, 170.	1.6	312
265	The Stellar Initial Mass Function in Early-type Galaxies from Absorption Line Spectroscopy. IV. A Super-Salpeter IMF in the Center of NGC 1407 from Non-parametric Models. Astrophysical Journal, 2017, 837, 166.	1.6	58
266	Radial gradients in initial mass function sensitive absorption features in the Coma brightest cluster galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 465, 192-212.	1.6	32
267	Variations of the stellar initial mass function in semi-analytical models: implications for the mass assembly and the chemical enrichment of galaxies in the gaea model. Monthly Notices of the Royal Astronomical Society, 2017, 464, 3812-3824.	1.6	48
268	Circumstellar dust, PAHs and stellar populations in early-type galaxies: insights from GALEX and WISE. Monthly Notices of the Royal Astronomical Society, 2017, 464, 3920-3936.	1.6	14
269	Dominant dark matter and a counter-rotating disc: MUSE view of the low-luminosity S0 galaxy NGC 5102. Monthly Notices of the Royal Astronomical Society, 2017, 464, 4789-4806.	1.6	55
270	Virgo Redux: The Masses and Stellar Content of Nuclei in Early-type Galaxies from Multiband Photometry and Spectroscopy. Astrophysical Journal, 2017, 849, 55.	1.6	42

#	ARTICLE	IF	CITATIONS
271	Testing the Universality of the Stellar IMF with Chandra and HST. <i>Astrophysical Journal</i> , 2017, 835, 183.	1.6	7
272	Improving the full spectrum fitting method: accurate convolution with Gauss-Hermite functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 466, 798-811.	1.6	823
273	Distance and Properties of NGC 4993 as the Host Galaxy of the Gravitational-wave Source GW170817. <i>Astrophysical Journal Letters</i> , 2017, 849, L16.	3.0	59
274	Detection of Enhanced Central Mass-to-light Ratios in Low-mass Early-type Galaxies: Evidence for Black Holes?. <i>Astrophysical Journal</i> , 2017, 850, 15.	1.6	15
275	The Initial Mass Function of the Inner Galaxy Measured from OGLE-III Microlensing Timescales. <i>Astrophysical Journal Letters</i> , 2017, 843, L5.	3.0	32
276	Star formation in nearby early-type galaxies: the radio continuum perspective. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 1029-1064.	1.6	27
277	The Spectroscopy and H-band Imaging of Virgo Cluster Galaxies (SHIVir) Survey: Scaling Relations and the Stellar-to-total Mass Relation. <i>Astrophysical Journal</i> , 2017, 843, 74.	1.6	27
278	Systematic trends in total-mass profiles from dynamical models of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx101.	1.6	35
279	The statistical challenge of constraining the low-mass IMF in Local Group dwarf galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 319-332.	1.6	26
280	The density of dark matter haloes of early-type galaxies in low-density environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 466, 974-995.	1.6	15
281	What to expect from dynamical modelling of galactic haloes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 2351-2366.	1.6	17
282	Star-forming galaxies in intermediate-redshift clusters: stellar versus dynamical masses of luminous compact blue galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 4382-4396.	1.6	2
283	Stellar dynamics in the strong-lensing central galaxy of Abell 1201: a low stellar mass-to-light ratio, a large central compact mass and a standard dark matter halo. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 383-393.	1.6	14
284	Star formation rates and efficiencies in the Galactic Centre. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 469, 2263-2285.	1.6	129
285	Using dust, gas and stellar mass-selected samples to probe dust sources and sinks in low-metallicity galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 471, 1743-1765.	1.6	63
286	The nature of massive transition galaxies in CANDELS, GAMA and cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 2054-2084.	1.6	63
287	Implications of Galaxy Buildup for Putative IMF Variations in Massive Galaxies. <i>Astrophysical Journal</i> , 2017, 845, 136.	1.6	7
288	Comparing models for IMF variation across cosmological time in Milky Way-like galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 2107-2116.	1.6	20

#	ARTICLE	IF	CITATIONS
289	How to break the density-anisotropy degeneracy in spherical stellar systems. Monthly Notices of the Royal Astronomical Society, 2017, 471, 4541-4558.	1.6	61
290	Modelling the observed stellar mass function and its radial variation in galactic globular clusters. Monthly Notices of the Royal Astronomical Society, 2017, 471, 3845-3855.	1.6	17
291	Spatially resolved variations of the IMF mass normalization in early-type galaxies as probed by molecular gas kinematics. Monthly Notices of the Royal Astronomical Society, 2017, 464, 453-468.	1.6	45
292	ZFIRE: using H α equivalent widths to investigate the in situ initial mass function at $z \sim 1/4$. Monthly Notices of the Royal Astronomical Society, 2017, 468, 3071-3108.	1.6	19
293	A counter-image to the gravitational arc in Abell 1201: Evidence for IMF variations, or a $10^{10} M_{\odot}$ black hole?. Monthly Notices of the Royal Astronomical Society, 0, , stx059.	1.6	4
294	Exploring the IMF of star clusters: a joint SLUG and LEGUS effort. Monthly Notices of the Royal Astronomical Society, 2017, 469, 2464-2480.	1.6	17
295	IMF and [Na/Fe] abundance ratios from optical and NIR spectral features in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 464, 3597-3616.	1.6	56
296	The VIMOS Public Extragalactic Redshift Survey (VIPERS). Astronomy and Astrophysics, 2017, 606, A113.	2.1	19
297	A star formation study of the ATLAS $_{3D}$ early-type galaxies with the AKARI all-sky survey. Astronomy and Astrophysics, 2017, 605, A74.	2.1	20
298	Merger-driven evolution of the effective stellar initial mass function of massive early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 465, 2397-2410.	1.6	13
299	The Fundamental Plane of evolving red nuggets. Monthly Notices of the Royal Astronomical Society, 2017, 470, 3497-3506.	1.6	3
300	Two new confirmed massive relic galaxies: red nuggets in the present-day Universe. Monthly Notices of the Royal Astronomical Society, 0, , stx171.	1.6	44
301	Evidence of a Non-universal Stellar Initial Mass Function. Insights from HST Optical Imaging of Six Ultra-faint Dwarf Milky Way Satellites. Astrophysical Journal, 2018, 855, 20.	1.6	45
302	SDSS-IV MaNGA: stellar angular momentum of about 2300 galaxies: unveiling the bimodality of massive galaxy properties. Monthly Notices of the Royal Astronomical Society, 2018, 477, 4711-4737.	1.6	107
303	A quartet of black holes and a missing duo: probing the low end of the MBH σ relation with the adaptive optics assisted integral-field spectroscopy. Monthly Notices of the Royal Astronomical Society, 2018, 477, 3030-3064.	1.6	37
304	Galaxy structure from multiple tracers III. Radial variations in M87's IMF. Monthly Notices of the Royal Astronomical Society, 2018, 474, 4169-4185.	1.6	38
305	Disentangling the Galactic Halo with APOGEE. II. Chemical and Star Formation Histories for the Two Distinct Populations. Astrophysical Journal, 2018, 852, 50.	1.6	53
306	Hierarchical Bayesian inference of the initial mass function in composite stellar populations. Monthly Notices of the Royal Astronomical Society, 2018, 474, 3500-3515.	1.6	4

#	ARTICLE	IF	CITATIONS
307	The GALEX/S ⁴ G Surface Brightness and Color Profiles Catalog. I. Surface Photometry and Color Gradients of Galaxies. <i>Astrophysical Journal, Supplement Series</i> , 2018, 234, 18.	3.0	25
308	The unexpectedly large dust and gas content of quiescent galaxies at $z \gtrsim 1.4$. <i>Nature Astronomy</i> , 2018, 2, 239-246.	4.2	71
309	Star clusters in evolving galaxies. <i>New Astronomy Reviews</i> , 2018, 81, 1-38.	5.2	41
310	Extreme magnification of an individual star at redshift 1.5 by a galaxy-cluster lens. <i>Nature Astronomy</i> , 2018, 2, 334-342.	4.2	97
311	Cosmic clocks: a tight radius-velocity relationship for H α -selected galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 1624-1636.	1.6	12
312	A free-form lensing model of A370 revealing stellar mass dominated BCGs, in Hubble Frontier Fields images. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 4279-4296.	1.6	33
313	SDSS-IV MaNGA: Uncovering the Angular Momentum Content of Central and Satellite Early-type Galaxies. <i>Astrophysical Journal</i> , 2018, 852, 36.	1.6	23
314	Improved mass constraints for two nearby strong-lensing elliptical galaxies from Hubble Space Telescope imaging. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1103-1107.	1.6	11
315	The effects of the initial mass function on the chemical evolution of elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 474, 5259-5271.	1.6	24
316	The last 6% Gyr of dark matter assembly in massive galaxies from the Kilo Degree Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 969-983.	1.6	24
317	SDSS-IV MaNGA: global stellar population and gradients for about 2000 early-type and spiral galaxies on the mass-size plane. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 1765-1775.	1.6	89
318	The origin of the "blue tilt" of globular cluster populations in the E-MOSAICS simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 3279-3301.	1.6	33
319	KINeTyS II: Constraints on spatial variations of the stellar initial mass function from K-band spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 4464-4486.	1.6	26
320	Evidence for radial variations in the stellar mass-to-light ratio of massive galaxies from weak and strong lensing. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 164-184.	1.6	37
321	On the shape and evolution of a cosmic-ray-regulated galaxy-wide stellar initial mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 5678-5685.	1.6	11
322	The Dawes Review 8: Measuring the Stellar Initial Mass Function. <i>Publications of the Astronomical Society of Australia</i> , 2018, 35, .	1.3	76
323	Sculpting Andromeda - made-to-measure models for M31's bar and composite bulge: dynamics, stellar and dark matter mass. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 3210-3243.	1.6	28
324	Evolution of galaxy size-stellar mass relation from the Kilo-Degree Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 1057-1080.	1.6	45

#	ARTICLE	IF	CITATIONS
325	MUSE observations of M87: radial gradients for the stellar initial-mass function and the abundance of sodium. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 4084-4100.	1.6	66
326	Serendipitous discovery of a strong-lensed galaxy in integral field spectroscopy from MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 262-274.	1.6	8
327	Prediction of Supernova Rates in Known Galaxy–Galaxy Strong-lens Systems. <i>Astrophysical Journal</i> , 2018, 864, 91.	1.6	21
328	A new strong-lensing galaxy at $z=0.066$: another elliptical galaxy with a lightweight IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 1595-1600.	1.6	25
329	Recovering stellar population parameters via two full-spectrum fitting algorithms in the absence of model uncertainties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2633-2649.	1.6	36
330	Star formation in the outskirts of DDO 154: a top-light IMF in a nearly dormant disc. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 5554-5567.	1.6	21
331	SDSS-IV MaNGA: a distinct mass distribution explored in slow-rotating early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 477, 230-235.	1.6	15
332	The origin and properties of massive prolate galaxies in the Illustris simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 1489-1511.	1.6	40
333	Made-to-measure modelling of observed galaxy dynamics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2288-2303.	1.6	14
334	Testing Verlinde's emergent gravity in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2324-2334.	1.6	17
335	Timing the formation and assembly of early-type galaxies via spatially resolved stellar populations analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 3700-3729.	1.6	61
336	Stellar mass functions and implications for a variable IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 757-771.	1.6	20
337	Dark matter contraction and stellar-mass-to-light ratio gradients in massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 133-150.	1.6	34
338	Clocking the Evolution of Post-starburst Galaxies: Methods and First Results. <i>Astrophysical Journal</i> , 2018, 862, 2.	1.6	57
339	SDSS-IV MaNGA: modelling the metallicity gradients of gas and stars – radially dependent metal outflow versus IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 3883-3901.	1.6	43
340	Multiple populations within globular clusters in early-type galaxies exploring their effect on stellar initial mass function estimates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2368-2387.	1.6	5
341	The Initial Mass Function in the Coma Berenices Dwarf Galaxy from Deep Near-infrared HST Observations. <i>Astrophysical Journal</i> , 2018, 863, 38.	1.6	17
342	The influence of galaxy environment on the stellar initial mass function of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 5233-5252.	1.6	20

#	ARTICLE	IF	CITATIONS
343	The high-mass slope of the IMF. Monthly Notices of the Royal Astronomical Society, 2018, 480, 2449-2465.	1.6	7
344	The cosmic microwave background and the stellar initial mass function. Monthly Notices of the Royal Astronomical Society, 2018, 480, 4265-4272.	1.6	10
345	Individual stellar haloes of massive galaxies measured to 100%kpc at 0.3$^{\circ}$$^{\circ}$0.5 using Hyper Suprime-Cam. Monthly Notices of the Royal Astronomical Society, 2018, 475, 3348-3368.	1.6	78
346	The SAMI Galaxy Survey: Gravitational Potential and Surface Density Drive Stellar Populations. I. Early-type Galaxies. Astrophysical Journal, 2018, 856, 64.	1.6	37
347	Star formation quenching imprinted on the internal structure of naked red nuggets. Monthly Notices of the Royal Astronomical Society, 2019, 487, 4939-4950.	1.6	14
348	The quantity of dark matter in early-type galaxies and its relation to the environment. Monthly Notices of the Royal Astronomical Society, 2019, 488, 1320-1331.	1.6	5
349	Chemical evolution of elliptical galaxies with a variable IMF. Astronomy and Astrophysics, 2019, 629, A93.	2.1	20
350	IMF radial gradients in most massive early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 489, 4090-4110.	1.6	39
351	The dichotomy of dark matter fraction and total mass density slope of galaxies over five dex in mass. Monthly Notices of the Royal Astronomical Society, 2019, 489, 5483-5493.	1.6	15
352	The Initial Mass Function of Lens Galaxies from Quasar Microlensing. Astrophysical Journal, 2019, 885, 75.	1.6	12
353	Maximum parsimony analysis of the effect of the environment on the evolution of galaxies. Astronomy and Astrophysics, 2019, 630, A63.	2.1	4
354	Simple interpolation functions for the galaxy-wide stellar initial mass function and its effects in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 490, 848-867.	1.6	7
355	The distribution of dark matter in galaxies. Astronomy and Astrophysics Review, 2019, 27, 1.	9.1	155
356	An Older, More Quiescent Universe from Panchromatic SED Fitting of the 3D-HST Survey. Astrophysical Journal, 2019, 877, 140.	1.6	156
357	A Characteristic Mass Scale in the Mass-Metallicity Relation of Galaxies. Astrophysical Journal, 2019, 877, 6.	1.6	33
358	Combining stellar populations with orbit-superposition dynamical modelling: the formation history of the lenticular galaxy NGC 3115. Monthly Notices of the Royal Astronomical Society, 2019, 487, 3776-3796.	1.6	45
359	Is the IMF in ellipticals bottom-heavy? Clues from their chemical abundances. Monthly Notices of the Royal Astronomical Society, 2019, 483, 2217-2235.	1.6	11
360	Comparing IMF-sensitive indices of intermediate-mass quiescent galaxies in various environments. Monthly Notices of the Royal Astronomical Society, 2019, 486, 3788-3804.	1.6	4

#	ARTICLE	IF	CITATIONS
361	Improved Dynamical Constraints on the Masses of the Central Black Holes in Nearby Low-mass Early-type Galactic Nuclei and the First Black Hole Determination for NGC 205. <i>Astrophysical Journal</i> , 2019, 872, 104.	1.6	101
362	Initial Mass Function Variation in Two Elliptical Galaxies Using Near-infrared Tracers. <i>Astrophysical Journal</i> , 2019, 875, 151.	1.6	4
363	Optical integral field spectroscopy observations applied to simulated galaxies: testing the fossil record method. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 4525-4550.	1.6	47
364	The Imprint of Element Abundance Patterns on Quiescent Galaxy Spectral Energy Distributions. <i>Astrophysical Journal</i> , 2019, 872, 136.	1.6	8
365	Recovering stellar population parameters via different population models and stellar libraries. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 1675-1693.	1.6	22
366	Chemical evolution of disc galaxies from cosmological simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 1384-1404.	1.6	17
367	SDSS-IV MaNGA: stellar initial mass function variation inferred from Bayesian analysis of the integral field spectroscopy of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 5256-5275.	1.6	28
368	The WAGGS project – II. The reliability of the calcium triplet as a metallicity indicator in integrated stellar light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 482, 1275-1303.	1.6	20
369	Stellar mass spectrum within massive collapsing clumps. <i>Astronomy and Astrophysics</i> , 2019, 622, A125.	2.1	23
370	The SAMI Galaxy Survey: comparing 3D spectroscopic observations with galaxies from cosmological hydrodynamical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 484, 869-891.	1.6	67
371	SDSS-IV MaNGA: Environmental Dependence of the $M_{\text{gb}}/M_{\text{H}\alpha}$ Relation for Nearby Galaxies. <i>Astrophysical Journal</i> , 2019, 873, 63.	1.6	11
372	Is it possible to reconcile extragalactic IMF variations with a universal Milky Way IMF?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 4852-4862.	1.6	23
373	Dust properties in the cold and hot gas phases of the ATLAS ^{3D} early-type galaxies as revealed by AKARI. <i>Astronomy and Astrophysics</i> , 2019, 622, A87.	2.1	17
374	3 things they don't tell you about star clusters. <i>Proceedings of the International Astronomical Union</i> , 2019, 14, 40-46.	0.0	6
375	Bayesian discrimination of the panchromatic spectral energy distribution modelings of galaxies. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 143-146.	0.0	0
376	Variations of the stellar Initial Mass Function in semi-analytic models: Implications for the mass assembly of galaxies in the GAIA model. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 124-128.	0.0	0
377	A 40 Billion Solar-mass Black Hole in the Extreme Core of Holm 15A, the Central Galaxy of Abell 85. <i>Astrophysical Journal</i> , 2019, 887, 195.	1.6	61
378	The SAMI Galaxy Survey: The contribution of different kinematic classes to the stellar mass function of nearby galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	4

#	ARTICLE	IF	CITATIONS
379	Survey of gravitationally-lensed objects in HSC imaging (SuGOHI). <i>Astronomy and Astrophysics</i> , 2019, 630, A71.	2.1	47
380	Fornax 3D project: a two-dimensional view of the stellar initial mass function in the massive lenticular galaxy FCC 167. <i>Astronomy and Astrophysics</i> , 2019, 626, A124.	2.1	27
381	Dynamical Models and Anisotropy of the Velocity Dispersions in Elliptical Galaxies. <i>Astronomy Reports</i> , 2019, 63, 713-725.	0.2	2
382	Is every strong lens model unhappy in its own way? Uniform modelling of a sample of 13 quadruply+ imaged quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 5649-5671.	1.6	73
383	The Unusual Initial Mass Function of the Arches Cluster. <i>Astrophysical Journal</i> , 2019, 870, 44.	1.6	59
384	The Fundamental Plane of cluster spheroidal galaxies at $z \sim 1.3$: evidence for mass-dependent evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 1777-1794.	1.6	9
385	A stochastically sampled IMF alters the stellar content of simulated dwarf galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 8-21.	1.6	28
386	Revealing the intermediate-mass black hole at the heart of the dwarf galaxy NGC 404 with sub-parsec resolution ALMA observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 496, 4061-4078.	1.6	43
387	Evidence for Initial Mass Function Variation in Massive Early-Type Galaxies. <i>Annual Review of Astronomy and Astrophysics</i> , 2020, 58, 577-615.	8.1	49
388	A precise benchmark for cluster scaling relations: Fundamental Plane, Mass Plane, and IMF in the Coma cluster from dynamical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 5619-5635.	1.6	9
389	Efficient solution of the anisotropic spherically aligned axisymmetric Jeans equations of stellar hydrodynamics for galactic dynamics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 4819-4837.	1.6	39
390	Dynamical masses of brightest cluster galaxies II. Constraints on the stellar IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 500, 4153-4165.	1.6	6
391	Stellar initial mass function variation in massive early-type galaxies: the potential role of the deuterium abundance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 4051-4059.	1.6	1
392	Stellar velocity dispersion and initial mass function gradients in dissipationless galaxy mergers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 499, 559-572.	1.6	8
393	Measuring the mass of the supermassive black hole of the lenticular galaxy NGC 4546. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 2620-2629.	1.6	2
394	The Origin of the Stellar Mass Distribution and Multiplicity. <i>Space Science Reviews</i> , 2020, 216, 1.	3.7	29
395	On the black hole content and initial mass function of 47 Tuc. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 113-128.	1.6	27
396	Virial models and anisotropy of velocity dispersion in E-galaxies. <i>Astrophysics and Space Science</i> , 2020, 365, 1.	0.5	0

#	ARTICLE	IF	CITATIONS
397	The WAGGS project-III. Discrepant mass-to-light ratios of Galactic globular clusters at high metallicity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 3859-3871.	1.6	14
398	The initial mass function in the extended ultraviolet disc of M83. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 2366-2390.	1.6	9
399	What does (not) drive the variation of the low-mass end of the stellar initial mass function of early-type galaxies. <i>Astronomy and Astrophysics</i> , 2021, 645, L1.	2.1	14
400	INSPIRE: INvestigating Stellar Population In RElics. <i>Astronomy and Astrophysics</i> , 2021, 646, A28.	2.1	20
401	The sensitivity of stellar feedback to IMF averaging versus IMF sampling in galaxy formation simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 5417-5437.	1.6	19
402	Dark matter haloes of massive elliptical galaxies at $z < 0.2$ are well described by the Navarro-Frenk-White profile. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 503, 2380-2405.	1.6	47
403	On the origin of the gamma-ray emission from Omega Centauri: millisecond pulsars and dark matter annihilation. <i>Journal of Cosmology and Astroparticle Physics</i> , 2021, 2021, 010-010.	1.9	7
404	SDSS-IV MaNGA: radial gradients in stellar population properties of early-type and late-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 5508-5527.	1.6	23
405	The Fornax3D project: Assembly histories of lenticular galaxies from a combined dynamical and population orbital analysis. <i>Astronomy and Astrophysics</i> , 2021, 647, A145.	2.1	22
406	The infrared-radio correlation of star-forming galaxies is strongly $M_{\text{IR}} < \text{sub} > \uparrow < /sub >$ -dependent but nearly redshift-invariant since $z < 4$. <i>Astronomy and Astrophysics</i> , 2021, 647, A123.	2.1	54
407	Star formation quenching stages of active and non-active galaxies. <i>Astronomy and Astrophysics</i> , 2021, 648, A64.	2.1	18
408	Testing the role of environmental effects on the initial mass function of low-mass stars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 2557-2576.	1.6	19
409	Understanding the extreme luminosity of DES14X2fna. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 3950-3967.	1.6	4
410	Mild radial variations of the stellar IMF in the bulge of M31. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 415-434.	1.6	3
411	A bottom-heavy initial mass function for the likely-accreted blue-halo stars of the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 507, 398-413.	1.6	14
412	Infrared Surface Brightness Fluctuation Distances for MASSIVE and Type Ia Supernova Host Galaxies*. <i>Astrophysical Journal, Supplement Series</i> , 2021, 255, 21.	3.0	17
413	Introducing the NEWHORIZON simulation: Galaxy properties with resolved internal dynamics across cosmic time. <i>Astronomy and Astrophysics</i> , 2021, 651, A109.	2.1	88
414	Statistical strong lensing. <i>Astronomy and Astrophysics</i> , 2021, 651, A18.	2.1	19

#	ARTICLE	IF	CITATIONS
415	Fornax 3D project: Assessing the diversity of IMF and stellar population maps within the Fornax Cluster. <i>Astronomy and Astrophysics</i> , 2021, 654, A59.	2.1	12
416	SDSS-IV MaNGA: Stellar M/L gradients and the M/L-colour relation in galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 507, 2488-2499.	1.6	16
417	Subaru Hyper Suprime-Cam Survey of Cygnus OB2 Complex â€” I. Introduction, photometry, and source catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 508, 3388-3407.	1.6	4
418	Formation of proto-clusters and star formation within clusters: apparent universality of the initial mass function?. <i>Astronomy and Astrophysics</i> , 2012, 545, A147.	2.1	26
419	The VIMOS Public Extragalactic Redshift Survey (VIPERS):. <i>Astronomy and Astrophysics</i> , 2014, 563, A92.	2.1	54
420	The Hâ€™%l Tully-Fisher relation of early-type galaxies. <i>Astronomy and Astrophysics</i> , 2015, 581, A98.	2.1	48
421	Six new supermassive black hole mass determinations from adaptive-optics assisted SINFONI observations. <i>Astronomy and Astrophysics</i> , 2019, 625, A62.	2.1	31
422	Gravitational Lensing: Einsteinâ€™s unfinished symphony. <i>Contemporary Physics</i> , 2015, 56, 17-34.	0.8	18
423	Compact galaxies and the sizeâ€™%mass galaxy distribution from a colour-selected sample at 0.04 z <math>< 0.15</math> supplemented by ugrizYJHK photometric redshifts. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 500, 1557-1574.	1.6	8
424	Breaking beta: a comparison of mass modelling methods for spherical systems. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 501, 978-993.	1.6	20
425	The delay time distribution of Type-Ia supernovae in galaxy clusters: the impact of extended star-formation histories. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 5882-5895.	1.6	16
426	A precise extragalactic test of General Relativity. <i>Science</i> , 2018, 360, 1342-1346.	6.0	115
427	THE X-RAY LUMINOSITY FUNCTION OF LOW MASS X-RAY BINARIES IN EARLY-TYPE GALAXIES, THEIR METAL-RICH, AND METAL-POOR GLOBULAR CLUSTERS. <i>Astrophysical Journal</i> , 2016, 818, 33.	1.6	20
428	THE LOST DWARFS OF CENTAURUS A AND THE FORMATION OF ITS DARK GLOBULAR CLUSTERS. <i>Astrophysical Journal</i> , 2016, 832, 88.	1.6	7
429	X-shooter Spectroscopy and HST Imaging of 15 Massive Quiescent Galaxies at $z \approx 2$. <i>Astrophysical Journal</i> , 2020, 888, 4.	1.6	26
430	Building the Largest Spectroscopic Sample of Ultracompact Massive Galaxies with the Kilo Degree Survey. <i>Astrophysical Journal</i> , 2020, 893, 4.	1.6	19
431	Gravitational Potential and Surface Density Drive Stellar Populations. II. Star-forming Galaxies. <i>Astrophysical Journal</i> , 2020, 898, 62.	1.6	18
432	The Kinematics of Massive Quiescent Galaxies at $1.4 < z < 2.1$: Dark Matter Fractions, IMF Variation, and the Relation to Local Early-type Galaxies*. <i>Astrophysical Journal</i> , 2020, 899, 87.	1.6	19

#	ARTICLE	IF	CITATIONS
433	Measuring the Stellar Population Parameters of the Early-type Galaxy NGC 3923: The Challenging Measurement of the Initial Mass Function*. <i>Astrophysical Journal</i> , 2020, 902, 12.	1.6	5
434	Rotation Curves in $z \sim 1/4$ Star-forming Disks: Evidence for Cored Dark Matter Distributions. <i>Astrophysical Journal</i> , 2020, 902, 98.	1.6	55
435	What Is the Role of Stellar Radiative Feedback in Setting the Stellar Mass Spectrum?. <i>Astrophysical Journal</i> , 2020, 904, 194.	1.6	22
436	The Carnegie-Irvine Galaxy Survey. IX. Classification of Bulge Types and Statistical Properties of Pseudo Bulges. <i>Astrophysical Journal, Supplement Series</i> , 2020, 247, 20.	3.0	25
437	When did the initial mass function become bottom-heavy?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 509, 1959-1984.	1.6	30
438	THE EVOLUTION OF BARYONIC MASS OF ELLIPTICAL GALAXIES IN THE SLOAN DIGITAL SKY SURVEY. <i>Publications of the Korean Astronomical Society</i> , 2015, 30, 385-387.	0.1	0
439	The Physics of Galaxy Formation and Evolution. <i>Astrophysics and Space Science Library</i> , 2016, , 585-695.	1.0	0
440	The Low-Mass End of the Initial Mass Function in Massive Early-Type-Galaxies. <i>Thirty Years of Astronomical Discovery With UKIRT</i> , 2016, , 219-223.	0.3	0
441	The environmental dependence of the stellar mass fundamental plane of early-type galaxies. <i>Astronomy and Astrophysics</i> , 2016, 588, A39.	2.1	0
442	The GMOX science case: resolving galaxies through cosmic time. , 2016, , .		0
444	Discovery of Two Einstein Crosses from Massive Post-blue Nugget Galaxies at $z \sim 1$ in KiDS*. <i>Astrophysical Journal Letters</i> , 2020, 904, L31.	3.0	6
445	The Stellar Initial Mass Function and Population Properties of M89 from Optical and NIR Spectroscopy: Addressing Biases in Spectral Index Analysis*. <i>Astrophysical Journal</i> , 2021, 920, 93.	1.6	7
446	Dynamics of Companion Galaxies of Early-type Galaxies. <i>Astrophysical Journal</i> , 2020, 903, 38.	1.6	2
447	Yonsei Evolutionary Population Synthesis (YEPS) Model. III. Surface Brightness Fluctuation of Normal and Helium-enhanced Simple Stellar Populations. <i>Astrophysical Journal, Supplement Series</i> , 2020, 250, 33.	3.0	3
448	Past, Present, and Future of the Scaling Relations of Galaxies and Active Galactic Nuclei. <i>Frontiers in Astronomy and Space Sciences</i> , 2021, 8, .	1.1	15
449	Cross-checking SMBH mass estimates in NGC 6958 I. Stellar dynamics from adaptive optics-assisted MUSE observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 509, 5416-5436.	1.6	13
450	The Central Dark Matter Fraction of Massive Early-Type Galaxies. <i>Frontiers in Astronomy and Space Sciences</i> , 2022, 8, .	1.1	5
451	Variation in the Stellar Initial Mass Function from the Chromospheric Activity of M Dwarfs in Early-type Galaxies. <i>Astrophysical Journal</i> , 2021, 923, 43.	1.6	3

#	ARTICLE	IF	CITATIONS
452	The BPT Diagram in Cosmological Galaxy Formation Simulations: Understanding the Physics Driving Offsets at High Redshift. <i>Astrophysical Journal</i> , 2022, 926, 80.	1.6	11
453	Bayesian Fitting of Multi-Gaussian Expansion Models to Galaxy Images. <i>Astrophysical Journal</i> , 2021, 923, 124.	1.6	5
454	Wolf-Rayet Galaxies in SDSS-IV MaNGA. II. Metallicity Dependence of the High-mass Slope of the Stellar Initial Mass Function. <i>Astrophysical Journal</i> , 2021, 923, 120.	1.6	5
455	Stellar Population and Elemental Abundance Gradients of Early-type Galaxies*. <i>Astrophysical Journal</i> , 2021, 923, 65.	1.6	6
456	EDGE: The sensitivity of ultra-faint dwarfs to a metallicity-dependent initial mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 513, 2326-2334.	1.6	10
457	Disc cloaking: Establishing a lower limit to the number density of local compact massive spheroids/bulges and the potential fate of some high- z red nuggets. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 514, 3410-3451.	1.6	8
458	Neutron-capture elements record the ordered chemical evolution of the disc over time. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 513, 5477-5504.	1.6	7
459	Implications of a Temperature-dependent Initial Mass Function. I. Photometric Template Fitting. <i>Astrophysical Journal</i> , 2022, 931, 57.	1.6	10
460	The Fornax3D project: intrinsic correlations between orbital properties and the stellar initial mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 514, 3660-3669.	1.6	4
461	The galaxy-wide stellar initial mass function in the presence of cluster-to-cluster IMF variations. <i>Astronomy and Astrophysics</i> , 2022, 666, A113.	2.1	4
462	Non-universal stellar initial mass functions: large uncertainties in star formation rates at $z \sim 2-4$ and other astrophysical probes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 517, 2471-2484.	1.6	6
463	Environmental variation of the low-mass IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 516, 5712-5725.	1.6	5
464	The Carnegie-Irvine Galaxy Survey. X. Bulges in Stellar Mass-based Scaling Relations. <i>Astrophysical Journal, Supplement Series</i> , 2022, 262, 54.	3.0	5
465	The statistical properties of stars at redshift, $z \sim 5$, compared with the present epoch. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 519, 688-708.	1.6	2
466	Accuracy and precision of triaxial orbit models I: SMBH mass, stellar mass, and dark-matter halo. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 519, 2004-2016.	1.6	7
467	Stellar initial mass function varies with metallicity and time. <i>Nature</i> , 2023, 613, 460-462.	13.7	10
468	An ~ 4600 pc View of the Strongly Lensed, Massive Main-sequence Galaxy J0901: A Baryon-dominated, Thick Turbulent Rotating Disk with a Clumpy Cold Gas Ring at $z = 2.259$. <i>Astrophysical Journal</i> , 2023, 942, 98.	1.6	6
469	Probing the Milky Way Stellar and Brown Dwarf Initial Mass Function with Modern Microlensing Observations. <i>Astrophysical Journal Letters</i> , 2023, 944, L33.	3.0	3

#	ARTICLE	IF	CITATIONS
470	Velocity Offset Between Emission and Absorption Lines Might Be an Effective Indicator of a Dual Core System. <i>Astrophysical Journal</i> , 2023, 944, 4.	1.6	0
471	INSPIRE: INvestigating Stellar Population In RELics " IV. The initial mass function slope in relics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2023, 521, 1408-1414.	1.6	5
472	A population of red candidate massive galaxies ~600 Myr after the Big Bang. <i>Nature</i> , 2023, 616, 266-269.	13.7	109
473	Evidence for a bottom-light initial mass function in massive star clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2023, 521, 3991-4008.	1.6	7