

CITATION REPORT

List of articles citing

Recovery of high added-value components from food wastes: Conventional, emerging technologies and commercialized applications

DOI: 10.1016/j.tifs.2012.03.003

Trends in Food Science and Technology, 2012, 26, 68-87.

Source: <https://exaly.com/paper-pdf/53845482/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
901	Optimization of dilute acid-based pretreatment and application of laccase on apple pomace. 2012 , 124, 433-9		25
900	Ultrafiltration of orange press liquor: Optimization of operating conditions for the recovery of antioxidant compounds by response surface methodology. 2012 , 98, 255-261		24
899	Agricultural residues as a source of bioactive natural products. 2012 , 11, 447-466		139
898	Building bridges: an integrated strategy for sustainable food production throughout the value chain. 2013 , 32, 743-770		19
897	The Impact of Pasteurisation and Sterilisation on Bioactive Compounds of Onion By-products. 2013 , 6, 1979-1989		19
896	Beyond the traditional virgin olive oil extraction systems: Searching innovative and sustainable plant engineering solutions. 2013 , 54, 1926-1933		59
895	Grape pomace as a sustainable source of bioactive compounds: extraction, characterization, and biotechnological applications of phenolics. 2013 , 61, 8987-9003		250
894	Adsorption of soy isoflavones by activated carbon: Kinetics, thermodynamics and influence of soy oligosaccharides. 2013 , 215-216, 113-121		35
893	Preventing constipation: a review of the laxative potential of food ingredients. 2013 , 48, 445-467		15
892	Recovery and fractionation of different phenolic classes from winery sludge using ultrafiltration. 2013 , 107, 245-251		150
891	Emerging technologies for the production of nutraceuticals from agricultural by-products: A viewpoint of opportunities and challenges. 2013 , 91, 575-579		351
890	Food waste as a valuable resource for the production of chemicals, materials and fuels. Current situation and global perspective. 2013 , 6, 426		726
889	Separation of polyphenols and proteins from flaxseed hull extracts by coagulation and ultrafiltration. 2013 , 442, 177-186		41
888	Microwave-enhanced formation of glucose from cellulosic waste. 2013 , 71, 37-42		33
887	Food-Processing Wastes. 2013 , 85, 1501-1514		5
886	11. Concentration of polyphenols by integrated membrane operations. 2013 , 269-294		1
885	Kinetic Modelling for Flavonoid Recovery from Red Grape (<i>Vitis vinifera</i>) Pomace with Aqueous Lactic Acid. 2014 , 2, 901-911		4

884	Assessment of extraction parameters on antioxidant capacity, polyphenol content, epigallocatechin gallate (EGCG), epicatechin gallate (ECG) and iriflophenone 3-C-β-glucoside of agarwood (<i>Aquilaria crassna</i>) young leaves. 2014 , 19, 12304-19	30
883	Diferentes taxas de alimenta ^o de prensa do tipo expeller na efici ^o ncia de extra ^o e na qualidade do ^o bo de semente de maracuj ^o 2014 , 44, 1312-1318	4
882	Effect of the drying process on the intensification of phenolic compounds recovery from grape pomace using accelerated solvent extraction. 2014 , 15, 18640-58	51
881	Functional Beverages: The Emerging Side of Functional Foods. 2014 , 13, 1192-1206	236
880	Phosphorus resources, their depletion and conservation, a review. 2014 , 93, 32-49	177
879	Editorial. 2014 , 65, 299-300	74
878	Valorization of the major agrifood industrial by-products and waste from Central Macedonia (Greece) for the recovery of compounds for food applications. 2014 , 65, 350-358	47
877	Characterization of byproducts originating from hemp oil processing. 2014 , 62, 12436-42	92
876	Biotransformation of Citrus By-Products into Value Added Products. 2014 , 5, 529-549	99
875	Recovery and Removal of Phenolic Compounds from Olive Mill Wastewater. 2014 , 91, 1-18	198
874	Optimisation and comparative kinetics study of polyphenol extraction from olive leaves (<i>Olea europaea</i>) using heated water/glycerol mixtures. 2014 , 128, 89-95	78
873	Phytochemicals in date co-products and their antioxidant activity. 2014 , 158, 513-20	33
872	Separation and recovery of proteins and sugars from Halloumi cheese whey. 2014 , 65, 477-483	83
871	Current options for the valorization of food manufacturing waste: a review. 2014 , 65, 28-41	617
870	Development of Value-Added Products from Food Wastes. 2014 , 453-475	1
869	Improving the extraction of carotenoids from tomato waste by application of ultrasound under pressure. 2014 , 136, 130-136	85
868	Application of membrane distillation technology in the treatment of table olive wastewaters for phenolic compounds concentration and high quality water production. 2014 , 86, 153-161	51
867	The potential of crude okara for isoflavone production. 2014 , 124, 166-172	40

866	Isoflavone extraction from okara using water as extractant. 2014 , 160, 371-8	32
865	Extraction Methods of Citrus Peel Phenolic Compounds. 2014 , 30, 265-290	63
864	Effect and key factors of byproducts valorization: the case of dairy industry. 2014 , 97, 1893-908	21
863	Optimisation of the extraction of pomegranate (<i>Punica granatum</i>) husk phenolics using water/ethanol solvent systems and response surface methodology. 2014 , 59, 216-222	47
862	Separation and Concentration Technologies in Food Processing. 2014 , 33-60	11
861	Bread Supplementation with Hemp Seed Cake: A By-Product of Hemp Oil Processing. 2015 , 38, 431-440	47
860	Conventional product formation. 2015 , 173-193	1
859	Patented and commercialized applications. 2015 , 337-360	4
858	The universal recovery strategy. 2015 , 59-81	6
857	Conventional macro- and micromolecules separation. 2015 , 105-126	2
856	Emerging macroscopic pretreatment. 2015 , 197-225	2
855	Emerging macro- and micromolecules separation. 2015 , 227-248	
854	Emerging purification and isolation. 2015 , 273-292	1
853	Emerging product formation. 2015 , 293-317	7
852	Conventional extraction. 2015 , 127-148	6
851	Food waste management, valorization, and sustainability in the food industry. 2015 , 3-23	22
850	Fruit and Vegetable Co-Products as Functional Feed Ingredients in Farm Animal Nutrition for Improved Product Quality. 2015 , 5, 1020-1034	59
849	Conventional macroscopic pretreatment. 2015 , 85-103	5

848	Classification and target compounds. 2015 , 25-57	12
847	Cost and safety issues of emerging technologies against conventional techniques. 2015 , 321-336	9
846	Conventional purification and isolation. 2015 , 149-172	2
845	Emerging extraction. 2015 , 249-272	8
844	A new way for the oil plant biomass valorization: Polyphenols and proteins extraction from rapeseed stems and leaves assisted by pulsed electric fields. 2015 , 74, 309-318	64
843	New opportunities and perspectives of high pressure treatment to improve health and safety attributes of foods. A review. 2015 , 77, 725-742	196
842	Development of Purification Concepts for Nutraceuticals from Algae âPart II: Design of Purification Strategies. 2015 , 38, 2035-2044	1
841	Pressurized Liquid Extraction as a Promising and Economically Feasible Technique for Obtaining Beta-Ecdysone-Rich Extracts from Brazilian Ginseng (<i>Pfaffia glomerata</i>) Roots. 2015 , 50, 1647-1657	14
840	Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. 2015 , 78, 169-176	40
839	Recovery of phenolics from apple peels using CO ₂ +ethanol extraction: Kinetics and antioxidant activity of extracts. 2015 , 98, 172-182	39
838	High Voltage Electrical Discharges, Pulsed Electric Field, and Ultrasound Assisted Extraction of Protein and Phenolic Compounds from Olive Kernel. 2015 , 8, 885-894	217
837	Improvements in the aqueous extraction of polyphenols from borage (<i>Borago officinalis</i> L.) leaves by pulsed electric fields: Pulsed electric fields (PEF) applications. 2015 , 65, 390-396	54
836	Integrated processes can turn industrial food waste into valuable food by-products and/or ingredients: The cases of olive mill and pomegranate wastes. 2015 , 167, 45-50	87
835	Nanobiocatalyst advancements and bioprocessing applications. 2015 , 12, 20140891	164
834	Assessing the potential of biowaste for bioplastics production through social network analysis. 2015 , 90, 43-54	39
833	A Process Synthesis Approach for Isolation of Isoflavones from Okara. 2015 , 54, 691-699	9
832	Clean recovery of antioxidant compounds from plant foods, by-products and algae assisted by ultrasounds processing. Modeling approaches to optimize processing conditions. <i>Trends in Food Science and Technology</i> , 2015 , 42, 134-149	15:3 251
831	Purification of artichoke polyphenols by using membrane filtration and polymeric resins. 2015 , 144, 153-161	48

830	Treatment of table olive processing wastewaters using novel photomodified ultrafiltration membranes as first step for recovering phenolic compounds. 2015 , 290, 51-9	31
829	Assessment of chemical, physico-chemical, techno-functional and antioxidant properties of fig (<i>Ficus carica</i> L.) powder co-products. 2015 , 69, 472-479	47
828	Potential use of pulsed electric technologies and ultrasounds to improve the recovery of high-added value compounds from blackberries. 2015 , 167, 38-44	162
827	Membrane technologies for water treatment and reuse in the food and beverage industries. 2015 , 551-580	16
826	Optimization of conventional and ultrasound assisted extraction of flavonoids from grapefruit (<i>Citrus paradisi</i> L.) solid wastes. 2015 , 64, 1114-1122	121
825	Prebiotic oligosaccharides from artichoke industrial waste: evaluation of different extraction methods. 2015 , 76, 141-148	36
824	Fruit juice sonication: Implications on food safety and physicochemical and nutritional properties. 2015 , 77, 743-752	182
823	Food waste generation and industrial uses: A review. 2015 , 45, 32-41	372
822	A two-step nanofiltration process for the production of phenolic-rich fractions from artichoke aqueous extracts. 2015 , 16, 8968-87	29
821	Valorization of Pomace Powder Obtained from Native Mexican Apple (<i>Malus domestica</i> var. rayada): Chemical, Techno-functional and Antioxidant Properties. 2015 , 70, 310-6	20
820	Adsorption of isoflavones onto PVPP in the presence of a soy matrix. 2015 , 149, 479-487	6
819	Chemicals from Agave sisalana biomass: isolation and identification. 2015 , 16, 8761-71	24
818	Polyhydroxyalkanoate recovery and effect of in situ extracellular polymeric substances removal from aerobic granules. 2015 , 189, 169-176	23
817	Optimisation of polyphenol extraction from <i>Hypericum perforatum</i> (St. John's Wort) using aqueous glycerol and response surface methodology. 2015 , 2, 1-8	46
816	Use of air classification technology as green process to produce functional barley flours naturally enriched of alkylresorcinols, β -glucans and phenolic compounds. 2015 , 73, 88-96	18
815	Antioxidants: Characterization, natural sources, extraction and analysis. 2015 , 74, 10-36	296
814	The Biorefinery Concept. 2015 , 1-29	7
813	Onion skin waste as a valorization resource for the by-products quercetin and biosugar. 2015 , 188, 537-42	84

812	Protease and hemicellulase assisted extraction of dietary fiber from wastes of <i>Cynara cardunculus</i> . 2015 , 16, 6057-75	17
811	Membrane fractionation of herring marinade for separation and recovery of fats, proteins, amino acids, salt, acetic acid and water. 2015 , 158, 39-47	11
810	Pilot scale demonstration of integrated extraction-adsorption eco-process for selective recovery of antioxidants from berries wastes. 2015 , 158, 1-7	11
809	Optimisation of organic solvent-free polyphenol extraction from <i>Hypericum triquetrifolium</i> Turra using Box-Behnken experimental design and kinetics. 2015 , 6, 85-92	26
808	A green ultrasound-assisted extraction process for the recovery of antioxidant polyphenols and pigments from onion solid wastes using Box-Behnken experimental design and kinetics. 2015 , 77, 535-543	92
807	Properties of Dietary Fibers from Agroindustrial Coproducts as Source for Fiber-Enriched Foods. 2015 , 8, 2400-2408	52
806	Obtainment and characterization of a potential functional ingredient from olive. 2015 , 66, 749-54	7
805	Identification and quantification of phenolic and other polar compounds in the edible part of <i>Annona cherimola</i> and its by-products by HPLC-DAD-ESI-QTOF-MS. 2015 , 78, 246-257	26
804	Polar and lipophilic extracts characterization of roots, stalks, leaves and flowers of water hyacinth (<i>Eichhornia crassipes</i>), and insights for its future valorization. 2015 , 76, 1033-1038	12
803	Separation of functional macromolecules and micromolecules: From ultrafiltration to the border of nanofiltration. <i>Trends in Food Science and Technology</i> , 2015 , 42, 44-63	153 233
802	Food and agricultural wastes as substrates for bioelectrochemical system (BES): The synchronized recovery of sustainable energy and waste treatment. 2015 , 73, 213-225	107
801	An integrated process for utilization of pomegranate wastes seeds. 2015 , 27, 144-153	34
800	Membrane applications for biogas production and purification processes: an overview on a smart alternative for process intensification. 2015 , 5, 14156-14186	13
799	The Effects of Conventional and Non-conventional Processing on Glucosinolates and Its Derived Forms, Isothiocyanates: Extraction, Degradation, and Applications. 2015 , 7, 357-381	170
798	Phytochemistry and activity against digestive pathogens of grape (<i>Vitis vinifera</i> L.) stem's (poly)phenolic extracts. 2015 , 61, 25-32	30
797	Mediterranean agri-food processing wastes pyrolysis after pre-treatment and recovery of precursor materials: A TGA-based kinetic modeling study. 2015 , 73, 44-51	17
796	Two level half factorial design for the extraction of phenolics, flavonoids and antioxidants recovery from palm kernel by-product. 2015 , 63, 238-248	98
795	Assessment of antioxidant and antibacterial potential of borojo fruit (<i>Borojoa patinoi</i> Cuatrecasas) from the rainforests of South America. 2015 , 63, 79-86	14

794	Phenolic content and antioxidant capacity of Cypriot wines. 2016 , 33, 126-136	72
793	Recovery of polyphenols from olive mill wastewaters by membrane operations. 2016 , 163-187	14
792	Sustainable Drying Technologies for the Development of Functional Foods and Preservation of Bioactive Compounds. 2016 ,	6
791	Food Use for Social Innovation by Optimizing Food Waste Recovery Strategies. 2016 , 211-236	4
790	Challenges and Opportunities. 2016 , 293-304	
789	Ethics of Food Resource Consumption. 2016 ,	
788	Progress towards Sustainable Utilisation and Management of Food Wastes in the Global Economy. 2016 , 2016, 3563478	51
787	Planning Models to Optimize the Agri-Fresh Food Supply Chain for Loss Minimization: A Review. 2016 ,	9
786	High Value-Added Compounds from Food Waste. 2016 ,	
785	Food Industry Protein By-Products and Their Applications. 2016 , 120-132	1
784	Gelatin-Based Films and Coatings for Food Packaging Applications. 2016 , 6, 41	148
783	Optimization of a Green Extraction/Inclusion Complex Formation Process to Recover Antioxidant Polyphenols from Oak Acorn Husks (<i>Quercus Robur</i>) Using Aqueous 2-Hydroxypropyl- β -Cyclodextrin/Glycerol Mixtures. 2016 , 3, 3	14
782	Clarification of Orange Press Liquors by PVDF Hollow Fiber Membranes. 2016 , 6,	14
781	Ultrasound-Assisted Extraction, Centrifugation and Ultrafiltration: Multistage Process for Polyphenol Recovery from Purple Sweet Potatoes. 2016 , 21,	26
780	Pharmaceutical and Cosmetic Applications of Protein By-Products. 2016 , 147-160	8
779	Recovery of high-added-value compounds from food waste by membrane technology. 2016 , 189-215	16
778	Electrotechnologies applied to valorization of by-products from food industry: Main findings, energy and economic cost of their industrialization. 2016 , 100, 172-184	119
777	Phenolic compounds recovered from agro-food by-products using membrane technologies: An overview. 2016 , 213, 753-762	143

776	Antioxidant films based on gelatin capsules and minimally processed beet root (<i>Beta vulgaris</i> L. var. <i>Conditiva</i>) residues. 2016 , 133, n/a-n/a	28
775	Flour from <i>Prosopis alba</i> cotyledons: A natural source of nutrient and bioactive phytochemicals. 2016 , 208, 89-96	40
774	Novel Glycerol-Based Natural Eutectic Mixtures and Their Efficiency in the Ultrasound-Assisted Extraction of Antioxidant Polyphenols from Agri-Food Waste Biomass. 2016 , 7, 1377-1387	87
773	Phytochemicals and antioxidant capacity of natural food colorant prepared from black waxy rice bran. 2016 , 15, 34-41	16
772	Fractionation of black chokeberry pomace into functional ingredients using high pressure extraction methods and evaluation of their antioxidant capacity and chemical composition. 2016 , 24, 85-96	53
771	Sustainable valorisation of seafood by-products: Recovery of collagen and development of collagen-based novel functional food ingredients. 2016 , 37, 201-215	116
770	Reuse of Dairy Product: Evaluation of the Lipid Profile Evolution During and After Their Shelf-Life. 2016 , 9, 3143-3154	10
769	Energy-efficient biomass processing with pulsed electric fields for bioeconomy and sustainable development. 2016 , 9, 94	129
768	Minimally Processed Functional Foods: Technological and Operational Pathways. 2016 , 81, R2309-R2319	27
767	Compositional evaluation of selected agro-industrial wastes as valuable sources for the recovery of complex carbohydrates. 2016 , 89, 565-573	30
766	Effects of ohmic heating on extraction of food-grade phytochemicals from colored potato. 2016 , 74, 493-503	60
765	Volatile fatty acids recovery from the effluent of an acidogenic digestion process fed with grape pomace by adsorption on ion exchange resins. 2016 , 306, 629-639	55
764	Ethyl lactate as a potential green solvent to extract hydrophilic (polar) and lipophilic (non-polar) phytonutrients simultaneously from fruit and vegetable by-products. 2016 , 4, 21-31	40
763	Gluconic acid: Properties, production methods and applications—An excellent opportunity for agro-industrial by-products and waste bio-valorization. 2016 , 51, 1891-1903	89
762	Ultrasound-assisted extraction of biologically active substances from tomato seeds. 2016 , 52, 270-275	2
761	Effect of pulsed electric field treatment during cold maceration and alcoholic fermentation on major red wine qualitative and quantitative parameters. 2016 , 213, 352-360	17
760	Ball milling improves extractability and antioxidant properties of the active constituents of mushroom <i>Inonotus obliquus</i> powders. 2016 , 51, 2193-2200	15
759	Crop and Plant Biomass as Valuable Material for BBB. Alternatives for Valorization of Green Wastes. 2016 , 1-19	3

758	Bioactive peptides from vegetable food matrices: Research trends and novel biotechnologies for synthesis and recovery. 2016 , 27, 549-569		133
757	Sonication Processing on Bioactive Compound of Fluid Foods. 2016 , 131-148		
756	The past decade findings related with nutritional composition, bioactive molecules and biotechnological applications of <i>Passiflora</i> spp. (passion fruit). <i>Trends in Food Science and Technology</i> , 2016 , 58, 79-95	15.3	51
755	Encyclopedia of Membranes. 2016 , 94-96		1
754	Extraction methods of <i>Amaranthus</i> sp. grain oil isolation. 2016 , 96, 3552-8		22
753	Purification of polyphenols from green tea leaves by ultrasound assisted ultrafiltration process. 2016 , 168, 188-198		35
752	Current technologies and new insights for the recovery of high valuable compounds from fruits by-products. 2018 , 58, 386-404		27
751	Development of polyvinyl alcohol and apple pomace bio-composite film with antioxidant properties for active food packaging application. 2016 , 53, 1608-19		95
750	Effect of supercritical CO ₂ extraction process parameters on oil yield and pigment content from by-product hemp cake. 2016 , 51, 885-893		9
749	Stirring-assisted dead-end ultrafiltration for protein and polyphenol recovery from purple sweet potato juices: Filtration behavior investigation and HPLC-DAD-ESI-MS ² profiling. 2016 , 169, 25-32		16
748	Ultrasound assisted extraction of polysaccharides from hazelnut skin. 2016 , 22, 112-21		9
747	Kinetics of Ultrasound-Assisted Polyphenol Extraction from Spent Filter Coffee Using Aqueous Glycerol. 2016 , 203, 407-413		30
746	Protective effect of grape extract phospholipid vesicles against oxidative stress skin damages. 2016 , 83, 561-567		25
745	Green alternative methods for the extraction of antioxidant bioactive compounds from winery wastes and by-products: A review. <i>Trends in Food Science and Technology</i> , 2016 , 49, 96-109	15.3	376
744	Recovery of ibuprofen from pharmaceutical wastes using ionic liquids. 2016 , 18, 3749-3757		21
743	The Use of Nixtamalization Waste Waters Clarified by Ultrafiltration for Production of a Fraction Rich in Phenolic Compounds. 2016 , 7, 1167-1176		38
742	Improved bioaccessibility and antioxidant capacity of olive leaf (<i>Olea europaea</i> L.) polyphenols through biosorption on <i>Saccharomyces cerevisiae</i> . 2016 , 84, 131-138		25
741	Green ultrasound-assisted extraction of anthocyanin and phenolic compounds from purple sweet potato using response surface methodology. 2016 , 30, 113-122		29

740	Integrated membrane process for purification and concentration of aqueous <i>Syzygium cumini</i> (L.) seed extract. 2016 , 98, 29-43	16
739	Extraction of phytochemicals using hydrotropic solvents. 2016 , 51, 1151-1165	31
738	Ultrasound-Assisted Green Extraction of Eggplant Peel (<i>Solanum melongena</i>) Polyphenols Using Aqueous Mixtures of Glycerol and Ethanol: Optimisation and Kinetics. 2016 , 3, 369-386	43
737	Structures, isolation and health-promoting properties of pectic polysaccharides from cell wall-rich food by-products: a source of functional ingredients. 2016 , 8, 50-55	10
736	Kinetics of ultrasound-assisted extraction of antioxidant polyphenols from food by-products: Extraction and energy consumption optimization. 2016 , 32, 137-146	77
735	Value-added processing of crude glycerol into chemicals and polymers. 2016 , 215, 144-154	153
734	Encapsulation Technologies for Food Industry. 2016 , 329-382	8
733	Review of dried fruits: Phytochemicals, antioxidant efficacies, and health benefits. 2016 , 21, 113-132	145
732	Sub- and supercritical water hydrolysis of agricultural and food industry residues for the production of fermentable sugars: A review. 2016 , 98, 95-123	78
731	An overview of the impact of electrotechnologies for the recovery of oil and high-value compounds from vegetable oil industry: Energy and economic cost implications. 2016 , 80, 19-26	87
730	Optimization of Anthocyanin Extraction from Saffron Petals with Response Surface Methodology. 2016 , 9, 1993-2001	61
729	Valorization of solid wastes from chestnut industry processing: Extraction and optimization of polyphenols, tannins and ellagitannins and its potential for adhesives, cosmetic and pharmaceutical industry. 2016 , 48, 457-464	68
728	Optimization of high pressure extraction processes for the separation of raspberry pomace into lipophilic and hydrophilic fractions. 2016 , 108, 61-68	60
727	Exploitation of Food Industry Waste for High-Value Products. 2016 , 34, 58-69	299
726	Fuel and chemicals from wet lignocellulosic biomass waste streams by hydrothermal carbonization. 2016 , 18, 1051-1060	50
725	Optimisation of a green ultrasound-assisted extraction process for potato peel (<i>Solanum tuberosum</i>) polyphenols using bio-solvents and response surface methodology. 2016 , 6, 289-299	43
724	Ultrasound-Assisted Aromatisation with Condiments as an Enabling Technique for Olive Oil Flavouring and Shelf Life Enhancement. 2016 , 9, 982-990	25
723	Processing of biscuit industrial effluent using thin film composite nanofiltration membranes. 2016 , 19, 47-55	8

722	Fractionate analysis of the phytochemical composition and antioxidant activities in advanced breeding lines of high-lycopene tomatoes. 2016 , 7, 574-83	26
721	Concepts for further sustainable production of foods. 2016 , 168, 42-51	132
720	Olive mill wastewater valorisation through phenolic compounds adsorption in a continuous flow column. 2016 , 283, 293-303	65
719	Modeling and Optimization of Ultrasound Assisted Extraction Parameters using Response Surface Methodology for Water Soluble Polysaccharide Extraction from Hazelnut Skin. 2017 , 41, e12835	3
718	Microwave-Assisted Extraction for Saponins and Antioxidant Capacity from Xiao Tam Phan (<i>Paramignya trimera</i>) Root. 2017 , 41, e12851	22
717	A rapid in-house validated GC-FID method for simultaneous determination of lipophilic bioactives in olive oil: Squalene, Tocopherol, and Vitamin E. 2017 , 119, 1500420	11
716	Vitamins. 2017 , 159-201	7
715	UHPLC/MS-based approach for the comprehensive metabolite profiling of bean (<i>Vicia faba</i> L.) by-products: A promising source of bioactive constituents. 2017 , 93, 87-96	34
714	Response surface methodology for optimisation of soluble dietary fibre extraction from sweet potato residue modified by steam explosion. 2017 , 52, 741-747	11
713	Physicochemical characterization, antioxidant capacity, total phenolic and proanthocyanidin content of flours prepared from pequi (<i>Caryocar brasiliense</i> Camb.) fruit by-products. 2017 , 225, 146-153	50
712	The synergy of Box-Behnken designs on the optimization of polysaccharide extraction from mulberry leaves. 2017 , 99, 70-78	29
711	Assessment of glucosinolates, antioxidative and antiproliferative activity of broccoli and collard extracts. 2017 , 61, 59-66	31
710	Electrotechnologies, microwaves, and ultrasounds combined with binary mixtures of ethanol and water to extract steviol glycosides and antioxidant compounds from <i>Stevia rebaudiana</i> leaves. 2017 , 41, e13179	41
709	Comparison of Emerging Technologies to Extract High-Added Value Compounds from Fruit Residues: Pressure- and Electro-Based Technologies. 2017 , 9, 190-212	22
708	Use of essential oils in active food packaging: Recent advances and future trends. <i>Trends in Food Science and Technology</i> , 2017 , 61, 132-140	153 304
707	Biorefining of blackcurrant pomace into high value functional ingredients using supercritical CO ₂ , pressurized liquid and enzyme assisted extractions. 2017 , 124, 10-19	46
706	Biscuits fortified with micro-encapsulated shrimp oil: characteristics and storage stability. 2017 , 54, 1126-1136	33
705	Fruit and vegetable waste management and the challenge of fresh-cut salad. <i>Trends in Food Science and Technology</i> , 2017 , 63, 51-59	153 89

704	Harnessing the Potential of Blood Proteins as Functional Ingredients: A Review of the State of the Art in Blood Processing. 2017 , 16, 330-344	42
703	Valorisation of tomato wastes for development of nutrient-rich antioxidant ingredients: A sustainable approach towards the needs of the today's society. 2017 , 41, 160-171	53
702	Optimisation of extraction conditions for recovering carotenoids and antioxidant capacity from Gac peel using response surface methodology. 2017 , 52, 972-980	26
701	Glucosinolates and Respective Derivatives (Isothiocyanates) from Plants. 2017 , 3-22	7
700	Stability and extraction of bioactive sulfur compounds from Allium genus processed by traditional and innovative technologies. 2017 , 61, 28-39	73
699	Antihypertensive and bovine plasma oxidation-inhibitory activities of spent hen meat protein hydrolysates. 2017 , 41, e12378	16
698	Cold pressed versus solvent extracted lemon (L.) seed oils: yield and properties. 2017 , 54, 1891-1900	23
697	Alternative uses for co-products: Harnessing the potential of valuable compounds from meat processing chains. 2017 , 132, 90-98	66
696	Interfacial properties of green leaf cellulosic particles. 2017 , 71, 8-16	32
695	Food Waste Reduction and Valorisation. 2017 ,	8
694	Tartaric acid and polyphenols recovery from winery waste lees using membrane separation processes. 2017 , 92, 2934-2943	17
693	Multistage recovery process of seaweed pigments: Investigation of ultrasound assisted extraction and ultra-filtration performances. 2017 , 104, 40-47	72
692	Biorefining of buckwheat (<i>Fagopyrum esculentum</i>) hulls by using supercritical fluid, Soxhlet, pressurized liquid and enzyme-assisted extraction methods. 2017 , 213, 38-46	17
691	A review: Modified agricultural by-products for the development and fortification of food products and nutraceuticals. <i>Trends in Food Science and Technology</i> , 2017 , 59, 148-160	15.3 58
690	Chokeberry pomace valorization into food ingredients by enzyme-assisted extraction: Process optimization and product characterization. 2017 , 105, 36-50	39
689	FTIR as a rapid tool for monitoring molecular weight distribution during enzymatic protein hydrolysis of food processing by-products. 2017 , 9, 4247-4254	27
688	Sage processing from by-product to high quality powder: I. Bioactive potential. 2017 , 107, 81-89	29
687	Innovations in Crustacean Processing: Bioproduction of Chitin and Its Derivatives. 2017 , 113-149	1

- 686 Obtaining bixin from semi-defatted annatto seeds by a mechanical method and solvent extraction: Process integration and economic evaluation. **2017**, 99, 393-402 17
- 685 Effect of Triglyceride Addition on Oxygen Uptake, Carbon Metabolism, and Polyhydroxyalkanoate Accumulation in Aerobic Granules. **2017**, 45, 1600314
- 684 Recovery of anthocyanins from residues of *Rubus fruticosus*, *Vaccinium myrtillus* and *Eugenia brasiliensis* by ultrasound assisted extraction, pressurized liquid extraction and their combination. **2017**, 231, 1-10 85
- 683 Functional Properties of the Capia Pepper Seed Defatted Press Cakes. **2017**, 8, 783-791 9
- 682 Application of active cassava starch films incorporated with oregano essential oil and pumpkin residue extract on ground beef. **2017**, 37, e12355 20
- 681 Catalytic upgrading of lactose: a rest raw material from the dairy industry. **2017**, 19, 1904-1910 11
- 680 Fractionation of sea buckthorn pomace and seeds into valuable components by using high pressure and enzyme-assisted extraction methods. **2017**, 85, 534-538 41
- 679 Tannase enhances the anti-inflammatory effect of grape pomace in Caco-2 cells treated with IL-1 β **2017**, 29, 69-76 19
- 678 Bioactives from fruit processing wastes: Green approaches to valuable chemicals. **2017**, 225, 10-22 239
- 677 Microwave-assisted extraction of wild apple fruit dustâproduction of polyphenol-rich extracts from filter tea factory by-products. **2017**, 40, e12508 10
- 676 Green extraction approach for the recovery of polyphenols from Croatian olive leaves (*Olea europea*). **2017**, 106, 19-28 64
- 675 High hydrostatic pressure effect in extraction of 5-methyltetrahydrofolate (5-MTHF) from egg yolk and granule fractions. **2017**, 43, 191-200 12
- 674 Recovery of phosphorus and volatile fatty acids from wastewater and food waste with an iron-flocculation sequencing batch reactor and acidogenic co-fermentation. **2017**, 245, 615-624 44
- 673 Modeling in food and bioproducts processing using Boltzmann entropy equation: A viewpoint of future perspectives. **2017**, 106, 102-107 7
- 672 Phenolic compounds extraction from Iranian pomegranate (*Punica granatum*) industrial waste applicable to pilot plant scale. **2017**, 108, 583-597 23
- 671 Impact of conventional and non-conventional processing on prickly pear (*Opuntia* spp.) and their derived products: From preservation of beverages to valorization of by-products. *Trends in Food Science and Technology*, **2017**, 67, 260-270 15.3 91
- 670 Pentagalloylglucose (PGG): A valuable phenolic compound with functional properties. **2017**, 37, 176-189 50
- 669 Gas assisted mechanical expression (GAME) for the selective recovery of lipophilic and hydrophilic compounds from olive kernel. **2017**, 166, 387-394 25

668	Development of new ultrasonic solvent assisted method for determination of trans-resveratrol from red grapes: Optimization, characterization, and antioxidant activity (ORAC assay). 2017 , 20, 36-42	23
667	Application of Food By-Products in Medical and Pharmaceutical Industries. 2017 , 89-110	4
666	Production of bioalcohol and biomethane. 2017 , 61-86	5
665	Integration of membrane technologies into conventional existing systems in the food industry. 2017 , 451-479	1
664	Design of Sonotrode Ultrasound-Assisted Extraction of Phenolic Compounds from Psidium guajava L. Leaves. 2017 , 10, 2781-2791	15
663	Ultrasound: A Clean, Green Extraction Technology for Bioactives and Contaminants. 2017 , 76, 111-129	14
662	Studies on Activity Guided Fractionation of Pomegranate Peel Extracts and Its Effect on Antidiabetic and Cardiovascular Protection Properties. 2017 , 41, e13108	26
661	Phenolic composition profiling of different edible parts and by-products of date palm (<i>Phoenix dactylifera</i> L.) by using HPLC-DAD-ESI/MS. 2017 , 100, 494-500	37
660	Catechin-based extract optimization obtained from <i>Arbutus unedo</i> L. fruits using maceration/microwave/ultrasound extraction techniques. 2017 , 95, 404-415	72
659	HPLC-DAD-ESI-MS(2) analytical profile of extracts obtained from purple sweet potato after green ultrasound-assisted extraction. 2017 , 215, 391-400	68
658	Preparation of Highly Clarified Anthocyanin-Enriched Purple Sweet Potato Juices by Membrane Filtration and Optimization of Their Sensorial Properties. 2017 , 41, e12929	5
657	Grape Winery Waste as Feedstock for Bioconversions: Applying the Biorefinery Concept. 2017 , 8, 1011-1025	93
656	Effects of ultrasound assisted extraction on the physicochemical, structural and functional characteristics of duck liver protein isolate. 2017 , 52, 174-182	48
655	Ultrasound-assisted extraction to improve the recovery of phenols and antioxidants from spent espresso coffee ground: a study by response surface methodology and desirability approach. 2017 , 243, 835-847	25
654	Biochemical and biological characterization of two Brassicaceae after their commercial expiry date. 2017 , 218, 335-340	17
653	Development of new apple beverages rich in isothiocyanates by using extracts obtained from ultrasound-treated cauliflower by-products: Evaluation of physical properties and consumer acceptance. 2017 , 61, 73-81	30
652	Reuse potential of vegetable wastes (broccoli, green bean and tomato) for the recovery of antioxidant phenolic acids and flavonoids. 2017 , 52, 98-107	30
651	Separation and purification of phenolic compounds from pomegranate juice by ultrafiltration and nanofiltration membranes. 2017 , 195, 1-13	114

650	Tunisian tomato by-products, as a potential source of natural bioactive compounds. 2017 , 31, 626-631	26
649	High Voltage Electrical Treatments To Improve the Protein Susceptibility to Enzymatic Hydrolysis. 2017 , 5, 11706-11714	17
648	Valorization of Agrifood By-Products by Extracting Valuable Bioactive Compounds Using Green Processes. 2017 , 191-228	15
647	The biorefinery concept for the industrial valorization of residues from olive oil industry. 2017 , 57-78	12
646	Applications of recovered bioactive compounds in food products. 2017 , 231-253	10
645	Production of High-Value Nanoparticles via Biogenic Processes Using Aquacultural and Horticultural Food Waste. 2017 , 10,	43
644	Proteins, Peptides, and Amino Acids. 2017 , 15-38	4
643	Valorization Challenges to Almond Residues: Phytochemical Composition and Functional Application. 2017 , 22,	40
642	Carotenoids. 2017 , 259-296	18
641	Emerging Technologies for the Recovery of Valuable Compounds From Grape Processing By-Products. 2017 , 155-181	8
640	Polyphenols. 2017 , 203-258	10
639	Introduction. 2017 , 1-14	9
638	Extraction of Bioactive Compounds from Grape Processing By-Products. 2017 , 105-135	11
637	Membrane Technologies for the Separation of Compounds Recovered From Grape Processing By-Products. 2017 , 137-154	5
636	Olive oil production sector: environmental effects and sustainability challenges. 2017 , 1-28	35
635	Recovery of bioactive compounds from olive mill waste. 2017 , 205-229	10
634	An Alginate/Cyclodextrin Spray Drying Matrix to Improve and Antioxidant Efficiency of a Blood Orange By-Product Extract Rich in Polyphenols: MMPs Inhibition and Antiglycation Activity in Dysmetabolic Diseases. 2017 , 2017, 2867630	7
633	Films for Food From Ingredient Waste. 2017 ,	4

632	Interaction of Compounds. 2017 , 335-354		1
631	The Use of Ultrasound as an Enhancement Aid to Food Extraction. 2017 , 399-440		1
630	Consumers' Perspective on Circular Economy Strategy for Reducing Food Waste. 2017 , 9, 141		133
629	Bitterness Reduction of Cold Pressed Grapefruit Seed Oil by Adsorbent Treatment. 2018 , 120, 1700308		6
628	Expanding the industrial applications of a meat co-product: Generation of low-haemoglobin content plasma by means of red cells' crenation. 2018 , 185, 805-813		7
627	Effect of lavender (<i>Lavandula angustifolia</i>) and melissa (<i>Melissa Officinalis</i>) waste on quality and shelf life of bread. 2018 , 253, 13-21		38
626	Fruit and Vegetable Waste: Bioactive Compounds, Their Extraction, and Possible Utilization. 2018 , 17, 512-531		399
625	Physicochemical characteristics and anti-oxidant activities of farm-cultivated and mountain-cultivated ginseng seeds. 2018 , 27, 1257-1264		2
624	An overview of the traditional and innovative approaches for pectin extraction from plant food wastes and by-products: Ultrasound-, microwaves-, and enzyme-assisted extraction. <i>Trends in Food Science and Technology</i> , 2018 , 76, 28-37	15:3	255
623	An updated review on use of tomato pomace and crustacean processing waste to recover commercially vital carotenoids. 2018 , 108, 516-529		47
622	Characterization of active biodegradable films based on cassava starch and natural compounds. 2018 , 16, 138-147		63
621	Phenolics and terpenoids from a wild edible plant <i>Lactuca orientalis</i> (Boiss.) Boiss.: A preliminary study. 2018 , 69, 20-24		8
620	Ultrasound-assisted extraction and characterization of anthocyanins from purple corn bran. 2018 , 42, e13377		16
619	Recovery of biomolecules of high benefit from food waste. 2018 , 22, 43-54		24
618	Activity guided fractionation of pomegranate extract and its antioxidant, antidiabetic and antineurodegenerative properties. 2018 , 113, 142-149		34
617	Antioxidant and prooxidant activity of spent coffee extracts by isothermal calorimetry. 2018 , 132, 1065-1075	5	
616	Polyphenols recovered from olive mill wastewater as natural preservatives in extra virgin olive oils and refined olive kernel oils. 2018 , 10, 62-70		58
615	Pressurized hot water extraction (PHWE) for the green recovery of bioactive compounds and steviol glycosides from <i>Stevia rebaudiana</i> Bertoni leaves. 2018 , 254, 150-157		138

614	Control of microbial growth in bakery products fortified with polyphenols recovered from olive mill wastewater. 2018 , 10, 1-15		54
613	Integrated processing of plant-derived waste to produce value-added products based on the biorefinery concept. <i>Trends in Food Science and Technology</i> , 2018 , 74, 119-131	15.3	76
612	Clarification of Jerusalem Artichoke Extract Using Ultra-filtration: Effect of Membrane Pore Size and Operation Conditions. 2018 , 11, 864-873		18
611	Encapsulation templated approach to valorization of cocoa husk, poppy and hemp macrostructural and bioactive constituents. 2018 , 112, 402-411		9
610	Improvement of physico-chemical properties and phenolic compounds bioavailability by concentrating dietary fiber of peach (<i>Prunus persica</i>) juice by-product. 2018 , 98, 3109-3118		7
609	Biorefining of Bilberry (<i>Vaccinium myrtillus</i> L.) Pomace Using Microwave Hydrodiffusion and Gravity, Ultrasound-Assisted, and Bead-Milling Extraction. 2018 , 6, 4185-4193		44
608	Eco-friendly separation and purification of soybean oligosaccharides via nanofiltration technology. 2018 , 53, 777-785		6
607	Seedless table grape residues as a source of polyphenols: comparison and optimization of non-conventional extraction techniques. 2018 , 244, 1091-1100		17
606	A critical analysis of extraction techniques used for botanicals: Trends, priorities, industrial uses and optimization strategies. 2018 , 100, 82-102		183
605	Olive oil and its principal bioactive compound: Hydroxytyrosol – A review of the recent literature. <i>Trends in Food Science and Technology</i> , 2018 , 77, 77-90	15.3	56
604	Main characteristics of peanut skin and its role for the preservation of meat products. <i>Trends in Food Science and Technology</i> , 2018 , 77, 1-10	15.3	49
603	Whey valorization: current options and future scenario – a critical review. 2018 , 48, 520-535		28
602	Recovery of bioactive compounds from <i>Arbutus unedo</i> L. fruits: Comparative optimization study of maceration/microwave/ultrasound extraction techniques. 2018 , 109, 455-471		30
601	Extraction of bioactives from fruit and vegetables: State of the art and perspectives. 2018 , 93, 390-395		48
600	Biorecovery of antioxidants from apple pomace by supercritical fluid extraction. 2018 , 186, 253-261		73
599	Integrated extraction-adsorption process for selective recovery of antioxidant phenolics from food industry by-product. 2018 , 127, 83-92		13
598	Valorisation potential of Cabernet grape pomace for the recovery of polyphenols: Process intensification, optimisation and study of kinetics. 2018 , 109, 74-85		44
597	Eco-innovative technologies for extraction of proteins for human consumption from renewable protein sources of plant origin. <i>Trends in Food Science and Technology</i> , 2018 , 75, 93-104	15.3	138

596	Current Role of Membrane Technology: From the Treatment of Agro-Industrial by-Products up to the Valorization of Valuable Compounds. 2018 , 9, 513-529	57
595	Use of phenolic compounds from olive mill wastewater as valuable ingredients for functional foods. 2018 , 58, 2829-2841	52
594	Spent cumin seeds generated from ayurvedic industry as a source of bioactive compounds for nutraceutical/functional food applications. 2018 , 42, e13392	6
593	Evolving biocatalysis to meet bioeconomy challenges and opportunities. 2018 , 40, 154-169	75
592	Recent Advances on Application of Ultrasound and Pulsed Electric Field Technologies in the Extraction of Bioactives from Agro-Industrial By-products. 2018 , 11, 223-241	77
591	Bioactive characterization of <i>Persea americana</i> Mill. by-products: A rich source of inherent antioxidants. 2018 , 111, 212-218	67
590	Implementation of phenols recovered from olive mill wastewater as UV booster in cosmetics. 2018 , 111, 30-37	111
589	Characteristics of food processing wastes and their use in sustainable alcohol production. 2018 , 81, 510-523	47
588	Tiger nut and its by-products valorization: From extraction of oil and valuable compounds to development of new healthy products. 2018 , 45, 306-312	30
587	Phenols from olive mill wastewater and other natural antioxidants as UV filters in sunscreens. 2018 , 9, 160-168	68
586	Recovery of Anthocyanins Using Membrane Technologies: A Review. 2018 , 48, 143-175	16
585	Sustainable Development for Farmers Transforming Agroindustrial Wastes into Profitable Green Products. 2018 , 53-75	1
584	Bioeconomy and Biorefinery: Valorization of Hemicellulose from Lignocellulosic Biomass and Potential Use of Avocado Residues as a Promising Resource of Bioproducts. 2018 , 141-170	6
583	Application of different drying techniques to fresh-cut salad waste to obtain food ingredients rich in antioxidants and with high solvent loading capacity. 2018 , 89, 276-283	16
582	Porous membranes in pressure-assisted forward osmosis: Flux behavior and potential applications. 2018 , 60, 160-168	17
581	Continuous biohydrogen production from a food industry waste: Influence of operational parameters and microbial community analysis. 2018 , 174, 1054-1063	36
580	Concluding remarks and future perspectives. 2018 , 319-327	5
579	Bentonite as a Refining Agent in Waste Cooking Oils Recycling: Flash Point, Density and Color Evaluation. 2018 , 13, 1934578X1801300	11

578	Determination of Ellagic Acid in the Wastes of Walnut, Chestnut, and Pomegranate Grown in Turkey. 2018 , 81-103		1
577	Use of Cold Plasma To Inactivate Escherichia coli and Physicochemical Evaluation in Pumpkin Puree. 2018 , 81, 1897-1905		13
576	Effect of high added-value components of acid whey on the nutritional and physiological indices of rats. 2018 , 50, 63-70		3
575	Ultrasound-assisted and micelle-mediated extraction as a method to isolate valuable active compounds from apple pomace. 2018 , 42, e13720		10
574	Sustainable Waste-to-Energy Technologies: Gasification and Pyrolysis. 2018 , 141-158		7
573	Transforming food waste: how immobilized enzymes can valorize waste streams into revenue streams. 2018 , 2, 19		50
572	Membrane-based technologies as an emerging tool for separating high-added-value compounds from natural products. <i>Trends in Food Science and Technology</i> , 2018 , 82, 8-20	15:3	42
571	Holistic and Sustainable Approach for Recycling and Valorization of Polyvinylpyrrolidone Used in Wine Fining. 2018 , 6, 14599-14606		4
570	From Plant Compounds to Botanicals and Back: A Current Snapshot. 2018 , 23,		83
569	Green and efficient extraction of podophyllotoxin from <i>Sinopodophyllum hexandrum</i> by optimized subcritical water extraction combined with macroporous resin enrichment. 2018 , 121, 267-276		14
568	Enzyme-assisted extraction of polyphenol from edible lotus (<i>Nelumbo nucifera</i>) rhizome knot: Ultra-filtration performance and HPLC-MS profile. 2018 , 111, 291-298		49
567	Enrichment of (â)epigallocatechin gallate (EGCG) from aqueous extract of green tea leaves by hollow fiber microfiltration: Modeling of flux decline and identification of optimum operating conditions. 2018 , 206, 107-117		7
566	Agroindustrial Coproducts as Sources of Novel Functional Ingredients. 2018 , 219-250		1
565	Lipid extraction from <i>Yarrowia lipolytica</i> biomass using high-pressure homogenization. 2018 , 115, 143-150		21
564	Olive pomace as a valuable source of bioactive compounds: A study regarding its lipid- and water-soluble components. 2018 , 644, 229-236		90
563	Systematic and Empirical Study of the Dependence of Polyphenol Recovery from Apricot Pomace on Temperature and Solvent Concentration Levels. 2018 , 2018, 8249184		6
562	The stripping effect of using high voltage electrical pulses breakage for waste printed circuit boards. 2018 , 77, 603-610		29
561	Therapeutic potentials and compositional changes of valuable compounds from banana- A review. <i>Trends in Food Science and Technology</i> , 2018 , 79, 1-9	15:3	40

560	Non-Provitamin A and Provitamin A Carotenoids as Immunomodulators: Recommended Dietary Allowance, Therapeutic Index, or Personalized Nutrition?. 2018 , 2018, 4637861		68
559	Comparative Study between Ethanolic and -Cyclodextrin Assisted Extraction of Polyphenols from Peach Pomace. 2018 , 2018, 9491681		10
558	Recovery of high added-value compounds from brewing and distillate processing by-products. 2018 , 189-225		8
557	Food Waste Valorization. 2018 , 371-399		15
556	The Potential of Tree Fruit Stone and Seed Wastes in Greece as Sources of Bioactive Ingredients. 2018 , 3, 9		16
555	Food Waste Recovery: Prospects and Opportunities. 2018 , 401-419		9
554	Avocado by-products: Nutritional and functional properties. <i>Trends in Food Science and Technology</i> , 2018 , 80, 51-60	15:3	94
553	Whey Wastes and Powders. 2018 , 261-291		0
552	Phenols recovered from olive mill wastewater as additives in meat products. <i>Trends in Food Science and Technology</i> , 2018 , 79, 98-105	15:3	107
551	Exploration of rice protein hydrolysates and peptides with special reference to antioxidant potential: Computational derived approaches for bio-activity determination. <i>Trends in Food Science and Technology</i> , 2018 , 80, 61-70	15:3	35
550	Pressurized liquid extraction of flavanols and alkaloids from cocoa bean shell using ethanol as solvent. 2018 , 114, 20-29		56
549	Sea Buckthorn (<i>Hippophae rhamnoides</i> L.) and Quince (<i>Cydonia oblonga</i> L.) Juices and Their By-Products as Ingredients Showing Antimicrobial and Antioxidant Properties for Chewing Candy: Nutraceutical Formulations. 2018 , 2018, 1-8		4
548	Electro-Fermentation in Aid of Bioenergy and Biopolymers. 2018 , 11, 343		59
547	Response surface methodology to optimize supercritical carbon dioxide/co-solvent extraction of brown onion skin by-product as source of nutraceutical compounds. 2018 , 269, 495-502		59
546	Nanofiltration and Tight Ultrafiltration Membranes for the Recovery of Polyphenols from Agro-Food By-Products. 2018 , 19,		104
545	A Green Extraction Process to Recover Polyphenols from Byproducts of Hemp Oil Processing. 2018 , 3, 15		12
544	Membrane technologies for the fractionation of compounds recovered from cereal processing by-products. 2018 , 159-187		
543	Recovery technologies and encapsulation techniques. 2018 , 233-264		0

542	Simultaneous separation and concentration of polyphenols from pomegranate industrial waste by multistage counter-current system; comparing with ultrafiltration concentration. 2018 , 204, 261-275	2
541	Colloidal Gas Aphrons separation to obtain polyphenol rich fractions from artichoke agro-industrial discards. 2018 , 110, 50-59	3
540	Encapsulation of betacyanins and polyphenols extracted from leaves and stems of beetroot in Ca(II)-alginate beads: A structural study. 2018 , 235, 32-40	25
539	Agroindustrial By-Products and Animal Products: A Great Alternative for Improving Food-Quality Characteristics and Preserving Human Health. 2018 , 253-290	0
538	Pressurized hot water extraction of bioactive compounds from artichoke by-products. 2018 , 39, 1899	18
537	Protein recovered from meat co-products and processing streams as pork meat replacers in Irish breakfast sausages formulations. 2018 , 96, 679-685	13
536	Comparative LCA of ultrasound-assisted extraction of polyphenols from chicory grounds under different operational conditions. 2018 , 196, 1116-1123	32
535	Opportunities and perspectives for utilisation of co-products in the meat industry. 2018 , 144, 62-73	43
534	Separation, Fractionation and Concentration of High-Added-Value Compounds From Agro-Food By-Products Through Membrane-Based Technologies. 2019 , 465-476	2
533	Membrane-based technologies for meeting the recovery of biologically active compounds from foods and their by-products. 2019 , 59, 2927-2948	56
532	Cocoa bean shell waste valorisation; extraction from lab to pilot-scale cavitation reactors. 2019 , 115, 200-208	59
531	Food Waste Valorization: New Manufacturing Processes for Long-Term Sustainability. 2019 , 429-433	1
530	Buriti (<i>Mauritia flexuosa</i> L. f.) fruit by-products flours: Evaluation as source of dietary fibers and natural antioxidants. 2019 , 270, 53-60	44
529	Optimization of Lycopene Extraction from Tomato Processing Waste Using an Eco-Friendly Ethyl Lactate-Ethyl Acetate Solvent: A Green Valorization Approach. 2019 , 10, 2851-2861	20
528	Optimization of Sonotrode Ultrasonic-Assisted Extraction of Proanthocyanidins from Brewers' Spent Grains. 2019 , 8,	16
527	Olive. 2019 , 355-371	1
526	Optimization of Bioactive Substances in the Wastes of Some Selective Mediterranean Crops. 2019 , 5, 42	7
525	Rapid Solid-Liquid Dynamic Extraction (RSLDE): A Powerful and Greener Alternative to the Latest Solid-Liquid Extraction Techniques. 2019 , 8,	35

524	Microwave-assisted extraction and membrane-based separation of biophenols from red wine lees. 2019 , 117, 74-83	26
523	Ultrasound Treatment on Stability of Total and Individual Anthocyanin Extraction from Blueberry Pomace: Optimization and Comparison. 2019 , 24,	7
522	Effect of optimized ultrasound-assisted aqueous and ethanolic extraction of <i>Pleurotus citrinopileatus</i> mushroom on total phenol, flavonoids and antioxidant properties. 2019 , 42, e13172	9
521	Phenolic Composition of Artichoke Waste and its Antioxidant Capacity on Differentiated Caco-2 Cells. 2019 , 11,	21
520	Soy whey: More than just wastewater from tofu and soy protein isolate industry. <i>Trends in Food Science and Technology</i> , 2019 , 91, 24-32	15-3 37
519	Natural antimicrobial agents to improve foods shelf life. 2019 , 125-157	10
518	Food waste valorization. 2019 , 279-313	6
517	The concept of Zero Waste. 2019 , 369-391	1
516	Protein Isolates From Meat Processing By-Products. 2019 , 131-162	2
515	Additionally Added Ingredients and Enrichment of Beverages: An Overview. 2019 , 1-35	
514	UHPLC-HR-MS/MS-Guided Recovery of Bioactive Flavonol Compounds from Greco di Tufo Vine Leaves. 2019 , 24,	10
513	Valorization of the agro-forestry wastes from Italian chestnut cultivars for the recovery of bioactive compounds. 2019 , 245, 2679-2686	20
512	Effects of dietary supplementation with apple peel powder on the growth, blood and liver parameters, and transcriptome of genetically improved farmed tilapia (GIFT, <i>Oreochromis niloticus</i>). 2019 , 14, e0224995	7
511	Impact of Membrane Pore Size on the Clarification Performance of Grape Marc Extract by Microfiltration. 2019 , 9,	9
510	Valorisation of black carrot pomace: microwave assisted extraction of bioactive phytochemicals and antioxidant activity using Box-Behnken design. 2019 , 56, 995-1007	43
509	Recovery of High Value-Added Nutrients from Fruit and Vegetable Industrial Wastewater. 2019 , 18, 1388-1402	25
508	Optimization of Pulsed Electric Fields-Assisted Extraction of Polyphenols from Potato Peels Using Response Surface Methodology. 2019 , 12, 1708-1720	34
507	Solid-State Yeast Fermented Wheat and Oat Bran as A Route for Delivery of Antioxidants. 2019 , 8,	37

506	Valorisation of the green waste parts from turnip, radish and wild cardoon: Nutritional value, phenolic profile and bioactivity evaluation. 2019 , 126, 108651	20
505	A Bifunctional Zwitterion That Serves as Both a Membrane Modifier and a Draw Solute for Forward Osmosis Wastewater Treatment. 2019 , 11, 36118-36129	17
504	Circular agri-food approaches: will consumers buy novel products made from vegetable waste?. 2019 , 28, 91-107	19
503	Olive Fruit and Olive Oil. 2019 , 193-220	6
502	Proteins Recovery From Meat Processing Coproducts. 2019 , 69-83	5
501	Blood Proteins as Functional Ingredients. 2019 , 85-101	1
500	Membrane Technology for the Recovery of High-Added Value Compounds From Meat Processing Coproducts. 2019 , 127-143	3
499	Facilitators and Barriers for Foods Containing Meat Coproducts. 2019 , 237-250	0
498	Review of high-value food waste and food residues biorefineries with focus on unavoidable wastes from processing. 2019 , 149, 413-426	73
497	Protease technology for obtaining a soy pulp extract enriched in bioactive compounds: isoflavones and peptides. 2019 , 5, e01958	5
496	Blueberry pomace as a source of antioxidant fibre in cookies: Consumer's expectations and critical attributes for developing a new product. 2019 , 25, 642-648	7
495	Characterization of Polyphenolic Compounds in Cantaloupe Melon By-Products. 2019 , 8,	26
494	Mechanical and thermal behaviour of food waste (Citrus limetta peel) fillersâBased novel epoxy composites. 2019 , 27, 527-535	14
493	Supercritical carbon dioxide extraction of pomegranate (Punica granatum L.) seed oil: Kinetic modelling and solubility evaluation. 2019 , 151, 30-39	31
492	Functional and structural effects of hydrocolloids on Ca(II)-alginate beads containing bioactive compounds extracted from beetroot. 2019 , 111, 520-526	11
491	Opportunities and challenges for functional and medicinal beverages: Current and future trends. <i>Trends in Food Science and Technology</i> , 2019 , 88, 513-526	15-3 54
490	Valorization of Agro-Industrial Waste into Bioactive Compounds: Techno-Economic Considerations. 2019 , 235-252	7
489	Influences of electrohydrodynamic time and voltage on extraction of phenolic compounds from orange pomace. 2019 , 111, 23-30	12

488	Sequential high-pressure extraction to obtain capsinoids and phenolic compounds from biquinho pepper (<i>Capsicum chinense</i>). 2019 , 150, 112-121	19
487	Sustainable bioconversion of food waste into high-value products by immobilized enzymes to meet bio-economy challenges and opportunities - A review. 2019 , 123, 226-240	74
486	What Do We Know About Chain Actors' Evaluation of New Food Technologies? A Systematic Review of Consumer and Farmer Studies. 2019 , 18, 798-816	14
485	Hypolipidemic effects of dietary fibre from an artichoke by-product in Syrian hamsters. 2019 , 56, 156-162	10
484	Valorization of Cocoa Husks: Pectin Recovery. 2019 , 2019, 1212081	3
483	Fermentation Biotechnology Applied to Cereal Industry By-Products: Nutritional and Functional Insights. 2019 , 6, 42	50
482	Maize Milling By-Products: From Food Wastes to Functional Ingredients Through Lactic Acid Bacteria Fermentation. 2019 , 10, 561	18
481	A Multivariate Statistical Analyses of Membrane Performance in the Clarification of Citrus Press Liquor. 2019 , 3, 10	1
480	Strategies for recycling and valorization of grape marc. 2019 , 39, 437-450	40
479	Extraction optimization crocin pigments of saffron (<i>Crocus sativus</i>) using response surface methodology and determination stability of crocin microcapsules. 2019 , 13, 1515-1523	10
478	Functional Activity of Oils from Brewer's Spent Grain Extracted by Supercritical Carbon Dioxide. 2019 , 12, 789-798	16
477	Membrane separation technology for the recovery of nutraceuticals from food industrial streams. <i>Trends in Food Science and Technology</i> , 2019 , 86, 426-438	15-3 37
476	Plant food by-products as feed: Characteristics, possibilities, environmental benefits, and negative sides. 2019 , 35, 363-389	8
475	Food industry processing by-products in foods. 2019 , 239-281	4
474	Incumbents in the Transition Towards the Bioeconomy: The Role of Dynamic Capabilities and Innovation Strategies. 2019 , 11, 5044	8
473	Antioxidant and cytotoxic activity of ethyl acetate extracts of cocoa pod husk (<i>Theobroma cacao</i> L.). 2019 , 364, 012026	1
472	Sustainable utilization of renewable plant-based food wastes for the green synthesis of metal nanoparticles. 2019 , 1-39	0
471	A Combination of Aqueous Extraction and Polymeric Membranes as a Sustainable Process for the Recovery of Polyphenols From Olive Mill Solid Wastes. 2019 , 11,	7

470	Recovery of Natural Antioxidants from Agro-Industrial Side Streams through Advanced Extraction Techniques. 2019 , 24,	53
469	Tomato's Green Gold: Bioeconomy Potential of Residual Tomato Leaf Biomass as a Novel Source for the Secondary Metabolite Rutin. 2019 , 4, 19071-19080	30
468	Densification and Fuel Properties of Onion Husks. 2019 , 12, 4687	13
467	Formulation and development of lipid nanoparticle antifungal packaging films to control postharvest disease. 2019 , 1, 100013	12
466	Bio-compounds Production from Agri-food Wastes Under a Biorefinery Approach: Exploring Environmental and Social Sustainability. 2019 , 25-53	4
465	Application of Nanobiocatalysts on Food Waste. 2019 , 785-793	1
464	An overview of the recent trends on the waste valorization techniques for food wastes. 2019 , 233, 352-370	157
463	Autochthonous white grape pomaces as bioactive source for functional jams. 2019 , 54, 1313-1320	16
462	Strategies for enrichment and purification of polyphenols from fruit-based materials. <i>Trends in Food Science and Technology</i> , 2019 , 83, 248-258	153 47
461	Introduction in Functional Components for Membrane Separations. 2019 , 31-77	3
460	Recovery of Phenolic-Based Compounds From Agro-Food Wastewaters Through Pressure-Driven Membrane Technologies. 2019 , 195-228	3
459	Current and Future Applications of Nanofiltration in Food Processing. 2019 , 305-348	6
458	Modeling and Optimization of Extraction and Energy Consumption during Ultrasound-Assisted Extraction of Antioxidant Polyphenols from Pomegranate Peels. 2019 , 38, 13148	7
457	Comparison of barley and lavender straws as bioaggregates in earth bricks. 2019 , 202, 254-265	28
456	Valorization of olive pomace by a green integrated approach applying sustainable extraction and membrane-assisted concentration. 2019 , 652, 40-47	25
455	Recent advances in high voltage electric discharge extraction of bioactive ingredients from plant materials. 2019 , 277, 246-260	60
454	Recovery of phenolic compounds from the by-products of yellow mustard protein isolation. 2019 , 115, 460-466	7
453	Glycerol increases growth, protein production and alters the fatty acids profile of <i>Spirulina</i> (<i>Arthrospira</i>) sp LEB 18. 2019 , 76, 40-45	13

452	Quantification of Sustainability Indicators in the Food Sector. 2019 ,	6
451	Polyphenols in Agricultural Byproducts and Food Waste. 2019 , 23-44	21
450	Cocoa hulls polyphenols stabilized by microencapsulation as functional ingredient for bakery applications. 2019 , 115, 511-518	32
449	A Green Valorisation Approach Using Microwaves and Supercritical CO ₂ for High-Added Value Ingredients from Mandarin (<i>Citrus deliciosa</i> Tenore) Leaf Waste. 2019 , 10, 533-546	16
448	A Review of the Primary By-product (Nejayote) of the Nixtamalization During Maize Processing: Potential Reuses. 2019 , 10, 13-22	18
447	Production of biostimulants from okara through enzymatic hydrolysis and fermentation with : comparative effect on soil biological properties. 2019 , 40, 2073-2084	7
446	Improving the Lipophilic Antioxidant Activity of Poultry Protein Hydrolysates Through Chemical Esterification. 2019 , 10, 2227-2235	1
445	Process Simulation and Techno Economic Analysis of Astaxanthin Production from Agro-Industrial Wastes. 2020 , 11, 943-954	14
444	High value-added compounds from fruit and vegetable by-products - Characterization, bioactivities, and application in the development of novel food products. 2020 , 60, 1388-1416	66
443	Effectiveness of vermicomposting for bioconversion of grape marc derived from red winemaking into a value-added product. 2020 , 27, 33438-33445	6
442	Feasibility of membrane processes for the recovery and purification of bio-based volatile fatty acids: A comprehensive review. 2020 , 81, 24-40	53
441	Antioxidant Activity of Polyphenols Extracted From Hop Used in Craft Beer. 2020 , 283-310	5
440	Bioactive potential of fruit and vegetable wastes. 2020 , 91, 157-225	70
439	New powder material obtained from spent coffee ground and whey protein; Thermal and morphological analysis. 2020 , 240, 122171	10
438	Microwave-assisted extraction for recovery of polyphenolic antioxidants from ripe mango (<i>L.</i>) peel using lactic acid/sodium acetate deep eutectic mixtures. 2020 , 26, 78-92	35
437	Development of biopolymer-mediated nanocomposites using hot-melt extrusion to enhance the bio-accessibility and antioxidant capacity of kenaf seed flour. 2020 , 10, 1305-1317	15
436	Ultrasound treatment on the structure of goose liver proteins and antioxidant activities of its enzymatic hydrolysate. 2020 , 44, e13091	7
435	Extraction of bioactives from citrus. 2020 , 357-377	7

434	Recovery and utilization of bioactives from food processing waste. 2020 , 37-68	2
433	Chemical, rheological and sensory characteristics of sweet spreads made from by-products of soya bean and maize. 2020 , 55, 1559-1571	
432	Kinetic modeling for high voltage electrical discharge extraction based on discharge energy input. 2020 , 314, 126168	7
431	Allelopathic potential and phenolic allelochemicals discrepancies in <i>Ficus carica</i> L. cultivars. 2020 , 130, 30-44	15
430	Enhanced process integration for the extraction, concentration and purification of di-acylated cyanidin from red cabbage. 2020 , 238, 116492	23
429	Valorization of sage extracts (<i>Salvia officinalis</i> L.) obtained by high voltage electrical discharges: Process control and antioxidant properties. 2020 , 60, 102284	15
428	Food industry waste biorefineries: future energy, valuable recovery, and waste treatment. 2020 , 391-406	2
427	Food industry waste biorefineries. 2020 , 407-426	3
426	Recovery of sinapic acid from canola/rapeseed meal extracts by adsorption. 2020 , 120, 69-79	8
425	Towards transparent valorization of food surplus, waste and loss: Clarifying definitions, food waste hierarchy, and role in the circular economy. 2020 , 706, 136033	111
424	Recovery of wasted fruit and vegetables for improving sustainable diets. <i>Trends in Food Science and Technology</i> , 2020 , 95, 75-85	15-3 37
423	Valorization of selected fruit and vegetable wastes as bioactive compounds: Opportunities and challenges. 2020 , 50, 2061-2108	42
422	Brazilian (North and Northeast) Fruit By-Products. 2020 , 127-158	5
421	. 2020 ,	5
420	Recovery techniques, stability, and applications of glucosinolates. 2020 , 251-280	
419	Consumer Attitudes towards Local and Organic Food with Upcycled Ingredients: An Italian Case Study for Olive Leaves. 2020 , 9,	16
418	Waste material recycling and exchanging decisions for industrial symbiosis network optimization. 2020 , 276, 124073	9
417	Scenarios for handling the impact of COVID-19 based on food supply network through regional food hubs under uncertainty. 2020 , 6, e05128	20

416	Extraction of Flavonoids From Natural Sources Using Modern Techniques. 2020 , 8, 507887		67
415	Perspectives on the trends, challenges and benefits of green, smart and organic (GSO) foods. 2020 , 22, 100273		6
414	In vitro antimicrobial, antioxidant and anticancer activities of globe artichoke (<i>Cynara cardunculus</i> var. <i>scolymus</i> L.) bracts and receptacles ethanolic extract. 2020 , 29, 101774		9
413	Valorisation of table tomato crop by-products: Phenolic profiles and in vitro antioxidant and antimicrobial activities. 2020 , 124, 307-319		9
412	Embracing nutritional qualities, biological activities and technological properties of coffee byproducts in functional food formulation. <i>Trends in Food Science and Technology</i> , 2020 , 104, 235-261	15.3	20
411	Extraction of Carotenoids from Tomato Pomace via Water-Induced Hydrocolloidal Complexation. 2020 , 10,		15
410	Effect of ultrasound pretreatment and sequential hydrolysis on the production of <i>Tenebrio molitor</i> antidiabetic peptides. 2020 , 123, 217-224		9
409	Trends in shrimp processing waste utilization: An industrial prospective. <i>Trends in Food Science and Technology</i> , 2020 , 103, 20-35	15.3	35
408	Separation of bioactive compounds from epicarp of Hass avocado fruit through aqueous two-phase systems. 2020 , 123, 238-250		7
407	Recent advances in food products fortification with anthocyanins. 2020 , 1-15		11
406	Food Ingredients and Active Compounds against the Coronavirus Disease (COVID-19) Pandemic: A Comprehensive Review. 2020 , 9,		92
405	Extraction of Anthocyanins from Red Raspberry for Natural Food Colorants Development: Processes Optimization and In Vitro Bioactivity. 2020 , 8, 1447		13
404	Soybean processing waste: Potential antioxidant, cytotoxic and enzyme inhibitory activities. 2020 , 38, 100778		10
403	Tailored and synergistic enzyme-assisted extraction of carotenoid-containing chromoplasts from tomatoes. 2020 , 121, 43-53		20
402	Potential of grape byproducts as functional ingredients in baked goods and pasta. 2020 , 19, 2473-2505		28
401	Hydrothermal Microwave Processing for Starch Extraction from Mexican Avocado Seeds: Operational Conditions and Characterization. 2020 , 8, 759		9
400	Winemaking Byproducts as Source of Antioxidant Components: Consumers' Acceptance and Expectations of Phenol-Enriched Plant-Based Food. 2020 , 9,		8
399	Polyphenol Extraction by Different Techniques for Valorisation of Non-Compliant Portuguese Sweet Cherries towards a Novel Antioxidant Extract. 2020 , 12, 5556		6

398	Improvement of starch films for food packaging through a three-principle approach: Antioxidants, cross-linking and reinforcement. 2020 , 250, 116828	31
397	Unlocking challenges and opportunities presented by COVID-19 pandemic for cross-cutting disruption in agri-food and green deal innovations: Quo Vadis?. 2020 , 748, 141362	97
396	Recovery of high value-added compounds from pineapple, melon, watermelon and pumpkin processing by-products: An overview. 2020 , 132, 109086	58
395	Phenolic content and antioxidant activities of <i>Vitis vinifera</i> L. leaf extracts obtained by conventional solvent and microwave-assisted extractions. 2020 , 14, 3551-3564	9
394	L. Stones: A Valuable By-Product as an Ellagitannin Source with High Antioxidant Potential. 2020 , 25,	11
393	Friction and wear behaviour of epoxy composites reinforced with food waste fillers. 2020 , 22, 100436	6
392	Mapping the variability in physical, cooking, and nutritional properties of Zamn^ ĩa wild food in Burkina Faso. 2020 , 138, 109810	0
391	Simultaneous microwave-ultrasound assisted extraction of bioactive compounds from bark. 2020 , 156, 108100	14
390	Effects of in vitro digestion-fermentation over global antioxidant response and short chain fatty acid production of beet waste extracts in Ca(ii)-alginate beads. 2020 , 11, 10645-10654	6
389	Berries. 2020 , 95-125	2
388	Recovery and Stabilization of Anthocyanins and Phenolic Antioxidants of Roselle (L.) with Hydrophilic Deep Eutectic Solvents. 2020 , 25,	21
387	Impact of COVID-19 on the food supply chain. 2020 , 4, 167-180	206
386	and Varieties of Pepper Seeds (L.) as a New Source of Highly Nutritional Edible Oil. 2020 , 9,	1
385	Bioactive Compounds and Bioactivities of L. var. Sprouts and Microgreens: An Updated Overview from a Nutraceutical Perspective. 2020 , 9,	27
384	Harvesting Microalgae Biomass Using Sulfonated Polyethersulfone (SPES)/PES Porous Membranes in Forward Osmosis Processes. 2020 , 19, 1345-1352	1
383	Optimization of chemical extraction of phenolic compounds from fruits and vegetable residue by UPLC-MSE. 2020 , 23, 2144-2159	1
382	Research serendipity: A challenge for changing. 2020 , 1542, 012072	
381	Pink guava. 2020 , 227-252	0

380	Phenolic Compounds Obtained from By-Products and their Use to Improve the Quality and Shelf Life of Meat and Meat Products-A Review. 2020 , 9,	14
379	Analysis of the product streams obtained on butanosolv pretreatment of draff. 2020 , 141, 105680	5
378	Citrus Waste Recovery for Sustainable Nutrition and Health. 2020 , 193-222	4
377	Valorisation of By-Products from Soybean ((L.) Merr.) Processing. 2020 , 25,	24
376	Recovery of Bioactive Compounds from Unripe Red Grapes (cv. Sangiovese) through a Green Extraction. 2020 , 9,	16
375	Agriculture waste valorisation as a source of antioxidant phenolic compounds within a circular and sustainable bioeconomy. 2020 , 11, 4853-4877	57
374	Techno-economic analysis and environmental aspects of food waste management. 2020 , 325-342	
373	Fractionation of cranberry pomace lipids by supercritical carbon dioxide extraction and on-line separation of extracts at low temperatures. 2020 , 163, 104884	3
372	Emerging and Potential Bio-Applications of Agro-Industrial By-products Through Implementation of Nanobiotechnology. 2020 , 413-443	
371	In vitro evaluation of microparticles with <i>Laurus nobilis</i> L. extract prepared by spray-drying for application in food and pharmaceutical products. 2020 , 122, 124-135	10
370	Fractionation of <i>Stevia rebaudiana</i> aqueous extracts via two-step ultrafiltration process: towards rebaudioside a extraction. 2020 , 123, 111-122	19
369	Towards a better identification of naringin and narirutin dispersion state in grapefruit peel press liquor. 2020 , 159, 205-214	3
368	Membrane separation processes for the extraction and purification of steviol glycosides: an overview. 2021 , 61, 2152-2174	22
367	Steering protein and salt ad- and desorption by an electrical switch applied to polymer-coated electrodes. 2020 , 250, 117195	5
366	Concentration of bioactive compounds from grape marc using pressurized liquid extraction followed by integrated membrane processes. 2020 , 250, 117206	11
365	Fruit and Vegetable Peels: Utilization of High Value Horticultural Waste in Novel Industrial Applications. 2020 , 25,	44
364	Coproducts as Source of Bioactive Compounds: Assessment of Chemical, Physico-Chemical, Techno-Functional and Antioxidant Properties. 2020 , 9,	2
363	Specialty chemicals and nutraceuticals production from food industry wastes. 2020 , 189-209	4

362	Effect of Shading on Development, Yield and Quality of Bastard Balm Herb (L.). 2020 , 25,	3
361	Sustainable Environmental Management and Valorization Options for Olive Mill Byproducts in the Middle East and North Africa (MENA) Region. 2020 , 8, 671	39
360	Proximate characteristics and statistical optimization of ultrasound-assisted extraction of high-methoxyl-pectin from <i>Hylocereus polyrhizus</i> peels. 2020 , 123, 134-149	10
359	Yellow-colored extract from cashew byproduct - Nonclinical safety assessment. 2020 , 115, 104699	2
358	Essential Oils-Loaded Electrospun Biopolymers: A Future Perspective for Active Food Packaging. 2020 , 2020, 1-21	21
357	Extraction of carotenoids and applications. 2020 , 259-288	8
356	Food industry by-products valorization and new ingredients: Cases of study. 2020 , 71-99	1
355	State-of-the-Art Production Chains for Peas, Beans and Chickpeas-Valorization of Agro-Industrial Residues and Applications of Derived Extracts. 2020 , 25,	26
354	Overview of bio-based industries. 2020 , 1-40	3
353	Extruded snacks from industrial by-products: A review. <i>Trends in Food Science and Technology</i> , 2020 , 99, 284-294	15.3 46
352	Biorefineries for the valorization of food processing waste. 2020 , 155-190	3
351	Valuable products from the flowers of lemon (<i>Citrus limon</i> (L.) Osbeck) and grapefruit (<i>Citrus paradisi</i> Macfad.) Italian trees. 2020 , 123, 123-133	8
350	1. Furfural derivatives from agricultural and agri-food wastes by heterogeneous catalysis. 2020 , 1-30	
349	Thermochemical Conversion of Olive Oil Industry Waste: Circular Economy through Energy Recovery. 2020 , 5, 12	8
348	Applications of Nonconventional Green Extraction Technologies in Process Industries: Challenges, Limitations and Perspectives. 2020 , 12, 5244	23
347	Effect of wet sea buckthorn pomace utilized as an additive on silage fermentation profile and bacterial community composition of alfalfa. 2020 , 314, 123773	14
346	GAIA 3.0: Effects of the Coronavirus Disease 2019 (COVID-19) outbreak on sustainable development and future perspectives. 2020 , 2, 100014	14
345	Nanofiltration in the food industry. 2020 , 73-106	2

344	Evaluation of the potential for energy recovery from olive oil industry waste: Thermochemical conversion technologies as fuel improvement methods. 2020 , 279, 118536	13
343	Use of by-products in edible coatings and biodegradable packaging materials for food preservation. 2020 , 101-127	4
342	Innovation management and sustainability in the food industry: concepts and models. 2020 , 315-340	2
341	Food waste valorization opportunities for different food industries. 2020 , 341-422	14
340	A novel approach of synchronously recovering phosphorus as vivianite and volatile fatty acids during waste activated sludge and food waste co-fermentation: Performance and mechanisms. 2020 , 305, 123078	24
339	From winery waste to bioactive compounds and new polymeric biocomposites: A contribution to the circular economy concept. 2020 , 24, 1-11	46
338	Oil and pigments from shrimp processing by-products: Extraction, composition, bioactivities and its application- A review. <i>Trends in Food Science and Technology</i> , 2020 , 100, 307-319	15-3 29
337	Fruit and vegetable waste management: Conventional and emerging approaches. 2020 , 265, 110510	102
336	The Food Systems in the Era of the Coronavirus (COVID-19) Pandemic Crisis. 2020 , 9,	386
335	Red rice conjugated with barley and rhododendron extracts for new variant of beer. 2020 , 57, 4152-4159	9
334	Consumer preferences for upcycled ingredients: A case study with biscuits. 2020 , 84, 103951	26
333	Evaluating the environmental and economic impact of fruit and vegetable waste valorisation: The lettuce waste study-case. 2020 , 262, 121435	18
332	A Biocascade Approach Towards the Recovery of High-Value Natural Products from Biowaste: State-of-Art and Future Trends. 2021 , 12, 1143-1166	8
331	Influence of okara with varying particle sizes on the gelling, rheological, and microstructural properties of glucono- δ -lactone-induced tofu. 2021 , 58, 520-531	3
330	Optimization of the Recovery of Anthocyanins from Chokeberry Juice Pomace by Homogenization in Acidified Water. 2020 , 12, 1-13	6
329	Differential expression of flavonoid biosynthesis genes and biochemical composition in different tissues of pigmented and non-pigmented rice. 2021 , 58, 884-893	4
328	Waste into energy conversion technologies and conversion of food wastes into the potential products: a review. 2021 , 42, 1083-1101	13
327	Proteomic evaluation of kimchi, a traditional Korean fermented vegetable, and comparison of kimchi manufactured in China and Korea. 2021 , 58, 389-396	3

326	Economic aspects of waste recovery in the wine industry. A multidisciplinary approach. 2021 , 759, 143543	12
325	Integration of pressurized liquids and ultrasound in the extraction of bioactive compounds from passion fruit rinds: Impact on phenolic yield, extraction kinetics and technical-economic evaluation. 2021 , 67, 102549	14
324	The prospects of waste management in the hospitality sector post COVID-19. 2021 , 168, 105272	25
323	Knowledge risk prevention strategies for handling new technological innovations in small businesses. 2021 , 51, 655-673	1
322	A short review of green extraction technologies for rice bran oil. 2021 , 11, 569-587	17
321	Development of an aqueous ultrasound-assisted extraction process of bioactive compounds from beet leaves: a proposal for reducing losses and increasing biomass utilization. 2021 , 101, 1989-1997	7
320	An organic solvent-tolerant lipase of MV1 with the potential application for enzymatic improvement of n6/n3 ratio in polyunsaturated fatty acids from fenugreek seed oil. 2020 , 58, 1-12	1
319	COVID-19 and the food industry: Readiness assessment. 2021 , 121, 107661	49
318	Multistage recovery process of phenolic antioxidants with a focus on hydroxytyrosol from olive mill wastewater concentrates. 2021 , 259, 117757	5
317	Ultrasonic potential in maintaining the quality and reducing the microbial load of minimally processed pomegranate. 2021 , 70, 105302	2
316	Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. 2021 , 70, 105325	140
315	Continuous adsorption in food industry: The recovery of sinapic acid from rapeseed meal extract. 2021 , 254, 117403	6
314	Extraction of anthocyanins from grape pomace by using supercritical carbon dioxide. 2021 , 45, e14950	5
313	Whole-grain sorghum, orange pomace, and whey blends as a novel gluten-free pregelatinized ingredient: Assessment of physicochemical and pasting properties (sorghum-based pregelatinized flour). 2021 , 45,	1
312	Bioactive compounds extraction from malted quinoa using water-ethanol mixtures under subcritical conditions. 2021 , 138, 110574	6
311	High iron bioaccessibility from co-microencapsulated iron/ascorbic acid using chelating polypeptides from brewers' spent grain protein as wall material. 2021 , 139, 110579	2
310	Effects of oxidising atmosphere on brewer's yeast hydrothermal treatment and subsequent biopolymer recovery. 2021 , 421, 127736	1
309	A comparative study of antimicrobial and anti-inflammatory efficiency of modified solvent evaporated and vacuum oven dried bioactive components of. 2021 , 58, 3328-3337	6

308	Acrylamide mitigation in processed potato derivatives by addition of natural phenols from olive chain by-products. 2021 , 95, 103682	4
307	Assessment and management of new and emerging risks for Europe's dietary supplement companies operating with botanicals. 2021 , 15, 9-14	0
306	Increase the yield of bioactive compounds from elder bark and annatto seeds using ultrasound and microwave assisted extraction technologies. 2021 , 125, 1-13	13
305	Evaluation and prediction of the biogenic amines in Chinese traditional broad bean paste. 2021 , 58, 2734-2748	0
304	The effects of oil against mould on brown rice and assessing the brain response using electroencephalogram (EEG). 2020 , 58, 1-12	4
303	Morphological, functional and thermal characteristics of hydroxypropylated-crosslinked barley starches. 2021 , 15, 237-246	2
302	Biovalorization of mandarin waste peels into silver nanoparticles and activated carbon. 2021 , 18, 1119-1134	3
301	Are olive pomace powders a safe source of bioactives and nutrients?. 2021 , 101, 1963-1978	17
300	The evaluation of part-baked frozen bread produced from wheat flour and guar gum in the diet of celiac patients. 2021 , 58, 2507-2515	
299	Modern Applications of Supercritical Fluids Extraction in Food Toxicology. 2021 , 640-659	1
298	Emerging purification and isolation. 2021 , 241-255	
297	Emerging macro- and micromolecules separation. 2021 , 195-217	
296	Conventional macroscopic pretreatment. 2021 , 71-87	
295	Processing of bio-based polymers. 2021 , 151-189	0
294	Valorization of seeds of the genera Cucumis, Citrullus, and Cucurbita. 2021 , 317-329	
293	Valuable bioactives from vegetable wastes. 2021 , 83-109	1
292	Food waste management, valorization, and sustainability in the food industry. 2021 , 3-19	5
291	Prebiotic Impacts of Soybean Residue (Okara) on Eubiosis/Dysbiosis Condition of the Gut and the Possible Effects on Liver and Kidney Functions. 2021 , 26,	11

290	Valorization of seafood processing by-products. 2021 , 515-536	2
289	SISTEMAS DE MEDIÇÃO DE DESEMPENHO E DESPERDÍCIO DE ALIMENTOS: REVISÃO SISTEMÁTICA DA LITERATURA. 2021 , 61,	0
288	Emerging extraction. 2021 , 219-240	
287	Biotransformation of Citrus Waste-I: Production of Biofuel and Valuable Compounds by Fermentation. 2021 , 9, 220	10
286	A Novel Process for the Recovery of Betalains from Unsold Red Beets by Low-Temperature Enzyme-Assisted Extraction. 2021 , 10,	7
285	Patented and commercialized applications. 2021 , 295-311	
284	Conventional macro- and micromolecules separation. 2021 , 89-107	0
283	Non-compliant Fruit as New Functional Food Ingredients. 2021 , 189-204	
282	Olive-mill wastewater: a paradigm shift toward its sustainable management. 2021 , 617-639	
281	Various Approaches for Food Waste Processing and Its Management. 2021 , 578-594	0
280	Microwave-assisted Extraction for Maximizing the Yield of Phenolic Compounds and Antioxidant Capacity from Cacao Pod Husk (<i>Theobroma cacao</i> L.). 2021 , 17, 225-237	2
279	Emerging extraction technologies of steviol glycosides from <i>Stevia rebaudiana</i> Bertoni. 2021 , 201-220	1
278	Emerging product formation. 2021 , 257-275	0
277	Sustainable agricultural waste diversity: advances in green energy and materials production. 2021 , 55-73	1
276	Biochemical characterization of two cellobiose 2-epimerases and application for efficient production of lactulose and epilactose. 2021 , 3, 57-64	4
275	Membrane bioreactors for wastewater treatment. 2021 , 423-443	0
274	Need for a balance between short food supply chains and integrated food processing sectors: COVID-19 takeaways from India. 2021 , 58, 1-9	6
273	Vacuum Microwave-Assisted Aqueous Extraction of Polyphenolic Compounds from Avocado (<i>Persea Americana</i>) Solid Waste. 2021 , 13, 2166	7

272	Bioactive Compounds from Vine Shoots, Grape Stalks, and Wine Lees: Their Potential Use in Agro-Food Chains. 2021 , 10,	20
271	Rainbow Trout (<i>Oncorhynchus mykiss</i>) Skin as Potential n-3 Fatty Acid Source. 2021 , 12, 5665-5673	2
270	Improvement in novel ultrasound-assisted extraction technology of high value-added components from fruit and vegetable peels. 2021 , 44, e13658	2
269	Transformation of the Food Sector: Security and Resilience during the COVID-19 Pandemic. 2021 , 10,	39
268	Concentration of Bioactive Phenolic Compounds in Olive Mill Wastewater by Direct Contact Membrane Distillation. 2021 , 26,	13
267	Farmed Gilthead Sea Bream (<i>Lepomis niloticus</i>) by-Products Valorization: Viscera Oil β Enrichment by Short-Path Distillation and In Vitro Bioactivity Evaluation. 2021 , 19,	5
266	Impacts of COVID-19 on agriculture and food security in developing countries: potential mitigation strategies.. 2021 , 16,	5
265	Modification of coffee coproducts by-products by dynamic high pressure, acetylation and hydrolysis by cellulase: A potential functional and sustainable food ingredient. 2021 , 68, 102608	4
264	Recovery of Anthocyanins and Monosaccharides from Grape Marc Extract by Nanofiltration Membranes. 2021 , 26,	4
263	Gluten-Free Breadsticks Fortified with Phenolic-Rich Extracts from Olive Leaves and Olive Mill Wastewater. 2021 , 10,	6
262	Physicochemical and mechanical properties during storage-cum maturity stages of raw harvested wild banana (<i>Musa balbisiana</i> , BB). 2021 , 15, 3336-3349	2
261	Innovations and technology disruptions in the food sector within the COVID-19 pandemic and post-lockdown era. <i>Trends in Food Science and Technology</i> , 2021 , 110, 193-200	15-3 104
260	Utilization of Eggshell Membrane and Olive Leaf Extract for the Preparation of Functional Materials. 2021 , 10,	4
259	Valorization of byproducts from tropical fruits: A review, Part 2: Applications, economic, and environmental aspects of biorefinery via supercritical fluid extraction. 2021 , 20, 2305-2331	8
258	Extraction of Cannabinoids from <i>Cannabis sativa</i> L. (Hemp)âReview. 2021 , 11, 384	16
257	Lipid Extracts from <i>Caulerpa lentillifera</i> Waste: An Alternative Product in a Circular Economy. 2021 , 13, 4491	1
256	The Potential of Grape Pomace Varieties as a Dietary Source of Pectic Substances. 2021 , 10,	18
255	Valorized Food Processing By-Products in the EU: Finding the Balance between Safety, Nutrition, and Sustainability. 2021 , 13, 4428	20

254	A Structured Approach to Recover Valuable Compounds from Agri-food Side Streams. 2021 , 14, 1387-1406	7
253	A comparative study of bioactive compounds, antioxidant activity and phenolic compounds of melon (<i>Cucumis melo</i> L.) slices dehydrated by oven, microwave and infrared systems. 2021 , 45, e15605	2
252	Circular bioeconomy strategies: From scientific research to commercially viable products. 2021 , 295, 126407	25
251	Recovery of Phenolic Compounds from Pomegranate Peels by Sequential Processes of Water Base Extraction and Ultrafiltration: Modelling of the Process Efficiency and Fouling Analysis. 1	1
250	Influences of Microwave-Assisted Extraction Parameters on Antioxidant Activity of the Extract from Peels. 2021 , 10,	7
249	Effects of heat pump drying and superfine grinding on the composition of bound phenolics, morphology and microstructure of lychee juice by-products. 2021 , 144, 111206	6
248	Potential of Olive Oil Mill Wastewater as a Source of Polyphenols for the Treatment of Skin Disorders: A Review. 2021 , 69, 7268-7284	6
247	Valorisation of Sea Buckthorn Pomace by Optimization of Ultrasonic-Assisted Extraction of Soluble Dietary Fibre Using Response Surface Methodology. 2021 , 10,	4
246	Pathogens in animal carcasses and the efficacy of rendering for pathogen inactivation in rendered products: A review. 2021 , 3, 100010	3
245	Recovery of protein-based compounds from meat by-products by membrane-assisted separations: a review. 2021 , 96, 3025	8
244	Optimization of extraction conditions and evaluation of Manilkara zapota (L.) P. Royen fruit peel extract for in vitro α -glucosidase enzyme inhibition and free radical scavenging potential. 2021 , 7,	1
243	Advantages and Disadvantages of Bioplastics Production from Starch and Lignocellulosic Components. 2021 , 13,	21
242	Covalent Interaction between High Hydrostatic Pressure-Pretreated Rice Bran Protein Hydrolysates and Ferulic Acid: Focus on Antioxidant Activities and Emulsifying Properties. 2021 , 69, 7777-7785 ⁹	
241	Valorisation of food wastes to produce natural pigments using non-thermal novel extraction methods: a review.	5
240	Nanofiltration in the Food Industry. 2021 , 499-542	2
239	Non-thermal processing technologies for the recovery of bioactive compounds from marine by-products. 2021 , 147, 111549	13
238	Circular economy implementation in the agricultural sector: Definition, strategies and indicators. 2021 , 170, 105618	24
237	Unravelling scientific research towards the green extraction of phenolic compounds from leaves: a bibliometric analysis.	2

236	Utilization of Nanotechnology to Improve the Application and Bioavailability of Phytochemicals Derived from Waste Streams. 2021 ,	10
235	Waste Bread as Main Ingredient for Cookie Elaboration. 2021 , 10,	1
234	Edible Packaging from Fruit Processing Waste: A Comprehensive Review. 1-32	6
233	Valorization of Artichoke Industrial By-Products Using Green Extraction Technologies: Formulation of Hydrogels in Combination with Paulownia Extracts. 2021 , 26,	2
232	Valorization and Application of Fruit and Vegetable Wastes and By-Products for Food Packaging Materials. 2021 , 26,	10
231	Valorisation of walnut shell and pea pod as novel sources for the production of xylooligosaccharides. 2021 , 263, 117932	6
230	Robust nanocarriers to engineer nanobiocatalysts for bioprocessing applications. 2021 , 293, 102438	12
229	Biological protein precipitation: A green process for the extraction of cucumisin from melon (<i>Cucumis melo</i> L. <i>inodorus</i>) by-products. 2021 , 116, 106650	4
228	Edible fruit extracts and fruit juices as potential source of antiviral agents: a review. 2021 , 15, 5181	6
227	Circular food supply chains âImpact on value addition and safety. <i>Trends in Food Science and Technology</i> , 2021 , 114, 323-332	15,3 23
226	Olive Mill Wastewater as Renewable Raw Materials to Generate High Added-Value Ingredients for Agro-Food Industries. 2021 , 11, 7511	12
225	Phenolic Compounds from Irradiated Olive Wastes: Optimization of the Heat-Assisted Extraction Using Response Surface Methodology. 2021 , 9, 231	5
224	Innovative Non-Thermal Technologies for Recovery and Valorization of Value-Added Products from Crustacean Processing By-Products-An Opportunity for a Circular Economy Approach. 2021 , 10,	3
223	Sustainable green processing of grape pomace for the production of value-added products: An overview. 2021 , 23, 101592	11
222	Green non-conventional techniques for the extraction of polyphenols from agricultural food by-products: A review. 2021 , 1651, 462295	13
221	Application of Conventional and Non-Conventional Extraction Methods to Obtain Functional Ingredients from Jackfruit (<i>Artocarpus heterophyllus</i> Lam.) Tissues and By-Products. 2021 , 11, 7303	3
220	An overview of different homogenizers, their working mechanisms and impact on processing of fruits and vegetables. 2021 , 1-14	1
219	The Yield, Fruit Quality and Some of Nutraceutical Characteristics of Saskatoon Berries (<i>Amelanchier alnifolia</i> Nutt.) in the Conditions of Eastern Poland. 2021 , 11, 824	1

218	Circular Economy for a Sustainable Agri-Food Supply Chain: A Review for Current Trends and Future Pathways. 2021 , 13, 9294	10
217	Effect of adding byproducts of chicken slaughter on the quality of sausage over storage. 2021 , 100, 101178	0
216	Design, development, and performance evaluation of an ohmic extractor to valorize fruit by-products based on Taguchi method: Reduced energy consumption and enhanced total phenolics. e13825	1
215	A clean and green technology for oleuropein rich extract from <i>Olea europaea</i> by-product. 2021 , 22, 100493	0
214	Extraction of phenolic compounds from cocoa shell: Modeling using response surface methodology and artificial neural networks. 2021 , 270, 118779	19
213	Evaluation of Sustainable Alternative Fuel from Waste Coffee Grounds.	
212	Food by-products valorisation: Grape pomace and olive pomace ($p^{\wedge} E^{\circ}$) as sources of phenolic compounds and fiber for enrichment of tagliatelle pasta. 2021 , 355, 129642	15
211	Recent developments in emerging technologies for beetroot pigment extraction and its food applications. 2021 , 356, 129611	8
210	The Food-Materials Nexus: Next Generation Bioplastics and Advanced Materials from Agri-Food Residues. 2021 , 33, e2102520	10
209	Bioactive Peptides from Legumes and Their Bioavailability.	1
208	Evaluation of extraction technologies of lycopene: Hindrance of extraction, effects on isomerization and comparative analysis - A review. <i>Trends in Food Science and Technology</i> , 2021 , 115, 285-296	15.3 6
207	Pectins obtained by ultrasound from agroindustrial by-products. 2021 , 118, 106799	5
206	Microencapsulation of carotenoid-rich materials: A review. 2021 , 147, 110571	13
205	Phenolic Compounds in the Built Environment.	1
204	Waste Valorization: Physical, Chemical, and Biological Routes. 2021 , 229-255	
203	Emerging waste valorisation techniques to moderate the hazardous impacts, and their path towards sustainability. 2022 , 423, 127023	8
202	Conventional purification and isolation. 2021 , 129-153	
201	Conventional product formation. 2021 , 155-170	

200 Cost and safety issues of emerging technologies against conventional techniques. **2021**, 279-294

199 Classification and target compounds. **2021**, 21-49

0

198 Implementing the circular economy paradigm in the agri-food supply chain: The role of food waste prevention technologies. **2021**, 164, 105114

46

197 Recent development in nanofiltration process applications. **2021**, 97-129

2

196 Emerging macroscopic pretreatment. **2021**, 173-193

195 Plant-based by-products. **2021**, 367-397

1

194 Conventional extraction. **2021**, 109-127

2

193 Effective rebaudioside a separation from stevia extracts by enzymatic bioconversion. **2021**, 45, e15202

1

192 The universal recovery strategy. **2021**, 51-68

191 Natural deep eutectic solvents for sustainable extraction of pigments and antioxidants from agri-processing waste. **2021**, 747-785

190 Functionality of Food Components and Emerging Technologies. **2021**, 10,

71

189 Potential Industrial Use of Compounds from By-Products of Fruits and Vegetables. **2019**, 273-307

7

188 Potential Application of Native Fruit Wastes from Argentina as Nonconventional Sources of Functional Ingredients. **2020**, 173-190

1

187 Phenolic acids from vegetables: A review on processing stability and health benefits. **2020**, 136, 109298

95

186 Pulsed electric field (PEF) as pre-treatment to improve the phenolic compounds recovery from brewers' spent grains. **2020**, 64, 102402

27

185 Waste to Wealth using Green Chemistry. **2013**, 66-82

3

184 Comparison of the Efficiency of Different Extraction Methods on Antioxidants of Maltease Orange Peel. **2016**, 3, 1-13

5

183 Valorization of Fruits by-products to Unconventional Sources of Additives, Oil, Biomolecules and Innovative Functional Foods. **2019**, 20, 776-786

18

182	Wpływ strat i marnotrawstwa żywności na bezpieczeństwo żywnościowe. 2017 , 17(32), 125-141	4
181	Residuos agroindustriales su impacto, manejo y aprovechamiento. 2017 , 9, 122	7
180	Pressure-driven membrane processes involved in waste management in agro-food industries: A viewpoint. 2018 , 6, 1025-1031	6
179	Nuevos xenófitos de La Palma (Islas Canarias, España), con énfasis en las especies naturalizadas y (potencialmente) invasoras. Parte 2.. 37, 005	1
178	Sustainable Management of Coffee and Cocoa Agro-Waste. 2019 , 141-164	1
177	Food Processing Industries, Food Waste Classification and Handling, Target Compounds. 2021 , 17-78	
176	Biocascading: Platform Molecules, Value Added Chemicals, and Bioactives. 2021 , 169-229	
175	Biocascading: General Strategy for the Recovery of Valuable Substances from Food Waste. 2021 , 109-167	
174	Progress in the Valorization of Fruit and Vegetable Wastes: Active Packaging, Biocomposites, By-Products, and Innovative Technologies Used for Bioactive Compound Extraction. 2021 , 13,	7
173	Influence of Ripening on Polyphenolic Content, Degradative, and Browning Enzymes in Cantaloupe Varieties (C. Melo, L.). 2021 , 7, 421	1
172	Encyclopedia of Membranes. 2016 , 1-3	
171	Techno-Economic Evaluation of Refining of Food Supply Chain Wastes for the Production of Chemicals and Biopolymers. 2017 , 147-164	1
170	Carotenoids. 2017 , 313-362	
169	Interaction of Compounds. 2017 , 573-592	
168	Surplus Food Redistribution: A Conceptual Framework. 2017 , 51-67	
167	Quantitative Profile of Fatty Acids and Tocopherols in Tamarind Seeds (Tamarindus indica L.) From Different States of Brazil. 2017 , 11, 118-128	1
166	12: Valorization of Waste and By-products from the Agrofood Industry using Fermentation Processes and Enzyme Treatments. 2017 , 314-341	
165	Main Industrial Citrus By-Products in Spain—Citrus Dietary Fiber. 2017 , 409-436	

- 164 Ease of Phytochemical Extraction and Analysis from Plants?. **2017**, 1, 26-31 0
- 163 Some Technological Pretreatments Applied During Olive Oil Extraction: Impacts on Quality Parameters and Minor Constituents. **2018**, 4, 47-57
- 162 Advanced technologies for capitalization of agro-food industry wastes. **2018**,
- 161 Innovative Sources. **2019**, 235-265 1
- 160 Various Approaches for Food Waste Processing and Its Management. **2019**, 191-211
- 159 OPTIMISATION OF ORGANIC SOLVENT EXTRACTION OF TOTAL CAROTENOIDS FROM BULGARIAN TOMATO PROCESSING WASTE. **2019**, 13, 1
- 158 Agro-Industrial Waste Valorization to Energy and Value Added Products for Environmental Sustainability. **2020**, 1-9
- 157 Pomegranate. **2020**, 253-279
- 156 Spelt vs common wheat: potential advantages and benefits. **2020**, 57-64 1
- 155 Onion (*Allium cepa* L.) peel extracts characterization by conventional and modern methods. **2021**, 17, 485-493 0
- 154 Bio Discarded from Waste to Resource. **2021**, 10, 5
- 153 SOFRALIK ZEYTİNİN BETİMLİDEN KAYNAKLANAN ATIKSULARIN İZELLİKLERİVE ARITMA YÖNTEMLERİ**2020**, 8, 1312-1323
- 152 Drivers and Barriers for the Valorization of the Apricot Pit. **2021**, 21, 158-179 2
- 151 Vitamins. **2022**, 183-241
- 150 Effect of the COVID-19 Pandemic on Food Safety and Nutritional Behaviors. **2022**, 444-462
- 149 Enzymes. **2022**, 537-571
- 148 Introduction. **2022**, 1-18 0
- 147 Polyphenols. **2022**, 243-312 1

146	Ingredients for food products. 2022 , 117-148	
145	Proteins, Peptides, and Amino Acids. 2022 , 19-48	
144	Barbunya, Bezelye ve B ¹ Ė ĩte KabuklarĖdan Bitkisel Protein Konsantresi Ėetimi ve Karakterizasyonu ile Kivi P ¹ Ėesinin DonmasĖve Dondurularak KurutulmasĖ Ėerine Etkileri. 157-166	
143	Phytochemicals from the Fruits and Vegetable Waste: Holistic and Sustainable Approach. 2020 , 87-112	
142	Avocado. 2020 , 103-123	1
141	Circular economy in food industry. 2020 , 61, 229-250	3
140	Biotechnology for Extraction of Plant Phenolics. 2020 , 39-67	1
139	Problems and issues of food waste-based biorefineries. 2020 , 343-357	0
138	Production of fine chemicals from food wastes. 2020 , 163-188	6
137	Food Processing Waste: A Potential Source for Bioactive Compounds. 2020 , 1-25	
136	Phenolics from Agro-industrial By-Products. 2020 , 331-346	3
135	Food Processing Waste: A Potential Source for Bioactive Compounds. 2020 , 625-649	2
134	Biorefinery for Innovative Production of Bioactive Compounds from Vegetable Biomass. 2020 , 89-128	1
133	Food use for social innovation by optimizing food waste recovery strategies. 2022 , 209-227	2
132	Challenges and opportunities. 2022 , 335-344	
131	Equipment and recent advances in pulsed electric fields. 2022 , 149-172	2
130	Evaluation of Sambucus nigra L. Biopotential as an Unused Natural Resource. 2021 , 11, 11207	0
129	Analyzing the phenolic enriched fractions from Nixtamalization wastewater (Nejayote) fractionated in a three-step membrane process.. 2022 , 5, 1-10	0

128	Exploring different strategies of separation of antioxidant compounds from winery by-products via surfactant-assisted processes for process intensification and integration. 2021 , 131, 191-191	0
127	Mango Peel Pectin: Recovery, Functionality and Sustainable Uses. 2021 , 13,	2
126	A sesquiterpenes-rich fraction from potato with bioactive properties against selected leukemia cell lines. 2021 , 41-50	
125	Design of experiments (DoE) to model phenolic compounds recovery from grape pomace using ultrasounds. 2021 , 1-12	0
124	Nano- from nature to nurture: A comprehensive review on facets, trends, perspectives and sustainability of nanotechnology in the food sector. 2021 , 240, 122732	7
123	Agro-industrial by-products: Valuable sources of bioactive compounds.. 2022 , 152, 110871	5
122	Pulsed ultrasound assisted extraction of protein from defatted Bitter melon seeds (<i>Momardica charantia</i> L.) meal: Kinetics and quality measurements. 2022 , 155, 112997	2
121	Waste(water) to feed protein: effluent characteristics, protein recovery, and single-cell protein production from food industry waste streams. 2022 , 201-244	
120	Sustainable Food systems. 2022 , 15-46	
119	Qualitative and Quantitative Analysis of Phenolic Compounds in Spray-Dried Olive Mill Wastewater.. 2021 , 8, 782693	3
118	Novel Approaches for the Recovery of Natural Pigments with Potential Health Effects.. 2022 ,	4
117	Food waste and by-product valorization as an integrated approach with zero waste: Future challenges. 2022 , 569-596	0
116	Brazilian Agro-industrial Wastes as Potential Textile and Other Raw Materials: a Sustainable Approach. 2022 , 4, 1	3
115	Recovery of high-value compounds from food by-products. 2022 , 61-88	0
114	Beneficial Effects of Bioactive Compounds Obtained from Agro-Industrial By-Products on Obesity and Metabolic Syndrome Components. 1-30	0
113	Sustainable Applications for the Valorization of Cereal Processing By-Products.. 2022 , 11,	8
112	Valorization of Pineapple Pomace for Food or Feed: Effects of Pre-treatment with Ethanol on Convective Drying and Quality Properties. 2022 , 13, 2253	0
111	Impact of information technology and knowledge sharing on circular food supply chains for green business growth.	2

110	Influence of the extraction method on the recovery of bioactive phenolic compounds from food industry by-products.. 2021 , 378, 131918	9
109	Optimization of methanol extraction parameters for total flavonoids from onion processing waste. 2022 , 45, 02008	
108	Amelioration of diabetes and its complications by Manilkara zapota (L) P. Royen fruit peel extract and its fractions in alloxan and STZ-NA induced diabetes in Wistar rats. 1	0
107	Valorization of Peach (<i>Prunus persica</i>) Fruit Waste. 2022 , 589-604	
106	Leveraging the Cucumis melo Wastes. 2022 , 627-646	
105	Plum (<i>Prunus domestica</i> L.) Wastes. 2022 , 605-624	
104	Innovative processes for the extraction of bioactive compounds from winery wastes and by-products. 2022 , 281-303	0
103	Novel Approaches in the Valorization of Agricultural Wastes and Their Applications.. 2022 ,	11
102	Chapter 12. Potential scenarios of waste to food concept and further research, development and innovation. 2022 , 283-300	
101	Eco-Innovations Transition of Agri-food Enterprises Into a Circular Economy. 2022 , 6,	0
100	Effect of Temperatures on Polyphenols during Extraction. 2022 , 12, 2107	11
99	Optimization and kinetics of polyphenol recovery from raw mango (<i>Mangifera indica</i> L.) peel using a glycerol-sodium acetate deep eutectic solvent system. 1	
98	A Comparative Study between Conventional and Advanced Extraction Techniques: Pharmaceutical and Cosmetic Properties of Plant Extracts.. 2022 , 27,	1
97	Effect of Extraction Method on the Bioactive Composition, Antimicrobial Activity and Phytotoxicity of Pomegranate By-Products.. 2022 , 11,	0
96	Effects of Grape Pomace Polyphenols and In Vitro Gastrointestinal Digestion on Antimicrobial Activity: Recovery of Bioactive Compounds.. 2022 , 11,	4
95	Natural colorants from vegetable food waste: Recovery, regulatory aspects, and stability-A review.. 2022 ,	7
94	Carica papaya biowaste valorization: Biorefinery advances and extraction optimization. 1-16	
93	Avokado: Ėnmesi ve Kullanım Alanları-80-93	

92	Valorization of âBossa di Tropeaâ Onion Waste through Green Recovery Techniques of Antioxidant Compounds. 2022 , 14, 4387	1
91	Combining natural deep eutectic solvent and microwave irradiation towards the eco-friendly and optimized extraction of bioactive phenolics from <i>Eugenia uniflora</i> L.. 2022 , 26, 100618	2
90	Pulsed vacuum drying of banana: Effects of ripeness on drying kinetics and physicochemical properties and related mechanism. 2022 , 161, 113362	3
89	Modeling of a spray-drying process for the encapsulation of high-added value extracts from food by-products. 2022 , 161, 107772	0
88	Biomass and organic waste potentials towards implementing circular bioeconomy platforms: A systematic bibliometric analysis. 2022 , 318, 123585	7
87	Resource recovery from fish waste: Prospects and the usage of intensified extraction technologies.. 2022 , 299, 134361	3
86	Sustainable edible packaging systems based on active compounds from food processing byproducts: A review.. 2021 ,	7
85	A comprehensive review on current and emerging technologies toward the valorization of bio-based wastes and by products from foods.. 2021 ,	7
84	Soðuk Baskay^ ðtemiyle ^ ðetilmiðGreyfurt ^ ðkirdek Yaðdaki Actif Ykama/Ekstraksiyon Teknikleriyle Giderilmesi. 404-413	
83	Non-Conventional Yeasts to Produce Aroma Compounds by Using Agri-Food Waste Materials. 2021 ,	1
82	Mechanochemical-Assisted Extraction and Hepatoprotective Activity Research of Flavonoids from Sea Buckthorn (<i>L.</i>) Pomaces.. 2021 , 26,	2
81	The zero-waste economy: from food waste to industry. 2022 , 63-100	0
80	Clean Technologies for Production of Valuable Fractions from Sardine Cooking Wastewaters: An Integrated Process of Flocculation and Reverse Osmosis. 2022 , 4, 276-295	0
79	Table_1.pdf. 2019 ,	
78	Conventional and emerging techniques for extraction of bioactive compounds from fruit waste. 25,	0
77	Valorization of Side Stream Products from Sea Cage Fattened Bluefin Tuna (<i>Thunnus thynnus</i>): Production and In Vitro Bioactivity Evaluation of Enriched ð Polyunsaturated Fatty Acids. 2022 , 20, 309	
76	Fruit Peels: Food Waste as a Valuable Source of Bioactive Natural Products for Drug Discovery. 2022 , 44, 1960-1994	1
75	Food Additives from Fruit and Vegetable By-Products and Bio-Residues: A Comprehensive Review Focused on Sustainability. 2022 , 14, 5212	1

- 74 Emerging biotechnological strategies for food waste management: A green leap towards achieving high-value products and environmental abatement. **2022**, 6, 100077 1
- 73 From Fruit and Vegetable Waste to Biofuel Production: Part II. **2022**, 81-124
- 72 Nanostructured Materials from Biobased Precursors for Renewable Energy Storage Applications. 307-366 0
- 71 Cherries and Blueberries-Based Beverages: Functional Foods with Antidiabetic and Immune Booster Properties. **2022**, 27, 3294 1
- 70 Fruit residues as diet ingredients for *Symphysodon discus*: nutrient digestibility. **2022**, 43, 1875-1882
- 69 Encapsulation of bioactive compounds extracted from *Cucurbita moschata* pumpkin waste: The multi-objective optimization study. 1-39 0
- 68 Value-added product development from food scraps. **2022**, 417-435
- 67 Recovery of Natural Polyphenols from Spinach and Orange By-Products by Pressure-Driven Membrane Processes. **2022**, 12, 669 1
- 66 Impact of Cell Disintegration Techniques on Curcumin Recovery.
- 65 Fruit and Vegetable Peel-Enriched Functional Foods: Potential Avenues and Health Perspectives. **2022**, 2022, 1-14 3
- 64 Plant-Based Fermented Beverages and Key Emerging Processing Technologies. 1-20
- 63 Definitions and Procedures for Characterization of Biodegradable Waste. **2022**, 55-67
- 62 Steps Toward a More Sustainable Use of Major Cereal Crops. **2023**,
- 61 Membrane Technology for Valorization of Mango Peel Extracts. **2022**, 11, 2581 1
- 60 Polyelectrolyte Precipitation: A New Green Chemistry Approach to Recover Value-Added Proteins from Different Sources in a Circular Economy Context. **2022**, 27, 5115
- 59 Agri-Food Surplus, Waste and Loss as Sustainable Biobased Ingredients: A Review. **2022**, 27, 5200 0
- 58 Valorization of Agri-Food By-Products from Plant Sources Using Pressure-Driven Membrane Processes to Recover Value-Added Compounds: Opportunities and Challenges. 1-25 0
- 57 A Systematic Review on Waste as Sustainable Feedstock for Bioactive MoleculesâExtraction as Isolation Technology. **2022**, 10, 1668

56	Integrated biorefineries for repurposing of food wastes into value-added products. 2022 , 363, 127856	1
55	Fruit stones as green materials for wastewater remediation. 2023 , 83-101	0
54	By-products of hemp from a nutritional point of view: new perspectives and opportunities. 2023 , 493-518	0
53	Enzyme technology for value addition in the beverage industry waste. 2023 , 27-50	0
52	Emerging Non-thermal Processing of Food Waste and by-Products for Sustainable Food Systems - Selected Cases. 2022 , 687-709	0
51	Importance of polyphenols: Consumption and human health. 2022 , 1-23	0
50	Ultrasounds technology to recover polyphenols. 2022 , 201-223	0
49	Microbial Processing for Valorization of Waste and Application. 2022 , 188-210	0
48	Functional Polymer and Packaging Technology for Bakery Products. 2022 , 14, 3793	3
47	Recent Technological Advances in Phenolic Compounds Recovery and Applications: Source of Nutraceuticals for the Management of Diabetes. 2022 , 12, 9271	0
46	Influence of High-Power Ultrasound on Yield of Proteins and Specialized Plant Metabolites from Sugar Beet Leaves (<i>Beta vulgaris</i> subsp. <i>vulgaris</i> var. <i>altissima</i>). 2022 , 12, 8949	1
45	Dehydrated Food Waste for Composting: An Overview. 2022 , 30, 2933-2960	0
44	Effects of particle size on structural, physical, mechanical and tribology behaviour of agricultural waste (corn cob micro/nano-filler) based epoxy biocomposites.	0
43	Artichoke bracts as fat and wheat flour replacer in cake: optimization of reduced fat and reduced wheat flour cake formulation.	0
42	Biogenic Metallic Nanoparticles from Seed Extracts: Characteristics, Properties, and Applications. 2022 , 2022, 1-22	0
41	Optimization of the Parameters Influencing the Antioxidant Activity and Concentration of Anthocyanins Extracted from Red Onion Skins Using a Central Composite Design. 2022 , 7, 89	0
40	Anthocyanin: a review of plant sources, extraction, stability, content determination and modifications.	2
39	Upgrading the Functional Potential of Apple Pomace in Value-Added Ingredients with Probiotics. 2022 , 11, 2028	0

38	Fluorescent Carbon Dots from Vegetable and Fruit Wastes and Their Applications. 2022 , 365-383	0
37	Fruit and Vegetable Peel Waste: Applications in Food and Environmental Industries. 2022 , 259-287	0
36	Vegetable and Fruit Wastes: Utilization in Novel Industrial Applications. 2022 , 207-235	0
35	The intersection of blockchain technology and circular economy in the agri-food sector. 2022 ,	1
34	Agri-Food By-Products in Cancer: New Targets and Strategies. 2022 , 14, 5517	3
33	Fatty acids in seed oil of wild and cultivated rosehip (<i>Rosa canina</i> L.) from different locations in Serbia. 2023 , 191, 115797	1
32	Sustainable raw materials for efficient valorization and recovery of bioactive compounds. 2023 , 193, 116167	1
31	An Alternative Source of Biopesticides and Improvement in Their FormulationâRecent Advances. 2022 , 11, 3172	1
30	Reintegration of Food Industry By-Products: Potential Applications. 2022 , 11, 3743	0
29	Exploring the Amino-Acid Composition, Secondary Structure, and Physicochemical and Functional Properties of Chickpea Protein Isolates.	0
28	Evaluation of the antimicrobial effects of Capsicum, <i>Nigella sativa</i> , <i>Musa paradisiaca</i> L., and <i>Citrus limetta</i> : A review. 6,	0
27	Protein Characteristics and Bioactivity of Fish Protein Hydrolysates from Tra Catfish (<i>Pangasius hypophthalmus</i>) Side Stream Isolates. 2022 , 11, 4102	0
26	Recent Insights on the Role of Various Food Processing Operations Towards the Development of Sustainable Food Systems.	0
25	Barometric Membrane Technologies for Plant Protein Purification. 2023 , 61-87	0
24	Moving towards the Application of Biocatalysis in Food Waste Biorefinery. 2023 , 9, 73	2
23	Industrial symbiosis and agri-food system: Themes, links, and relationships. 6,	0
22	Effects of Fermentation Process on the Antioxidant Capacity of Fruit Byproducts. 2023 , 8, 4543-4553	0
21	Olive, apple, and grape pomaces with antioxidant and anti-inflammatory bioactivities for functional foods. 2023 , 131-159	0

- 20 Valorization of Fruit Waste for Bioactive Compounds and Their Applications in the Food Industry. **2023**, 12, 556 ○
- 19 Advances in ultrasound-assisted extraction of bioactive compounds (antioxidant compounds) from agrofood waste. **2023**, 217-246 ○
- 18 High-added-value compounds from agro-food industry wastewater. **2023**, 1-24 ○
- 17 Case study 1: fruit and vegetable waste valorizationâworld scenario. **2023**, 229-251 ○
- 16 From Agricultural Waste to Functional Food Products: An Overview. **2023**, 489-520 ○
- 15 How do pH and temperature influence extraction yield, physicochemical, functional, and rheological characteristics of brewer spent grain protein concentrates?. **2023**, 139, 34-45 1
- 14 Scientific substantiation of the use of plant processing derivatives for enrichment of ferrous milk drinks. **2022**, 58-64 ○
- 13 Valuable Materials from Olive Mill Wastewater. **2023**, 61-83 ○
- 12 Food Production Impacted by COVID-19 Pandemic. ○
- 11 Tannin Extraction from Chestnut Wood Waste: From Lab Scale to Semi-Industrial Plant. **2023**, 13, 2494 ○
- 10 Development of Dairy Products Fortified with Plant Extracts: Antioxidant and Phenolic Content Characterization. **2023**, 12, 500 ○
- 9 Effects of abstract and concrete communication on moral signalling and purchase intention of upcycled food products. **2023**, 8, 100110 ○
- 8 Potential Transformation of Organic Waste in African Countries by Using Vermicomposting Technology. **2023**, 335-348 ○
- 7 Exploring the Potential of Pomegranate Peel Extract as a Natural Food Additive: A Review. ○
- 6 Virgin Olive Oil By-Product Valorization: An Insight into the Phenolic Composition of Olive Seed Extracts from Three Cultivars as Sources of Bioactive Molecules. **2023**, 28, 2776 ○
- 5 Catalytic pyrolysis of olive mill wastes towards advanced bio-fuels and bio-chemicals using metal oxide catalysts. **2023**, 114151 ○
- 4 Ultrasound-induced cell disintegration and its ultrastructure characterization for the valorisation of *Chlorella pyrenoidosa* protein. **2023**, 129046 ○
- 3 Functional Foods and Bioactive Compounds through Environmentally Benign Emerging Processes. **2023**, 11, 1182 ○

- 2 WASTE AND BY-PRODUCTS AS SOURCES OF LYCOPENE, PHYTOENE, AND PHYTOFLUENE - INTEGRATIVE REVIEW WITH BIBLIOMETRIC ANALYSIS. **2023**, 112838 ○
- 1 Optimization of the subcritical water extraction of sulfated flavonoids from *Flaveria bidentis*. **2023**, 105958 ○