

Amalgamation of the North China Craton: Key issues and

Precambrian Research

222-223, 55-76

DOI: [10.1016/j.precamres.2012.09.016](https://doi.org/10.1016/j.precamres.2012.09.016)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Precambrian geology of China. <i>Precambrian Research</i> , 2012, 222-223, 13-54. | 1.2 | 1,241 |
| 2 | Precambrian geology of China: Preface. <i>Precambrian Research</i> , 2012, 222-223, 1-12. | 1.2 | 176 |
| 4 | Zircon U-Pb dating and Hf isotope analysis on the Taihua Complex: Constraints on the formation and evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2013, 230, 31-44. | 1.2 | 87 |
| 5 | Zircon U-Pb ages, trace elements and Nd-Hf isotopic geochemistry of Guyang sanukitoids and related rocks: Implications for the Archean crustal evolution of the Yinshan Block, North China Craton. <i>Precambrian Research</i> , 2013, 230, 61-78. | 1.2 | 82 |
| 6 | Metamorphic P-T paths and New Zircon U-Pb age data for garnet-mica schist from the Wutai Group, North China Craton. <i>Precambrian Research</i> , 2013, 233, 282-296. | 1.2 | 138 |
| 7 | Neoproterozoic siliceous high-Mg basalt (SHMB) from the Taishan granite-greenstone terrane, Eastern North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2013, 228, 233-249. | 1.2 | 57 |
| 8 | Lacustrine turbidites in the Eocene Shahejie Formation, Dongying Sag, Bohai Bay Basin, North China Craton. <i>Geological Journal</i> , 2013, 48, 561-578. | 0.6 | 32 |
| 9 | Neoproterozoic-Paleoproterozoic multiple tectonothermal events in the western Alxa block, North China Craton and their geological implication: Evidence from zircon U-Pb ages and Hf isotopic composition. <i>Precambrian Research</i> , 2013, 235, 36-57. | 1.2 | 118 |
| 10 | Metamorphic P-T-t paths retrieved from the amphibolites, Lushan terrane, Henan Province and reappraisal of the Paleoproterozoic tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2013, 238, 61-77. | 1.2 | 78 |
| 11 | Tectonic framework and crustal evolution of the Precambrian basement of the Tarim Block in NW China: New geochronological evidence from deep drilling samples. <i>Precambrian Research</i> , 2013, 235, 150-162. | 1.2 | 233 |
| 12 | Geochemical, Sr-Nd isotopic, and zircon U-Pb geochronological constraints on the petrogenesis of Late Paleoproterozoic mafic dykes within the northern North China Craton, Shanxi Province, China. <i>Precambrian Research</i> , 2013, 236, 182-192. | 1.2 | 21 |
| 13 | Late Paleoproterozoic multiple metamorphic events in the Quanjia Massif: Links with Tarim and North China Cratons and implications for assembly of the Columbia supercontinent. <i>Precambrian Research</i> , 2013, 228, 102-116. | 1.2 | 83 |
| 14 | The evolution of the Central Yangtze Block during early Neoproterozoic time: Evidence from geochronology and geochemistry. <i>Journal of Asian Earth Sciences</i> , 2013, 77, 31-44. | 1.0 | 63 |
| 15 | Paleoproterozoic collisional orogeny in Central Tianshan: Assembling the Tarim Block within the Columbia supercontinent. <i>Precambrian Research</i> , 2013, 228, 1-19. | 1.2 | 74 |
| 16 | Precambrian evolution of the Lhasa terrane, Tibet: Constraint from the zircon U-Pb geochronology of the gneisses. <i>Precambrian Research</i> , 2013, 237, 64-77. | 1.2 | 53 |
| 17 | Zircon U-Pb ages and Lu-Hf isotopes of Paleoproterozoic metasedimentary rocks in the Korla Complex, NW China: Implications for metamorphic zircon formation and geological evolution of the Tarim Craton. <i>Precambrian Research</i> , 2013, 231, 1-18. | 1.2 | 120 |
| 18 | Late Paleoproterozoic rift-related magmatic rocks in the North China Craton: Geological records of rifting in the Columbia supercontinent. <i>Earth-Science Reviews</i> , 2013, 125, 69-86. | 4.0 | 34 |
| 19 | Zircon U-Pb and Lu-Hf isotopic constraints on Archean crustal evolution in the Liaonan Complex of northeast China. <i>Lithos</i> , 2013, 177, 164-183. | 0.6 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Metamorphism of the northern Liaoning Complex: Implications for the tectonic evolution of Neoproterozoic basement of the Eastern Block, North China Craton. <i>Geoscience Frontiers</i> , 2013, 4, 305-320. | 4.3 | 55 |
| 21 | Zircon U-Pb age and Lu-Hf isotope constraints on Precambrian evolution of continental crust in the Songshan area, the south-central North China Craton. <i>Precambrian Research</i> , 2013, 226, 1-20. | 1.2 | 57 |
| 22 | Late Neoproterozoic potassic high Ba-Sr granites in the Taishan granite-greenstone terrane: Petrogenesis and implications for continental crustal evolution. <i>Chemical Geology</i> , 2013, 344, 23-41. | 1.4 | 75 |
| 23 | Zircon U-Pb geochronology and Hf isotopes of major lithologies from the Yishui Terrane: Implications for the crustal evolution of the Eastern Block, North China Craton. <i>Lithos</i> , 2013, 170-171, 164-178. | 0.6 | 99 |
| 24 | Episodic crustal growth in the southern segment of the Trans-North China Orogen across the Archean-Proterozoic boundary. <i>Precambrian Research</i> , 2013, 233, 337-357. | 1.2 | 110 |
| 25 | Zircon U-Pb and Lu-Hf isotopic and whole-rock geochemical constraints on the protolith and tectonic history of the Changhai metamorphic supracrustal sequence in the Jiao-Liao-Ji Belt, southeast Liaoning Province, northeast China. <i>Precambrian Research</i> , 2013, 233, 297-315. | 1.2 | 47 |
| 26 | Lithotectonic elements of Precambrian basement in the North China Craton: Review and tectonic implications. <i>Gondwana Research</i> , 2013, 23, 1207-1240. | 3.0 | 886 |
| 27 | Geochemistry and zircon U-Pb chronology of charnockites in the Yinshan Block, North China Craton: tectonic evolution involving Neoproterozoic ridge subduction. <i>International Geology Review</i> , 2013, 55, 1688-1704. | 1.1 | 46 |
| 28 | Oldest zircon xenocryst (4.17 Ga) from the North China Craton. <i>International Geology Review</i> , 2013, 55, 1902-1908. | 1.1 | 55 |
| 30 | Tectonic affinity and reworking of the Archean Jiaodong Terrane in the Eastern Block of the North China Craton: evidence from LA-ICP-MS U-Pb zircon ages. <i>Geological Magazine</i> , 2014, 151, 365-371. | 0.9 | 49 |
| 31 | Early Paleoproterozoic (2.45-2.20Ga) magmatic activity during the period of global magmatic shutdown: Implications for the crustal evolution of the southern North China Craton. <i>Precambrian Research</i> , 2014, 255, 627-640. | 1.2 | 143 |
| 32 | Continental dynamics in a multi-convergent regime: a receiver function study from the North-South-Trending Tectonic Zone of China. <i>International Geology Review</i> , 2014, 56, 525-536. | 1.1 | 10 |
| 33 | Syn-collisional lower continental crust anatexis in the Neoproterozoic Socorro-GuaxupÃ© Nappe System, southern BrasÃlia Orogen, Brazil: Constraints from zircon U-Pb dating, Sr-Nd-Hf signatures and whole-rock geochemistry. <i>Precambrian Research</i> , 2014, 255, 847-864. | 1.2 | 38 |
| 34 | A synthesis of geochemistry and Sm-Nd isotopes of Archean granitoid gneisses in the Jiaodong Terrane: Constraints on petrogenesis and tectonic evolution of the Eastern Block, North China Craton. <i>Precambrian Research</i> , 2014, 255, 885-899. | 1.2 | 28 |
| 36 | Neoproterozoic recycling of 18O-enriched supracrustal materials into the lower crust: Zircon record from the North China Craton. <i>Precambrian Research</i> , 2014, 248, 60-71. | 1.2 | 13 |
| 37 | Geochronology, petrogenesis and tectonic implications of Paleoproterozoic granitoid rocks in the Jiaobei Terrane, North China Craton. <i>Precambrian Research</i> , 2014, 255, 685-698. | 1.2 | 70 |
| 38 | Zircon U-Pb geochronological and Hf isotopic constraints on the Precambrian crustal evolution of the north-eastern Yeongnam Massif, Korea. <i>Precambrian Research</i> , 2014, 242, 1-21. | 1.2 | 35 |
| 39 | Neoproterozoic metagabbro and charnockite in the Yinshan block, western North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2014, 255, 563-582. | 1.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 40 | Two episodes of Paleoproterozoic metamorphosed mafic dykes in the Lvliang Complex: Implications for the evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2014, 243, 133-148. | 1.2 | 51 |
| 41 | Contrasting Lu-Hf isotopes in zircon from Precambrian metamorphic rocks in the Jiaodong Peninsula: Constraints on the tectonic suture between North China and South China. <i>Precambrian Research</i> , 2014, 245, 29-50. | 1.2 | 49 |
| 42 | Metamorphic evolution and zircon U-Pb geochronology of the Mts. Huashan amphibolites: Insights into the Palaeoproterozoic amalgamation of the North China Craton. <i>Precambrian Research</i> , 2014, 245, 100-114. | 1.2 | 70 |
| 43 | Nd isotopic and geochemical constraints on the provenance and tectonic setting of the low-grade meta-sedimentary rocks from the Trans-North China Orogen, North China Craton. <i>Journal of Asian Earth Sciences</i> , 2014, 94, 173-189. | 1.0 | 26 |
| 44 | ⁴⁰ Ar/ ³⁹ Ar age constraints on Cretaceous fossil-bearing formations near the China-North Korea border. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 396, 93-98. | 1.0 | 13 |
| 45 | Geochronological and geochemical constraints on the L ₄ liang Group in the L ₄ liang Complex: Implications for the tectonic evolution of the Trans-North China Orogen. <i>Lithos</i> , 2014, 198-199, 298-315. | 0.6 | 61 |
| 46 | Zircon U-Pb ages and Hf isotope of gneissic rocks from the Huai-Tan Complex: Implications for crustal accretion and tectonic evolution in the northern margin of the North China Craton. <i>Precambrian Research</i> , 2014, 255, 335-354. | 1.2 | 37 |
| 47 | Archean crustal evolution in the southeastern North China Craton: New data from the Huoqiu Complex. <i>Precambrian Research</i> , 2014, 255, 294-315. | 1.2 | 32 |
| 48 | Hadean to Neoproterozoic episodic crustal growth: Detrital zircon records in Paleoproterozoic quartzites from the southern North China Craton. <i>Precambrian Research</i> , 2014, 254, 245-257. | 1.2 | 32 |
| 49 | LA-ICP-MS U-Pb geochronology of detrital zircons from the Zhaochigou Formation-complex in the Helan Mountain and its tectonic significance. <i>Science Bulletin</i> , 2014, 59, 1425-1437. | 1.7 | 6 |
| 50 | Precipitation of rutile needles in garnet from sillimanite-bearing pelitic granulite from the Khondalite Belt, North China Craton. <i>Science Bulletin</i> , 2014, 59, 4359-4366. | 1.7 | 13 |
| 51 | Mid-Mesoproterozoic (~1.32Ga) diabase swarms from the western Liaoning region in the northern margin of the North China Craton: Baddeleyite Pb-Pb geochronology, geochemistry and implications for the final breakup of the Columbia supercontinent. <i>Precambrian Research</i> , 2014, 254, 114-128. | 1.2 | 42 |
| 52 | Formation age and genesis of the Gongchangling Neoproterozoic banded iron deposit in eastern Liaoning Province: Constraints from geochemistry and SHRIMP zircon U-Pb dating. <i>Precambrian Research</i> , 2014, 254, 306-322. | 1.2 | 45 |
| 53 | Metamorphic P-T paths of the Zanhuang metamorphic complex: Implications for the Paleoproterozoic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2014, 255, 216-235. | 1.2 | 60 |
| 54 | Is the Precambrian basement of the Tarim Craton in NW China composed of discrete terranes?. <i>Precambrian Research</i> , 2014, 254, 226-244. | 1.2 | 76 |
| 55 | Spatial distribution of ~1950-1800Ma metamorphic events in the North China Craton: Implications for tectonic subdivision of the craton. <i>Lithos</i> , 2014, 202-203, 250-266. | 0.6 | 189 |
| 56 | Zircon U-Pb-Hf isotopes and geochemistry of Neoproterozoic dioritic-trondhjemitic gneisses, Eastern Hebei, North China Craton: Constraints on petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2014, 251, 1-20. | 1.2 | 92 |
| 57 | Late Paleoproterozoic medium-P high grade metamorphism of basement rocks beneath the northern margin of the Ordos Basin, NW China: Petrology, phase equilibrium modelling and U-Pb geochronology. <i>Precambrian Research</i> , 2014, 251, 181-196. | 1.2 | 54 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 58 | Neoproterozoic Algonia-type banded iron formations from Eastern Hebei, North China Craton: SHRIMP U-Pb age, origin and tectonic setting. <i>Precambrian Research</i> , 2014, 251, 212-231. | 1.2 | 44 |
| 59 | Palaeoproterozoic metamorphic evolution and geochronology of the Wugang block, southeastern terminal of the Trans-North China Orogen. <i>Precambrian Research</i> , 2014, 251, 197-211. | 1.2 | 65 |
| 60 | Complex evolution of the lower crust beneath the southeastern North China Craton: the Junan xenoliths and xenocrysts. <i>Lithos</i> , 2014, 206-207, 113-126. | 0.6 | 16 |
| 61 | 2.2Ga magnesian andesites, Nb-enriched basalt-andesites, and adakitic rocks in the L ₁ liang Complex: Evidence for early Paleoproterozoic subduction in the North China Craton. <i>Lithos</i> , 2014, 208-209, 104-117. | 0.6 | 54 |
| 62 | Titanite evidence for Triassic thickened lower crust along southeastern margin of North China Craton. <i>Lithos</i> , 2014, 206-207, 277-288. | 0.6 | 9 |
| 63 | Paleoproterozoic S-type granites in the Helanshan Complex, Khondalite Belt, North China Craton: Implications for rapid sediment recycling during slab break-off. <i>Precambrian Research</i> , 2014, 254, 59-72. | 1.2 | 59 |
| 64 | A massif-type (~1.86Ga) anorthosite complex in the Yeongnam Massif, Korea: late-orogenic emplacement associated with the mantle delamination in the North China Craton. <i>Terra Nova</i> , 2014, 26, 408-416. | 0.9 | 36 |
| 65 | Earliest Paleoproterozoic supracrustal rocks in the North China Craton recognized from the Daqingshan area of the Khondalite Belt: Constraints on craton evolution. <i>Gondwana Research</i> , 2014, 25, 1535-1553. | 3.0 | 69 |
| 66 | Multistage crust-mantle interactions during the destruction of the North China Craton: Age and composition of the Early Cretaceous intrusions in the Jiaodong Peninsula. <i>Lithos</i> , 2014, 190-191, 52-70. | 0.6 | 41 |
| 67 | Detrital zircon U-Pb, Hf isotopes, detrital rutile and whole-rock geochemistry of the Huade Group on the northern margin of the North China Craton: Implications on the breakup of the Columbia supercontinent. <i>Precambrian Research</i> , 2014, 254, 290-305. | 1.2 | 53 |
| 68 | U-Pb dating of zircons from granitic leucosomes in migmatites of the Jiaobei Terrane, southwestern Liao-Ji Belt, North China Craton: Constraints on the timing and nature of partial melting. <i>Precambrian Research</i> , 2014, 245, 80-99. | 1.2 | 74 |
| 69 | Depositional environment and tectonic implications of the Paleoproterozoic BIF in Changyi area, eastern North China Craton: Evidence from geochronology and geochemistry of the metamorphic wallrocks. <i>Ore Geology Reviews</i> , 2014, 61, 52-72. | 1.1 | 14 |
| 70 | Petrogenesis and tectonic significance of Paleoproterozoic meta-mafic rocks from central Liaodong Peninsula, northeast China: Evidence from zircon U-Pb dating and in situ Lu-Hf isotopes, and whole-rock geochemistry. <i>Precambrian Research</i> , 2014, 247, 92-109. | 1.2 | 157 |
| 71 | Provenance and tectonic setting of the Paleo- to Mesoproterozoic Dongchuan Group in the southwestern Yangtze Block, South China: Implication for the breakup of the supercontinent Columbia. <i>Tectonophysics</i> , 2014, 610, 110-127. | 0.9 | 139 |
| 72 | Zircon U-Pb geochronology and Hf isotopes of major lithologies from the Jiaodong Terrane: Implications for the crustal evolution of the Eastern Block of the North China Craton. <i>Lithos</i> , 2014, 190-191, 71-84. | 0.6 | 133 |
| 73 | Archean-Paleoproterozoic crustal evolution in the eastern North China Craton: Zircon Th-Pb and Lu-Hf evidence from the Jiaobei terrane. <i>Precambrian Research</i> , 2014, 241, 146-160. | 1.2 | 57 |
| 74 | Uplift-denudation history of the Qinling orogen: Constrained from the detrital-zircon U-Pb geochronology. <i>Journal of Asian Earth Sciences</i> , 2014, 89, 54-65. | 1.0 | 34 |
| 75 | Paleoproterozoic crustal evolution of the Hengshan-Wutai-Fuping region, North China Craton. <i>Geoscience Frontiers</i> , 2014, 5, 485-497. | 4.3 | 143 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 76 | Reprint of "Depositional environment and tectonic implications of the Paleoproterozoic BIF in Changyi area, eastern North China Craton: Evidence from geochronology and geochemistry of the metamorphic wallrocks". <i>Ore Geology Reviews</i> , 2014, 63, 444-464. | 1.1 | 5 |
| 77 | Mid-"Late Triassic metamorphic event for Changhai meta-sedimentary rocks from the SE Jiao-Liao-Ji Belt, North China Craton: Evidence from monazite U-Pb and muscovite Ar-Ar dating. <i>Journal of Asian Earth Sciences</i> , 2014, 94, 205-225. | 1.0 | 29 |
| 78 | Zircon U-Pb and Lu-Hf isotopic and whole-rock geochemical constraints on the provenance and age of the Shuangshanzi and Qinglonghe Groups in Eastern Hebei: Implications for the tectonic evolution of the Eastern Block. <i>Precambrian Research</i> , 2014, 255, 699-715. | 1.2 | 24 |
| 79 | Approximately 1.78 Ga mafic dykes in the Liang Complex, North China Craton: Zircon ages and Lu-Hf isotopes, geochemistry, and implications. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 3123-3144. | 1.0 | 29 |
| 80 | Origin of the disseminated magnetite pyroxenite in the Tieshanmiao-type iron deposits in the Wuyang region of Henan Province, China. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 1235-1252. | 1.0 | 12 |
| 81 | Geochronology, mineralogy and geochemistry of alkali-feldspar granite and albite granite association from the Changyi area of Jiao-Liao-Ji Belt: Implications for Paleoproterozoic rifting of eastern North China Craton. <i>Precambrian Research</i> , 2015, 266, 86-107. | 1.2 | 62 |
| 82 | Destruction of the North China Craton: a perspective based on receiver function analysis. <i>Geological Journal</i> , 2015, 50, 93-103. | 0.6 | 19 |
| 83 | Silica-undersaturated spinel granulites in the Daqingshan complex of the Khondalite Belt, North China Craton: Petrology and quantitative P-T-X constraints. <i>Precambrian Research</i> , 2015, 266, 119-136. | 1.2 | 27 |
| 84 | A Neoproterozoic subduction polarity reversal event in the North China Craton. <i>Lithos</i> , 2015, 220-223, 133-146. | 0.6 | 53 |
| 85 | Petrological evidence for isobaric cooling of ultrahigh-temperature pelitic granulites from the Khondalite Belt, North China Craton. <i>Science Bulletin</i> , 2015, 60, 1535-1542. | 4.3 | 6 |
| 86 | Paleoproterozoic Granulites in the North China Craton and Their Geological Implications. <i>Springer Geology</i> , 2015, , 137-169. | 0.2 | 7 |
| 87 | Anatomy of zircon growth in high pressure granulites: SIMS U-Pb geochronology and Lu-Hf isotopes from the Jiaobei Terrane, eastern North China Craton. <i>Gondwana Research</i> , 2015, 28, 1373-1390. | 3.0 | 72 |
| 88 | Detrital zircon U-Pb dating and whole-rock geochemistry from the clastic rocks in the northern marginal basin of the North China Craton: Constraints on depositional age and provenance of the Bayan Obo Group. <i>Precambrian Research</i> , 2015, 258, 133-145. | 1.2 | 81 |
| 89 | Nature of 1800-1600Ma mafic dyke swarms in the North China Craton: Implications for the rejuvenation of the sub-continental lithospheric mantle. <i>Precambrian Research</i> , 2015, 257, 114-123. | 1.2 | 44 |
| 90 | Synchronous crustal growth and reworking recorded in late Paleoproterozoic granitoids in the northern Tarim craton: In situ zircon U-Pb-Hf-O isotopic and geochemical constraints and tectonic implications. <i>Bulletin of the Geological Society of America</i> , 2015, 127, 781-803. | 1.6 | 51 |
| 91 | Desilicification and iron activation-reprecipitation in the high-grade magnetite ores in BIFs of the Anshan-Benxi area, China: Evidence from geology, geochemistry and stable isotopic characteristics. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 998-1016. | 1.0 | 27 |
| 92 | In situ LA-MC-ICP-MS boron isotope and zircon U-Pb age determinations of Paleoproterozoic borate deposits in Liaoning Province, northeastern China. <i>Ore Geology Reviews</i> , 2015, 65, 1127-1141. | 1.1 | 24 |
| 93 | Archean-Paleoproterozoic crustal evolution of the Ordos Block in the North China Craton: Constraints from zircon U-Pb geochronology and Hf isotopes for gneissic granitoids of the basement. <i>Precambrian Research</i> , 2015, 267, 121-136. | 1.2 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 94 | Widespread late Neoproterozoic reworking of Meso- to Paleoproterozoic continental crust in the Anshan-Benxi area, North China Craton, as documented by U-Pb-Nd-Hf-O isotopes. <i>Numerische Mathematik</i> , 2015, 315, 620-670. | 0.7 | 96 |
| 95 | Formation and tectonic evolution of the khondalite series at the southern margin of the North China Craton: Geochronological constraints from a 1.85-Ga Mo deposit in the Xiongaershan area. <i>Precambrian Research</i> , 2015, 269, 1-17. | 1.2 | 48 |
| 96 | Zircon U-Pb-Hf isotopes and geochemistry of two contrasting Neoproterozoic charnockitic rock series in Eastern Hebei, North China Craton: Implications for petrogenesis and tectonic setting. <i>Precambrian Research</i> , 2015, 267, 72-93. | 1.2 | 77 |
| 97 | Paleoproterozoic (ca. 2.1-2.0 Ga) arc magmatism in the Fuping Complex: Implications for the tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2015, 268, 16-32. | 1.2 | 72 |
| 98 | Lithological units at the boundary zone between the Jining and Huai'an Complexes (central-northern) Tj ETQq0 0 0 rgt /Overlock 10 Tf | 0.6 | 49 |
| 99 | Paleoproterozoic crustal growth in the North China Craton: Evidence from the Liang Complex. <i>Precambrian Research</i> , 2015, 263, 197-231. | 1.2 | 125 |
| 100 | Two episodes of Paleoproterozoic mafic intrusions from Liaoning province, North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2015, 264, 119-139. | 1.2 | 91 |
| 101 | Precambrian mafic dyke swarms in the North China Craton and their geological implications. <i>Science China Earth Sciences</i> , 2015, 58, 649-675. | 2.3 | 165 |
| 102 | Yellow Sea Transform Fault (YSTF) and the development of Korean Peninsula. <i>Russian Journal of Pacific Geology</i> , 2015, 9, 81-95. | 0.1 | 1 |
| 103 | Metamorphism and geochronology of the Luoning metamorphic terrane, southern terminal of the Paleoproterozoic Trans-North China Orogen, North China Craton. <i>Precambrian Research</i> , 2015, 264, 156-178. | 1.2 | 57 |
| 104 | Giant gas discovery in the Precambrian deeply buried reservoirs in the Sichuan Basin, China: Implications for gas exploration in old cratonic basins. <i>Precambrian Research</i> , 2015, 262, 45-66. | 1.2 | 123 |
| 105 | Charnockite magmatism during a transitional phase: Implications for late Paleoproterozoic ridge subduction in the North China Craton. <i>Precambrian Research</i> , 2015, 261, 188-216. | 1.2 | 59 |
| 106 | Tectonic evolution of a complex orogenic system: Evidence from the northern Qinling belt, Central China. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 544-559. | 1.0 | 51 |
| 107 | Paleoproterozoic I-type granites and their implications for the Yangtze block position in the Columbia supercontinent: Evidence from the Lengshui Complex, South China. <i>Precambrian Research</i> , 2015, 263, 157-173. | 1.2 | 87 |
| 108 | The Neoproterozoic ultramafic-mafic complex in the Yinshan Block, North China Craton: Magmatic monitor of development of Archean lithospheric mantle. <i>Precambrian Research</i> , 2015, 270, 80-99. | 1.2 | 32 |
| 109 | Paleoproterozoic high-pressure metamorphism in the northern North China Craton and implications for the Nuna supercontinent. <i>Nature Communications</i> , 2015, 6, 8344. | 5.8 | 86 |
| 110 | Precambrian evolution of the Tarim Block and its tectonic affinity to other major continental blocks in China: New clues from U-Pb geochronology and Lu-Hf isotopes of detrital zircons. <i>Precambrian Research</i> , 2015, 270, 1-21. | 1.2 | 52 |
| 111 | Deep-seated crustal xenoliths record multiple Paleoproterozoic tectonothermal events in the northern North China Craton. <i>Precambrian Research</i> , 2015, 270, 318-333. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 112 | Zircon growth and ages of migmatites in the Algoma-type BIF-hosted iron deposits in Qianxi Group from eastern Hebei Province, China: Timing of BIF deposition and anatexis. <i>Journal of Asian Earth Sciences</i> , 2015, 113, 1017-1034. | 1.0 | 18 |
| 113 | The Archean-Paleoproterozoic crustal evolution in the Dunhuang region, NW China: Constraints from zircon U–Pb geochronology and in situ Hf isotopes. <i>Precambrian Research</i> , 2015, 271, 83-97. | 1.2 | 56 |
| 114 | Zircon U–Pb–Hf isotope systematics and geochemistry of Helong granite-greenstone belt in Southern Jilin Province, China: Implications for Neoproterozoic crustal evolution of the northeastern margin of North China Craton. <i>Precambrian Research</i> , 2015, 271, 254-277. | 1.2 | 68 |
| 115 | Metamorphic P–T paths and Zircon U–Pb age data for the Paleoproterozoic metabasic dykes of high-pressure granulite facies from Eastern Hebei, North China Craton. <i>Precambrian Research</i> , 2015, 271, 295-310. | 1.2 | 57 |
| 116 | Short-lived high-temperature prograde and retrograde metamorphism in Shaerqin sapphirine-bearing metapelites from the Daqingshan terrane, North China Craton. <i>Precambrian Research</i> , 2015, 269, 31-57. | 1.2 | 61 |
| 117 | Complex evolution of the lower crust beneath the southeastern North China Craton: The Junan xenoliths and xenocrysts: Reply. <i>Lithos</i> , 2015, 234-235, 96-99. | 0.6 | 1 |
| 118 | Paleoproterozoic multistage evolution of the lower crust beneath the southern North China Craton. <i>Precambrian Research</i> , 2015, 269, 162-182. | 1.2 | 15 |
| 119 | Zircon U–Pb geochronology and geochemistry of low-grade metamorphosed volcanic rocks from the Dantazi Complex: Implications for the evolution of the North China Craton. <i>Journal of Asian Earth Sciences</i> , 2015, 111, 948-965. | 1.0 | 10 |
| 120 | Neoproterozoic intra-oceanic arc system in the Western Liaoning Province: Implications for Early Precambrian crustal evolution in the Eastern Block of the North China Craton. <i>Earth-Science Reviews</i> , 2015, 150, 329-364. | 4.0 | 162 |
| 121 | In situ determination of hafnium isotopes from rutile using LA-MC-ICP-MS. <i>Science China Earth Sciences</i> , 2015, 58, 2134-2144. | 2.3 | 11 |
| 122 | Metamorphic evolution and Zircon ages of Garnet–orthoamphibole rocks in southern Hengshan, North China Craton: Insights into the regional Paleoproterozoic P–T history. <i>Precambrian Research</i> , 2015, 256, 223-240. | 1.2 | 81 |
| 123 | Zircon SIMS U–Pb geochronology of the Lushan terrane: dating metamorphism of the southwestern terminal of the Palaeoproterozoic Trans-North China Orogen. <i>Geological Magazine</i> , 2015, 152, 367-377. | 0.9 | 42 |
| 124 | 1.23 Ga mafic dykes in the North China Craton and their implications for the reconstruction of the Columbia supercontinent. <i>Gondwana Research</i> , 2015, 27, 1407-1418. | 3.0 | 55 |
| 125 | Characteristics of the crystalline basement beneath the Ordos Basin: Constraint from aeromagnetic data. <i>Geoscience Frontiers</i> , 2015, 6, 465-475. | 4.3 | 25 |
| 126 | Late Paleoproterozoic geodynamics of the North China Craton: Geochemical and zircon U–Pb–Hf records from a volcanic suite in the Yanliao rift. <i>Gondwana Research</i> , 2015, 27, 300-325. | 3.0 | 73 |
| 127 | Phase equilibria modelling and zircon age dating of pelitic granulites in Zhaojiayao, from the Jining Group of the Khondalite Belt, North China Craton. <i>Journal of Metamorphic Geology</i> , 2016, 34, 595-615. | 1.6 | 83 |
| 128 | Depositional age and provenance of the Wutai Group: Evidence from zircon U–Pb and Lu–Hf isotopes and whole-rock geochemistry. <i>Precambrian Research</i> , 2016, 281, 269-290. | 1.2 | 27 |
| 129 | Re–Os system of black schist from the Mesoproterozoic Bayan Obo Group, Central Inner Mongolia, China and its geological implications. <i>Lithos</i> , 2016, 261, 296-306. | 0.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 130 | Late Neoproterozoic subduction-related crustal growth in the Northern Liaoning region of the North China Craton: Evidence from $^{40}\text{Ar}/^{39}\text{Ar}$ to 2.50 Ga granitoid gneisses. <i>Precambrian Research</i> , 2016, 281, 200-223. | 1.2 | 102 |
| 131 | 2090–2070 Ma A-type granitoids in Zanhuang Complex: Further evidence on a Paleoproterozoic rift-related tectonic regime in the Trans-North China Orogen. <i>Lithos</i> , 2016, 254-255, 18-35. | 0.6 | 48 |
| 132 | Constraints of volcanic rocks of the Wutai Complex (Shanxi Province, Northern China) on a giant late Neoproterozoic intra-oceanic arc system in the Trans-North China Orogen. <i>Journal of Asian Earth Sciences</i> , 2016, 123, 178-212. | 1.0 | 23 |
| 133 | Late Permian high-Mg andesite and basalt association from northern Liaoning, North China: Insights into the final closure of the Paleo-Asian ocean and the orogenic craton boundary. <i>Lithos</i> , 2016, 258-259, 58-76. | 0.6 | 67 |
| 134 | Detrital zircon U–Pb ages and Hf isotopes of Permo-Carboniferous sandstones in central Inner Mongolia, China: Implications for provenance and tectonic evolution of the southeastern Central Asian Orogenic Belt. <i>Tectonophysics</i> , 2016, 671, 183-201. | 0.9 | 45 |
| 135 | U–Pb age and Hf isotopes of detrital zircons from the Southeastern North China Craton: Meso- to Neoproterozoic episodic crustal growth in a shifting tectonic regime. <i>Gondwana Research</i> , 2016, 35, 1-14. | 3.0 | 19 |
| 136 | Insights into the tectonic evolution of the North China Craton through comparative tectonic analysis: A record of outward growth of Precambrian continents. <i>Earth-Science Reviews</i> , 2016, 162, 387-432. | 4.0 | 282 |
| 137 | Crustal growth history of the Korean Peninsula: Constraints from detrital zircon ages in modern river sediments. <i>Geoscience Frontiers</i> , 2016, 7, 707-714. | 4.3 | 22 |
| 138 | Age and depositional setting of the Paleoproterozoic Gantaohu Group in Zanhuang Complex: Constraints from zircon U–Pb ages and Hf isotopes of sandstones and dacite. <i>Precambrian Research</i> , 2016, 286, 59-100. | 1.2 | 23 |
| 139 | Paleoproterozoic arc-continent collision in the North China Craton: Evidence from the Zanhuang Complex. <i>Precambrian Research</i> , 2016, 286, 281-305. | 1.2 | 29 |
| 140 | Neoproterozoic Andean-type active continental margin in the northeastern North China Craton: Geochemical and geochronological evidence from metavolcanic rocks in the Jiapigou granite-greenstone belt, Southern Jilin Province. <i>Precambrian Research</i> , 2016, 285, 147-169. | 1.2 | 67 |
| 141 | Geochronology, geochemistry and Sr–Nd–Pb–Hf isotopes of the Paleoproterozoic mafic dykes from the Wulashan area, North China Craton: Petrogenesis and geodynamic implications. <i>Precambrian Research</i> , 2016, 286, 306-324. | 1.2 | 10 |
| 142 | Ductile deformation and its geological implications for retrograded eclogites from the Hongqiyangzi Complex in Chicheng, northern Hebei, China. <i>Science China Earth Sciences</i> , 2016, 59, 1610-1621. | 2.3 | 4 |
| 143 | The Great Oxidation Event and Its Records in North China Craton. <i>Springer Geology</i> , 2016, , 281-303. | 0.2 | 12 |
| 144 | Early Paleoproterozoic Metallogenic Explosion in North China Craton. <i>Springer Geology</i> , 2016, , 305-327. | 0.2 | 6 |
| 145 | Two-Stage Extensional Pattern in the North China–Mongolian Tract During Late Mesozoic: Insights from the Spatial and Temporal Distribution of Magmatic Domes and Metamorphic Core Complexes. <i>Springer Geology</i> , 2016, , 467-486. | 0.2 | 1 |
| 146 | Zircon U–Pb and Lu–Hf isotopic and whole-rock geochemical constraints on the Lanhe and Heichashan Groups: Implications for the Paleoproterozoic tectonic basin evolution of the Liang Complex. <i>Lithos</i> , 2016, 262, 526-545. | 0.6 | 19 |
| 147 | Petrogenesis of taxitic dioritic–tonalitic gneisses and Neoproterozoic crustal growth in Eastern Hebei, North China Craton. <i>Precambrian Research</i> , 2016, 284, 64-87. | 1.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 148 | Construction and destruction of the North China Craton with implications for metallogeny: Magnetotelluric evidence from the Hengshan-Wutai-Fuping region within Trans-North China Orogen. <i>Gondwana Research</i> , 2016, 40, 21-42. | 3.0 | 23 |
| 149 | Paleoproterozoic meta-carbonates from the central segment of the Trans-North China Orogen: Zircon U-Pb geochronology, geochemistry, and carbon and oxygen isotopes. <i>Precambrian Research</i> , 2016, 284, 14-29. | 1.2 | 42 |
| 150 | Petrogenesis and tectonic implications of the Neoproterozoic North Liaoning tonalitic-trondhjemitic gneisses of the North China Craton, North China. <i>Journal of Asian Earth Sciences</i> , 2016, 131, 12-39. | 1.0 | 43 |
| 151 | Granulite facies metamorphism and crust melting in the Huai'an terrane at ~ 1.95 Ga, North China Craton: New constraints from geology, zircon U-Pb, Lu-Hf isotope and metamorphic conditions of granulites. <i>Precambrian Research</i> , 2016, 286, 126-151. | 1.2 | 40 |
| 152 | Architecture of the Sulu crustal suture between the North China Craton and Yangtze Craton: Constraints from Mesozoic granitoids. <i>Lithos</i> , 2016, 266-267, 348-361. | 0.6 | 50 |
| 153 | Metamorphic P-T path of mafic granulites from Eastern Hebei: Implications for the Neoproterozoic tectonics of the Eastern Block, North China Craton. <i>Gondwana Research</i> , 2016, 37, 20-38. | 3.0 | 33 |
| 154 | Regional tectonics, geology, magma chamber processes and mineralisation of the Jinchuan nickel-copper-PGE deposit, Gansu Province, China: A review. <i>Geoscience Frontiers</i> , 2016, 7, 431-451. | 4.3 | 24 |
| 155 | Zircon U-Pb and Lu-Hf isotopic and geochemical constraints on the origin of the paragneisses from the Jiaobei terrane, North China Craton. <i>Journal of Asian Earth Sciences</i> , 2016, 115, 214-227. | 1.0 | 13 |
| 156 | Late Paleoproterozoic tectonic setting of the northern margin of the North China Craton: Constraints from the geochronology and geochemistry of the mangerites in the Longhua and Jianping areas. <i>Precambrian Research</i> , 2016, 272, 57-77. | 1.2 | 18 |
| 157 | <i>P-T</i> evolution of garnet amphibolites in the Wutai-Hengshan area, North China Craton: insights from phase equilibria and geochronology. <i>Journal of Metamorphic Geology</i> , 2016, 34, 423-446. | 1.6 | 106 |
| 158 | Rare earth element enrichment in Palaeoproterozoic Fengzhen carbonatite from the North China block. <i>International Geology Review</i> , 2016, 58, 1940-1950. | 1.1 | 20 |
| 159 | A 2.5 Ga fore-arc subduction-accretion complex in the Dengfeng Granite-Greenstone Belt, Southern North China Craton. <i>Precambrian Research</i> , 2016, 275, 241-264. | 1.2 | 65 |
| 160 | Crustal evolution of the Eastern Block in the North China Craton: Constraints from zircon U-Pb geochronology and Lu-Hf isotopes of the Northern Liaoning Complex. <i>Precambrian Research</i> , 2016, 275, 35-47. | 1.2 | 58 |
| 161 | Petrology and geochemistry of the Guyang hornblendite complex in the Yinshan block, North China Craton: Implications for the melting of subduction-modified mantle. <i>Precambrian Research</i> , 2016, 273, 38-52. | 1.2 | 18 |
| 162 | The location and evolution of the tectonic boundary between the Paleoproterozoic Jiao-Liao-Ji Belt and the Longgang Block, northeast China. <i>Precambrian Research</i> , 2016, 272, 18-38. | 1.2 | 31 |
| 163 | Tectonic attribution of the Langshan area in western Inner Mongolia and implications for the Neoproterozoic evolution of the Western North China Craton: Evidence from LA-ICP-MS zircon U-Pb dating of the Langshan basement. <i>Lithos</i> , 2016, 261, 278-295. | 0.6 | 43 |
| 164 | Late Neoproterozoic arc magmatism and crustal growth associated with microblock amalgamation in the North China Craton: Evidence from the Fuping Complex. <i>Lithos</i> , 2016, 248-251, 324-338. | 0.6 | 59 |
| 165 | Application of the revised Ti-in-zircon thermometer and SIMS zircon U-Pb dating of high-pressure pelitic granulites from the Qianlishan-Helanshan Complex of the Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2016, 276, 1-13. | 1.2 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 166 | Provenance and sediment dispersal of the Triassic Yanchang Formation, southwest Ordos Basin, China, and its implications. <i>Sedimentary Geology</i> , 2016, 335, 1-16. | 1.0 | 77 |
| 167 | Geochronology, redox-state and origin of the ore-hosting porphyry in the Tongkuangyu Cu deposit, North China Craton: Implications for metallogenesis and tectonic evolution. <i>Precambrian Research</i> , 2016, 276, 211-232. | 1.2 | 12 |
| 168 | P ϵ -T ϵ t evolution of pelitic gneiss from the basement underlying the Northwestern Ordos Basin, North China Craton, and the tectonic implications. <i>Precambrian Research</i> , 2016, 276, 67-84. | 1.2 | 39 |
| 169 | Detrital zircon U ϵ -Pb, Lu ϵ -Hf, and O isotopes of the Wufoshan Group: Implications for episodic crustal growth and reworking of the southern North China craton. <i>Precambrian Research</i> , 2016, 273, 112-128. | 1.2 | 31 |
| 170 | Geological and geochronological constraints on the genesis of the giant Tongkuangyu Cu deposit (Palaeoproterozoic), North China Craton. <i>International Geology Review</i> , 2016, 58, 155-170. | 1.1 | 18 |
| 171 | Phanerozoic amalgamation of the Alxa Block and North China Craton: Evidence from Paleozoic granitoids, U ϵ -Pb geochronology and Sr ϵ -Nd ϵ -Pb ϵ -Hf ϵ -O isotope geochemistry. <i>Gondwana Research</i> , 2016, 32, 105-121. | 3.0 | 95 |
| 172 | Origin of the Alxa Block, western China: New evidence from zircon U ϵ -Pb geochronology and Hf isotopes of the Longshoushan Complex. <i>Gondwana Research</i> , 2016, 36, 359-375. | 3.0 | 69 |
| 173 | Provenance of the Middle Permian Zhesi Formation in central Inner Mongolia, northern China: constraints from petrography, geochemistry and detrital zircon U-Pb geochronology. <i>Geological Journal</i> , 2017, 52, 92-109. | 0.6 | 17 |
| 174 | The Early Carboniferous Xiaomiaogou granite porphyry dykes in the northern margin of the North China Craton: implication for crust ϵ -mantle interaction and intraplate magmatism. <i>Geological Journal</i> , 2017, 52, 489-509. | 0.6 | 3 |
| 175 | Fossil oceanic subduction zone beneath the western margin of the Trans-North China Orogen: Magnetotelluric evidence from the Li ϵ liang Complex. <i>Precambrian Research</i> , 2017, 303, 54-74. | 1.2 | 11 |
| 176 | Petrology, phase equilibria modelling and zircon U ϵ -Pb geochronology of Paleoproterozoic mafic granulites from the Fuping Complex, North China Craton. <i>Journal of Metamorphic Geology</i> , 2017, 35, 517-540. | 1.6 | 62 |
| 177 | Decoding Neoproterozoic to Palaeoproterozoic tectonothermal events in the Rangnim Massif, North Korea: regional correlation and broader implications. <i>International Geology Review</i> , 2017, 59, 16-28. | 1.1 | 35 |
| 178 | Petrogenesis and zircon LA-ICP-MS U ϵ -Pb dating of newly discovered Mesoproterozoic gneisses on the northern margin of the North China Craton. <i>International Geology Review</i> , 2017, 59, 1575-1589. | 1.1 | 27 |
| 179 | A Neoproterozoic subduction recorded by the Eastern Hebei Precambrian basement, North China Craton: Geochemical fingerprints from metavolcanic rocks of the Saheqiao-Shangying-Qinglong supracrustal belt. <i>Journal of Asian Earth Sciences</i> , 2017, 135, 347-369. | 1.0 | 28 |
| 180 | Two types of Neoproterozoic basalts from Qingyuan greenstone belt, North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2017, 292, 175-193. | 1.2 | 48 |
| 181 | Paleoproterozoic P ϵ -T ϵ t evolution in the Hengshan ϵ -Wutai ϵ -Fuping area, North China Craton: Evidence from petrological and geochronological data. <i>Precambrian Research</i> , 2017, 303, 91-104. | 1.2 | 46 |
| 182 | Metamorphic evolution and zircon ages of pelitic granulites in eastern Hebei, North China Craton: Insights into the regional Archean P ϵ -T ϵ t history. <i>Precambrian Research</i> , 2017, 292, 240-257. | 1.2 | 53 |
| 183 | Archean to Paleoproterozoic continental crust growth in the Western Block of North China: Constraints from zircon Hf isotopic and whole-rock Nd isotopic data. <i>Precambrian Research</i> , 2017, 303, 105-116. | 1.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 184 | In situ U-Pb and Lu-Hf isotopic studies of zircons from the Sancheong-Hadong AMCG suite, Yeongnam Massif, Korea: Implications for the petrogenesis of ~ 1.86 Ga massif-type anorthosite. <i>Journal of Asian Earth Sciences</i> , 2017, 138, 629-646. | 1.0 | 34 |
| 185 | Zircon U-Pb ages and Lu-Hf isotope compositions from clastic rocks in the Hutuo Group: Further constraints on Paleoproterozoic tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2017, 303, 291-314. | 1.2 | 21 |
| 186 | Geochemistry and zircon U-Pb-Hf isotopes of the late Neoproterozoic granodiorite-monzogranite-quartz syenite intrusions in the Northern Liaoning Block, North China Craton: Petrogenesis and implications for geodynamic processes. <i>Precambrian Research</i> , 2017, 295, 151-171. | 1.2 | 38 |
| 187 | Multiple magmatism in an evolving suprasubduction zone mantle wedge: The case of the composite mafic-ultramafic complex of Gaositai, North China Craton. <i>Lithos</i> , 2017, 284-285, 525-544. | 0.6 | 20 |
| 188 | Comments to "Paleoproterozoic meta-carbonates from the Central segment of the Trans-North China Orogen: Zircon U-Pb geochronology, geochemistry, and carbon and oxygen isotopes" by Tang et al., 2016, <i>Precambrian Research</i> 284: 14-29. <i>Precambrian Research</i> , 2017, 294, 344-349. | 1.2 | 11 |
| 189 | Late Neoproterozoic monzogranitic-syenogranitic gneisses in the Eastern Hebei-Western Liaoning Province, North China Craton: Petrogenesis and implications for tectonic setting. <i>Precambrian Research</i> , 2017, 303, 392-413. | 1.2 | 46 |
| 190 | Paleoproterozoic Alaskan-type ultramafic-mafic intrusions in the Zhongtiao mountain region, North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , 2017, 296, 39-61. | 1.2 | 24 |
| 191 | Detrital zircon U-Pb and Hf isotopic and whole-rock geochemical study of the Bayan Obo Group, northern margin of the North China Craton: Implications for Rodinia reconstruction. <i>Precambrian Research</i> , 2017, 303, 372-391. | 1.2 | 77 |
| 192 | Geochronology and geochemistry of the TTG and potassic granite of the Taihua complex, Mts. Huashan: Implications for crustal evolution of the southern North China Craton. <i>Precambrian Research</i> , 2017, 288, 72-90. | 1.2 | 28 |
| 193 | Chronology, geochemical, Si and Fe isotopic constraints on the origin of Huoqiu banded iron formation (BIF), southeastern margin of the North China Craton. <i>Precambrian Research</i> , 2017, 298, 351-364. | 1.2 | 17 |
| 194 | Formation and evolution of the Paleoproterozoic meta-mafic and associated supracrustal rocks from the Lushan Taihua Complex, southern North China Craton: Insights from zircon U-Pb geochronology and whole-rock geochemistry. <i>Precambrian Research</i> , 2017, 303, 428-444. | 1.2 | 29 |
| 195 | Geochronology and geochemistry of Neoproterozoic granitoids in the central Qilian Shan of northern Tibet: Reconstructing the amalgamation processes and tectonic history of Asia. <i>Lithosphere</i> , 0, , L640.1. | 0.6 | 17 |
| 196 | Comparison of metamorphic zircons from granulite xenoliths and granulite terrain in northern North China Craton. <i>Precambrian Research</i> , 2017, 303, 414-427. | 1.2 | 7 |
| 197 | Late Neoproterozoic-Paleoproterozoic arc-continent accretion along the Khondalite Belt, Western Block, North China Craton: Insights from granitoid rocks of the Daqingshan-Wulashan area. <i>Precambrian Research</i> , 2017, 303, 494-519. | 1.2 | 38 |
| 198 | Late Neoproterozoic crust-mantle geodynamics: Evidence from Pingquan Complex of the Northern Hebei Province, North China Craton. <i>Precambrian Research</i> , 2017, 303, 470-493. | 1.2 | 40 |
| 199 | Revisiting the Yejiashan Group of the Liang Complex, North China: Implications for a Paleoproterozoic active continental marginal basin in the Trans-North China Orogen. <i>Precambrian Research</i> , 2017, 292, 93-114. | 1.2 | 15 |
| 200 | Metamorphic evolution and SIMS zircon U-Pb geochronology of mafic granulite and amphibolite enclaves of the Pingyang trondhjemitic pluton, Fuping terrane, North China. <i>Precambrian Research</i> , 2017, 303, 75-90. | 1.2 | 26 |
| 201 | A relic slice of archaic-early Paleoproterozoic basement of Jiaobei Terrane identified within the Sulu UHP belt: Evidence from protolith and metamorphic ages from meta-mafic rocks, TTG granitic gneisses, and metasedimentary rocks in the Haiyangsuo region. <i>Precambrian Research</i> , 2017, 303, 117-152. | 1.2 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 202 | Petrogenesis and tectonic implications of the charnockites in the Yishui Terrane, North China Craton. <i>Precambrian Research</i> , 2017, 303, 315-331. | 1.2 | 10 |
| 203 | Late Archean high-pressure pelitic granulites in the Yinshan Block, North China Craton. <i>Precambrian Research</i> , 2017, 303, 251-267. | 1.2 | 41 |
| 204 | Arc-generated metavolcanic rocks in the Anshan-Benxi greenstone belt, North China Craton: Constraints from geochemistry and zircon U-Pb-Hf isotopic systematics. <i>Precambrian Research</i> , 2017, 303, 228-250. | 1.2 | 37 |
| 205 | Geochronology and geochemistry of the Paleoproterozoic Yinyugou Group in the southern North China Craton: Implications for provenance and tectonic evolution. <i>Precambrian Research</i> , 2017, 296, 120-147. | 1.2 | 11 |
| 206 | Zircon U-Pb geochronology and geochemistry of two types of Paleoproterozoic granitoids from the southeastern margin of the North China Craton: Constraints on petrogenesis and tectonic significance. <i>Precambrian Research</i> , 2017, 303, 268-290. | 1.2 | 31 |
| 207 | Paleoproterozoic metavolcanic rocks in the Jiâ€™an Group and constraints on the formation and evolution of the northern segment of the Jiao-Liao-Ji Belt, China. <i>Precambrian Research</i> , 2017, 294, 133-150. | 1.2 | 47 |
| 208 | Paleoproterozoic UHT metamorphism in the Daqingshan Terrane, North China Craton: New constraints from phase equilibria modeling and SIMS U-Pb zircon dating. <i>Precambrian Research</i> , 2017, 303, 208-227. | 1.2 | 52 |
| 209 | U-Pb zircon ages and Hf isotopes of ~ 2.5 Ga granitoids from the Yinshan Block, North China Craton: Implications for crustal growth. <i>Precambrian Research</i> , 2017, 303, 171-182. | 1.2 | 34 |
| 210 | Petrogenesis of the Huili Paleoproterozoic leucogranite in the Jiaobei Terrane of the North China Craton: A highly fractionated albite granite forced by K-feldspar fractionation. <i>Chemical Geology</i> , 2017, 450, 165-182. | 1.4 | 40 |
| 211 | Metamorphic P-T paths of pelitic granulites of the Taihua metamorphic complex in the Mts. Huashan area and tectonothermal implications for the Palaeoproterozoic Trans-North China Orogen. <i>Precambrian Research</i> , 2017, 290, 147-162. | 1.2 | 23 |
| 212 | Metamorphic P-T path retrieved from metapelites in the southeastern Taihua metamorphic complex, and the Paleoproterozoic tectonic evolution of the southern North China Craton. <i>Journal of Asian Earth Sciences</i> , 2017, 134, 352-364. | 1.0 | 31 |
| 213 | Neoarchean arc magmatism and crustal growth in the north-eastern North China Craton: Evidence from granitoid gneisses in the Southern Jilin Province. <i>Precambrian Research</i> , 2017, 303, 30-53. | 1.2 | 58 |
| 214 | Paleozoic adakitic rocks in the northern Altyn Tagh, northwest China: Evidence for progressive crustal thickening beneath the Dunhuang Block. <i>Lithos</i> , 2017, 272-273, 1-15. | 0.6 | 21 |
| 215 | Petrogenesis and thermal overprint of S-type granites in Helanshan region, North China Craton: Constraints on the 1.90 Ga khondalites decompression melting and 1.32 Ga tectono-thermal event. <i>Precambrian Research</i> , 2017, 303, 660-672. | 1.2 | 20 |
| 216 | Polyphase structural deformation of low- to medium-grade metamorphic rocks of the Liaohe Group in the Jiao-Liao-Ji Orogenic Belt, North China Craton: Correlations with tectonic evolution. <i>Precambrian Research</i> , 2017, 303, 641-659. | 1.2 | 63 |
| 217 | Discovery of granulite-facies metamorphic rocks in the Jiâ€™an area, northeastern Jiao-Liao-Ji Belt, North China Craton: Metamorphic P-T evolution and geological implications. <i>Precambrian Research</i> , 2017, 303, 626-640. | 1.2 | 62 |
| 218 | Paleoproterozoic high-pressure-high-temperature pelitic granulites from Datong in the North China Craton and their geological implications: Constraints from petrology and phase equilibrium modeling. <i>Precambrian Research</i> , 2017, 303, 727-748. | 1.2 | 30 |
| 219 | SHRIMP zircon U-Pb dating and Hf isotope analyses of the Muniushan Monzogranite, Guocheng, Jiaobei Terrane, China: Implications for the tectonic evolution of the Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2017, 301, 36-48. | 1.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 220 | Geochronology and geochemistry of deep-seated crustal xenoliths in the northern North China Craton: Implications for the evolution and structure of the lower crust. <i>Lithos</i> , 2017, 292-293, 1-14. | 0.6 | 10 |
| 221 | Paleoproterozoic S-type granites from the Helanshan Complex in Inner Mongolia: Constraints on the provenance and the Paleoproterozoic evolution of the Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2017, 299, 195-209. | 1.2 | 30 |
| 222 | New chronological constrains on the tectonic affinity of the Alxa Block, NW China. <i>Precambrian Research</i> , 2017, 299, 230-243. | 1.2 | 48 |
| 223 | Lithospheric rheological heterogeneity across an intraplate rift basin (Linfen Basin, North China) constrained from magnetotelluric data: Implications for seismicity and rift evolution. <i>Tectonophysics</i> , 2017, 717, 1-15. | 0.9 | 20 |
| 224 | Pâ€™t path and tectonic significance of pelitic migmatites from the Liliang Complex in Xiyupi area of Trans-North China Orogen, North China Craton. <i>Precambrian Research</i> , 2017, 303, 573-589. | 1.2 | 33 |
| 225 | Cyclic formation and stabilization of Archean lithosphere by accretionary orogenesis: Constraints from TTG and potassic granitoids, North China Craton. <i>Tectonics</i> , 2017, 36, 1724-1742. | 1.3 | 51 |
| 226 | Limited southward underthrusting of the Asian lithosphere and material extrusion beneath the northeastern margin of Tibet, inferred from teleseismic Rayleigh wave tomography. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 7172-7189. | 1.4 | 34 |
| 227 | Geochemistry, U-Pb dating, and Lu-Hf isotopes of zircon and monazite of porphyritic granites within the Jiao-Liao-Ji orogenic belt: Implications for petrogenesis and tectonic setting. <i>Precambrian Research</i> , 2017, 300, 78-106. | 1.2 | 67 |
| 228 | Metamorphic P-T-t evolution of Paleoproterozoic schist-hosted Cu deposits in the Zhongtiao Mountains, North China Craton: Retrograde ore formation during sluggish exhumation. <i>Precambrian Research</i> , 2017, 300, 59-77. | 1.2 | 16 |
| 229 | Archean to Paleoproterozoic Evolution of the North China Craton: Preface. <i>Precambrian Research</i> , 2017, 303, 1-9. | 1.2 | 19 |
| 230 | Zircon Uâ€™Pbâ€™Hf isotopic and whole-rock geochemical studies of Paleoproterozoic metasedimentary rocks in the northern segment of the Jiaoâ€™Liaoâ€™Ji Belt, China: Implications for provenance and regional tectonic evolution. <i>Precambrian Research</i> , 2017, 298, 472-489. | 1.2 | 36 |
| 231 | Paleoproterozoic metamorphism of high-grade granulite facies rocks in the North China Craton: Study advances, questions and new issues. <i>Precambrian Research</i> , 2017, 303, 520-547. | 1.2 | 61 |
| 232 | Petrogenesis and geochemistry of circa 2.5 Ga granitoids in the Zanhuang Massif: Implications for magmatic source and Neoproterozoic metamorphism of the North China Craton. <i>Lithos</i> , 2017, 268-271, 149-162. | 0.6 | 34 |
| 233 | Petrogenesis of Early Cretaceous low-Mg adakitic rocks along the southernmost margin of the North China Craton: implications for late Mesozoic crustal evolution. <i>International Geology Review</i> , 2017, 59, 996-1014. | 1.1 | 5 |
| 234 | Curie Point Depths in North China Craton Based on Spectral Analysis of Magnetic Anomalies. <i>Pure and Applied Geophysics</i> , 2017, 174, 339-347. | 0.8 | 3 |
| 235 | Age and emplacement of the Permianâ€™Jurassic Menghai batholith, Western Yunnan, China. <i>International Geology Review</i> , 2017, 59, 919-945. | 1.1 | 18 |
| 236 | Initial gold enrichment within a Neoproterozoic granite-greenstone belt: Evidence from ore-bearing and ore-barren samples in the Jiapigou deposits, NE China. <i>Ore Geology Reviews</i> , 2017, 81, 211-229. | 1.1 | 9 |
| 237 | Late Neoproterozoic supracrustal rocks from the Anshan-Benxi terrane, North China Craton: New geodynamic implications from the geochemical record. <i>Numerische Mathematik</i> , 2017, 317, 1095-1148. | 0.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 238 | Tectonic evolution of Precambrian basement massifs and an adjoining fold-and-thrust belt (Gyeonggi Tj ETQq0 0 0,rgBT /Overlock 10 Tf | 0.8 | 46 |
| 239 | Uâ€Pb Dating and Luâ€Hf Isotopes of Detrital Zircons From the Southern Sikhoteâ€Alin Orogenic Belt, Russian Far East: Tectonic Implications for the Early Cretaceous Evolution of the Northwest Pacific Margin. <i>Tectonics</i> , 2017, 36, 2555-2598. | 1.3 | 31 |
| 240 | Challenges in constraining the <i>P</i>â€<i>T</i> conditions of mafic granulites: An example from the northern Transâ€North China Orogen. <i>Journal of Metamorphic Geology</i> , 2018, 36, 739-768. | 1.6 | 36 |
| 241 | K-rich granitoid magmatism at the Archeanâ€Proterozoic transition in southern Jilin: Insights into the Neoproterozoic crustal evolution of the northeastern part of the North China Craton. <i>Gondwana Research</i> , 2018, 58, 87-104. | 3.0 | 35 |
| 242 | Geochronology, geochemistry, and tectonic implications of upper Silurian â€ Lower Devonian meta-sedimentary rocks from the Jiangyu Group in eastern Jilin Province, Northeast China. <i>Canadian Journal of Earth Sciences</i> , 2018, 55, 490-504. | 0.6 | 25 |
| 243 | The southwestern extension of the Jiao-Liao-Ji belt in the North China Craton: Geochronological and geochemical evidence from the Wuhe Group in the Bengbu area. <i>Lithos</i> , 2018, 304-307, 258-279. | 0.6 | 39 |
| 244 | Source and petrogenesis of Paleoproterozoic meta-mafic rocks intruding into the North Liaohe Group: Implications for back-arc extension prior to the formation of the Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2018, 307, 66-81. | 1.2 | 63 |
| 245 | Prolonged high-temperature, low-pressure metamorphism associated with ^{147}Sm - ^{143}Nd Ga Sancheongâ€Hadong anorthosite in the Yeongnam Massif, Korea: Paleoproterozoic hot orogenesis in the North China Craton. <i>Precambrian Research</i> , 2018, 307, 175-200. | 1.2 | 22 |
| 246 | Detrital zircon U-Pb geochronology and provenance of the Sanxiatian Formation (Huade Group) in the North China Craton: Implications for the breakup of the Columbia supercontinent. <i>Precambrian Research</i> , 2018, 310, 305-319. | 1.2 | 30 |
| 247 | Geology of the 2018 Winter Olympic site, Pyeongchang, Korea. <i>International Geology Review</i> , 2018, 60, 267-287. | 1.1 | 15 |
| 248 | Ultrahighâ€temperature metamorphism in the Tuguiwula area, Khondalite Belt, North China Craton. <i>Journal of Metamorphic Geology</i> , 2018, 36, 489-509. | 1.6 | 63 |
| 249 | Geological Background. Springer Theses, 2018, , 23-40. | 0.0 | 0 |
| 250 | Paleoproterozoic and Triassic metamorphic events in the Jiaobei Terrane, Jiao-Liao-Ji Belt, China: Hidden clues on multiple metamorphism and new insights into complex tectonic evolution. <i>Gondwana Research</i> , 2018, 60, 105-128. | 3.0 | 14 |
| 251 | Neoproterozoic-Paleoproterozoic terrane assembly and Wilson cycle in the North China Craton: an overview from the central segment of the Trans-North China Orogen. <i>Earth-Science Reviews</i> , 2018, 182, 1-27. | 4.0 | 148 |
| 252 | Mesozoic magmatism in the eastern North China Craton: Insights on tectonic cycles associated with progressive craton destruction. <i>Gondwana Research</i> , 2018, 60, 153-178. | 3.0 | 79 |
| 253 | Pâ€Tâ€t evolution of the high-pressure mafic granulites from northern Hengshan, North China Craton: Insights from phase equilibria and geochronology. <i>Precambrian Research</i> , 2018, 312, 1-15. | 1.2 | 37 |
| 254 | Geochemical and geochronological study on the Paleoproterozoic rock assemblage of the Xiuyan region: New constraints on an integrated rift-and-collision tectonic process involving the evolution of the Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2018, 310, 179-197. | 1.2 | 68 |
| 255 | Zircon Uâ€Pbâ€Hf isotopes and geochemistry analyses of the Huyu igneous rocks in northwestern Beijing, China: possible new evidence for the initial destruction of the North China Craton. <i>International Geology Review</i> , 2018, 60, 196-216. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 256 | Palaeoproterozoic granitic magmatism in the northern segment of the Jiao-Liao-Ji Belt: implications for orogenesis along the Eastern Block of the North China Craton. <i>International Geology Review</i> , 2018, 60, 217-241. | 1.1 | 19 |
| 257 | Palaeoproterozoic metasedimentary rocks of the Ji'an Group and their significance for the tectonic evolution of the northern segment of the Jiao-Liao-Ji Belt, North China Craton. <i>Geological Magazine</i> , 2018, 155, 149-173. | 0.9 | 11 |
| 258 | Metasomatized asthenospheric mantle contributing to the generation of Cu-Mo deposits within an intracontinental setting: A case study of the ~ 128 Ma Wangjiazhuang Cu-Mo deposit, eastern North China Craton. <i>Journal of Asian Earth Sciences</i> , 2018, 160, 460-489. | 1.0 | 36 |
| 259 | Neoproterozoic granite-greenstone belts and related ore mineralization in the North China Craton: An overview. <i>Geoscience Frontiers</i> , 2018, 9, 751-768. | 4.3 | 87 |
| 260 | Extensive crustal melting during craton destruction: Evidence from the Mesozoic magmatic suite of Junan, eastern North China Craton. <i>Journal of Asian Earth Sciences</i> , 2018, 157, 119-140. | 1.0 | 34 |
| 261 | Magmatic evolution and source of a Proterozoic rapakivi granite complex in the North China Craton: New evidence from zircon U-Pb ages, mineral compositions, and geochemistry. <i>Journal of Asian Earth Sciences</i> , 2018, 167, 165-180. | 1.0 | 8 |
| 262 | Hadean continental crust in the southern North China Craton: Evidence from the Xinyang felsic granulite xenoliths. <i>Precambrian Research</i> , 2018, 307, 155-174. | 1.2 | 10 |
| 263 | Palaeoproterozoic materials in the Tibetan Plateau indicated by zircon. <i>International Geology Review</i> , 2018, 60, 1061-1072. | 1.1 | 8 |
| 264 | Metallogenesis of Precambrian gold deposits in the Wutai greenstone belt: Constrains on the tectonic evolution of the North China Craton. <i>Geoscience Frontiers</i> , 2018, 9, 317-333. | 4.3 | 17 |
| 265 | Geochronological and petrogenetic constraints on the regional tectonic evolution of the Guanghua Group in northeastern Jiao-Liao-Ji Belt, China. <i>Precambrian Research</i> , 2018, 305, 427-443. | 1.2 | 12 |
| 266 | High-pressure granulites in the Fuping Complex of the central North China Craton: Metamorphic P-T evolution and tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2018, 154, 255-270. | 1.0 | 34 |
| 267 | Integrated elemental and Sr-Nd-Pb-Hf isotopic studies of Mesozoic mafic dykes from the eastern North China Craton: implications for the dramatic transformation of lithospheric mantle. <i>Journal of Geodynamics</i> , 2018, 114, 19-40. | 0.7 | 20 |
| 268 | A newly identified Precambrian terrane at the Pamir Plateau: The Archean basement and Neoproterozoic granitic intrusions. <i>Precambrian Research</i> , 2018, 304, 73-87. | 1.2 | 24 |
| 269 | Petrogenesis and tectonic significance of Paleoproterozoic granitic rocks of the southeastern Liaodong Peninsula, Northeast China. <i>Geological Journal</i> , 2018, 53, 2118-2142. | 0.6 | 7 |
| 270 | Early Cretaceous diabbases, lamprophyres and andesites-dacites in western Shandong, North China Craton: Implications for local delamination and Paleo-Pacific slab rollback. <i>Journal of Asian Earth Sciences</i> , 2018, 160, 426-444. | 1.0 | 39 |
| 271 | Tectonic evolution of the Qilian Shan: An early Paleozoic orogen reactivated in the Cenozoic. <i>Bulletin of the Geological Society of America</i> , 2018, 130, 881-925. | 1.6 | 149 |
| 272 | Strike-slip Motion Within the Yalu River Fault Zone, NE Asia: The Development of a Shear Continental Margin. <i>Tectonics</i> , 2018, 37, 1771-1796. | 1.3 | 47 |
| 273 | U-Pb Ages and Hf Isotopes of Detrital Zircon Grains from the Mesoproterozoic Chuanlinggou Formation in North China Craton: Implications for the Geochronology of Sedimentary Iron Deposits and Crustal Evolution. <i>Minerals (Basel, Switzerland)</i> , 2018, 8, 547. | 0.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 275 | Metamorphic evolution of Archean ultrahigh-temperature mafic granulites from the western margin of Qianâ€™an gneiss dome, eastern Hebei Province, North China Craton: Insights into the Archean tectonic regime. <i>Precambrian Research</i> , 2018, 318, 170-187. | 1.2 | 43 |
| 276 | The late-Paleoproterozoic I- and A-type granites in Liang Complex, North China Craton: New evidence on post-collisional extension of Trans-North China Orogen. <i>Precambrian Research</i> , 2018, 318, 70-88. | 1.2 | 31 |
| 277 | Geological archive of the onset of plate tectonics. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2018, 376, 20170405. | 1.6 | 227 |
| 278 | Neoproterozoic magmatic arc in the Western Liaoning Province, northern North China Craton: Geochemical and isotopic constraints from sanukitoids and associated granitoids. <i>Lithos</i> , 2018, 322, 296-311. | 0.6 | 29 |
| 279 | Petrological and Geochemical Constraints on the Protoliths of Serpentineâ€™Magnetite Ores in the Zhaoanzhuang Iron Deposit, Southern North China Craton. <i>Acta Geologica Sinica</i> , 2018, 92, 627-665. | 0.8 | 2 |
| 280 | Zircon ages and geochemistry of amphibolitic rocks from the Paleoproterozoic Erdaowa Group in the Khondalite Belt, North China Craton and their tectonic implications. <i>Precambrian Research</i> , 2018, 317, 253-267. | 1.2 | 25 |
| 281 | A 1.9â€™Ga Orogen Along the Northern Margin of the North China Craton: Implications for the Assembly of Columbia Supercontinent. <i>Tectonics</i> , 2018, 37, 3610-3646. | 1.3 | 49 |
| 282 | Timing of deformation and location of the eastern Liaoyuan Terrane, NE China: Constraints on the final closure time of the Paleo-Asian Ocean. <i>Gondwana Research</i> , 2018, 60, 194-212. | 3.0 | 49 |
| 283 | ^{2.85â€™Ga} and ^{2.73â€™Ga} A-type granites and ^{2.75â€™Ga} trondhjemite from the Zhongxiang Terrain: Implications for early crustal evolution of the Yangtze Craton, South China. <i>Gondwana Research</i> , 2018, 61, 1-19. | 3.0 | 48 |
| 284 | Crustal architecture and its controls on mineralisation in the North China Craton. <i>Ore Geology Reviews</i> , 2018, 98, 109-125. | 1.1 | 24 |
| 285 | Phase equilibrium modelling and SHRIMP zircon Uâ€™Pb dating of medium-pressure pelitic granulites in the Helanshan complex of the Khondalite Belt, North China Craton, and their tectonic implications. <i>Precambrian Research</i> , 2018, 314, 62-75. | 1.2 | 13 |
| 286 | Geochemistry and zircon U-Pb-Hf isotopes of Paleozoic intrusive rocks in the Damao area in Inner Mongolia, northern China: Implications for the tectonic evolution of the Bainaimiao arc. <i>Lithos</i> , 2018, 314-315, 119-139. | 0.6 | 36 |
| 287 | Geochemistry, zircon U-Pb dating and tectonic implications of the Palaeoproterozoic Jiâ€™an and Laoling groups, northeastern Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2018, 314, 264-287. | 1.2 | 33 |
| 288 | Ultrahigh-temperature metamorphism in the Helanshan complex of the Khondalite Belt, North China Craton: Petrology and phase equilibria of spinel-bearing pelitic granulites. <i>Journal of Metamorphic Geology</i> , 2018, 36, 1199-1220. | 1.6 | 29 |
| 289 | Late Triassic sedimentary record from the Nanzhao Basin and implications for the orogeny in the Qinling Orogenic Belt, central China. <i>Journal of Asian Earth Sciences</i> , 2018, 166, 120-135. | 1.0 | 18 |
| 290 | The Fangmayu Alaskan-type ultramafic intrusion: Implications for Paleoproterozoic assembly of the North China Craton. <i>Precambrian Research</i> , 2018, 315, 201-221. | 1.2 | 13 |
| 291 | Petrogenesis of late Neoproterozoic high-K granitoids in the Western Shandong terrane, North China Craton, and their implications for crust-mantle interactions. <i>Precambrian Research</i> , 2018, 315, 138-161. | 1.2 | 43 |
| 292 | Petrology, geochemistry and geochronology of the meta-mafic rocks in the North Sulu ultrahigh-pressure belt: Implications for their petrogenetic diversity and complex tectonic evolution. <i>Precambrian Research</i> , 2018, 316, 127-154. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 293 | Structural evolution of the Paleoproterozoic Trans-North China Orogen: Evidence from the Xiaoqingling region, central China. <i>Precambrian Research</i> , 2018, 316, 244-274. | 1.2 | 17 |
| 294 | Constraints of mafic rocks on a Paleoproterozoic back-arc in the Jiao-Liao-Ji Belt, North China Craton. <i>Journal of Asian Earth Sciences</i> , 2018, 166, 195-209. | 1.0 | 49 |
| 295 | Palaeoproterozoic meta-rhyolite and meta-dacite of the Liaohe Group, Jiao-Liao-Ji Belt, North China Craton: Petrogenesis and implications for tectonic setting. <i>Precambrian Research</i> , 2018, 314, 306-324. | 1.2 | 38 |
| 296 | Neoproterozoic magmatic Ni-Cu (PGE) sulfide deposits related to the assembly and breakup of the Rodinia supercontinent in China: An overview. <i>Ore Geology Reviews</i> , 2018, 99, 282-302. | 1.1 | 7 |
| 297 | Early Cretaceous adakitic granitoids from the Zhijiazhuang skarn iron deposit, North Tianshan Mountain, China: Implications for petrogenesis and metallogenesis associated with craton destruction. <i>Geological Journal</i> , 2019, 54, 3189-3211. | 0.6 | 13 |
| 298 | Triassic tectonic interactions between the Alxa Massif and Ordos Basin: Evidence from integrated provenance analyses on sandstones, North China. <i>Journal of Asian Earth Sciences</i> , 2019, 169, 162-181. | 1.0 | 35 |
| 299 | Metamorphic records in the Liliang metapelites of the Jiehekou Group: Implications for the tectonic evolution of the Trans-North China Orogen, North China Craton. <i>Precambrian Research</i> , 2019, 332, 105415. | 1.2 | 17 |
| 300 | Timing of late Neoproterozoic to late Paleoproterozoic events in the North China Craton: SHRIMP U-Pb dating and LA-ICP-MS Hf isotope analysis of zircons from magmatic and metamorphic rocks in the Santuying area, eastern Hebei. <i>Gondwana Research</i> , 2019, 76, 348-372. | 3.0 | 3 |
| 301 | Stable Isotope (S, Mg, B) Constraints on the Origin of the Early Precambrian Zhaoanzhuang Serpentine-Magnetite Deposit, Southern North China Craton. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 377. | 0.8 | 3 |
| 302 | Structural relationships and kinematics of the Neoproterozoic Dengfeng forearc and accretionary complexes, southern North China craton. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 966-996. | 1.6 | 26 |
| 303 | Ultrahigh-temperature mafic granulite in the Huai'an Complex, North China Craton: Evidence from phase equilibria modelling and amphibole thermometers. <i>Gondwana Research</i> , 2019, 76, 62-76. | 3.0 | 43 |
| 304 | Geochronology and geochemistry of Liaohe Group and Liaoji granitoid in the Jiao-Liao-Ji Belt, North China Craton: Implications for petrogenesis and tectonic evolution. <i>Precambrian Research</i> , 2019, 332, 105399. | 1.2 | 13 |
| 305 | Geochemical evidence for reworking of the juvenile crust in the Neoproterozoic felsic magmatism in the Yunzhongshan area, the North China Craton. <i>Precambrian Research</i> , 2019, 335, 105493. | 1.2 | 7 |
| 306 | Timing of two separate granulite-facies metamorphic events in the Helanshan complex, North China Craton: Constraints from monazite and zircon U-Pb dating of pelitic granulites. <i>Lithos</i> , 2019, 350-351, 105216. | 0.6 | 10 |
| 307 | Paleoproterozoic Granitoids on Liaodong Peninsula, North China Craton. <i>Acta Geologica Sinica</i> , 2019, 93, 1377-1396. | 0.8 | 2 |
| 308 | Geophysical survey of geothermal energy potential in the Liaoji Belt, northeastern China. <i>Geothermal Energy</i> , 2019, 7, . | 0.9 | 19 |
| 309 | Age and genesis of the Neoproterozoic Algoma-type banded iron formations from the Dengfeng greenstone belt, southern North China Craton: Geochronological, geochemical and Sm-Nd isotopic constraints. <i>Precambrian Research</i> , 2019, 333, 105437. | 1.2 | 18 |
| 310 | Formation and evolution of Paleoproterozoic orogenic belt in southern Jilin, Jiao-Liao-Ji Belt, North China Craton: Constraints from geophysics. <i>Precambrian Research</i> , 2019, 333, 105433. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 311 | Paleoproterozoic SEDEX-type stratiform mineralization overprinted by Mesozoic vein-type mineralization in the Qingchengzi Pb-Zn deposit, Northeastern China. <i>Journal of Asian Earth Sciences</i> , 2019, 184, 104009. | 1.0 | 15 |
| 312 | Constraints of lead isotopes on regional metallogeny of sediment-hosted sulfide deposits in the Langshan-Zhaertai ore belt, northern China. <i>Journal of Asian Earth Sciences</i> , 2019, 184, 103973. | 1.0 | 5 |
| 313 | Ultrahigh Temperature Metamorphic Record of Pelitic Granulites in the Huangtuyao Area of the Huaiâ€™an Complex, North China Craton. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 1178-1196. | 1.1 | 10 |
| 314 | Can we extract ultrahigh-temperature conditions from Fe-rich metapelites? An example from the Khondalite Belt, North China Craton. <i>Lithos</i> , 2019, 328-329, 228-243. | 0.6 | 21 |
| 315 | Neoproterozoic granitoid gneisses in Eastern Hebei, North China Craton: Revisited. <i>Precambrian Research</i> , 2019, 324, 62-85. | 1.2 | 19 |
| 316 | Repositioning the Great Unconformity at the southeastern margin of the North China Craton. <i>Precambrian Research</i> , 2019, 324, 1-17. | 1.2 | 44 |
| 317 | Neoproterozoic growth and Paleoproterozoic metamorphism of an Archean ophiolite mélange in the North China Craton. <i>Precambrian Research</i> , 2019, 331, 105377. | 1.2 | 4 |
| 318 | Timing of the Yanshan Movement: evidence from the Jingxi Basin in the Yanshan fold-and-thrust belt, eastern China. <i>International Journal of Earth Sciences</i> , 2019, 108, 1961-1978. | 0.9 | 18 |
| 319 | Origin and early evolution of the Lhasa Terrane, South Tibet: Constraints from the Bomi Gneiss Complex. <i>Precambrian Research</i> , 2019, 331, 105360. | 1.2 | 20 |
| 320 | Sedimentary provenance and age of the Langshan Group in the northeastern Alxa Block: implications for Neoproterozoic tectonic evolution. <i>International Journal of Earth Sciences</i> , 2019, 108, 1705-1723. | 0.9 | 9 |
| 321 | Petrogenesis and tectonic implications of two types of Liaoji granitoid in the Jiaoâ€™Liaoâ€™Ji Belt, North China Craton. <i>Precambrian Research</i> , 2019, 331, 105369. | 1.2 | 18 |
| 322 | Deformation and rheological properties of Dashiqiao Formation of Liaohe Group in Hupiyu area, eastern Liaoning Province. <i>Geological Journal</i> , 2019, 54, 804-818. | 0.6 | 4 |
| 323 | Anatectic origin and geological significance of the Neoproterozoic ~2.5 Ga charnockite in the Jining area, northern North China Craton. <i>Geological Journal</i> , 2019, 54, 2731-2753. | 0.6 | 5 |
| 324 | The global tectonic context of the ca. 2.27-1.96 Ga Birimian Orogen â€™ Insights from comparative studies, with implications for supercontinent cycles. <i>Earth-Science Reviews</i> , 2019, 193, 260-298. | 4.0 | 32 |
| 325 | A Palaeoproterozoicâ€™Mesoarchean micro-continent entrained in the Jiao-Liao-Ji Belt at the southeastern North China Craton: evidence from the zircon record in the Bengbu area. <i>Geological Magazine</i> , 2019, 156, 1565-1586. | 0.9 | 14 |
| 326 | Episodicity of stress state in an overriding plate: Evidence from the Yalu River Fault Zone, East China. <i>Gondwana Research</i> , 2019, 71, 150-178. | 3.0 | 19 |
| 327 | Decoding Provenance and Tectonothermal Events by Detrital Zircon Fissionâ€™Track and Uâ€™Pb Double Dating: A Case of the Southern Ordos Basin. <i>Acta Geologica Sinica</i> , 2019, 93, 845-856. | 0.8 | 4 |
| 328 | The Neoproterozoic-Paleoproterozoic volcanic-sedimentary rocks in the Zhanhuang Complex, North China Craton: Petrogenesis and implications for tectonic evolution. <i>Precambrian Research</i> , 2019, 328, 64-80. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 329 | Genesis of porphyry Mo deposits linked to gradually dehydrating subcontinental lithospheric mantle metasomatised by previous subduction in northeastern China. <i>Lithos</i> , 2019, 336-337, 143-150. | 0.6 | 2 |
| 330 | Magmatic evidence for middle-late Permian tectonic evolution on the northern margin of the North China Craton. <i>Lithos</i> , 2019, 336-337, 125-142. | 0.6 | 23 |
| 331 | Generation of high-Mg diorites and associated iron mineralization within an intracontinental setting: Insights from ore-barren and ore-bearing intrusions in the eastern North China Craton. <i>Gondwana Research</i> , 2019, 72, 97-119. | 3.0 | 10 |
| 332 | Geochemical constraints on the origin of Neoproterozoic magmatic rocks in the Liang Complex, North China Craton: Tectonic implications. <i>Precambrian Research</i> , 2019, 327, 212-231. | 1.2 | 10 |
| 333 | Geochemistry of meta-sedimentary rocks associated with the Neoproterozoic Dagushan BIF in the Anshan-Benxi area, North China Craton: Implications for their provenance and tectonic setting. <i>Precambrian Research</i> , 2019, 325, 172-191. | 1.2 | 18 |
| 334 | Tectonics of the Paleoproterozoic Jiao-Liao-Ji orogenic belt in the Liaodong peninsula, North China Craton: A review. <i>Journal of Asian Earth Sciences</i> , 2019, 176, 141-156. | 1.0 | 16 |
| 335 | Contrasting crustal deformation mechanisms in the Longmenshan and West Qinling orogenic belts, NE Tibet, revealed by magnetotelluric data. <i>Journal of Asian Earth Sciences</i> , 2019, 176, 120-128. | 1.0 | 11 |
| 336 | Two phases of Paleoproterozoic metamorphism in the Zhujiayang ductile shear zone of the Hengshan Complex: Insights into the tectonic evolution of the North China Craton. <i>Lithos</i> , 2019, 330-331, 35-54. | 0.6 | 35 |
| 337 | 2.09 Ga mafic dykes from Western Shandong, Eastern block of North China Craton, and their tectonic implications. <i>Precambrian Research</i> , 2019, 325, 39-54. | 1.2 | 10 |
| 338 | Metamorphic Age Comparison and Its Implications between the Zuoquan and Zhanhuang Complexes in the Central North China Craton, Based on LA-ICP-MS Zircon U-Pb Dating. <i>Minerals (Basel)</i> , 2019, 9, 784-814. | 0.8 | 10 |
| 339 | U-Pb Ages and Hf Isotope of Zircons from a Carbonatite Dyke in the Bayan Obo Fe-REE Deposit in Inner Mongolia: its Geological Significance. <i>Acta Geologica Sinica</i> , 2019, 93, 1783-1796. | 0.8 | 2 |
| 340 | Petrology, Metamorphic P-T Paths and Zircon U-Pb Ages for Paleoproterozoic Mafic Granulites from Xuanhua, North China Craton. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 1197-1214. | 1.1 | 7 |
| 341 | Detrital Zircon U-Pb Geochronology and Provenance of Bayan Obo Group, Northern Margin of North China Craton: New Implications for the Position of NCC in Rodinia. <i>Acta Geologica Sinica</i> , 2019, 93, 1397-1416. | 0.8 | 5 |
| 342 | The Metallogenic Setting of the Jiangjiatun Mo Deposit, North China: Constraints from a Combined Zircon U-Pb and Molybdenite Re-Os Isotopic Study. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 723. | 0.8 | 2 |
| 343 | Cambrian tectonic evolution of the northwestern Ordos Terrane, North China: constraints of stratigraphy, sedimentology and zircon U-Pb geochronology. <i>International Journal of Earth Sciences</i> , 2019, 108, 569-586. | 0.9 | 16 |
| 344 | Geochronology and geochemistry of Mesozoic igneous rocks of the Hunjiang basin, Jilin Province, NE China: Constraints on regional tectonic processes and lithospheric delamination of the eastern North China block. <i>Gondwana Research</i> , 2019, 68, 127-157. | 3.0 | 12 |
| 345 | Genesis of Huoqiu banded iron formation (BIF), southeastern North China Craton, constraints from geochemical and Hf-O-S isotopic characteristics. <i>Journal of Geochemical Exploration</i> , 2019, 197, 60-69. | 1.5 | 12 |
| 346 | Tectonic affinity and evolution of the A/B block during the Neoproterozoic: Constraints from zircon U-Pb dating, trace elements, and Hf isotopic composition. <i>Geological Journal</i> , 2019, 54, 3700-3719. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 347 | Discovery of the Huronian Glaciation Event in China: Evidence from glaciogenic diamictites in the Hutuo Group in Wutai Shan. <i>Precambrian Research</i> , 2019, 320, 1-12. | 1.2 | 29 |
| 348 | Petrogenesis of the Late Triassic shoshonitic Shadegai pluton from the northern North China Craton: Implications for crust-mantle interaction and post-collisional extension. <i>Geoscience Frontiers</i> , 2019, 10, 595-610. | 4.3 | 13 |
| 349 | Provenance of the early to mid-Paleozoic sediments in the northern Alxa area: Implications for tectonic evolution of the southwestern Central Asian Orogenic Belt. <i>Gondwana Research</i> , 2019, 67, 115-130. | 3.0 | 17 |
| 350 | Relics of a Paleoproterozoic orogen: New petrological, phase equilibria and geochronological studies on high-pressure pelitic granulites from the Pingdu-Laiyang areas, southwest of the Jiaobei terrane, North China Craton. <i>Precambrian Research</i> , 2019, 322, 136-159. | 1.2 | 30 |
| 351 | Geochronology and geochemistry of ^{247}Ca . ^{248}Ga granitoid gneisses from the Yudongzi Complex in the northwestern Yangtze Block, China. <i>Geological Journal</i> , 2019, 54, 879-896. | 0.6 | 19 |
| 352 | Location and sinistral displacement of the eastern Liaoyuan Accretionary Belt along the Tan-Lu Fault Zone, NE China. <i>Journal of Asian Earth Sciences</i> , 2019, 172, 409-422. | 1.0 | 17 |
| 353 | The $\sim 1.85\text{-Ga}$ carbonatite in north China and its implications on the evolution of the Columbia supercontinent. <i>Gondwana Research</i> , 2019, 65, 125-141. | 3.0 | 11 |
| 354 | Late Precambrian tectonic affinity of the Alxa block and the North China Craton: Evidence from zircon U-Pb dating and Lu-Hf isotopes of the Langshan Group. <i>Precambrian Research</i> , 2019, 326, 312-332. | 1.2 | 30 |
| 355 | A widespread Paleoproterozoic partial melting event within the Jiao-Liao-Ji Belt, North China Craton: Zircon U-Pb dating of granitic leucosomes within pelitic granulites and its tectonic implications. <i>Precambrian Research</i> , 2019, 326, 155-173. | 1.2 | 39 |
| 356 | Genetic relationship between 1780 Ma dykes and coeval volcanics in the Lvliang area, North China. <i>Precambrian Research</i> , 2019, 329, 232-246. | 1.2 | 21 |
| 357 | Middle Permian Wuhaolai mafic complex in the northern North China Craton: Constraints on the subduction-related metasomatic mantle and tectonic implication. <i>Geological Journal</i> , 2019, 54, 1834-1852. | 0.6 | 5 |
| 358 | Metamorphic P-T paths and zircon U-Pb ages of Paleoproterozoic metabasic dykes in eastern Hebei and northern Liaoning: Implications for the tectonic evolution of the North China Craton. <i>Precambrian Research</i> , 2019, 326, 124-141. | 1.2 | 30 |
| 359 | Shared metamorphic histories of various Palaeoproterozoic granulites from Datong-Huai'an area, North China Craton (NCC): constraints from zircon U-Pb ages and petrology. <i>International Geology Review</i> , 2019, 61, 694-719. | 1.1 | 12 |
| 360 | Magmatic record of Neoproterozoic arc-polarity reversal from the Dengfeng segment of the Central Orogenic Belt, North China Craton. <i>Precambrian Research</i> , 2019, 326, 105-123. | 1.2 | 32 |
| 361 | Depositional age, provenance and tectonic significance of Precambrian metasedimentary rocks from the Dunhuang Complex, NW China: Evidence from field investigation, zircon U-Pb geochronology and whole-rock geochemistry. <i>Precambrian Research</i> , 2019, 326, 272-294. | 1.2 | 18 |
| 362 | Petrogenesis of the Neoproterozoic diorite-granite association in the Wangwushan area, southern North China Craton: Implications for continental crust evolution. <i>Precambrian Research</i> , 2019, 326, 84-104. | 1.2 | 16 |
| 363 | Geochemistry of metamorphosed volcanic rocks in the Neoproterozoic Qingyuan greenstone belt, North China Craton: Implications for geodynamic evolution and VMS mineralization. <i>Precambrian Research</i> , 2019, 326, 196-221. | 1.2 | 26 |
| 364 | Initial accretion of the North Qinling Terrane to the North China Craton before the Grenville orogeny: constraints from detrital zircons. <i>International Geology Review</i> , 2019, 61, 109-128. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 365 | Palaeoproterozoic tectonic evolution of the Jiao-Liao-Ji Belt, North China Craton: Geochemical and isotopic evidence from ca. 2.17 Ga felsic tuff. <i>Geological Journal</i> , 2020, 55, 409-424. | 0.6 | 24 |
| 366 | Zircon ^U - ^{Pb} geochronology and geochemistry of the intrusions from the Sadaigoumen Mo deposit in the northern margin of the North China Craton: Implications for mineralization process and tectonic evolution. <i>Geological Journal</i> , 2020, 55, 949-966. | 0.6 | 1 |
| 367 | Metamorphic P-T paths for the Archean Caozhuang supracrustal sequence, eastern Hebei Province, North China Craton: Implications for a sagduction regime. <i>Precambrian Research</i> , 2020, 340, 105346. | 1.2 | 21 |
| 368 | Ancient deep roots for Mesozoic world-class gold deposits in the north China craton: An integrated genetic perspective. <i>Geoscience Frontiers</i> , 2020, 11, 203-214. | 4.3 | 82 |
| 369 | Palaeogeographic and tectonic setting of the Lower Jurassic (Pliensbachian-Toarcian) Nishinakayama Formation, Toyora Group, SW Japan. <i>Geological Journal</i> , 2020, 55, 862-874. | 0.6 | 5 |
| 370 | Paleoproterozoic transition in tectonic regime recorded by the Eastern Block of the North China Craton: evidence from detrital zircons of the Langzishan Formation, Jiao-Liao-Ji Belt. <i>International Geology Review</i> , 2020, 62, 168-185. | 1.1 | 21 |
| 371 | Zircon ^U - ^{Pb} ages and geochemistry of the late Archean granitoids in the Zanhuang Complex: Records of an arc-continent collision event at the end of Archean. <i>Geological Journal</i> , 2020, 55, 1391-1408. | 0.6 | 4 |
| 372 | Circa 2.5 Ga granitoids in the eastern North China craton: Melting from ca. 2.7 Ga accretionary crust. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 817-834. | 1.6 | 5 |
| 373 | Metamorphic evolution and tectonic significance of ultrahigh-temperature mafic granulites in the southern part of the Shiguai area, Daqingshan, China. <i>Geological Journal</i> , 2020, 55, 3896-3916. | 0.6 | 4 |
| 374 | Identification of the Neoproterozoic Jianping pyroxenite-mylonite in the Central Orogenic Belt, North China Craton: A fore-arc accretional assemblage. <i>Precambrian Research</i> , 2020, 336, 105495. | 1.2 | 18 |
| 375 | Overprinting by episodic mineralization in the Dongyaozhuang gold deposit, Wutai Mountain, China: Constraints from geology, mineralogy, and fluid inclusions. <i>Geological Journal</i> , 2020, 55, 5934-5952. | 0.6 | 7 |
| 376 | Petrogenesis and tectonic implications of 2.45 Ga potassic A-type granite in the Daqingshan area, Yinshan Block, North China Craton. <i>Precambrian Research</i> , 2020, 336, 105435. | 1.2 | 21 |
| 377 | Early to mid-Paleozoic magmatic and sedimentary records in the Bainaimiao Arc: An advancing subduction-induced terrane accretion along the northern margin of the North China Craton. <i>Gondwana Research</i> , 2020, 79, 263-282. | 3.0 | 28 |
| 378 | Zircon ^U - ^{Pb} ages and Hf isotopes of the Huaiyan gneisses from the Tianzhen-Xinpingbu area: Implications for the tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2020, 337, 105530. | 1.2 | 9 |
| 379 | Geochemistry and detrital zircon records of the Ruyang-Luoyu groups, southern North China Craton: Provenance, crustal evolution and Paleoproterozoic tectonic implications. <i>Geoscience Frontiers</i> , 2020, 11, 679-696. | 4.3 | 25 |
| 380 | Identifying mineral prospectivity using seismic and potential field data in the Hongniangyu district, Inner Mongolia, China. <i>Ore Geology Reviews</i> , 2020, 119, 103317. | 1.1 | 8 |
| 381 | The genesis of high Ba/Sr adakitic rocks: Insights from an Early Cretaceous volcanic suite in the central North China Craton. <i>Geological Journal</i> , 2020, 55, 5398-5416. | 0.6 | 8 |
| 382 | Neoproterozoic arc basaltic magmatism and associated sulfide mineralization in the North China Craton: Evidence from the Taoke mafic-ultramafic complex in Shandong Province. <i>Precambrian Research</i> , 2020, 338, 105594. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 383 | Petrogenesis and tectonic implications of the 2.1–2.0 Ga granitoids in Fuping Complex, North China Craton: Constraints from petrology, geochemistry and zircon U-Pb-Hf isotopes. <i>Precambrian Research</i> , 2020, 339, 105611. | 1.2 | 13 |
| 384 | Geochemistry, geochronology and evolution of Paleoproterozoic granitoid gneisses in the Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2020, 338, 105590. | 1.2 | 16 |
| 385 | Modern-style tectonic cycle in earliest Proterozoic time: Petrogenesis of dioritic-granitic rocks from the Daqingshan–Wulashan Terrane, southern Yinshan Block, North China Craton. <i>Lithos</i> , 2020, 352-353, 105322. | 0.6 | 4 |
| 386 | Late Neoproterozoic or late Paleoproterozoic high-pressure granulite facies metamorphism from the East Hebei terrane, North China Craton?. <i>Journal of Asian Earth Sciences</i> , 2020, 190, 104195. | 1.0 | 13 |
| 387 | Genesis of gold deposits in the Wulong orefield, Liaodong Peninsula, North China Craton: Constraints from ore deposit geology, REE, and $^{206}\text{Pb}/^{238}\text{U}$ – $^{207}\text{Pb}/^{235}\text{U}$ isotopes. <i>Geological Journal</i> , 2020, 55, 5914-5933. | 0.6 | 14 |
| 388 | Late Neoproterozoic reworking of the Mesoproterozoic crustal remnant in northern Liaoning, North China Craton: A $^{206}\text{Pb}/^{238}\text{U}$ – $^{207}\text{Pb}/^{235}\text{U}$ – $^{143}\text{Nd}/^{146}\text{Sm}$ perspective. <i>Gondwana Research</i> , 2020, 80, 350-369. | 3.0 | 19 |
| 389 | Continental crustal evolution and synchronous metallogeny through time in the North China Craton. <i>Journal of Asian Earth Sciences</i> , 2020, 194, 104169. | 1.0 | 34 |
| 390 | Multistage exhumation of the Anjiayingzi gold deposit, northern North China Block: Geodynamic settings and exploration implications. <i>Ore Geology Reviews</i> , 2020, 116, 103220. | 1.1 | 11 |
| 391 | Late Neoproterozoic volcanic rocks in the southern Liaoning Terrane and their tectonic implications for the formation of the eastern North China Craton. <i>Geoscience Frontiers</i> , 2020, 11, 1053-1068. | 4.3 | 10 |
| 392 | Early Triassic Conversion from Source to Sink on the Southern Margin of the North China Craton: Constraints by Detrital Zircon U-Pb Ages. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 7. | 0.8 | 4 |
| 393 | Origin of the late Paleoproterozoic low- ^{18}O A-type granites on the southern margin of the North China Craton and their geodynamic mechanism. <i>Precambrian Research</i> , 2020, 351, 105960. | 1.2 | 5 |
| 394 | The Itabuna-Salvador-Curaçao Orogen revisited, São Francisco Craton, Brazil: New zircon U–Pb ages and Hf data support evolution from Archean continental arc to paleoproterozoic crustal reworking during block collision. <i>Journal of South American Earth Sciences</i> , 2020, 104, 102826. | 0.6 | 10 |
| 395 | Persistence of partial melting in the southern North China Craton: Evidence from Paleoproterozoic migmatites of the Taihua Complex. <i>Precambrian Research</i> , 2020, 348, 105872. | 1.2 | 10 |
| 396 | The progressive onset and evolution of Precambrian subduction and plate tectonics. <i>Science China Earth Sciences</i> , 2020, 63, 2068-2086. | 2.3 | 11 |
| 397 | From subduction initiation to arc polarity reversal: Life cycle of an Archean subduction zone from the Zunhua ophiolitic mélange, North China Craton. <i>Precambrian Research</i> , 2020, 350, 105868. | 1.2 | 23 |
| 398 | Refining the spatio-temporal distributions of Mesozoic granitoids and volcanic rocks in SE China. <i>Journal of Asian Earth Sciences</i> , 2020, 201, 104503. | 1.0 | 50 |
| 399 | Origin of Low-Angle Ductile/Brittle Detachments: Examples From the Cretaceous Linglong Metamorphic Core Complex in Eastern China. <i>Tectonics</i> , 2020, 39, e2020TC006132. | 1.3 | 15 |
| 400 | Zircon U-Pb chronology, Petrochemistry characteristics and Metallogenic significance of Granodiorite porphyry in the Banmiaozhi gold deposit in the NE margin of the North China Craton. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 401 | Tectonic Switching of the Trans-North China Orogen in the Middle Paleoproterozoic: Insights From Mafic Magmatism in the Liang Complex. <i>Tectonics</i> , 2020, 39, e2020TC006253. | 1.3 | 7 |
| 402 | U-Pb ages of detrital zircons in lower Palaeozoic quartzites of the Taebaeksan Basin, eastern Sino-Korean Block: sediment provenance response to relative sea-level changes. <i>International Geology Review</i> , 2021, 63, 2129-2145. | 1.1 | 6 |
| 403 | Stratigraphy and geochronology of Permo-Carboniferous strata in the Western North China Craton: Insights into the tectonic evolution of the southern Paleo-Asian Ocean. <i>Gondwana Research</i> , 2020, 88, 201-219. | 3.0 | 11 |
| 404 | Deformation history of the Qianlishan Complex, Khondalite Belt, North China: Structures, ages and tectonic implications. <i>Journal of Structural Geology</i> , 2020, 141, 104176. | 1.0 | 8 |
| 405 | Tectonic evolution of the Dadongcha Formation, Ji'an group, Qinghe area, Tonghua, NE China: Implications from geochronological and geochemical evidence of metapelites. <i>Precambrian Research</i> , 2020, 350, 105917. | 1.2 | 3 |
| 406 | New evidence for Neoproterozoic (ca. 2.7 Ga) crustal growth in the North China Craton. <i>Precambrian Research</i> , 2020, 350, 105921. | 1.2 | 12 |
| 407 | Geochronology and geochemistry of low-grade metamorphic rocks from the Erdaowa Group and its significance on the tectonic evolution of the Paleoproterozoic Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2020, 350, 105923. | 1.2 | 9 |
| 408 | Paleoproterozoic Adakitic Rocks in Qingchengzi District, Northeastern Jiao-Liao-Ji Belt: Implications for Petrogenesis and Tectonism. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 684. | 0.8 | 2 |
| 409 | Fluid-Present Partial Melting of Paleoproterozoic Okbang Amphibolite in the Yeongnam Massif, Korea. <i>Lithosphere</i> , 2020, 2020, . | 0.6 | 6 |
| 410 | Zircon U-Pb geochronology, whole-rock geochemical, and Sr-Nd-Pb isotopic constraints on the timing and origin of Permian and Triassic mafic dykes from eastern North China Craton. <i>Acta Geochimica</i> , 2020, 39, 862-886. | 0.7 | 0 |
| 411 | Paleoproterozoic postcollisional metamorphic and igneous activities in the Jinan area of the Jiao-Liao-Ji Belt in the North China Craton and their tectonic implications. <i>Precambrian Research</i> , 2020, 346, 105793. | 1.2 | 19 |
| 412 | Geochronology and petrogenesis of the Neoproterozoic-Paleoproterozoic Taihua Complex, NE China: Implications for the evolution of the North China Craton. <i>Precambrian Research</i> , 2020, 346, 105792. | 1.2 | 13 |
| 413 | A Paleoproterozoic nappe on Meso-Archean gneisses exhumed by a Cretaceous metamorphic core complex in northeastern North China Craton. <i>International Journal of Earth Sciences</i> , 2020, 109, 1403-1420. | 0.9 | 11 |
| 414 | Diversity of late Neoproterozoic K-rich granitoid rocks derived from subduction-related crust/mantle interactions in the Jiaobei terrane, North China Craton. <i>Gondwana Research</i> , 2020, 85, 84-102. | 3.0 | 10 |
| 415 | Evolution of the Mesozoic Yuljeon Basin in South Korea and its tectonic implication. <i>Lithos</i> , 2020, 366-367, 105560. | 0.6 | 2 |
| 416 | Geology, geochemistry, and geochronology of the paleoproterozoic Donggouzi mafic-ultramafic complex: Implications for the evolution of the North China craton. <i>Lithos</i> , 2020, 366-367, 105567. | 0.6 | 7 |
| 417 | Geochronological constraints on the genesis of high-grade iron ore in the Gongchangling BIFs from the Anshan-Benxi area, North China Craton. <i>Ore Geology Reviews</i> , 2020, 122, 103504. | 1.1 | 3 |
| 418 | Crust-mantle geodynamic origin of ~2.7 Ga granitoid diversification in the Jiaobei terrane, North China Craton. <i>Precambrian Research</i> , 2020, 346, 105821. | 1.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 419 | Potential deep-buried petroleum systems in Meso-Neoproterozoic rifts of the southwestern North China Craton revealed by gravity anomalies. <i>Precambrian Research</i> , 2020, 346, 105764. | 1.2 | 7 |
| 420 | Geochemistry of two types of Palaeoproterozoic granites, and zircon U–Pb dating, and Lu–Hf isotopic characteristics in the Kuandian area within the Jiao-Liao-Ji Belt: Implications for regional tectonic setting. <i>Geological Journal</i> , 2020, 55, 7564-7580. | 0.6 | 4 |
| 421 | Nd isotope re-equilibration during high temperature metamorphism across an orogenic belt: Evidence from monazite and garnet. <i>Chemical Geology</i> , 2020, 551, 119751. | 1.4 | 15 |
| 422 | The timing and duration of high-temperature to ultrahigh-temperature metamorphism constrained by zircon U–Pb–Hf and trace element signatures in the Khondalite Belt, North China Craton. <i>Contributions To Mineralogy and Petrology</i> , 2020, 175, 1. | 1.2 | 26 |
| 423 | Metamorphic evolution of high-pressure felsic and pelitic granulites from the Qianlishan Complex and tectonic implications for the Khondalite Belt, North China Craton. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2253-2266. | 1.6 | 10 |
| 424 | Detrital zircon records of late Paleoproterozoic to early Neoproterozoic northern North China Craton drainage reorganization: Implications for supercontinent cycles. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2135-2153. | 1.6 | 25 |
| 425 | Tracing the genesis of skarn-type iron deposit in central North China Craton: Insights from mineral zoning textures in ore-forming intrusion. <i>Geological Journal</i> , 2020, 55, 6280-6295. | 0.6 | 2 |
| 426 | Initiation of modern-style subduction in the Neoproterozoic: From plume to subduction with frequent slab break-off. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2119-2134. | 1.6 | 8 |
| 427 | Complex Neoproterozoic mantle metasomatism: Evidence from sanukitoid diorites-monzodiorites-granodiorites in the northeastern North China Craton. <i>Precambrian Research</i> , 2020, 342, 105692. | 1.2 | 27 |
| 428 | Paleoproterozoic tectono-metamorphic evolution of the southernmost North China Craton: New insights from the metamorphic evolution and geochronology of the Taihua complex at Lushan area. <i>Precambrian Research</i> , 2020, 342, 105693. | 1.2 | 16 |
| 429 | Refertilization of lithospheric mantle beneath the North China Craton in Mesozoic: Evidence from in situ Sr isotopes of Fuxin peridotite. <i>Lithos</i> , 2020, 364-365, 105478. | 0.6 | 8 |
| 430 | Secular evolution of the lithospheric mantle beneath the northern margin of the North China Craton: Insights from zoned olivine xenocrysts in Early Cretaceous basalts. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2353-2366. | 1.6 | 4 |
| 431 | Multi-stage Paleoproterozoic structural evolution of the southern Liaodong orogenic belt: A case study of the Hadabei granite gneiss dome. <i>Precambrian Research</i> , 2020, 342, 105691. | 1.2 | 5 |
| 432 | Detrital zircon U-Pb age and Hf isotopic composition and whole-rock geochemical characteristics of the Statherian Huangqikou Formation, western margin of the North China Craton: Implications for provenance and tectonic evolution. <i>Precambrian Research</i> , 2020, 347, 105840. | 1.2 | 9 |
| 433 | Neoproterozoic seafloor hydrothermal metamorphism of basalts in the Zanhuang ophiolitic mélange, North China Craton. <i>Precambrian Research</i> , 2020, 347, 105832. | 1.2 | 8 |
| 434 | ²⁸ Al– ²⁷ Al history of the Jiao-Liao-Ji Belt of the North China Craton from the geochronology and geochemistry of mafic Liaohe meta-igneous rocks. <i>Gondwana Research</i> , 2020, 85, 55-75. | 3.0 | 9 |
| 435 | UHT Metamorphism Peaking Above 1100°C with Slow Cooling: Insights from Pelitic Granulites in the Jining Complex, North China Craton. <i>Journal of Petrology</i> , 2020, 61, . | 1.1 | 23 |
| 436 | Alternation of back-arc extension and compression in an overriding plate: evidence from Cretaceous structures in the western Liaoning region, eastern China. <i>International Journal of Earth Sciences</i> , 2020, 109, 707-727. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 437 | Paleoproterozoic oceanic subduction in the North China Craton: Insights from the metamorphic P - T paths of the Chicheng Mafic Complex in the Hongqiyngzi Complex. <i>Precambrian Research</i> , 2020, 342, 105671. | 1.2 | 22 |
| 438 | Mesoproterozoic (~1.32 Ga) modification of lithospheric mantle beneath the North China craton caused by break-up of the Columbia supercontinent. <i>Precambrian Research</i> , 2020, 342, 105674. | 1.2 | 18 |
| 439 | S-type granites: Their origin and distribution through time as determined from detrital zircons. <i>Earth and Planetary Science Letters</i> , 2020, 536, 116140. | 1.8 | 70 |
| 440 | Texturally Controlled U - Pb Monazite Geochronology Reveals Paleoproterozoic UHT Metamorphic Evolution in the Khondalite Belt, North China Craton. <i>Journal of Petrology</i> , 2020, 61, . | 1.1 | 25 |
| 441 | A Textural and Mineralogical Study of the Shanzhuang Banded Iron Formation, Southeastern Margin of the North China Craton: Implications for the Overprint History of Hydrothermal Alteration and Supergene after Mineralization. <i>Acta Geologica Sinica</i> , 2020, 94, 2134. | 0.8 | 4 |
| 442 | Synchronous A-type and adakitic granitic magmatism at ca. 2.2 Ga in the Jiao-Liao-Ji belt, North China Craton: Implications for rifting triggered by lithospheric delamination. <i>Precambrian Research</i> , 2020, 342, 105629. | 1.2 | 20 |
| 443 | Detrital zircon U - Pb geochronology and Hf isotopes of the Liaohe Group, Jiao-Liao-Ji Belt: Implications for the Paleoproterozoic tectonic evolution. <i>Precambrian Research</i> , 2020, 340, 105633. | 1.2 | 23 |
| 444 | Detrital zircon U - Pb geochronology and Lu - Hf isotopic analysis of the Neoproterozoic Penglai Group and their comparisons with coeval sedimentary strata of the southeastern North China Craton: provenance, tectonic affinity and implications. <i>Journal of the Geological Society</i> , 2020, 177, 855-865. | 0.9 | 9 |
| 445 | Destruction of the Northern Margin of the North China Craton in Mid-Late Triassic: Evidence from Asthenosphere-Derived Mafic Enclaves in the Jiefangyingzi Granitic Pluton from Chifeng Area, Southern Inner Mongolia. <i>Acta Geologica Sinica</i> , 2020, 94, 1071. | 0.8 | 6 |
| 446 | The Xiaoqinling metamorphic core complex: A record of Early Cretaceous backarc extension along the southern part of the North China Craton. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 617-637. | 1.6 | 35 |
| 447 | Ordovician tectonic shift in the western North China Craton constrained by stratigraphic and geochronological analyses. <i>Basin Research</i> , 2020, 32, 1413-1440. | 1.3 | 27 |
| 448 | Metamorphic P - T paths and Zircon U - Pb ages of Archean ultra-high temperature paragneisses from the Qianan gneiss dome, East Hebei terrane, North China Craton. <i>Journal of Metamorphic Geology</i> , 2020, 38, 329-356. | 1.6 | 32 |
| 449 | Paleoproterozoic UHT metamorphism with isobaric cooling (IBC) followed by decompression-heating in the Khondalite Belt (North China Craton): New evidence from two sapphirine formation processes. <i>Journal of Metamorphic Geology</i> , 2020, 38, 357-378. | 1.6 | 25 |
| 450 | A Neoproterozoic arc-backarc pair in the Linshan Massif, southern North China Craton. <i>Precambrian Research</i> , 2020, 341, 105649. | 1.2 | 15 |
| 451 | Temporal variations in the dynamic evolution of an overriding plate: Evidence from the Wulong area in the eastern North China Craton, China. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2023-2042. | 1.6 | 26 |
| 452 | Location of the tectonic boundary between the Paleoproterozoic Jiao-Liao-Ji Belt and the Archean Longgang Block in the Lianshangan area, northeastern China. <i>Precambrian Research</i> , 2020, 344, 105762. | 1.2 | 6 |
| 453 | Late Paleoproterozoic crustal evolution in the Daqingshan area: Evidences from adakitic and A-type granitoids in the Guyang Changshengqu goldfield, Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2020, 345, 105761. | 1.2 | 6 |
| 454 | Triassic gold-silver metallogenesis in Qingchengzi orefield, North China Craton: Perspective from fluid inclusions, REE and Hf - O - Sr - Pb isotope systematics. <i>Ore Geology Reviews</i> , 2020, 121, 103567. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 455 | Crustal evolution events in the Chinese continent: evidence from a zircon U-Pb database. <i>International Journal of Digital Earth</i> , 2020, 13, 1532-1552. | 1.6 | 9 |
| 456 | Detrital zircon U-Pb dating in the southern Hefei Basin: Evidence for exhumation of HP-UHP rocks of the Dabie Orogen. <i>Science China Earth Sciences</i> , 2020, 63, 954-968. | 2.3 | 8 |
| 457 | Petrogenesis and tectonic implications of the Mesozoic granitoid intrusions in the eastern Liaoning Peninsula, NE China. <i>Journal of Asian Earth Sciences</i> , 2020, 195, 104356. | 1.0 | 7 |
| 458 | Distribution pattern of age and geochemistry of 2.18–2.14 Ga I- and A-type granites and their implication for the tectonics of the Liao-Ji belt in the North China Craton. <i>Lithos</i> , 2020, 364-365, 105518. | 0.6 | 10 |
| 459 | Tectonic evolution of the Alxa Block and its affinity: Evidence from the U-Pb geochronology and Lu-Hf isotopes of detrital zircons from the Longshoushan Belt. <i>Precambrian Research</i> , 2020, 344, 105733. | 1.2 | 18 |
| 460 | Archean basement components and metamorphic overprints of the Rangnim Massif in the northern part of the Korean Peninsula and tectonic implications for the Sino-Korean Craton. <i>Precambrian Research</i> , 2020, 344, 105735. | 1.2 | 18 |
| 461 | The 1.24–1.21 Ga Licheng Large Igneous Province in the North China Craton: Implications for Paleogeographic Reconstruction. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019005. | 1.4 | 15 |
| 462 | Effective elastic thickness over the Chinese mainland and surroundings estimated from a joint inversion of Bouguer admittance and coherence. <i>Physics of the Earth and Planetary Interiors</i> , 2020, 301, 106456. | 0.7 | 12 |
| 463 | A combined geochronological and paleomagnetic study on ~1220 Ma mafic dikes in the North China Craton and the implications for the breakup of Nuna and assembly of Rodinia. <i>Numerische Mathematik</i> , 2020, 320, 125-149. | 0.7 | 25 |
| 464 | Early Precambrian geological events in the Zhongtiao Mountain, China: implication for the evolution of Neoarchean to Paleoproterozoic crust in the southern segment of North China Craton. <i>International Geology Review</i> , 2021, 63, 1030-1050. | 1.1 | 5 |
| 465 | Geochronology and geochemistry of the palaeoproterozoic mafic dikes in the Jiaobei terrane: implications for tectonic evolution of the Jiao-Liao-Ji Belt, eastern North China Craton. <i>International Geology Review</i> , 2021, 63, 1181-1198. | 1.1 | 4 |
| 466 | Detrital zircon U-Pb ages of the late Mesoproterozoic–Neoproterozoic Qiaotou formation in the Liao-Ji area of the North China Craton: implications for Rodinia reconstruction. <i>International Geology Review</i> , 2021, 63, 1311-1330. | 1.1 | 8 |
| 467 | Detrital zircon ages, sources, and implications of the Tangwangling Group, southern margin of the Ordos Block, western North China Craton. <i>Geosciences Journal</i> , 2021, 25, 107-124. | 0.6 | 2 |
| 468 | U-Pb detrital zircon ages of Cambrian–Ordovician sandstones from the Taebaeksan Basin, Korea: Provenance variability in platform shelf sequences and paleogeographic implications. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 488-504. | 1.6 | 17 |
| 469 | Insights into salty metamorphic fluid evolution from scapolite in the Trans-North China Orogen: Implication for ore genesis. <i>Geochimica Et Cosmochimica Acta</i> , 2021, 293, 256-276. | 1.6 | 12 |
| 470 | Tectonic origin of the Bainaimiao arc terrane in the southern Central Asian orogenic belt: Evidence from sedimentary and magmatic rocks in the Damao region. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 802-818. | 1.6 | 11 |
| 471 | Newly identified Jurassic–Cretaceous migmatites in the Liaodong Peninsula: unravelling a Mesozoic anatexis event related to the lithospheric thinning of the North China Craton. <i>Geological Magazine</i> , 2021, 158, 425-441. | 0.9 | 1 |
| 472 | Detrital Zircon U–Pb Geochronology as an Indicator of Provenance in the Zhiluo Formation of the Western Ordos Basin, China. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 587-600. | 1.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 473 | Subduction-related mantle metasomatism and partial melting in the northern North China Craton: Insights from amphibolite enclaves, Siziwangqi, Inner Mongolia. <i>Precambrian Research</i> , 2021, 355, 106002. | 1.2 | 0 |
| 474 | Palaeoproterozoic turbidite deposition in the Liaodong Peninsula, northeastern North China craton – Constraints from the Gaojiayu formation of the Liaohe Group. <i>Precambrian Research</i> , 2021, 352, 106008. | 1.2 | 9 |
| 475 | Tracking decratonization process along a cratonic edge through late Permian to late Triassic magmatic flare-up in northwestern Liaoning, North China Craton. <i>Lithos</i> , 2021, 380-381, 105916. | 0.6 | 2 |
| 476 | Back-arc tectonic tempos: Records from Jurassic–Cretaceous basins in the eastern North China Craton. <i>Gondwana Research</i> , 2021, 90, 241-257. | 3.0 | 12 |
| 477 | Mantle cooling and cratonization of Archean lithosphere by continuous plate subduction: Constraints from TTGs, sanukitoids, and high-K granites, eastern North China Craton. <i>Precambrian Research</i> , 2021, 353, 106042. | 1.2 | 6 |
| 478 | Geochronology and petrogenesis of paleoproterozoic post-collisional quartz monzodiorites from the Helanshan Complex, North China Craton: Implications for crust–mantle interaction. <i>Precambrian Research</i> , 2021, 352, 106011. | 1.2 | 3 |
| 479 | Zircon U-Pb and Lu-Hf isotopes of Huai'an complex granites, North China Craton: Implications for crustal growth, reworking and tectonic evolution. <i>Gondwana Research</i> , 2021, 90, 118-134. | 3.0 | 6 |
| 480 | Provenance and tectonic implications of the Carboniferous sediments in the Bainaimiao arc belt, northern margin of the North China Craton: evidence from detrital zircon U–Pb–Hf isotopes and trace elements. <i>International Journal of Earth Sciences</i> , 2021, 110, 331-351. | 0.9 | 1 |
| 481 | Coexistence of A- and I-type granites in the L ₁ liang Complex: Tectonic implications for the middle Paleoproterozoic Trans-North China Orogen, North China Craton. <i>Lithos</i> , 2021, 380-381, 105875. | 0.6 | 3 |
| 482 | Provenance and paleogeography of Carboniferous–Permian strata in the Bayanhot Basin: Constraints from sedimentary records and detrital zircon geochronology. <i>Geoscience Frontiers</i> , 2021, 12, 101088. | 4.3 | 9 |
| 483 | Macro- and microstructural analysis of the Zhujiayang ductile shear zone, Hengshan Complex: Tectonic nature and geodynamic implications of the evolution of Trans–North China orogen. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1237-1255. | 1.6 | 3 |
| 484 | A metamorphic and deformational study of meta-pelites in the Liaohe Group located at Liaodong Peninsula: Significance to process of Paleoproterozoic orogenesis and exhumation. <i>Acta Petrologica Sinica</i> , 2021, 37, 619-635. | 0.3 | 5 |
| 485 | Late Jurassic high silica granites from the border area between Liaoning and Inner Mongolia: Petrogenesis and tectonic implication. <i>Acta Petrologica Sinica</i> , 2021, 37, 1061-1081. | 0.3 | 0 |
| 486 | The geological evolution process across the northern margin of Dabie Mountains insight from the P-T-t spatial variation pattern. <i>Acta Petrologica Sinica</i> , 2021, 37, 2153-2178. | 0.3 | 2 |
| 487 | New thinking and understanding for the researches on the basement of Ordos Block. <i>Acta Petrologica Sinica</i> , 2021, 37, 162-184. | 0.3 | 11 |
| 488 | Tectonic setting and new division of evolution stages of Jiao-Liao-Ji belt: Implications from metagabbros in Jiaobei terrane. <i>Acta Petrologica Sinica</i> , 2021, 37, 185-210. | 0.3 | 5 |
| 489 | Metamorphic P-T-t evolution of amphibolite in the north Hengshan terrane, North China Craton: Insights into the late Paleoproterozoic tectonic processes from initial collision to final exhumation. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 2017-2030. | 1.6 | 10 |
| 490 | Unsupervised Machine Learning for Lithological Mapping Using Geochemical Data in Covered Areas of Jining, China. <i>Natural Resources Research</i> , 2021, 30, 1053-1068. | 2.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 491 | Carbon isotope and genesis studies of graphite deposits in the Liaohe Group of the Jiao-Liao-Ji Orogenic Belt. <i>Acta Petrologica Sinica</i> , 2021, 37, 599-618. | 0.3 | 3 |
| 492 | Geochronological and geochemical constraints on the non-ultrahigh-pressure metasedimentary blocks of North China affinity within the Sulu ultrahigh-pressure belt, eastern China, and tectonic implications. <i>International Geology Review</i> , 2023, 65, 1127-1157. | 1.1 | 4 |
| 493 | Deformation Behavior and Inferred Seismic Properties of Tonalitic Migmatites at the Time of Pre-melting, Partial Melting, and Post-solidification. <i>Geochemistry, Geophysics, Geosystems</i> , 2021, 22, e2020GC009202. | 1.0 | 7 |
| 494 | Geochronological Framework of Paleoproterozoic Intrusive Rocks and Its Constraints on Tectonic Evolution of the Liao-Ji Belt, Sino-Korean Craton. <i>Journal of Earth Science (Wuhan, China)</i> , 2021, 32, 8-24. | 1.1 | 4 |
| 495 | Evolution of spinel-bearing ultrahigh-temperature granulite in the Jining complex, North China Craton: constrained by phase equilibria and Monte Carlo methods. <i>Mineralogy and Petrology</i> , 2021, 115, 283-297. | 0.4 | 10 |
| 496 | Polymetamorphic events in the Jiao-Liao-Ji Belt, North China Craton: Evidence from integrated zircon, xenotime, and monazite LA-ICP-MS U-Pb dating. <i>International Geology Review</i> , 2021, 63, 630-657. | 1.1 | 5 |
| 497 | Identification and Geological Significance of Early Jurassic Adakitic Volcanic Rocks in Xintaimen Area, Western Liaoning. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 331. | 0.8 | 3 |
| 498 | U-Pb-Hf-O-Nd isotopic and geochemical constraints on the origin of Archean TTG gneisses from the North China Craton: Implications for crustal growth. <i>Precambrian Research</i> , 2021, 354, 106078. | 1.2 | 8 |
| 499 | Final-stage Southward Subduction of the Eastern Paleo-Asian Ocean: Evidence from the Middle Permian Mafic Intrusions in the Northern Margin of the North China Craton. <i>Acta Geologica Sinica</i> , 2022, 96, 81-99. | 0.8 | 5 |
| 500 | Paleoproterozoic Orosirian tectono-thermal events in the Nangrim Massif, North Korea: Cratonic and supercontinental connection. <i>Lithos</i> , 2021, 384-385, 105983. | 0.6 | 1 |
| 501 | Paleoproterozoic metamorphism of metaultramafic rocks in the Miyun area, northeastern North China Craton. <i>Precambrian Research</i> , 2021, 354, 106048. | 1.2 | 3 |
| 502 | Central China Orogenic Belt and amalgamation of East Asian continents. <i>Gondwana Research</i> , 2021, 100, 131-194. | 3.0 | 165 |
| 503 | Origin of high-Cr stratiform chromitite in the Fangmayu Alaskan-type ultramafic intrusion, North China Craton. <i>Precambrian Research</i> , 2021, 355, 106096. | 1.2 | 1 |
| 504 | Clockwise P-T-t path for Paleoproterozoic metamorphism in the Huoqiu Metamorphic Complex of the southeastern North China Craton. <i>Lithos</i> , 2021, 386-387, 106014. | 0.6 | 1 |
| 505 | Late Paleoproterozoic crustal thickening of the Jiao-Liao-Ji belt, North China Craton: Insights from ca. 1.95-1.88 Ga syn-collisional adakitic granites. <i>Precambrian Research</i> , 2021, 355, 106120. | 1.2 | 16 |
| 506 | Paleoproterozoic (1.96-1.86 Ga) granites in Xinyang record zoned deep crustal structure and multi-stage reworking beneath the southern North China Craton. <i>Precambrian Research</i> , 2021, 355, 106079. | 1.2 | 0 |
| 507 | Monazite recorded Paleoproterozoic granulite-facies metamorphism and Triassic fluid modification of the Weihai pelitic granulite, Sulu orogen. <i>Science China Earth Sciences</i> , 2021, 64, 932-950. | 2.3 | 2 |
| 508 | The Late Paleoproterozoic A-Type Granites in the Jiao-Liao-Ji Orogenic Belt, North China Craton: Petrogenesis and Implications for Post-Collision Extension. <i>Geochemistry International</i> , 2021, 59, 388-412. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 509 | The P-T-t path of pelitic gneisses in the Zanhuang Complex: Further constraints on the Palaeoproterozoic tectonic evolution of the Trans-North China Orogen, North China Craton. <i>Journal of Asian Earth Sciences</i> , 2021, 210, 104701. | 1.0 | 5 |
| 510 | Late Neoproterozoic crustal growth under paired continental arc-back arc system in the North China Craton. <i>Geoscience Frontiers</i> , 2021, 12, 101120. | 4.3 | 18 |
| 511 | Mesozoic Unroofing History of the Dabie Orogen, Eastern China: Evidence from Detrital Zircon Geochronology of Sediments in the Hefei Basin. <i>Journal of Geology</i> , 2021, 129, 183-206. | 0.7 | 5 |
| 512 | Metamorphic history and Neoproterozoic Paleoproterozoic crustal growth of the central Trans-North China Orogen: Evidence from granulite- to amphibolite-facies rocks of the Hengshan complex. <i>Gondwana Research</i> , 2021, 93, 162-183. | 3.0 | 7 |
| 513 | Petrogenesis of (meta-) basalts from the North Qilian Orogenic Belt, NW China: implications for the Palaeoproterozoic Mesoproterozoic tectonic evolution of the North Qilian Block. <i>Geological Magazine</i> , 2021, 158, 1795-1810. | 0.9 | 1 |
| 514 | Episodic Archean crustal accretion in the North China Craton: Insights from integrated zircon U-Pb-Hf-O isotopes of the Southern Jilin Complex, northeast China. <i>Precambrian Research</i> , 2021, 358, 106150. | 1.2 | 8 |
| 515 | Petrogenesis of the 2.3 Ga Lengjokou metavolcanic rocks in the North China Craton: Implications for tectonic settings during the magmatic quiescence. <i>Precambrian Research</i> , 2021, 357, 106151. | 1.2 | 11 |
| 516 | Petrogenesis and tectonic implications of the late Paleoproterozoic A-type rhyolites at the southwestern North China Craton. <i>Lithos</i> , 2021, 390-391, 106095. | 0.6 | 3 |
| 517 | Superposition of Cretaceous and Cenozoic deformation in northern Tibet: A far-field response to the tectonic evolution of the Tethyan orogenic system. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 501-525. | 1.6 | 16 |
| 518 | Final Stage Southward Subduction of the Eastern Paleoproterozoic Asian Ocean: Evidence from the Middle Permian Mafic Intrusions in the Northern Margin of the North China Craton. <i>Acta Geologica Sinica</i> , 0, , . | 0.8 | 0 |
| 519 | Petrogenesis and tectonic implications of the late Paleoproterozoic (ca. 1.7 Ga) post-collisional magmatism in the southwestern Gyeonggi Massif at Garorim Bay, South Korea. <i>Journal of Asian Earth Sciences</i> : X, 2021, 5, 100050. | 0.6 | 1 |
| 520 | Multiple enrichment of subcontinental lithospheric mantle with Archean to Mesozoic components: Evidence from the Chicheng ultramafic complex, North China Craton. <i>Gondwana Research</i> , 2021, 94, 201-221. | 3.0 | 5 |
| 521 | Late Neoproterozoic to Paleoproterozoic arc magmatism in the Shandong Peninsula, North China Craton and its tectonic implications. <i>Precambrian Research</i> , 2021, 358, 106188. | 1.2 | 6 |
| 522 | Multi-phase metamorphism in the northern margin of the North China Craton: Records from metapelite in the Hongqiyingzi Complex. <i>Gondwana Research</i> , 2021, 98, 289-308. | 3.0 | 6 |
| 523 | Multi-stage mantle accretions and metasomatisms related to peripheral subduction or collision in the northern North China Craton: Evidence from the Nangaoya peridotite xenoliths. <i>Lithos</i> , 2021, 390-391, 106116. | 0.6 | 1 |
| 524 | Early Cretaceous tectonics across the North Pacific: New insights from multiphase tectonic extension in Eastern Eurasia. <i>Earth-Science Reviews</i> , 2021, 217, 103552. | 4.0 | 35 |
| 525 | Syn-subduction Strike-slip Faults Shape an Accretionary Orogen and its Provenance Signatures: Insights From Sikhotealin in NE Asia During the Late Jurassic to Early Cretaceous. <i>Tectonics</i> , 2021, 40, e2020TC006541. | 1.3 | 12 |
| 526 | Arc-related peridotite blocks exhumed to the Eastern Block of the North China Craton prior to 2.47 Ga. <i>Geological Magazine</i> , 2021, 158, 2115-2138. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 527 | Abrupt shift from trenchâ€“parallel to trenchâ€“perpendicular backarc extension: Evidence from the Kalaqin metamorphic core complex in the eastern North China Craton. <i>Gondwana Research</i> , 2021, 95, 113-133. | 3.0 | 2 |
| 528 | Petrogenesis of the Pandao granites in the Wutai Mountains area in the North China Craton: Constraints from geochemistry, zircon $^{207}\text{Pb}/^{235}\text{U}$ geochronology, and Hf isotopes. <i>Geological Journal</i> , 2021, 56, 4809-4829. | 0.6 | 1 |
| 529 | Chicheng high-pressure granulites record the paleoproterozoic tectonic evolution in the northern North China Craton. <i>Precambrian Research</i> , 2021, 359, 106213. | 1.2 | 7 |
| 530 | The ~1.87 Ga granulite facies metamorphism of the South Liaohe Group in the Jiao-Liao-Ji Belt and its tectonic implications. <i>Lithos</i> , 2021, 392-393, 106081. | 0.6 | 5 |
| 531 | Neoproterozoic to Paleoproterozoic tectonothermal evolution of the North China Craton: Constraints from geological mapping and Th-U-Pb geochronology of zircon, titanite and monazite in Zanhuang Massif. <i>Precambrian Research</i> , 2021, 359, 106214. | 1.2 | 11 |
| 532 | Two contrasting Neoproterozoic metavolcanic rock suites in eastern Hebei and their geodynamic implications for the northern North China Craton. <i>Gondwana Research</i> , 2021, 95, 45-71. | 3.0 | 13 |
| 533 | Genesis of the Neoproterozoic subductionâ€“related Taoke $^{63}\text{Ni}/^{65}\text{Ni}$ ($^{63}\text{Ni}/^{65}\text{Ni}$) sulphide deposit in the North China Craton: Constraints from $^{187}\text{Os}/^{188}\text{Os}$ isotopes and $^{63}\text{Ni}/^{65}\text{Ni}$ geochemistry. <i>Geological Journal</i> , 2021, 56, 4888-4903. | 0.6 | 0 |
| 534 | Melting of the Neoproterozoic Yangtze crustal remnants beneath the North Qinling Terrane induced by the Paleo-Pacific plate subduction: Evidence from the Early Cretaceous Laojunshan granitoids. <i>Journal of Asian Earth Sciences</i> , 2021, 216, 104826. | 1.0 | 2 |
| 535 | Origin, Accretion, and Reworking of Continents. <i>Reviews of Geophysics</i> , 2021, 59, e2019RG000689. | 9.0 | 48 |
| 536 | Diversity of zircon U-Pb geochronology of meta-sedimentary rocks from the Gaixian Formation, South Liaohe Group, Jiao-Liao-Ji belt: Implications for different provenance and crustal evolution. <i>Precambrian Research</i> , 2021, 362, 106317. | 1.2 | 5 |
| 537 | Late Neoproterozoic metavolcanic rocks from the Tonghua area, Southern Jilin Province, China: Constraints on the formation and evolution of the northeastern North China Craton. <i>Precambrian Research</i> , 2021, 362, 106266. | 1.2 | 4 |
| 538 | Detrital zircon constraints on tectonic evolution of the Liaodong Paleoproterozoic orogenic belt, North China Craton. <i>Precambrian Research</i> , 2021, 362, 106152. | 1.2 | 5 |
| 539 | Detrital zircon U-Pb-Hf isotopes from the Yanliao intracontinental rift sediments: Implications for multiple phases of Neoproterozoic-Paleoproterozoic juvenile crustal growth in the North China Craton. <i>Gondwana Research</i> , 2021, 96, 76-88. | 3.0 | 2 |
| 540 | A brief review of the Precambrian geology of the northern Korean Peninsula. <i>Journal of the Geological Society of Korea</i> , 2021, 57, 437-466. | 0.3 | 3 |
| 541 | Paleoproterozoic igneous and metamorphic activities in the Jiao-Liao-Ji Belt, North China Craton, and its tectonic implications: a review. <i>Journal of the Geological Society of Korea</i> , 2021, 57, 413-436. | 0.3 | 1 |
| 542 | Metamorphic evolution of Daqingshan supracrustal rocks and garnet granite from the North China Craton: Constraints from phase equilibria modelling, geochemistry, and SHRIMP $^{207}\text{Pb}/^{235}\text{U}$ geochronology. <i>Gondwana Research</i> , 2021, 97, 101-120. | 3.0 | 9 |
| 543 | Geochronology and geochemical characteristics of Paleoproterozoic syn-orogenic granitoids and constraints on the geological evolution of the Jiao-Liao-Ji orogenic Belt, North China Craton. <i>Precambrian Research</i> , 2021, 365, 106386. | 1.2 | 4 |
| 544 | The nature and origin of cratons constrained by their surface geology. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1485-1505. | 1.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 545 | Ocean Plate Stratigraphy of a long-lived Precambrian subduction-accretion system: The Wutai Complex, North China Craton. <i>Precambrian Research</i> , 2021, 363, 106334. | 1.2 | 13 |
| 546 | Depositional age and provenance analysis of the Wufoshan Group in the southern North China Craton: Constraints from detrital zircon $^{206}\text{Pb}/^{238}\text{U}$ geochronology and $^{176}\text{Yb}/^{177}\text{Yb}$ isotopes. <i>Geological Journal</i> , 2021, 56, 5600-5620. | 0.6 | 6 |
| 547 | From subduction initiation to hot subduction: Life of a Neoproterozoic subduction zone from the Dengfeng Greenstone Belt, North China Craton. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1277-1300. | 1.6 | 7 |
| 548 | Geological, fluid inclusion, and $^{40}\text{Ar}/^{39}\text{Ar}$ isotopic constraints on the genesis of the Honghuagou lode gold deposit, northern North China Craton. <i>Chemie Der Erde</i> , 2021, 81, 125807. | 0.8 | 5 |
| 549 | Early Permian lode gold mineralization in the northern North China Craton: Constraints from S-Pb isotope geochemistry and pyrite Re-Os geochronology of the Chaihulanzi deposit. <i>Journal of Asian Earth Sciences</i> , 2021, 218, 104867. | 1.0 | 6 |
| 550 | Neoproterozoic early Paleoproterozoic crustal evolution in the Jiapigou terrane in the northeastern part of the North China Craton: Geochemistry, zircon ^{206}Pb dating and Hf isotope constraints from the potassic granitic complex. <i>Precambrian Research</i> , 2021, 364, 106341. | 1.2 | 5 |
| 551 | Review on geology and mineralization of North Korea (I: Precambrian). <i>Resource Geology</i> , 2021, 71, 492-513. | 0.3 | 4 |
| 552 | Does the Liaoji granite represent basement in the Jiao-Liao-Ji Belt?. <i>Precambrian Research</i> , 2021, 365, 106387. | 1.2 | 4 |
| 553 | Mesoproterozoic ($\sim 1.4\text{ Ga}$) magmatism in the Liaoyuan Accretionary Belt, NE China: New implications for tectonic affinity and crustal evolution of microcontinents along the southern Central Asian Orogenic Belt. <i>Precambrian Research</i> , 2021, 365, 106389. | 1.2 | 10 |
| 554 | Late Ediacaran to Early Cambrian tectonic-sedimentary controls on Lower Cambrian black shales in the Tarim Basin, Northwest China. <i>Global and Planetary Change</i> , 2021, 205, 103612. | 1.6 | 14 |
| 555 | Petrological, whole-rock geochemical, geochronological, and $^{176}\text{Yb}/^{177}\text{Yb}$ isotope constraints on the regional tectonic evolution of the Laoling Group in northeastern Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2021, 365, 106407. | 1.2 | 3 |
| 556 | Incipient charnockite formation at the waning stage of Paleoproterozoic hot orogenesis, Yeongnam Massif, Korea. <i>Precambrian Research</i> , 2021, 365, 106388. | 1.2 | 8 |
| 557 | Crustal structure and deformation in southeastern China revealed by receiver functions. <i>Journal of Asian Earth Sciences</i> , 2021, 221, 104937. | 1.0 | 7 |
| 558 | Sedimentary evidence for the early Paleoproterozoic tectono-magmatic lull: Detrital zircon provenance of the 2.47-2.17 Ga Langzishan Formation, Liaoh Group, Eastern Block of the North China Craton. <i>Journal of Asian Earth Sciences</i> , 2021, 221, 104939. | 1.0 | 5 |
| 559 | Geological mapping of basalt using stream sediment geochemical data: Case study of covered areas in Jining, Inner Mongolia, China. <i>Journal of Geochemical Exploration</i> , 2022, 232, 106888. | 1.5 | 9 |
| 560 | Intracontinental extension and geodynamic evolution of the Paleoproterozoic Jiao-Liao-Ji belt, North China craton: Insights from coeval A-type granitic and mafic magmatism in eastern Liaoning Province. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1765-1792. | 1.6 | 7 |
| 561 | Petrogenesis and geological significance of the Paleoproterozoic Dushikou metagabbro-diorite in northern Hebei Province. <i>Acta Petrologica Sinica</i> , 2021, 37, 269-283. | 0.3 | 1 |
| 562 | Geochemistry, geochronology and its geological implication of metamorphic rocks of the Jiehekou Group in the Liang complex. <i>Acta Petrologica Sinica</i> , 2021, 37, 1015-1043. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 563 | Zircon U-Pb dating and Hf-O isotope characteristics of Changchengian alkaline rocks from the Yanliao Rift in the North China Craton. <i>Acta Petrologica Sinica</i> , 2021, 37, 231-252. | 0.3 | 6 |
| 564 | New geochronological evidences of late Neoproterozoic and late Paleoproterozoic tectono-metamorphic events in the Miyun area, North China Craton. <i>Precambrian Research</i> , 2020, 345, 105774. | 1.2 | 11 |
| 565 | Paleoproterozoic multiple magmatic-metamorphic events in the Dunhuang Block, eastern Tarim Craton: Implications for assembly of the Columbia supercontinent. <i>Precambrian Research</i> , 2020, 351, 105949. | 1.2 | 16 |
| 566 | Probe into the genesis of high temperature-ultrahigh temperature metamorphism: The enlightenment from the Western Khondalite Belt of the North China Craton and the Namaqua mobile belt and the Bushveld metamorphic complex of South Africa. <i>Acta Petrologica Sinica</i> , 2019, 35, 295-311. | 0.3 | 12 |
| 567 | Geochronology and geochemistry of the Paleoproterozoic granites from the Helanshan region: Constrains on the formation and evolution of khondalite belt in the western North China Craton. <i>Acta Petrologica Sinica</i> , 2019, 35, 2325-2343. | 0.3 | 8 |
| 568 | Petrogenesis of the Late Paleoproterozoic (~1.84Ga) Yuantou A-type granite in the southern margin of the North China Craton and its tectonic implications. <i>Acta Petrologica Sinica</i> , 2019, 35, 2455-2469. | 0.3 | 14 |
| 569 | Granitic gneiss domes from the Paleoproterozoic orogen in eastern Liaoning: The typical structural styles in hot orogen. <i>Acta Petrologica Sinica</i> , 2019, 35, 2926-2942. | 0.3 | 5 |
| 570 | Metallogenic mechanism of decratonic gold deposit: Evidence from diorite porphyrite and fluid inclusions, H-O-S isotope composition of barite in Banmiaozhi gold deposit, southern Jilin Province. <i>Acta Petrologica Sinica</i> , 2020, 36, 2537-2557. | 0.3 | 3 |
| 571 | Petrogenesis and tectonic implications of TTG granitoids from the Daqingshan Complex of the Khondalite Belt, North China Craton. <i>Numerische Mathematik</i> , 2021, 321, 680-707. | 0.7 | 5 |
| 572 | An Early Paleoproterozoic back-arc system along the southern margin of the Yinshan Block: Evidence from a newly-defined bimodal volcanic sequence in the Daqingshan Complex, Khondalite Belt. <i>Numerische Mathematik</i> , 2021, 321, 708-738. | 0.7 | 3 |
| 573 | Fluid-induced alteration of monazite, magnetite, and sulphides during the albitization of a Palaeoproterozoic granite from the Jiao-Liao-Ji orogenic belt, North China Craton. <i>Contributions To Mineralogy and Petrology</i> , 2021, 176, 1. | 1.2 | 2 |
| 574 | The timing of crustal thickening constrained by metamorphic zircon U-Pb-Hf and trace element signatures in the Liang Complex, Trans-North China orogen. <i>Precambrian Research</i> , 2021, 367, 106440. | 1.2 | 6 |
| 575 | The Paleoproterozoic Chibaisong mafic-ultramafic intrusion and Cu-Ni deposit, North China Craton: SHRIMP zircon U-Pb and Re-Os geochronology and geodynamic implications. <i>Journal of Geophysics & Remote Sensing</i> , 2014, 03, . | 0.4 | 0 |
| 576 | Discussion and Tectonic Implications. <i>Springer Theses</i> , 2015, , 169-189. | 0.0 | 0 |
| 577 | Zircon U-Pb Geochronology and Hf Isotopes of Major Lithologies from the Yishui Terrane. <i>Springer Theses</i> , 2015, , 79-108. | 0.0 | 0 |
| 580 | Tectonic Affinity and Reworking of the Jiaodong Terrane. <i>Springer Theses</i> , 2015, , 37-48. | 0.0 | 0 |
| 581 | Geological Background. <i>Springer Theses</i> , 2015, , 21-36. | 0.0 | 0 |
| 582 | Zircon U-Pb Geochronology and Hf Isotopes of Major Lithologies from the Jiaodong Terrane. <i>Springer Theses</i> , 2015, , 49-78. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 583 | Paleo- to Mesoproterozoic Magmatic Rock Assemblage and Crust-Mantle Geodynamic Processes. Springer Theses, 2018, , 181-286. | 0.0 | 0 |
| 585 | Neoproterozoic Basement Rock Assemblage, Crustal Evolution and Crust-Mantle Interactions of Western Liaoning Province. Springer Theses, 2018, , 41-180. | 0.0 | 0 |
| 586 | Detrital zircon U-Pb and Hf isotopic study of the Yushulazi Formation in the Gaizhou-Zhuanghe area of the eastern Liaoning: Constraints on the crustal evolution of the North China Craton. Acta Petrologica Sinica, 2019, 35, 2407-2432. | 0.3 | 2 |
| 587 | Petrogenesis of the Paleoproterozoic Huangqikou granitic rocks from the middle part of the Helanshan area and its tectonic implications. Acta Petrologica Sinica, 2019, 35, 2344-2362. | 0.3 | 2 |
| 588 | Study on peak metamorphism conditions and zircons U-Pb chronology in the low-grade metamorphism belt: Foziling Group, Beihuaiyang metamorphic unit. Acta Petrologica Sinica, 2019, 35, 2219-2236. | 0.3 | 5 |
| 589 | Geochronology and geochemistry of the Paleoproterozoic Fangniushan supracrustal strata in the Xiaoshan area, southern North China Craton: Implications for tectonic evolution. Precambrian Research, 2020, 346, 105789. | 1.2 | 2 |
| 590 | Petrogenesis of the Chaihulanzi Gneiss and its Tectonic Implications for the North China Craton. Acta Geologica Sinica, 2021, 95, 2016-2032. | 0.8 | 1 |
| 591 | Geochronological and Lu-Hf isotopic study on detrital zircons of the Jianshan Formation, Bayan Obo Group in Shangdu area, Inner Mongolia: Constraints on Precambrian crustal evolution of the Western Block, North China Craton. Acta Petrologica Sinica, 2020, 36, 2815-2833. | 0.3 | 2 |
| 592 | Detrital zircons dating of Lower Paleozoic from the Xiuyan area of eastern Liaoning: Traces of the Rodinia and Gondwana supercontinents in the North China Craton?. Acta Petrologica Sinica, 2020, 36, 1857-1869. | 0.3 | 0 |
| 593 | Petrogenesis of ~ 2.1 Ga mafic and granitic magmatism and tectonic implication of Jiaobei Terrane in North China Craton. Lithos, 2020, 378-379, 105806. | 0.6 | 4 |
| 594 | Late Neoproterozoic magmatism and crustal growth in northern Liaoning: Evidence from zircon U-Pb geochronology and petro-geochemistry of the Qingyuan trondhjemites. Acta Petrologica Sinica, 2020, 36, 333-355. | 0.3 | 9 |
| 595 | Geochronology, geochemistry and tectonic significance of Paleoproterozoic diabase at the southwestern margin of the Ordos Block. Acta Petrologica Sinica, 2020, 36, 1186-1198. | 0.3 | 1 |
| 596 | Geochronology, geochemistry and metallogenic dynamics of gold-polymetallic deposits in Xicha region, the northeastern margin of the North-China Platform. Acta Petrologica Sinica, 2020, 36, 1127-1150. | 0.3 | 3 |
| 597 | Geochronology, geochemistry and metallogenic dynamics of gold-polymetallic deposits in Xicha region, the northeastern margin of the North-China Platform. Acta Petrologica Sinica, 2020, 36, 1127-1150. | 0.3 | 0 |
| 598 | Geochronology, geochemistry and tectonic significance of Paleoproterozoic diabase at the southwestern margin of the Ordos Block. Acta Petrologica Sinica, 2020, 36, 1186-1198. | 0.3 | 0 |
| 599 | Ages of the Proterozoic strata in Fanhe Basin revisited: Implications for geological records of the Great Oxidation Event in the North China Craton. Precambrian Research, 2022, 368, 106466. | 1.2 | 3 |
| 600 | Paleoproterozoic polyphase deformation in the Helanshan Complex: Structural and geochronological constraints on the tectonic evolution of the Khondalite Belt, North China Craton. Precambrian Research, 2022, 368, 106468. | 1.2 | 4 |
| 601 | Paleoproterozoic tectonic evolution from subduction to collision of the Khondalite Belt in North China: Evidence from multiple magmatism in the Qianlishan Complex. Precambrian Research, 2022, 368, 106471. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 602 | Geochronology, geochemistry and tectonic implications of early Carboniferous plutons in the southwestern Alxa Block. <i>Geological Magazine</i> , 2022, 159, 372-388. | 0.9 | 3 |
| 603 | Crustal thickening and continental formation in the Neoproterozoic: Geochemical records by granitoids from the Taihua Complex in the North China Craton. <i>Precambrian Research</i> , 2021, 367, 106446. | 1.2 | 15 |
| 604 | Phase equilibria modelling and zircon U-Pb ages of the Paleoproterozoic high-pressure mafic granulites in the Jianping Complex and tectonic implications. <i>Precambrian Research</i> , 2021, 367, 106460. | 1.2 | 6 |
| 605 | Petrogenesis and tectonic significance of Paleoproterozoic metavolcanic rocks in the Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2021, 367, 106458. | 1.2 | 7 |
| 606 | åŽåŒ—å...æ%œšä,éf"å, ä"å,å±±çÿ³æ ´æ—œé:žèš'é—å²©å•è"æ¼"åŒ—åšå...¶æž,,éœ,,å¹%œ. <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao (Earth and Planetary Sciences)</i> , 2021, 46, 3892. | 0.1 | 3 |
| 607 | Stratigraphy and Zircon Provenance of a Late Paleoproterozoic Terrestrial Sequence underlying the Xionger Volcanics in the Southern North China Craton. <i>Acta Geologica Sinica</i> , 2022, 96, 1502-1515. | 0.8 | 1 |
| 608 | Zircon xenocryst Hf-O isotopic compositions in the Qiyugou Au orefield: A record of Paleoproterozoic oceanic slab subduction in the Trans-North China Orogen. <i>Precambrian Research</i> , 2022, 368, 106499. | 1.2 | 5 |
| 609 | A new 1.32Ga Tianshui mafic sill in the Liaodong area and its relations to the Yanliao large igneous province in the northern North China Craton. <i>Precambrian Research</i> , 2022, 369, 106535. | 1.2 | 4 |
| 610 | Mesoproterozoic (~1.3Ga) S-type granites in Shangdu area, Inner Mongolia of the North China Craton (NCC): Implications for breakup of the NCC from the Columbia supercontinent. <i>Precambrian Research</i> , 2022, 369, 106515. | 1.2 | 1 |
| 611 | Paleoproterozoic A1- and A2-type coexisting monzogranites in the Daqingshan Complex, Khondalite Belt, North China Craton and its tectonic implications. <i>Precambrian Research</i> , 2022, 369, 106518. | 1.2 | 3 |
| 612 | Mesoarchean trondhjemitic continental nucleus and pre-plate tectonic crustal-mantle interactions of the Western Shandong Complex, North China Craton. <i>Precambrian Research</i> , 2022, 369, 106517. | 1.2 | 0 |
| 613 | Clockwise P-T paths with considerable heating processes during decompression from high-pressure mafic granulites in the Wuhe Complex, southeastern North China Craton. <i>Precambrian Research</i> , 2022, 369, 106511. | 1.2 | 1 |
| 614 | The provenance of late Cenozoic East Asian Red Clay: Tectonic-metamorphic history of potential source regions and a novel combined zircon-rutile approach. <i>Earth-Science Reviews</i> , 2022, 225, 103909. | 4.0 | 9 |
| 615 | Au mineralization-related magmatism in the giant Jiapigou mining district of Northeast China. <i>Ore Geology Reviews</i> , 2022, 141, 104638. | 1.1 | 12 |
| 616 | Episodic metamorphism and anatexis within the Khondakite Belt, North China Craton: Constraint from Late-Paleoproterozoic fluid-fluxed melting of the Daqingshan Complex. <i>Precambrian Research</i> , 2022, 369, 106504. | 1.2 | 7 |
| 617 | åŽåŒ—å...æ%œšèf¶åŒ—åœ°å½“è“—èž±ç¼¼è¼¼...åå¼ç»„,ççžå±´é”†çÿ³U-Pbå²åå¹åšå...¶åœ°è“æ,,å¹%œ. <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao (Earth and Planetary Sciences)</i> , 2021, 46, 3074. | 0.1 | 1 |
| 618 | The effect of bulk rock composition in phase equilibria modelling: a case study of mafic granulites from the North China Craton. <i>Contributions To Mineralogy and Petrology</i> , 2022, 177, 1. | 1.2 | 6 |
| 619 | Geochemistry and U-Pb zircon age of the Paleoproterozoic metasedimentary rocks from the Bidou I, Nyong Series, Cameroon: Implications for provenance and tectonic setting. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 620 | Post-collisional orogen-parallel extension in the Trans-North China Orogen: Evidence from syn-kinematic pegmatite dikes. <i>Precambrian Research</i> , 2022, 368, 106503. | 1.2 | 7 |
| 621 | Petrogenesis and tectonic implications of the Paleoproterozoic Gaoliduntai plagiogranites in the Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2022, 368, 106465. | 1.2 | 1 |
| 622 | Late early Paleozoic continental collision on the northern margin of the Central Qilian Block, NE Tibetan Plateau: Evidence from a two-stage tectono-metamorphic event. <i>Journal of Asian Earth Sciences</i> , 2022, 232, 105121. | 1.0 | 6 |
| 623 | Gold mobilization during prograde metamorphism of clastic sedimentary rocks: An example from the Liaohe Group in the Jiao-Liao-Ji Belt, North China Craton. <i>Ore Geology Reviews</i> , 2022, 140, 104624. | 1.1 | 7 |
| 624 | Geochemistry and petrogenesis of ca. 2.1 Ga meta-mafic rocks in the central Jiao-Liao-Ji Belt, North China Craton: A consequence of intracontinental rifting or subduction?. <i>Precambrian Research</i> , 2022, 370, 106553. | 1.2 | 6 |
| 625 | Evolution of the Neoproterozoic lower crust beneath Western Liaoning of the North China Craton: Evidence from U-Pb-Hf-O isotopes in zircon. <i>Precambrian Research</i> , 2022, 370, 106555. | 1.2 | 8 |
| 626 | Paleoproterozoic tectonic evolution of the Khondalite Belt in the North China Craton: Constraints from the geochronology and geochemistry of 1.9–2.3 Ga felsic and basic intrusive rocks in the Jining area. <i>Precambrian Research</i> , 2022, 371, 106570. | 1.2 | 6 |
| 627 | Formation of the Hengshanli granitic gneiss dome in the Paleoproterozoic Jiao-Liao-Ji Belt, North China Craton. <i>Precambrian Research</i> , 2022, 371, 106571. | 1.2 | 2 |
| 628 | A metamorphic devolatilization model for the genesis of the Baiyun gold deposit in the North China Craton: A novel Fe-S isotopes perspective. <i>Gondwana Research</i> , 2022, 106, 126-141. | 3.0 | 6 |
| 629 | Phase equilibria modelling and zircon U-Pb geochronology of Paleoproterozoic mafic granulites from the Chengde Complex, North China Craton. <i>Precambrian Research</i> , 2022, 371, 106576. | 1.2 | 8 |
| 630 | Implications for Metallogenesis and Tectonic Evolution of Ore-Hosting Granodiorite Porphyry in the Tongkuangyu Cu Deposit, North China Craton: Evidence from Geochemistry, Zircon U-Pb Chronology, and Hf Isotopes. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 273. | 0.8 | 1 |
| 631 | Palaeoproterozoic S-type granites from Garhwal Himalaya, NW India: Geochemistry, Sm-Nd isotope systematics and tectonic implications. <i>Geological Journal</i> , 2022, 57, 2443-2463. | 0.6 | 3 |
| 632 | Paleoproterozoic ultrahigh-temperature metamorphism in the Alxa Block, the Khondalite Belt, North China Craton: Petrology and phase equilibria of quartz-absent corundum-bearing pelitic granulites. <i>Journal of Metamorphic Geology</i> , 2022, 40, 1159-1187. | 1.6 | 4 |
| 633 | Casting a vote for shifting the Statherian: Petrogenesis of 1.70 and 1.62 Ga mafic dykes in the North China Craton. <i>Lithos</i> , 2022, 414-415, 106631. | 0.6 | 1 |
| 634 | Archean eclogite-facies oceanic crust indicates modern-style plate tectonics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2117529119. | 3.3 | 40 |
| 635 | Late Neoproterozoic geodynamic regime of the northeastern North China Craton: Constraints from metamorphosed volcanic rocks of the Anshan-Benxi greenstone belt. <i>Precambrian Research</i> , 2022, 371, 106583. | 1.2 | 6 |
| 636 | Structural elements and evolution of the Yangmochuan dome: Constraints on the tectonics of the Paleoproterozoic Jiao-Liao-Ji belt in the Eastern Block of the North China Craton. <i>Precambrian Research</i> , 2022, 372, 106581. | 1.2 | 2 |
| 637 | Late Neoproterozoic high-grade regional metamorphism in the eastern North China Craton: New constraints from monazite dating in northern Liaoning. <i>Precambrian Research</i> , 2022, 373, 106625. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 638 | Late Paleoproterozoic magmatism in North Hengshan: Final collapse of the Trans-North China Orogen. <i>Precambrian Research</i> , 2022, 374, 106655. | 1.2 | 4 |
| 639 | A syn- to post-collisional tectonic transition in the Khondalite Belt, North China Craton: Constraints from 1.95 - 1.93 Ga adakitic granitoids in the Daqingshan Complex. <i>Precambrian Research</i> , 2022, 374, 106648. | 1.2 | 3 |
| 640 | Tectonic setting of the South Liaohe Group in the Jiao-Liao Belt, North China Craton: Geochemical and geochronological constraints from metasedimentary rocks. <i>Geological Journal</i> , 2022, 57, 1413-1438. | 0.6 | 0 |
| 641 | LA-(MC)-ICP-MS U-Th-Pb dating and Nd isotopes of allanite in NYF pegmatite from lesser qingling orogenic belt, central China. <i>Ore Geology Reviews</i> , 2022, 145, 104893. | 1.1 | 4 |
| 642 | Morphology and FTIR Characteristics of the Alluvial Diamond from the Yangtze Craton, China. <i>Crystals</i> , 2022, 12, 539. | 1.0 | 1 |
| 643 | Migration of Middle-Late Jurassic volcanism across the northern North China Craton in response to subduction of Paleo-Pacific Plate. <i>Tectonophysics</i> , 2022, 833, 229338. | 0.9 | 6 |
| 644 | Thermal Characteristics of borates and its indication for endogenous borate deposits. <i>Ore Geology Reviews</i> , 2022, , 104887. | 1.1 | 1 |
| 645 | Mobilization and fractionation of HFSE and REE by high fluorine fluid of magmatic origin during the alteration of amphibolite. <i>Lithos</i> , 2022, 420-421, 106701. | 0.6 | 2 |
| 646 | Late Neoproterozoic Crust-Mantle Interaction and Tectonic Implications in the Western Shandong Province: Evidence from a Granodiorite Pluton and Associated Magmatic Enclaves. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 647 | Anatexis of late Neoproterozoic-Early Paleoproterozoic and late Paleoproterozoic garnet-bearing leucogranite from the Khondalite Belt in the North China Craton. <i>International Geology Review</i> , 2022, 64, 2837-2865. | 1.1 | 2 |
| 648 | Recognition of late Paleoproterozoic gold mineralization in the North China craton: Evidence from multi-mineral U-Pb geochronology and stable isotopes of the Shanggong deposit. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 211-232. | 1.6 | 5 |
| 649 | Featured Neoproterozoic granitoid association in the central North China Craton: An indicator of warm plate subduction. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 295-309. | 1.6 | 7 |
| 650 | The Multiple Metamorphism of Mafic Granulites From the East Hebei Terrane, North China Craton: Insights Into the Transition of Tectonic Regimes. <i>Frontiers in Earth Science</i> , 2022, 10, . | 0.8 | 1 |
| 651 | Mesoproterozoic accretionary orogenesis: Evidence from $^{14}\text{Ar}/^{40}\text{Ar}$ metamorphism on the southeastern margin of the North China Craton. <i>Journal of Asian Earth Sciences</i> , 2022, 232, 105247. | 1.0 | 2 |
| 652 | Compositional and metamorphic controls on tectonic erosion along a continental subduction-collision zone: Implications from mafic granulites in the northern Sulu orogen. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 190-210. | 1.6 | 2 |
| 653 | Provenance and tectonic setting of the Statherian Hangaoshan Group: Implications for evolution of the North China Craton during late Paleoproterozoic. <i>Precambrian Research</i> , 2022, 376, 106682. | 1.2 | 0 |
| 654 | Cross Orogenic Belts in Central China: Implications for the tectonic and paleogeographic evolution of the East Asian continental collage. <i>Gondwana Research</i> , 2022, 109, 18-88. | 3.0 | 39 |
| 655 | Mantle plume-triggered rifting closely following Neoproterozoic cratonization revealed by 2.50–2.20 Ga magmatism across North China Craton. <i>Earth-Science Reviews</i> , 2022, 230, 104060. | 4.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 656 | Crustal maturation and cratonization in response to Neoproterozoic continental collision: The Suizhong granitic belt, North China Craton. <i>Precambrian Research</i> , 2022, 377, 106732. | 1.2 | 5 |
| 657 | Correlating metamorphic mineral assemblages with metamorphic ages in rocks recording multiple tectonothermal events: A case study of the Jiaobei terrane, eastern North China Craton. <i>Precambrian Research</i> , 2022, 377, 106731. | 1.2 | 2 |
| 658 | Thermal regime of the lower crust in the eastern Khondalite Belt, North China Craton, constrained by Zr-in-rutile thermometry mapping. <i>Precambrian Research</i> , 2022, 377, 106720. | 1.2 | 5 |
| 659 | Tectonic switch from a lithospheric rift to an active continental margin in the Paleoproterozoic: Evidence from low $\delta^{18}O$ granites from the Trans-North China Orogen in the North China Craton. <i>Precambrian Research</i> , 2022, 377, 106672. | 1.2 | 8 |
| 660 | New Maps of Global Geological Provinces and Tectonic Plates. <i>Earth-Science Reviews</i> , 2022, 231, 104069. | 4.0 | 36 |
| 661 | Geochemical constraints on the nature of Late Archean basaltic-andesitic magmatism in the North China Craton. <i>Earth-Science Reviews</i> , 2022, 230, 104065. | 4.0 | 15 |
| 662 | Stratigraphic Constraints on Sandy Conglomerates in Huanghekou Sag, Bohai Bay Basin, via In Situ U-Pb Dating of Vein Calcite and Detrital Zircons, and XRD Analysis. <i>Energies</i> , 2022, 15, 3880. | 1.6 | 0 |
| 663 | Upper mantle seismic structure in the Ordos Block, China. <i>Journal of Geodynamics</i> , 2022, 151, 101921. | 0.7 | 1 |
| 664 | Metamorphic P-T paths and zircon U-Pb ages of the intermediate to felsic granulites from the Jianping Complex, the North China Craton: Implications for the Neoproterozoic tectonic regime. <i>Lithos</i> , 2022, , 106754. | 0.6 | 0 |
| 665 | <sc>Rhyacianâ€Orosirian</sc> Khondalite Belt in the Borborema Province (NE Brazil): An active margin setting based on Uâ€Pb zircon and monazite constraints. <i>Geological Journal</i> , 2022, 57, 3808-3828. | 0.6 | 1 |
| 666 | Structural restoration of an Eo-Mesoproterozoic (3.8â€2.9 Ga) terrane, Eastern China, dissected by the Tanlu fault zone. <i>Journal of Structural Geology</i> , 2022, 161, 104629. | 1.0 | 4 |
| 667 | Metallogeny of the Hunjiang basin, northeastern North China Craton. <i>Ore Geology Reviews</i> , 2022, , 104995. | 1.1 | 0 |
| 668 | Geochronology and Zircon Hf Isotope of the Paleoproterozoic Gaixian Formation in the Southeastern Liaodong Peninsula: Implication for the Tectonic Evolution of the Jiao-Liao-Ji Belt. <i>Minerals (Basel)</i> , 2022, 12, 104629. | 1.0 | 0 |
| 669 | Widespread refertilization of cratonic lithospheric mantle related to circum-craton plate subduction: evidence from peridotite xenoliths from the central North China Craton. <i>Contributions To Mineralogy and Petrology</i> , 2022, 177, . | 1.2 | 0 |
| 670 | Kinematics, temperature and geochronology of the Qingyi ductile shear zone: Tectonic implications for late Neoproterozoic microblock amalgamation in the Western Shandong Province, North China craton. <i>Journal of Structural Geology</i> , 2022, 161, 104645. | 1.0 | 1 |
| 671 | A ca. 1.33 Ga mafic dyke identified from the Liaodong Peninsula, northeastern North China Craton: Implications for eastward extension of the Yanliao large igneous province. <i>Precambrian Research</i> , 2022, 378, 106770. | 1.2 | 2 |
| 672 | Petrogenesis and tectonic implications of 1.86â€1.80 Ga A-type granites in the Daqingshan Complex, Khondalite Belt, North China Craton. <i>Precambrian Research</i> , 2022, 378, 106757. | 1.2 | 3 |
| 673 | Lithospheric structure beneath Ordos Block and surrounding areas from joint inversion of receiver function and surface wave dispersion. <i>Science China Earth Sciences</i> , 2022, 65, 1399-1413. | 2.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 674 | Petrogenesis of Mo-associated Mesozoic granitoids on the Jiaodong Peninsula: Implications for crustal architecture and Mo mineralization along the Dabie-Sulu Orogen. <i>Ore Geology Reviews</i> , 2022, 149, 105015. | 1.1 | 3 |
| 675 | Zircon U-Pb Dating and Metamorphism of Granitoid Gneisses and Supracrustal Rocks in Eastern Hebei, North China Craton. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 863. | 0.8 | 1 |
| 676 | Late Carboniferous extension-related magmatism in the southwestern Alxa block of NW China: geochronology, geochemistry, and tectonic implications. <i>International Geology Review</i> , 2023, 65, 1558-1585. | 1.1 | 1 |
| 677 | Length of day at 1.1 Ga based on cyclostratigraphic analyses of the Nanfen Formation in the North China craton, and its geodynamic implications. <i>Journal of the Geological Society</i> , 2023, 180, . | 0.9 | 5 |
| 678 | Geodynamic evolution of lithospheric removal of the North China Craton: Constraints from late Mesozoic volcanic rocks in the Bohai Bay Basin, East China. <i>Journal of Asian Earth Sciences</i> , 2022, 236, 105330. | 1.0 | 1 |
| 679 | Petrogenesis of newly identified Neoproterozoic granitoids in the Qingyuan of NE China: Implications on crustal growth and reworking of the North China Craton. <i>Journal of Asian Earth Sciences</i> , 2022, 236, 105333. | 1.0 | 2 |
| 680 | Paleoproterozoic Mineralization of the Lijiapuzi Gold Deposit in the Liaodong Peninsula, NE China: Constraints from ⁴⁰ Ar- ³⁹ Ar Age, S-Pb Isotopes, and In Situ Analyses. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 971. | 0.8 | 0 |
| 681 | Ore Genesis of the Dongping Gold Deposit in the Northern Margin of North China Craton: Constraints from In-Situ Major, Trace Elemental Analysis of Magnetite and Pyrite. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 971. | 0.8 | 0 |
| 682 | Reworking of ancient tectonic amalgamation belt beneath the central north of North China Craton revealed by dense seismic observations. <i>Frontiers in Earth Science</i> , 2022, 10, . | 0.8 | 0 |
| 683 | Discovery and Geological Significance of an Indosinian (ca. 244 Ma) Metamorphic Event in the Langshan Area, Western Inner Mongolia, China: New Evidence from Zircon LA-ICP-MS U-Pb Dating. <i>Journal of Earth Science (Wuhan, China)</i> , 2022, 33, 993-1006. | 1.1 | 0 |
| 684 | Formation of Late Paleoproterozoic Gaositai Hornblendite in Northern North China Craton: Evidence from Zircon U-Pb Isotopes and Amphibole Trace Elements. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1046. | 0.8 | 1 |
| 685 | Late Archean-Paleoproterozoic plate tectonics along the northern margin of the North China craton. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 967-989. | 1.6 | 5 |
| 686 | The Early Cretaceous Granitoids and Microgranular Mafic Enclaves of Sanguliu Pluton, the Liaodong Peninsula: Implications for Magma Mixing and Decratonic Gold Mineralization in the Eastern North China Craton. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1004. | 0.8 | 1 |
| 687 | Using clinopyroxene to decode the origin and evolution of 773 Ma alkaline mafic sill in Helanshan, northwestern China: Missing information about primary melts in bulk rocks. <i>Precambrian Research</i> , 2022, 379, 106811. | 1.2 | 2 |
| 688 | Chronological framework of Precambrian Dantazi Complex: Implications for the formation and evolution of the northern North China Craton. <i>Precambrian Research</i> , 2022, 379, 106819. | 1.2 | 0 |
| 689 | New detrital zircon geochronological results from the Meso-Neoproterozoic sandstones in the southern-eastern Liaoning region, North China craton, and their paleogeographic implications. <i>Precambrian Research</i> , 2022, 381, 106847. | 1.2 | 6 |
| 690 | Clockwise P-T-t path of Paleoproterozoic metamorphism from the Dengfeng Complex, southern North China Craton. <i>Precambrian Research</i> , 2022, 381, 106846. | 1.2 | 4 |
| 691 | Modern-style plate tectonics manifested by the late Neoproterozoic TTG-sanukitoid suite from the Datong-Huai'an Complex, Trans-North China Orogen. <i>Lithos</i> , 2022, 430-431, 106843. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 692 | Late Neoproterozoic Tectonic Setting and Geodynamic Processes of the K-rich Granitoid Belt. Springer Theses, 2022, , 313-338. | 0.0 | 0 |
| 694 | Geological Background. Springer Theses, 2022, , 25-46. | 0.0 | 0 |
| 695 | Metamorphic Evolution of the Archean Supracrustal Rocks from the Qingyuan Area of the Northern Liaoning Terrane, North China Craton: Constrained Using Phase Equilibrium Modeling and Monazite Dating. Minerals (Basel, Switzerland), 2022, 12, 1079. | 0.8 | 2 |
| 696 | Destruction of Archean lower crust recorded in granulite and pyroxenite xenoliths of Mesozoic basalts from Western Liaoning, North China Craton. Contributions To Mineralogy and Petrology, 2022, 177, . | 1.2 | 3 |
| 698 | Paleoproterozoic TTG gneisses and granites of the Huai'an Complex: Geochemical and zircon U-Pb-Hf data provide insights into subduction history and crustal growth. Precambrian Research, 2022, 380, 106823. | 1.2 | 2 |
| 699 | Mineral Chemistry of the Lower Cretaceous Jinling Iron Skarn Deposit, Western Shandong Province, North China Craton: Implications for the Iron Skarn Mineralization Process. Minerals (Basel, Switzerland), 2022, 12, 1117. | 0.8 | 0 |
| 700 | Contrasting Sources and Related Metallogeny of the Triassic and Jurassic Granitoids in the Chifeng-Chaoyang District, Northern Margin of the North China Craton: A Review with New Data. Minerals (Basel, Switzerland), 2022, 12, 1117. | 0.8 | 0 |
| 701 | Ordovician tectonic transition from passive margin into peripheral foreland in the southern Ordos: A diagnostic insight into the closure of Erlangping Ocean between the North Qinling Arc and North China Block. Basin Research, 2023, 35, 336-362. | 1.3 | 7 |
| 702 | Late Neoproterozoic TTG and monzogranite in the northeastern North China Craton: Implications for partial melting of a thickened lower crust. Gondwana Research, 2023, 115, 201-223. | 3.0 | 4 |
| 703 | Clockwise P-T paths of late Neoproterozoic high-pressure pelitic granulites from the Qingyuan terrane, eastern North China Craton. Precambrian Research, 2022, 381, 106874. | 1.2 | 2 |
| 704 | Comparison of vein- and breccia-type Au-mineralization in the giant Jiapigou mining district of Northeast China. Ore Geology Reviews, 2022, 150, 105173. | 1.1 | 3 |
| 705 | Coexisting divergent and convergent plate boundary assemblages indicate plate tectonics in the Neoproterozoic. Nature Communications, 2022, 13, . | 5.8 | 18 |
| 706 | Paleoproterozoic Plate Tectonics Recorded in the Northern Margin Orogen, North China Craton. Geochemistry, Geophysics, Geosystems, 2022, 23, . | 1.0 | 7 |
| 707 | Geochronological and geochemical constraints on the granitic gneiss in the Huozhou Complex: implications for the tectonic evolution of the Trans-North China Orogen. Acta Geochimica, 2023, 42, 153-181. | 0.7 | 3 |
| 708 | Petrogenesis of late Paleoproterozoic post-collisional magmatism in southern north China Craton: Insights from geochemistry and Nd-Hf isotopic compositions of A-type granites. Precambrian Research, 2022, 383, 106887. | 1.2 | 6 |
| 709 | Detrital zircons from Paleoproterozoic (meta-)sedimentary rocks on the northern margin of the North China Craton and tectonic implications. Precambrian Research, 2023, 384, 106946. | 1.2 | 1 |
| 710 | Petrogenesis of high heat production granite in eastern Hebei Province, China: Constraints from geochronology, geochemistry and Sr-Nd-Hf-O isotopes. Lithos, 2023, 436-437, 106974. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 711 | Late Neoproterozoic crust-mantle interaction and tectonic implications in western Shandong Province, North China Craton: Evidence from a granodiorite pluton and associated magmatic enclaves. <i>Lithos</i> , 2023, 436-437, 106978. | 0.6 | 0 |
| 712 | Temporal variations in the incompatible trace element systematics of Archean TTGs: Implications for crustal growth and tectonic processes in the early Earth. <i>Earth-Science Reviews</i> , 2023, 236, 104274. | 4.0 | 8 |
| 713 | Geochemistry, zircon U-Pb chronology and Hf isotope composition of the Heishanangou iron deposit in the Bikou Terrane, central China: Implication for the genesis of the Yudongzi banded iron formations. <i>Ore Geology Reviews</i> , 2023, 152, 105250. | 1.1 | 0 |
| 714 | Textures, in situ trace element and sulfur isotope of pyrite from the sediment-hosted Cu-Co deposits in the Zhongtiao Mountains, Trans-North China Orogen: Implications for ore genesis. <i>Ore Geology Reviews</i> , 2023, 152, 105260. | 1.1 | 0 |
| 715 | Petrogenesis of the ca. 2.32 Ga low- $\delta^{18}O$ gabbroic diorites and granites in the Xiaoshan area, southern North China Craton: Implications for the early Paleoproterozoic tectonic evolution. <i>Precambrian Research</i> , 2023, 384, 106924. | 1.2 | 1 |
| 716 | Early Cambrian evaporite deposits in the North China Craton and their event stratigraphic, paleogeographic, and paleoenvironmental implications. <i>Journal of Asian Earth Sciences</i> , 2023, 242, 105489. | 1.0 | 1 |
| 717 | Genesis of the Zhongshangou Au-Te deposit linked to alkaline magmatism at the northern margin of the North China Block: Evidence from sulfides Re-Os geochronology. <i>Ore Geology Reviews</i> , 2023, 153, 105264. | 1.1 | 0 |
| 718 | èfªâ—æ—æ—â±±â°â°ç „æ¼â°,â² ©ç»,é·çÿ³çÿ³è±â² ©ççŽâ±‘é”†çÿ³UâfPbæµâ¹âšâ...ªâ°è“æ„â¹%â. <i>Diqiu Kexue - Zhongguo Geosciences</i> , 2022, 47, 3431. | 0.1 | 1 |
| 719 | è¾¼½â°âšâ...ªé,»â°éé“ç²¾â° è³çæ•æªâ^†æž¼âšâ¹â°æâÿÿæ€šæ—èæ,â äŽâ² ©çÿ³â°ççfç»“æž,ç° æÿ. <i>Diqiu Kexue - Zhongguo Geosciences</i> , 2022, 47, 3401. | 0.1 | 0 |
| 720 | <sc>Mid-Mesozoic</sc> to Cenozoic multiphase deformation in the Bayanwula Tectonic Belt, northern China. <i>Geological Journal</i> , 2023, 58, 1131-1153. | 0.6 | 0 |
| 721 | <i>HT&MP</i> metamorphism in Central Qilian Block, <sc>NE</sc> Tibet Plateau: Implications on the tectonic evolution of the Qilian Orogen. <i>Geological Journal</i> , 2023, 58, 1172-1191. | 0.6 | 0 |
| 722 | Late Paleozoic Accumulation of Coal-Bearing Successions in the Wuhai Coalfield, Western North China: Back-Arc Basin Response to Southward Subduction of the Paleo-Asian Ocean. <i>Energies</i> , 2023, 16, 34. | 1.6 | 1 |
| 723 | Mantle magmatism, metamorphism and anatexis: evidence from geochemistry and zircon U-Pb-Hf isotopes of Paleoproterozoic S-type granites, Khondalite Belt of the North China Craton. <i>International Geology Review</i> , 2023, 65, 943-968. | 1.1 | 2 |
| 724 | Secular Evolution of Continents and the Earth System. <i>Reviews of Geophysics</i> , 2022, 60, . | 9.0 | 40 |
| 725 | Destruction of the lower crust beneath the North China Craton recorded by granulite and pyroxenite xenoliths. <i>Science China Earth Sciences</i> , 0, , . | 2.3 | 1 |
| 726 | Protracted Paleoproterozoic partial melting recorded in the Taihua Complex, southern North China Craton: Insights from zircon U-Pb ages of leucosomes within migmatites. <i>Journal of Asian Earth Sciences</i> , 2023, 243, 105523. | 1.0 | 1 |
| 727 | Spatial heterogeneity of the lithospheric destruction of the North China Craton: Evidence from an extended magnetotelluric sounding profile. <i>Frontiers in Earth Science</i> , 0, 10, . | 0.8 | 0 |
| 728 | Baddeleyite dating of a 2.34 Ga mafic dyke in the Western Shandong Province, North China Craton, and its tectonic implications. <i>Lithos</i> , 2023, 438-439, 107013. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 729 | Mesozoic magmatic evolution of the Laiyuan complex: Tracing the crust-mantle and lithosphere-asthenosphere interactions in the central North China Craton. <i>Frontiers in Earth Science</i> , 0, 10, . | 0.8 | 1 |
| 730 | A Paradigm Shift: North China Craton's North Margin Orogen Is the Collisional Suture With the Columbia Supercontinent. <i>Geochemistry, Geophysics, Geosystems</i> , 2023, 24, . | 1.0 | 2 |
| 731 | Late Triassic tectonic stress field of the southwestern Ordos Basin and its tectonic implications: Insights from finite-element numerical simulations. , 0, , . | | 1 |
| 732 | Early Paleoproterozoic tectonic evolution of the Yinshan Block in the North China Craton: Constraints from the geochronology and geochemistry of basic to felsic magmatic rocks in the Guyang area. <i>Precambrian Research</i> , 2023, 388, 107016. | 1.2 | 0 |
| 733 | Metamorphic P-T paths and zircon U-Pb ages of Paleoproterozoic metabasic dykes in the Jiapigou area, South Jilin Province: Implications for the tectonic evolution of the North China Craton. <i>Precambrian Research</i> , 2023, 389, 107031. | 1.2 | 1 |
| 734 | Late Carboniferous arc-continent collision and subduction polarity reversal in southeast Altaids: New insights from provenance analysis of late Paleozoic sedimentary records. <i>Journal of Asian Earth Sciences</i> , 2023, 248, 105616. | 1.0 | 1 |
| 735 | An early Precambrian "orogenic belt" exhumed by the Phanerozoic tectonic events: A case study of the eastern North China Craton. <i>Earth-Science Reviews</i> , 2023, 241, 104416. | 4.0 | 4 |
| 736 | Paleoproterozoic high-pressure granulite facies metamorphism in the Yinshan Block, North China craton. <i>Precambrian Research</i> , 2023, 389, 107006. | 1.2 | 3 |
| 737 | Magmatism and thermal effect of the Late Paleoproterozoic layered complex in the Jining terrane, North China Craton: Evidence from magmatic cooling duration and crust-mantle interaction. <i>Precambrian Research</i> , 2023, 389, 107030. | 1.2 | 0 |
| 738 | Revisiting the boundary between the Central Asian Orogenic Belt and North China Craton in Alxa area, China: Insights from zircon U-Pb ages and Hf isotopes of Phanerozoic granitoids. <i>Gondwana Research</i> , 2023, 119, 119-137. | 3.0 | 2 |
| 739 | The Paleoproterozoic Zhaigou banded iron formation in the Fuping Complex, North China Craton: Geochemistry, geochronology and implications for genesis and tectonic setting. <i>Ore Geology Reviews</i> , 2023, 154, 105314. | 1.1 | 1 |
| 740 | Origin and tectonic evolution of the Langshan (NW China): Insights from Proterozoic magmatic and sedimentary records. <i>Precambrian Research</i> , 2023, 386, 106974. | 1.2 | 1 |
| 741 | Geochemistry, geochronology and metamorphism of high-pressure mafic granulites in the Huaï'an Complex, North China Craton: Implications for the tectonic evolution of the Paleoproterozoic orogeny. <i>Precambrian Research</i> , 2023, 387, 106973. | 1.2 | 3 |
| 742 | Late Neoproterozoic plate subduction in Western North China Craton: Evidence from ca. 2.51 Ga to 2.46 Ga basement rocks in Northern Ordos Basin. <i>Precambrian Research</i> , 2023, 387, 106979. | 1.2 | 3 |
| 743 | Relict basin closure of the Paleo-Asian Ocean: New insights from geochronological and geochemical analysis of the Yangjiagou Formation, NE China. <i>Lithos</i> , 2023, 442-443, 107074. | 0.6 | 0 |
| 744 | Spatio-temporal analysis of big data sets of detrital zircon U-Pb geochronology and Hf isotope data: Tests of tectonic models for the Precambrian evolution of the North China Craton. <i>Earth-Science Reviews</i> , 2023, 239, 104372. | 4.0 | 9 |
| 745 | Catastrophic craton destruction via wholesale lithosphere delamination. <i>Geology</i> , 2023, 51, 460-464. | 2.0 | 0 |
| 746 | Paleoproterozoic Crust-Mantle Interaction in the Khondalite Belt, North China Craton: Constraints from Geochronology, Elements, and Hf-O-Sr-Nd Isotopes of the Layered Complex in the Jining Terrane. <i>Minerals (Basel, Switzerland)</i> , 2023, 13, 462. | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 775 | 2.7-Ga-old mafic dike in the Trans-North China Orogen of the North China Craton and its tectonic significance. <i>Acta Geochimica</i> , 2023, 42, 1124-1129. | 0.7 | 0 |
| 801 | Editorial: Evolution of tectonic structures and mineralisation in orogens and their margins. <i>Frontiers in Earth Science</i> , 0, 12, . | 0.8 | 0 |