Protein supplementation increases muscle mass gain during prolonged resistance-type exercise training in frail elderly people: a randomized, double-blind, placebo-controlled trial

DOI: 10.1016/j.jamda.2012.05.020
Journal of the American Medical Directors Association, 2012, 13, 713-9.

#	Paper	IF	Citations
421	Timing of creatine or protein supplementation and resistance training in the elderly. **2008**, 33, 184-90		41
420	Do frail older persons need more protein?. *Journal of the American Medical Directors Association*, **2012**, 13, 667-8	5.9	12
419	Insulin resistance of protein metabolism in type 2 diabetes and impact on dietary needs: a review. **2013**, 37, 115-20		16
418	Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. *Journal of the American Medical Directors Association*, **2013**, 14, 542-59	5.9	1257
417	Frailty: A time for action. **2013**, 4, 215-216		13
416	Frailty and heart disease. **2013**, 168, 1745-7		56
415	Influence of amino acids, dietary protein, and physical activity on muscle mass development in humans. **2013**, 5, 852-76		55
414	Porvoo sarcopenia and nutrition trial: effects of protein supplementation on functional performance in home-dwelling sarcopenic older people - study protocol for a randomized controlled trial. **2013**, 14, 387		15
413	Low vitamin D status is associated with reduced muscle mass and impaired physical performance in frail elderly people. **2013**, 67, 1050-5		68
412	Effects of resistance training associated with whey protein supplementation on liver and kidney biomarkers in rats. **2013**, 38, 1166-9		4
411	[Recent research: egg white supplementation during longterm resistance training increases muscle mass in the frail elderly]. **2013**, 44, 90-1		
410	Perspective: Optimal protein intake in the elderly. *Journal of the American Medical Directors Association*, **2013**, 14, 65-6	5.9	11
409	Effectiveness of nutritional supplementation on muscle mass in treatment of sarcopenia in old age: a systematic review. *Journal of the American Medical Directors Association*, **2013**, 14, 10-7	5.9	150
408	JAMDA impact factor. *Journal of the American Medical Directors Association*, **2013**, 14, 629-31	5.9	3
407	Establishing exercise habit is important when assessing lean body mass in elderly. **2013**, 32, 658		
406	Perspective: Interventions are relevant in frail older adults. *Journal of the American Medical Directors Association*, **2013**, 14, 63-5	5.9	
405	Perspective: Protein supplementation against sarcopenia and frailty: future perspectives from novel data. *Journal of the American Medical Directors Association*, **2013**, 14, 62-3	5.9	10

404	Fighting sarcopenia in older frail subjects: protein fuel for strength, exercise for mass. *Journal of the American Medical Directors Association*, **2013**, 14, 140-3	5.9	28
403	Perspective: Protein and exercise for frailty and sarcopenia: still learning. *Journal of the American Medical Directors Association*, **2013**, 14, 69-71	5.9	14
402	Perspective: Dietary protein needs of elderly people: protein supplementation as an effective strategy to counteract sarcopenia. *Journal of the American Medical Directors Association*, **2013**, 14, 67-9	5.9	8
401	Protein supplementation and physical function: muscular and cognitive perspectives. *Journal of the American Medical Directors Association*, **2013**, 14, 144-5	5.9	1
400	SARC-F: a simple questionnaire to rapidly diagnose sarcopenia. *Journal of the American Medical Directors Association*, **2013**, 14, 531-2	5.9	371
399	Perspective: Protein: what kind, how much, when?. *Journal of the American Medical Directors Association*, **2013**, 14, 66-7	5.9	10
398	Serum 25-hydroxyvitamin D is associated with cognitive executive function in Dutch prefrail and frail elderly: a cross-sectional study exploring the associations of 25-hydroxyvitamin D with glucose metabolism, cognitive performance and depression. *Journal of the American Medical Directors Association*, **2013**, 14, 852.e9-17	5.9	26
397	Frailty consensus: a call to action. *Journal of the American Medical Directors Association*, **2013**, 14, 392-7	5.9	1930
396	Anorexia of aging: can we decrease protein energy undernutrition in the nursing home?. *Journal of the American Medical Directors Association*, **2013**, 14, 77-9	5.9	16
395	Perspective: Exercise and protein supplementation in frail elders. *Journal of the American Medical Directors Association*, **2013**, 14, 73-4	5.9	6
394	Perspective: Protein supplementation in frail older persons: often necessary but not always sufficient. *Journal of the American Medical Directors Association*, **2013**, 14, 72-3	5.9	4
393	Hypogonadism, testosterone, and nursing home residents. *Journal of the American Medical Directors Association*, **2013**, 14, 381-3	5.9	10
392	The decline in skeletal muscle mass with aging is mainly attributed to a reduction in type II muscle fiber size. **2013**, 48, 492-8		366
391	Scientific overview of hormone treatment used for rejuvenation. **2013**, 99, 1807-13		18
390	Frailty, sarcopenia, and hormones. **2013**, 42, 391-405		84
389	Role of protein and amino acids in promoting lean mass accretion with resistance exercise and attenuating lean mass loss during energy deficit in humans. **2013**, 45, 231-40		59
388	The muscle protein synthetic response to the combined ingestion of protein and carbohydrate is not impaired in healthy older men. **2013**, 35, 2389-98		12
387	The role of dietary protein intake in the prevention of sarcopenia of aging. **2013**, 28, 684-90		101

386	Minimum Data Set 3.0: a giant step forward. *Journal of the American Medical Directors Association*, **2013**, 14, 1-3	5.9	23
385	Perspective: Protein supplementation during prolonged resistance type exercise training augments skeletal muscle mass and strength gains. *Journal of the American Medical Directors Association*, **2013**, 14, 71-2	5.9	8
384	Nutrition programs enhance exercise effects on body composition and resting blood pressure. **2013**, 41, 85-91		5
383	Exercise as a remedy for sarcopenia. **2014**, 17, 25-31		117
382	Protein nutrition mediates lean body mass homeostasis in the aging warfighter. **2013**, 143, 1857S-1861S		2
381	Sarcopenia: a clinical review. **2013**, 23, 267-274		9
380	An update on frailty diagnosis and management. **2013**, 23, 196-205		3
379	Elderly men and women benefit equally from prolonged resistance-type exercise training. **2013**, 68, 769-79		141
378	Biomarker-calibrated protein intake and physical function in the Women's Health Initiative. **2013**, 61, 1863-71		79
377	Strength Training in the Elderly People. **2013**, 27, 42-54		
376	Nutrition in chronic pancreatitis. **2013**, 19, 7267-75		61
375	Essential nutrient requirements of the elderly. **2014**, 59		3
374	Nutrient-rich dairy proteins improve appendicular skeletal muscle mass and physical performance, and attenuate the loss of muscle strength in older men and women subjects: a single-blind randomized clinical trial. **2014**, 9, 1517-25		46
373	Survey on Dietary Counselling in German Ambulatory Orthopaedic Rehabilitation Centres: is there a Focus on Sarcopenia Prevention?. **2014**, 39, 309-311		
372	Four-month course of soluble milk proteins interacts with exercise to improve muscle strength and delay fatigue in elderly participants. *Journal of the American Medical Directors Association*, **2014**, 15, 958.e1-9	5.9	56
371	Sarcopenia: there is a need for some steps forward. *Journal of the American Medical Directors Association*, **2014**, 15, 379-80	5.9	12
370	The combined effects of diet quality and physical activity on maintenance of muscle strength among diabetic older adults from the NuAge cohort. **2014**, 49, 40-6		15
369	Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. **2014**, 33, 929-36		771

368	Optimizing the benefits of exercise on physical function in older adults. **2014**, 6, 528-43		29
367	Synergistic effects of resistance training and protein intake: practical aspects. **2014**, 30, 1097-103		17
366	Dietary protein considerations to support active aging. *Sports Medicine*, **2014**, 44 Suppl 2, S185-94	10.6	36
365	JAMDA: The Future History of the Journal. *Journal of the American Medical Directors Association*, **2014**, 15, 775-779	5.9	1
364	Clinical update on nursing home medicine: 2014. *Journal of the American Medical Directors Association*, **2014**, 15, 786-801	5.9	7
363	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). **2014**, 43, 748-59		1063
362	Importance of frailty in patients with cardiovascular disease. **2014**, 35, 1726-31		159
361	The role of dietary protein and vitamin D in maintaining musculoskeletal health in postmenopausal women: a consensus statement from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). **2014**, 79, 122-32		169
360	The skeletal muscle satellite cell response to a single bout of resistance-type exercise is delayed with aging in men. **2014**, 36, 9699		72
359	Evidence-based recommendations for addressing malnutrition in health care: an updated strategy from the feedM.E. Global Study Group. *Journal of the American Medical Directors Association*, **2014**, 15, 544-50	5.9	84
358	Rehabilitation for patients with advanced cancer. **2014**, 186, 1071-5		12
357	Therapeutic interventions for frail elderly patients: part I. Published randomized trials. **2014**, 57, 134-43		108
356	Can sarcopenia be diagnosed without measurements?. **2014**, 5, 291-293		10
355	Validating the SARC-F: a suitable community screening tool for sarcopenia?. *Journal of the American Medical Directors Association*, **2014**, 15, 630-4	5.9	200
354	Nutrition and protein energy homeostasis in elderly. **2014**, 136-137, 76-84		52
353	Is it possible to prevent injurious falls?. **2014**, 5, 75-77		4
352	Meaningful activities in the nursing home. *Journal of the American Medical Directors Association*, **2014**, 15, 79-81	5.9	28
351	The effect of a six-month resistance-type exercise training program on the course of high sensitive cardiac troponin T levels in (pre)frail elderly. **2014**, 175, 374-5		4

350	JAMDA: The Journal Continues to Have a High Impact. *Journal of the American Medical Directors Association*, **2015**, 16, 804-807	5.9	0
349	Behavioural changes are a major contributing factor in the reduction of sarcopenia in caloric-restricted ageing mice. **2015**, 6, 253-68		32
348	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. **2015**, 15, 149		24
347	Current practices of dietitians in the assessment and management of malnutrition in elderly patients. **2015**, 72, 254-260		6
346	The Link between Dietary Protein Intake, Skeletal Muscle Function and Health in Older Adults. **2015**, 3, 529-43		29
345	Protein Requirements and Recommendations for Older People: A Review. **2015**, 7, 6874-99		139
344	Dietary Protein Intake in Dutch Elderly People: A Focus on Protein Sources. **2015**, 7, 9697-706		64
343	Physical Activity and Aging Research: A Bibliometric Analysis. **2015**,		
342	Sarcopenic obesity and complex interventions with nutrition and exercise in community-dwelling older persons--a narrative review. **2015**, 10, 1267-82		75
341	Net endogenous acid production and mortality in NHANES III. **2015**, 20, 209-15		9
340	Frailty, Exercise and Nutrition. **2015**, 31, 375-87		42
339	Diabetes, Nutrition, and Exercise. **2015**, 31, 439-51		19
338	There Are No Nonresponders to Resistance-Type Exercise Training in Older Men and Women. *Journal of the American Medical Directors Association*, **2015**, 16, 400-11	5.9	148
337	The effectiveness of leucine on muscle protein synthesis, lean body mass and leg lean mass accretion in older people: a systematic review and meta-analysis. **2015**, 113, 25-34		62
336	Resting steroid hormone concentrations in lifetime exercisers and lifetime sedentary males. **2015**, 18, 22-6		24
335	Counteracting inflammation and insulin resistance with diet and exercise: A strategy for frailty prevention?. **2015**, 6, 220-231		7
334	Effects of an Oral Nutritional Supplementation Plus Physical Exercise Intervention on the Physical Function, Nutritional Status, and Quality of Life in Frail Institutionalized Older Adults: The ACTIVNES Study. *Journal of the American Medical Directors Association*, **2015**, 16, 439.e9-439.e16	5.9	77
333	Predicting Adverse Health Outcomes in Nursing Homes: A 9-Year Longitudinal Study and Development of the FRAIL-Minimum Data Set (MDS) Quick Screening Tool. *Journal of the American Medical Directors Association*, **2015**, 16, 1042-7	5.9	39

332	Nutritional supplementation and sarcopenia: the evidence grows. *Journal of the American Medical Directors Association*, **2015**, 16, 717-9	5.9	9
331	Nutritional Strategies Against Sarcopenia of Aging: Current Evidence and Future Directions. **2015**, 231-238		1
330	Cognitive frailty, a novel target for the prevention of elderly dependency. **2015**, 20, 1-10		140
329	Supplemental protein in support of muscle mass and health: advantage whey. **2015**, 80 Suppl 1, A8-A15		167
328	The Vitality, Independence, and Vigor in the Elderly 2 Study (VIVE2): Design and methods. **2015**, 43, 164-71		19
327	Bio-impedance analysis for appendicular skeletal muscle mass assessment in (pre-) frail elderly people. **2015**, 10, e147-e153		7
326	Nutritional supplements in support of resistance exercise to counter age-related sarcopenia. **2015**, 6, 452-60		94
325	Handgrip strength does not represent an appropriate measure to evaluate changes in muscle strength during an exercise intervention program in frail older people. **2015**, 25, 27-36		63
324	Osteoporosis: new treatments. *Journal of the American Medical Directors Association*, **2015**, 16, 265-7	5.9	0
323	Nutritional interventions in sarcopenia: a critical review. **2015**, 74, 378-86		40
322	Protein and healthy aging. **2015**, 101, 1339S-1345S		162
321	Exercise: the ultimate medicine. *Journal of the American Medical Directors Association*, **2015**, 16, 351-3	5.9	8
320	Effect of cysteine-rich whey protein (immunocal) supplementation in combination with resistance training on muscle strength and lean body mass in non-frail elderly subjects: a randomized, double-blind controlled study. **2015**, 19, 531-6		33
319	Muscle protein turnover in the elderly and its potential contribution to the development of sarcopenia. **2015**, 74, 387-96		28
318	Protein supplementation with aging. **2015**, 18, 24-31		11
317	Myostatin inhibition for treatment of sarcopenia. **2015**, 3, 917-8		7
316	Effects of circuit exercise and Tai Chi on body composition in middle-aged and older women. **2015**, 15, 282-8		10
315	Influence of combined resistance training and healthy diet on muscle mass in healthy elderly women: a randomized controlled trial. **2015**, 119, 918-25		41

314	Rapid Geriatric Assessment. *Journal of the American Medical Directors Association*, **2015**, 16, 808-12	5.9	48
313	Six weeks of conditioning exercise increases total, but not free testosterone in lifelong sedentary aging men. **2015**, 18, 195-200		29
312	The impact of six months strength training, nutritional supplementation or cognitive training on DNA damage in institutionalised elderly. **2015**, 30, 147-53		21
311	A high whey protein-, leucine-, and vitamin D-enriched supplement preserves muscle mass during intentional weight loss in obese older adults: a double-blind randomized controlled trial. **2015**, 101, 279-86		141
310	Effects of protein supplementation in older adults undergoing resistance training: a systematic review and meta-analysis. *Sports Medicine*, **2015**, 45, 245-55	10.6	116
309	Branched Chain Amino Acids in Clinical Nutrition. **2015**,		4
308	Atualidades sobre o tratamento da Sarcopenia revisão de literatura. **2016**, 09, 254-271		
307	Fragilidad en el adulto mayor: detección, intervención en la comunidad y toma de decisiones en el manejo de enfermedades crónicas. **2016**, 33, 328		4
306	Associations of Sarcopenia and Sarcopenic Obesity With Metabolic Syndrome Considering Both Muscle Mass and Muscle Strength. **2016**, 49, 35-44		60
305	Clinical Screening Tools for Sarcopenia and Its Management. **2016**, 2016, 5978523		40
304	Protein Intake and Muscle Health in Old Age: From Biological Plausibility to Clinical Evidence. **2016**, 8,		111
303	Protein Requirements during Aging. **2016**, 8,		31
302	Nutritional supplementations and´administration considerations for´sarcopenia in older adults. **2016**, 3, 147-170		6
301	Welcome to the ICD-10 code for sarcopenia. **2016**, 7, 512-514		323
300	Effects of a nutrition plus exercise programme on physical function in sarcopenic obese elderly people: study protocol for a randomised controlled trial. **2016**, 6, e012140		6
299	Diabetes in Old Age. **2016**, 938-952		
298	Burden-of-illness of Dutch community-dwelling older adults with sarcopenia: Health related outcomes and costs. **2016**, 7, 276-284		24
297	Creatine supplementation in the aging population: effects on skeletal muscle, bone and brain. **2016** , 48, 1793-805		56

296	Nutrition Recommendations in Elderly and Aging. **2016**, 100, 1237-1250		16
295	Protein Supplementation Does Not Significantly Augment the Effects of Resistance Exercise Training in Older Adults: A Systematic Review. *Journal of the American Medical Directors Association*, **2016**, 17, 959.e1-9	5.9	67
294	Physical Activity and Aging Research: A Bibliometric Analysis. **2016**, 24, 476-83		23
293	Frailty and sarcopenia in elderly. **2016**, 128, 439-445		40
292	Nutritional Influences on Bone Health. **2016**,		2
291	Dietary Protein, Exercise and Skeletal Muscle: Is There a Synergistic Effect in Older Adults and the Elderly?. **2016**, 63-75		4
290	Whey protein stories - An experiment in writing a multidisciplinary biography. **2016**, 107, 285-294		6
289	Expression of protocadherin gamma in skeletal muscle tissue is associated with age and muscle weakness. **2016**, 7, 604-614		32
288	Relation between mealtime distribution of protein intake and lean mass loss in free-living older adults of the NuAge study. **2016**, 104, 694-703		88
287	The effect of exercise training on the course of cardiac troponin T and I levels: three independent training studies. **2015**, 5, 18320		5
286	JAMDA: The State of the Journal. *Journal of the American Medical Directors Association*, **2016**, 17, 867-715.9		
285	Healthy ageing: Evidence that improvement is possible at every age. **2016**, 7, 298-305		21
284	Muscle wasting in heart failure : The role of nutrition. **2016**, 128, 455-465		18
283	Does the muscle protein synthetic response to exercise and amino acid-based nutrition diminish with advancing age? A systematic review. **2016**, 311, E803-E817		67
282	The mTOR Conundrum: Essential for Muscle Function, but Dangerous for Survival. *Journal of the American Medical Directors Association*, **2016**, 17, 963-966	5.9	2
281	Counteracting Age-related Loss of Skeletal Muscle Mass: a clinical and ethnological trial on the role of protein supplementation and training load (CALM Intervention Study): study protocol for a randomized controlled trial. **2016**, 17, 397		28
280	Leucine-enriched protein supplementation does not influence neuromuscular adaptations in response to a 6-month strength training programme in older adults. **2016**, 82, 58-66		10
279	Exercise prescription for the older population: The interactions between physical activity, sedentary time, and adequate nutrition in maintaining musculoskeletal health. **2016**, 93, 78-82		29

278	High-Quality Exercise Programs Are an Essential Component of Nursing Home Care. *Journal of the American Medical Directors Association*, **2016**, 17, 373-5	5.9	5
277	Recommendations on Physical Activity and Exercise for Older Adults Living in Long-Term Care Facilities: A Taskforce Report. *Journal of the American Medical Directors Association*, **2016**, 17, 381-92	5.9	121
276	Impact of resistance training on sarcopenia in nursing care facilities: A pilot study. **2016**, 37, 116-21		46
275	Whey protein, amino acids, and vitamin D supplementation with physical activity increases fat-free mass and strength, functionality, and quality of life and decreases inflammation in sarcopenic elderly. **2016**, 103, 830-40		193
274	Dietary Protein Intake and Lean Muscle Mass in Survivors of Childhood Acute Lymphoblastic Leukemia: Report From the St. Jude Lifetime Cohort Study. **2016**, 96, 1029-38		10
273	Glutamine metabolism in advanced age. **2016**, 74, 225-36		30
272	The Muscle Metabolome Differs between Healthy and Frail Older Adults. **2016**, 15, 499-509		56
271	Pharmacologic Options for the Treatment of Sarcopenia. **2016**, 98, 319-33		115
270	Combining nutrition and exercise to optimize survival and recovery from critical illness: Conceptual and methodological issues. **2016**, 35, 1196-206		63
269	Exploration of the protein requirement during weight loss in obese older adults. **2016**, 35, 394-398		22
268	Nutritional Considerations for Healthy Aging and Reduction in Age-Related Chronic Disease. **2017**, 8, 17-26		158
267	Translation of a tailored nutrition and resistance exercise intervention for elderly people to a real-life setting: adaptation process and pilot study. **2017**, 17, 25		15
266	Effects of Aerobic and Resistance Training Combined with Fortified Milk on Muscle Mass, Muscle Strength, and Physical Performance in Older Adults: A Randomized Controlled Trial. **2017**, 21, 1349-1357		9
265	Impact of nutrition for rehabilitation of older patients: Report on the 1st EICA-ESPRM-EUGMS Train the Trainers Course. **2017**, 8, 183-190		6
264	Protein and exercise in the prevention of sarcopenia and aging. **2017**, 40, 1-20		70
263	Efficacy of an Exercise and Nutritional Supplement Program on Physical Performance and Nutritional Status in Older Adults With Mobility Limitations Residing at Senior Living Facilities. **2017**, 25, 453-463		5
262	Proceedings of the 2016 Clinical Nutrition Week Research Workshop-The Optimal Dose of Protein Provided to Critically Ill Patients. **2017**, 41, 208-216		14
261	The Impact of Dietary Protein or Amino Acid Supplementation on Muscle Mass and Strength in Elderly People: Individual Participant Data and Meta-Analysis of RCT's. **2017**, 21, 994-1001		76

260	Protein Delivery in the Intensive Care Unit: Optimal or Suboptimal?. **2017**, 32, 58S-71S		33
259	Nutrition and physical activity in the prevention and treatment of sarcopenia: systematic review. **2017**, 28, 1817-1833		243
258	Frailty and sarcopenia - newly emerging and high impact complications of diabetes. **2017**, 31, 1465-1473		105
257	Effects of Resistance Training and Protein Supplementation in Breast Cancer Survivors. **2017**, 49, 1283-1292		23
256	Lower limb explosive strength capacity in elderly women: effects of resistance training and healthy diet. **2017**, 123, 190-196		18
255	Protein Supplementation Augments Muscle Fiber Hypertrophy but Does Not Modulate Satellite Cell Content During Prolonged Resistance-Type Exercise Training in Frail Elderly. *Journal of the American Medical Directors Association*, **2017**, 18, 608-615	5.9	28
254	Improved skeletal muscle mass and strength after heavy strength training in very old individuals. **2017**, 92, 96-105		27
253	JAMDA Maintains Excellent Impact Factor. *Journal of the American Medical Directors Association*, **2017**, 18, 737-740	5.9	0
252	Supplementing a normal diet with protein yields a moderate improvement in the robust gains in muscle mass and strength induced by resistance training in older individuals. **2017**, 106, 971-972		4
251	Effects of progressive resistance training combined with a protein-enriched lean red meat diet on health-related quality of life in elderly women: secondary analysis of a 4-month cluster randomised controlled trial. **2017**, 117, 1550-1559		13
250	Effect of Structured Physical Activity and Nutritional Supplementation on Physical Function in Mobility-Limited Older Adults: Results from the VIVE2 Randomized Trial. **2017**, 21, 936-942		34
249	Effects of Timing of Whey Protein Intake on Appetite and Energy Intake in Healthy Older Men. *Journal of the American Medical Directors Association*, **2017**, 18, 898.e9-898.e13	5.9	3
248	Effects of protein supplementation combined with resistance exercise on body composition and physical function in older adults: a systematic review and meta-analysis. **2017**, 106, 1078-1091		150
247	Protocol for a single-centre, randomised controlled study of a preoperative rehabilitation bundle in the frail and elderly undergoing abdominal surgery. **2017**, 7, e016815		10
246	A Decade of JAMDA. *Journal of the American Medical Directors Association*, **2017**, 18, 993-997	5.9	
245	Different protein and derivatives supplementation strategies combined with resistance training in pre-frail and frail elderly: Rationale and protocol for the "Pro-Elderly" Study. **2017**, 23, 251-260		5
244	A pilot randomised controlled trial of a periodised resistance training and protein supplementation intervention in prostate cancer survivors on androgen deprivation therapy. **2017**, 7, e016910		8
243	Leisure time sedentary behavior, physical activity and frequency of protein consumption on lower extremity strength and lean mass. **2017**, 71, 1399-1404		11

242	A 12-week intervention with protein-enriched foods and drinks improved protein intake but not physical performance of older patients during the first 6 months after hospital release: a randomised controlled trial. **2017**, 117, 1541-1549	21
241	Dietary protein supplementation in the elderly for limiting muscle mass loss. **2017**, 49, 33-47	33
240	Development of a Japanese version of the SARC-F for diabetic patients: an examination of reliability and validity. **2017**, 29, 935-942	68
239	A pilot study examining the impact of exercise training on skeletal muscle genes related to the TLR signaling pathway in older adults following hip fracture recovery. **2017**, 122, 68-75	14
238	Muscle fibre capillarization is a critical factor in muscle fibre hypertrophy during resistance exercise training in older men. **2017**, 8, 267-276	75
237	Frailty and Ageing. **2017**, 141-159	
236	The Ageing Immune System and Health. **2017**,	1
235	A combination of Korean mistletoe extract and resistance exercise retarded the decline in muscle mass and strength in the elderly: A randomized controlled trial. **2017**, 87, 48-56	5
234	Whey Protein Supplementation Improves Rehabilitation Outcomes in Hospitalized Geriatric Patients: A Double Blinded, Randomized Controlled Trial. **2017**, 36, 149-165	19
233	Importance of Frailty Concept in a Superaged Society, and its Diagnosis and Management. **2017**, 44, 370-377	
232	Implications of ICD-10 for Sarcopenia Clinical Practice and Clinical Trials: Report by the International Conference on Frailty and Sarcopenia Research Task Force. **2018**, 7, 2-9	59
231	Effects of multi-domain interventions in (pre)frail elderly on frailty, functional, and cognitive status: a systematic review. **2017**, 12, 873-896	120
230	Higher Protein Intake Does Not Improve Lean Mass Gain When Compared with RDA Recommendation in Postmenopausal Women Following Resistance Exercise Protocol: A Randomized Clinical Trial. **2017**, 9,	18
229	Exercise and Protein Intake: A Synergistic Approach against Sarcopenia. **2017**, 2017, 2672435	67
228	Impact of a Home-Based Physical and Nutritional Intervention Program Conducted by Lay-Volunteers on Handgrip Strength in Prefrail and Frail Older Adults: A Randomized Control Trial. **2017**, 12, e0169613	28
227	Health promotion interventions for community-dwelling older people with mild or pre-frailty: a systematic review and meta-analysis. **2017**, 17, 157	56
226	Differences in handgrip strength protocols to identify sarcopenia and frailty - a systematic review. **2017**, 17, 238	86
225	Relationship between Dietary Protein or Essential Amino Acid Intake and Training-Induced Muscle Hypertrophy among Older Individuals. **2017**, 63, 379-388	2

224	Effekte einer proteinoptimierten Ernährung in Kombination mit moderatem Krafttraining auf den postoperativen Verlauf bei älteren Patienten mit Hüftfraktur. **2017**, 42, 180-187	3
223	Allogeneic Mesenchymal Stem Cells as a Treatment for Aging Frailty. **2017**,	1
222	Approaches to therapy and prevention of frailty in the light of contemporary medicine. **2017**, 3, 289-297	1
221	Hormones and Sarcopenia. **2017**, 23, 4484-4492	35
220	Effectiveness of exercise interventions on physical function in community-dwelling frail older people: an umbrella review of systematic reviews. **2018**, 16, 752-775	81
219	Aerobic and strength training induce changes in oxidative stress parameters and elicit modifications of various cellular components in skeletal muscle of aged rats. **2018**, 106, 21-27	14
218	Effect of Protein or Essential Amino Acid Supplementation During Prolonged Resistance Exercise Training in Older Adults on Body Composition, Muscle Strength, and Physical Performance Parameters: A Systematic Review. **2018**, 7, 117957271876576	7
217	Effects of protein supplements consumed with meals, versus between meals, on resistance training-induced body composition changes in adults: a systematic review. **2018**, 76, 461-468	6
216	Protein-enriched, milk-based supplement to counteract sarcopenia in acutely ill geriatric patients offered resistance exercise training during and after hospitalisation: study protocol for a randomised, double-blind, multicentre trial. **2018**, 8, e019210	15
215	The impact of post-resistance exercise protein consumption on subsequent appetite and daily energy intake of sarcopenic older men: a pilot study. **2018**, 30, 1087-1092	1
214	Editorial: Geriatrics in the 21st Century. **2018**, 22, 186-190	1
213	The impact of sarcopenia on the results of lumbar spinal surgery. **2018**, 4, 33-36	9
212	Dietary Protein and Preservation of Physical Functioning Among Middle-Aged and Older Adults in the Framingham Offspring Study. **2018**, 187, 1411-1419	28
211	Attenuated strength gains during prolonged resistance exercise training in older adults with high inflammatory status. **2018**, 106, 154-158	12
210	Longitudinal comparison of low- and high-velocity resistance training in relation to body composition and functional fitness of older adults. **2018**, 30, 1465-1473	8
209	Physical and Nutritional Prehabilitation in Older Patients With Colorectal Carcinoma: A Systematic Review. **2018**, 41, 236-244	30
208	Effects of Milk Proteins Supplementation in Older Adults Undergoing Resistance Training: A Meta-Analysis of Randomized Control Trials. **2018**, 22, 237-245	22
207	Effects of Low-Dose Dairy Protein Plus Micronutrient Supplementation during Resistance Exercise on Muscle Mass and Physical Performance in Older Adults: A Randomized, Controlled Trial. **2018**, 22, 59-67	14

206	Nutritional Supplementation With Physical Activity Improves Muscle Composition in Mobility-Limited Older Adults, The VIVE2 Study: A Randomized, Double-Blind, Placebo-Controlled Trial. **2017**, 73, 95-101		79
205	Oral Nutrition as a Form of Pre-Operative Enhancement in Patients Undergoing Surgery for Colorectal Cancer: A Systematic Review. **2018**, 19, 1-10		22
204	Supplemental protein from dairy products increases body weight and vitamin D improves physical performance in older adults: a systematic review and meta-analysis. **2018**, 49, 1-22		17
203	Reconsideration of frailty in relation to surgical indication. **2018**, 66, 201-213		1
202	Personalising nutrition for older adults: The InCluSilver project. **2018**, 43, 442-455		3
201	Effects of protein supplementation on lean body mass, muscle strength, and physical performance in nonfrail community-dwelling older adults: a systematic review and meta-analysis. **2018**, 108, 1043-1059		54
200	Isolated Soy Protein Supplementation and Exercise Improve Fatigue-Related Biomarker Levels and Bone Strength in Ovariectomized Mice. **2018**, 10,		5
199	Whole-Body Electromyostimulation Combined With Individualized Nutritional Support Improves Body Composition in Patients With Hematological Malignancies - A Pilot Study. **2018**, 9, 1808		13
198	Effects of Protein Supplementation Combined with Exercise Intervention on Frailty Indices, Body Composition, and Physical Function in Frail Older Adults. **2018**, 10,		30
197	Age-related changes in skeletal muscle: changes to life-style as a therapy. **2018**, 19, 519-536		79
196	Protein Supplementation after Exercise and before Sleep Does Not Further Augment Muscle Mass and Strength Gains during Resistance Exercise Training in Active Older Men. **2018**, 148, 1723-1732		29
195	A digitally supported home-based exercise training program and dietary protein intervention for community dwelling older adults: protocol of the cluster randomised controlled VITAMIN trial. **2018**, 18, 183		10
194	Nutrition and physical activity countermeasures for sarcopenia: Time to get personal?. **2018**, 43, 374-387		7
193	Bewegen: een medicijn voor veel aandoeningen. **2018**, 34, 345-357		
192	SARC-F for Screening of Sarcopenia Among Older Adults: A Meta-analysis of Screening Test Accuracy. *Journal of the American Medical Directors Association*, **2018**, 19, 685-689	5.9	93
191	Let thy food be thy medicine□when possible. **2018**, 836, 102-114		39
190	Role of Dietary Protein and Muscular Fitness on Longevity and Aging. **2018**, 9, 119-132		38
189	Physical Activity Interventions in Preventing Cognitive Decline and Alzheimer-Type Dementia: A Systematic Review. **2018**, 168, 30-38		135

188	Effect, process, and economic evaluation of a combined resistance exercise and diet intervention (ProMuscle in Practice) for community-dwelling older adults: design and methods of a randomised controlled trial. **2018**, 18, 877	6
187	Nutrition in the Very Old. **2018**, 10,	42
186	l-Carnitine Supplementation in Recovery after Exercise. **2018**, 10,	43
185	Exercise and Nutrition Strategies to Counteract Sarcopenic Obesity. **2018**, 10,	53
184	A study protocol of Older Person's Exercise and Nutrition Study (OPEN) - a sit-to-stand activity combined with oral protein supplement - effects on physical function and independence: a cluster randomized clinical trial. **2018**, 18, 138	6
183	A coding and non-coding transcriptomic perspective on the genomics of human metabolic disease. **2018**, 46, 7772-7792	22
182	Leucine and ACE inhibitors as therapies for sarcopenia (LACE trial): study protocol for a randomised controlled trial. **2018**, 19, 6	28
181	The EXPRESS Study: Exercise and Protein Effectiveness Supplementation Study supporting autonomy in community dwelling frail older people-study protocol for a randomized controlled pilot and feasibility study. **2018**, 4, 8	6
180	Effects of aging and insulin resistant states on protein anabolic responses in older adults. **2018**, 108, 262-268	22
179	Chapter 4 Treatment of sarcopenia. **2018**, 18 Suppl 1, 28-44	38
178	Leisure-time physical activity at moderate and high intensity is associated with parameters of body composition, muscle strength and sarcopenia in aged adults with obesity and metabolic syndrome from the PREDIMED-Plus study. **2019**, 38, 1324-1331	27
177	The effect of acute oral phosphatidic acid ingestion on myofibrillar protein synthesis and intracellular signaling in older males. **2019**, 38, 1423-1432	10
176	Effectiveness of nutritional interventions in older adults at risk of malnutrition across different health care settings: Pooled analyses of individual participant data from nine randomized controlled trials. **2019**, 38, 1797-1806	29
175	Validity of Japanese version of SARC-F questionnaire in patients with chronic liver disease. **2019**, 34, 947-953	10
174	ASO Author Reflections: Current State of Surgical Sarcopenia in Esophageal Cancer. **2019**, 26, 670-671	
173	Metabolic Perturbations from Step Reduction in Older Persons at Risk for Sarcopenia: Plasma Biomarkers of Abrupt Changes in Physical Activity. **2019**, 9,	25
172	The Role of Muscle Mass Gain Following Protein Supplementation Plus Exercise Therapy in Older Adults with Sarcopenia and Frailty Risks: A Systematic Review and Meta-Regression Analysis of Randomized Trials. **2019**, 11,	45
171	Nutritional Interventions for Elderly and Considerations for the Development of Geriatric Foods. **2019**, 12, 15-27	12

170	Dietary Protein, Exercise, and Frailty Domains. **2019**, 11,	8
169	Native Whey Induces Similar Adaptation to Strength Training as Milk, despite Higher Levels of Leucine, in Elderly Individuals. **2019**, 11,	7
168	Function Promoting Therapies Come of Age. **2019**, 74, 1595-1597	
167	Nutritional Strategies to Combat Type 2 Diabetes in Aging Adults: The Importance of Protein. **2019**, 6, 138	10
166	Nutrition, Muscle Function, and Mobility in Older People. **2019**, 203-220	0
165	Moderate Increase in Protein Intake Promotes a Small Additional Improvement in Functional Capacity, But Not in Muscle Strength and Lean Mass Quality, in Postmenopausal Women Following Resistance Exercise: A Randomized Clinical Trial. **2019**, 11,	6
164	Sarcopenia Associated with Chronic Obstructive Pulmonary Disease. **2019**, 26, 65-74	21
163	Body Composition and Falls Risk in Older Adults. **2019**, 8, 210-222	5
162	Association between Sarcopenia and Overactive Bladder in Elderly Diabetic Patients. **2019**, 23, 532-537	3
161	Dietary Protein and Amino Acid Intake: Links to the Maintenance of Cognitive Health. **2019**, 11,	14
160	Exercise and Dietary-Protein as a Countermeasure to Skeletal Muscle Weakness: Liverpool Hope University - Sarcopenia Aging Trial (LHU-SAT). **2019**, 10, 445	30
159	Effect of whey protein supplementation combined with resistance training on body composition, muscular strength, functional capacity, and plasma-metabolism biomarkers in older women with sarcopenic obesity: A randomized, double-blind, placebo-controlled trial. **2019**, 32, 88-95	19
158	Fit4SurgeryTV At-home Prehabilitation for Frail Older Patients Planned for Colorectal Cancer Surgery: A Pilot Study. **2019**, 98, 399-406	20
157	Effect of Protein Supplementation Combined with Resistance Training on Muscle Mass, Strength and Function in the Elderly: A Systematic Review and Meta-Analysis. **2019**, 23, 451-458	23
156	Effects of higher habitual protein intake on resistance-training-induced changes in body composition and muscular strength in untrained older women: A clinical trial study. **2019**, 25, 103-112	6
155	Muscle mass and strength gains following 6 months of resistance type exercise training are only partly preserved within one year with autonomous exercise continuation in older adults. **2019**, 121, 71-78	21
154	Effects of physical activity interventions in frail and prefrail community-dwelling people on frailty status, muscle strength, physical performance and muscle mass-a´narrative review. **2019**, 131, 244-254	26
153	Association between sarcopenia and sleep disorder in older patients with diabetes. **2019**, 19, 399-403	9

152	Effect of nutritional supplementations on physical performance and muscle strength parameters in older people: A systematic review and meta-analysis. **2019**, 51, 48-54	30
151	Anabolic signaling and response in sarcopenia as a model for microgravity induced muscle deconditioning: A systematic review. **2019**, 13, 100025	2
150	Approaching Frailty in Primary Care. **2019**, 1, 87-97	
149	Nutrition and Exercise in Critical Illness Trial (NEXIS Trial): a protocol of a multicentred, randomised controlled trial of combined cycle ergometry and amino acid supplementation commenced early during critical illness. **2019**, 9, e027893	17
148	Individualized home-based exercise and nutrition interventions improve frailty in older adults: a randomized controlled trial. **2019**, 16, 119	28
147	Milk and resistance exercise intervention to improve muscle function in community-dwelling older adults at risk of sarcopenia (MIlkMAN): protocol for a pilot study. **2019**, 9, e031048	6
146	Association between Sarcopenia and Renal Function in Patients with Diabetes: A Systematic Review and Meta-Analysis. **2019**, 2019, 1365189	10
145	Dietary protein intake and upper leg muscle strength in subjects with knee osteoarthritis: data from the osteoarthritis initiative. **2019**, 39, 277-284	7
144	The Effect of Ehydroxy-Emethylbutyrate (HMB) on Sarcopenia and Functional Frailty in Older Persons: A Systematic Review. **2019**, 23, 145-150	29
143	Nutrition and Exercise Approaches to Enhance Muscle, Mobility, and Cognition During Aging. **2019**, 77-94	
142	Nutritional Influences on Bone Health. **2019**,	
141	Health Issues and Care System for the Elderly. **2019**,	
140	The association between dietary protein intake, energy intake and physical frailty: results from the Rotterdam Study. **2019**, 121, 393-401	19
139	Effects of exercise and nutrition supplementation in community-dwelling older Chinese people with sarcopenia: a randomized controlled trial. **2019**, 48, 220-228	32
138	Differences in nutritional status and activities of daily living and mobility in elderly hospitalized patients with heart failure. **2019**, 6, 344-350	7
137	Impact of sarcopenia on clinical outcomes after radical gastrectomy for patients without nutritional risk. **2019**, 61, 61-66	18
136	Reduced Skeletal Muscle Mass and Lifestyle. **2019**, 17-33	2
135	Muscle Growth, Repair, and Preservation. **2019**, 291-308	

134	Effects of Blood Flow Restriction Training on Muscular Strength and Hypertrophy in Older Individuals: A Systematic Review and Meta-Analysis. *Sports Medicine*, **2019**, 49, 95-108	10.6	93
133	A high whey protein, vitamin D and E supplement preserves muscle mass, strength, and quality of life in sarcopenic older adults: A´double-blind randomized controlled trial. **2019**, 38, 159-164		47
132	Protein timing has no effect on lean mass, strength and functional capacity gains induced by resistance exercise in postmenopausal women: A randomized clinical trial. **2020**, 39, 57-66		8
131	Strength training and protein supplementation improve muscle mass, strength, and function in mobility-limited older adults: a randomized controlled trial. **2020**, 32, 605-616		6
130	Lack of Knowledge Contrasts the Willingness to Counteract Sarcopenia Among Community-Dwelling Adults. **2020**, 32, 787-794		6
129	The effect of protein supplements on functional frailty in older persons: A systematic review and meta-analysis. **2020**, 86, 103938		12
128	Dietary Intakes of Vegetable Protein, Folate, and Vitamins B-6 and B-12 Are Partially Correlated with Physical Functioning of Dutch Older Adults Using Copula Graphical Models. **2020**, 150, 634-643		14
127	Associations between Plasma Branched Chain Amino Acids and Health Biomarkers in Response to Resistance Exercise Training Across Age. **2020**, 12,		1
126	A 4-week exercise and protein program improves muscle mass and physical functioning in older adults - A pilot study. **2020**, 141, 111094		6
125	Feasibility and acceptability of a milk and resistance exercise intervention to improve muscle function in community-dwelling older adults (MIlkMAN): Pilot study. **2020**, 15, e0235952		1
124	Myoprotective Whole Foods, Muscle Health and Sarcopenia: A Systematic Review of Observational and Intervention Studies in Older Adults. **2020**, 12,		11
123	Frailty is a useful predictive marker of postoperative complications after pancreaticoduodenectomy. **2020**, 18, 194		6
122	The Potential Role of Fish-Derived Protein Hydrolysates on Metabolic Health, Skeletal Muscle Mass and Function in Ageing. **2020**, 12,		6
121	Chronic Resistance Exercise Improves Functioning and Reduces Toll-Like Receptor Signaling in Elderly Patients With Postoperative Deconditioning. **2020**, 43, 371-383		3
120	Protein Supplementation and Resistance Training in Childhood Cancer Survivors. **2020**, 52, 2069-2077		5
119	Effectiveness of Protein Supplementation Combined with Resistance Training on Muscle Strength and Physical Performance in Elderly: A Systematic Review and Meta-Analysis. **2020**, 12,		7
118	Preoperative Treatment of Malnutrition and Sarcopenia in Cardiac Surgery: New Frontiers. **2020**, 36, 593-616		8
117	The effects of resistance training with or without peanut protein supplementation on skeletal muscle and strength adaptations in older individuals. **2020**, 17, 66		6

116	Nutritional interventions for the management of frailty in older adults: systematic review and meta-analysis of randomized clinical trials. **2021**, 79, 889-913		4
115	Cardiac and Metabolic Impact of Functional Foods with Antioxidant Properties Based on Whey Derived Proteins Enriched with Hemp Seed Oil. **2020**, 9,		5
114	Optimal Delivery of Follow-Up Care After Radical Cystectomy for Bladder Cancer. **2020**, 12, 471-486		5
113	Effect of Sit-to-Stand Exercises Combined With Protein-Rich Oral Supplementation in Older Persons: The Older Person's Exercise and Nutrition Study. *Journal of the American Medical Directors Association*, **2020**, 21, 1229-1237	5.9	7
112	Nutrition and Sarcopenia-What Do We Know?. **2020**, 12,		44
111	Associations of protein source, distribution and healthy dietary pattern with appendicular lean mass in oldest-old men: the Helsinki Businessmen Study (HBS). **2020**, 11, 699-704		1
110	Amount, Source and Pattern of Dietary Protein Intake Across the Adult Lifespan: A Cross-Sectional Study. **2020**, 7, 25		24
109	Physical activity and exercise: Strategies to manage frailty. **2020**, 35, 101513		62
108	Process Evaluation of a Combined Lifestyle Intervention for Community-Dwelling Older Adults: ProMuscle in Practice. **2020**, 60, 1538-1554		3
107	Effects of Whole-Body Vibration Training on the Physical Function of the Frail Elderly: An Open, Randomized Controlled Trial. **2020**, 101, 1111-1119		9
106	Correlation of Body Composition and Nutritional Status with Functional Recovery in Stroke Rehabilitation Patients. **2020**, 12,		12
105	The Impact of Protein Supplementation on Exercise-Induced Muscle Damage, Soreness and Fatigue Following Prolonged Walking Exercise in Vital Older Adults: A Randomized Double-Blind Placebo-Controlled Trial. **2020**, 12,		1
104	Protein and amino acids for skeletal muscle health in aging. **2020**, 91, 29-64		5
103	Chapter 3 Frailty prevention. **2020**, 20 Suppl 1, 20-24		3
102	Musculoskeletal adaptations to strength training in frail elderly: a matter of quantity or quality?. **2020**, 11, 663-677		12
101	Effectiveness of a Diet and Resistance Exercise Intervention on Muscle Health in Older Adults: ProMuscle in Practice. *Journal of the American Medical Directors Association*, **2020**, 21, 1065-1072.e3	5.9	14
100	The Role of Protein Intake and its Timing on Body Composition and Muscle Function in Healthy Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. **2020**, 150, 1443-1460		9
99	Effects of slow- fast-digested protein supplementation combined with mixed power training on muscle function and functional capacities in older men. **2021**, 125, 1017-1033		3

98	Effects of low-dose milk protein supplementation following low-to-moderate intensity exercise training on muscle mass in healthy older adults: a randomized placebo-controlled trial. **2021**, 60, 917-928	4
97	Getting to grips with sarcopenia: recent advances and practical management for the gastroenterologist. **2021**, 12, 53-61	5
96	The Impact of Protein Supplementation on Appetite and Energy Intake in Healthy Older Adults: A Systematic Review with Meta-Analysis. **2021**, 12, 490-502	3
95	Down stair walking: A simple method to increase muscle mass and performance in 65+ year healthy people. **2021**, 1-10	4
94	The Effect of High Protein and Mobility-Based Rehabilitation on Clinical Outcomes in Survivors of Critical Illness. **2021**, 66, 73-78	1
93	An Increase in Fat-Free Mass is Associated with Higher Appetite and Energy Intake in Older Adults: A Randomised Control Trial. **2021**, 13,	1
92	Dietary Protein Intake in Older Adults from Ethnic Minorities in the Netherlands, a Mixed Methods Approach. **2021**, 13,	1
91	. **2021**, 46,	
90	Management of Sarcopenic Obesity for Older Adults with Lower-Extremity Osteoarthritis.	
89	Cost-effectiveness of a Diet and Resistance Exercise Intervention in Community-Dwelling Older Adults: ProMuscle in Practice. *Journal of the American Medical Directors Association*, **2021**, 22, 792-802.e2[5-9]	2
88	Osteosarcopenia. **2021**, 127-145	
87	Nutritional Approaches to Treat Sarcopenia. **2021**, 335-353	
86	Healthy Aging-Nutrition Matters: Start Early and Screen Often. **2021**, 12, 1438-1448	8
85	Risk factors for surgery-related muscle quantity and muscle quality loss and their impact on outcome. **2021**, 26, 36	3
84	In-Depth Analyses of the Effects of a Diet and Resistance Exercise Intervention in Older Adults: Who Benefits Most From ProMuscle in Practice?. **2021**, 76, 2204-2212	1
83	A novel oral nutritional supplement improves gait speed and mitochondrial functioning compared to standard care in older adults with (or at risk of) undernutrition: results from a randomized controlled trial. **2021**, 13, 9398-9418	1
82	A combined lifestyle intervention induces a sensitization of the blood transcriptomic response to a nutrient challenge.	
81	Nutritional concerns later in life. **2021**, 80, 339-343	1

80	Effects of Functional Training on Sarcopenia in Elderly Women in the Presence or Absence of ACE Inhibitors. **2021**, 18,	1
79	The Effects of Lifestyle and Diet on Gut Microbiota Composition, Inflammation and Muscle Performance in Our Aging Society. **2021**, 13,	16
78	Frailty Pathogenesis, Assessment, and Management in Older Adults With COVID-19. **2021**, 8, 694367	3
77	Effectiveness of nutrition interventions and combined nutrition and physical activity interventions in older adults with frailty or prefrailty: a systematic review and meta-analysis. **2021**, 9, E744-E756	3
76	Effects of Protein-Rich Nutritional Composition Supplementation on Sarcopenia Indices and Physical Activity during Resistance Exercise Training in Older Women with Knee Osteoarthritis. **2021**, 13,	2
75	Muscle hypertrophy in cancer patients and survivors via strength training. A meta-analysis and meta-regression. **2021**, 163, 103371	6
74	Frailty Assessment and Prehabilitation Before Complex Spine Surgery in Patients With Degenerative Spine Disease: A Narrative Review. **2021**,	0
73	Effects of Milk Protein in Resistance Training-Induced Lean Mass Gains for Older Adults Aged ≥60 y: A Systematic Review and Meta-Analysis. **2021**, 13,	1
72	Supplement-based nutritional strategies to tackle frailty: A multifactorial, double-blind, randomized placebo-controlled trial. **2021**, 40, 4849-4858	4
71	Comparative effectiveness study of low versus high-intensity aerobic training with resistance training in community-dwelling older men with post-COVID 19 sarcopenia: A randomized controlled trial. **2021**, 2692155211036956	11
70	Dietary phytochemicals as a promising nutritional strategy for sarcopenia: a systematic review and meta-analysis of randomized controlled trials. **2021**, 64,	0
69	Perioperative Care of Patients Undergoing Major Complex Spinal Instrumentation Surgery: Clinical Practice Guidelines From the Society for Neuroscience in Anesthesiology and Critical Care. **2021**,	0
68	Occupational therapy, nutritional modulation and psychological support during pulmonary rehabilitation. **2021**, 83-98	0
67	Current perspectives on defining and mitigating frailty in relation to critical illness. **2021**, 40, 5430-5437	0
66	Effects of Exergames and Protein Supplementation on Body Composition and Musculoskeletal Function of Prefrail Community-Dwelling Older Women: A Randomized, Controlled Clinical Trial. **2021**, 18,	1
65	Tackling older adults' malnutrition through the development of tailored food products. **2021**, 115, 55-73	2
64	Effects on physical performance of high protein intake for critically ill adult patients admitted to the intensive care unit: A retrospective propensity-matched analysis. **2021**, 91-92, 111407	0
63	Different components of frailty in the aging subjects: The role of sarcopenia. **2021**, 173-205	

62	Impact of Adding Protein Supplementation to Exercise Training on Lean Body Mass and Muscle Strength in Burn Patients. **2021**, 42, 968-974	1
61	Psychological Effects of Whole-Body Vibration Training in Frail Older Adults: An Open, Randomized Control Trial. **2021**, 1-11	1
60	Branched Chain Amino Acids and Muscle Atrophy Protection. **2015**, 49-63	1
59	Frailty. **2017**, 89-97	1
58	Einfluss des Alters. **2018**, 357-372	1
57	The Impact of Dietary Factors on Indices of Chronic Disease in Older People: A Systematic Review. **2018**, 22, 282-296	19
56	Diabetes management in older people: a focus on cardiovascular risk reduction. **2017**, 129, 169-177	2
55	Impact of Sarcopenia on Degenerative Lumbar Spondylosis. **2021**, 34, 43-50	3
54	Clinical effectiveness of protein and amino acid supplementation on building muscle mass in elderly people: a meta-analysis. **2014**, 9, e109141	37
53	Soluble Milk Protein Supplementation with Moderate Physical Activity Improves Locomotion Function in Aging Rats. **2016**, 11, e0167707	9
52	Using the Hephaistos orthotic device to study countermeasure effectiveness of neuromuscular electrical stimulation and dietary lupin protein supplementation, a randomised controlled trial. **2017**, 12, e0171562	4
51	Lack of knowledge and availability of diagnostic equipment could hinder the diagnosis of sarcopenia and its management. **2017**, 12, e0185837	33
50	[Nutritional status in patients with chronic pancreatitis]. **2016**, 88, 81-89	8
49	Rationale and design of the allogeneiC human mesenchymal stem cells (hMSC) in patients with aging fRAilTy via intravenoUS delivery (CRATUS) study: A phase I/II, randomized, blinded and placebo controlled trial to evaluate the safety and potential efficacy of allogeneic human mesenchymal stem cell infusion in patients with aging frailty. **2016**, 7, 11899-912	29
48	Protein Intake Recommendation for Korean Older Adults to Prevent Sarcopenia: Expert Consensus by the Korean Geriatric Society and the Korean Nutrition Society. **2018**, 22, 167-175	16
47	Frailty and Disability in Diabetes. **2019**, 23, 165-169	5
46	Advantage of Dairy for Improving Aging Muscle. **2019**, 28, 167-174	2
45	Nutrition and Exercise to Maintain Physical Functioning During Ageing. **2021**, 275-298	

44	Protein interventions augment the effect of resistance exercise on appendicular lean mass and handgrip strength in older adults: a systematic review and meta-analysis of randomized controlled trials. **2021**,	5
43	Effect of a 40-weeks multicomponent exercise program and branched chain amino acids supplementation on functional fitness and mental health in frail older persons. **2021**, 155, 111592	1
42	The Link between Dietary Protein Intake, Skeletal Muscle Function and Health in Older Adults. **2016**, 127-146	
41	Sum Up and Future Research. **2017**, 365-372	
40	Fizinio aktyvumo, medikamentinio gydymo, maisto papildų ir kognityvinių treniruočių taka Alzheimerio ligos, susijusių demencijų prevencijai ir kognityvinių gebėjimų gerinimui. **2018**, 22, 31-41	
39	Yaşlanma ve Egzersiz. 137-153	0
38	Prevention Strategy for Frailty. **2019**, 45-68	
37	PROTEIN AND PHYSICAL ACTIVITY IN PREVENTION AND TREATMENT OF SARCOPENIA. **2019**, 72, 1660-1666	
36	Effect of resistance training combined with aerobic exercise on aortic arterial stiffness in older adults: a secondary analysis of randomized controlled trial. **2019**, 8, 203-208	
35	Encyclopedia of Gerontology and Population Aging. **2020**, 1-4	
34	Egg protein supplementation improved upper body muscle strength and protein intake in community-dwelling older adult females who attended congregate meal sites or adult learning centers: A pilot randomized controlled trial. **2021**, 2601060211051592	
33	Ondervoeding bij ouderen. **2021**, 43-66	
32	Individualised physical exercise training and enhanced protein intake in older citizens during municipality-based rehabilitation: protocol for a randomised controlled trial. **2020**, 10, e041605	
31	Nutrition and Physical Activity Clinical Practice Guidelines for Older Adults Living with Frailty.. **2022**, 11, 3-11	0
30	Encyclopedia of Gerontology and Population Aging. **2021**, 3558-3561	
29	Effects of resistance exercise and whey protein supplementation on skeletal muscle strength, mass, physical function, and hormonal and inflammatory biomarkers in healthy active older men: a randomised, double-blind, placebo-controlled trial.. **2021**, 158, 111651	2
28	Individualised physical exercise training and enhanced protein intake in older citizens during municipality-based rehabilitation: protocol for a randomised controlled trial. **2020**, 10, e041605	0
27	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial.. **2022**,	2

26	Effects and contextual factors of a diet and resistance exercise intervention vary across settings: an overview of three successive ProMuscle interventions.. **2022**, 22, 189		
25	Can supplemental protein to low-protein containing meals superimpose on resistance-training muscle adaptations in older adults? A randomized clinical trial.. **2022**, 111760		0
24	Untargeted Metabolomic Assay of Prefrail Older Adults after Nutritional Intervention. **2022**, 12, 378		
23	Relationship between Nutritional Status, Body Composition, Muscle Strength, and Functional Recovery in Patients with Proximal Femur Fracture. **2022**, 14, 2298		0
22	Isolated Soy Protein Supplementation Combined With Resistance Training Improves Muscle Strength, Mass, and Physical Performance of Aging Female Mice. **2022**, 13,		
21	Changes in 24-h energy expenditure, substrate oxidation, and body composition following resistance exercise and a high protein diet via whey protein supplementation in healthy older men. *Physiological Reports*, **2022**, 10,	2.6	
20	Nutritional co-therapy with 1,3-butanediol and multi-ingredient antioxidants enhances autophagic clearance in Pompe disease. *Molecular Genetics and Metabolism*, **2022**,	3.7	0
19	Muscle Protein Synthesis Responses Following Aerobic-Based Exercise or High-Intensity Interval Training with or Without Protein Ingestion: A Systematic Review. *Sports Medicine*,	10.6	2
18	The relationship between sarcopenia, dysphagia, malnutrition, and frailty: making the case for proactive swallowing exercises to promote healthy aging. Publish Ahead of Print,		0
17	Alternative dietary protein sources to support healthy and active skeletal muscle aging.		0
16	The effect of dietary supplements on frailty in older persons: a meta-analysis and systematic review of randomized controlled trials. 42,		0
15	Improved preoperative aerobic fitness following a home-based bimodal prehabilitation programme in high-risk patients scheduled for liver or pancreatic resection.		0
14	Leucine and perindopril to improve physical performance in people over 70 years with sarcopenia: the LACE factorial RCT. **2022**, 9, 1-82		0
13	Effects of Whey Peptide Supplementation on Sarcopenic Obesity in High-Fat Diet-Fed Mice. **2022**, 14, 4402		1
12	Sarcopenia and Frailty in Heart Failure: Is There a Biomarker Signature?.		0
11	Effects of multidomain interventions on skeletal muscle architecture and function in pre-frail older women: The WiiProtein study. **2022**, 48, 230-239		0
10	Protein intake and bone mineral density: Cross-sectional relationship and longitudinal effects in older adults.		1
9	Which intervention is more effective in improving sarcopenia in older adults? A systematic review with meta-analysis of randomized controlled trials. **2023**, 210, 111773		2

8	Resistance Exercise Training Increases Muscle Mass and Strength in Prostate Cancer Patients on Androgen Deprivation Therapy. Publish Ahead of Print,	0
7	Role of ingested amino acids/protein in the promotion of resistance exercise-training adaptations in aging: Analysis of meta-analyses. **2022**, 1-17	0
6	Supplementation with Whey Protein, but Not Pea Protein, Reduces Muscle Damage Following Long-Distance Walking in Older Adults. **2023**, 15, 342	0
5	Physical activity and dietary considerations for prostate cancer patients: future research directions. 1-16	0
4	Pre-Meal Whey Protein Alters Postprandial Insulinemia by Enhancing Cell Function and Reducing Insulin Clearance in T2D.	0
3	Use of a physical activity monitor to track perioperative activity of radical cystectomy patients. Our first glimpse at what our patients are doing before and after surgery. **2023**, 41, 206.e11-206.e19	0
2	Sarcopenia and COVID-19 Outcomes. Volume 18, 359-373	0
1	Chinese expert consensus on prevention and intervention for elderly with sarcopenia (2023).	0