

CITATION REPORT

List of articles citing

Accuracy and resolution of Kinect depth data for indoor mapping applications

DOI: 10.3390/s120201437
Sensors, 2012, 12, 1437-54.

Source: <https://exaly.com/paper-pdf/53996019/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1271	Real-Time 3-D Reconstruction for Facilitating the Development of Game-based Virtual Laboratories. 2015 , 26.1305.1		
1270	Effectiveness Evaluation Services for Small to Medium-Sized Manufacturing Enterprise. 2006 ,		
1269	Factors Affecting Magnetic Quality. 2009 ,		
1268	Implement of Robot Arm Body Feeling Interaction System Based on the Kinect Skeletal Information. 2012 , 220-223, 1203-1206		
1267	Spatial uncertainty model for visual features using a Kinect sensor. <i>Sensors</i> , 2012 , 12, 8640-62	3.8	48
1266	A mixed reality system for teaching STEM content using embodied learning and whole-body metaphors. 2012 ,		2
1265	View-independent Hand Posture Recognition from Single Depth Images Using PCA and Flusser Moments. 2012 ,		6
1264	Planning high-visibility stable paths for reconfigurable robots on uneven terrain. 2012 ,		13
1263	Physically interactive tabletop augmented reality using the Kinect. 2012 ,		3
1262	3D object tracking with a high-resolution GPU based real-time stereo. 2012 ,		
1261	smARTbox. 2012 ,		7
1260	Depth estimation of features in video frames with improved feature matching technique using Kinect sensor. 2012 , 51, 107002-1		3
1259	Gesture classification with machine learning using Kinect sensor data. 2012 ,		24
1258	Kinect and 3D GIS in archaeology. 2012 ,		19
1257	Noise characterization of depth sensors for surface inspections. 2012 ,		21
1256	Accuracy and robustness of Kinect pose estimation in the context of coaching of elderly population. 2012 , 2012, 1188-93		185
1255	Path Tracing on Polar Depth Maps for Robot Navigation. 2012 , 395-404		6

1254	Modeling Kinect Sensor Noise for Improved 3D Reconstruction and Tracking. 2012,	168
1253	Kinect in neurorehabilitation: Computer vision system for real time hand and object detection and distance estimation. 2012,	6
1252	Slingshot 3D: A synchronous haptic-audio-video game. 2012, 71, 1635	3
1251	Temporal Denoising of Kinect Depth Data. 2012,	17
1250	Learning Object Relationships which determine the Outcome of Actions. 2012, 3,	4
1249	Efficiency of the Visual FastSLAM Technique with a Common Feature Map for Two Vehicles in the Integrated Exploration of an Indoor Environment. 2013, 24, 450-469	1
1248	Empirical assessment of a RGB-D sensor on motion capture and action recognition for construction worker monitoring. 2013, 1, 6	47
1247	New Geometric Data Structures for Collision Detection and Haptics. 2013,	19
1246	Metrological evaluation of Microsoft Kinect and Asus Xtion sensors. 2013, 46, 1800-1806	112
1245	FEEDB: A multimodal database of facial expressions and emotions. 2013,	16
1244	Gait tracking for virtual reality clinical applications: A low cost solution. 2013, 37, S31	5
1243	TOF Range-Imaging Cameras. 2013,	63
1242	Human-Computer Interaction INTERACT 2013. 2013,	1
1241	9 Literature. 2013, 627-662	
1240	Detecting interaction above digital tabletops using a single depth camera. 2013, 24, 1575-1587	2
1239	Exergaming for balance training of elderly: state of the art and future developments. 2013, 10, 101	162
1238	Advanced background modeling with RGB-D sensors through classifiers combination and inter-frame foreground prediction. 2013, 25, 1197	5
1237	Measuring accurate body parameters of dressed humans with large-scale motion using a Kinect sensor. <i>Sensors</i> , 2013, 13, 11362-84	3.8 22

1236	Analysis of the accuracy and robustness of the leap motion controller. <i>Sensors</i> , 2013 , 13, 6380-93	3.8	555
1235	Multiscale analysis of depth images from natural scenes: Scaling in the depth of the woods. 2013 , 54, 135-149		9
1234	Enhanced computer vision with Microsoft Kinect sensor: a review. 2013 , 43, 1318-34		833
1233	Unobtrusive, continuous, in-home gait measurement using the Microsoft Kinect. 2013 , 60, 2925-32		125
1232	Enabling HumanMachine Interaction in Projected Virtual Environments Through Camera Tracking of Imperceptible Markers. 2013 , 29, 549-561		1
1231	ViziCal. 2013 ,		2
1230	Elastic Fragments for Dense Scene Reconstruction. 2013 ,		51
1229	Kinect Shadow Detection and Classification. 2013 ,		6
1228	Dense depth acquisition via one-shot stripe structured light. 2013 ,		1
1227	Depth measurement by omni-directional camera. 2013 ,		1
1226	A supervised learning approach to far range depth estimation using a consumer-grade RGB-D camera. 2013 ,		
1225	. 2013 ,		6
1224	Point cloud data filtering and downsampling using growing neural gas. 2013 ,		16
1223	Detecting moving spheres in 3D point clouds via the 3D velocity Hough Transform. 2013 ,		0
1222	Object recognition and localization based on kinect camera in complex environment. 2013 ,		4
1221	A color-guided, region-adaptive and depth-selective unified framework for Kinect depth recovery. 2013 ,		10
1220	Depth Acquisition from Density Modulated Binary Patterns. 2013 ,		20
1219	Obstacle avoidance using haptics and a laser rangefinder. 2013 ,		6

1218	Efficient Tracking of Pianists' Finger Movements. 2013 , 42, 79-95	10
1217	Depth estimation for speckle projection system using progressive reliable points growing matching. 2013 , 52, 516-24	30
1216	Accuracy improvements of consumer-grade 3D sensors for robotic applications. 2013 ,	5
1215	3DComplete: Efficient completeness inspection using a 2.5D color scanner. 2013 , 64, 1237-1252	3
1214	Timed up and go test (tug) temporal phases assessment using a wireless device (free4act): Method validation in healthy subjects. 2013 , 37, S30-S31	4
1213	Automatic digital biometry analysis based on depth maps. 2013 , 64, 1316-1325	9
1212	Structured light camera calibration. 2013 , 21,	6
1211	Reliability and validity of the Microsoft Kinect for evaluating static foot posture. 2013 , 6, 14	43
1210	State-of-the-Art of TOF Range-Imaging Sensors. 2013 , 1-9	4
1209	Towards precise real-time 3D difference detection for industrial applications. 2013 , 64, 1115-1128	34
1208	Structure guided fusion for depth map inpainting. 2013 , 34, 70-76	69
1207	Fusion of Skeletal and Silhouette-Based Features for Human Action Recognition with RGB-D Devices. 2013 ,	47
1206	Advances in Computational Intelligence. 2013 ,	1
1205	Multi-Kinect scene reconstruction: Calibration and depth inconsistencies. 2013 ,	9
1204	Probabilistic object tracking using a range camera. 2013 ,	15
1203	Evaluation of the Microsoft Kinect for screening ACL injury. 2013 , 2013, 4152-5	21
1202	A statistical approach for uncertain stability analysis of mobile robots. 2013 ,	7
1201	Physiotherapy Exercises Recognition Based on RGB-D Human Skeleton Models. 2013 ,	5

1200	Single-View RGBD-Based Reconstruction of Dynamic Human Geometry. 2013,			10
1199	Comparison of Marker-Based and Marker-Less Systems for Low-Cost Human Motion Capture. 2013,			4
1198	Usability benchmarks for motion tracking systems. 2013,			2
1197	Assessing the potential of low-cost 3D cameras for the rapid measurement of plant woody structure. <i>Sensors</i> , 2013 , 13, 16216-33	3.8		31
1196	AteGau. 2013,			0
1195	Ballistic Tracking - A True Zero Latency Gaming Interface. 2013,			2
1194	On the use of a low-cost thermal sensor to improve Kinect people detection in a mobile robot. <i>Sensors</i> , 2013 , 13, 14687-713	3.8		10
1193	Evaluation of upper extremity reachable workspace using Kinect camera. 2013 , 21, 641-56			71
1192	On the use of simple geometric descriptors provided by RGB-D sensors for re-identification. <i>Sensors</i> , 2013 , 13, 8222-38	3.8		12
1191	Taking advantage of selective change driven processing for 3D scanning. <i>Sensors</i> , 2013 , 13, 13143-62	3.8		2
1190	Dense scene reconstruction with points of interest. 2013 , 32, 1-8			98
1189	A Low Cost System for 3D Motion Analysis Using Microsoft Kinect. 2013 , 284-287, 1996-2000			2
1188	Analysis of soil compaction and tire mobility with finite element method. 2013 , 227, 275-291			6
1187	Removing depth map coding distortion by using post filter set. 2013,			8
1186	Depth and RGB image alignment for hand gesture segmentation using Kinect. 2013,			8
1185	User-Defined Body Gestures for an Interactive Storytelling Scenario. 2013 , 264-281			9
1184	A new high resolution depth map estimation system using stereo vision and depth sensing device. 2013,			3
1183	High-speed structured light scanning system and 3D gestural point cloud recognition. 2013,			

1182 Ground Plane Detection using Kinect sensor. **2013,**

1181 Anaglyph view of kinect 3D stream capture. **2013,**

0

1180 Reconstruction of 3D Trajectories for Performance Analysis in Table Tennis. **2013,**

5

1179 Reconstruction of transparent objects in unstructured scenes with a depth camera. **2013,**

11

1178 Kinect depth stream pre-processing for hand gesture recognition. **2013,**

4

1177 Super-resolution 3D tracking and mapping. **2013,**

17

1176 AIMtechKinect: A Kinect Based Interaction-Oriented Gesture Recognition System Designed for Students with Severe Intellectual Disabilities. **2013,**

3

1175 Musical gesture recognition for interactive angklung robot. **2013,**

0

1174 Pose-based 3D human motion analysis using Extreme Learning Machine. **2013,**

4

1173 Application based 3D sensor evaluation: A case study in 3D object pose estimation for automated unloading of containers. **2013,**

2

1172 Depth-color fusion strategy for 3-D scene modeling with Kinect. **2013,** 43, 1560-71

68

1171 Preliminary result of a laser-beam scattering RGB-Depth sensor. **2013,**

1170 An adaptive background biased depth map hole-filling method for Kinect. **2013,**

2

1169 Real-time SLAM using an RGB-D camera for mobile robots. **2013,**

0

1168 Fast visual odometry and mapping from RGB-D data. **2013,**

71

1167 3D object recognition using Kernel PCA based on depth information for twist-lock grasping. **2013,**

1

1166 Encoding finesse using dynamic movement primitives and low-cost sensors. **2013,**

1165 A Joint Intensity and Depth Co-sparse Analysis Model for Depth Map Super-resolution. **2013,**

58

1164	On unifying key-frame and voxel-based dense visual SLAM at large scales. 2013,		57
1163	Detecting foreground disambiguation of depth images using fuzzy logic. 2013,		3
1162	Potentials of RGB-D Cameras in As-Built Indoor Environment Modeling. 2013,		5
1161	Sparse keypoint models for 6D object pose estimation. 2013,		2
1160	Photogrammetric Bundle Adjustment With Self-Calibration of the PrimeSense 3D Camera Technology: Microsoft Kinect. <i>IEEE Access</i> , 2013 , 1, 465-474	3-5	45
1159	RGB-D, Laser and Thermal Sensor Fusion for People following in a Mobile Robot. 2013 , 10, 271		25
1158	Temporally coherent 4D video segmentation for teleconferencing. 2013,		
1157	Capture of arm-muscle deformations using a depth-camera. 2013,		6
1156	WorldKit. 2013,		41
1155	Skill Level Evaluation for Taijiquan Based on Curve Fitting and Logarithmic Distribution Diagram of Curvature. 2013 , 6, 276-280		
1154	A Complementary Vision Strategy for Autonomous Robots in Underground Terrains using SRM and Entropy Models. 2013 , 10, 338		1
1153	Adaptive pulsed laser line extraction for terrain reconstruction using a dynamic vision sensor. 2013 , 7, 275		19
1152	Faster and improved 3-D head digitization in MEG using Kinect. 2014 , 8, 326		18
1151	IMU and Multiple RGB-D Camera Fusion for Assisting Indoor Stop-and-Go 3D Terrestrial Laser Scanning. 2014 , 3, 247-280		28
1150	Proto-TAI: Quick Design Prototyping Using Tangible Assisted Interfaces. 2014,		
1149	Map Building Based on a Xtion Pro Live RGBD and a Laser Sensors. 2014 , 04,		3
1148	Dynamic Alignment Control Using Depth Imagery for Automated Wheel Assembly. 2014 , 25, 161-168		10
1147	Intelligent Composite Layup by the Application of Low Cost Tracking and Projection Technologies. 2014 , 25, 122-131		9

1146	Stereoscopic augmented reality with pseudo-realistic global illumination effects. 2014 ,		1
1145	Feasibility Study on Free Hand Geometric Modelling Using Leap Motion in VRML/X3D. 2014 ,		8
1144	A subjective quality evaluation for 3D point cloud models. 2014 ,		22
1143	On depth smoothing and fake laser rangefinder based on kinect. 2014 ,		1
1142	Statistical analysis of inner products from normal-vectors to 3D point cloud clustering. 2014 ,		
1141	Using ToF and RGBD cameras for 3D robot perception and manipulation in human environments. <i>Intelligent Service Robotics</i> , 2014 , 7, 211-220	2.6	18
1140	Using Kinect for Robot Gesture Imitation. 2014 , 17, 423-430		0
1139	Foreground segmentation in depth imagery using depth and spatial dynamic models for video surveillance applications. <i>Sensors</i> , 2014 , 14, 1961-87	3.8	12
1138	Low-cost 3D systems: suitable tools for plant phenotyping. <i>Sensors</i> , 2014 , 14, 3001-18	3.8	170
1137	A Kinect-Based Motion Capture System for Robotic Gesture Imitation. 2014 , 585-595		6
1136	Low-cost coastal mapping using Kinect v2 time-of-flight cameras. 2014 ,		32
1135	Extraction of spatial information for low-bandwidth telerehabilitation applications. 2014 , 51, 825-40		4
1134	Is the Kinect system suitable for evaluation of the hip joint range of motion and as a screening tool for femoroacetabular impingement (FAI)?. 2015 , 23, 75-81		4
1133	Directional joint bilateral filter for depth images. <i>Sensors</i> , 2014 , 14, 11362-78	3.8	39
1132	Efficient active depth sensing by laser speckle projection system. 2014 , 53, 013105		9
1131	Whole body center of mass estimation with portable sensors: using the statically equivalent serial chain and a Kinect. <i>Sensors</i> , 2014 , 14, 16955-71	3.8	43
1130	Exploring Distance-Aware Weighting Strategies for Accurate Reconstruction of Voxel-Based 3D Synthetic Models. 2014 , 412-423		3
1129	Development of Interaction Concepts for Touchless Human-Computer Interaction with Geographic Information Systems. 2014 , 589-599		3

1128	Statistical analysis-based error models for the Microsoft Kinect(TM) depth sensor. <i>Sensors</i> , 2014 , 14, 17430-50	3.8	43
1127	A multi-resolution approach for an automated fusion of different low-cost 3D sensors. <i>Sensors</i> , 2014 , 14, 7563-79	3.8	9
1126	Vertical dynamic deflection measurement in concrete beams with the Microsoft Kinect. <i>Sensors</i> , 2014 , 14, 3293-307	3.8	18
1125	An analysis of the precision and reliability of the leap motion sensor and its suitability for static and dynamic tracking. <i>Sensors</i> , 2014 , 14, 3702-20	3.8	241
1124	A comparative study of registration methods for RGB-D video of static scenes. <i>Sensors</i> , 2014 , 14, 8547-76.8		23
1123	Microsoft kinect-based artificial perception system for control of functional electrical stimulation assisted grasping. 2014 , 2014, 740469		11
1122	. 2014 ,		3
1121	Real-time hand gesture feature extraction using depth data. 2014 ,		1
1120	. 2014 ,		11
1119	Subpixel spatial response of PMD pixels. 2014 ,		1
1118	Depth measurement based on omni-directional camera and pixel offset. 2014 ,		1
1117	Real-time indoor mapping by fusion of structured light sensors. 2014 ,		0
1116	Combining 3D optical imaging and dual energy absorptiometry to measure three compositional components. 2014 , 8937, 893714		
1115	Sticky projections [A new approach to interactive shader lamp tracking. 2014 ,		12
1114	Multiple Hypothesis for Object Class Disambiguation from Multiple Observations. 2014 ,		2
1113	Evaluation of pairwise calibration techniques for range cameras and their ability to detect a misalignment. 2014 ,		
1112	Evaluation of radio based, optical and barometric localization for indoor altitude estimation in medical applications. 2014 ,		7
1111	The MS kinect image and depth sensors use for gait features detection. 2014 ,		15

1110	Deterioration of depth measurements due to interference of multiple RGB-D sensors. 2014,	6
1109	3D Gaussian bin based sparse representation for action recognition. 2014,	
1108	Localization of leader-follower formations using kinect and RTK-GPS. 2014,	2
1107	Continuous-scanning laser Doppler vibrometry: Extensions to arbitrary areas, multi-frequency and 3D capture. 2014,	1
1106	Calibrating Non-overlapping RGB-D Cameras. 2014,	0
1105	Kinect-based people detection and tracking from small-footprint ground robots. 2014,	21
1104	GestureAnalyzer. 2014,	17
1103	Kinect-taped communication. 2014,	8
1102	A supervised learning approach for fast object recognition from RGB-D data. 2014,	1
1101	Compression of Noisy Depth Image using Planes. 2014,	1
1100	Real-time 3D reconstruction of the human torso using a Kinect sensor. 2014,	
1099	Optimized fixed point implementation of a local stereo matching algorithm onto C66x DSP. 2014,	3
1098	A new depth camera calibration algorithm. 2014,	1
1097	A fuzzy-based approach for approximating depth information in RGB-D images. 2014,	1
1096	Statistical models of horizontal and vertical stochastic noise for the Microsoft Kinect sensor. 2014	2
1095	Fully automatic extrinsic calibration of RGB-D system using two views of natural scene. 2014,	2
1094	A GIS-based serious game recommender for online physical therapy. 2014,	6
1093	rPLR: an imaging system for measuring pupillary light reflex at a distance. 2014, 53, 7787-95	2

1092	Breast Volume Measurement Using a Games Console Input Device. 2014 , 666-673	4
1091	Fast plane extraction in organized point clouds using agglomerative hierarchical clustering. 2014 ,	82
1090	The Partial View Heat Kernel descriptor for 3D object representation. 2014 ,	5
1089	Understanding spatial relationships in US: a computer-based training tool that utilizes inexpensive off-the-shelf game controllers. 2014 , 34, 1334-43	5
1088	Issues on simultaneous use of multiple structured light-based RGBD sensors in 3D environmental reconstruction. 2014 ,	
1087	Comparison of trajectory generation methods for a human-robot interface based on motion tracking in the Int2Bot. 2014 ,	3
1086	Validation of a method for real time foot position and orientation tracking with Microsoft Kinect technology for use in virtual reality and treadmill based gait training programs. 2014 , 22, 997-1002	26
1085	Computational Multi-View Imaging with Kinect. 2014 , 60, 540-554	12
1084	Kinect-based automatic spatial registration framework for neurosurgical navigation. 2014 , 19, 617-623	5
1083	Physiological Computing Systems. 2014 ,	1
1082	Cognitive reasoning and inferences through psychologically based personalised modelling of emotions using associative classifiers. 2014 ,	4
1081	Learning spatial relationships from 3D vision using histograms. 2014 ,	9
1080	Position and Rotation Estimation for Mobile Robots in Outside of Recording Path Using Ego-Motion. 2014 , 187, 25-36	1
1079	Graph SLAM with signed distance function maps on a humanoid robot. 2014 ,	16
1078	RGB cams vs RGB-D sensors: Low cost motion capture technologies performances and limitations. 2014 , 33, 719-728	34
1077	Choice stepping reaction time test using exergame technology for fall risk assessment in older people. 2014 , 2014, 6957-60	13
1076	High-quality depth map upsampling and completion for RGB-D cameras. 2014 , 23, 5559-72	72
1075	Object Partitioning Using Local Convexity. 2014 ,	65

1074	Skill level evaluation of Taijiquan based on 3D body motion analysis Via logarithm distribution diagram and phase analysis. 2014,	
1073	Study on the Image Segmentation Algorithm with Depth Data of Kinect. 2014, 998-999, 929-933	
1072	A robust method and affordable system for the 3D-surface reconstruction of patient torso to evaluate cosmetic outcome after Breast Conservative Therapy. 2014, 1,	1
1071	Advanced Methods of Three Dimensional Data Obtaining for Virtual and Augmented Reality. 2014, 1025-1026, 1168-1172	0
1070	Pallet monitoring system based on a heterogeneous sensor network for transparent warehouse processes. 2014,	3
1069	DT-DT. 2014,	10
1068	Multi-sensor data fusion for hand tracking using Kinect and Leap Motion. 2014,	11
1067	Binocular Vision Sensor (Kinect)-Based Pedestrian Following Mobile Robot. 2014, 670-671, 1326-1329	2
1066	Hierarchical Menu Selection with a Body-Centered Remote Interface. 2014, 26, 389-402	12
1065	Indoor localization on depth data and digital-piano decoder algorithm (D-PDA). 2014,	0
1064	Background foreground segmentation with RGB-D Kinect data: An efficient combination of classifiers. 2014, 25, 122-136	59
1063	. 2014, 30, 177-187	439
1062	Fast capture of personalized avatar using two Kinects. 2014, 33, 233-240	20
1061	3D semantic interpretation for robot perception inside office environments. 2014, 32, 76-87	10
1060	. 2014, 19, 249-257	24
1059	Evolutionary joint selection to improve human action recognition with RGB-D devices. 2014, 41, 786-794	125
1058	Indoor scene reconstruction using feature sensitive primitive extraction and graph-cut. 2014, 90, 68-82	121
1057	Using Kinect sensor in observational methods for assessing postures at work. 2014, 45, 976-85	114

1056	Accuracy and repeatability of joint angles measured using a single camera markerless motion capture system. 2014 , 47, 587-91	95
1055	Multi-sensor background subtraction by fusing multiple region-based probabilistic classifiers. 2014 , 50, 23-33	10
1054	RGBD sensors correction with Gaussian process regression. 2014 ,	
1053	Accurate Intrinsic Calibration of Depth Camera with Cuboids. 2014 , 788-803	3
1052	Consistent 3D models from unorganized RGB-D images. 2014 ,	1
1051	A modified EM algorithm for hand gesture segmentation in RGB-D data. 2014 ,	3
1050	RGB-D fusion: Real-time robust tracking and dense mapping with RGB-D data fusion. 2014 ,	2
1049	Two-pass ICP with Color constraint for noisy RGB-D point cloud registration. 2014 ,	2
1048	2D dry granular free-surface flow over complex topography with obstacles. Part I: experimental study using a consumer-grade RGB-D sensor. 2014 , 73, 177-197	16
1047	Sensitivity of CIPS-computed PVC location to measurement errors in ECG electrode position: the need for the 3D camera. 2014 , 47, 788-93	10
1046	Collision avoidance with potential fields based on parallel processing of 3D-point cloud data on the GPU. 2014 ,	16
1045	Ambient Assisted Living. 2014 ,	1
1044	Image and Video Technology. 2014 ,	1
1043	Simulation of human micro-Doppler signatures with Kinect sensor. 2014 ,	11
1042	. 2014 , 11, 1896-1900	23
1041	Fast MRF Optimization with Application to Depth Reconstruction. 2014 ,	21
1040	Investigating three-dimensional mesoscale habitat complexity and its ecological implications using low-cost RGB-D sensor technology. <i>Methods in Ecology and Evolution</i> , 2014 , 5, 845-853	7·7 19
1039	Terrestrial laser scanning of rock slope instabilities. 2014 , 39, 80-97	193

1038	Evaluation of the Microsoft Kinect as a clinical assessment tool of body sway. 2014 , 40, 532-8		92
1037	Suitability of Kinect for measuring whole body movement patterns during exergaming. 2014 , 47, 2925-32		72
1036	Interactive Knowledge Discovery and Data Mining in Biomedical Informatics. 2014 ,		28
1035	Size estimation of sweet onions using consumer-grade RGB-depth sensor. 2014 , 142, 153-162		44
1034	Interactive Teleoperation Interface for Semi-autonomous Control of Robot Arms. 2014 ,		3
1033	Real-time virtual fitting with body measurement and motion smoothing. <i>Computers and Graphics</i> , 2014 , 43, 31-43	1.8	15
1032	Using Kinect to analyze pebble to block-sized clasts in sedimentology. 2014 , 72, 18-32		9
1031	Robust tracking and mapping with a handheld RGB-D camera. 2014 ,		1
1030	KinectFaceDB: A Kinect Database for Face Recognition. 2014 , 44, 1534-1548		153
1029	Characterizations of Noise in Kinect Depth Images: A Review. 2014 , 14, 1731-1740		88
1028	The use of a low cost 3D scanning and printing tool in the manufacture of custom-made foot orthoses: a preliminary study. 2014 , 7, 443		77
1027	Estimation of Kinect depth confidence through self-training. 2014 , 30, 855-865		17
1026	Application of extended Kalman filter for improving the accuracy and smoothness of Kinect skeleton-joint estimates. 2014 , 88, 161-175		21
1025	On the Generation of Point Cloud Data Sets: Step One in the Knowledge Discovery Process. 2014 , 57-80		8
1024	Inpainting of Missing Values in the Kinect Sensor's Depth Maps Based on Background Estimates. 2014 , 14, 1107-1116		17
1023	Wheel alignment inspection by 3D point cloud monitoring. 2014 , 28, 1465-1471		4
1022	Using perceptive computing in multiple sclerosis - the Short Maximum Speed Walk test. 2014 , 11, 89		39
1021	Information Sciences and Systems 2014. 2014 ,		5

1020	Intuitive presentation of clinical forensic data using anonymous and person-specific 3D reference manikins. 2014 , 241, 155-66	19
1019	Continuous plane detection in point-cloud data based on 3D Hough Transform. 2014 , 25, 86-97	62
1018	Calibrated depth and color cameras for accurate 3D interaction in a stereoscopic augmented reality environment. 2014 , 25, 227-237	38
1017	BASIC STUDY ON NON-DESTRUCTIVE GROWTH MEASUREMENT OF STRAWBERRY PLANTS USING A MACHINE-VISION SYSTEM. <i>Acta Horticulturae</i> , 2014 , 651-656	0.3
1016	Small-Scale Payload Operations Simulator for Proximity Operations. 2014 ,	1
1015	Respiratory rate detection algorithm based on RGB-D camera: theoretical background and experimental results. 2014 , 1, 81-6	44
1014	Algorithm Modification Approach to Improve the Kinect [®] Performance in Point Cloud Processing. 2014 ,	1
1013	Hand shape classification using depth data for unconstrained 3D interaction. 2014 , 6, 93-105	4
1012	Hierarchical Scene Model for Spatial-color Mixture of Gaussians. 2014 , 379-400	
1011	Matting-Based Stereo Refinement for Computational Photography. 2014 ,	
1010	Real-time enhancement of RGB-D point clouds using piecewise plane fitting. 2014 ,	3
1009	Accurate 3D terrain modeling by range data fusion from two heterogeneous range scanners. 2014 ,	3
1008	A study of accuracy for a single Time of Flight camera capturing knee flexion movement. 2014 ,	1
1007	Extrinsic calibration of a set of range cameras in 5 seconds without pattern. 2014 ,	17
1006	High accuracy depth filtering for Kinect using edge guided inpainting. 2014 ,	5
1005	RGB-D geometric features extraction and edge-based scene-SIRFS. 2015 ,	
1004	Robust reconstruction of indoor scenes. 2015 ,	46
1003	Self-calibration of a structured light based scanner for use in archeological applications. 2015 ,	

1002	Easy-to-use, general, and accurate multi-Kinect calibration and its application to gait monitoring for fall prediction. 2015 , 2015, 4994-8	10
1001	Depth camera tracking with contour cues. 2015 ,	2
1000	Robust dense visual odometry for RGB-D cameras in a dynamic environment. 2015 ,	5
999	Capture, digitisation and segmentation of human-workpiece interactions in a manual assembly operation using Kinect®. 2015 , 6, 61	3
998	Investigation of dynamic 3D hand motion reproduction by a robot using a Leap Motion. 2015 ,	4
997	Metrological Analysis Of Microsoft Kinect In The Context Of Object Localization. 2015 , 22, 469-478	5
996	Distributed Embedded Control Architecture of a Leader-Follower Mobile Robot Formation. 2015 , 779, 201-204	
995	Collaborating with Autonomous Agents. 2015 ,	3
994	A Software Platform for Architectural Robots. 2015 ,	0
993	Vision-Based Cooperative Pose Estimation for Localization in Multi-Robot Systems Equipped with RGB-D Cameras. 2015 , 4, 1-22	12
992	Adaptive music technology using the Kinect. 2015 ,	12
991	Inexpensive Vision-Based System for the Direct Measurement of Ankle Stiffness During Quiet Standing. 2015 , 9,	6
990	Joint pain detection by gait analysis for elderly healthcare. 2015 ,	0
989	Assisting blind people to avoid obstacles: An wearable obstacle stereo feedback system based on 3D detection. 2015 ,	7
988	Depth filtering using total variation based video decomposition. 2015 ,	2
987	Accurate rough terrain modeling from fused 3D point cloud data. 2015 ,	2
986	Repurposing the Microsoft Kinect for Windows v2 for external head motion tracking for brain PET. 2015 , 60, 8753-66	23
985	Calibration of multiple kinects with little overlap regions. 2015 , 10, S108-S115	4

984	Office Software Control System for Kinect. 2015,			1
983	Kinect Who's Coming? Applying Kinect to Human Body Height Measurement to Improve Character Recognition Performance. 2015, 3, 117-121			12
982	Application of Kinect gaming sensor in forensic science. 2015, 60, 206-11			7
981	AppFusion: Interactive Appearance Acquisition Using a Kinect Sensor. 2015, 34, 289-298			19
980	MAPEAMENTO 3D DE AMBIENTES INTERNOS USANDO DADOS RGB-D. 2015, 21, 442-464			
979	Matching the best viewing angle in depth cameras for biomass estimation based on poplar seedling geometry. <i>Sensors</i> , 2015, 15, 12999-3011	3.8		22
978	Reliable Fusion of Stereo Matching and Depth Sensor for High Quality Dense Depth Maps. <i>Sensors</i> , 2015, 15, 20894-924	3.8		3
977	A Dynamic Gesture Trajectory Recognition Based on Key Frame Extraction and HMM. 2015, 8, 91-106			1
976	Growth Measurement of a Community of Strawberries Using Three-Dimensional Sensor. 2015, 53, 49-53			7
975	Modelling of Building Interiors with Mobile Phone Sensor Data. 2015, 4, 989-1012			10
974	Multi-Sensor As-Built Models of Complex Industrial Architectures. 2015, 7, 16339-16362			19
973	Commercial Motion Sensor Based Low-Cost and Convenient Interactive Treadmill. <i>Sensors</i> , 2015, 15, 23667-83	3.8		11
972	Leveraging Two Kinect Sensors for Accurate Full-Body Motion Capture. <i>Sensors</i> , 2015, 15, 24297-317	3.8		26
971	Structural Quality Inspection Based on a RGB-D Sensor: Supporting Manual-to-Automated Assembly Operations. 2015, 9, 12-15			2
970	Quantifying Postural Control during Exergaming Using Multivariate Whole-Body Movement Data: A Self-Organizing Maps Approach. 2015, 10, e0134350			10
969	Soil surface roughness: comparing old and new measuring methods and application in a soil erosion model. 2015, 1, 399-410			55
968	Hybrid Motion Planning Method for Autonomous Robots Using Kinect Based Sensor Fusion and Virtual Plane Approach in Dynamic Environments. <i>Journal of Sensors</i> , 2015, 2015, 1-13	2		6
967	Realtime Depth Map Noise Reduction for RGB-D Range Data Using Plane Fitting. 2015, 69, J113-J120			1

966	Calibration of Kinect-type RGB-D sensors for robotic applications. 2015 , 43, 47-54		15
965	New lower-limb gait asymmetry indices based on a depth camera. <i>Sensors</i> , 2015 , 15, 4605-23	3.8	27
964	Disassembly Automation. 2015 ,		16
963	Trends in Practical Applications of Agents, Multi-Agent Systems and Sustainability. 2015 ,		2
962	My Kinect Is Looking at Me - Application to Rehabilitation. 2015 , 233-241		
961	Evaluation of a portable markerless finger position capture device: accuracy of the Leap Motion controller in healthy adults. 2015 , 36, 1025-35		35
960	Real-time 3D visualization of the thoraco-abdominal surface during breathing with body movement and deformation extraction. 2015 , 36, 1497-516		6
959	A kinect-based human micro-doppler simulator. 2015 , 30, 6-17		46
958	Shape sensing based on acceleration and magnetic sensor system. 2015 ,		1
957	Robust Model-Based 3D Head Pose Estimation. 2015 ,		46
956	An improved novel D-P code algorithm of the indoor location. 2015 ,		
955	Active exploration using trajectory optimization for robotic grasping in the presence of occlusions. 2015 ,		17
954	Indoor localization by denoising autoencoders and semi-supervised learning in 3D simulated environment. 2015 ,		2
953	Quick Capture and Reconstruction for 3D Head. 2015 ,		1
952	In vivo measurement of limb movement of fracture patients based on infrared depth image. 2015 ,		
951	Rigid Transformation Using Interval Analysis for Robot Motion Estimation. 2015 ,		1
950	An optimised 3D view of Kinect live stream. 2015 ,		1
949	Respiratory surface motion measurement by Microsoft Kinect. 2015 , 1, 270-273		5

948	Planes Detection for Robust Localization and Mapping in RGB-D SLAM Systems. 2015,	6
947	. 2015,	1
946	Accuracy assessment of Kinect for Xbox One in point-based tracking applications. 2015,	
945	Online Structure Analysis for Real-Time Indoor Scene Reconstruction. 2015, 34, 1-13	60
944	Utilizing Depth Sensors for Analyzing Multimodal Presentations. 2015,	7
943	Three-dimensional planar model estimation using multi-constraint knowledge based on k-means and RANSAC. 2015, 34, 572-586	14
942	Invariant EKF Design for Scan Matching-Aided Localization. 2015, 23, 2440-2448	24
941	Image loss concealment using edge-guided interpolation and multi-scale transformation. 2015,	0
940	A compact spherical RGBD keyframe-based representation. 2015,	3
939	Smart Workbench: A multimodal and bidirectional assistance system for industrial application. 2015	8
938	Sensor Technologies and Simultaneous Localization and Mapping (SLAM). 2015, 76, 174-179	27
937	Super-resolution Keyframe Fusion for 3D Modeling with High-Quality Textures. 2015,	16
936	Inverse depth for accurate photometric and geometric error minimisation in RGB-D dense visual odometry. 2015,	17
935	Volumetric view planning for 3D reconstruction with multiple manipulators. 2015, 42, 533-543	4
934	Toward a human-like biped robot gait: Biomechanical analysis of human locomotion recorded by Kinect-based Motion Capture system. 2015,	2
933	Automatic robot taping: system integration. 2015,	6
932	The importance of measurement uncertainty modelling in the feature-based RGB-D SLAM. 2015,	3
931	Density based clustering on indoor kinect location tracking: A new way to exploit active and healthy aging living lab datasets. 2015,	7

930	A building-wide indoor tracking system for augmented reality. 2015,	
929	Sparse Depth Odometry: 3D keypoint based pose estimation from dense depth data. 2015,	8
928	Suitability of a low cost system for quantitative motion capture applications. 2015,	
927	RGBDX: First Design and Experimental Validation of a Mirror-Based RGBD X-ray Imaging System. 2015,	5
926	An efficient pose estimation for limited-resourced MAVs using sufficient statistics. 2015,	2
925	Cloud-Based Analysis and Control for Robots in Industrial Automation. 2015,	6
924	Understanding the timing of economic feasibility: The case of input interfaces for human-computer interaction. 2015, 43, 33-49	4
923	Performance evaluation of joint angles obtained by the Kinect v2. 2015,	11
922	The integration of contactless static pose recognition and dynamic hand motion tracking control system for industrial human and robot collaboration. 2015, 42, 416-428	13
921	Motion tracking and gait feature estimation for recognising Parkinson's disease using MS Kinect. 2015, 14, 97	57
920	A Real Time Biofeedback System Using Visual User Interface for Physical Rehabilitation. 2015, 3, 823-828	6
919	A Shape Memory Alloy-Based Morphing Axial Fan Blade: Part II [Blade Shape and CFD Analyses. 2015,	5
918	Measuring cervical vertebra movements using kinect sensor. 2015, 2015, 2771-4	2
917	Accuracy and reliability of optimum distance for high performance Kinect Sensor. 2015,	9
916	Body Parts Segmentation with Attached Props Using RGB-D Imaging. 2015,	16
915	Evaluation of Pose Tracking Accuracy in the First and Second Generations of Microsoft Kinect. 2015	80
914	Point Cloud Based Bin Picking: Object Recognition and Pose Estimation Using Region Growing Segmentation Algorithm. 2015, 791, 189-194	0
913	Unobtrusive Tremor Detection and Measurement via Human-Machine Interaction. 2015, 63, 467-474	6

912	Direct 6-DoF Pose Estimation from Point-Plane Correspondences. 2015 ,		4
911	Ubiquitous Computing and Ambient Intelligence. Sensing, Processing, and Using Environmental Information. 2015 ,		1
910	Model-Free Detection, Encoding, Retrieval, and Visualization of Human Poses From Kinect Data. 2015 , 20, 865-875		13
909	Automatic registration of unordered point clouds acquired by Kinect sensors using an overlap heuristic. 2015 , 102, 96-109		34
908	Obtaining four-dimensional vibration information for vibrating surfaces with a Kinect sensor. 2015 , 65, 149-165		6
907	Multi-frequency, 3D ODS measurement by continuous scan laser Doppler vibrometry. 2015 , 58-59, 325-339		16
906	Adaptive High Dynamic Range for Time-of-Flight Cameras. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2015 , 64, 1885-1906	5.2	6
905	3-D object modeling from 2-D occluding contour correspondences by opti-acoustic stereo imaging. 2015 , 132, 56-74		10
904	A Single Frame Depth Visual Gyroscope and its Integration for Robot Navigation and Mapping in Structured Indoor Environments. 2015 , 80, 365-374		6
903	Towards an affordable mobile analysis platform for pathological walking assessment. 2015 , 66, 116-128		9
902	Mobile markerless augmented reality and its application in forensic medicine. 2015 , 10, 573-86		45
901	RGB-D Sensors in Social Robotics. 2015 , 9, 18-27		2
900	Evaluation of Depth Sensors for Robotic Applications. 2015 ,		13
899	Validity of the Microsoft Kinect sensor for assessment of normal walking patterns in pigs. 2015 , 117, 1-7		38
898	Fully Automated As-Built 3D Pipeline Extraction Method from Laser-Scanned Data Based on Curvature Computation. 2015 , 29,		40
897	Machine learning classification of design team members' body language patterns for real time emotional state detection. 2015 , 39, 100-127		33
896	3D interaction design: Increasing the stimulus-response correspondence by using stereoscopic vision. 2015 ,		
895	A framework for mining actionable navigation patterns from in-store RFID datasets via indoor mapping. <i>Sensors</i> , 2015 , 15, 5344-75	3.8	14

894	General plans for removing main components in cognitive robotic disassembly automation. 2015 ,		5
893	Kinect range sensing: Structured-light versus Time-of-Flight Kinect. 2015 , 139, 1-20		212
892	A Vision-Based System for Movement Analysis in Medical Applications: The Example of Parkinson Disease. 2015 , 424-434		8
891	Robots and Lattice Automata. 2015 ,		15
890	A Compressed Sensing Framework for Accurate and Robust Waveform Reconstruction and Phase Retrieval Using the Photonic Mixer Device. 2015 , 7, 1-16		1
889	Validity of an Interactive Functional Reach Test. 2015 , 4, 278-84		10
888	Advances in Structured Light Sensors Applications in Precision Agriculture and Livestock Farming. 2015 , 133, 71-112		42
887	Kinect Depth Recovery Using a Color-Guided, Region-Adaptive, and Depth-Selective Framework. 2015 , 6, 1-19		9
886	Leap Motion Gesture Control With Carestream Software in the Operating Room to Control Imaging: Installation Guide and Discussion. 2015 , 22, 615-20		10
885	Control system design of a quad-rotor with collision detection. 2015 , 87, 59-66		10
884	3D modeling of building indoor spaces and closed doors from imagery and point clouds. <i>Sensors</i> , 2015 , 15, 3491-512	3.8	52
883	Tracking systems for virtual rehabilitation: objective performance vs. subjective experience. A practical scenario. <i>Sensors</i> , 2015 , 15, 6586-606	3.8	19
882	A Novel Identification Methodology for the Coordinate Relationship between a 3D Vision System and a Legged Robot. <i>Sensors</i> , 2015 , 15, 9519-46	3.8	4
881	. 2015 , 15, 4554-4564		40
880	The measurement of in vivo joint angles during a squat using a single camera markerless motion capture system as compared to a marker based system. 2015 , 41, 694-8		52
879	A 3D visualization framework to social network monitoring and analysis. 2015 , 49, 623-634		3
878	Shape feature encoding via Fisher Vector for efficient fall detection in depth-videos. 2015 , 37, 1023-1028		48
877	Metrological comparison between Kinect I and Kinect II sensors. 2015 , 70, 21-26		80

876	Use of the image and depth sensors of the Microsoft Kinect for the detection of gait disorders. 2015 , 26, 1621-1629	25
875	Colored 3D surface reconstruction using Kinect sensor. 2015 , 11, 153-156	0
874	A dual-Kinect approach to determine torso surface motion for respiratory motion correction in PET. 2015 , 42, 2276-86	23
873	Practical and accurate calibration of RGB-D cameras using spheres. 2015 , 137, 102-114	25
872	A Qualitative Review on 3D Coarse Registration Methods. 2015 , 47, 1-36	52
871	Towards 3D Television Through Fusion of Kinect and Integral-Imaging Concepts. 2015 , 11, 894-899	9
870	. 2015 ,	4
869	Automated as-built 3D reconstruction of civil infrastructure using computer vision: Achievements, opportunities, and challenges. 2015 , 29, 149-161	108
868	. 2015 , 15, 4275-4285	187
867	Use of Unmanned Aerial Vehicle for Quantitative Infrastructure Evaluation. 2015 , 21, 04014054	54
866	Recognizing complex instrumental activities of daily living using scene information and fuzzy logic. 2015 , 140, 68-82	26
865	Pose estimation with a Kinect for ergonomic studies: evaluation of the accuracy using a virtual mannequin. <i>Sensors</i> , 2015 , 15, 1785-803	3.8 67
864	Autonomous Robot Path Planning Techniques Using Cellular Automata. 2015 , 175-196	
863	Obstacle detection in a greenhouse environment using the Kinect sensor. 2015 , 113, 104-115	44
862	3D model reconstruction using neural gas accelerated on GPU. 2015 , 32, 87-100	4
861	. 2015 ,	5
860	Experimental study of skeleton tracking abilities from microsoft kinect non-frontal views. 2015 ,	4
859	Using shape memory alloys for improving automotive fan blade performance: experimental and computational fluid dynamics analysis. 2015 , 229, 477-486	5

858	Improving Kinect-Skeleton Estimation. 2015 , 575-587	1
857	EMAR: Multiplane 3D Marker based Registration for depth-sensing cameras. 2015 , 42, 9353-9365	11
856	3D microscopy for microfabrication quality control. 2015 ,	1
855	3D dynamic facial expression recognition using low-resolution videos. 2015 , 65, 157-162	18
854	RGB-D camera-based quadrotor navigation in GPS-denied and low light environments using known 3D markers. 2015 ,	11
853	Fast Visual Odometry for 3-D Range Sensors. 2015 , 31, 809-822	23
852	Automatically enhancing CityGML LOD2 models with a corresponding indoor geometry. 2015 , 29, 2248-2268	36
851	Depth Error Elimination for RGB-D Cameras. 2015 , 6, 1-16	6
850	Purrfect Crime. 2015 ,	4
849	Interactive X-ray and proton therapy training and simulation. 2015 , 10, 1675-83	2
848	3D Depth Capture and Imaging for Microscopy. 2015 ,	
847	RGB-D Sensors Calibration for Service Robots SLAM. 2015 , 197-211	2
846	Performance evaluation and clinical applications of 3D plenoptic cameras. 2015 ,	1
845	Predicting Dynamic Foot Function From Static Foot Posture: Comparison Between Visual Assessment, Motion Analysis, and a Commercially Available Depth Camera. 2015 , 45, 789-98	20
844	Analysis and Evaluation Between the First and the Second Generation of RGB-D Sensors. 2015 , 15, 6507-6516	31
843	. 2015 , 17, 1677-1693	19
842	Subway lining segment faulting detection based on Kinect sensor. 2015 ,	1
841	Machine learning classification of medication adherence in patients with movement disorders using non-wearable sensors. 2015 , 66, 120-34	39

840	From Kinect video to realistic and animatable MPEG-4 face model: A complete framework. 2015,		2
839	Development of an Anatomical Measurement and Data Analysis Tool Based on the Kinect Sensor for Physical Rehabilitation Applications.. 2015, 232-235		
838	SNAPCAT-3D: Calibrating networks of 3D range sensors for pedestrian tracking. 2015,		9
837	Break Ames room illusion. 2015, 34, 1-11		566
836	Real-time large-scale dense RGB-D SLAM with volumetric fusion. 2015, 34, 598-626		219
835	An optimum method for real-time in-field detection of Huanglongbing disease using a vision sensor. 2015, 110, 221-232		33
834	Real-Time Depth Image Acquisition and Restoration for Image Based Rendering and Processing Systems. 2015, 79, 1-18		8
833	Real-time 3D semi-local surface patch extraction using GPGPU. 2015, 10, 647-666		6
832	A New High Resolution Depth Map Estimation System Using Stereo Vision and Kinect Depth Sensing. 2015, 79, 19-31		15
831	Topological Indoor Localization and Navigation for Autonomous Mobile Robot. 2015, 12, 729-738		40
830	Semi-task-dependent and uncertainty-driven world model maintenance. 2015, 38, 1-15		1
829	Comparative evaluation of methods for filtering Kinect depth data. 2015, 74, 7331-7354		17
828	3D motion matching algorithm using signature feature descriptor. 2015, 74, 1125-1136		7
827	ANALYSIS AND ENHANCEMENT OF THE DENOISING DEPTH DATA USING KINECT THROUGH ITERATIVE TECHNIQUE. 2016, 78,		2
826	RHINOñn autonomous interactive surveillance robot for the needed ones: design and study case. 2016, 56, 07003		
825	RGB-D SLAM Based on Extended Bundle Adjustment with 2D and 3D Information. <i>Sensors,</i> 2016, 16,	3.8	15
824	A Selective Change Driven System for High-Speed Motion Analysis. <i>Sensors,</i> 2016, 16,	3.8	3
823	A REVIEW OF SENSOR TECHNOLOGY AND SENSOR FUSION METHODS FOR MAP-BASED LOCALIZATION OF SERVICE ROBOT. 2016, 78,		1

822	Estimating 3D Leaf and Stem Shape of Nursery Paprika Plants by a Novel Multi-Camera Photography System. <i>Sensors</i> , 2016 , 16,	3.8	34
821	[Perception of the elderly regarding participation inexergaming-based exercise: a qualitative study]. 2016 , 21, 1033-41		4
820	Towards Psychologically based Personalised Modelling of Emotions Using Associative Classifiers. 2016 , 10, 52-64		6
819	A Study of Vision based Human Motion Recognition and Analysis. 2016 , 7, 75-92		52
818	Exploiting Performance of Different Low-Cost Sensors for Small Amplitude Oscillatory Motion Monitoring: Preliminary Comparisons in View of Possible Integration. <i>Journal of Sensors</i> , 2016 , 2016, 1-10	2	2
817	3D Reconstruction of End-Effector in Autonomous Positioning Process Using Depth Imaging Device. 2016 , 2016, 1-16		3
816	Validity of the Kinect for Gait Assessment: A Focused Review. <i>Sensors</i> , 2016 , 16, 194	3.8	93
815	Design and Analysis of a Single-Camera Omnistereo Sensor for Quadrotor Micro Aerial Vehicles (MAVs). <i>Sensors</i> , 2016 , 16, 217	3.8	10
814	Robot Guidance Using Machine Vision Techniques in Industrial Environments: A Comparative Review. <i>Sensors</i> , 2016 , 16,	3.8	138
813	3D Visual Data-Driven Spatiotemporal Deformations for Non-Rigid Object Grasping Using Robot Hands. <i>Sensors</i> , 2016 , 16,	3.8	9
812	Microsoft Kinect Visual and Depth Sensors for Breathing and Heart Rate Analysis. <i>Sensors</i> , 2016 , 16,	3.8	54
811	Thermal Image Sensing Model for Robotic Planning and Search. <i>Sensors</i> , 2016 , 16,	3.8	2
810	Enhanced RGB-D Mapping Method for Detailed 3D Indoor and Outdoor Modeling. <i>Sensors</i> , 2016 , 16,	3.8	18
809	Cellular Automata-Based Application for Driver Assistance in Indoor Parking Areas. <i>Sensors</i> , 2016 , 16,	3.8	9
808	Detecting Target Objects by Natural Language Instructions Using an RGB-D Camera. <i>Sensors</i> , 2016 , 16,	3.8	2
807	Performance modeling of camera-assisted proactive base station selection for human blockage problem in mmWave communications. 2016 ,		1
806	A Neural Network-Based Approach for Trajectory Planning in Robot-Human Handover Tasks. 2016 , 3,		24
805	Adaptive Motion Planning for Autonomous Rough Terrain Traversal with a Walking Robot. 2016 , 33, 337-370		34

804	Closed-loop shape control of a Haptic Jamming deformable surface. 2016,	15
803	Probabilistic visual verification for robotic assembly manipulation. 2016,	2
802	Towards a detailed anthropometric body characterization using the Microsoft Kinect. 2016, 24, 251-65	4
801	A 3D Map Reconstruction Algorithm in Indoor Environment Based on RGB-D Information. 2016,	0
800	GPU accelerated coverage path planning optimized for accuracy in robotic inspection applications. 2016,	2
799	Development of a Mobile Robot Providing a Natural Way to Interact With Electronic Devices. 2016,	
798	Accurate three-dimensional documentation of distinct sites. 2016, 26, 011012	1
797	A 3D line alignment method for loop closure and mutual localisation in limited resourced MAVs. 2016,	1
796	Depth data fusion for simultaneous localization and mapping [RGB-DD SLAM. 2016,	5
795	Spatial sketch to compose internet images with RealSense 3D camera. 2016,	
794	An adaptable system for RGB-D based human body detection and pose estimation: Incorporating attached props. 2016,	13
793	On the calibration of active binocular and RGBD vision systems for dual-arm robots. 2016,	5
792	Improved normal iterative closest point algorithm with multi-information. 2016,	2
791	3D map-building from RGB-D data considering noise characteristics of Kinect. 2016,	
790	Semantic body parts segmentation for quadrupedal animals. 2016,	14
789	Autonomous exploration by expected information gain from probabilistic occupancy grid mapping. 2016,	5
788	Real-time multiview data fusion for object tracking with RGBD sensors. 2016, 34, 1855-1879	6
787	. 2016,	1

786	Local uncertainty grid map construction of mobile robot based on kinect sensor. 2016,	1
785	Uncertainty analysis for curved surface contact patches. 2016,	1
784	Occlusion-aware multi-robot 3D tracking. 2016,	3
783	Runtime SES planning: Online motion planning in environments with stochastic dynamics and uncertainty. 2016,	1
782	Design and verification of diffractive optical elements for speckle generation of 3-D range sensors. 2016, 23, 1017-1025	2
781	Evaluation of Kinect 3D Sensor for Healthcare Imaging. 2016, 36, 857-870	36
780	3D thermography in non-destructive testing of composite structures. 2016, 27, 124006	17
779	A preliminary study of movement intensity during a Go/No-Go task and its association with ADHD outcomes and symptom severity. 2016, 10, 47	6
778	The applications of robust estimation method BaySAC in indoor point cloud processing. 2016, 19, 182-187	0
777	Mesh addition based on the depth image (MABDI). 2016,	
776	Autonomous robot for tunnel mapping. 2016,	1
775	Bayesian occupancy grid mapping via an exact inverse sensor model. 2016,	7
774	Numerical Modeling of the Red Blood Cell Motion/Deformation in the Capillary. 2016, 624-633	
773	Shape Analysis of Bicipital Contraction by Means of RGB-D Sensor, Parallel Transport and Trajectory Analysis. 2016, 634-639	
772	Ant-inspired Algorithms in Health Information System Data Mining, Classification and Visualization. 2016, 874-879	1
771	A Touchless Gestural Platform for the Interaction with the Patients Data. 2016, 880-884	2
770	Posture labeling based gesture classification for Turkish sign language using depth values. 2016, 45, 604-621	0
769	Depth-based detection with region comparison features. 2016, 38, 82-99	1

768	An omnidirectional 3D sensor with line laser scanning. 2016 , 84, 96-104	18
767	Local quality assessment of point clouds for indoor mobile mapping. 2016 , 196, 59-69	9
766	Cost-efficient RGB-D smart camera for people detection and tracking. 2016 , 25, 041007	11
765	Automatic segmentation and 3D modeling of pipelines into constituent parts from laser-scan data of the built environment. 2016 , 68, 203-211	18
764	3D Indoor Surveying [A Low Cost Approach. 2016 , 1-6	1
763	Secure behavioral biometric authentication with leap motion. 2016 ,	10
762	Model-based hierarchical clustering with Bregman divergences and Fishers mixture model: application to depth image analysis. 2016 , 26, 861-880	7
761	Preliminaries of 3D Point Cloud Processing. 2016 , 17-38	2
760	Optimized Belief Propagation Algorithm onto Embedded Multi and Many-Core Systems for Stereo Matching. 2016 ,	2
759	RGBD terrain perception and dense mapping for legged robots. 2016 , 26, 81-97	21
758	Navigation of a virtual exercise environment with Microsoft Kinect by people post-stroke or with cerebral palsy. 2016 , 28, 225-232	7
757	Shape descriptors to characterize the shoot of entire plant from multiple side views of a motorized depth sensor. 2016 , 27, 447-461	2
756	A novel hardware plane fitting implementation and applications for bionic vision. 2016 , 27, 967-982	2
755	Multi-camera systems for rehabilitation therapies: a study of the precision of Microsoft Kinect sensors. 2016 , 17, 348-364	12
754	Efficient RGBD data processing for featureBased selfLocalization of mobile robots. 2016 , 26, 63-79	5
753	Range Sensing. 2016 , 783-810	1
752	Evaluating the Impact of Motion Sensing Errors on Ergonomic Analysis. 2016 ,	1
751	Star-effect simulation for photography. <i>Computers and Graphics</i> , 2016 , 61, 19-28	1.8 4

750	Fast object approximation for real-time 3D obstacle avoidance with biped robots. 2016,	10
749	Using 6 DOF vision-inertial tracking to evaluate and improve low cost depth sensor based SLAM. 2016,	
748	A Kinect camera based navigation system for percutaneous abdominal puncture. 2016, 61, 5687-705	7
747	Depth measurement using structured light and spatial frequency. 2016, 55, 5069-75	1
746	3D Interactive System Using Integral Photography by Embedded Optical Sensors for Portable Devices. 2016, 12, 1329-1334	2
745	Gamifying hand physical therapy with intelligent 3D navigation. 2016, 8, 42-49	0
744	3D gaze point localization and visualization using LiDAR-based 3D reconstructions. 2016,	7
743	A flexible embedded hardware platform supporting low-cost human pose estimation. 2016,	2
742	Image Inpainting Approaches - A Review. 2016,	7
741	Edge-Guided Image Gap Interpolation Using Multi-Scale Transformation. 2016, 25, 4394-4405	17
740	LIDAR-inertial integration for UAV localization and mapping in complex environments. 2016,	31
739	Robust RGB-D face recognition using Kinect sensor. 2016, 214, 93-108	12
738	3D medical image interaction and segmentation using Kinect. 2016,	
737	Farewell to life on land - thoracic strength as a new indicator to determine paleoecology in secondary aquatic mammals. 2016, 229, 768-777	2
736	Soli. 2016, 35, 1-19	409
735	Development of a System for Supervised Training at Home with Kinect V2. 2016, 147, 466-471	4
734	Cost-effective surgical registration using consumer depth cameras. 2016,	2
733	User-oriented stereo video refocusing by computational cinematographic model. 2016,	

732	Tracking hand movements and detecting grasp. 2016,	
731	Towards ICT-supported bath robots: Control architecture description and localized perception of user for robot motion planning. 2016,	5
730	Modifying Kinect placement to improve upper limb joint angle measurement accuracy. 2016, 29, 465-473	11
729	Simultaneous localization and mapping of mobile robot using a RGB-D camera. 2016,	
728	Fall Detection Based on Depth-Data in Practice. 2016, 195-208	6
727	Leader-Follower Formation for Nonholonomic Mobile Robots: Discrete-Time Approach. 2016, 13, 46	6
726	Development of Kinect based teleoperation of Nao robot. 2016,	11
725	Design and user experience assessment of Kinect-based virtual windows. 2016, 8, 169-187	
724	Accuracy and utility of the Structure Sensor for collecting 3D indoor information. 2016, 19, 202-209	16
723	Fast depth edge detection and edge based RGB-D SLAM. 2016,	10
722	Distributed Computing and Artificial Intelligence, 13th International Conference. 2016,	1
721	Augmented Reality, Virtual Reality, and Computer Graphics. 2016,	2
720	A multi-modal feature fusion framework for kinect-based facial expression recognition using Dual Kernel Discriminant Analysis (DKDA). 2016,	11
719	CoRBS: Comprehensive RGB-D benchmark for SLAM using Kinect v2. 2016,	39
718	Improving accuracy of feature-based RGB-D SLAM by modeling spatial uncertainty of point features. 2016,	12
717	Real-time RGBD odometry for fused-state navigation systems. 2016,	0
716	Hybrid Method of Human Limb Joints Positioning and Hand Movement Case Study. 2016, 307-320	1
715	Digitisation of a moving assembly operation using multiple depth imaging sensors. 2016, 85, 163-184	11

714	Fast capture of textured full-body avatar with RGB-D cameras. 2016 , 32, 681-691	16
713	Optimal depth recovery using image guided TGV with depth confidence for high-quality view synthesis. 2016 , 39, 24-39	5
712	Accuracy and reliability of the RGB-D camera for measuring walking speed on a treadmill. 2016 , 48, 113-119	4
711	[A new human machine interface in neurosurgery: The Leap Motion(™)]. Technical note regarding a new touchless interface]. 2016 , 62, 178-81	6
710	Benchmarking real-time RGBD odometry for light-duty UAVs. 2016 ,	
709	iGRaND: an invariant frame for RGBD sensor feature detection and descriptor extraction with applications. 2016 ,	1
708	Real-time geometric scene estimation for RGBD images using a 3D box shape grammar. 2016 ,	
707	Automatic garment retexturing based on infrared information. <i>Computers and Graphics</i> , 2016 , 59, 28-38 1.8	3
706	Performance evaluation of similarity measures for dense multimodal stereovision. 2016 , 25, 033013	1
705	Effects of auditory, haptic and visual feedback on performing gestures by gaze or by hand. 2016 , 35, 1044-1062	9
704	Autonomous disassembly of electric vehicle motors based on robot cognition. 2016 ,	16
703	A smartphone-based laser distance sensor for outdoor environments. 2016 ,	5
702	Fog effect for photography using stereo vision. 2016 , 32, 99-109	5
701	3D scanning of cultural heritage with consumer depth cameras. 2016 , 75, 3631-3654	15
700	A novel approach to extract hand gesture feature in depth images. 2016 , 75, 11929-11943	11
699	A Shape Memory Alloy-Based Morphing Axial Fan BladePart II: Blade Shape and Computational Fluid Dynamics Analyses. 2016 , 138,	7
698	Expanding the SDI environment: comparing current spatial data infrastructure with emerging indoor location-based services. 2016 , 9, 629-647	26
697	Mapping Indoor Spaces by Adaptive Coarse-to-Fine Registration of RGB-D Data. 2016 , 13, 262-266	26

696	Scour below a subsea pipeline in time varying flow conditions. 2016 , 55, 151-162		15
695	Real-time measurement of pelvis and trunk kinematics during treadmill locomotion using a low-cost depth-sensing camera: A concurrent validity study. 2016 , 49, 474-8		16
694	50 years of biometric research: Accomplishments, challenges, and opportunities. 2016 , 79, 80-105		312
693	A Novel Multi-Purpose Matching Representation of Local 3D Surfaces: A Rotationally Invariant, Efficient, and Highly Discriminative Approach With an Adjustable Sensitivity. 2016 , 25, 658-72		13
692	Markerless Analysis of Articulatory Movements in Patients With Parkinson's Disease. 2016 , 30, 766.e1-766.e11	21	
691	The LEAP [™] Gesture Interface Device and Take-Home Laparoscopic Simulators: A Study of Construct and Concurrent Validity. 2016 , 23, 70-7		13
690	Colorful 3-D Imaging Using an Infrared Dammann Grating. 2016 , 12, 1641-1648		7
689	Realistic surface geometry reconstruction using a hand-held RGB-D camera. 2016 , 27, 377-385		10
688	Automated multiple fish tracking in three-Dimension using a Structured Light Sensor. 2016 , 121, 215-221		38
687	Detection of red and bicoloured apples on tree with an RGB-D camera. <i>Biosystems Engineering</i> , 2016 , 146, 33-44	4.8	74
686	Laser Scanning-Based Updating of a Finite-Element Model for Structural Health Monitoring. 2016 , 16, 2100-2104		44
685	Chest wall motion analysis in healthy volunteers and adults with cystic fibrosis using a novel Kinect-based motion tracking system. 2016 , 54, 1631-1640		24
684	Analysis of Recoverable Falls Via microsoft kinect: Identification of Third-Order Ankle Dynamics. 2016 , 138,		4
683	Low-Cost Reflectance-Based Method for the Radiometric Calibration of Kinect 2. 2016 , 16, 1975-1985		5
682	Scene structure registration for localization and mapping. 2016 , 75, 649-660		12
681	A metrological characterization of the Kinect V2 time-of-flight camera. 2016 , 75, 584-594		80
680	Low-Cost Real-Time 3D Reconstruction of Large-Scale Excavation Sites. 2016 , 9, 1-20		18
679	Dense RGB-D visual odometry using inverse depth. 2016 , 75, 571-583		16

678 Some Remarks on the Optimization-Based Trajectory Reconstruction of an RGB-D Sensor. **2016**, 223-230

677 From 3D Sensing to Printing. **2016**, 12, 1-23

54

676 Image Processing and Communications Challenges 7. **2016**,

675 Sticky Projections-A Model-Based Approach to Interactive Shader Lamps Tracking. **2016**, 22, 1291-301

15

674 Assessment of a Microsoft Kinect-based 3D scanning system for taking body segment girth measurements: a comparison to ISAK and ISO standards. **2016**, 34, 1006-14

16

673 . **2016**, 26, 1265-1278

6

672 Linear-Mode Gain-Modulated Avalanche Photodiode Image Sensor for Time-of-Flight Optical Ranging. *IEEE Transactions on Electron Devices*, **2016**, 63, 145-152

2.9 1

671 i-Therapy: a non-invasive multimedia authoring framework for context-aware therapy design. **2016**, 75, 1843-1867

6

670 Developing a stereoscopic CG system with motion parallax and interactive digital contents on the system for science museums. **2017**, 76, 2515-2533

2

669 Classifying a Person's Degree of Accessibility From Natural Body Language During Social Human-Robot Interactions. **2017**, 47, 524-538

13

668 An Integrative Framework of Human Hand Gesture Segmentation for HumanRobot Interaction. **2017**, 11, 1326-1336

31

667 Monocular scene flow estimation via variational method. **2017**, 76, 10575-10597

12

666 Web-based multimedia hand-therapy framework for measuring forward and inverse kinematic data. **2017**, 76, 8227-8255

4

665 Qualitative descriptors applied to ambient intelligent systems. **2017**, 9, 21-39

3

664 . **2017**, 19, 293-301

47

663 . **2017**, 22, 2420-2427

24

662 Using RGB-D sensors and evolutionary algorithms for the optimization of workstation layouts. **2017**, 65, 530-540

3

661 3D measurements in conventional X-ray imaging with RGB-D sensors. **2017**, 42, 73-79

2

660	Development of a Self-Calibrated Motion Capture System by Nonlinear Trilateration of Multiple Kinects v2. 2017 , 17, 2481-2491	13
659	Augmenting comprehension of geological relationships by integrating 3D laser scanned hand samples within a GIS environment. 2017 , 103, 152-163	8
658	Analytical and numerical investigations on the accuracy and robustness of geometric features extracted from 3D point cloud data. 2017 , 126, 195-208	24
657	Planning Stable and Efficient Paths for Reconfigurable Robots On Uneven Terrain. 2017 , 87, 291-312	9
656	Compressive Sensing for the Photonic Mixer Device. 2017 ,	8
655	Microsoft Kinect V2 vision system in a manufacturing application. 2017 , 48, 174-181	23
654	Real-time surface fitting to RGBD sensor data. 2017 ,	0
653	A musculoskeletal model driven by dual Microsoft Kinect Sensor data. 2017 , 41, 297-316	18
652	A therapy-driven gamification framework for hand rehabilitation. 2017 , 27, 215-265	19
651	Fast Descriptors and Correspondence Propagation for Robust Global Point Cloud Registration. 2017 , 26, 3614-3623	56
650	Human-aware motion reshaping using dynamical systems. 2017 , 99, 96-104	12
649	Flexible robot sealant dispensing cell using RGB-D sensor and off-line programming. 2017 , 48, 188-195	25
648	User-Guided Dimensional Analysis of Indoor Building Environments from Single Frames of RGB-D Sensors. 2017 , 31, 04017006	4
647	IoT of active and healthy ageing: cases from indoor location analytics in the wild. 2017 , 7, 41-49	4
646	From biokinematics to a robotic active vision system. 2017 , 12, 056004	4
645	A Bayesian hierarchy for robust gaze estimation in humanRobot interaction. 2017 , 87, 1-22	5
644	Using a handheld stereo depth camera to overcome limited field-of-view in simulation imaging for radiation therapy treatment planning. 2017 , 44, 1857-1864	4
643	A Review of the Capabilities of Current Low-Cost Virtual Reality Technology and Its Potential to Enhance the Design Process. 2017 , 17,	61

642	A Process Demonstration Platform for Product Disassembly Skills Transfer. 2017 , 61, 281-286	12
641	Using 3D face priors for depth recovery. 2017 , 48, 16-29	2
640	On the Performance of the Intel SR300 Depth Camera: Metrological and Critical Characterization. 2017 , 17, 4508-4519	54
639	Kinect depth image enhancement with adaptive joint multi-lateral discrete filters. 2017 , 23, 350-366	
638	Depth Recovery for Kinect Sensor Using Contour-Guided Adaptive Morphology Filter. 2017 , 17, 4534-4543	7
637	Multiple depth layers and all-in-focus image generations by blurring and deblurring operations. 2017 , 69, 184-198	3
636	Stochastic Modeling for Assessment of Human Perception and Motion Sensing Errors in Ergonomic Analysis. 2017 , 31, 04017010	14
635	An IFC schema extension and binary serialization format to efficiently integrate point cloud data into building models. 2017 , 33, 473-490	19
634	Color and depth data fusion using an RGB-D sensor for inexpensive and contactless dynamic displacement-field measurement. 2017 , 24, e2000	19
633	Real-time depth camera tracking with geometrically stable weight algorithm. 2017 , 56, 033104	1
632	Protocols for the Investigation of Information Processing in Human Assessment of Fundamental Movement Skills. 2017 , 49, 593-602	3
631	Improving RGB-D SLAM in dynamic environments: A motion removal approach. 2017 , 89, 110-122	155
630	3D dynamic displacement-field measurement for structural health monitoring using inexpensive RGB-D based sensor. 2017 , 26, 125016	24
629	An algorithm for the rapid generation of bas-reliefs based on point clouds. 2017 , 94, 1-13	2
628	Point cloud quality requirements for Scan-vs-BIM based automated construction progress monitoring. 2017 , 84, 323-334	88
627	Human-tracking system using quadrotors and multiple environmental cameras for face-tracking application. 2017 , 14, 172988141772735	7
626	Remote Live-Video Security Surveillance via Mobile Robot with Raspberry Pi IP Camera. 2017 , 776-788	2
625	An automatized method to parameterize embedded stereo matching algorithms. 2017 , 80, 92-103	3

624	BatMapper. 2017 ,	51
623	Inverse Rendering and Relighting From Multiple Color Plus Depth Images. 2017 , 26, 4951-4961	2
622	FasTFit: A fast T-spline fitting algorithm. 2017 , 92, 11-21	12
621	Robust enhancement of depth images from depth sensors. <i>Computers and Graphics</i> , 2017 , 68, 53-65	1.8 6
620	Explore hidden information for indoor floor plan construction. 2017 ,	2
619	A dual approach for machine-awareness in indoor environment combining pseudo-3D imaging and soft-computing techniques. 2017 , 8, 1795-1814	1
618	Data Acquisition for 3D Geometric Recording: State of the Art and Recent Innovations. 2017 , 1-26	9
617	Toward evaluation of visual navigation algorithms on RGB-D data from the first- and second-generation Kinect. 2017 , 28, 61-74	13
616	Assessing the Potential of a Low-Cost 3-D Sensor in Shallow-Water Bathymetry. 2017 , 14, 1388-1392	5
615	Towards realistic covariance estimation of ICP-based Kinect V1 scan matching: The 1D case. 2017 ,	8
614	A Kinect-based movement assessment system: marker position comparison to Vicon. 2017 , 20, 1289-1298	7
613	T-LESS: An RGB-D Dataset for 6D Pose Estimation of Texture-Less Objects. 2017 ,	103
612	Supporting Responsive Cohabitation Between Virtual Interfaces and Physical Objects on Everyday Surfaces. 2017 , 1, 1-17	7
611	The effect of instructional priming on postural responses to virtual crowds. 2017 ,	3
610	Towards real-time segmentation of 3D point cloud data into local planar regions. 2017 ,	4
609	Planelets-A Piecewise Linear Fractional Model for Preserving Scene Geometry in Intra-Coding of Indoor Depth Images. 2017 , 26, 590-602	5
608	. 2017 , 19, 822-835	17
607	Quality Assessment, Evaluation, and Optimization of Free Viewpoint Video Systems by Using Effective Sampling Density. 2017 , 9-55	

606	Robust Color Guided Depth Map Restoration. 2017 , 26, 315-327	90
605	Unsupervised object region proposals for RGB-D indoor scenes. 2017 , 154, 127-136	11
604	Modeling depth for nonparametric foreground segmentation using RGBD devices. 2017 , 96, 76-85	18
603	Colour Hue and Texture Evaluation for 3D Symbolization of Indoor Environments Using RGB-D Data. 2017 , 54, 233-241	
602	Robust 3D face modeling and reconstruction from frontal and side images. 2017 , 50, 1-13	14
601	Generating High Fidelity 3-D Thermograms With a Handheld Real-Time Thermal Imaging System. 2017 , 17, 774-783	10
600	On Tablet 3D Structured Light Reconstruction and Registration. 2017 ,	5
599	A Hybrid Image Based Visual Servoing for a Manipulator using Kinect. 2017 ,	4
598	Robust haptic exploration of remote environments represented by streamed point cloud data. 2017 ,	2
597	Metodologí para la medició de micro topografías en canales de laboratorio con un sensor de movimiento. 2017 , 4, 99-109	
596	3D textile reconstruction based on KinectFusion and synthesized texture. 2017 , 29, 793-806	3
595	Robust geometric, phase and colour structured light projection system calibration. 2017 , 25, 326-336	2
594	A computer vision method for respiratory monitoring in intensive care environment using RGB-D cameras. 2017 ,	4
593	Compression of 3-D point clouds using hierarchical patch fitting. 2017 ,	7
592	A robot navigation method based on human-robot interaction for 3D environment mapping. 2017 ,	0
591	Demo. 2017 ,	2
590	A Feedback Estimation Approach for Therapeutic Facial Training. 2017 ,	1
589	Uncertainty-aware RGBD image segmentation. 2017 ,	

588	Outdoor Operation of Structured Light in Mobile Phone. 2017 ,	3
587	Time-of-flight sensor depth enhancement for automotive exhaust gas. 2017 ,	8
586	Visual detection of opportunities to exploit contact in grasping using contextual multi-armed bandits. 2017 ,	5
585	A comparison and analysis of RGB-D cameras' depth performance for robotics application. 2017 ,	9
584	Bilateral control of teleoperation manipulator based on virtual force aware guidance. 2017 ,	
583	Joint prediction of depths, normals and surface curvature from RGB images using CNNs. 2017 ,	16
582	Six-DoF pose estimation using dual-axis rotating laser sweeps using a probabilistic framework. 2017 ,	3
581	Task prioritization for automated robotic item picking. 2017 ,	
580	Neural learning and Kalman filtering enhanced teaching by demonstration for a Baxter robot. 2017 ,	6
579	Depth Super-Resolution Meets Uncalibrated Photometric Stereo. 2017 ,	12
578	Dominant feature based convolutional neural network for faces in videos. 2017 ,	0
577	Adaptive frame rate pattern projection for structured light 3D camera system. 2017 ,	2
576	Complete End-to-End Low Cost Solution to a 3D Scanning System with Integrated Turntable. 2017 , 9, 39-55	5
575	Human gesture recognition for optical manipulation and its future nanobiophotonics applications. 2017 , 1-30	
574	Smartphone viewing distance and sleep: an experimental study utilizing motion capture technology. 2017 , 9, 59-65	29
573	Comparison of the Selected State-Of-The-Art 3D Indoor Scanning and Point Cloud Generation Methods. 2017 , 9, 796	84
572	Experimental Validation of Depth Cameras for the Parameterization of Functional Balance of Patients in Clinical Tests. <i>Sensors</i> , 2017 , 17,	3.8 8
571	A New Calibration Method for Commercial RGB-D Sensors. <i>Sensors</i> , 2017 , 17,	3.8 21

570	Headgear Accessories Classification Using an Overhead Depth Sensor. <i>Sensors</i> , 2017 , 17,	3.8	1
569	Combined Dynamic Time Warping with Multiple Sensors for 3D Gesture Recognition. <i>Sensors</i> , 2017 , 17,	3.8	5
568	CuFusion: Accurate Real-Time Camera Tracking and Volumetric Scene Reconstruction with a Cuboid. <i>Sensors</i> , 2017 , 17,	3.8	6
567	Hybrid Orientation Based Human Limbs Motion Tracking Method. <i>Sensors</i> , 2017 , 17,	3.8	12
566	Chest boundary shape estimation using a RGBD camera and pattern markers for robust lung electrical impedance tomography. 2017 ,		
565	A Quantitative Comparison of Calibration Methods for RGB-D Sensors Using Different Technologies. <i>Sensors</i> , 2017 , 17,	3.8	16
564	Globally Consistent Indoor Mapping via a Decoupling Rotation and Translation Algorithm Applied to RGB-D Camera Output. 2017 , 6, 323		
563	Event-Based 3D Motion Flow Estimation Using 4D Spatio Temporal Subspaces Properties. 2016 , 10, 596		1
562	Visual Map Construction Using RGB-D Sensors for Image-Based Localization in Indoor Environments. <i>Journal of Sensors</i> , 2017 , 2017, 1-18	2	13
561	Projection Surfaces Detection and Image Correction for Mobile Robots in HRI. <i>Journal of Sensors</i> , 2017 , 2017, 1-16	2	1
560	Easy and Fast Reconstruction of a 3D Avatar with an RGB-D Sensor. <i>Sensors</i> , 2017 , 17,	3.8	9
559	Combined Vision and Wearable Sensors-based System for Movement Analysis in Rehabilitation. 2017 , 56, 95-111		14
558	3D shape, deformation, and vibration measurements using infrared Kinect sensors and digital image correlation. 2017 , 56, 9030-9037		29
557	. 2017 ,		3
556	Assessing Collaboration between Autistic Players. 2017 ,		1
555	Joint pose and principal curvature refinement using quadrics. 2017 ,		1
554	Machine-awareness in indoor environment: A pseudo-3D vision-based approach combining multi-resolution visual information. 2017 ,		
553	KINECTATION (Kinect for Presentation): Control Presentation with Interactive Board and Record Presentation with Live Capture Tools. 2017 , 801, 012053		1

552	Nationwide Point Cloud The Future Topographic Core Data. 2017 , 6, 243	8
551	Vision-Based Robot Following Using PID Control. 2017 , 5, 34	4
550	Comparison of low cost 3D structured light scanners for face modeling. 2017 , 56, 985-992	17
549	Improving Robot Navigation and Obstacle Avoidance using Kinect 2.0. 2017 ,	2
548	A novel medical human-computer interaction platform based on Kinect depth image analysis refactoring and neural network. 2017 , 23, 315	
547	GPU-based real-time RGBD data filtering. 2018 , 14, 323-340	7
546	Sensei. 2018 , 1, 1-27	13
545	Elaborate Scene Reconstruction with a Consumer Depth Camera. 2018 , 15, 443-453	10
544	Depth camera indoor mapping for 3D virtual radio play. 2018 , 33, 171-195	9
543	Indoor Map Construction via Mobile Crowdsensing. 2018 , 3-30	2
542	Smartphone-Based Indoor Map Construction. 2018 ,	
541	Application of short-range photogrammetry for monitoring seepage erosion of riverbank by laboratory experiments. 2018 , 558, 380-391	13
540	Geometric primitive refinement for structured light cameras. 2018 , 29, 313-327	4
539	SDF-2-SDF Registration for Real-Time 3D Reconstruction from RGB-D Data. 2018 , 126, 615-636	10
538	Deformation monitoring of typical composite structures based on terrestrial laser scanning technology. 2018 , 202, 77-81	13
537	A versatile calibration procedure for portable coded aperture gamma cameras and RGB-D sensors. 2018 , 886, 125-133	6
536	Calculation model of scattering depolarization for camouflaged target detection system. 2018 , 158, 341-348	3
535	UAV Navigation with Computer Vision Flight Testing a Novel Visual Odometry Technique. 2018 ,	3

534	Depth error correction for projector-camera based consumer depth cameras. 2018 , 4, 103-111	5
533	An enhanced teaching interface for a robot using DMP and GMR. 2018 , 2, 110-121	11
532	RGB-D SLAM in Indoor Environments With STING-Based Plane Feature Extraction. 2018 , 23, 1071-1082	17
531	Probabilistic RGB-D odometry based on points, lines and planes under depth uncertainty. 2018 , 104, 25-39	18
530	Multiview mm-Wave Imaging With Augmented Depth Camera Information. <i>IEEE Access</i> , 2018 , 6, 16869-16877	15
529	Superpixel-based color depth restoration and dynamic environment modeling for Kinect-assisted image-based rendering systems. 2018 , 34, 67-81	9
528	Correspondence-free pose estimation for 3D objects from noisy depth data. 2018 , 34, 193-211	9
527	Bootstrapping Relational Affordances of Object Pairs Using Transfer. 2018 , 10, 56-71	3
526	Joint-Feature Guided Depth Map Super-Resolution With Face Priors. 2018 , 48, 399-411	16
525	Average acoustic beamforming in car cabins: An automatic system for acoustic mapping over 3D surfaces. 2018 , 129, 47-63	10
524	Autonomous Exploration with Exact Inverse Sensor Models. 2018 , 92, 435-452	7
523	Use of kinematic and mel-cepstrum-related features for fall detection based on data from infrared depth sensors. 2018 , 40, 102-110	14
522	Multiview video: Acquisition, processing, compression, and virtual view rendering. 2018 , 3-74	8
521	Modeling deviations of rgb-d cameras for accurate depth map and color image registration. 2018 , 77, 14951-14977	8
520	New distributed virtual TV set architecture for a synergistic operation of sensors and improved interaction between real and virtual worlds. 2018 , 77, 18999-19025	3
519	A Binocular Vision Motion Capture System Based on Passive Markers for Rehabilitation. 2018 , 545-549	
518	Three-dimensional location of target fish by monocular infrared imaging sensor based on a L ₁ correlation model. 2018 , 88, 106-113	10
517	Calibrating Depth Sensors for Pedestrian Tracking Using a Robot as a Movable and Localized Landmark. 2018 ,	

516	Development of a Free-Navigation Mobile Robot System Based on a Digital Image Processing Methodology. 2018 , 433, 012059		
515	. 2018 ,		
514	An Improved Fast Visual Odometry Based on Semi-probabilistic Trimmed ICP. 2018 ,		
513	Fight Ill-Posedness with Ill-Posedness: Single-shot Variational Depth Super-Resolution from Shading. 2018 ,		22
512	Autonomous Navigation Using Multimodal Potential Field to Initiate Interaction with Multiple People. 2018 ,		0
511	An Analysis of Depth Camera Devices for Engineering Applications. 2018 ,		
510	Embedding Temporally Consistent Depth Recovery for Real-time Dense Mapping in Visual-inertial Odometry. 2018 ,		
509	Integration of Absolute Orientation Measurements in the KinectFusion Reconstruction Pipeline. 2018 ,		1
508	MS-Kinect in the development of educational games for preschoolers. 2018 , 13, 277		3
507	Diagnosing method for plant growth using a 3D depth sensor. <i>Acta Horticulturae</i> , 2018 , 631-636	0.3	5
506	Coverage Path Planning with Adaptive Viewpoint Sampling to Construct 3D Models of Complex Structures for the Purpose of Inspection. 2018 ,		3
505	A JOINT EFFORT OF SPEEDED-UP ROBUST FEATURES ALGORITHM AND A DISPARITY-BASED MODEL FOR 3D INDOOR MAPPING USING RGB-D DATA. 2018 , 24, 351-366		
504	Augmented Reality Visualization of Joint Movements for Rehabilitation and Sports Medicine. 2018 ,		2
503	Random walks for unorganized point cloud segmentation with application to aerospace repair. 2018 , 26, 1483-1491		1
502	Algorithm-level approximation for fast (or not) embedded stereovision algorithm. 2018 ,		
501	A Hybrid Vision System for Dynamic Obstacle Detection. 2018 , 133, 153-160		1
500	Comparing two 3D measurement techniques for documenting painted wooden panels surface deformations on a real test case: <i>Mystical Marriage of Saint Catherine</i> by Renaissance artist Piero di Cosimo. 2018 , 364, 012090		4
499	A Method to Analyse Generic Human Motion With Low-Cost Mocap Technologies. 2018 ,		2

498	An Omnidirectional and Movable Palletizing Robot based on Computer Vision Positioning. 2018,		0
497	A Fire Drill Training System Based on VR and Kinect Somatosensory Technologies. 2018, 14, 163		3
496	IEKF based object pose estimation for Augmented Reality. 2018,		0
495	Feature Regions Segmentation Based RGB-D Visual Odometry in Dynamic Environment. 2018,		4
494	Evaluation of Positioning Techniques for Millimeter-wave Portable Scanners. 2018,		
493	The Other Kind of Machine Learning: Modeling Worker State for Optimal Training of Novices in Complex Industrial Processes. 2018,		1
492	Studying the Role of Kinect as a Multi-Sensory Learning Platform for Children. 2018,		1
491	Exploring RGB-D Cameras for 3D Reconstruction of Cultural Heritage. 2018, 11, 1-24		3
490	3D imaging system for respiratory monitoring in pediatric intensive care environment. 2018, 70, 17-28		21
489	A Versatile Method for Depth Data Error Estimation in RGB-D Sensors. <i>Sensors</i> , 2018, 18,	3.8	9
488	The Accuracy Comparison of Three Simultaneous Localization and Mapping (SLAM)-Based Indoor Mapping Technologies. <i>Sensors</i> , 2018, 18,	3.8	37
487	Prototyping and evaluation of interactive and customized interface and control algorithms for robotic assistive devices using Kinect and infrared sensor. 2018, 15, 172988141876952		1
486	Investigating the impact of a motion capture system on Microsoft Kinect v2 recordings: A caution for using the technologies together. 2018, 13, e0204052		15
485	Pulse Based Time-of-Flight Range Sensing. <i>Sensors</i> , 2018, 18,	3.8	11
484	Real-time Pallet Localization with 3D Camera Technology for Forklifts in Logistic Environments. 2018,		6
483	Background Subtraction on Depth Videos with Convolutional Neural Networks. 2018,		5
482	Structured Low-Rank Matrix Factorization for Point-Cloud Denoising. 2018,		10
481	. 2018,		2

480	Full-space Cloud of Random Points with a Scrambling Metasurface. 2018 , 7, 63	76
479	Cubic Range Error Model for Stereo Vision with Illuminators. 2018 ,	0
478	Modeling and problem solving of building defects using point clouds and enhanced case-based reasoning. 2018 , 96, 40-54	11
477	Eye on You: Fusing Gesture Data from Depth Camera and Inertial Sensors for Person Identification. 2018 ,	6
476	Modeling spatial uncertainty of point features in feature-based RGB-D SLAM. 2018 , 29, 827-844	10
475	Drift-Aware Monocular Localization Based on a Pre-Constructed Dense 3D Map in Indoor Environments. 2018 , 7, 299	6
474	Recent Developments in Game-Based Virtual Reality Educational Laboratories Using the Microsoft Kinect. 2018 , 13, 138	27
473	gSMOOTH. 2018 ,	1
472	Reducing the minimum range of a RGB-depth sensor to aid navigation in visually impaired individuals. 2018 , 57, 2809-2819	12
471	Integrating pulsed laser for a galvo mirror based SEE scanning microscope with optical failure analysis capabilities. 2018 ,	0
470	Accuracy Evaluation of a Correction Table for Calibration of an RGB-D Sensor. 2018 , 23, 68-73	
469	Optimized Microcode BIST Architecture for Multiple Memory Cores in SoCs. 2018 ,	0
468	Foreground extraction for freely moving RGBD cameras. 2018 , 12, 322-331	4
467	3D surface-imaging for volumetric measurement in people with obesity. 2018 , 26, 363-369	
466	Probabilistic pose estimation using a Bingham distribution-based linear filter. 2018 , 37, 1610-1631	11
465	Automated continuous construction progress monitoring using multiple workplace real time 3D scans. 2018 , 38, 27-40	50
464	Frequency-modulated continuous-wave LiDAR compressive depth-mapping. 2018 , 26, 15420-15435	27
463	. 2018 , 34, 1315-1332	20

462	A hybrid method for skeleton extraction on Kinect sensor data: Combination of L 1 -Median and Laplacian shrinking algorithms. 2018 , 125, 535-544		9
461	Background Subtraction for Moving Object Detection in RGBD Data: A Survey. 2018 , 4, 71		35
460	A Feasibility Study on the Use of a Structured Light Depth-Camera for Three-Dimensional Body Measurements of Dairy Cows in Free-Stall Barns. <i>Sensors</i> , 2018 , 18,	3.8	57
459	Visualization of Concrete Slump Flow Using the Kinect Sensor. <i>Sensors</i> , 2018 , 18,	3.8	7
458	Generic Sensor Failure Modeling for Cooperative Systems. <i>Sensors</i> , 2018 , 18,	3.8	8
457	Body Weight Estimation for Dose-Finding and Health Monitoring of Lying, Standing and Walking Patients Based on RGB-D Data. <i>Sensors</i> , 2018 , 18,	3.8	7
456	Geometric Integration of Hybrid Correspondences for RGB-D Unidirectional Tracking. <i>Sensors</i> , 2018 , 18,	3.8	5
455	Extrinsic Calibration of a Laser Galvanometric Setup and a Range Camera. <i>Sensors</i> , 2018 , 18,	3.8	2
454	FPGA Based Adaptive Rate and Manifold Pattern Projection for Structured Light 3D Camera System. <i>Sensors</i> , 2018 , 18,	3.8	3
453	Smartphone-based Acoustic Indoor Space Mapping. 2018 , 2, 1-26		30
452	Dynamic 3D reconstruction improvement via intensity video guided 4D fusion. 2018 , 55, 540-547		4
451	Neural Network Based Physical Disorder Recognition for Elderly Health Care. 2018 , 321-339		
450	RGB-D Camera based 3D Human Mouth Detection and Tracking Towards Robotic Feeding Assistance. 2018 ,		3
449	Generic Object Discrimination for Mobile Assistive Robots Using Projective Light Diffusion. 2018 ,		1
448	. 2018 ,		
447	Towards transient experimental water surfaces: A new benchmark dataset for 2D shallow water solvers. 2018 , 121, 130-149		11
446	Feasibility of Google Tango and Kinect for Crowdsourcing Forestry Information. 2018 , 9, 6		34
445	Modeling 3D human body with a smart vest. <i>Computers and Graphics</i> , 2018 , 75, 44-58	1.8	6

444	Using a Somatosensory Controller to Assess Body Size for Size-Specific Dose Estimates in Computed Tomography. 2018 , 2018, 2734297		
443	A Kinect-Based Approach for 3D Pavement Surface Reconstruction and Cracking Recognition. 2018 , 19, 3935-3946		28
442	IoT - An Opportunity for Autonomous BIM Reconstruction?. 2018 , 61-81		
441	3D Imaging in Construction and Infrastructure Management: Technological Assessment and Future Research Directions. 2018 , 37-60		4
440	. 2019 , 29, 2391-2404		4
439	An Inpainting and Optimization Method for Kinect Depth Map. 2019 , 1187-1193		
438	Perceptual Ability Advancement of a Humanoid with Limited Sensors via Data Transmission from an Aerial Robot. 2019 ,		
437	Coverage Path Planning for Complex Structures Inspection Using Unmanned Aerial Vehicle (UAV). 2019 , 243-266		6
436	From Single 2D Depth Image to Gripper 6D Pose Estimation: A Fast and Robust Algorithm for Grabbing Objects in Cluttered Scenes. 2019 , 8, 63		7
435	Depth information aided constrained correlation filter for visual tracking. 2019 , 234, 012005		1
434	Evaluation of haptic guidance virtual fixtures and 3D visualization methods in telemanipulation user study. <i>Intelligent Service Robotics</i> , 2019 , 12, 289-301	2.6	5
433	A Layer-Wise Strategy for Indoor As-Built Modeling Using Point Clouds. 2019 , 9, 2904		7
432	RGB-D Image Analysis and Processing. 2019 ,		2
431	A Novel Method for Extrinsic Calibration of Multiple RGB-D Cameras Using Descriptor-Based Patterns. <i>Sensors</i> , 2019 , 19,	3.8	7
430	Static and Dynamic Evaluation of an UWB Localization System for Industrial Applications. 2019 , 1, 62		6
429	Design and Characterization of a Novel, Continuum-Robot Surface for the Human Environment. 2019 ,		2
428	Spatial Uncertainty Model Based on Scale-Space for RGBD-SLAM System. 2019 ,		1
427	A Novel Combination Model of Convolutional Neural Network and Long Short-Term Memory Network for Upper Limb Evaluation Using Kinect-Based System. <i>IEEE Access</i> , 2019 , 7, 145227-145234	3.5	4

426	. 2019 , 54, 3203-3214		36
425	Stitching of depth and color images from multiple RGB-D sensors for extended field of view. 2019 , 16, 172988141985166		2
424	Research on Accurate Positioning of Indoor Objects Based on ROS and 3D Point Cloud. 2019 , 1229, 012005		
423	Analysis and Noise Modeling of the Intel RealSense D435 for Mobile Robots. 2019 ,		8
422	Increasing Perception Space of a Ground Standing Robot via Data Transmission from an Aerial Robot. 2019 ,		0
421	An Improved Low-Noise Processing Methodology Combined with PCL for Industry Inspection Based on Laser Line Scanner. <i>Sensors</i> , 2019 , 19,	3.8	3
420	Research on V-SLAM Methods. 2019 ,		
419	Towards Robust Retrieval for Imperfectly Scanned Point Cloud Objects. 2019 ,		
418	Validation of a novel Kinect-based device for 3D scanning of the foot plantar surface in weight-bearing. 2019 , 12, 46		12
417	PlaneLoc: Probabilistic global localization in 3-D using local planar features. 2019 , 113, 160-173		6
416	Depth-Based Human Detection Considering Postural Diversity and Depth Missing in Office Environment. <i>IEEE Access</i> , 2019 , 7, 12206-12219	3.5	6
415	DeepMoCap: Deep Optical Motion Capture Using Multiple Depth Sensors and Retro-Reflectors. <i>Sensors</i> , 2019 , 19,	3.8	9
414	3D Affine: An Embedding of Local Image Features for Viewpoint Invariance Using RGB-D Sensor Data. <i>Sensors</i> , 2019 , 19,	3.8	4
413	Curved patch mapping and tracking for irregular terrain modeling: Application to bipedal robot foot placement. 2019 , 119, 13-30		3
412	Evaluation of different chrominance models in the detection and reconstruction of faces and hands using the growing neural gas network. 2019 , 22, 1667-1685		4
411	Comparative Study of Intel R200, Kinect v2, and Primesense RGB-D Sensors Performance Outdoors. 2019 , 19, 8741-8750		19
410	Robust non-intrusive interpretation of occupant thermal comfort in built environments with low-cost networked thermal cameras. 2019 , 251, 113336		35
409	A submap joining algorithm for 3D reconstruction using an RGB-D camera based on point and plane features. 2019 , 118, 93-111		4

408	Multi-Cue-Based Circle Detection and Its Application to Robust Extrinsic Calibration of RGB-D Cameras. <i>Sensors</i> , 2019 , 19,	3.8	7
407	JCAVE: A 3D Interactive Game to Assist Home Physiotherapy Rehabilitation. 2019 , 11, 01-20		1
406	Coupled recursive estimation for online interactive perception of articulated objects. 2019 , 0278364919848853		
405	Construction of All-in-Focus Images Assisted by Depth Sensing. <i>Sensors</i> , 2019 , 19,	3.8	2
404	Reconstruction of 3D Object Shape Using Hybrid Modular Neural Network Architecture Trained on 3D Models from Dataset. <i>Sensors</i> , 2019 , 19,	3.8	12
403	Real-Time Visual Odometry Covariance Estimation for Unmanned Air Vehicle Navigation. 2019 , 42, 1272-1288		2
402	Suitability of the Kinect Sensor and Leap Motion Controller-A Literature Review. <i>Sensors</i> , 2019 , 19,	3.8	51
401	Reliability and validity of the Kinect V2 for the assessment of lower extremity rehabilitation exercises. 2019 , 70, 330-335		21
400	Vision-Based 3D Modeling of Unknown Dynamic Environments for Real-Time Humanoid Navigation. 2019 , 16, 1950002		8
399	Kinect-Assisted Performance-Sensitive Upper Limb Exercise Platform for Post-stroke Survivors. 2019 , 13, 228		3
398	Exploring How Interactive Technology Enhances Gesture-Based Expression and Engagement: A Design Study. 2019 , 3, 13		2
397	Enhanced Autonomous Exploration and Mapping of an Unknown Environment with the Fusion of Dual RGB-D Sensors. 2019 , 5, 164-172		8
396	DOE-based structured-light method for accurate 3D sensing. 2019 , 120, 21-30		13
395	An Unobtrusive and Non-Contact Method for Respiratory Measurement With Respiratory Region Detecting Algorithm Based on Depth Images. <i>IEEE Access</i> , 2019 , 7, 8300-8315	3.5	1
394	A new method to evaluate the dynamic air gap thickness and garment sliding of virtual clothes during walking. 2019 , 89, 4148-4161		4
393	Investigating Depth Domain Adaptation for Efficient Human Pose Estimation. 2019 , 346-363		1
392	A voxelize structured refinement method for registration of point clouds from Kinect sensors. 2019 , 22, 555-568		0
391	Automatic Biomechanical Workload Estimation for Construction Workers by Computer Vision and Smart Insoles. 2019 , 33, 04019010		22

390	Evaluation of mobile 3D light detection and ranging based canopy mapping system for tree fruit crops. 2019 , 158, 284-293	27
389	Active Perception for Foreground Segmentation: An RGB-D Data-Based Background Modeling Method. 2019 , 16, 1596-1609	26
388	Fusion of Heterogeneous Range Sensors Dataset for High Fidelity Surface Generation. 2019 ,	
387	Gesture-based human-robot interface for dual-robot with hybrid sensors. 2019 , 46, 800-811	3
386	A Defocus Based Novel Keyboard Design. 2019 ,	0
385	Temperature Field Simulation and Ampacity Calculation of Multi-loop Cable Tunnel with Ventilation. 2019 ,	
384	An Automated Identification Tool for LC-MS Based Metabolomics Studies. 2019 ,	
383	A Practical Approach to Placing Coastal Sensors for Spectrum Sharing in the 3.5 GHz Band. 2019 ,	1
382	A Probabilistic Data-Driven Method for Photovoltaic Pseudo-Measurement Generation in Distribution Systems. 2019 ,	1
381	Design of a phase alignment circuit for lock in amplifiers in $1.8\text{V}-0.18\mu\text{m}$ CMOS technology. 2019 ,	
380	Evaluating Alignment Approaches in Superimposed Time-Series and Temporal Event-Sequence Visualizations. 2019 ,	2
379	Humanoid robot shadow system based on kinect depth camera detection. 2019 ,	
378	A Convex Hull and Cluster-Analysis Based Fast Large-Scale Phase Unwrapping Method for Multibaseline Sar Interferograms. 2019 ,	2
377	Precision of the machine tool and its impact on the environment. 2019 ,	
376	Data Presentation Problems in Retail Sales Management Task. 2019 ,	0
375	TLBO based Droop Optimization Technique for DC Microgrid. 2019 ,	1
374	[Title page i]. 2019 ,	
373	Investigation of SiC MOSFET channel reverse conduction. 2019 ,	

372	Hybrid Plasmonic Waveguide based 3B Multimode Interferometer for Compact 120° Optical Hybrid. 2019 ,		
371	[Title page i]. 2019 ,		
370	Augmented Reality Education System in Developing Countries. 2019 , 2019, 183-1-183-11		1
369	Finite-Time Adaptive Control for Non-Strict Feedback Stochastic Nonlinear Systems. <i>IEEE Access</i> , 2019 , 7, 179758-179764	3.5	5
368	A Review of Deep Learning-Based Semantic Segmentation for Point Cloud. <i>IEEE Access</i> , 2019 , 7, 179118-179133	3.5	8
367	Weighted sparse representation for classification of motor imagery EEG signals. 2019 , 2019, 6180-6183		3
366	A 4-bit 2ps Resolution Time-to-Digital Converter Utilizing Multi-Path Delay Line for ADPLL. 2019 ,		0
365	Detecting Microwave Orbital Angular Momentum by Single-sensor Imaging: A Computational Feasibility Study. 2019 ,		
364	Domain-Independent Unsupervised Detection of Grasp Regions to grasp Novel Objects. 2019 ,		3
363	Periodic Ambiguity Function as a Tool in Designing Periodic Synchronization Preamble. 2019 ,		1
362	An Improved Genetic Algorithm. 2019 ,		1
361	Multi-Resolution Modeling for Adaptive Uav Service Systems. 2019 ,		0
360	3D visualization of 2D/360° image and navigation in virtual reality through motion processing via smartphone sensors. 2019 , 2019, 178-1-178-7		
359	Design and implementation of elderly assistant & custody system based on Kinect and Gizwits. 2019 , 1345, 052003		
358	Visualizing and Quantifying Thoraco-Abdominal Asynchrony in Children From Motion Point Clouds: A Pilot Study. <i>IEEE Access</i> , 2019 , 7, 163341-163357	3.5	1
357	Refining the Fusion of Pepper Robot and Estimated Depth Maps Method for Improved 3D Perception. <i>IEEE Access</i> , 2019 , 7, 185076-185085	3.5	1
356	. 2019 ,		9
355	Ebird: Elastic Batch for Improving Responsiveness and Throughput of Deep Learning Services. 2019 ,		4

354	Metrics for Use in Quantifying Power System Resilience with Water-Energy Nexus Considerations: Mathematical Formulation and Case Study. 2019,	1
353	Design Considerations of GaN GIT Devices for High Speed Power Switching Applications. 2019,	
352	The Domain Transform Solver. 2019,	3
351	Monitoring of Visual Impaired Person Movement using Wemos D1 Mini GPS. 2019,	
350	Distributionally Robust Chance-Constrained Energy Management for Islanded Microgrids. 2019,	1
349	Multi-agent Deep Reinforcement Learning for Zero Energy Communities. 2019,	12
348	Goal Control for UGV Path Planning in Complex Environment. 2019,	
347	D2D Group Association and Channel Assignment in Uplink Multi-Cell NOMA Networks. 2019,	1
346	Reliability of 2D Field-Effect Transistors: from First Prototypes to Scalable Devices. 2019,	
345	Optimum Design of Wireless Charging System Based on Magnetic Coupling. 2019,	
344	Domain Adaptation in Multi-Channel Autoencoder based Features for Robust Face Anti-Spoofing. 2019,	11
343	Driver Identification Based on Vehicle Telematics Data using LSTM-Recurrent Neural Network. 2019,	9
342	An Intelligent Trajectory Optimization System and Application in Car-door Welding Line. 2019,	1
341	Multiband Circular Polarization Antenna for Satellite System Argos-3 and GPS. 2019,	0
340	Deep Learning Semantic Compression: IoT Support over LORA Use Case. 2019,	1
339	Depth Extraction from a Single Image and Its Application. 2019,	0
338	Portable Motion-Analysis Device for Upper-Limb Research, Assessment, and Rehabilitation in Non-Laboratory Settings. 2019, 7, 2800314	5
337	Proprioception and audio feedback as a means of accessible 3D interaction for the visually impaired. 2019,	

336	The feasibility of using a low-cost depth camera for 3D scanning in mass customization. 2019 , 9, 450-458		4
335	A 3D Point Correspondences Uncertainty Aware RGB-D SLAM System. 2019 ,		
334	AUDIOZOOM: Location Based Sound Delivery system. 2019 ,		2
333	A New Model of RGB-D Camera Calibration Based On 3D Control Field. <i>Sensors</i> , 2019 , 19,	3.8	8
332	A Novel Human-3DTV Interaction System Based on Free Hand Gestures and a Touch-Based Virtual Interface. <i>IEEE Access</i> , 2019 , 7, 165961-165973	3.5	6
331	Indoor Mapping Guidance Algorithm of Rotary-Wing UAV Including Dead-End Situations. <i>Sensors</i> , 2019 , 19,	3.8	1
330	Dense 3D Object Reconstruction from a Single Depth View. 2019 , 41, 2820-2834		38
329	Pipe radius estimation using Kinect range cameras. 2019 , 99, 197-205		6
328	An efficient RANSAC hypothesis evaluation using sufficient statistics for RGB-D pose estimation. 2019 , 43, 1257-1270		4
327	Robust gait identification using Kinect dynamic skeleton data. 2019 , 78, 13925-13948		6
326	A cyber physical system (CPS) approach for safe human-robot collaboration in a shared workplace. 2019 , 56, 233-243		80
325	Triangular membership function based real-time gesture monitoring system for physical disorder detection. 2019 , 22, 1-14		5
324	A review of assistive spatial orientation and navigation technologies for the visually impaired. 2019 , 18, 155-168		28
323	An approach to automated detection of structural failure using chronological image analysis in temporary structures. 2019 , 19, 178-185		15
322	Revisiting Superquadric Fitting: A Numerically Stable Formulation. 2019 , 41, 220-233		4
321	DS-KCF: a real-time tracker for RGB-D data. 2019 , 16, 1439-1458		21
320	An evaluation of real-time RGB-D visual odometry algorithms on mobile devices. 2019 , 16, 1643-1660		7
319	The relationship between torso inclination and the shearing force of the buttocks while seated in a wheelchair: Preliminary research in non-disabled individuals. 2020 , 32, 287-293		0

318	Learning Compact Features for Human Activity Recognition Via Probabilistic First-Take-All. 2020 , 42, 126-139		24
317	. 2020 , 19, 217-230		4
316	Programming by Demonstration in Augmented Reality for the Motion Planning of a Three-Axis CNC Dispenser. 2020 , 7, 987-995		3
315	Three-dimensional reconstruction with single-shot structured light dot pattern and analytic solutions. 2020 , 151, 107114		11
314	Real-time three-dimensional measurement techniques: A review.. 2020 , 202, 163627		
313	Decision Tree Based Single Person Gesture Recognition. 2020 , 71-89		2
312	Generalized Feedback Loop for Joint Hand-Object Pose Estimation. 2020 , 42, 1898-1912		21
311	Son Preference, Eldest Son Preference, and Educational Attainment: Evidence From Chinese Families. 2020 , 41, 636-666		5
310	Use Cases for Architects and Engineers. 2020 , 203-266		0
309	Information Theoretic Active Exploration in Signed Distance Fields. 2020 ,		3
308	A Single Multi-Task Deep Neural Network with Post-Processing for Object Detection with Reasoning and Robotic Grasp Detection. 2020 ,		9
307	A 3D Reconstruction Method Using Multisensor Fusion in Large-Scale Indoor Scenes. 2020 , 2020, 1-14		2
306	Phase Difference-3D Coordinate Mapping Model of Structural Light Imaging System Based on Extreme Learning Machine Network. <i>IEEE Access</i> , 2020 , 8, 68974-68981	3-5	2
305	On the Use of Low-Cost RGB-D Sensors for Autonomous Pothole Detection with Spatial Fuzzy c-Means Segmentation. 2020 ,		
304	<i>>An indoor performance comparison of time-of-flight depth cameras </i>. 2020 ,		
303	Modeling Performance of a Stereo Camera Sensor for Optimization. 2020 ,		2
302	Experimental and Theoretical Study of Local Scour around Three-Pier Group. 2020 , 146, 04020069		9
301	Inferring Super-Resolution Depth from a Moving Light-Source Enhanced RGB-D Sensor: A Variational Approach. 2020 ,		3

300	RGB-D SLAM in Dynamic Environments Using Point Correlations. 2022 , 44, 373-389		18
299	Accuracy Evaluation of SLAM Algorithms in RGB-D Sensors. 2020 ,		0
298	Unobtrusive tracking of interpersonal orienting and distance predicts the subjective quality of social interactions. 2020 , 7, 191815		13
297	An RSSI-Based Localization, Path Planning and Computer Vision-Based Decision Making Robotic System. 2020 , 9, 1326		9
296	A Multimodal Path Planning Approach to Human Robot Interaction Based on Integrating Action Modeling. 2020 , 100, 955-972		1
295	Pixel-Wise Motion Segmentation for SLAM in Dynamic Environments. <i>IEEE Access</i> , 2020 , 8, 164521-164528		2
294	Towards Robust Monocular Depth Estimation: Mixing Datasets for Zero-shot Cross-dataset Transfer. 2020 , PP,		79
293	Towards Noise Resilient SLAM. 2020 ,		0
292	Statistical Study of the Performance of Recursive Bayesian Filters with Abnormal Observations from Range Sensors. <i>Sensors</i> , 2020 , 20,	3.8	
291	RGB-D camera calibration and trajectory estimation for indoor mapping. 2020 , 44, 1485-1503		4
290	Relative and Absolute Reliability of a Motor Assessment System Using KINECT Camera. 2020 , 17,		3
289	A New Dataset of People Flow in an Industrial Site with UWB and Motion Capture Systems. <i>Sensors</i> , 2020 , 20,	3.8	5
288	Development and feasibility testing of a back extension-glide virtual reality game for low-back pain. 2020 , 3, 243		1
287	Innovation in alteration and refurbishment project delivery. 2020 , 109-120		
286	Integration of Home Assistance with a Gesture Controlled Robotic Arm. 2020 ,		2
285	Advancements in Methods and Camera-Based Sensors for the Quantification of Respiration. <i>Sensors</i> , 2020 , 20,	3.8	3
284	An Augmented Reality Facility to Run Hybrid Physical-Numerical Flood Models. 2020 , 12, 3290		3
283	Design and evaluation of an integrated scanning laser triangulation sensor. 2020 , 72, 102453		3

282	Acquisition and evaluation of depth data from humans, in robotized industrial environments. 2020 , 1547, 012016		1
281	Validation of Close-Range Photogrammetry for Architectural and Archaeological Heritage: Analysis of Point Density and 3D Mesh Geometry. 2020 , 12, 3571		18
280	Sdt: A Synthetic Multi-Modal Dataset For Person Detection And Pose Classification. 2020 ,		2
279	A Survey of Marker-Less Tracking and Registration Techniques for Health & Environmental Applications to Augmented Reality and Ubiquitous Geospatial Information Systems. <i>Sensors</i> , 2020 , 20,	3.8	8
278	Implementation of Machine Learning Technique for Identification of Yoga Poses. 2020 ,		9
277	The diversified defocus profile of the near-work environment and myopia development. 2020 , 40, 463-471		7
276	Applicability of a Single Depth Sensor in Real-Time 3D Clothes Simulation: Augmented Reality Virtual Dressing Room Using Kinect Sensor. 2020 , 2020, 1-10		11
275	Assessment of the Surface Roughness of Metal Mechanical Parts by Microsoft Kinect V2. 2020 , 283-292		
274	A collision prediction framework for noncoplanar radiotherapy planning and delivery. 2020 , 21, 92-106		2
273	Integrating 3D Model Representation for an Accurate Non-Invasive Assessment of Pressure Injuries with Deep Learning. <i>Sensors</i> , 2020 , 20,	3.8	10
272	Automatic Stockpile Extraction and Measurement Using 3D Point Cloud and Multi-Scale Directional Curvature. 2020 , 12, 960		4
271	Linking Points With Labels in 3D: A Review of Point Cloud Semantic Segmentation. 2020 , 8, 38-59		78
270	28 Gbps Bang-Bang CDR for 100G PSM4 with Independently Tunable Proportional and Integral Parameters of the Loop Filter in $0.25 \mu\text{m}$ Photonic BiCMOS Technology. 2020 ,		0
269	. 2020 , 20, 11992-11996		4
268	Simplified Level Estimation for Rate-Distortion Optimized Quantization of HEVC. 2020 , 66, 88-99		4
267	Cooperative Content Downloading Protocol Based on the Mobility Information of Vehicles in Intermittently Connected Vehicular Networks. 2020 ,		2
266	Communication-Efficient Multimodal Split Learning for mmWave Received Power Prediction. 2020 , 24, 1284-1288		12
265	An Electric Power System Energy Management Platform (EMP) Research Testbed. 2020 ,		0

264	Effects of Depth Information on Visual Target Identification Task Performance in Shared Gaze Environments. 2020 , 26, 1934-1944		4
263	Deep learning based likelihood ascent search detection algorithm for uplink multiuser Massive MIMO system. 2020 ,		3
262	A Simple Semantic-Based Data Storage Layout for Querying Point Clouds. 2020 , 9, 72		2
261	Static and Dynamic Evaluation of an UWB Localization System for Industrial Applications. 2020 , 2, 7		2
260	Realtime Localization and Estimation of Loads on Aircraft Wings from Depth Images. <i>Sensors</i> , 2020 , 20,	3.8	3
259	Optimal Use of Titanium Dioxide Colourant to Enable Water Surfaces to Be Measured by Kinect Sensors. <i>Sensors</i> , 2020 , 20,	3.8	1
258	Perspective Independent Ground Plane Estimation by 2D and 3D Data Analysis. <i>IEEE Access</i> , 2020 , 8, 82034-82034	3.5	4
257	Lightweight, Fluctuation Insensitive Multi-Parameter Fusion Link Quality Estimation for Wireless Sensor Networks. <i>IEEE Access</i> , 2020 , 8, 28496-28511	3.5	4
256	Predicting the Effects of HPEM Radiation on a Transmission Line Terminated With Linear/Nonlinear Load in Perforated Metallic Enclosure Using FDDM/VF. 2020 , 48, 669-675		4
255	Validation, Reliability, and Responsiveness Outcomes Of Kinematic Assessment With An RGB-D Camera To Analyze Movement In Subacute And Chronic Low Back Pain. <i>Sensors</i> , 2020 , 20,	3.8	4
254	Review of real-time three-dimensional shape measurement techniques. 2020 , 156, 107624		30
253	Evaluation of HoloLens Tracking and Depth Sensing for Indoor Mapping Applications. <i>Sensors</i> , 2020 , 20,	3.8	32
252	Efficient Probabilistic Collision Detection for Non-Gaussian Noise Distributions. 2020 , 5, 1024-1031		5
251	Learning Transformable and Plannable se(3) Features for Scene Imitation of a Mobile Service Robot. 2020 , 5, 1664-1671		1
250	I-Support: A robotic platform of an assistive bathing robot for the elderly population. 2020 , 126, 103451		15
249	Static and Dynamic Evaluation of an UWB Localization System for Industrial Applications. 2020 , 2, 23		5
248	Advances in 3D Image and Graphics Representation, Analysis, Computing and Information Technology. 2020 ,		1
247	Multi-sensor data fusion for accurate surface modeling. 2020 , 24, 14449-14462		2

246	Blockchain-Based Privacy-Aware Content Caching in Cognitive Internet of Vehicles. 2020 , 34, 46-51		27
245	Clone Detection in Test Code: An Empirical Evaluation. 2020 ,		3
244	MTFCT: A task offloading approach for fog computing and cloud computing. 2020 ,		4
243	New MMC-Based Multilevel Converter with Two-And-One Set of Arms and One Inductor. 2020 ,		2
242	Toward Smart Manufacturing: Key Technologies and Trends Driving Standardization. 2020 , 53, 46-50		5
241	3D Object Reconstruction from Imperfect Depth Data Using Extended YOLOv3 Network. <i>Sensors</i> , 2020 , 20,	3.8	11
240	An Automatic Rehabilitation Assessment System for Hand Function Based on Leap Motion and Ensemble Learning. 2021 , 52, 3-25		3
239	An Evaluation Testbed for Locomotion in Virtual Reality. 2021 , 27, 1871-1889		8
238	2D experiments and numerical simulation of the oscillatory shallow flow in an open channel lateral cavity. 2021 , 148, 103836		3
237	Robust UWB-Based Localization with Application to Automated Guided Vehicles. 2021 , 3, 2000083		1
236	In-situ concrete slump test incorporating deep learning and stereo vision. 2021 , 121, 103432		6
235	Vision guided robotic inspection for parts in manufacturing and remanufacturing industry. 2021 , 11, 49-70		9
234	Design and calibration of a three-dimensional localization system for automatic measurement of long and thin tube based on camera and laser displacement sensor. 2021 , 235, 1193-1210		
233	Active vision for 3D indoor scene reconstruction using a 3D camera on a pan-tilt mechanism. 2021 , 35, 153-167		1
232	Bas-relief generation from point clouds based on normal space compression with real-time adjustment on CPU. 2021 , 113, 101096		
231	Virtual Reality and Augmented Reality Technologies for Smart Physical Rehabilitation. 2021 , 155-180		1
230	2D Laser and 3D Camera Data Integration and Filtering for Human Trajectory Tracking. 2021 ,		1
229	Design and Evaluation of an Exergame System of Knee with the Azure Kinect. 2021 , 331-342		0

228	High resolution aerial photogrammetry based 3D mapping of fruit crop canopies for precision inputs management. 2021 ,		2
227	Multi-resolution depth image restoration. 2021 , 32, 1		
226	Comparison of geometrical accuracy of active devices for 3D orthopaedic reconstructions. 2021 , 114, 319-342		0
225	A comprehensive review on recent applications of unmanned aerial vehicle remote sensing with various sensors for high-throughput plant phenotyping. 2021 , 182, 106033		20
224	A Method to Compensate for the Errors Caused by Temperature in Structured-Light 3D Cameras. <i>Sensors</i> , 2021 , 21,	3.8	0
223	Research on mapping method based on data fusion of lidar and depth camera. 2021 ,		0
222	Effects of large wood (LW) blockage on bedload connectivity in the presence of a hydraulic structure. 2021 , 161, 106156		3
221	Semi-automatic measurements of foot morphological parameters from 3D plantar foot scans. 2021 , 14, 18		1
220	3D Face Point Cloud Reconstruction and Recognition Using Depth Sensor. <i>Sensors</i> , 2021 , 21,	3.8	3
219	SwarmCCO: Probabilistic Reactive Collision Avoidance for Quadrotor Swarms Under Uncertainty. 2021 , 6, 2437-2444		2
218	Measurement and Analysis of Depth Resolution Using Active Stereo Cameras. 2021 , 21, 9218-9230		3
217	Experimental Evaluation of Computer Vision and Machine Learning-Based UAV Detection and Ranging. <i>Drones</i> , 2021 , 5, 37	5.4	1
216	Survey on 3D face reconstruction from uncalibrated images. 2021 , 40, 100400		8
215	MIMONet: Structured-light 3D shape reconstruction by a multi-input multi-output network. 2021 , 60, 5134-5144		0
214	VLSI Design for High-Precision Three-Dimensional Depth Perception Chip. 2021 , 30, 556-560		
213	CopyCat: Using Sign Language Recognition to Help Deaf Children Acquire Language Skills. 2021 ,		1
212	. 2021 , 109, 796-819		34
211	Novel 3D Imaging Systems for High-Throughput Phenotyping of Plants. 2021 , 13, 2113		3

210	Object detection, 3-D coordinate extraction and pose estimation for an autonomous medical robot. 2021,		
209	Development of a Wide Area 3D Scanning System with a Rotating Line Laser. <i>Sensors</i> , 2021 , 21,	3.8	2
208	Effects of camera viewing angles on tracking kinematic gait patterns using Azure Kinect, Kinect v2 and Orbbec Astra Pro v2. 2021 , 87, 19-26		18
207	Depth-Camera Based Energy Expenditure Estimation System for Physical Activity Using Posture Classification Algorithm. <i>Sensors</i> , 2021 , 21,	3.8	1
206	Measurement Noise Model for Depth Camera-Based People Tracking. <i>Sensors</i> , 2021 , 21,	3.8	0
205	Towards automatic digital documentation and progress reporting of mechanical construction pipes using smartphones. 2021 , 127, 103735		2
204	Crowdsourcing-based indoor mapping using smartphones: A survey. 2021 , 177, 131-146		10
203	3D Reconstruction with Single-Shot Structured Light RGB Line Pattern. <i>Sensors</i> , 2021 , 21,	3.8	3
202	Simultaneous localization and mapping using an RGB-D camera for autonomous mobile robot navigation. 2021 ,		0
201	Development of a novel motion capture and gait analysis system for rat locomotion. 2021 , 35, 961-980		
200	hNet: Single-shot 3D shape reconstruction using structured light and h-shaped global guidance network. 2021 , 4, 100104		2
199	Low-Bandwidth and Compute-Bound RGB-D Planar Semantic SLAM. <i>Sensors</i> , 2021 , 21,	3.8	0
198	. 2021 ,		
197	Depth-Camera-Aided Inertial Navigation Utilizing Directional Constraints. <i>Sensors</i> , 2021 , 21,	3.8	1
196	Human motion capture for movement limitation analysis using an RGB-D camera in spondyloarthritis: a validation study. 2021 , 59, 2127-2137		
195	End-to-End Probabilistic Depth Perception and 3D Obstacle Avoidance using POMDP. 2021 , 103, 1		1
194	Evaluation of Depth Cameras for Use in Fruit Localization and Sizing: Finding a Successor to Kinect v2. 2021 , 11, 1780		7
193	Edge-Based Meta-ICP Algorithm for Reliable Camera Pose Estimation. <i>IEEE Access</i> , 2021 , 9, 89020-89028	3.5	

192	A Registration Framework for the Comparison of Video and Optical See-Through Devices in Interactive Augmented Reality. <i>IEEE Access</i> , 2021 , 9, 64828-64843	3.5	1
191	Estimating Depth from RGB and Sparse Sensing. 2018 , 176-192		38
190	3D Reconstruction from RGB-D Data. 2019 , 87-115		1
189	Autonomous Assistive Robot for Respiratory Rate Detection and Tracking. 2014 , 61-72		3
188	Development of Modular Compliant Anthropomorphic Robot Hand. 2014 , 205-219		2
187	Noise Robustness Analysis of Point Cloud Descriptors. 2013 , 68-79		3
186	A Comparison of 3D Sensors for Wheeled Mobile Robots. 2016 , 29-41		7
185	Ground Plane Detection Using an RGB-D Sensor. 2014 , 69-77		4
184	Stereo Refinement for Photo Editing. 2014 , 391-399		0
183	Vision System. 2015 , 55-93		2
182	Assessing the Suitability of the Microsoft Kinect for Calculating Person Specific Body Segment Parameters. 2015 , 372-385		3
181	3D Object Pose Refinement in Range Images. 2015 , 263-274		9
180	Learning to Juggle in an Interactive Virtual Reality Environment. 2015 , 196-201		2
179	Low-Cost Service to Predict and Manage Indoor Parking Spaces. 2015 , 225-236		2
178	Star-Effect Simulation for Photography Using Self-calibrated Stereo Vision. 2016 , 228-240		1
177	Design of Face Tracking System Using Environmental Cameras and Flying Robot for Evaluation of Health Care. 2016 , 264-273		2
176	The Virtual Experiences Portals \square A Reconfigurable Platform for Immersive Visualization. 2016 , 186-197		2
175	Terrestrial Laser Scanning in the Age of Sensing. 2016 , 3-33		9

174	A Powerful and Cost-Efficient Human Perception System for Camera Networks and Mobile Robotics. 2017 , 485-497	1
173	A Simple Evaluation Procedure for Range Camera Measurement Quality. 2016 , 286-296	1
172	Embodiment of Human Personality with EI-Robots by Mapping Behaviour Traits from Live-Model. 2017 , 438-448	2
171	Multiple NUI Device Approach to Full Body Tracking for Collaborative Virtual Environments. 2017 , 131-147	4
170	A Shadow Repair Approach for Kinect Depth Maps. 2013 , 615-626	13
169	Model-Based Multi-view Registration for RGB-D Sensors. 2013 , 496-503	3
168	Part Alignment Identification and Adaptive Pick-and-Place Operation for Flat Surfaces. 2013 , 203-212	2
167	A Dynamic Fitting Room Based on Microsoft Kinect and Augmented Reality Technologies. 2013 , 177-185	8
166	A 3D Impression Acquisition System for Forensic Applications. 2013 , 9-20	3
165	Robust Silhouette Extraction from Kinect Data. 2013 , 642-651	2
164	3D Surface Reconstruction Using Polynomial Texture Mapping. 2013 , 353-362	3
163	Easy-to-Use and Accurate Calibration of RGB-D Cameras from Spheres. 2014 , 265-278	9
162	Ergonomische Gestaltung. 2018 , 417-549	1
161	A Novel Approach to Gesture Recognition in Sign Language Applications Using AVL Tree and SVM. 2018 , 271-277	4
160	Evaluation of low-cost depth cameras for agricultural applications. 2020 , 173, 105394	18
159	Adaptive colour-guided non-local means algorithm for compound noise reduction of depth maps. 2020 , 14, 2768-2779	2
158	A Gecko-Like/Electrostatic Gripper for Free-Flying Perching Robots. 2020 ,	2
157	Vision. 2013 ,	2

156	Multiple Kinect based system to monitor and analyze key performance indicators of physical training. 2020 , 10,	22
155	Visual Quality Assessment. 2015 , 317-328	1
154	Approach for accurate calibration of RGB-D cameras using spheres. 2020 , 28, 19058-19073	4
153	LivePhantom: Retrieving Virtual World Light Data to Real Environments. 2016 , 11, e0166424	2
152	Teleoperating Assistive Robots: A Novel User Interface Relying on Semi-Autonomy and 3D Environment Mapping. 2017 , 29, 381-394	4
151	Use of Commercial Off-The-Shelf Devices for the Detection of Manual Gestures in Surgery: Systematic Literature Review. 2019 , 21, e11925	6
150	Position and orientation tracking in a ubiquitous monitoring system for Parkinson disease patients with freezing of gait symptom. 2013 , 1, e14	23
149	Quantification of Strawberry Plant Growth and Amount of Light Received Using a Depth Sensor. 2020 , 58, 31-36	4
148	A Survey of 3D Rigid Registration Methods for RGB-D Cameras. 2018 , 74-98	2
147	Soil surface roughness: comparing old and new measuring methods and application in a soil erosion model.	3
146	Three Dimensional (3D) Lumbar Vertebrae Data Set. 2016 , 15,	4
145	Validation of Attitude and Heading Reference System and Microsoft Kinect for Continuous Measurement of Cervical Range of Motion Compared to the Optical Motion Capture System. 2016 , 40, 568-74	7
144	Improving the Depth Accuracy and Assessment of Microsoft Kinect v2 Towards a Usage for Mechanical Part Modeling. 2019 , 36, 691-697	2
143	Accurate 3D Shape Reconstruction from Single Structured-Light Image via Fringe-to-Fringe Network. 2021 , 8, 459	2
142	Efficient 3D Mapping and Modelling of Indoor Scenes with the Microsoft HoloLens: A Survey. 1	3
141	Obstacle Detection for Generating the Motion of Humanoid Robot. 2012 , 18, 1115-1121	1
140	Enhancing Metric Perception with RGB-D Camera. 2013 , 23-31	
139	A Novel Approach for Quantitative Analysis of 3D Phosphenes. 2013 , 342-349	

138 Applications. **2013**, 193-231

137 Stereoscopic Video Compositing with a DSLR and Depth Information by Kinect. **2013**, 38C, 920-927

4

136 Mainstreaming gesture based interfaces. **2013**, 61, 2655-2660

135 Upper Body Joint Angle Measurements for Physical Rehabilitation Using Visual Feedback. **2014**, 91-104

134 Spatial Uncertainty Model of a Three-View RGB-D Camera System. **2014**, 117-128

133 Plane Approximation-Based Approach for 3D Reconstruction of Ball Trajectory for Performance Analysis in Table Tennis. **2014**, 47-66

132 Effects of Gender Mapping on the Perception of Emotion from Upper Body Movement in Virtual Characters. **2014**, 263-273

131 Markerless Vision-Based Skeleton Tracking in Therapy of Gross Motor Skill Disorders in Children. **2014**, 79-93

1

130 Natural User Interfaces for Exploring and Modeling Medical Images and Defining Gesture Description Technology. **2015**, 205-279

129 Detection Accuracy Improvement of Hand Region using Kinect. **2014**, 18, 2727-2732

128 Un nuevo sistema para detectar la distracci3n y la somnolencia utilizando el tiempo de tecnolog3a de vuelo para veh3culos inteligentes. **2014**, 6,

127 Depth Recovery with Face Priors. **2015**, 336-351

126 Calculating Reachable Workspace Volume for Use in Quantitative Medicine. **2015**, 570-583

125 The Microsoft KINECT: A Novel Tool for Psycholinguistic Research. **2015**, 05, 291-301

124 How Many Kinects Should Look At You? A Multi-Agent System Approach. **2015**, 105-112

1

123 Fine-Motion Estimation Using Ego/Exo-Cameras. **2015**, 37, 766-771

1

122 Scan Planning for RGB-D Mapping Based on Grid Map. **2016**, 231-243

121 A proof of concept of an augmented reality system for Nuss surgery. **2015**, 227-232

- 120 Telepresence Robot Using Microsoft Kinect Sensor and Video Glasses. **2016**, 91-101
- 119 Optimal Depth Calibration for Kinect™ Sensors via an Experimental Design Method. **2015**, 21, 1003-1007
- 118 Facial Expression Recognition System for User Preference Extraction. **2016**, 453-461
- 117 UM MODO ADAPTATIVO PARA REGISTRO DE DADOS RGB-D. **2016**, 22, 132-156
- 116 A comparison of linearisation and the unscented transform for computer vision applications. **2016**,
- 115 Gesture Recognition Sensor: Development of a Tool with Playful Applications to Evaluate the Physical and Cognitive Skills of Children Through the Use of Bootstrap Algorithm. **2017**, 365-379
- 114 Probabilistic Combination of Noisy Points and Planes for RGB-D Odometry. **2017**, 340-350 3
- 113 Exploratory Research on Application of Different Vision System on Warehouse Robot Using Selective Algorithm. **2017**, 290-296
- 112 Towards a Sensor Failure-Dependent Performance Adaptation Using the Validity Concept. **2017**, 270-286 1
- 111 A Pseudo-3D Vision-Based Dual Approach for Machine-Awareness in Indoor Environment Combining Multi-resolution Visual Information. **2017**, 644-654
- 110 A Novel Approach to Extract Hand Gesture Feature in Depth Images. **2017**, 193-205 3
- 109 Linear depth reconstruction for RGBD sensors. **2017**, 0
- 108 Unsynchronized scanning with a low-cost laser range finder for real-time range imaging. **2017**,
- 107 Accurate generation of the 3D map of environment with a RGB-D camera. **2017**, 1
- 106 A Study of Vision Based Human Motion Recognition and Analysis. **2018**, 2269-2289 1
- 105 Live Mixed Reality Video Production for Educational Presentation. **2018**, 363-372
- 104 Localization of transparent objects using signed distance functions. **2018**,
- 103 Use of commercial off-the-shelf devices for detection of manual gestures in surgery. A Systematic Literature Review (Preprint).

102	Accurate alignment of RGB-D frames for 3D map generation. 2018,	0
101	Kinect-Based Approach for Upper Body Movement Assessment in Stroke. 2019, 153-160	1
100	Reparation of transparency for high-quality three-dimensional reconstruction using a single RGB-D sensor. 2018, 57, 1	
99	Using Stereo-photogrammetry for Interiors Reconstruction in 3D Game Development. 2019, 20-29	
98	Multimodal Path Planning Using Potential Field for HumanRobot Interaction. 2019, 597-609	
97	Human Activity Recognition Using Wi-Fi Imaging with Deep Learning. 2019, 20-38	1
96	RGB-D Sensors Data Quality Assessment and Improvement for Advanced Applications. 2019, 67-86	1
95	Scanning depth sensor for see-through AR glasses. 2019,	1
94	Depth in the visual attention modelling from the egocentric perspective of view. 2019,	1
93	Probabilistic Orientation Resolution for Near Symmetrical Objects Using Depth Images. 2020, 479-487	
92	Biologisch valides Motion Capture von Dirigierbewegungen mit dem kinelyze-System. 28,	
91	Depth-Fusion Based on Gaussian Mixture Model for RGB-D Visual SLAM. 2020, 234-242	
90	3D map generation based on keyframes selection and keypoints tracking. 2019,	
89	Planelet Transform: A New Geometrical Wavelet for Compression of Kinect-like Depth Images. 2019, 16, 41-60	
88	3D Hand Movement Measurement Framework for Studying Human-Computer Interaction. 2020, 513-524	
87	Comparative Studies of Robot Navigation. 2020, 301-310	2
86	Handheld Laser Scanner Research. 2019, 952, 47-54	
85	Time-of-Flight Depth Datasets for Indoor Semantic SLAM. 2020, 679-693	

84	Análisis de Flexo-extensión del Cuello Mediante el Uso de Visión Artificial. 2020 , 45, 7-16		
83	Tensegrity representation of microtubule objects using unified particle objects and springs. 2020 , 20, 19-43		1
82	FarOut Touch: Extending the Range of ad hoc Touch Sensing with Depth Cameras. 2021 ,		1
81	Intelligent Digital Tutor to Assemble Puzzles Based on Artificial Intelligence Techniques. 2020 , 56-71		1
80	Robust Calibration of a Multi-View Azure Kinect Scanner Based on Spatial Consistency. 2020 ,		
79	Determination of Body Parts in Holstein Friesian Cows Comparing Neural Networks and k Nearest Neighbour Classification. 2020 , 11,		2
78	Recognizing Threats From Unknown Real-Time Big Data System Faults. 2020 , 331-366		
77	Low-Cost RGB-D-SLAM Experimental Results for Real Building Interior Mapping. 2020 , 39-49		
76	Temporal Source Strength Estimation of Sweet Pepper for Crop Management and LED Supplementation Efficiency Improvement. 2020 , 13, 73-80		
75	A Study on 3D Reconstruction Method for Common View Field in Hybrid Vision System. 2020 , 41-49		
74	A Defocus Based Novel Keyboard Design. 2020 , 363-379		
73	Online Learning of a Probabilistic and Adaptive Scene Representation. 2021 ,		1
72	. 2021 ,		7
71	Predicting High-fidelity Human Body Models from Impaired Point Clouds. <i>Signal Processing</i> , 2021 , 192, 108375		4.4
70	Analysis of the performance of different culvert boundary conditions in 2D shallow flow models. <i>Journal of Hydroinformatics</i> , 2020 , 22, 1093-1121	2.6	1
69	Diagnosing for the influence on strawberry growth by EC management using a 3-D depth sensor. <i>Acta Horticulturae</i> , 2020 , 1035-1040	0.3	0
68	Development of LAI and fruit load estimation method using a three-dimensional shape measurement sensor. <i>Acta Horticulturae</i> , 2020 , 1063-1070	0.3	0
67	Ambient intelligence: Placement of Kinect sensors in the home of older adults with visual disabilities. <i>Technology and Disability</i> , 2020 , 32, 271-283	0.7	1

66	Sensing Crop Geometry and Structure. <i>Progress in Precision Agriculture</i> , 2021 , 59-92		1
65	Robust feature-free pose tracking and uncertainty-aware geometry reconstruction for spinning non-cooperative targets. <i>Computers and Graphics</i> , 2022 , 102, 30-44	1.8	0
64	Point Clouds With Color: A Simple Open Library for Matching RGB and Depth Pixels from an Uncalibrated Stereo Pair. 2021 ,		
63	Multiple Cylinder Extraction from Organized Point Clouds. <i>Sensors</i> , 2021 , 21,	3.8	
62	Extrinsic and Intrinsic Factors Regulating Juvenile Refractive Development and Eye Growth. 2021 , 62, 21		
61	Robot Platooning Strategy for Search and Rescue Operations. <i>Intelligent Service Robotics</i> , 1	2.6	
60	Localization and Estimation of Bending and Twisting Loads Using Neural Networks. 2020 ,		
59	airFinger: Micro Finger Gesture Recognition via NIR Light Sensing for Smart Devices. 2020 ,		
58	Human-in-the-Loop Robot Control for Human-Robot Collaboration: Human Intention Estimation and Safe Trajectory Tracking Control for Collaborative Tasks. <i>IEEE Control Systems</i> , 2020 , 40, 29-56	2.9	4
57	Weight algorithm based depth camera point-to-plane ICP algorithm. 2021 ,		1
56	Plane Segmentation Using Depth-Dependent Flood Fill. 2021 ,		0
55	Radiation Scene Reconstruction Based on Image Fusion from Gamma Camera and RGB-D Camera. 2021 ,		
54	Lightweight Monocular Depth Estimation Based On Perceptual Loss and Network Slimming. 2021 ,		
53	Effective Key Region-Guided Face Detail Optimization Algorithm for 3D Face Reconstruction. <i>Journal of Sensors</i> , 2022 , 2022, 1-13	2	
52	3D Static Point Cloud Registration by Estimating Temporal Human Pose at Multiview.. <i>Sensors</i> , 2022 , 22,	3.8	
51	A Comparative Study between Scanning Devices for 3D Printing of Personalized Ostomy Patches.. <i>Sensors</i> , 2022 , 22,	3.8	1
50	A Review of Indirect Time-of-Flight Technologies. <i>IEEE Transactions on Electron Devices</i> , 2022 , 1-15	2.9	2
49	Towards Fully Synthetic Training of Indoor Object Detectors: Ablation Study. <i>SSRN Electronic Journal</i> ,	1	

48	A Six-Stream CNN Fusion-Based Human Activity Recognition on RGBD Data. <i>Advances in Computational Intelligence and Robotics Book Series</i> , 2022 , 124-155	0.4	
47	ORB-TEDM: An RGB-D SLAM Approach Fusing ORB Triangulation Estimates and Depth Measurements. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 71, 1-15	5.2	8
46	A relaxed Gaussian mixture model framework for terrain classification based on distinct range datasets. <i>Remote Sensing Letters</i> , 2022 , 13, 470-479	2.3	
45	Proposing UGV and UAV Systems for 3D Mapping of Orchard Environments.. <i>Sensors</i> , 2022 , 22,	3.8	1
44	Scanning Technologies to Building Information Modelling: A Review. <i>Infrastructures</i> , 2022 , 7, 49	2.6	3
43	A Vision-Based System for In-Sleep Upper-Body and Head Pose Classification.. <i>Sensors</i> , 2022 , 22,	3.8	0
42	Distance measurement error compensation using machine learning for laser scanning AMCW time-of-flight sensor. 2022 ,		0
41	CNN-Based Dense Monocular Visual SLAM for Real-Time UAV Exploration in Emergency Conditions. <i>Drones</i> , 2022 , 6, 79	5.4	3
40	Iterative extrinsic calibration using virtual viewpoint for 3D reconstruction. <i>Signal Processing</i> , 2022 , 197, 108535	4.4	0
39	Laser Positioning Method of Intelligent Building Plastering Robot. 2021 ,		
38	IoT-Based Touchless Remote Control for Robotic Arm Using Kinect. 2021 ,		
37	Influence of Pitch Angle Errors in 3D Scene Reconstruction Based on U-V Disparity: A Sensitivity Study.. <i>Sensors</i> , 2021 , 22,	3.8	0
36	A Survey of Multi View Stereo. 2021 ,		
35	Human-in-the-Loop Robot Control for Human-Robot Collaboration: HUMAN INTENTION ESTIMATION AND SAFE TRAJECTORY TRACKING CONTROL FOR COLLABORATIVE TASKS.. <i>IEEE Control Systems</i> , 2020 , 40, 29-56	2.9	
34	An RGB-D Framework for Capturing Soft-sediment Microtopography. <i>Methods in Ecology and Evolution</i> ,	7.7	
33	A Comparison of High-Throughput Imaging Methods for Quantifying Plant Growth Traits and Estimating Above-Ground Biomass Accumulation. <i>SSRN Electronic Journal</i> ,	1	
32	A Novel LoRa LPWAN-based Communication Architecture for Search & Rescue Missions. <i>IEEE Access</i> , 2022 , 1-1	3.5	0
31	A depth-colour image registration method based on local feature point extraction. <i>Biosystems Engineering</i> , 2022 , 219, 268-280	4.8	

- 30 Mobile Terrestrial Laser Scanning and Mapping. **2022**, 303-340
- 29 Visual-SLAM Classical Framework and Key Techniques: A Review. *Sensors*, **2022**, 22, 4582 3.8 2
- 28 A Continuum Robot Surface of Woven, McKibben Muscles Embedded in and Giving Shape to Rooms. **2022**,
- 27 BİYOMEKANİK ANALİZDE YER KALDIRMA HAREKETİ YAKALAMA YÖNTEMLERİ VE BİRNEK UYGULAMA. *Kıklareli Üniversitesi Mühendislik Ve Fen Bilimleri Dergisi*,
- 26 What Can We Learn from Depth Camera Sensor Noise?. *Sensors*, **2022**, 22, 5448 3.8 0
- 25 Non-contact detection method of pregnant sows backfat thickness based on two-dimensional images.
- 24 A comparison of high-throughput imaging methods for quantifying plant growth traits and estimating above-ground biomass accumulation. **2022**, 141, 126634 0
- 23 Tracking System for Inspection and Analysis Using the ToF Method Supported by Automatic Calibration. **2022**, 207-215 0
- 22 Detecting 3D Hand Pointing Direction from RGB-D Data in Wide-Ranging HRI Scenarios. **2022**, 0
- 21 Gradient-SDF: A Semi-Implicit Surface Representation for 3D Reconstruction. **2022**, 0
- 20 On 3D Reconstruction Using RGB-D Cameras. **2022**, 2, 401-421 2
- 19 Accurate RGB-D SLAM in dynamic environments based on dynamic visual feature removal. **2022**, 65, 0
- 18 Towards a non-intrusive method employing digital twin models for the assessment of complex large wood accumulations in fluvial environments. **2022**, 128505 0
- 17 Probabilistic Fusion of Depth Maps With a Reliable Estimation of the Local Reconstruction Quality. **2022**, 7, 11982-11989 0
- 16 The use of digital twin models to document cultural heritage monuments. **2022**, 0
- 15 Semantic segmentation of bridge components and road infrastructure from mobile LiDAR data. **2022**, 6, 100023 0
- 14 Multi-Source Feature Fusion for Object Detection Association in Connected Vehicle Environments. **2022**, 10, 131841-131854 0
- 13 Patient's actions recognition in hospital's recovery department based on RGB-D dataset. 0

- 12 A Mobile Robot Mapping Method Integrating Lidar and Depth Camera. **2022**, 2402, 012031 ○
- 11 Vision. **2013**, ○
- 10 3D Polygonal Mapping for Humanoid Robot Navigation. **2022**, ○
- 9 High-Quality RGB-D Reconstruction via Multi-View Uncalibrated Photometric Stereo and Gradient-SDF. **2023**, ○
- 8 Review of Research on Robot Visual Slam. **2022**, ○
- 7 A Bidirectional Guided Filter Used for RGB-D Maps. **2023**, 72, 1-14 ○
- 6 Upper Body Pose Estimation Using Deep Learning for a Virtual Reality Avatar. **2023**, 13, 2460 ○
- 5 Augmenting Simulation Data with Sensor Effects for Improved Domain Transfer. **2023**, 765-779 ○
- 4 Simultaneous Localization and Mapping (SLAM) for Autonomous Driving: Concept and Analysis. **2023**, 15, 1156 ○
- 3 Analysis of Plantar Tactile Sensitivity in Older Women after Conventional Proprioceptive Training and Exergame. **2023**, 20, 5033 ○
- 2 Feature extraction and matching combined with depth information in visual simultaneous localization and mapping. **2023**, 20, 172988062311582 ○
- 1 Depth Estimation Based on Monocular Camera Sensors in Autonomous Vehicles: A Self-supervised Learning Approach. ○