Interventions for preventing falls in older people living

The Cochrane Library 2021, CD007146

DOI: 10.1002/14651858.cd007146.pub3

Citation Report

#	Article	IF	CITATIONS
1	Physical activity for preventing or managing osteoporosis in men. The Cochrane Library, 2000, , .	1.5	1
2	Systematic reviews on preventing fall-related injuries in older people. Injury Prevention, 2008, 14, 274-274.	1.2	2
3	Evaluation of functional deficits and falls risk in the elderly $\$*x2013$; methods for preventing falls., 2009, 2009, 6179-82.		7
4	Prevention of falls and fall-related injuries in older people. Injury Prevention, 2009, 15, 354-355.	1.2	31
5	Improving the treatment of major osteoporotic fractures. Cmaj, 2009, 181, 247-248.	0.9	2
6	Medical Care for the Final Years of Life. JAMA - Journal of the American Medical Association, 2009, 302, 2686.	3.8	103
7	Development of services for older patients with falls and fractures in England: successes, failures, lessons and controversies. Archives of Gerontology and Geriatrics, 2009, 49, S7-S12.	1.4	15
9	Progress in osteoporosis and fracture prevention: focus on postmenopausal women. Arthritis Research and Therapy, 2009, 11, 251.	1.6	38
10	Behavioral Interventions to Reduce Risk of Falls in Nursing Home Residents. Journal of the American Medical Directors Association, 2009, 10, 593-594.	1.2	7
11	Primary Care–Relevant Interventions to Prevent Falling in Older Adults: A Systematic Evidence Review for the U.S. Preventive Services Task Force. Annals of Internal Medicine, 2010, 153, 815.	2.0	254
12	Using psychometric techniques to improve the Balance Evaluation Systems Test: the mini-BESTest. Journal of Rehabilitation Medicine, 2010, 42, 323-331.	0.8	687
13	Community falls prevention for people who call an emergency ambulance after a fall: randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c2102-c2102.	2.4	94
14	Indoor and Outdoor Falls in Older Adults Are Different: The Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly of Boston Study. Journal of the American Geriatrics Society, 2010, 58, 2135-2141.	1.3	207
15	Collaboration of a Model Osteoporosis Prevention and Management Program in a Faith Community. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2010, 39, 212-219.	0.2	3
16	Optimal management of sarcopenia. Clinical Interventions in Aging, 2010, 5, 217.	1.3	193
17	Circumstances and consequences of falls in polio survivors. Journal of Rehabilitation Medicine, 2010, 42, 908-915.	0.8	55
18	Community-based health efforts for the prevention of falls in the elderly. Clinical Interventions in Aging, 2011, 6, 19.	1.3	35
19	Vitamin D – let's get back to the evidence base. IBMS BoneKEy, 2010, 7, 249-253.	0.1	6

#	Article	IF	Citations
20	Prevention of falls and fall related injuries in older people in nursing homes and hospitals. Injury Prevention, 2010, 16, 137-138.	1.2	8
21	Exercise Effects on Bone Mineral Density, Falls, Coronary Risk Factors, and Health Care Costs in Older Women. Archives of Internal Medicine, 2010, 170, 179.	4.3	135
22	Modelling the population-level impact of tai-chi on falls and fall-related injury among community-dwelling older people. Injury Prevention, 2010, 16, 321-326.	1.2	16
23	Validity and Sensitivity to Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults with and without Cognitive Impairment. Gerontology, 2011, 57, 462-472.	1.4	115
24	Multifactorial Intervention to Reduce Falls in Older People at High Risk of Recurrent Falls. Archives of Internal Medicine, 2010, 170, 1110-7.	4.3	80
25	Effect of High-Dosage Cholecalciferol and Extended Physiotherapy on Complications After Hip Fracture. Archives of Internal Medicine, 2010, 170, 813.	4.3	185
26	The Patient Who Falls. JAMA - Journal of the American Medical Association, 2010, 303, 258.	3.8	767
27	Algunas estrategias de prevención para mantener la autonomÃa y funcionalidad del adulto mayor. Revista Médica ClÃnica Las Condes, 2010, 21, 831-837.	0.2	2
28	How to manage falls in community dwelling older adults: a review of the evidence. Postgraduate Medical Journal, 2010, 86, 299-306.	0.9	26
29	Why Multifactorial Fall-Prevention Interventions May Not Work. Archives of Internal Medicine, 2010, 170, 1117-9.	4.3	21
30	Qualitative study on the impact of falling in frail older persons and family caregivers: Foundations for an intervention to prevent falls. Aging and Mental Health, 2010, 14, 834-842.	1.5	87
31	Effects of the DASH Diet Alone and in Combination With Exercise and Weight Loss on Blood Pressure and Cardiovascular Biomarkers in Men and Women With High Blood Pressure. Archives of Internal Medicine, 2010, 170, 126.	4.3	459
32	Poor vision and falls. BMJ: British Medical Journal, 2010, 340, c2456-c2456.	2.4	7
33	BASE - An interactive technology solution to deliver balance and strength exercises to older adults. , $2010, , .$		32
34	Management of the oldest old with osteoporosis. European Geriatric Medicine, 2010, 1, 15-21.	1.2	7
35	Compliance and satisfaction with a comprehensive falls intervention programme. European Geriatric Medicine, 2010, 1, 348-351.	1.2	3
36	Evaluaci \tilde{A}^3 n cl \tilde{A} nica de la osteoporosis. Diagn \tilde{A}^3 stico. Medidas preventivas. Calcio y vitamina D en la salud \tilde{A}^3 sea y las fracturas. Medicine, 2010, 10, 4117-4127.	0.0	0
38	Development of a Fall Prevention Survey to Determine Educational Needs for Primary Care Providers. Gerontology and Geriatrics Education, 2010, 31, 310-327.	0.6	3

#	ARTICLE	lF	Citations
39	An exercise intervention to prevent falls in people with Parkinson's disease: a pragmatic randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1232-1238.	0.9	134
40	Fall assessment in older people. BMJ, The, 2011, 343, d5153-d5153.	3.0	41
41	Effectiveness of a multifaceted podiatry intervention to prevent falls in community dwelling older people with disabling foot pain: randomised controlled trial. BMJ: British Medical Journal, 2011, 342, d3411-d3411.	2.4	117
44	2011 Up-Date of the Consensus Statement of the Spanish Society of Rheumatology on Osteoporosis. ReumatologÃa ClÃnica (English Edition), 2011, 7, 357-379.	0.2	15
45	Moving balance and mobility evidence in to action: A primer in knowledge translation. Gait and Posture, 2011, 33, 527-531.	0.6	8
48	BEST at home: a pilot evaluation of a home-based strength and balance exercise program. Health Promotion Journal of Australia, 2011, 22, 234-237.	0.6	4
49	Use of the Dynamic Visual Acuity Test as a screener for community-dwelling older adults who fall. Journal of Vestibular Research: Equilibrium and Orientation, 2011, 21, 267-276.	0.8	32
50	A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. Injury Prevention, 2011, 17, e3-e3.	1.2	28
51	A Prospective Study of the Incidence of Falls in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2011, 42, 535-540.	0.6	29
52	Preventing falls among seniors: The way forward. Journal of Safety Research, 2011, 42, 537-541.	1.7	12
53	\hat{A}_{c}^{2} C \hat{A}_{c}^{3} mo hacer prevenci \hat{A}_{c}^{3} n de los accidentes en los ancianos desde la consulta?. FMC Formacion Medica Continuada En Atencion Primaria, 2011, 18, 17-20.	0.0	1
54	Spectral Analysis of Accelerometry Signals From a Directed-Routine for Falls-Risk Estimation. IEEE Transactions on Biomedical Engineering, 2011, 58, 2308-2315.	2.5	38
55	Living with falls: house-bound older people's experiences of health and community care. European Journal of Ageing, 2011, 8, 271-279.	1.2	17
56	Osteoporosis: burden, health care provision and opportunities in the EU. Archives of Osteoporosis, 2011, 6, 59-155.	1.0	459
57	Neurological aspects of falls in older adults. Clinical Medicine, 2011, 11, 160-161.	0.8	1
58	Community-dwelling older adults with balance impairment show a moderate increase in fall risk, although further research is required to refine how balance measurement can be used in clinical practice. Evidence-based Nursing, 2011, 13, 96-97.	0.1	5
59	Lack of Evaluation of the Effects of Single Preventive Measures for Falling. Archives of Internal Medicine, 2011, 171, 181.	4.3	0
60	A music-based multitask exercise programme is a promising intervention for improving gait, balance and fall risk in older adults. Evidence-based Nursing, 2011, 14, 108-109.	0.1	5

#	Article	IF	CITATIONS
61	The Otago strength and balance exercise programme lowers the risk of death and falls in the older people at 12 months. Evidence-based Nursing, 2011, 14, 76-78.	0.1	8
62	Living With an Aging Parent. JAMA - Journal of the American Medical Association, 2011, 306, 746.	3.8	10
63	Effect of Music-Based Multitask Training on Gait, Balance, and Fall Risk in Elderly People. Archives of Internal Medicine, 2011, 171, 525-33.	4.3	198
64	Effectiveness of simple balancing training program in elderly patients with history of frequent falls. Clinical Interventions in Aging, 2011, 6, 111.	1.3	29
65	An Intergenerational Approach in the Promotion of Balance and Strength for Fall Prevention – A Mini-Review. Gerontology, 2011, 57, 304-315.	1.4	111
66	Engaging Community-Based Organizations in Fall Prevention Education. Gerontology and Geriatrics Education, 2011, 32, 182-196.	0.6	11
67	Falls requiring medical attention among veterans with multiple sclerosis: A cohort study. Journal of Rehabilitation Research and Development, 2011, 48, 13.	1.6	60
68	Vitamin D deficiency and falls. Neurology, 2011, 76, 1612-1613.	1.5	0
69	Childhood and adult mortality from unintentional falls in India. Bulletin of the World Health Organization, 2011, 89, 733-740.	1.5	28
70	How to Define Optimal Vitamin D Status. , 2011, , 1067-1088.		3
71	Vitamin D and Skeletal Muscle Function. , 2011, , 2023-2041.		3
72	Getting sports injury prevention on to public health agendas – addressing the shortfalls in current information sources. British Journal of Sports Medicine, 2012, 46, 70-74.	3.1	43
73	Falls and fractures in patients chronically treated with antiepileptic drugs. Neurology, 2012, 79, 145-151.	1.5	90
74	Improving patients' outcomes after osteoporotic fractures. International Journal of Clinical Rheumatology, 2012, 7, 109-124.	0.3	10
75	Senior Adult Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2012, 10, 162-209.	2.3	105
76	End of the Spectacular Decrease in Fall-Related Mortality Rate: Men Are Catching Up. American Journal of Public Health, 2012, 102, S207-S211.	1.5	17
77	Diretrizes para prevenção e tratamento da osteoporose induzida por glicocorticoide. Revista Brasileira De Reumatologia, 2012, 52, 580-593.	0.8	66
78	Prevention of Falls in Community-Dwelling Older Adults: U.S. Preventive Services Task Force Recommendation Statement. Annals of Internal Medicine, 2012, 157, 197.	2.0	229

#	Article	IF	CITATIONS
79	The Dose-Response Relationship of Balance Training in Physically Active Older Adults. Journal of Aging and Physical Activity, 2012, 20, 442-455.	0.5	3
80	Addressing Fall-Related Disability in the Older Adult Population: Bridging Kinesiology Theory, Research, and Practice. Kinesiology Review, 2012, 1, 24-31.	0.4	2
81	The Problem Is Falls: The Answer Is Kinesiology. Kinesiology Review, 2012, 1, 32-36.	0.4	2
82	Vorschlag f \tilde{A}^{1}_{4} r ein Mehrphasensturzmodell auf der Basis von Sturzdokumentationen mit am K \tilde{A}^{\dagger} rper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2012, 45, 707-715.	0.8	50
86	The effect of the Nintendo Wii Fit and exercise in improving balance and quality of life in community dwelling elders. Technology and Health Care, 2012, 20, 95-115.	0.5	117
87	Interventions for preventing falls in older people living in the community. The Cochrane Library, 2021, 2021, CD007146.	1.5	1,914
88	Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2012, 12, CD005465.	1.5	422
89	An exercise intervention to prevent falls in Parkinson's: an economic evaluation. BMC Health Services Research, 2012, 12, 426.	0.9	29
90	A Transformative Subfield in Rehabilitation Science at the Nexus of New Technologies, Aging, and Disability. Frontiers in Psychology, 2012, 3, 340.	1.1	12
91	Home health physical therapy. , 2012, , 457-481.		0
93	Consumer Products and Fall-related Injuries in Seniors. Canadian Journal of Public Health, 2012, 103, e332-e337.	1.1	8
94	IMPACT OF TAI CHI ON IMPAIRMENT, FUNCTIONAL LIMITATION, AND DISABILITY AMONG PRECLINICALLY DISABLED OLDER PEOPLE: A RANDOMIZED CONTROLLED TRIAL. Injury Prevention, 2012, 18, A119.1-A119.	1.2	0
95	The cost effectiveness of exercise for preventing falls in older people living in the community: A systematic review. JBI Library of Systematic Reviews, 2012, 10, 3949-3959.	0.1	0
96	Analyzing the problem of falls among older people. International Journal of General Medicine, 2012, 5, 805.	0.8	175
97	Effects of an adapted physical activity program on the physical condition of elderly women: an analysis of efficiency. Brazilian Journal of Physical Therapy, 2012, 16, 328-336.	1.1	11
98	Dissemination of an Evidence-based Program to Reduce Fear of Falling, South Carolina, 2006-2009. Preventing Chronic Disease, 2012, 9, E103.	1.7	21
100	Clinical balance assessment: perceptions of commonly-used standardized measures and current practices among physiotherapists in Ontario, Canada. Implementation Science, 2013, 8, 33.	2.5	54
101	The effect of clinical interventions on hospital readmissions: a meta-review of published meta-analyses. Israel Journal of Health Policy Research, 2013, 2, 1.	1.4	42

#	ARTICLE	IF	CITATIONS
102	The risk of falls on initiation of antihypertensive drugs in the elderly. Osteoporosis International, 2013, 24, 2649-2657.	1.3	97
103	Prevention of falls in the elderly—a review. Osteoporosis International, 2013, 24, 747-762.	1.3	226
104	Falls as Risk Factors for Fracture. , 2013, , 803-815.		5
105	Fracture Risk Assessment., 2013, , 1611-1637.		5
106	Falls Prevention Interventions. , 2013, , 1649-1666.		2
107	Functional gait rehabilitation in elderly people following a fall-related hip fracture using a treadmill with visual context: design of a randomized controlled trial. BMC Geriatrics, 2013, 13, 34.	1.1	32
108	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DAnCE) fall prevention randomised controlled trial. BMC Public Health, 2013, 13, 477.	1.2	45
109	Effects of a multimodal exercise program in pedal dexterity and balance: study with Portuguese older adults of different contexts. European Review of Aging and Physical Activity, 2013, 10, 141-150.	1.3	1
110	Prescribing exercise for women. Current Reviews in Musculoskeletal Medicine, 2013, 6, 164-172.	1.3	12
112	Program-related factors are associated with adherence to group exercise interventions for the prevention of falls: a systematic review. Journal of Physiotherapy, 2013, 59, 81-92.	0.7	67
113	Interventions for preventing falls in people after stroke. The Cochrane Library, 2013, , CD008728.	1.5	104
114	Bone health in chronic neurological diseases: a focus on multiple sclerosis and parkinsonian syndromes. Practical Neurology, 2013, 13, 70-79.	0.5	24
115	A best practice fall prevention exercise program to improve balance, strength / power, and psychosocial health in older adults: study protocol for a randomized controlled trial. BMC Geriatrics, 2013, 13, 105.	1.1	130
116	Fall incidents unraveled: a series of 26 video-based real-life fall events in three frail older persons. BMC Geriatrics, 2013, 13, 103.	1.1	22
117	Falls in the general elderly population: a 3- and 6- year prospective study of risk factors using data from the longitudinal population study †Good ageing in Skaneâ€. BMC Geriatrics, 2013, 13, 81.	1.1	75
118	Sturzerkennung mit am Körper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 706-719.	0.8	126
119	Characteristics of outdoor falls among older people: a qualitative study. BMC Geriatrics, 2013, 13, 125.	1.1	67
120	Implementing an Evidenceâ€Based Fall Prevention Program in an Outpatient Clinical Setting. Journal of the American Geriatrics Society, 2013, 61, 2142-2149.	1.3	38

#	Article	IF	CITATIONS
121	New horizons in the pathogenesis, diagnosis and management of sarcopenia. Age and Ageing, 2013, 42, 145-150.	0.7	230
122	Effectiveness of Foot and Ankle Exercise Programs on Reducing the Risk of Falling in Older Adults. Journal of the American Podiatric Medical Association, 2013, 103, 534-547.	0.2	28
125	Syncope in the Older Person. Cardiac Electrophysiology Clinics, 2013, 5, 457-467.	0.7	1
126	Prospective study on risk factors for falling in elderly persons with mild to moderate intellectual disabilities. Research in Developmental Disabilities, 2013, 34, 3754-3765.	1.2	22
127	Sustainability of community-based fall prevention programs: A systematic review. Journal of Safety Research, 2013, 47, 9-17.	1.7	33
128	Treatment for menopausal symptoms and having health insurance were associated with a lower prevalence of falls among Brazilian women. Maturitas, 2013, 75, 367-372.	1.0	3
129	How can you prevent falls and subsequent fractures?. Best Practice and Research in Clinical Rheumatology, 2013, 27, 821-834.	1.4	7
130	Identifying clinically relevant groups of hip fracture patients at risk of adverse outcomes by using classification tree analysis. International Journal of Orthopaedic and Trauma Nursing, 2013, 17, 38-47.	0.4	2
131	Frailty Consensus: A Call to Action. Journal of the American Medical Directors Association, 2013, 14, 392-397.	1.2	2,839
133	Capsaicin for Postherpetic Neuralgia, Antenatal Self-Hypnosis Training, Tai chi to Reduce Fall Risk, Acupuncture for Acute Low Back Pain, and Biofeedback for Tension Headache. Explore: the Journal of Science and Healing, 2013, 9, 334-337.	0.4	1
134	Diagnosis and Treatment of Osteoporosis in Older Adults. Endocrinology and Metabolism Clinics of North America, 2013, 42, 305-317.	1.2	23
135	Do Older Adults With Cancer Fall More Often? A Comparative Analysis of Falls in Those With and Without Cancer. Oncology Nursing Forum, 2013, 40, E69-E78.	0.5	72
136	The Importance of Trunk Muscle Strength for Balance, Functional Performance, and Fall Prevention in Seniors: A Systematic Review. Sports Medicine, 2013, 43, 627-641.	3.1	366
137	Bénéfices pour la santé de la pratique d'une activité physique chez le sujet âgé. Les Cahiers De L' Gerontologique, 2013, 5, 257-267.	annee 0.0	1
138	Normative health-related fitness values for children: analysis of 85347 test results on 9–17-year-old Australians since 1985. British Journal of Sports Medicine, 2013, 47, 98-108.	3.1	166
139	Exploring & Designing tools to enhance falls rehabilitation in the home. , 2013, , .		40
140	Association of Injurious Falls With Disability Outcomes and Nursing Home Admissions in Community-Living Older Persons. American Journal of Epidemiology, 2013, 178, 418-425.	1.6	214
141	Problems with a great idea: referral by prehospital emergency services to a community-based falls-prevention service. Injury Prevention, 2013, 19, 134-138.	1.2	22

#	Article	IF	Citations
142	Development of STEADI. Health Promotion Practice, 2013, 14, 706-714.	0.9	258
143	Fall Prevention in Community-Dwelling Older Adults. JAMA - Journal of the American Medical Association, 2013, 309, 1406.	3.8	51
144	Emerging concept:  central benefit model' of exercise in falls prevention. British Journal of Sports Medicine, 2013, 47, 115-117.	3.1	53
145	How big does the effect of an intervention have to be? Application of two novel methods to determine the smallest worthwhile effect of a fall prevention programme: a study protocol: TableÂ1. BMJ Open, 2013, 3, e002355.	0.8	4
146	'They will tell me if there is a problem': limited discussion between health professionals, older adults and their caregivers on falls prevention during and after hospitalization. Health Education Research, 2013, 28, 1051-1066.	1.0	52
147	Effects of emergency department Care Coordination Team referrals in older people presenting with a fall. EMA - Emergency Medicine Australasia, 2013, 25, 324-333.	0.5	10
148	Are Older Adults with Chronic Musculoskeletal Pain Less Active than Older Adults Without Pain? A Systematic Review and Meta-Analysis. Pain Medicine, 2013, 14, 1316-1331.	0.9	138
149	Potential to fall of bipeds using foot kinematics. , 2013, 2013, 4746-50.		1
150	Step Training System: An ICT solution to measure and reduce fall risk in older adults. , 2013, 2013, 7033-5.		9
151	Hip fracture in <scp>A</scp> ustralia: missed opportunities and a chance to improve care. Internal Medicine Journal, 2013, 43, 1262-1264.	0.5	3
152	Work of the Cochrane Bone, Joint and Muscle Trauma Review Group: making sense of complexity. Journal of Evidence-Based Medicine, 2013, 6, 208-212.	2.4	1
153	Advances in research, education and practice in geriatric medicine, 1982–2012. Australasian Journal on Ageing, 2013, 32, 35-39.	0.4	5
154	Prospective observational study of physical functioning, physical activity, and time outdoors and the risk of hip fracture: A population-based cohort study of 158,057 older adults in the 45 and up study. Journal of Bone and Mineral Research, 2013, 28, 2222-2231.	3.1	26
155	Low Hemoglobin Levels and Recurrent Falls in U.S. Men and Women: Prospective Findings from the REasons for Geographic And Racial Differences in Stroke (REGARDS) Cohort. American Journal of the Medical Sciences, 2013, 345, 446-454.	0.4	15
156	Mobility training for increasing mobility and functioning in older people with frailty. The Cochrane Library, $0,$	1.5	3
158	Vitamin D – a systematic literature review for the 5th edition of the Nordic Nutrition Recommendations. Food and Nutrition Research, 2013, 57, 22671.	1.2	118
159	Falls and fall prevention in the elderly. , 2014, , 343-350.		3
160	The impact of care recipient falls on caregivers. Australian Health Review, 2013, 37, 152.	0.5	26

#	Article	IF	Citations
161	Severe traumatic brain injury in Norway: Impact of age on outcome. Journal of Rehabilitation Medicine, 2013, 45, 734-740.	0.8	25
162	Circumstances of falls and falls-related injuries in a cohort of older patients following hospital discharge. Clinical Interventions in Aging, 2013, 8, 765.	1.3	38
163	Effects of a complex intervention on fall risk in the general practitioner setting: a cluster randomized controlled trial. Clinical Interventions in Aging, 2013, 8, 1079.	1.3	40
164	Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. Clinical Interventions in Aging, 2013, 8, 697.	1.3	29
165	An Effective Community–Academic Partnership to Extend the Reach of Screenings for Fall Risk. Preventing Chronic Disease, 2013, 10, E141.	1.7	1
167	Home Safety, Accessibility, and Elderly Health: Evidence from Falls. SSRN Electronic Journal, 0, , .	0.4	2
168	Tailored Education for Older Patients to Facilitate Engagement in Falls Prevention Strategies after Hospital Discharge—A Pilot Randomized Controlled Trial. PLoS ONE, 2013, 8, e63450.	1.1	51
169	Postural stability and quality of life after guided and self-training among older adults residing in an institutional setting. Clinical Interventions in Aging, 2013, 8, 1237.	1.3	18
170	Effect of 6 months of whole body vibration on lumbar spine bone density in postmenopausal women: a randomized controlled trial. Clinical Interventions in Aging, 2013, 8, 1603.	1.3	64
172	Postural sway and Rhythmic Electroencephalography analysis of cortical activation during eight balance training tasks. Medical Science Monitor, 2013, 19, 175-186.	0.5	46
173	Preventing Falls in Older People: The Story of a Cochrane Review., 2013, , ED000053.		39
174	Context-based fall detection and activity recognition using inertial and location sensors. Journal of Ambient Intelligence and Smart Environments, 2014, 6, 419-433.	0.8	22
175	Advancing the Value and Quality of Occupational Therapy in Health Service Delivery. American Journal of Occupational Therapy, 2015, 69, 6901090010p1-6901090010p7.	0.1	27
176	The effectiveness of a combined exercise intervention on physical fitness factors related to falls in community-dwelling older adults. Clinical Interventions in Aging, 2014, 9, 131.	1.3	70
177	Multifactorial assessment and targeted intervention to reduce falls among the oldest-old: a randomized controlled trial. Clinical Interventions in Aging, 2014, 9, 383.	1.3	21
178	Patterns, Predictors, and Outcomes of Falls Trajectories in Older Adults: The MOBILIZE Boston Study with 5 Years of Follow-Up. PLoS ONE, 2014, 9, e106363.	1.1	36
179	Support and Assessment for Fall Emergency Referrals (SAFER 1): Cluster Randomised Trial of Computerised Clinical Decision Support for Paramedics. PLoS ONE, 2014, 9, e106436.	1.1	38
180	Vitamin E in Sarcopenia: Current Evidences on Its Role in Prevention and Treatment. Oxidative Medicine and Cellular Longevity, 2014, 2014, 1-16.	1.9	51

#	Article	IF	CITATIONS
181	Gait disturbances as specific predictive markers of the first fall onset in elderly people: a two-year prospective observational study. Frontiers in Aging Neuroscience, 2014, 6, 22.	1.7	44
182	What factors influence community-dwelling older people's intent to undertake multifactorial fall prevention programs?. Clinical Interventions in Aging, 2014, 9, 2045.	1.3	22
183	Both deterioration and improvement in activities of daily living are related to falls: a 6-year follow-up of the general elderly population study Good Aging in Sk& aring; ne. Clinical Interventions in Aging, 2014, 9, 1839.	1.3	24
184	Fall Incidence as the Primary Outcome in Multiple Sclerosis Falls-Prevention Trials. International Journal of MS Care, 2014, 16, 178-184.	0.4	56
185	A multicenter retrospective study on falls in elderly population. Epidemiology and impact on hospital workload in two Emergency Departments of Northern Italy. Emergency Care Journal, 2014, 10, .	0.2	0
186	Older Adult Compliance with Physiotherapy-Prescribed Home Exercise for Balance: A Systematic Review. Journal of Novel Physiotherapies, 2014, 04, .	0.1	0
187	Falls Among the Elderly: Multi-factorial Community-based Falls-Prevention Programs. Journal of Aging Science, 2014, 02, .	0.5	1
188	Changes in Balance after Rehabilitation Program in Patients with COPD and in Healthy Subjects. International Journal of Physical Medicine & Rehabilitation, 2014, 02, .	0.5	3
189	Effects of walking on physical and psychological fall-related factors in community-dwelling older adults: Walking versus balance program. The Journal of Physical Fitness and Sports Medicine, 2014, 3, 515-524.	0.2	8
191	Exercise-based fall prevention programmes decrease fall-related injuries. Evidence-based Nursing, 2014, 17, 125-125.	0.1	0
192	Age-related changes in trunk neuromuscular activation patterns during a controlled functional transfer task include amplitude and temporal synergies. Human Movement Science, 2014, 38, 262-280.	0.6	12
193	Exercise for reducing fear of falling in older people living in the community. The Cochrane Library, 2015, 2015, CD009848.	1.5	176
194	Natural history of falls in a population-based cohort of patients withÂParkinson's disease: An 8-year prospective study. Parkinsonism and Related Disorders, 2014, 20, 1059-1064.	1.1	42
195	Current and future burden of incident hip fractures in New South Wales, Australia. Archives of Osteoporosis, 2014, 9, 200.	1.0	20
196	Fall incidence in Germany: results of two population-based studies, and comparison of retrospective and prospective falls data collection methods. BMC Geriatrics, 2014, 14, 105.	1.1	74
197	Zin en onzin van kalk en vitamine D. Bijblijven (Amsterdam, Netherlands), 2014, 30, 57-62.	0.0	0
198	Effectiveness of a primary care based multifactorial intervention to improve frailty parameters in the elderly: a randomised clinical trial: rationale and study design. BMC Geriatrics, 2014, 14, 125.	1.1	23
199	Differences in Overlapping Meta-Analyses of Vitamin D Supplements and Falls. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4265-4272.	1.8	53

#	Article	IF	CITATIONS
200	Dementia and Systemic Disease., 2014, , 1263-1277.		0
201	Exercise interventions for preventing falls in older people living in the community: TableÂ1. British Journal of Sports Medicine, 2014, 48, 867-868.	3.1	32
202	Disentangling the Disabling Process: Insights From the Precipitating Events Project. Gerontologist, The, 2014, 54, 533-549.	2.3	77
203	Effectiveness of Progressive Resistance Strength Training Versus Traditional Balance Exercise in Improving Balance Among the Elderly - A Randomised Controlled Trial. Journal of Clinical and Diagnostic Research JCDR, 2014, 8, 98-102.	0.8	28
204	Exploring the association between volition and participation in daily life activities with older adults living in the community. Clinical Rehabilitation, 2014, 28, 1136-1144.	1.0	9
205	Assessment of a Newly Developed, Active Pneumatic-Driven, Sensorimotor Test and Training Device. Sensors, 2014, 14, 24174-24187.	2.1	1
206	Effects of exercise on cardiovascular performance in the elderly. Frontiers in Physiology, 2014, 5, 51.	1.3	65
207	Falls among older general practice patients: a 2-year nationwide surveillance study. Family Practice, 2014, 31, 281-289.	0.8	14
208	Falls prevention education for older adults during and after hospitalization: A systematic review and meta-analysis. Health Education Journal, 2014, 73, 530-544.	0.6	38
209	Effectiveness of muscle strengthening and description of protocols for preventing falls in the elderly: a systematic review. Brazilian Journal of Physical Therapy, 2014, 18, 111-118.	1.1	45
210	Does a fall prevention educational programme improve knowledge and change exercise prescribing behaviour in health and exercise professionals? A study protocol for a randomised controlled trial. BMJ Open, 2014, 4, e007032.	0.8	4
211	Trunk muscle exercises as a means of improving postural stability in people with Parkinson's disease: a protocol for a randomised controlled trial. BMJ Open, 2014, 4, e006095.	0.8	25
212	Throw rug-related injuries treated in US EDs: are children the same as adults?. American Journal of Emergency Medicine, 2014, 32, 1494-1498.	0.7	1
214	Falls Prevention and the Value of Exercise. Clinical Nursing Research, 2014, 23, 94-110.	0.7	19
215	Fatal injury caused by lowâ€energy trauma – a 10â€year rural cohort. Acta Anaesthesiologica Scandinavica, 2014, 58, 726-732.	0.7	11
216	Effects of stairâ€elimbing on balance, gait, strength, resting heart rate, and submaximal endurance in healthy seniors. Scandinavian Journal of Medicine and Science in Sports, 2014, 24, e93-101.	1.3	44
217	The Stroke Assessment of Fall Risk (SAFR): predictive validity in inpatient stroke rehabilitation. Clinical Rehabilitation, 2014, 28, 1218-1224.	1.0	32
218	Vitamin D and multiple health outcomes: umbrella review of systematic reviews and meta-analyses of observational studies and randomised trials. BMJ, The, 2014, 348, g2035-g2035.	3.0	752

#	Article	IF	Citations
219	FRAT-Up, a Rule-Based System Evaluating Fall Risk in the Elderly. , 2014, , .		7
220	A systematic review of factors associated with accidental falls in people with multiple sclerosis: a meta-analytic approach. Clinical Rehabilitation, 2014, 28, 704-716.	1.0	114
221	Home based exercise to improve turning and mobility performance among community dwelling older adults: protocol for a randomized controlled trial. BMC Geriatrics, 2014, 14, 100.	1.1	10
222	The effect of interactive cognitive-motor training in reducing fall risk in older people: a systematic review. BMC Geriatrics, 2014, 14, 107.	1.1	128
223	Community-dwelling older people with an injurious fall are likely to sustain new injurious falls within 5Âyears - a prospective long-term follow-up study. BMC Geriatrics, 2014, 14, 120.	1.1	41
224	A 3-year school-based exercise intervention improves muscle strength - a prospective controlled population-based study in 223 children. BMC Musculoskeletal Disorders, 2014, 15, 353.	0.8	14
225	A research-based strategy for managing housing adaptations: study protocol for a quasi-experimental trial. BMC Health Services Research, 2014, 14, 602.	0.9	13
226	High Prevalence of Falls, Fear of Falling, and Impaired Balance in Older Adults with Pain in the United States: Findings from the 2011 National Health and Aging Trends Study. Journal of the American Geriatrics Society, 2014, 62, 1844-1852.	1.3	114
227	Identification of functional parameters for the classification of older female fallers and prediction of †first-time†fallers. Journal of the Royal Society Interface, 2014, 11, 20140353.	1.5	46
228	Complexities of Fall Prevention in Clinical Settings: A Commentary. Gerontologist, The, 2014, 54, 550-558.	2.3	38
232	Attributing the Benefits of Individual Components in a Multicomponent Intervention: A Familiar Challenge in Comprehensive Geriatric Care. Journal of the American Medical Directors Association, 2014, 15, 381-382.	1.2	2
233	Informing physiotherapy decisions with reliable evidence: how physiotherapists have contributed to Cochrane and how Cochrane has informed evidence-based physiotherapy. Journal of Physiotherapy, 2014, 60, 1-4.	0.7	1
234	Vitamin D depletion in hip fracture women is associated with the occurrence of simultaneous upper limb fractures independently of bone mineral density. European Geriatric Medicine, 2014, 5, 14-17.	1.2	5
235	Intérêt de l'ostéodensitométrie chez les sujets chuteurs. Revue Du Rhumatisme (Edition Francaise), 2014, 81, 297-302.	0.0	1
236	Design and evaluation of theory-informed technology to augment a wellness motivation intervention. Translational Behavioral Medicine, 2014, 4, 95-107.	1.2	15
238	Functional benefits are sustained after a program of supervised resistance exercise in cancer patients with bone metastases: longitudinal results of a pilot study. Supportive Care in Cancer, 2014, 22, 1537-1548.	1.0	77
239	Can we use accelerometry to monitor balance exercise performance in older adults?. Gait and Posture, 2014, 39, 991-994.	0.6	5
240	Strategies used by individuals with multiple sclerosis and with mild disability to maintain dynamic stability during a steering task. Experimental Brain Research, 2014, 232, 1811-1822.	0.7	9

#	Article	IF	CITATIONS
241	Multiple component interventions for preventing falls and fall-related injuries among older people: systematic review and meta-analysis. BMC Geriatrics, 2014, 14, 15.	1.1	89
242	Muscle–bone interactions: basic and clinical aspects. Endocrine, 2014, 45, 165-177.	1.1	143
243	Tai Chi-based exercise program provided via telerehabilitation compared to home visits in a post-stroke population who have returned home without intensive rehabilitation: study protocol for a randomized, non-inferiority clinical trial. Trials, 2014, 15, 42.	0.7	30
244	Vitamin D supplementation and falls: a trial sequential meta-analysis. Lancet Diabetes and Endocrinology,the, 2014, 2, 573-580.	5.5	149
245	Vitamin D and vitamin D analogues for preventing fractures in post-menopausal women and older men. The Cochrane Library, 2021, 2021, CD000227.	1.5	270
246	Does Vitamin D Improve Muscle Strength in Adults? A Randomized, Double-blind, Placebo-controlled Trial Among Ethnic Minorities in Norway. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 194-202.	1.8	42
247	So much research, so little application: Barriers to dissemination and practical implementation of Tai Ji Quan. Journal of Sport and Health Science, 2014, 3, 16-20.	3.3	16
248	Vitamin D status and ill health: a systematic review. Lancet Diabetes and Endocrinology,the, 2014, 2, 76-89.	5.5	890
249	Interventions to reduce the number of falls among older adults with/without cognitive impairment: an exploratory metaâ€analysis. International Journal of Geriatric Psychiatry, 2014, 29, 661-669.	1.3	56
250	Medication-Related Fall Incidents in an Older, Ambulant Population: The B-PROOF Study. Drugs and Aging, 2014, 31, 917-927.	1.3	69
251	Clinician's Guide to Prevention and Treatment of Osteoporosis. Osteoporosis International, 2014, 25, 2359-2381.	1.3	2,549
252	Assessment and management of falls in older people. Cmaj, 2014, 186, E610-E621.	0.9	29
253	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. British Journal of Ophthalmology, 2014, 98, 377-382.	2.1	62
254	Long-Term Exercise in Older Adults: 4-Year Outcomes of Music-Based Multitask Training. Calcified Tissue International, 2014, 95, 393-404.	1.5	30
255	A Randomized Trial to Measure the Impact of a Community-Based Cognitive Training Intervention on Balance and Gait in Cognitively Intact Black Older Adults. Health Education and Behavior, 2014, 41, 62S-69S.	1.3	60
256	Emergency department-reported injuries associated with mechanical home exercise equipment in the USA. Injury Prevention, 2014, 20, 281-285.	1.2	12
257	Vitamin D: Present and future. Revista Clínica Espanõla, 2014, 214, 396-402.	0.3	1
258	Build Better Bones With Exercise: Protocol for a Feasibility Study of a Multicenter Randomized Controlled Trial of 12 Months of Home Exercise in Women With a Vertebral Fracture. Physical Therapy, 2014, 94, 1337-1352.	1.1	21

#	Article	IF	CITATIONS
259	Development of a new self-awareness of falls risk measure (SAFRM). Archives of Gerontology and Geriatrics, 2014, 59, 249-256.	1.4	10
260	An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). BMC Geriatrics, 2014, 14, 78.	1.1	30
261	Data sharing between home care professionals: a feasibility study using the RAI Home Care instrument. BMC Geriatrics, 2014, 14, 81.	1.1	8
262	ICT-based system to predict and prevent falls (iStoppFalls): study protocol for an international multicenter randomized controlled trial. BMC Geriatrics, 2014, 14, 91.	1.1	58
263	Stabilometric assessment of context dependent balance recovery in persons with multiple sclerosis: a randomized controlled study. Journal of NeuroEngineering and Rehabilitation, 2014, 11, 100.	2.4	28
264	A qualitative study on the perceptions of preventing falls as a health priority among older people in Northern India. Injury Prevention, 2014, 20, 29-34.	1.2	25
265	Menopause-related osteoporosis. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2014, 56, 174-177.	0.2	7
267	Incidence and characteristics of distal radial fractures in an urban population in The Netherlands. European Journal of Trauma and Emergency Surgery, 2014, 40, 357-61.	0.8	25
268	Fall-related risk factors and heel quantitative ultrasound in the assessment of hip fracture risk: a 10-year follow-up of a nationally representative adult population sample. Osteoporosis International, 2014, 25, 1685-1695.	1.3	14
269	Skeletal and nonskeletal effects of vitamin D: is vitamin D a tonic for bone and other tissues?. Osteoporosis International, 2014, 25, 2347-2357.	1.3	43
270	Osteoporosis and the orthopaedic surgeon: basic concepts for successful co-management of patients' bone health. International Orthopaedics, 2014, 38, 1731-1738.	0.9	35
272	Bisphosphonate Drug Holidays and Fall Prevention in the Reduction of Postmenopausal Fractures. American Journal of Lifestyle Medicine, 2014, 8, 167-170.	0.8	0
273	Physical activity is medicine for older adults. Postgraduate Medical Journal, 2014, 90, 26-32.	0.9	373
274	Malnutrition and risk of falling among elderly without home-help service — A cross sectional study. Journal of Nutrition, Health and Aging, 2014, 18, 905-911.	1.5	35
275	Falls in Older Adults with Cancer. Current Geriatrics Reports, 2014, 3, 175-181.	1.1	3
276	Obesity as a Factor Contributing to Falls by Older Adults. Current Obesity Reports, 2014, 3, 348-354.	3.5	24
277	Preventing falls among older people with mental health problems: a systematic review. BMC Nursing, 2014, 13, 4.	0.9	53
278	Protocol for disseminating an evidence-based fall prevention program in community senior centers: evaluation of translatability and public health impact via a single group pre-post study. Implementation Science, 2014, 9, 63.	2.5	19

#	Article	IF	CITATIONS
279	Preventing falls with Tai Ji Quan: A public health perspective. Journal of Sport and Health Science, 2014, 3, 21-26.	3.3	15
280	Interventions to improve safe and effective medicines use by consumers: an overview of systematic reviews. The Cochrane Library, 2022, 2022, CD007768.	1.5	140
281	Effect of Stationary Cycle Exercise on Gait and Balance of Elderly Women. Journal of Physical Therapy Science, 2014, 26, 431-433.	0.2	14
282	Complexity-Based Measures Inform Effects of Tai Chi Training on Standing Postural Control: Cross-Sectional and Randomized Trial Studies. PLoS ONE, 2014, 9, e114731.	1.1	58
283	Effects of Recreational Exercises on the Strength, Flexibility, and Balance of Old-old Elderly Individuals. Journal of Physical Therapy Science, 2014, 26, 1583-1584.	0.2	2
284	Analysis of Core Stability Exercise Effect on the Physical and Psychological Function of Elderly Women Vulnerable to Falls during Obstacle Negotiation. Journal of Physical Therapy Science, 2014, 26, 1697-1700.	0.2	4
285	Community Fall Prevention Programs: Comparing Three InSTEP Models by Level of Intensity. Journal of Aging and Physical Activity, 2014, 22, 372-379.	0.5	7
286	Positive Long-Term Effects of Pilates Exercise on the Age-Related Decline in Balance and Strength in Older, Community-Dwelling Men and Women. Journal of Aging and Physical Activity, 2014, 22, 342-347.	0.5	40
287	Injury Due to Mechanical Falls: Future Directions in Gender-specific Surveillance, Screening, and Interventions in Emergency Department Patients. Academic Emergency Medicine, 2014, 21, 1380-1385.	0.8	9
288	Predicting falls in community-dwelling older adults: A systematic review of task performance-based assessment tools. Physiotherapy Practice and Research, 2014, 35, 3-15.	0.1	15
289	Primary Prevention of Falls: Effectiveness of a Statewide Program. American Journal of Public Health, 2014, 104, e77-e84.	1.5	36
290	Difficulties Experienced in Setting and Achieving Goals by Participants of a Falls Prevention Programme: A Mixed-Methods Evaluation. Physiotherapy Canada Physiotherapie Canada, 2014, 66, 413-422.	0.3	7
291	A social health services model to promote active ageing in Mexico: design and evaluation of a pilot programme. Ageing and Society, 2015, 35, 1457-1480.	1.2	15
292	A novel approach to the issue of physical inactivity in older age. Preventive Medicine Reports, 2015, 2, 595-597.	0.8	12
293	Deconstructing Chronic Low Back Pain in the Older Adultâ€"Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment: Part I: Hip Osteoarthritis. Pain Medicine, 2015, 16, 886-897.	0.9	30
294	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. BMC Geriatrics, 2015, 15, 155.	1.1	61
295	Adaptation to large-magnitude treadmill-based perturbations: improvements in reactive balance response. Physiological Reports, 2015, 3, e12247.	0.7	47
296	What factors influence older adults to discuss falls with their healthâ€care providers?. Health Expectations, 2015, 18, 1593-1609.	1.1	17

#	Article	IF	CITATIONS
297	Multicomponent exercise for physical fitness of community-dwelling elderly women. Journal of Physical Therapy Science, 2015, 27, 911-915.	0.2	39
298	A Comparison of Older Adults' Subjective Experiences With Virtual and Real Environments During Dynamic Balance Activities. Journal of Aging and Physical Activity, 2015, 23, 24-33.	0.5	17
299	Physical Activity and the Association With Self-Reported Impairments, Walking Limitations, Fear of Falling, and Incidence of Falls in Persons With Late Effects of Polio. Journal of Aging and Physical Activity, 2015, 23, 425-432.	0.5	11
300	A Systematic Review of Physical Activity Programs for Older People Receiving Home Care Services. Journal of Aging and Physical Activity, 2015, 23, 460-470.	0.5	12
301	Effects of a Multicomponent Exercise Program on Spatiotemporal Gait Parameters, Risk of Falling and Physical Activity in Dementia Patients. Dementia and Geriatric Cognitive Disorders Extra, 2015, 5, 350-360.	0.6	16
302	Balance training using Pedalo equipment for improving balance and fear of falling in elderly people: A preliminary study. Isokinetics and Exercise Science, 2015, 23, 199-203.	0.2	1
303	Evaluating the effectiveness of a home-based exercise programme delivered through a tablet computer for preventing falls in older community-dwelling people over 2â€years: study protocol for the Standing Tall randomised controlled trial. BMJ Open, 2015, 5, e009173.	0.8	56
305	Using activity triggered e-diaries to reveal the associations between physical activity and affective states in older adult's daily living. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 111.	2.0	40
306	Non-therapist identification of falling hazards in older adult homes using digital photography. Preventive Medicine Reports, 2015, 2, 794-797.	0.8	11
307	ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. European Review of Aging and Physical Activity, 2015, 12, 10.	1.3	92
308	The design of a purpose-built exergame for fall prediction and prevention for older people. European Review of Aging and Physical Activity, 2015, 12, 13.	1.3	28
309	Do alternative methods for analysing count data produce similar estimates? Implications for meta-analyses. Systematic Reviews, 2015, 4, 163.	2.5	22
310	A statewide baseline inventory of evidence-based fall prevention programs for older adults. Injury Epidemiology, 2015, 2, 12.	0.8	2
311	Savings in acute care costs if all older adults treated for fall-related injuries completed matter of balance. Injury Epidemiology, 2015, 2, 25.	0.8	11
312	Epidemiology and contemporary risk profile of traumatic spinal cord injury in Switzerland. Injury Epidemiology, 2015, 2, 28.	0.8	59
313	Investigating the impact of a falls prevention community of practice in a residential agedâ€care setting: a mixed methods study protocol. Journal of Advanced Nursing, 2015, 71, 2977-2986.	1.5	8
314	Delivery of a Vitamin D Intervention in Homebound Older Adults Using a Mealsâ€onâ€Wheels Program: A Pilot Study. Journal of the American Geriatrics Society, 2015, 63, 1861-1867.	1.3	15
315	Falls and Fall Prevention in Elderly People: Summary of Recent Reviews. Japanese Journal of Health Promotion and Physical Therapy, 2015, 4, 161-169.	0.1	5

#	Article	IF	Citations
316	Falls assessment and prevention in older people: an evaluation of the Crisis Response Service. Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals, 2015, 7, 68-72.	0.0	2
317	Recommandations en vue de la prévention des fractures dans les établissements de soins de longue durée. Cmaj, 2015, 187, E450-E461.	0.9	1
318	Older adults with chronic musculoskeletal pain are at increased risk of recurrent falls and the brief pain inventory could help identify those most at risk. Geriatrics and Gerontology International, 2015, 15, 881-888.	0.7	27
319	How do general practitioners engage with allied health practitioners to prevent falls in older people? An exploratory qualitative study. Australasian Journal on Ageing, 2015, 34, 149-154.	0.4	19
320	A Pilot Study of Determinants of Ongoing Participation in EnhanceFitness. Journal of Geriatric Physical Therapy, 2015, 38, 194-201.	0.6	30
321	Assessment of the risk of falling with the use of timed up and go test in the elderly with lower extremity osteoarthritis. Clinical Interventions in Aging, 2015, 10, 1289.	1.3	37
322	Utility of a Three-Dimensional Interactive Augmented Reality Program for Balance and Mobility Rehabilitation in the Elderly: A Feasibility Study. Annals of Rehabilitation Medicine, 2015, 39, 462.	0.6	31
323	Back to the future & amp; ndash; feasibility of recruitment and retention to patient education and telephone follow-up after hip fracture: a pilot randomized controlled trial. Patient Preference and Adherence, 2015, 9, 1343.	0.8	30
324	Epidemiology of Alzheimer's Disease with the Projection of Falls Among the Aged Population. , 2015, , .		0
325	Conservative Treatment of Osteoporotic Spinal Fractures. Journal of Korean Society of Spine Surgery, 2015, 22, 186.	0.1	0
326	Pre-discharge home assessment visits in assisting patients \tilde{A} ¢ \hat{a} , $\neg \hat{a}$, φ return to community living: A systematic review and meta-analysis. Journal of Rehabilitation Medicine, 2015, 47, 289-299.	0.8	18
327	Exploring older adults' perceptions of a patient-centered education manual for hip fracture recovery: "everything in one place". Patient Preference and Adherence, 2015, 9, 1637.	0.8	4
328	Special Issues No.1: The Current State and Future of Ergonomics in Each Research Field (12). Ningen Kogaku = the Japanese Journal of Ergonomics, 2015, 51, 79-85.	0.0	0
329	Improved Leg Tracking Considering Gait Phase and Spline-Based Interpolation during Turning Motion in Walk Tests. Sensors, 2015, 15, 22451-22472.	2.1	31
330	Tai Chi Training may Reduce Dual Task Gait Variability, a Potential Mediator of Fall Risk, in Healthy Older Adults: Cross-Sectional and Randomized Trial Studies. Frontiers in Human Neuroscience, 2015, 9, 332.	1.0	42
331	Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. PLoS ONE, 2015, 10, e0141368.	1.1	13
332	An Introduction to the Centers for Disease Control and Prevention's Efforts to Prevent Older Adult Falls. Frontiers in Public Health, 2014, 2, 119.	1.3	19
333	Village or Tribe? Expectations, Roles, and Responsibilities for Effective Fall Prevention Efforts. Frontiers in Public Health, 2015, 2, 163.	1.3	1

#	Article	IF	CITATIONS
334	Developing an Evidence-Based Fall Prevention Curriculum for Community Health Workers. Frontiers in Public Health, 2014, 2, 209.	1.3	6
335	Research, Practice, and Policy Perspectives on Evidence-Based Programing for Older Adults. Frontiers in Public Health, 2015, 3, 136.	1.3	32
336	Multicomponent physical exercise with simultaneous cognitive training to enhance dual-task walking of older adults: a secondary analysis of a 6-month randomized controlled trial with 1-year follow-up. Clinical Interventions in Aging, 2015, 10, 1711.	1.3	109
337	Participation in Older Adult Physical Activity Programs and Risk for Falls Requiring Medical Care, Washington State, 2005–2011. Preventing Chronic Disease, 2015, 12, E90.	1.7	27
338	Association between physiological falls risk and physical performance tests among community-dwelling older adults. Clinical Interventions in Aging, 2015, 10, 1319.	1.3	59
339	Perceived Cause, Environmental Factors, and Consequences of Falls in Adults with Cerebral Palsy: A Preliminary Mixed Methods Study. Rehabilitation Research and Practice, 2015, 2015, 1-9.	0.5	10
340	Vitamin D: A Review on Its Effects on Muscle Strength, the Risk of Fall, and Frailty. BioMed Research International, 2015, 2015, 1-11.	0.9	180
341	Exercise for preventing falls in people with cancer living in the community. The Cochrane Library, 2015, , .	1.5	1
342	Identifying Feasible Physical Activity Programs for Long-Term Care Homes in the Ontario Context. Canadian Geriatrics Journal, 2015, 18, 73-104.	0.7	13
343	Translating evidence from a systematic review to the development of an evidence-based fall prevention program in a tertiary psychiatric hospital. Nursing Reports, 2015, 5, .	0.8	1
344	Identification of Fall Prevention Strategies for the Military: A Review of the Literature. Military Medicine, 2015, 180, 1225-1232.	0.4	5
345	Engaging community organizations in falls prevention for older adults: Moving from research to action. Canadian Journal of Public Health, 2015, 106, e189-e196.	1.1	23
346	A Survey Assessing Kansas Physician Assistants' Attitudes/Beliefs and Current Practices Regarding Implementation of Fall Prevention Strategies in Older Adults. Kansas Journal of Medicine, 2015, 8, 135-142.	0.1	0
347	A multi-centre, randomised controlled trial of the effectiveness of PDSAFE to prevent falls among people with Parkinson's: study protocol. BMC Neurology, 2015, 15, 81.	0.8	10
348	What is the effect of a combined physical activity and fall prevention intervention enhanced with health coaching and pedometers on older adultsâ∈™ physical activity levels and mobility-related goals?: Study protocol for a randomised controlled trial. BMC Public Health, 2015, 15, 477.	1.2	15
349	Combined resistance and balance-jumping exercise reduces older women's injurious falls and fractures: 5-year follow-up study. Age and Ageing, 2015, 44, 784-789.	0.7	44
350	The epidemiology and management of postmenopausal osteoporosis: a viewpoint from Brazil. Clinical Interventions in Aging, 2015, 10, 583.	1.3	139
351	The contribution of geriatric medicine to integrated care for older people. Age and Ageing, 2015, 44, 11-15.	0.7	17

#	Article	IF	CITATIONS
352	A feasibility study of a randomised controlled trial comparing fall prevention using exercise with or without the support of motivational interviewing. Preventive Medicine Reports, 2015, 2, 134-140.	0.8	15
353	Effectiveness of exercise programs to reduce falls in older people with dementia living in the community: a systematic review and meta-analysis. Clinical Interventions in Aging, 2015, 10, 421.	1.3	135
354	Economic evaluation of a group-based exercise program for falls prevention among the older community-dwelling population. BMC Geriatrics, 2015, 15, 33.	1.1	23
355	The effect of fall prevention exercise programmes on fall induced injuries in community dwelling older adults:. British Journal of Sports Medicine, 2015, 49, 1348-1348.	3.1	279
356	Locomotor adaptations following repeated waist-pull perturbations. , 2015, , .		0
357	Fall Risk Assessment and Prevention Using Wearables. Lecture Notes in Computer Science, 2015, , 185-195.	1.0	0
358	Dance mobility: a somatic and dance programme for older adults in New Zealand. Body, Movement and Dance in Psychotherapy, 2015, 10, 169-180.	0.8	2
359	Examining Contextual Influences on Fall-Related Injuries Among Older Adults for Population Health Management, 2015, 18, 437-448.	0.8	5
360	Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. BMJ Open, 2015, 5, e007091-e007091.	0.8	47
361	Preventing Unintentional Injuries in the Home Using the Health Impact Pyramid. Health Education and Behavior, 2015, 42, 115S-122S.	1.3	22
362	Assistive device use and mobility-related factors among adults aged≥65 years. Journal of Safety Research, 2015, 55, 147-150.	1.7	33
363	Barriers faced by healthcare professionals when managing falls in older people in Kuala Lumpur, Malaysia: a qualitative study. BMJ Open, 2015, 5, e008460.	0.8	29
364	Danish register-based study on the association between specific cardiovascular drugs and fragility fractures. BMJ Open, 2015, 5, e009522.	0.8	34
365	Nurse Education to Reduce Harmful Medication Use in Assisted Living Facilities: Effects of a Randomized Controlled Trial on Falls and Cognition. Drugs and Aging, 2015, 32, 947-955.	1.3	15
366	A prudent deprescription model. Medicina ClÃnica (English Edition), 2015, 144, 362-369.	0.1	5
368	Does a Falls Prevention Program Impact Perceived Participation in Everyday Occupations? A Pilot Randomized Controlled Trial. OTJR Occupation, Participation and Health, 2015, 35, 204-212.	0.4	3
369	Gender Differences in Risk Factors for Single and Recurrent Falls Among the Community-Dwelling Elderly. SAGE Open, 2015, 5, 215824401560204.	0.8	9
370	Successful balance training is associated with improved multisensory function in fall-prone older adults. Computers in Human Behavior, 2015, 45, 192-203.	5.1	59

#	Article	IF	Citations
371	Exercise for falls prevention in Parkinson disease. Neurology, 2015, 84, 304-312.	1.5	209
372	Home-safety modifications to reduce injuries from falls. Lancet, The, 2015, 385, 205-206.	6.3	2
373	Effects of a video guided T'ai Chi group intervention on center ofÂbalance and falls efficacy: A pilot study. Geriatric Nursing, 2015, 36, 9-14.	0.9	6
374	Assessment and Management of Fall Risk in Primary Care Settings. Medical Clinics of North America, 2015, 99, 281-293.	1.1	177
375	Systematic review of falls in older adults with cancer. Journal of Geriatric Oncology, 2015, 6, 70-83.	0.5	129
376	Adverse drug reactions in special populations – the elderly. British Journal of Clinical Pharmacology, 2015, 80, 796-807.	1.1	366
377	Older people's perspectives on participation in physical activity: a systematic review and thematic synthesis of qualitative literature. British Journal of Sports Medicine, 2015, 49, 1268-1276.	3.1	441
378	Management of Falls in Community-Dwelling Older Adults: Clinical Guidance Statement From the Academy of Geriatric Physical Therapy of the American Physical Therapy Association. Physical Therapy, 2015, 95, 815-834.	1.1	124
379	Training in the functional movement circle to promote strength and mobility-related activities in older adults: a randomized controlled trial. European Journal of Ageing, 2015, 12, 105-118.	1.2	7
380	Treatment of osteoporosis: current state of the art. Wiener Medizinische Wochenschrift, 2015, 165, 54-64.	0.5	9
381	Adult community health-promoting interventions in primary health care: A systematic review. Preventive Medicine, 2015, 76, S94-S104.	1.6	45
382	Fit elderly men can also stand: orthostatic tolerance and autonomic cardiovascular control in elderly endurance athletes. Aging Clinical and Experimental Research, 2015, 27, 499-505.	1.4	6
383	"lt's MAGICâ€⊷ development of a manageable geriatric assessment for general practice use. BMC Family Practice, 2015, 16, 4.	2.9	20
384	Older persons' narrations on falls and falling—Stories of courage and endurance. International Journal of Qualitative Studies on Health and Well-being, 2015, 10, 26123.	0.6	24
385	Vision and Relevant Risk Factor Interventions for Preventing Falls among Older People: A Network Meta-analysis. Scientific Reports, 2015, 5, 10559.	1.6	24
386	Effectiveness of two year balance training programme on prevention of fall induced injuries in at risk women aged 75-85 living in community: OssA©bo randomised controlled trial. BMJ, The, 2015, 351, h3830.	3.0	91
387	The association of falls and various physical activities in Chinese nonagenarians/centenarians. Archives of Gerontology and Geriatrics, 2015, 61, 21-26.	1.4	4
388	Disability levels and correlates among older mobile home dwellers, an NHATS analysis. Disability and Health Journal, 2015, 8, 363-371.	1.6	7

#	Article	IF	CITATIONS
389	Moving Beyond Cardio: The Value of Resistance Training, Balance Training, and Other Forms of Exercise in the Management of Diabetes. Diabetes Spectrum, 2015, 28, 14-23.	0.4	12
390	Overdiagnosis of osteoporosis: fact or fallacy?. Osteoporosis International, 2015, 26, 2051-2054.	1.3	19
391	Syncope in the Older Person. Cardiology Clinics, 2015, 33, 411-421.	0.9	12
392	Falls, Falls Prevention and the Role of Physiotherapy and Exercise: Perceptions and Interpretations of Italian-Born and Australian-Born Older Persons Living in Australia. Journal of Cross-Cultural Gerontology, 2015, 30, 233-249.	0.5	5
393	Gender perspective on fear of falling using the classification of functioning as the model. Disability and Rehabilitation, 2015, 37, 214-222.	0.9	37
394	Falls research: stumbling or striding?. Age and Ageing, 2015, 44, 350-352.	0.7	2
395	Gait Measurement System for the Multi-Target Stepping Task Using a Laser Range Sensor. Sensors, 2015, 15, 11151-11168.	2.1	12
396	Multi-dimensional balance training programme improves balance and gait performance in people with Parkinson's disease: A pragmatic randomized controlled trial with 12-month follow-up. Parkinsonism and Related Disorders, 2015, 21, 615-621.	1.1	59
397	Interventions for preventing falls in Parkinson's disease. The Cochrane Library, 0, , .	1.5	11
398	The impact of a home-based walking programme on falls in older people: the Easy Steps randomised controlled trial. Age and Ageing, 2015, 44, 377-383.	0.7	68
399	Risk of osteoporotic fractures following stroke in older persons. Osteoporosis International, 2015, 26, 1341-1349.	1.3	35
400	Neuromuscular training in construction workers: a longitudinal controlled pilot study. International Archives of Occupational and Environmental Health, 2015, 88, 697-705.	1.1	5
401	Geriatric assessment as an aide to understanding falls in older adults with cancer. Supportive Care in Cancer, 2015, 23, 2273-2280.	1.0	57
402	Challenges in the Treatment of Overactive Bladder in the Octogenarian Female. Current Bladder Dysfunction Reports, 2015, 10, 14-19.	0.2	0
404	MultiComponent Exercise and theRApeutic lifeStyle (CERgAS) intervention to improve physical performance and maintain independent living among urban poor older people - a cluster randomised controlled trial. BMC Geriatrics, 2015, 15, 8.	1.1	14
405	"We are all one together― peer educators' views about falls prevention education for community-dwelling older adults - a qualitative study. BMC Geriatrics, 2015, 15, 28.	1.1	21
406	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. BMC Geriatrics, 2015, 15, 38.	1.1	112
407	Effectiveness of multifaceted and tailored strategies to implement a fall-prevention guideline into acute care nursing practice: a before-and-after, mixed-method study using a participatory action research approach. BMC Nursing, 2015, 14, 18.	0.9	35

#	ARTICLE	IF	CITATIONS
408	Cost-utility analysis of a preventive home visit program for older adults in Germany. BMC Health Services Research, 2015, 15, 141.	0.9	22
409	Fracture prevention in COPD patients; a clinical 5-step approach. Respiratory Research, 2015, 16, 32.	1.4	21
410	Effectiveness of dual-task functional power training for preventing falls in older people: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 120.	0.7	21
411	Action Seniors! - secondary falls prevention in community-dwelling senior fallers: study protocol for a randomized controlled trial. Trials, 2015, 16, 144.	0.7	27
412	Exercise and fractures in postmenopausal women. Final results of the controlled Erlangen Fitness and Osteoporosis Prevention Study (EFOPS). Osteoporosis International, 2015, 26, 2491-2499.	1.3	99
413	Physiotherapy in the prevention of falls in older people. Journal of Physiotherapy, 2015, 61, 54-60.	0.7	77
414	Reduction of falls in older people by improving balance with vestibular rehabilitation (ReFOVeRe) Tj ETQq0 0 0 rg	gBT ₁ /Overl	ock 10 Tf 50 !
415	Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. Injury Prevention, 2015, 21, 254-259.	1.2	9
416	Osteoporosis. Medical Clinics of North America, 2015, 99, 587-606.	1.1	107
417	Exercise and Vitamin D in Fall Prevention Among Older Women. JAMA Internal Medicine, 2015, 175, 703.	2.6	227
418	15â€years of tracking physiotherapy evidence on PEDro, where are we now?. British Journal of Sports Medicine, 2015, 49, 907-909.	3.1	62
419	Adjusting for Baseline Covariates in Net Benefit Regression: How You Adjust Matters. Pharmacoeconomics, 2015, 33, 1083-1090.	1.7	9
420	What Happens to Patients When They Fracture Their Hip During a Skilled Nursing Facility Stay?. Journal of the American Medical Directors Association, 2015, 16, 767-774.	1.2	11
421	Myostatin antibody (LY2495655) in older weak fallers: a proof-of-concept, randomised, phase 2 trial. Lancet Diabetes and Endocrinology,the, 2015, 3, 948-957.	5.5	275
422	Recommendations for preventing fracture in long-term care. Cmaj, 2015, 187, 1135-1144.	0.9	46
423	A novel dynamic exercise initiative for older people to improve health and well-being: study protocol for a randomised controlled trial. BMC Geriatrics, 2015, 15, 68.	1.1	16
424	Predictors of health-related quality of life in stroke patients after neurological inpatient rehabilitation: a prospective study. Health and Quality of Life Outcomes, 2015, 13, 58.	1.0	53
425	Changing patterns of injury associated with lowâ€energy falls in the elderly: a 10â€year analysis at an <scp>A</scp> ustralian <scp>M</scp> ajor <scp>T</scp> rauma <scp>C</scp> entre. ANZ Journal of Surgery, 2015, 85, 230-234.	0.3	12

#	ARTICLE	IF	CITATIONS
426	The provision of aids and adaptations, risk assessments, and incident reporting and recording procedures in relation to injury prevention for adults with intellectual disabilities: cohort study. Journal of Intellectual Disability Research, 2015, 59, 519-529.	1.2	7
427	Effect of a Falls Quality Improvement Program on Serious Fallâ€Related Injuries. Journal of the American Geriatrics Society, 2015, 63, 63-70.	1.3	17
428	Swedish osteoporosis care. Archives of Osteoporosis, 2015, 10, 222.	1.0	16
429	Cost Effectiveness of Falls and Injury Prevention Strategies for Older Adults Living in Residential Aged Care Facilities. Pharmacoeconomics, 2015, 33, 1301-1310.	1.7	19
430	The risk of adverse events in orthopaedic trauma varies by anatomic region of surgery: an analysis of fifty thousand four hundred and twenty one patients. International Orthopaedics, 2015, 39, 2153-2159.	0.9	7
431	Study Design for Vitamin D Randomized Clinical Trials. JAMA Internal Medicine, 2015, 175, 1720.	2.6	0
432	Better balance, fewer falls. BMJ, The, 2015, 351, h3930.	3.0	1
433	A Guide to Improving the Care of Patients with Fragility Fractures, Edition 2. Geriatric Orthopaedic Surgery and Rehabilitation, 2015, 6, 58-120.	0.6	115
434	Effects of Balance Training on Balance Performance in Healthy Older Adults: A Systematic Review and Meta-analysis. Sports Medicine, 2015, 45, 1721-1738.	3.1	243
435	The Neighborhood Environment: Perceived Fall Risk, Resources, and Strategies for Fall Prevention. Gerontologist, The, 2015, 55, 575-583.	2.3	59
436	Investigating the fall-injury reducing effect of impact absorbing flooring among female nursing home residents: initial results. Injury Prevention, 2015, 21, 320-324.	1.2	31
437	Review: Are we stumbling in our quest to find the best predictor? Overâ€optimism in sensorâ€based models for predicting falls in older adults. Healthcare Technology Letters, 2015, 2, 79-88.	1.9	44
438	Home modifications to reduce injuries from falls in the Home Injury Prevention Intervention (HIPI) study: a cluster-randomised controlled trial. Lancet, The, 2015, 385, 231-238.	6.3	169
439	Assessing the Quality of a Non-randomized Pragmatic Trial for Primary Prevention of Falls among Older Adults. Prevention Science, 2015, 16, 31-40.	1.5	15
440	Does a Single Session of High-Intensity Interval Training Provoke a Transient Elevated Risk of Falling in Seniors and Adults?. Gerontology, 2015, 61, 15-23.	1.4	20
441	Problems and fall risk determinants of quality of life in older adults with increased risk of falling. Geriatrics and Gerontology International, 2015, 15, 579-587.	0.7	22
442	RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fallâ€"protocol for a mixed methods programme evaluation. Injury Prevention, 2016, 22, 153-160.	1.2	4
443	Effectiveness of light paths coupled with personal emergency response systems in preventing functional decline among the elderly. SAGE Open Medicine, 2016, 4, 205031211666576.	0.7	1

#	Article	IF	Citations
444	Randomized Control Trials on Otago Exercise Program (OEP) to Reduce Falls Among Elderly Community Dwellers in Shahroud, Iran. Iranian Red Crescent Medical Journal, 2016, 18, e26340.	0.5	20
445	Vitamin D Adequacy and Improvements of Comorbidities in Persons with Intellectual Developmental Disabilities. Journal of Childhood & Developmental Disorders, 2016, 2, .	0.3	10
447	The Effect of Transfemoral Interface Design On Gait Speed and Risk of Falls. Technology and Innovation, 2016, 18, 167-173.	0.2	14
448	Clinical assessment tools identify functional deficits in fragility fracture patients. Clinical Interventions in Aging, 2016, 11, 563.	1.3	0
449	Understanding the pathogenesis of hip fracture in the elderly, osteoporotic theory is not reflected in the outcome of prevention programmes. World Journal of Orthopedics, 2016, 7, 218.	0.8	11
450	Instructors' Perceptions of Mostly Seated Exercise Classes: Exploring the Concept of Chair Based Exercise. BioMed Research International, 2016, 2016, 1-8.	0.9	7
451	Simplified Tai Chi Program Training versus Traditional Tai Chi on the Functional Movement Screening in Older Adults. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-6.	0.5	18
452	Walking Aids for Older Adults: Review of End-User Needs. Asian Social Science, 2016, 12, 109.	0.1	6
453	Fall Prevention in a Primary Care Setting. Deutsches Ärzteblatt International, 2016, 113, 365-72.	0.6	40
454	Falls in Korean Polio Survivors: Incidence, Consequences, and Risk Factors. Journal of Korean Medical Science, 2016, 31, 301.	1.1	23
455	Systemic Bone Diseases. , 2016, , 1101-1137.		0
456	Physiological and neurological system changes with aging and related occupational therapy interventions., 2016,, 125-143.		0
457	Hospitalizations Due to Adverse Drug Events in the Elderlyâ€"A Retrospective Register Study. Frontiers in Pharmacology, 2016, 7, 358.	1.6	32
458	Stroke and Fallsâ€"Clash of the Two Titans in Geriatrics. Geriatrics (Switzerland), 2016, 1, 31.	0.6	28
459	Heterogeneity of Characteristics among Housing Adaptation Clients in Swedenâ€"Relationship to Participation and Self-Rated Health. International Journal of Environmental Research and Public Health, 2016, 13, 91.	1.2	11
460	How Accurately Can Your Wrist Device Recognize Daily Activities and Detect Falls?. Sensors, 2016, 16, 800.	2.1	95
461	Falls and Fall-Related Injuries among Community-Dwelling Adults in the United States. PLoS ONE, 2016, 11, e0150939.	1.1	205
462	Epidemiological Trends of Traumatic Brain Injury Identified in the Emergency Department in a Publicly-Insured Population, 2002-2010. PLoS ONE, 2016, 11, e0145469.	1.1	30

#	Article	IF	CITATIONS
463	Daily-Life Gait Quality as Predictor of Falls in Older People: A 1-Year Prospective Cohort Study. PLoS ONE, 2016, 11, e0158623.	1,1	126
464	Exergaming in Older Adults: Movement Characteristics While Playing Stepping Games. Frontiers in Psychology, 2016, 7, 964.	1.1	29
465	Study Protocol on Hormonal Mediation of Exercise on Cognition, Stress and Immunity (PRO-HMECSI): Effects of Different Exercise Programmes in Institutionalized Elders. Frontiers in Public Health, 2016, 4, 133.	1.3	16
466	Adoption of Evidence-Based Fall Prevention Practices in Primary Care for Older Adults with a History of Falls. Frontiers in Public Health, 2016, 4, 190.	1.3	18
467	Cognitive Training among Cognitively Impaired Older Adults: A Feasibility Study Assessing the Potential Improvement in Balance. Frontiers in Public Health, 2016, 4, 219.	1.3	19
468	The Role of Pharmacists in Preventing Falls among America's Older Adults. Frontiers in Public Health, 2016, 4, 250.	1.3	19
469	Validation of Evidence-Based Fall Prevention Programs for Adults with Intellectual and/or Developmental Disorders: A Modified Otago Exercise Program. Frontiers in Public Health, 2016, 4, 261.	1.3	24
470	Effects of Evidence-Based Fall Reduction Programing on the Functional Wellness of Older Adults in a Senior Living Community: A Clinical Case Study. Frontiers in Public Health, 2016, 4, 262.	1.3	8
471	The Effect of Thermacare Heat Wraps on Balance and Mobility in Seniors with Impaired Gait - A Cross Over Study. Journal of Physiotherapy & Physical Rehabilitation, 2016, 01, .	0.1	0
472	The Management of Dementia in Primary Care. , 2016, , .		1
473	Increased Rates of Mild Traumatic Brain Injury Among Older Adults in US Emergency Departments, 2009-2010. Journal of Head Trauma Rehabilitation, 2016, 31, E1-E7.	1.0	57
474	Improved Balance Confidence and Stability for Elderly After 6 Weeks of a Multimodal Self-Administered Balance-Enhancing Exercise Program. Gerontology and Geriatric Medicine, 2016, 2, 233372141664414.	0.8	23
475	A comprehensive fracture prevention strategy in older adults: the European Union Geriatric Medicine Society (EUGMS) statement. Aging Clinical and Experimental Research, 2016, 28, 797-803.	1.4	75
476	Preparing patients at high risk of falls for discharge home after rehabilitation: Do we meet the guidelines?. Geriatrics and Gerontology International, 2016, 16, 570-576.	0.7	14
477	Activity, balance, learning, and exposure (ABLE): a new intervention for fear of falling. International Journal of Geriatric Psychiatry, 2016, 31, 791-798.	1.3	29
478	Geriatric assessment with management in cancer care: Current evidence and potential mechanisms for future research. Journal of Geriatric Oncology, 2016, 7, 242-248.	0.5	99
479	Reducing falls among older people in general practice: The ProAct65+ exercise intervention trial. Archives of Gerontology and Geriatrics, 2016, 67, 46-54.	1.4	45

#	Article	IF	CITATIONS
481	Description of Advanced Practice Nurses Interventions Through the Nursing Interventions Classification in Different Care Settings for Older People: A Qualitative Study. International Journal of Nursing Knowledge, 2016, 27, 79-86.	0.4	3
482	Effects of two physical exercise protocols on physical performance related to falls in the oldest old: A randomized controlled trial. Geriatrics and Gerontology International, 2016, 16, 492-499.	0.7	52
483	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study protocol. BMJ Open, 2016, 6, e011996.	0.8	8
484	Can the Otago falls prevention program be delivered by video? A feasibility study. BMJ Open Sport and Exercise Medicine, 2016, 2, e000059.	1.4	15
485	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. BMJ Open, 2016, 6, e011560.	0.8	119
486	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	8
487	An evidence map of the effect of Tai Chi on health outcomes. Systematic Reviews, 2016, 5, 126.	2.5	104
488	Potential analysis for research on occupational therapy-led physical exercise programmes and home environment adaptation programmes to prevent falls for elderly people living at home / Potenzialanalyse zu ergotherapeutischen kĶrperlichen Trainingsprogrammen und Wohnraumanpassungen zur Vermeidung von Stýrzen bei zu Hause lebenden Ťeren Menschen.	0.3	2
489	Effectiveness of Senior Dance on risk factors for falls in older adults (DanSE): a study protocol for a randomised controlled trial. BMJ Open, 2016, 6, e013995.	0.8	22
490	Negotiating Control: From Recognizing a Need to Making a Decision to Apply for a Housing Adaptation. Journal of Housing for the Elderly, 2016, 30, 345-359.	0.7	13
491	Comparison of predictors of hip fracture and mortality after hip fracture in community-dwellers with and without Alzheimer's disease – exposure-matched cohort study. BMC Geriatrics, 2016, 16, 204.	1.1	43
492	An investigation to assess ankle mobility in healthy individuals from the application of multiâ€component compression bandages and compression hosiery. Journal of Foot and Ankle Research, 2016, 9, 18.	0.7	0
493	Review of perioperative falls. British Journal of Anaesthesia, 2016, 117, 720-732.	1.5	15
494	A Health Industry Perspective on Augmented Reality as a Communication Tool in Elderly Fall Prevention. , $2016, $		9
495	Feasibility and cost-effectiveness of a multidisciplinary home-telehealth intervention programme to reduce falls among elderly discharged from hospital: study protocol for a randomized controlled trial. BMC Geriatrics, 2016, 16, 209.	1.1	35
496	Sit-to-Stand Transition Reveals Acute Fall Risk in Activities of Daily Living. IEEE Journal of Translational Engineering in Health and Medicine, 2016, 4, 1-11.	2.2	32
497	The osteoporotic fracture prevention program in rural areas (OFRA): a protocol for a cluster-randomized health care fund driven intervention in a routine health care setting. BMC Musculoskeletal Disorders, 2016, 17, 458.	0.8	17
498	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). BMJ Open, 2016, 6, e009362.	0.8	24

#	Article	IF	Citations
499	Physical activity for lower urinary tract symptoms secondary to benign prostatic obstruction. The Cochrane Library, 2016, , .	1.5	4
500	INVESTIGATING COMMUNITY PERSPECTIVES ON FALLS PREVENTION INFORMATION SEEKING AND DELIVERY: OLDER PERSON PERCEPTIONS REGARDING PREFERENCES FOR FALLS PREVENTION EDUCATION USING A WORLD CAFE APPROACH. Journal of Community Psychology, 2016, 44, 937-944.	1.0	15
501	A History of Falls Should Be Recorded in All Preoperative Patients. EBioMedicine, 2016, 12, 30-31.	2.7	1
502	Are people following hip and knee arthroplasty at greater risk of experiencing a fall and fracture? Data from the Osteoarthritis Initiative. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 865-872.	1.3	26
503	Postural control deficits identify lingering post-concussion neurological deficits. Journal of Sport and Health Science, 2016, 5, 61-69.	3.3	94
504	The Role of Trunk Musculature in Osteoporotic Vertebral Fractures: Implications for Prediction, Prevention, and Management. Current Osteoporosis Reports, 2016, 14, 67-76.	1.5	14
505	Occupational Therapy for Adults With Cancer: Why It Matters. Oncologist, 2016, 21, 314-319.	1.9	88
506	Developing the FARSEEING Taxonomy of Technologies: Classification and description of technology use (including ICT) in falls prevention studies. Journal of Biomedical Informatics, 2016, 61, 132-140.	2.5	7
507	The impact of preventive measures on the burden of femoral fractures – a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. BMC Geriatrics, 2016, 16, 75.	1.1	15
508	Short-Term Risk of Serious Fall Injuries in Older Adults Initiating and Intensifying Treatment With Antihypertensive Medication. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 222-229.	0.9	64
509	Prevention and rehabilitation of osteoporosis. Wiener Medizinische Wochenschrift, 2016, 166, 22-27.	0.5	58
510	Are older adults receiving evidence-based advice to prevent falls post-discharge from hospital?. Health Education Journal, 2016, 75, 448-463.	0.6	4
511	To Fall Is Human: Falls, Gait, and Balance in Older Adults. , 2016, , 71-90.		1
512	Current concepts and future approaches to vestibular rehabilitation. Journal of Neurology, 2016, 263, 65-70.	1.8	40
513	Association of falls with health-related quality of life (HRQOL) in older cancer survivors: A population based study. Journal of Geriatric Oncology, 2016, 7, 201-210.	0.5	32
514	A decision model to predict the risk of the first fall onset. Experimental Gerontology, 2016, 81, 51-55.	1.2	13
515	Prevention of falls in older people living in the community. BMJ, The, 2016, 353, i1419.	3.0	156
516	Falls in older adults with major depressive disorder (MDD): a systematic review and exploratory meta-analysis of prospective studies. International Psychogeriatrics, 2016, 28, 23-29.	0.6	41

#	ARTICLE	IF	CITATIONS
517	Smallest worthwhile effect of exercise programs to prevent falls among older people: estimates from benefit–harm trade-off and discrete choice methods. Age and Ageing, 2016, 45, 806-812.	0.7	19
518	Effectiveness of medication withdrawal in older fallers: results from the Improving Medication Prescribing to reduce Risk Of FALLs (IMPROveFALL) trial. Age and Ageing, 2017, 46, 142-146.	0.7	47
519	Predictive Performance of a Fall Risk Assessment Tool for Community-Dwelling Older People (FRAT-up) in 4 European Cohorts. Journal of the American Medical Directors Association, 2016, 17, 1106-1113.	1.2	35
520	Falls in older adults with cancer: a systematic review of prevalence, injurious falls, and impact on cancer treatment. Supportive Care in Cancer, 2016, 24, 4459-4469.	1.0	56
522	An initial loading-dose vitamin D versus placebo after hip fracture surgery: randomized trial. BMC Musculoskeletal Disorders, 2016, 17, 336.	0.8	23
524	Implementing an Evidence-Based Fall Prevention Intervention in Community Senior Centers. American Journal of Public Health, 2016, 106, 2026-2031.	1.5	37
525	Psychological Approaches to Coping with Pain in Later Life. Clinics in Geriatric Medicine, 2016, 32, 763-771.	1.0	9
526	Exercise interventions and prevention of fall-related fractures in older people: a meta-analysis of randomized controlled trials. International Journal of Epidemiology, 2017, 46, dyw142.	0.9	35
527	Locomotive Syndrome: Definition and Management. Clinical Reviews in Bone and Mineral Metabolism, 2016, 14, 56-67.	1.3	181
528	Changes in selfâ€reported symptoms of depression and physical wellâ€being in healthy individuals following a Taiji beginner course – Results of a randomized controlled trial. Brain and Behavior, 2016, 6, e00429.	1.0	3
529	Impact of falls on mental health outcomes for older adult mental health patients: An Australian study. International Journal of Mental Health Nursing, 2016, 25, 3-11.	2.1	11
530	Patterns of perspectives on fall-prevention beliefs by community-dwelling older adults: a Q method investigation. BMC Geriatrics, 2016, 16, 132.	1.1	18
531	Predicting imminent risk for fracture in patients aged 50 or older with osteoporosis using US claims data. Archives of Osteoporosis, 2016, 11, 26.	1.0	84
532	Medication Review After a Fracture—Absolutely Essential. JAMA Internal Medicine, 2016, 176, 1539.	2.6	3
533	Risk Factors, Epidemiology and Treatment Strategies for Metabolic Bone Disease in Patients with Neurological Disease. Current Osteoporosis Reports, 2016, 14, 199-210.	1.5	13
534	The forgotten guidelines: cross-sectional analysis of participation in muscle strengthening and balance & to-ordination activities by adults and older adults in Scotland. BMC Public Health, 2016, 16, 1108.	1.2	90
535	The relation between vitamin D and postural balance according to clinical tests and tetrax posturography. Journal of Physical Therapy Science, 2016, 28, 1272-1277.	0.2	24
536	Low-frequency group exercise improved the motor functions of community-dwelling elderly people in a rural area when combined with home exercise with self-monitoring. Journal of Physical Therapy Science, 2016, 28, 366-371.	0.2	2

#	Article	IF	CITATIONS
537	Biomechanical alterations of gait termination in middle-aged and elderly women. Journal of Physical Therapy Science, 2016, 28, 861-867.	0.2	11
538	The Influence of Physical and Cognitive Functions on Falls by Elderly Persons Attending Community Day-care Centers. Rigakuryoho Kagaku, 2016, 31, 31-35.	0.0	0
539	Combining balneotherapy and health promotion to promote active and healthy ageing: the Balaruc-MACVIA-LR® approach. Aging Clinical and Experimental Research, 2016, 28, 1061-1065.	1.4	21
540	Deficits in medio-lateral balance control and the implications for falls in individuals with multiple sclerosis. Gait and Posture, 2016, 49, 148-154.	0.6	39
541	Postural Stability in Older Adults with a Distal Radial Fracture. Journal of Bone and Joint Surgery - Series A, 2016, 98, 1176-1182.	1.4	26
542	Exploring user experience and technology acceptance for a fall prevention system: results from a randomized clinical trial and a living lab. European Review of Aging and Physical Activity, 2016, 13, 6.	1.3	65
543	Implementing exercise programs to prevent falls: systematic descriptive review. Injury Epidemiology, 2016, 3, 16.	0.8	49
544	Trends in Antihypertensive Medication Discontinuation and Low Adherence Among Medicare Beneficiaries Initiating Treatment From 2007 to 2012. Hypertension, 2016, 68, 565-575.	1.3	76
545	Exercise for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	9
546	ICT-Based Fall Prevention System for Older Adults. ACM Transactions on Computer-Human Interaction, 2016, 23, 1-33.	4.6	35
547	Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care, 2016, 39, 2065-2079.	4.3	1,610
548	Risk factors, incidence, consequences and prevention strategies for falls and fallâ€injury within older indigenous populations: a systematic review. Australian and New Zealand Journal of Public Health, 2016, 40, 564-568.	0.8	29
549	Fall Risk and Its Associated Factors among Older Adults without Home-Help Services in a Swedish Municipality. Journal of Community Health Nursing, 2016, 33, 181-189.	0.1	9
550	Understanding the theoretical underpinning of the exercise component in a fall prevention programme for older adults with mild dementia: a realist review protocol. Systematic Reviews, 2016, 5, 119.	2.5	8
551	A clinical care pathway to improve the acute care of patients with glioma. Neuro-Oncology Practice, 2016, 3, 145-153.	1.0	7
552	Unmet needs and current and future approaches for osteoporotic patients at high risk of hip fracture. Archives of Osteoporosis, $2016, 11, 37$.	1.0	50
553	Locomotive Syndrome: The Concept and Recent Topics. The Japanese Journal of Rehabilitation Medicine, 2016, 53, 890-893.	0.0	2
554	Pilot study to investigate the feasibility of the Home Falls and Accidents Screening Tool (HOME FAST) to identify older Malaysian people at risk of falls. BMJ Open, 2016, 6, e012048.	0.8	10

#	Article	IF	CITATIONS
555	Stratifying Risk of Falls in Community-Dwelling Elderly Adults Through a Simple Tool. Human Movement, 2016, 17 , .	0.5	1
557	Efficacy of Ba Duan Jin in Improving Balance: A Study in Chinese Community-Dwelling Older Adults. Journal of Gerontological Nursing, 2016, 42, 38-46.	0.3	34
558	Home safety assessment and modification to reduce injurious falls in community-dwelling older adults: cost - -utility and equity analysis. Injury Prevention, 2016, 22, 420-426.	1.2	36
559	A multidisciplinary intervention to prevent subsequent falls and health service use following fall-related paramedic care: a randomised controlled trial. Age and Ageing, 2017, 46, 200-207.	0.7	23
560	Extremity injuries and dementia disproportionately increase the risk for long-term care at older age in an analysis of German Health Insurance routine data for the years 2006 to 2010. European Review of Aging and Physical Activity, 2016, 13, 9.	1.3	3
561	Evaluation of the Home Environment Assessment for the Visually Impaired (HEAVI): an instrument designed to quantify fall-related hazards in the visually impaired. BMC Geriatrics, 2016, 16, 214.	1.1	15
562	Experiences of general practitioners, home care nurses, physiotherapists and seniors involved in a multidisciplinary home-based fall prevention programme: a mixed method study. BMC Health Services Research, 2016, 16, 469.	0.9	16
563	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. Trials, 2016, 17, 464.	0.7	27
564	The FARSEEING real-world fall repository: a large-scale collaborative database to collect and share sensor signals from real-world falls. European Review of Aging and Physical Activity, 2016, 13, 8.	1.3	67
565	Symptoms of Knee Instability as Risk Factors for Recurrent Falls. Arthritis Care and Research, 2016, 68, 1089-1097.	1.5	30
566	Health and social support services in older adults recently discharged from hospital: service utilisation and costs and exploration of the impact of a home-exercise intervention. BMC Geriatrics, 2016, 16, 82.	1.1	1
567	Views and experiences of Malaysian older persons about falls and their prevention—A qualitative study. BMC Geriatrics, 2016, 16, 97.	1.1	14
568	Basic Geriatrics Knowledge Among Internal Medicine Trainees in a Teaching Hospital in Saudi Arabia. Journal of Cross-Cultural Gerontology, 2016, 31, 213-220.	0.5	2
569	How to care for homebound patients?. Proceedings of Singapore Healthcare, 2016, 25, 181-184.	0.2	0
570	A comprehensive fracture prevention strategy in older adults: The European Union Geriatric Medicine Society (EUGMS) statement. Journal of Nutrition, Health and Aging, 2016, 20, 647-652.	1.5	65
572	Association of proton pump inhibitor use with recurrent falls and risk of fractures in older women: A study of medication use in older fallers. Journal of Nutrition, Health and Aging, 2016, 20, 77-81.	1.5	28
573	Nurses' Perceptions of Implementing Fall Prevention Interventions to Mitigate Patient-Specific Fall Risk Factors. Western Journal of Nursing Research, 2016, 38, 1012-1034.	0.6	13
574	Unexpected perturbations training improves balance control and voluntary stepping times in older adults - a double blind randomized control trial. BMC Geriatrics, 2016, 16, 58.	1.1	54

#	Article	IF	CITATIONS
575	Strategies to reduce the risk of falling: Cohort study analysis with 1-year follow-up in community dwelling older adults. BMC Geriatrics, 2016, 16, 92.	1.1	17
576	Clinical exercise physiology students learning with older adults: an innovative simulation-based education programme. Advances in Simulation, $2016, 1, 11$.	1.0	1
577	Trajectories of Lower Extremity Physical Performance: Effects on Fractures and Mortality in Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1609-1615.	1.7	39
578	The social organization of a sedentary life for residents in longâ€ŧerm care. Nursing Inquiry, 2016, 23, 128-137.	1.1	9
579	Fall-risk prediction in older adults with cancer: an unmet need. Supportive Care in Cancer, 2016, 24, 3681-3684.	1.0	22
580	Walking can be more effective than balance training in fall prevention among communityâ€dwelling older adults. Geriatrics and Gerontology International, 2016, 16, 118-125.	0.7	38
581	Optimal Perioperative Management of the Geriatric Patient: A Best Practices Guideline from the American College of Surgeons NSQIP and the American Geriatrics Society. Journal of the American College of Surgeons, 2016, 222, 930-947.	0.2	426
582	Fall prevention intervention technologies: A conceptual framework and survey of the state of the art. Journal of Biomedical Informatics, 2016, 59, 319-345.	2.5	120
583	Prehospital emergency services screening and referral to reduce falls in community-dwelling older adults: a systematic review. Emergency Medicine Journal, 2016, 33, 345-350.	0.4	10
584	Balance Exercises Circuit improves muscle strength, balance, and functional performance in older women. Age, 2016, 38, 14.	3.0	19
585	Exploring the relationship between fall risk-increasing drugs and fall-related fractures. International Journal of Clinical Pharmacy, 2016, 38, 243-251.	1.0	9
586	Age-dependent motor unit remodelling in human limb muscles. Biogerontology, 2016, 17, 485-496.	2.0	109
588	The effect of a combined strength and proprioceptive training on muscle strength and postural balance in boys with intellectual disability: An exploratory study. Research in Developmental Disabilities, 2016, 53-54, 367-376.	1.2	27
589	Prescribing exercise interventions for patients with chronic conditions. Cmaj, 2016, 188, 510-518.	0.9	101
590	The Royal College of Ophthalmologists' Cataract Surgery Commissioning Guidance: executive summary. Eye, 2016, 30, 498-502.	1.1	8
591	Exercise and Fall Prevention: Narrowing the Researchâ€toâ€Practice Gap and Enhancing Integration of Clinical and Community Practice. Journal of the American Geriatrics Society, 2016, 64, 425-431.	1.3	53
592	Effects of Virtual Reality Training (Exergaming) Compared to Alternative Exercise Training and Passive Control on Standing Balance and Functional Mobility in Healthy Community-Dwelling Seniors: A Meta-Analytical Review. Sports Medicine, 2016, 46, 1293-1309.	3.1	153
593	Lower leg muscle density is independently associated with fall status in community-dwelling older adults. Osteoporosis International, 2016, 27, 2231-2240.	1.3	42

#	Article	IF	CITATIONS
594	FRAX predicts incident falls in elderly men: findings from MrOs Sweden. Osteoporosis International, 2016, 27, 267-274.	1.3	41
595	Geriatric medicine and geriatricians in the UK. How they relate to acute and general internal medicine and what the future might hold?. Future Hospital Journal, 2016, 3, 49-54.	0.2	18
596	Osteoporosis: Pathophysiology and Epidemiology. , 2016, , 1-16.		0
597	Rationale for Strengthening Muscle to Prevent Falls and Fractures: A Review of the Evidence. Calcified Tissue International, 2016, 98, 531-545.	1.5	65
599	Direction-Dependent Adaptation of Dynamic Gait Stability Following Waist-Pull Perturbations. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2016, 24, 1304-1313.	2.7	39
600	Physical activity in older age: perspectives for healthy ageing and frailty. Biogerontology, 2016, 17, 567-580.	2.0	767
602	Effect of structured physical activity on prevention of serious fall injuries in adults aged 70-89: randomized clinical trial (LIFE Study). BMJ, The, 2016, 352, i245.	3.0	68
603	Médicaments majorant le risque de chuteÂ: étude prospective au CHRU de Strasbourg. NPG Neurologie - Psychiatrie - Geriatrie, 2016, 16, 217-225.	0.1	1
604	Vitamin D: A Narrative Review Examining the Evidence for Ten Beliefs. Journal of General Internal Medicine, 2016, 31, 780-791.	1.3	35
605	Yoga-based exercise improves balance and mobility in people aged 60 and over: a systematic review and meta-analysis. Age and Ageing, 2016, 45, 21-29.	0.7	93
606	Exercise and rehabilitation delivered through exergames in older adults: An integrative review of technologies, safety and efficacy. International Journal of Medical Informatics, 2016, 85, 1-16.	1.6	250
607	Combining Motivational and Physical Intervention Components to Promote Fall-Reducing Physical Activity Among Community-Dwelling Older Adults. American Journal of Health Promotion, 2016, 30, 638-644.	0.9	20
608	Exercise-Based Fall Prevention in the Elderly: What About Agility?. Sports Medicine, 2016, 46, 143-149.	3.1	54
609	Associations of Computed Tomography-Based Trunk Muscle Size and Density With Balance and Falls in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 811-816.	1.7	50
610	The CDC Injury Center's Response to the Growing Public Health Problem of Falls Among Older Adults. American Journal of Lifestyle Medicine, 2016, 10, 74-77.	0.8	122
611	Cost-effectiveness of vitamin D supplementation and exercise in preventing injurious falls among older home-dwelling women: findings from an RCT. Osteoporosis International, 2016, 27, 193-201.	1.3	28
612	Type 2 diabetes and the skeleton: new insights into sweet bones. Lancet Diabetes and Endocrinology,the, 2016, 4, 159-173.	5.5	179
613	Very Frequent Fallers and Future Fall Injury. Journal of Aging and Health, 2016, 28, 587-599.	0.9	18

#	Article	IF	CITATIONS
614	Flow Experience of Older Adults Using the iStoppFalls Exergame. Games and Culture, 2016, 11, 201-222.	1.7	24
615	What diseases are causally linked to vitamin D deficiency?. Archives of Disease in Childhood, 2016, 101, 185-189.	1.0	34
617	Prediction of future falls in a community dwelling older adult population using instrumented balance and gait analysis. Zeitschrift Fur Gerontologie Und Geriatrie, 2016, 49, 232-236.	0.8	20
618	State of the Art Review. American Journal of Lifestyle Medicine, 2017, 11, 42-57.	0.8	38
619	Step training improves reaction time, gait and balance and reduces falls in older people: a systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 586-593.	3.1	200
620	Falls prevention education: Interprofessional training to enhance collaborative practice. Gerontology and Geriatrics Education, 2017, 38, 232-243.	0.6	23
621	Fall Risk Assessment Through Automatic Combination of Clinical Fall Risk Factors and Body-Worn Sensor Data. IEEE Journal of Biomedical and Health Informatics, 2017, 21, 725-731.	3.9	54
622	The interrelationship between balance, Tai Chi and depression in Latino older adults. Aging Clinical and Experimental Research, 2017, 29, 395-401.	1.4	7
623	Continuous decline in incidence of distal humeral fracture of older women in Finland. Aging Clinical and Experimental Research, 2017, 29, 467-471.	1.4	5
624	Indoor and outdoor falls among older adult trauma patients: A comparison of patient characteristics, associated factors and outcomes. Geriatrics and Gerontology International, 2017, 17, 905-912.	0.7	10
625	Combined exercise is more effective than aerobic exercise in the improvement of fall risk factors: a randomized controlled trial in community-dwelling older men. Clinical Rehabilitation, 2017, 31, 478-486.	1.0	40
626	Falls amongst older people in Southeast Asia: a scoping review. Public Health, 2017, 145, 96-112.	1.4	48
627	Efectos de la actividad fÃsica en la calidad de vida relacionada con la salud en adultos con osteopenia y osteoporosis: revisión sistemática y metaanálisis. Fisioterapia, 2017, 39, 83-92.	0.2	4
628	Geriatric Polypharmacy. Clinics in Geriatric Medicine, 2017, 33, 205-223.	1.0	4
629	Collaborative leadership and the implementation of community-based fall prevention initiatives: a multiple case study of public health practice within community groups. BMC Health Services Research, 2017, 17, 141.	0.9	19
630	Geriatric Care Issues. Primary Care - Clinics in Office Practice, 2017, 44, e15-e36.	0.7	7
631	Gender perspectives on views and preferences of older people on exercise to prevent falls: a systematic mixed studies review. BMC Geriatrics, 2017, 17, 58.	1.1	41
632	Pathophysiology of heart failure and frailty: a common inflammatory origin?. Aging Cell, 2017, 16, 444-450.	3.0	79

#	Article	IF	CITATIONS
633	A systematic review of gait perturbation paradigms for improving reactive stepping responses and falls risk among healthy older adults. European Review of Aging and Physical Activity, 2017, 14, 3.	1.3	127
634	Predictors of institutionalization among home-dwelling older Finnish people: a 22-year follow-up study. Aging Clinical and Experimental Research, 2017, 29, 499-505.	1.4	16
635	Physical Exercise, Cognition, and Function in Older People. Journal of the American Medical Directors Association, 2017, 18, 282-283.	1.2	5
637	Systematic review and meta-analysis: Tai Chi for preventing falls in older adults. BMJ Open, 2017, 7, e013661.	0.8	122
638	Do virtual reality games improve mobility skills and balance measurements in community-dwelling older adults? Systematic review and meta-analysis. Clinical Rehabilitation, 2017, 31, 1292-1304.	1.0	100
639	Skeletal Fragility, a Common Menopausal Burden: Risk Assessment, Diagnosis, and Management. , 2017, , 145-164.		0
640	Short-term effectiveness of vestibular rehabilitation in elderly patients with postural instability: a randomized clinical trial. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2395-2403.	0.8	20
641	Transfer effects of step training on stepping performance in untrained directions in older adults: A randomized controlled trial. Gait and Posture, 2017, 54, 50-55.	0.6	1
642	Assessing the Effects of Interpersonal and Intrapersonal Behavior Change Strategies on Physical Activity in Older Adults: a Factorial Experiment. Annals of Behavioral Medicine, 2017, 51, 376-390.	1.7	49
643	"lf only had I known― a qualitative study investigating a treatment of patients with a hip fracture with short time stay in hospital. International Journal of Qualitative Studies on Health and Well-being, 2017, 12, 1307061.	0.6	30
644	UK clinical guideline for the prevention and treatment of osteoporosis. Archives of Osteoporosis, 2017, 12, 43.	1.0	609
645	The "Aachen fall prevention App―– a Smartphone application app for the self-assessment of elderly patients at risk for ground level falls. Patient Safety in Surgery, 2017, 11, 14.	1.1	40
646	Can peer education improve beliefs, knowledge, motivation and intention to engage in falls prevention amongst community-dwelling older adults?. European Journal of Ageing, 2017, 14, 243-255.	1.2	21
647	One session of high-intensity interval training (HIIT) every 5 days, improves muscle power but not static balance in lifelong sedentary ageing men. Medicine (United States), 2017, 96, e6040.	0.4	51
648	Severe traumatic brain injury: targeted management in the intensive care unit. Lancet Neurology, The, 2017, 16, 452-464.	4.9	277
649	Effects of a simple homeâ€based exercise program on fall prevention in older adults: A 12â€month primary care setting, randomized controlled trial. Geriatrics and Gerontology International, 2017, 17, 2157-2163.	0.7	29
650	Effect of monthly high-dose vitamin D supplementation on falls and non-vertebral fractures: secondary and post-hoc outcomes from the randomised, double-blind, placebo-controlled ViDA trial. Lancet Diabetes and Endocrinology,the, 2017, 5, 438-447.	5 . 5	151
651	Can vitamin D prevent falls and fractures?. Lancet Diabetes and Endocrinology,the, 2017, 5, 407-409.	5.5	2

#	Article	IF	CITATIONS
652	Perturbationâ€based balance training for falls reduction among older adults: Current evidence and implications for clinical practice. Geriatrics and Gerontology International, 2017, 17, 2294-2303.	0.7	158
653	Bone Health in Parkinson's Disease. Clinical Reviews in Bone and Mineral Metabolism, 2017, 15, 99-114.	1.3	3
654	An Ounce of Prevention: Deaths Averted From Primary Prevention Interventions. American Journal of Preventive Medicine, 2017, 52, 778-787.	1.6	3
655	Falls-Related Drug Use and Risk of Falls Among Older Adults: A Study in a US Medicare Population. Drugs and Aging, 2017, 34, 555-565.	1.3	28
656	Usual Alcohol Consumption and Risks for Nonfatal Fall Injuries in the United States: Results From the 2004–2013 National Health Interview Survey. Substance Use and Misuse, 2017, 52, 1120-1132.	0.7	28
657	Effects of Supervised vs. Unsupervised Training Programs on Balance and Muscle Strength in Older Adults: A Systematic Review and Meta-Analysis. Sports Medicine, 2017, 47, 2341-2361.	3.1	167
658	The case for Tai Chi in the repertoire of strategies to prevent falls among older people. Perspectives in Public Health, 2017, 137, 85-86.	0.8	9
659	Lower likelihood of falling at age 90+ is associated with daily exercise a quarter of a century earlier: The 90+ Study. Age and Ageing, 2017, 46, 951-957.	0.7	13
660	A 2-Year Follow-Up After a 2-Year RCT with Vitamin D and Exercise: Effects on Falls, Injurious Falls and Physical Functioning Among Older Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1239-1245.	1.7	35
661	The relationship between cumulative lifetime ultraviolet radiation exposure, bone mineral density, falls risk and fractures in older adults. Osteoporosis International, 2017, 28, 2061-2068.	1.3	12
662	A multidisciplinary approach to improve the quality of care for patients with fragility fractures. Journal of Orthopaedics, 2017, 14, 247-251.	0.6	15
663	Is independence of older adults safe considering the risk of falls?. BMC Geriatrics, 2017, 17, 66.	1.1	16
664	Medium doses of daily vitamin D decrease falls and higher doses of daily vitamin D3 increase falls: A randomized clinical trial. Journal of Steroid Biochemistry and Molecular Biology, 2017, 173, 317-322.	1.2	118
665	The efficacy of fall-risk-increasing drug (FRID) withdrawal for the prevention of falls and fall-related complications: protocol for a systematic review and meta-analysis. Systematic Reviews, 2017, 6, 33.	2.5	11
666	Risk assessment and falls prevention in the older adult: Asian experience with the Falls Risk for Older People in the Community tool. Geriatrics and Gerontology International, 2017, 17, 518-519.	0.7	2
667	Management of Osteoporotic and Neuropathic Ankle Fractures in the Elderly. Current Geriatrics Reports, 2017, 6, 9-14.	1.1	16
668	"Falls prevention among older people and care providers: protocol for an integrative review― Journal of Advanced Nursing, 2017, 73, 1722-1734.	1.5	8
669	Vitamin D: Musculoskeletal health. Reviews in Endocrine and Metabolic Disorders, 2017, 18, 363-371.	2.6	40

#	Article	IF	CITATIONS
670	Changes in physical activity, sedentary time, and risk of falling: The Women's Health Initiative Observational Study. Preventive Medicine, 2017, 95, 103-109.	1.6	24
671	Quantifying Fall-Related Hazards in the Homes of Persons with Glaucoma. Ophthalmology, 2017, 124, 562-571.	2.5	26
672	Vitamin D deficiency is associated with functional decline and falls in frail elderly women despite supplementation. Osteoporosis International, 2017, 28, 1347-1353.	1.3	25
673	Age-related reductions in muscle quality influence the relative differences in strength and power. Experimental Gerontology, 2017, 99, 27-34.	1.2	21
674	Non-pharmacological interventions to prevent falls in older patients: Clinical practice recommendations–Âthe SENATOR ONTOP Series. European Geriatric Medicine, 2017, 8, 413-418.	1.2	5
675	Exercise Frequency and Fracture Risk in Older Adults—How Often Is Enough?. Current Osteoporosis Reports, 2017, 15, 564-570.	1.5	9
676	Alternative Facts? Antidepressants and Falls in Older Adults. American Journal of Geriatric Psychiatry, 2017, 25, 1337-1338.	0.6	1
677	A prospective study on the variation in falling and fall risk among community-dwelling older citizens in 12 European countries. BMJ Open, 2017, 7, e015827.	0.8	40
678	STEADI: CDC's approach to make older adult fall prevention part of every primary care practice. Journal of Safety Research, 2017, 63, 105-109.	1.7	41
679	A single session of perturbation-based gait training with the A-TPAD improves dynamic stability in healthy young subjects., 2017, 2017, 479-484.		14
680	How older adults would like falls prevention information delivered: fresh insights from a World CafÃ \otimes forum. Ageing and Society, 2017, 37, 1179-1196.	1.2	18
681	Bone fracture risk in patients with rheumatoid arthritis. Medicine (United States), 2017, 96, e6983.	0.4	87
682	Benzodiazepines and Z-Drugs: An Updated Review of Major Adverse Outcomes Reported on in Epidemiologic Research. Drugs in R and D, 2017, 17, 493-507.	1.1	181
683	Associations Between Falls and Driving Outcomes in Older Adults: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2017, 65, 2596-2602.	1.3	15
686	Pedestrian falls: A review of the literature and future research directions. Journal of Safety Research, 2017, 62, 227-234.	1.7	46
687	Accelerometerâ€Measured Moderate to Vigorous Physical Activity and Incidence Rates of Falls in Older Women. Journal of the American Geriatrics Society, 2017, 65, 2480-2487.	1.3	45
688	Clinical and Community Strategies to Prevent Falls and Fall-Related Injuries Among Community-Dwelling Older Adults. Nursing Clinics of North America, 2017, 52, 489-497.	0.7	12
689	Guidelines of the Brazilian Society of Rheumatology for the diagnosis and treatment of osteoporosis in men. Revista Brasileira De Reumatologia, 2017, 57, 497-514.	0.7	11

#	ARTICLE	IF	CITATIONS
690	Evaluation of an Outpatient Rehabilitative Program to Address Mobility Limitations Among Older Adults. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 600-606.	0.7	11
691	Integrative Medicine for Geriatric and Palliative Care. Medical Clinics of North America, 2017, 101, 1005-1029.	1.1	12
692	Comparative Effectiveness for Glycemic Control in Older Adults with Diabetes. Current Geriatrics Reports, 2017, 6, 175-186.	1.1	20
693	Response to comments on: Sarcopenia is a risk factor for falling in independently living Japanese older adults: A 2â€year prospective cohort study of the GAINA study. Geriatrics and Gerontology International, 2017, 17, 2286-2287.	0.7	1
694	The effect of primary total knee arthroplasty on the incidence of falls and balance-related functions in patients with osteoarthritis. Scientific Reports, 2017, 7, 16583.	1.6	23
695	Epidemiology of fragility fractures and fall prevention in the elderly: a systematic review of the literature. Current Orthopaedic Practice, 2017, 28, 580-585.	0.1	97
696	Clinical interventions, implementation interventions, and the potential greyness in between -a discussion paper. BMC Health Services Research, 2017, 17, 16.	0.9	59
698	The role of calcium supplementation in healthy musculoskeletal ageing. Osteoporosis International, 2017, 28, 447-462.	1.3	130
699	REGIO-GERIATRIE – koordinierte multiprofessionelle Versorgung. HeilberufeSCIENCE, 2017, 8, 79-84.	0.7	0
700	Trauma Prevention Activities for the Elderly. Current Trauma Reports, 2017, 3, 164-169.	0.6	0
701	Older Adult Falls: Effective Approaches to Prevention. Current Trauma Reports, 2017, 3, 118-123.	0.6	28
702	Study protocol: effect of playful training on functional abilities of older adults - a randomized controlled trial. BMC Geriatrics, 2017, 17, 27.	1.1	10
703	Racial-Ethnic Differences in Fall Prevalence among Older Women: A Cross-Sectional Survey Study. BMC Geriatrics, 2017, 17, 65.	1.1	33
704	A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): protocol of a randomised controlled trial. BMC Geriatrics, 2017, 17, 71.	1.1	32
705	Dancing in time: feasibility and acceptability of a contemporary dance programme to modify risk factors for falling in community dwelling older adults. BMC Geriatrics, 2017, 17, 83.	1.1	28
706	Adapted yoga to improve physical function and health-related quality of life in physically-inactive older adults: a randomised controlled pilot trial. BMC Geriatrics, 2017, 17, 131.	1.1	40
707	Effectiveness of sensor monitoring in an occupational therapy rehabilitation program for older individuals after hip fracture, the SO-HIP trial: study protocol of a three-arm stepped wedge cluster randomized trial. BMC Health Services Research, 2017, 17, 3.	0.9	35
708	Associations between patient factors and adverse events in the home care setting: a secondary data analysis of two canadian adverse event studies. BMC Health Services Research, 2017, 17, 400.	0.9	9

#	Article	IF	CITATIONS
709	Integrated solutions for sustainable fall prevention in primary care, the iSOLVE project: a type 2 hybrid effectiveness-implementation design. Implementation Science, 2017, 12, 12.	2.5	25
710	Older adult falls prevention behaviors 60 days post-discharge from an urban emergency department after treatment for a fall. Injury Epidemiology, 2017, 4, 18.	0.8	18
711	Vitamin D regulates osteocyte survival and perilacunar remodeling in human and murine bone. Bone, 2017, 103, 78-87.	1.4	60
712	Frailty, Sarcopenia, Falls and Fractures. Practical Issues in Geriatrics, 2017, , 47-61.	0.3	6
713	Exercise, muscle, and the applied load-bone strength balance. Osteoporosis International, 2017, 28, 21-33.	1.3	21
714	Are resistance and aerobic exercise training equally effective at improving knee muscle strength and balance in older women?. Archives of Gerontology and Geriatrics, 2017, 68, 106-112.	1.4	29
715	The effect of total knee arthroplasty on patients' balance and incidence of falls: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3439-3451.	2.3	47
716	Application of the Health Literacy INDEX on the development of a manual for prevention of falls for older adults. Patient Education and Counseling, 2017, 100, 154-159.	1.0	19
717	Establishment of an appropriate fall prevention program: A communityâ€based study. Geriatrics and Gerontology International, 2017, 17, 1081-1089.	0.7	9
718	Identifying motivators and barriers to older community-dwelling people participating in resistance training: A cross-sectional study. Journal of Sports Sciences, 2017, 35, 1523-1532.	1.0	32
719	The effect of pulmonary rehabilitation on mortality, balance, and risk of fall in stable patients with chronic obstructive pulmonary disease. Chronic Respiratory Disease, 2017, 14, 54-62.	1.0	17
720	Factors associated with use of falls risk–increasing drugs among patients of a geriatric oncology outpatient clinic in Australia: a crossâ€sectional study. Journal of Evaluation in Clinical Practice, 2017, 23, 361-368.	0.9	10
721	The Costs of Fallâ€Related Injuries among Older Adults: Annual Perâ€Faller, Service Component, and Patient Outâ€ofâ€Pocket Costs. Health Services Research, 2017, 52, 1794-1816.	1.0	47
722	Health promotion among older adults in Austria: a qualitative study. Journal of Clinical Nursing, 2017, 26, 1106-1118.	1.4	11
723	Exercise interventions for the improvement of falls-related outcomes among older adults with diabetes mellitus: A systematic review and meta-analyses. Journal of Diabetes and Its Complications, 2017, 31, 631-645.	1.2	33
724	Cost-effectiveness of combined oral bisphosphonate therapy and falls prevention exercise for fracture prevention in the USA. Osteoporosis International, 2017, 28, 585-595.	1.3	33
725	Prevalence of frailty and associated factors in Korean older women: The KLoSA study. Journal of Women and Aging, 2017, 29, 15-25.	0.5	8
726	Evaluation of the clinical utility of the Home Falls and Accidents Screening Tool (HOME FAST). Disability and Rehabilitation, 2017, 39, 1489-1501.	0.9	10

#	Article	IF	Citations
727	Impact of 3-monthly vitamin D supplementation plus exercise on survival after surgery for osteoporotic hip fracture in adult patients over 50 years: A pragmatic randomized, partially blinded, controlled trial. Journal of Nutrition, Health and Aging, 2017, 21, 413-420.	1.5	9
728	Regional Rheumatic Disorders and Rehabilitation in Older Adults. Clinics in Geriatric Medicine, 2017, 33, 53-72.	1.0	0
729	Exploring Older Adult ED Fall Patients' Understanding of Their Fall: A Qualitative Study. Geriatric Orthopaedic Surgery and Rehabilitation, 2017, 8, 231-237.	0.6	12
730	Tenofovir disoproxil fumarate as pre-exposure prophylaxis for HIV prevention in women with osteoporosis: a case report and review of the literature. Antiviral Therapy, 2017, 23, 379-382.	0.6	0
731	Effect of whole-body vibration exercise in preventing falls and fractures: a systematic review and meta-analysis. BMJ Open, 2017, 7, e018342.	0.8	55
732	Economic Burden of Informal Caregiving Associated With History of Stroke and Falls Among Older Adults in the U.S American Journal of Preventive Medicine, 2017, 53, S197-S204.	1.6	16
733	Herausforderung FragilitÃѣfrakturen – aus Sicht eines Alterstraumazentrums. Public Health Forum, 2017, 25, 151-154.	0.1	1
734	OBSOLETE: Physical Activity and Health. , 2017, , .		0
735	What do Cochrane systematic reviews say about interventions for vitamin D supplementation?. Sao Paulo Medical Journal, 2017, 135, 497-507.	0.4	8
736	The Effectiveness of a Wireless Modular Bed Absence Sensor Device for Fall Prevention among Older Inpatients. Frontiers in Public Health, 2016, 4, 292.	1.3	7
737	Efficacy of a Student-Led, Community-Based, Multifactorial Fall Prevention Program: Stay in Balance. Frontiers in Public Health, 2017, 5, 30.	1.3	9
738	An Integrated Approach to Falls Prevention: A Model for Linking Clinical and Community Interventions through the Massachusetts Prevention and Wellness Trust Fund. Frontiers in Public Health, 2017, 5, 38.	1.3	16
739	Traumatic Brain Injury–Related Emergency Department Visits, Hospitalizations, and Deaths — United States, 2007 and 2013. MMWR Surveillance Summaries, 2017, 66, 1-16.	18.6	1,600
740	Reducing Fall Risk with Combined Motor and Cognitive Training in Elderly Fallers. Brain Sciences, 2017, 7, 19.	1.1	34
741	Falls and Fear of Falling among Persons Who Receive Housing Adaptationsâ€"Results from a Quasi-Experimental Study in Sweden. Healthcare (Switzerland), 2017, 5, 66.	1.0	13
742	Effect of Indoor Temperature on Physical Performance in Older Adults during Days with Normal Temperature and Heat Waves. International Journal of Environmental Research and Public Health, 2017, 14, 186.	1.2	14
743	Balance Training Enhances Vestibular Function and Reduces Overactive Proprioceptive Feedback in Elderly. Frontiers in Aging Neuroscience, 2017, 9, 273.	1.7	32
744	Falls., 2017,, 84-91.		0

#	Article	IF	CITATIONS
745	The Biphasic Effect of Vitamin D on the Musculoskeletal and Cardiovascular System. International Journal of Endocrinology, 2017, 2017, 1-11.	0.6	24
746	Implementing STEADI in Academic Primary Care to Address Older Adult Fall Risk. Innovation in Aging, 2017, 1, igx028.	0.0	43
747	Fracture risk in patients with type 2 diabetes mellitus and possible risk factors: a systematic review and meta-analysis. Therapeutics and Clinical Risk Management, 2017, Volume 13, 455-468.	0.9	144
748	Osteosarcopenic obesity in women: impact, prevalence, and management challenges. International Journal of Women's Health, 2017, Volume 9, 33-42.	1.1	52
749	Physiotherapy and Mental Health. , 2017, , .		17
750	Dysmobility syndrome: current perspectives. Clinical Interventions in Aging, 2017, Volume 12, 145-152.	1.3	26
751	Visual Data Exploration for Balance Quantification in Real-Time During Exergaming. PLoS ONE, 2017, 12, e0170906.	1.1	5
752	Does Fall Arrest Strategy Training Added to a Fall Prevention Programme Improve Balance, Strength, and Agility in Older Women? A Pilot Study. Physiotherapy Canada Physiotherapie Canada, 2017, 69, 323-332.	0.3	11
753	Eccentric versus traditional resistance exercise for older adult fallers in the community: a randomized trial within a multi-component fall reduction program. BMC Geriatrics, 2017, 17, 149.	1.1	34
754	Cost-effectiveness analysis of a multifactorial fall prevention intervention in older home care clients at risk for falling. BMC Geriatrics, 2017, 17, 199.	1.1	17
755	Evaluation design of Urban Health Centres Europe (UHCE): preventive integrated health and social care for community-dwelling older persons in five European cities. BMC Geriatrics, 2017, 17, 209.	1.1	17
756	Education and exercise program improves osteoporosis knowledge and changes calcium and vitamin D dietary intake in community dwelling elderly. BMC Public Health, 2017, 17, 966.	1.2	30
757	A falls prevention programme to improve quality of life, physical function and falls efficacy in older people receiving home help services: study protocol for a randomised controlled trial. BMC Health Services Research, 2017, 17, 559.	0.9	45
758	Assessing functional connectivity of brainstem nuclei in fMRI data. , 2017, , .		0
759	Better Strength, Better Balance! Partnering to deliver a fall prevention program for older adults. Canadian Journal of Public Health, 2017, 108, e314-e319.	1.1	6
760	Timed up and go test combined with self-rated multifactorial questionnaire on falls risk and sociodemographic factors predicts falls among community-dwelling older adults better than the timed up and go test on its own. Journal of Multidisciplinary Healthcare, 2017, Volume 10, 409-416.	1.1	31
761	Cognitive-Behavioral Therapy in Older Adults. , 2017, , 223-255.		28
762	A behavioral medicine intervention for community-dwelling older adults with chronic musculoskeletal pain: protocol for a randomized controlled trial. Journal of Pain Research, 2017, Volume 10, 845-853.	0.8	9

#	Article	IF	Citations
763	Evidence-based guidelines for fall prevention in Korea. Korean Journal of Internal Medicine, 2017, 32, 199-210.	0.7	33
764	Falls, Functioning, and Disability Among Women With Persistent Symptoms of Chemotherapy-Induced Peripheral Neuropathy. Journal of Clinical Oncology, 2017, 35, 2604-2612.	0.8	244
765	Methodological challenges in a study on falls in an older population of Cape Town, South Africa. African Health Sciences, 2017, 17, 912.	0.3	3
767	Older Adults' Opinions on Fall Prevention in Relation to Physical Activity Level. Journal of Applied Gerontology, 2018, 37, 58-78.	1.0	14
768	A critical appraisal of the reporting quality of published randomized controlled trials in the fall injuries. International Journal of Injury Control and Safety Promotion, 2018, 25, 222-228.	1.0	2
769	Fall determinants and home modifications by occupational therapists to prevent falls. Canadian Journal of Occupational Therapy, 2018, 85, 79-87.	0.8	22
770	Medical Costs of Fatal and Nonfatal Falls in Older Adults. Journal of the American Geriatrics Society, 2018, 66, 693-698.	1.3	820
771	Cardiac Rehabilitation in Older Persons with Cardiovascular Disease. Current Cardiovascular Risk Reports, 2018, 12, 1.	0.8	1
772	Influence of a brisk walking program on postural responses in sedentary older women: a randomised trial. Aging Clinical and Experimental Research, 2018, 30, 433-440.	1.4	2
774	Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. BMJ Open, 2018, 8, e020726.	0.8	10
775	Changes in Regional Brain Grey-Matter Volume Following Successful Completion of a Sensori-Motor Intervention Targeted at Healthy and Fall-Prone OlderÂAdults. Multisensory Research, 2018, 31, 317-344.	0.6	7
776	Interventions to Prevent Falls in Older Adults. JAMA - Journal of the American Medical Association, 2018, 319, 1705.	3.8	287
777	Integrated Exposure Therapy and Exercise Reduces Fear of Falling and Avoidance in Older Adults: A Randomized Pilot Study. American Journal of Geriatric Psychiatry, 2018, 26, 849-859.	0.6	29
778	Promotion of Physical Activity for the General Older Population. , 2018, , 103-122.		1
779	Association of Social Support Network Size With Receipt of Cataract Surgery in Older Adults. JAMA Ophthalmology, 2018, 136, 423.	1.4	14
780	Promotion of Physical Activity for Older People with Neurological Conditions. , 2018, , 145-163.		1
782	Acceptability of a custom-designed game, CityQuest, aimed at improving balance confidence and spatial cognition in fall-prone and healthy older adults. Behaviour and Information Technology, 2018, 37, 538-557.	2.5	15
783	Effectiveness of falls prevention intervention programme in community-dwelling older people in Thailand: Randomized controlled trial. Hong Kong Physiotherapy Journal, 2018, 38, 1-11.	0.3	7

#	Article	IF	CITATIONS
784	Tai Chi Beyond Balance and Fall Prevention: Health Benefits and Its Potential Role in Combatting Social Isolation in the Aging Population. Current Geriatrics Reports, 2018, 7, 37-48.	1.1	7
785	Strategies to Prevent Falls. Biosystems and Biorobotics, 2018, , 149-158.	0.2	0
786	Primary care providers' discussion of fall prevention approaches with their older adult patientsâ€"DocStyles, 2014. Preventive Medicine Reports, 2018, 9, 149-152.	0.8	12
787	Promoting activity, independence and stability in early dementia and mild cognitive impairment (PrAISED): development of an intervention for people with mild cognitive impairment and dementia. Clinical Rehabilitation, 2018, 32, 855-864.	1.0	19
788	Frailty and chronic kidney disease: current evidence and continuing uncertainties. CKJ: Clinical Kidney Journal, 2018, 11, 236-245.	1.4	130
789	Prevalence of fear of falling and associated factors among Japanese community-dwelling older adults. Medicine (United States), 2018, 97, e9721.	0.4	54
790	The effects of a multicomponent intervention program on clinical outcomes associated with falls in healthy older adults. Aging Clinical and Experimental Research, 2018, 30, 1101-1110.	1.4	11
791	Vision Rehabilitation Preferred Practice Pattern®. Ophthalmology, 2018, 125, P228-P278.	2.5	40
792	Community Peer-Led Falls Prevention Presentations: What Do the Experts Suggest?. Journal of Primary Prevention, 2018, 39, 81-98.	0.8	3
793	Relationship between muscle strength and fall episodes among the elderly: the Yilan study, Taiwan. BMC Geriatrics, 2018, 18, 90.	1.1	67
794	The association between balance and free-living physical activity in an older community-dwelling adult population: a systematic review and meta-analysis. BMC Public Health, 2018, 18, 431.	1.2	16
795	Change in the profile of traumatic spinal cord injury over 15Âyears in Spain. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 27.	1.1	44
796	Promotion of Physical Activity for Older People with Musculoskeletal Conditions., 2018,, 165-184.		0
797	A mixed methods evaluation of yoga as a fall prevention strategy for older people in India. Pilot and Feasibility Studies, 2018, 4, 74.	0.5	9
798	Brief assessments and screening for geriatric conditions in older primary care patients: a pragmatic approach. Public Health Reviews, 2018, 39, 8.	1.3	27
799	Relationship Between Physiological and Perceived Fall Risk in People With Multiple Sclerosis: Implications for Assessment and Management. Archives of Physical Medicine and Rehabilitation, 2018, 99, 2022-2029.	0.5	22
800	Muscle Weakness and Falls. Contemporary Endocrinology, 2018, , 205-225.	0.3	0
801	Factors associated with falls in older adults with cancer: a validated model from the Cancer and Aging Research Group. Supportive Care in Cancer, 2018, 26, 3563-3570.	1.0	23

#	Article	IF	Citations
802	Postmenopausal Osteoporosis Treatment Update. Current Treatment Options in Rheumatology, 2018, 4, 142-157.	0.6	2
803	The cognitive complexity of concurrent cognitive-motor tasks reveals age-related deficits in motor performance. Scientific Reports, 2018, 8, 6094.	1.6	11
804	Rehabilitation Utilization for Falls Among Community-Dwelling Older Adults in the United States in the National Health and Aging Trends Study. Archives of Physical Medicine and Rehabilitation, 2018, 99, 1568-1575.	0.5	8
805	A Groundbreaking Technology in Virtual Rehabilitation to Improve Falls in Older People. Advances in Intelligent Systems and Computing, 2018, , 1251-1261.	0.5	1
806	Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. Age and Ageing, 2018, 47, 512-519.	0.7	34
807	Assessing user engagement with a fall prevention game as an unsupervised exercise program for older people., 2018,,.		5
808	Falls and Depression in Men: A Population-Based Study. American Journal of Men's Health, 2018, 12, 14-18.	0.7	9
809	Disseminating the Otago Exercise Program in the United States: Perceived and Actual Physical Performance Improvements From Participants. Journal of Applied Gerontology, 2018, 37, 79-98.	1.0	40
810	Home-Delivered Meals and Risk of Self-Reported Falls: Results From a Randomized Trial. Journal of Applied Gerontology, 2018, 37, 41-57.	1.0	20
811	Falls Risks and Prevention Behaviors Among Community-Dwelling Homebound and Non-Homebound Older Adults. Journal of Applied Gerontology, 2018, 37, 1085-1106.	1.0	13
812	Improving nursing students' assessment of fall risk in community-dwelling older adults. Gerontology and Geriatrics Education, 2018, 39, 507-520.	0.6	8
813	Effect of pilates exercise for improving balance in older adults (PEDro synthesis). British Journal of Sports Medicine, 2018, 52, 199-200.	3.1	5
814	Fall-induced wounds and lacerations in older Finns between 1970 and 2014. Aging Clinical and Experimental Research, 2018, 30, 71-75.	1.4	1
815	Falls Suffered by Elderly People From the Perspective of Health Care Personnel: A Qualitative Study. Clinical Nursing Research, 2018, 27, 675-691.	0.7	5
816	Tools for assessing fall risk in the elderly: a systematic review and meta-analysis. Aging Clinical and Experimental Research, 2018, 30, 1-16.	1.4	287
817	The Clinimetric Properties of Instruments Measuring Home Hazards for Older People at Risk of Falling: A Systematic Review. Evaluation and the Health Professions, 2018, 41, 82-128.	0.9	32
818	An Interdisciplinary Intervention for Fear of Falling: Lessons Learned from Two Case Studies. Clinical Gerontologist, 2018, 41, 366-373.	1.2	10
819	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). Physiotherapy, 2018, 104, 72-79.	0.2	7

#	Article	IF	Citations
820	An Exploratory Survey of Older Women's Post-Fall Decisions. Journal of Applied Gerontology, 2018, 37, 1107-1132.	1.0	3
821	Feasibility and Effectiveness of Intervention Programmes Integrating Functional Exercise into Daily Life of Older Adults: A Systematic Review. Gerontology, 2018, 64, 172-187.	1.4	63
822	Screening for Geriatric Syndromes. Clinics in Geriatric Medicine, 2018, 34, 55-67.	1.0	17
823	Exercise and Older Adults. Clinics in Geriatric Medicine, 2018, 34, 145-162.	1.0	115
824	Strategies to Reduce Injuries and Develop Confidence in Elders (STRIDE): A Cluster-Randomized Pragmatic Trial of a Multifactorial Fall Injury Prevention Strategy: Design and Methods. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1053-1061.	1.7	56
825	Objectively Measured Physical Activity and Falls in Well-Functioning Older Adults. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 255-260.	0.7	22
826	Factors Associated With the Setting of Health-Related Goals Among Community-Dwelling Older People. Journal of Aging and Physical Activity, 2018, 26, 499-505.	0.5	2
827	A systematic review of evidence for older adults' sedentary behavior and physical activity after hip fracture. Clinical Rehabilitation, 2018, 32, 679-691.	1.0	36
828	Higher Muscle Strength Is Associated with Prolonged Survival in Older Patients with Advanced Cancer. Oncologist, 2018, 23, 580-585.	1.9	61
829	Falls in older adults with multiple myeloma. European Journal of Haematology, 2018, 100, 273-278.	1.1	15
830	Falls Predict Fractures Independently of FRAX Probability: A Meta-Analysis of the Osteoporotic Fractures in Men (MrOS) Study. Journal of Bone and Mineral Research, 2018, 33, 510-516.	3.1	61
831	Social participation and heat-related behavior in older adults during heat waves and on other days. Zeitschrift Fur Gerontologie Und Geriatrie, 2018, 51, 543-549.	0.8	8
832	The effect of perindopril on postural instability in older people with a history of falls—a randomised controlled trial. Age and Ageing, 2018, 47, 75-81.	0.7	12
833	The impact of a national quality register in the analysis of risks and adverse events among older adults in nursing homes and hospital wards—a Swedish Senior Alert survey. Safety in Health, 2018, 4, .	0.7	7
834	Pedestrians perceptions of community walking with anti-slip devices – An explorative case study. Journal of Transport and Health, 2018, 11, 202-208.	1.1	5
835	Locomotive syndrome in Japan. Osteoporosis and Sarcopenia, 2018, 4, 86-94.	0.7	62
836	Strategies and challenges associated with recruiting retirement village communities and residents into a group exercise intervention. BMC Medical Research Methodology, 2018, 18, 173.	1.4	8
837	Relationship Between Home Safety and Prevalence of Falls and Fear of Falling Among Elderly People: a Cross-sectional Study. Materia Socio-medica, 2018, 30, 103.	0.3	23

#	Article	IF	CITATIONS
838	Move Well: Design Deficits in Postural Based Exergames. What are We Missing?. , 2018, , .		3
839	Subliminal electrical and mechanical stimulation does not improve foot sensitivity in healthy elderly subjects. Clinical Neurophysiology Practice, 2018, 3, 151-158.	0.6	6
840	Exercise for reducing falls in people living with and beyond cancer. The Cochrane Library, 2018, 10, CD011687.	1.5	19
841	Motivation for adopting fall prevention measures: a literature review searching for technology acceptance factors. Procedia Computer Science, 2018, 138, 3-11.	1.2	0
842	The Importance of Physical Activity Exercise among Older People. BioMed Research International, 2018, 2018, 1-3.	0.9	227
843	Vitamin D: Nutrient, Hormone, and Immunomodulator. Nutrients, 2018, 10, 1656.	1.7	478
844	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LiFE) program in older persons: a randomized noninferiority trial. BMC Geriatrics, 2018, 18, 267.	1.1	24
845	Risk of post-discharge fall-related injuries among adult patients with syncope: A nationwide cohort study. PLoS ONE, 2018, 13, e0206936.	1.1	11
846	Intensity-Dependent Effects of a Six-Week Balance Exercise Program in Elderly Women. International Journal of Environmental Research and Public Health, 2018, 15, 2564.	1.2	2
847	A randomized controlled feasibility study to evaluate the effects of a goal-setting coaching intervention using feedback from an accelerometer on sedentary time in older people at risk of falls (SMART-MOVE): a study protocol. Pilot and Feasibility Studies, 2018, 4, 173.	0.5	3
848	A need to improve the assessment of environmental hazards for falls on stairs and in bathrooms: results of a scoping review. BMC Geriatrics, 2018, 18, 272.	1.1	37
849	Ecology of falls. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 159, 147-154.	1.0	1
850	Poliomyelitis. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 159, 337-344.	1.0	12
851	Fall among physically active elderly in senior housings, Bangkok, Thailand: situations and perceptions. Clinical Interventions in Aging, 2018, Volume 13, 2149-2159.	1.3	11
852	Mobile Fall Risk Assessment Solution for Daily-Life Settings. , 2018, 2018, 1530-1533.		3
853	A randomised controlled trial comparing the effectiveness of tai chi alongside usual care with usual care alone on the postural balance of community-dwelling people with dementia: protocol for the TACIT trial (TAi ChI for people with demenTia). BMC Geriatrics, 2018, 18, 263.	1.1	14
854	Feasibility of trial procedures for a randomised controlled trial of a community based group exercise intervention for falls prevention for visually impaired older people: the VIOLET study. BMC Geriatrics, 2018, 18, 307.	1.1	11
855	Follow-up efficacy of physical exercise interventions on fall incidence and fall risk in healthy older adults: a systematic review and meta-analysis. Sports Medicine - Open, 2018, 4, 56.	1.3	42

#	Article	IF	CITATIONS
856	Rigid Material on Top of a Compliant Flooring Effectively Reduces the Impact Force In The Event of a Forward Fall. , 2018 , , .		3
857	Record of the circumstances of falls in the community: perspective in the Iberian Peninsula. Revista Latino-Americana De Enfermagem, 2018, 26, e2977.	0.4	1
858	Safety and feasibility of an interactive workshop and facilitated outdoor walking group compared to a workshop alone in increasing outdoor walking activity among older adults: a pilot randomized controlled trial. Pilot and Feasibility Studies, 2018, 4, 179.	0.5	15
859	The impact of community-based interventions for the older population: a quasi-experimental study of a hip-fracture prevention program in Norway. BMC Geriatrics, 2018, 18, 311.	1.1	2
860	Perturbation-Based Balance Training to Improve Step Quality in the Chronic Phase After Stroke: A Proof-of-Concept Study. Frontiers in Neurology, 2018, 9, 980.	1.1	22
861	Geriatrician-led evidence-based Falls Prevention Clinic: a prospective 12-month feasibility and acceptability cohort study among older adults. BMJ Open, 2018, 8, e020576.	0.8	13
862	Ten years of EMS Fall Calls in a Community: An Opportunity for Injury Prevention Strategies. Geriatric Orthopaedic Surgery and Rehabilitation, 2018, 9, 215145931878345.	0.6	11
863	Relationship between a three-month physical conditioning "posture-balance-motricity and health education―(PBM-HE) program on postural and balance capacities of sedentary older adults: influence of initial motor profile. European Review of Aging and Physical Activity, 2018, 15, 14.	1.3	2
864	Interventions for preventing falls in older people in care facilities and hospitals. The Cochrane Library, 2020, 2020, CD005465.	1.5	243
865	Working to Increase Stability through Exercise (WISE): Study protocol for a pragmatic randomized controlled trial of a coached exercise program to reduce serious fall-related injuries. Contemporary Clinical Trials, 2018, 74, 1-10.	0.8	4
866	Postmenopausal osteoporosis: Assessment and management. Best Practice and Research in Clinical Endocrinology and Metabolism, 2018, 32, 739-757.	2.2	64
867	Integrative Oncology: The Role of Complementary Medicine in Supportive Cancer Care. , 2018, , 145-161.		2
868	Vitamin D insufficiency: Definition, diagnosis and management. Best Practice and Research in Clinical Endocrinology and Metabolism, 2018, 32, 669-684.	2.2	85
869	Rationale and design of the Study To Understand Fall Reduction and Vitamin D in You (STURDY): A randomized clinical trial of Vitamin D supplement doses for the prevention of falls in older adults. Contemporary Clinical Trials, 2018, 73, 111-122.	0.8	22
870	â€~Around the edges': using behaviour change techniques to characterise a multilevel implementation strategy for a fall prevention programme. Implementation Science, 2018, 13, 113.	2.5	12
871	Study protocol for investigating the impact of community home modification services on hospital utilisation for fall injuries: a controlled longitudinal study using data linkage. BMJ Open, 2018, 8, e026290.	0.8	11
872	Effects of the visual-feedback-based force platform training with functional electric stimulation on the balance and prevention of falls in older adults: a randomized controlled trial. PeerJ, 2018, 6, e4244.	0.9	14
873	Effectiveness of home-based physiotherapy on pain and disability in participants with osteoarthritis of knee: an observational study. Journal of Physical Therapy Science, 2018, 30, 1232-1236.	0.2	6

#	Article	IF	Citations
874	The Community Health Experience Modelâ€"value generation from person-centered health transaction network. Public Health Reviews, 2018, 39, 29.	1.3	1
875	Rehabilitation Therapy After Surgery in Osteoporotic Patients. , 2018, , 313-324.		1
876	A quasi-experimental evaluation of compliant flooring in a residential care setting. PLoS ONE, 2018, 13, e0201290.	1.1	9
878	The impact of first and second eye cataract surgeries on falls: a prospective cohort study. Clinical Interventions in Aging, 2018, Volume 13, 1457-1464.	1.3	26
879	Frailty in surgical patients. International Journal of Colorectal Disease, 2018, 33, 1657-1666.	1.0	78
880	Major trauma in older persons. BJS Open, 2018, 2, 310-318.	0.7	60
881	Preventive visit among older adults with Medicare's introduction of Annual Wellness Visit: Closing gaps in underutilization. Preventive Medicine, 2018, 115, 110-118.	1.6	19
882	Antipsychotic Drug Dispensations in Older Adults, Including Continuation After a Fall-Related Hospitalization: Identifying Adherence to Screening Tool of Older Persons' Potentially Inappropriate Prescriptions Criteria Using the Nova Scotia Seniors' Pharmacare Program and Canadian Institute for Health's Discharge Databases. Current Therapeutic Research. 2018. 89. 27-36.	0.5	6
883	Age modifies the association between apathy and recurrent falling in Dutch ambulant older persons with a high fall risk. Experimental Gerontology, 2018, 112, 54-62.	1,2	2
884	Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. PLoS ONE, 2018, 13, e0199219.	1.1	21
885	The Effect of Nordic Walking Training Combined with Vitamin D Supplementation on Postural Control and Muscle Strength in Elderly Peopleâe"A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2018, 15, 1951.	1.2	14
886	Effectiveness of a Therapeutic <i>Tai Ji Quan</i> Intervention vs a Multimodal Exercise Intervention to Prevent Falls Among Older Adults at High Risk of Falling. JAMA Internal Medicine, 2018, 178, 1301.	2.6	94
887	Fall Prevention Mobile Clinic: A Novel Fall Prevention Program for Community-Dwelling Older Adults. Canadian Journal on Aging, 2018, 37, 482-495.	0.6	1
888	Exercise for stroke prevention. Stroke and Vascular Neurology, 2018, 3, 59-68.	1.5	53
889	Osteoporosis Diagnosis., 2018,, 45-57.		3
890	Additional Intra- or Inter-session Balance Tasks Do Not Interfere With the Learning of a Novel Balance Task. Frontiers in Physiology, 2018, 9, 1319.	1.3	5
891	Effect of 6-month community-based exercise interventions on gait and functional fitness of an older population: a quasi-experimental study. Clinical Interventions in Aging, 2018, Volume 13, 595-606.	1.3	13
892	Can community care workers deliver a falls prevention exercise program? A feasibility study. Clinical Interventions in Aging, 2018, Volume 13, 485-495.	1.3	10

#	Article	IF	CITATIONS
893	Fall Prevention Among Community-Dwelling Older Adults: Current Guidelines and Older Adult Responses. Journal of Gerontological Nursing, 2018, 44, 21-29.	0.3	17
894	Effects of DanceSport on walking balance and standing balance among the elderly. Technology and Health Care, 2018, 26, 481-490.	0.5	10
895	Frailty Screening and Case-Finding for Complex Chronic Conditions in Older Adults in Primary Care. Geriatrics (Switzerland), 2018, 3, 39.	0.6	15
896	Risk of falls in patients with knee osteoarthritis undergoing total knee arthroplasty: A systematic review and best evidence synthesis. Journal of Orthopaedics, 2018, 15, 903-908.	0.6	28
897	Communityâ€dwelling older men with dementia are at high risk of hip fracture, but not any other fracture: The Concord Health and Aging in Men Project. Geriatrics and Gerontology International, 2018, 18, 1479-1484.	0.7	16
898	Development of the Japanese version of the Westmead Home Safety Assessment for the elderly in Japan. Hong Kong Journal of Occupational Therapy, 2018, 31, 14-21.	0.2	11
899	Dynamic balance assessment using an unstable board in community-dwelling elderly people. Journal of Physical Therapy Science, 2018, 30, 1086-1091.	0.2	3
900	Cataract Surgery and Motor Vehicle Fatality Prevention. JAMA Ophthalmology, 2018, 136, 839.	1.4	0
901	Evaluation of a Community-Based Program That Integrates Joyful Movement Into Fall Prevention for Older Adults. Gerontology and Geriatric Medicine, 2018, 4, 233372141877678.	0.8	2
902	Prediction of insufficient serum vitamin D status in older women: a validated model. Osteoporosis International, 2018, 29, 1539-1547.	1.3	12
904	F3ALLS Approach to Preventing Falls. Journal of Nutrition, Health and Aging, 2018, 22, 748-750.	1.5	9
905	Constitutive melanin density is associated with higher 25-hydroxyvitamin D and potentially total body BMD in older Caucasian adults via increased sun tolerance and exposure. Osteoporosis International, 2018, 29, 1887-1895.	1.3	5
906	The risk of fall accidents for home dwellers with dementiaâ€"A register―and populationâ€based caseâ€control study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 421-428.	1.2	13
907	Fall Prevention and Intervention. , 2018, , 43-56.		0
908	Correlates of Falls among Community-Dwelling Elderly in Thailand. Journal of Aging Research, 2018, 2018, 1-10.	0.4	22
909	How Would You Manage This Patient With Osteoporosis?. Annals of Internal Medicine, 2018, 168, 801-808.	2.0	6
910	Sarcopenic obesity in older adults: aetiology, epidemiology and treatment strategies. Nature Reviews Endocrinology, 2018, 14, 513-537.	4.3	676
911	Investigating falls in adults with intellectual disability living in community settings and their experiences of post-fall care services: protocol for a prospective observational cohort study. BMC Geriatrics, 2018, 18, 171.	1.1	3

#	Article	IF	CITATIONS
912	The perceived feasibility and acceptability of a conceptually challenging exercise training program in older adults. Clinical Interventions in Aging, 2018, Volume 13, 451-461.	1.3	4
913	Falls prevention in community care: 10 years on. Clinical Interventions in Aging, 2018, Volume 13, 261-269.	1.3	31
914	Understanding the implementation and efficacy of a home-based strength and balance fall prevention intervention in people aged 50Âyears or over with vision impairment: a process evaluation protocol. BMC Health Services Research, 2018, 18, 512.	0.9	7
915	Making fall prevention routine in primary care practice: perspectives of allied health professionals. BMC Health Services Research, 2018, 18, 598.	0.9	28
916	Review: Postdischarge home interventions can increase or decrease falls in older adults. Annals of Internal Medicine, 2018, 169, JC10.	2.0	0
917	Spotlight on postural control in patients with multiple sclerosis. Degenerative Neurological and Neuromuscular Disease, 2018, Volume 8, 25-34.	0.7	26
918	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. BMC Health Services Research, 2018, 18, 574.	0.9	4
919	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 2018, 2018, CD012221.	1.5	234
920	Prevalence of geriatric syndromes among people aged 65 years and older at four community clinics in Moscow. Clinical Interventions in Aging, 2018, Volume 13, 251-259.	1.3	36
921	Emerging Evidence of Thresholds for Beneficial Effects from Vitamin D Supplementation. Nutrients, 2018, 10, 561.	1.7	70
922	Long-Term Factors Associated With Falls and Fractures Poststroke. Frontiers in Neurology, 2018, 9, 210.	1.1	16
923	Comparative Effectiveness of Published Interventions for Elderly Fall Prevention: A Systematic Review and Network Meta-Analysis. International Journal of Environmental Research and Public Health, 2018, 15, 498.	1.2	52
925	Design and development of a theory-informed peer-led falls prevention education programme to translate evidence into practice: a systematic approach. International Journal of Health Promotion and Education, 2018, 56, 195-210.	0.4	6
926	Italian Association of Clinical Endocrinologists (AME) and Italian Chapter of the American Association of Clinical Endocrinologists (AACE) Position Statement: Clinical Management of Vitamin D Deficiency in Adults. Nutrients, 2018, 10, 546.	1.7	103
927	Type and Location of Wearable Sensors for Monitoring Falls during Static and Dynamic Tasks in Healthy Elderly: A Review. Sensors, 2018, 18, 1613.	2.1	90
928	Lessons Learned from Implementing a Programme of Home Modifications to Prevent Falls amongst the General Population. Safety, 2018, 4, 26.	0.9	1
929	Measures of Physical Performance and Muscle Strength as Predictors of Fracture Risk Independent of FRAX, Falls, and aBMD: A Meta-Analysis of the Osteoporotic Fractures in Men (MrOS) Study. Journal of Bone and Mineral Research, 2018, 33, 2150-2157.	3.1	81
930	Differences in Falls between Older Adult Participants in Group Exercise and Those Who Exercise Alone: A Cross-Sectional Study Using Japan Gerontological Evaluation Study (JAGES) Data. International Journal of Environmental Research and Public Health, 2018, 15, 1413.	1.2	20

#	Article	IF	CITATIONS
931	Muscle mass and muscle strength are associated with pre- and post-hospitalization falls in older male inpatients: a longitudinal cohort study. BMC Geriatrics, 2018, 18, 116.	1.1	63
932	Regional Rheumatic Disorders and Rehabilitation in Older Adults. Rheumatic Disease Clinics of North America, 2018, 44, 453-473.	0.8	0
933	Does modified Otago Exercise Program improves balance in older people? A systematic review. Preventive Medicine Reports, 2018, 11, 231-239.	0.8	47
934	Limited Benefit of Fish Consumption on Risk of Hip Fracture among Men in the Community-Based Hordaland Health Study. Nutrients, 2018, 10, 873.	1.7	7
935	What works in falls prevention in Asia: a systematic review and meta-analysis of randomized controlled trials. BMC Geriatrics, 2018, 18, 3.	1.1	50
936	A development study and randomised feasibility trial of a tailored intervention to improve activity and reduce falls in older adults with mild cognitive impairment and mild dementia. Pilot and Feasibility Studies, 2018, 4, 49.	0.5	24
938	Exercise for Falls Prevention: Decision-making among Australian-born and Italian-born Older People. Activities, Adaptation and Aging, 2018, 42, 261-277.	1.7	1
940	Locations, Circumstances, and Outcomes of Falls in Patients With Glaucoma. American Journal of Ophthalmology, 2018, 192, 131-141.	1.7	30
941	Novel sensing technology in fall risk assessment in older adults: a systematic review. BMC Geriatrics, 2018, 18, 14.	1.1	119
942	Fractures among patients with dizziness – a ten-year follow-up. BMC Geriatrics, 2018, 18, 35.	1.1	1
943	Effects of long-term balance training with vibrotactile sensory augmentation among community-dwelling healthy older adults: a randomized preliminary study. Journal of NeuroEngineering and Rehabilitation, 2018, 15, 5.	2.4	66
944	Effect of exercise versus cognitive behavioural therapy or no intervention on anxiety, depression, fitness and quality of life in adults with previous methamphetamine dependency: a systematic review. Addiction Science & Dirical Practice, 2018, 13, 4.	1.2	19
945	Community service provider perceptions of implementing older adult fall prevention in Ontario, Canada: a qualitative study. BMC Geriatrics, 2018, 18, 34.	1.1	9
946	Effectiveness of interventions aimed at improving physical and psychological outcomes of fall-related injuries in people with dementia: a narrative systematic review. Systematic Reviews, 2018, 7, 31.	2.5	8
947	Lifestyle Management of Diabetes: Implications for the Bone-Vascular Axis. Current Diabetes Reports, 2018, 18, 84.	1.7	14
948	Falls prevention through physical and cognitive training (falls PACT) in older adults with mild cognitive impairment: a randomized controlled trial protocol. BMC Geriatrics, 2018, 18, 193.	1.1	23
949	Challenges and motivators to physical activity faced by retired men when ageing: a qualitative study. BMC Public Health, 2018, 18, 627.	1.2	21
950	Characteristics, Usability, and Users Experience of a System Combining Cognitive and Physical Therapy in a Virtual Environment: Positive Bike. Sensors, 2018, 18, 2343.	2.1	70

#	Article	IF	CITATIONS
951	Intra-rater reliability of hip abductor isometric strength testing in a standing position in older fallers and non-fallers. European Review of Aging and Physical Activity, 2018, 15, 9.	1.3	5
952	Should prevention of falls start earlier? Co-ordinated analyses of harmonised data on falls in middle-aged adults across four population-based cohort studies. PLoS ONE, 2018, 13, e0201989.	1.1	47
953	Build better bones with exercise (B3E pilot trial): results of a feasibility study of a multicenter randomized controlled trial of 12Âmonths of home exercise in older women with vertebral fracture. Osteoporosis International, 2018, 29, 2545-2556.	1.3	18
954	The Potential to Reduce Falls and Avert Costs by Clinically Managing Fall Risk. American Journal of Preventive Medicine, 2018, 55, 290-297.	1.6	76
955	Long-term effects of functional impairment on fracture risk and mortality in postmenopausal women. Osteoporosis International, 2018, 29, 2111-2120.	1.3	23
956	Exercise interventions reduce the risk of injurious falls among older adults. Evidence-based Nursing, 2018, 21, 75-75.	0.1	1
957	Body configuration at first stepping-foot contact predicts backward balance recovery capacity in people with chronic stroke. PLoS ONE, 2018, 13, e0192961.	1.1	10
958	Self-reported exhaustion, physical activity, and grip strength predict frailty transitions in older outpatients with chronic diseases. Medicine (United States), 2018, 97, e10933.	0.4	14
959	Fatal falls in the elderly and the presence of proximal femur fractures. International Journal of Legal Medicine, 2018, 132, 1699-1712.	1.2	16
961	Postural Balance and Vitamin D Receptor Gene Polymorphism in Physically Independent Older Adults. Advances in Intelligent Systems and Computing, 2019, , 397-404.	0.5	O
962	Knee Osteoarthritis and the Risk of Medically Treated Injurious Falls Among Older Adults: A Communityâ€Based <scp>US</scp> Cohort Study. Arthritis Care and Research, 2019, 71, 865-874.	1.5	21
964	Using formative research with older adults to inform a community physical activity programme: Get Healthy, Get Active. Primary Health Care Research and Development, 2019, 20, e60.	0.5	6
965	Boccia Court Analysis for Promoting Elderly Physical Activity. Lecture Notes in Electrical Engineering, 2019, , 158-164.	0.3	4
966	Reliability of Postural Sway Measures of Standing Balance Tasks. Journal of Applied Biomechanics, 2019, 35, 11-18.	0.3	16
967	Home care providers' experience of translating evidence-based fall prevention programs into practice. Home Health Care Services Quarterly, 2019, 38, 182-193.	0.3	1
968	Effect of cognitive-only and cognitive-motor training on preventing falls in community-dwelling older people: protocol for the smart±step randomised controlled trial. BMJ Open, 2019, 9, e029409.	0.8	12
970	Evaluating a falls prevention intervention in older home care recipients: a comparison of SF-6D and EQ-5D. Quality of Life Research, 2019, 28, 3187-3195.	1.5	7
971	Physical activity programs for balance and fall prevention in elderly. Medicine (United States), 2019, 98, e16218.	0.4	169

#	Article	IF	CITATIONS
972	Aging without injury in the United States requires action today. Journal of Safety Research, 2019, 70, 272-274.	1.7	1
973	Technology-Based Motivation Support for Seniors' Physical Activityâ€"A Qualitative Study on Seniors' and Health Care Professionals' Views. International Journal of Environmental Research and Public Health, 2019, 16, 2418.	1.2	19
974	Changes in Nutritional Status and Musculoskeletal Health in a Geriatric Post-Fall Care Plan Setting. Nutrients, 2019, 11, 1551.	1.7	13
975	A New Motion-Based Tool for Occupation and Monitoring of Residents in Nursing Homes. Lecture Notes in Computer Science, 2019, , 469-481.	1.0	O
976	Reliability and Validity of Ratings of Perceived Difficulty During Performance of Static Standing Balance Exercises. Physical Therapy, 2019, 99, 1381-1393.	1,1	9
977	Management of Osteoporosis in Postmenopausal Women. , 2019, , 367-385.		O
978	Case finding for urinary incontinence and falls in older adults at community pharmacies. Canadian Pharmacists Journal, 2019, 152, 228-233.	0.4	1
979	An evaluation of an intervention designed to help inactive adults become more active with a peer mentoring component: a protocol for a cluster randomised feasibility trial of the Move for Life programme. Pilot and Feasibility Studies, 2019, 5, 88.	0.5	5
980	Socio-economic Determinants of Bone Health from Past to Present. Clinical Reviews in Bone and Mineral Metabolism, 2019, 17, 109-122.	1.3	7
981	<p>Polypharmacy and injurious falls in older adults: a nationwide nested case-control study</p> . Clinical Epidemiology, 2019, Volume 11, 483-493.	1.5	39
982	Gait Speed with Anti-Slip Devices on Icy Pedestrian Crossings Relate to Perceived Fall-Risk and Balance. International Journal of Environmental Research and Public Health, 2019, 16, 2451.	1,2	12
983	What are the most effective interventions to improve physical performance in pre-frail and frail adults? A systematic review of randomised control trials. BMC Geriatrics, 2019, 19, 184.	1.1	90
984	Sensory Health and Healthy Aging: Vision. , 2019, , 159-168.		1
986	Motion analysis of operating a balance exercise assist robot system during forward and backward movements. Journal of Physical Therapy Science, 2019, 31, 475-481.	0.2	O
987	Development and Piloting of an Algorithm to Select Older Patients for Different Types of Medication Review. Frontiers in Pharmacology, 2019, 10, 217.	1.6	9
988	Motivation as a mechanism underpinning exercise-based falls prevention programmes for older adults with cognitive impairment: a realist review. BMJ Open, 2019, 9, e024982.	0.8	15
989	Quality of Daily-Life Gait: Novel Outcome for Trials that Focus on Balance, Mobility, and Falls. Sensors, 2019, 19, 4388.	2.1	14
990	†We got more than we expected.†Molder people†sexperiences of falls-prevention exercise interventions and implications for practice; a qualitative study. Primary Health Care Research and Development, 2019, 20, e103.	0.5	2

#	ARTICLE	IF	CITATIONS
991	Fall-related emergency department visits and hospitalizations among community-dwelling older adults: examination of health problems and injury characteristics. BMC Geriatrics, 2019, 19, 303.	1.1	45
992	Educational and Exercise Intervention to Prevent Falls and Improve Participation in Subjects With Neurological Conditions: The NEUROFALL Randomized Controlled Trial. Frontiers in Neurology, 2019, 10, 865.	1.1	20
993	<p>Vitamin D Deficiency Is Associated With Impaired Muscle Strength And Physical Performance In Community-Dwelling Older Adults: Findings From The English Longitudinal Study Of Ageing</p> . Clinical Interventions in Aging, 2019, Volume 14, 1751-1761.	1.3	46
994	Diabetes and the Vestibular System. Seminars in Hearing, 2019, 40, 300-307.	0.5	5
995	Bone Mass and Strength and Fall-Related Fractures in Older Age. Journal of Osteoporosis, 2019, 2019, 1-6.	0.1	18
996	Bridging the gap between research-based knowledge and clinical practice: a qualitative examination of patients and physiotherapists' views on the Otago exercise Programme. BMC Geriatrics, 2019, 19, 278.	1.1	15
997	Motion design for a walking-promotion robot and an evaluation of the effects on walking motivation. , 2019, , .		0
998	<p>Balance training using virtual reality improves balance and physical performance in older adults at high risk of falls</p> . Clinical Interventions in Aging, 2019, Volume 14, 1567-1577.	1.3	65
999	Feasibility and usefulness of a leadership intervention to implement evidence-based falls prevention practices in residential care in Canada. Pilot and Feasibility Studies, 2019, 5, 103.	0.5	12
1000	Physical performance reflects cognitive function, fall risk, and quality of life in community-dwelling older people. Scientific Reports, 2019, 9, 12242.	1.6	33
1001	To what extent do older adult community exercise programs in Winnipeg, Canada address balance and include effective fall prevention exercise? A descriptive self-report study. BMC Geriatrics, 2019, 19, 201.	1.1	2
1002	Obesity, Bariatric Surgery, and Fractures. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4756-4768.	1.8	27
1003	The Clinical Potential of Frailty Indicators on Identifying Recurrent Fallers in the Community: The Mr. Os and Ms. OS Cohort Study in Hong Kong. Journal of the American Medical Directors Association, 2019, 20, 1605-1610.	1.2	5
1004	Psychosomatic and vasomotor symptom changes during transition to menopause. Przeglad Menopauzalny, 2019, 18, 110-115.	0.6	22
1005	Assessment of the effects of a group intervention program used in home-dwelling elderly individuals to promote home exercise and prevent locomotive syndrome. Journal of Physical Therapy Science, 2019, 31, 470-474.	0.2	3
1006	Falls among community-dwelling older adults in Ethiopia; A preliminary cross-sectional study. PLoS ONE, 2019, 14, e0221875.	1.1	19
1007	"Who Doesn't Think about Technology When Designing Urban Environments for Older People?―A Case Study Approach to a Proposed Extension of the WHO's Age-Friendly Cities Model. International Journal of Environmental Research and Public Health, 2019, 16, 3525.	1,2	85
1008	Association of Clinical Frailty Scores With Hospital Readmission for Falls After Index Admission for Trauma-Related Injury. JAMA Network Open, 2019, 2, e1912409.	2.8	33

#	Article	IF	CITATIONS
1009	Effects of Chronic Comorbidities on the Health-Related Quality of Life among Older Patients after Falls in Vietnamese Hospitals. International Journal of Environmental Research and Public Health, 2019, 16, 3623.	1.2	19
1010	Psychoactive medication use among older community-dwelling Americans. Journal of the American Pharmacists Association: JAPhA, 2019, 59, 686-690.	0.7	6
1011	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. Injury Prevention, 2019, 25, 557-564.	1.2	26
1012	Measurement of Fall Injury With Health Care System Data and Assessment of Inclusiveness and Validity of Measurement Models. JAMA Network Open, 2019, 2, e199679.	2.8	23
1013	Geriatric Care Issues. Physician Assistant Clinics, 2019, 4, 217-238.	0.1	0
1014	Longitudinal Associations of Falls and Depressive Symptoms in Older Adults. Gerontologist, The, 2019, 59, 1141-1151.	2.3	32
1016	Effectiveness and Estimation of Cost-Effectiveness of a Group-Based Multicomponent Physical Exercise Programme on Risk of Falling and Frailty in Community-Dwelling Older Adults. International Journal of Environmental Research and Public Health, 2019, 16, 2086.	1.2	18
1017	Effect of Vitamin K2 on Postural Sway in Older People Who Fall: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2019, 67, 2102-2107.	1.3	10
1018	Possible Improvement of the Sagittal Spinopelvic Alignment and Balance through "Locomotion Training―Exercises in Patients with "Locomotive Syndrome― A Literature Review. Advances in Orthopedics, 2019, 2019, 1-7.	0.4	16
1020	Effects of Compliant Flooring on Dynamic Balance and Gait Characteristics of Community-dwelling Older Persons. Journal of Nutrition, Health and Aging, 2019, 23, 665-668.	1.5	6
1021	Randomised controlled trial (RCT) study design for a large-scale municipal fall prevention exercise programme in community-living older women: study protocol for the Kuopio Fall Prevention Study (KFPS). BMJ Open, 2019, 9, e028716.	0.8	5
1022	Process outcomes of a multifaceted, interdisciplinary knowledge translation intervention in aged care: results from the vitamin D implementation (ViDAus) study. BMC Geriatrics, 2019, 19, 177.	1.1	11
1023	<p>Physical activity programs for older people in the community receiving home care services: systematic review and meta-analysis</p> . Clinical Interventions in Aging, 2019, Volume 14, 1045-1064.	1.3	19
1024	Posthospital Fall Injuries and 30-Day Readmissions in Adults 65 Years and Older. JAMA Network Open, 2019, 2, e194276.	2.8	55
1025	Physical Activity and Sportsâ€"Real Health Benefits: A Review with Insight into the Public Health of Sweden. Sports, 2019, 7, 127.	0.7	195
1026	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. PLoS Medicine, 2019, 16, e1002807.	3.9	42
1027	Effect of a Home-Based Exercise Program on Subsequent Falls Among Community-Dwelling High-Risk Older Adults After a Fall. JAMA - Journal of the American Medical Association, 2019, 321, 2092.	3.8	150
1028	Secondary fracture prevention: Drug treatment, fall prevention and nutrition requirements. Best Practice and Research in Clinical Rheumatology, 2019, 33, 290-300.	1.4	3

#	Article	IF	CITATIONS
1029	Current Treatments and New Developments in the Management of Glucocorticoid-induced Osteoporosis. Drugs, 2019, 79, 1065-1087.	4.9	37
1030	The Physical Housing Environment and Subjective Well-Being Among Older People Using Long-Term Care Services in Japan. Journal of Housing for the Elderly, 2019, 33, 413-432.	0.7	12
1031	Controlled trial of balance training using a video game console in community-dwelling older adults. Age and Ageing, 2019, 48, 506-512.	0.7	17
1032	<p>Impact of the fall prevention Otago Exercise Programme on pain among community-dwelling older adults: a short- and long-term follow-up study</p> . Clinical Interventions in Aging, 2019, Volume 14, 721-726.	1.3	26
1033	Risk factors and complications contributing to mortality in elderly patients with fall-induced femoral fracture: A cross-sectional analysis based on trauma registry data of 2,407 patients. International Journal of Surgery, 2019, 66, 48-52.	1.1	13
1034	Falls Sensei: a serious 3D exploration game to enable the detection of extrinsic home fall hazards for older adults. BMC Medical Informatics and Decision Making, 2019, 19, 85.	1.5	21
1035	Lower extremity kinematics during forward heel-slip. Technology and Health Care, 2019, 27, 345-356.	0.5	6
1036	Can older adults' balance and mobility improve with visual attention training?. European Journal of Applied Physiology, 2019, 119, 1649-1661.	1.2	2
1037	Walk, Talk and Listen: a pilot randomised controlled trial targeting functional fitness and loneliness in older adults with hearing loss. BMJ Open, 2019, 9, e026169.	0.8	19
1038	Healthy Aging and Exercise: Treating Disease and Disability. , 2019, , 241-261.		0
1039	Osteoporosis and the Ageing Skeleton. Sub-Cellular Biochemistry, 2019, 91, 453-476.	1.0	208
1040	Vitamin D: Does the Emperor Have No Clothes?. Journal of Nutrition, Health and Aging, 2019, 23, 316-317.	1.5	9
1041	Human health damages related to air pollution in China. Environmental Science and Pollution Research, 2019, 26, 13115-13125.	2.7	96
1042	Modification of Potentially Inappropriate Prescribing Following Fall-Related Hospitalizations in Older Adults. Drugs and Aging, 2019, 36, 461-470.	1.3	9
1043	Local, collaborative, stepped and personalised care management for older people with chronic diseases (LoChro): study protocol of a randomised comparative effectiveness trial. BMC Geriatrics, 2019, 19, 64.	1.1	11
1044	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. BMC Medicine, 2019, 17, 49.	2.3	79
1045	<p>Effectiveness of robotics fall prevention program among elderly in senior housings, Bangkok, Thailand: a quasi-experimental study</p> . Clinical Interventions in Aging, 2019, Volume 14, 335-346.	1.3	12
1046	What type of environmental assessment and modification prevents falls in community dwelling older people?. BMJ: British Medical Journal, 2019, 364, 1880.	2.4	14

#	Article	IF	CITATIONS
1047	Emergency department visits in older patients: a population-based survey. BMC Emergency Medicine, 2019, 19, 20.	0.7	80
1048	Developing an Intervention for Fall-Related Injuries in Dementia (DIFRID): an integrated, mixed-methods approach. BMC Geriatrics, 2019, 19, 57.	1.1	6
1049	Falls Self-Management Interventions for People with Parkinson's Disease: A Systematic Review. Journal of Parkinson's Disease, 2019, 9, 283-299.	1.5	10
1050	Effectiveness of Cardiovascular Evaluations and Interventions on Fall Risk: A Scoping Review. Journal of Nutrition, Health and Aging, 2019, 23, 330-337.	1.5	8
1051	How Do General Practitioners (GPs) Engage in Falls Prevention With Older People? A Pilot Survey of GPs in NHS England Suggests a Gap in Routine Practice to Address Falls Prevention. Frontiers in Public Health, 2019, 7, 32.	1.3	17
1052	Multicentre, randomised controlled trial of PDSAFE, a physiotherapist-delivered fall prevention programme for people with Parkinson's. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 774-782.	0.9	56
1053	Putting Integrative Oncology Into Practice: Concepts and Approaches. Journal of Oncology Practice, 2019, 15, 7-14.	2.5	48
1054	Validity of the Falls Risk for Older People in the Community (FROP-Com) tool to predict falls and fall injuries for older people presenting to the emergency department after falling. European Journal of Ageing, 2019, 16, 377-386.	1.2	6
1055	â€~Managing pieces of a personal puzzle' — Older people's experiences of self-management falls prevention exercise guided by a digital program or a booklet. BMC Geriatrics, 2019, 19, 43.	1.1	26
1056	Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1511-1517.	1.7	26
1057	An epidemiological study of traumatic spinal cord injuries in the fastest aging area in Japan. Spinal Cord, 2019, 57, 509-515.	0.9	29
1058	The relationship between discharge medications and falls in postâ€hospitalised older adults: A 6â€month followâ€up. Australasian Journal on Ageing, 2019, 38, 190-198.	0.4	3
1059	EuGMS Task and Finish group on Fall-Risk-Increasing Drugs (FRIDs): Position on Knowledge Dissemination, Management, and Future Research. Drugs and Aging, 2019, 36, 299-307.	1.3	35
1060	Physical activity trajectories and subsequent fall risk: ARIC Study. Preventive Medicine, 2019, 121, 40-46.	1.6	11
1061	Perspectives of healthcare professionals in England on falls interventions for people with dementia: a qualitative interview study. BMJ Open, 2019, 9, e025702.	0.8	12
1062	Professional voices on risk and accidents in home care – a Swedish survey study. Facilities, 2019, 38, 218-234.	0.8	2
1063	Fall and risk factors for veterans and non-veterans inpatients over the age of 65 years: 14 years of long-term data analysis. BMJ Open, 2019, 9, e030650.	0.8	2
1064	An investigation into the impact and implications of published papers from retracted research: systematic search of affected literature. BMJ Open, 2019, 9, e031909.	0.8	36

#	Article	IF	CITATIONS
1065	Exercise for falls prevention in community-dwelling older adults: trial and participant characteristics, interventions and bias in clinical trials from a systematic review. BMJ Open Sport and Exercise Medicine, 2019, 5, e000663.	1.4	32
1066	Can smartphone technology be used to support an effective home exercise intervention to prevent falls amongst community dwelling older adults?: the TOGETHER feasibility RCT study protocol. BMJ Open, 2019, 9, e028100.	0.8	7
1067	Trauma Recidivism Postdischarge Mortality: Important Differences Exist between the Adult and Geriatric Populations. American Surgeon, 2019, 85, 685-689.	0.4	6
1068	Effects of the falls and fractures clinic as an integrated multidisciplinary model of care in Australia: a pre–post study. BMJ Open, 2019, 9, e027013.	0.8	17
1069	What enables older people to continue with their falls prevention exercises? A qualitative systematic review. BMJ Open, 2019, 9, e026074.	0.8	22
1070	The influence of antiresorptive bone medication on the effect of high-intensity resistance and impact training on osteoporotic fracture risk in postmenopausal women with low bone mass: protocol for the MEDEX-OP randomised controlled trial. BMJ Open, 2019, 9, e029895.	0.8	3
1071	Counselling for physical activity, life-space mobility and falls prevention in old age (COSMOS): protocol of a randomised controlled trial. BMJ Open, 2019, 9, e029682.	0.8	9
1072	Physical activity for lower urinary tract symptoms secondary to benign prostatic obstruction. The Cochrane Library, 2019, 2019, CD012044.	1.5	10
1073	Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, $0, , .$	1.5	23
1074	Twelve Ways to Reach for a Star: Player Movement Strategies in a Whole-Body Exergame. , 2019, , .		1
1075	Interventions for preventing falls in people after stroke. The Cochrane Library, 2019, 10, CD008728.	1.5	40
1076	Exercise for preventing falls in older people living in the community. The Cochrane Library, 2019, 2019, CD012424.	1.5	529
1077	Interventions for preventing falls in people with multiple sclerosis. The Cochrane Library, 2019, 2019, CD012475.	1.5	28
1078	Quality Measures and Quality Improvement Initiatives in Osteoporosisâ€"an Update. Current Osteoporosis Reports, 2019, 17, 491-509.	1.5	11
1079	Outcomes of Participation in a Community-Based Physical Activity Program. Frontiers in Public Health, 2019, 7, 225.	1.3	5
1080	Effect of Community-Based Group Exercise Interventions on Standing Balance and Strength in Independent Living Older Adults. Journal of Geriatric Physical Therapy, 2019, 42, E7-E15.	0.6	8
1081	<p>The Stay Independent Brochure as a Screening Evaluation for Fall Risk in an Elderly Thai Population</p> . Clinical Interventions in Aging, 2019, Volume 14, 2155-2162.	1.3	8
1082	Factors Determining the Increased Risk of Falls in Individuals With Knee Pain in the Malaysian Elders Longitudinal Research (MELoR) Study. Frontiers in Medicine, 2019, 6, 277.	1.2	6

#	ARTICLE	IF	CITATIONS
1083	A multicomponent exercise intervention to improve physical functioning, cognition and psychosocial well-being in elderly nursing home residents: a study protocol of a randomized controlled trial in the PROCARE (prevention and occupational health in long-term care) project. BMC Geriatrics, 2019, 19, 369.	1.1	57
1084	Strategies for recruitment in general practice settings: the iSOLVE fall prevention pragmatic cluster randomised controlled trial. BMC Medical Research Methodology, 2019, 19, 236.	1.4	14
1085	Digital assessment of falls risk, frailty, and mobility impairment using wearable sensors. Npj Digital Medicine, 2019, 2, 125.	5.7	30
1086	Physical Activity, Injurious Falls, and Physical Function in Aging: An Umbrella Review. Medicine and Science in Sports and Exercise, 2019, 51, 1303-1313.	0.2	159
1087	A Novel Head Mounted Display Based Methodology for Balance Evaluation and Rehabilitation. Sustainability, 2019, 11, 6453.	1.6	7
1088	Psychological and educational interventions for preventing falls in older people living in the community. The Cochrane Library, 2019, , .	1.5	2
1089	Neuroimaging correlates of lateral postural control in older ambulatory adults. Aging Clinical and Experimental Research, 2019, 31, 611-619.	1.4	7
1090	Circumstances of falls and fear of falling in community-dwelling older adults with cancer: Results from a mixed-methods study. Journal of Geriatric Oncology, 2019, 10, 105-111.	0.5	22
1091	To manage a complex dependency: The experience of caregiving after a fall. Journal of Advanced Nursing, 2019, 75, 138-149.	1.5	3
1092	Association of Long-term Exercise Training With Risk of Falls, Fractures, Hospitalizations, and Mortality in Older Adults. JAMA Internal Medicine, 2019, 179, 394.	2.6	107
1093	Exercise Programs in Older Adultsâ€"A Prescription for Fall Reduction. JAMA Internal Medicine, 2019, 179, 405.	2.6	3
1094	Vitamin D and the endocrinology of ageing. Current Opinion in Endocrine and Metabolic Research, 2019, 5, 7-10.	0.6	3
1095	Prevalence of Falls and Fallâ€Related Outcomes in Older Adults with Selfâ€Reported Vision Impairment. Journal of the American Geriatrics Society, 2019, 67, 239-245.	1.3	63
1096	Health Practitioners' Perceptions of Falls and Fall Prevention in Older People: A Metasynthesis. Qualitative Health Research, 2019, 29, 69-79.	1.0	32
1097	Influence of functional, psychological, and environmental factors on falls among communityâ€dwelling older adults in Hong Kong. Psychogeriatrics, 2019, 19, 228-235.	0.6	4
1098	Evaluating falls prevention strategies in community settings: marginal reduction on rate of falls with individual risk-based multifactorial interventions compared to â€~usual care'. Evidence-based Nursing, 2019, 22, 20-20.	0.1	0
1099	Participation in Two Evidence-Based Falls Prevention Programs by Adults Aging With a Long-Term Disability: Case-Control Study of Reach and Effectiveness. Journal of Aging and Health, 2019, 31, 39S-67S.	0.9	7
1100	A multiscale model to predict current absolute risk of femoral fracture in a postmenopausal population. Biomechanics and Modeling in Mechanobiology, 2019, 18, 301-318.	1.4	25

#	ARTICLE Medication use in older patients and age-blind approach: narrative literature review (insufficient) Tj ETQq0 0 0 rgB	IF T /Overloc	CITATIONS
1101	Pharmacology, 2019, 75, 451-466.	0.8	37
1102	Podiatry interventions to prevent falls in older people: a systematic review and meta-analysis. Age and Ageing, 2019, 48, 327-336.	0.7	27
1103	Preventing falls among older fallers: study protocol for a two-phase pilot study of the multicomponent LIVE LiFE program. Trials, 2019, 20, 2.	0.7	14
1104	Cost-Effectiveness of a Therapeutic Tai Ji Quan Fall Prevention Intervention for Older Adults at High Risk of Falling. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1504-1510.	1.7	13
1105	Effects of three home-based exercise programmes regarding falls, quality of life and exercise-adherence in older adults at risk of falling: protocol for a randomized controlled trial. BMC Geriatrics, 2019, 19, 13.	1.1	39
1106	Optimising costs in reducing rate of falls in older people with the improvement of balance by means of vestibular rehabilitation (ReFOVeRe study): a randomized controlled trial comparing computerised dynamic posturography vs mobile vibrotactile posturography system. BMC Geriatrics, 2019, 19, 1.	1.1	187
1107	A Social Virtual Reality-Based Application for the Physical and Cognitive Training of the Elderly at Home. Sensors, 2019, 19, 261.	2.1	67
1108	Simulating the effects of a clinical guidelines screening algorithm for fall risk in community dwelling older adults. Aging Clinical and Experimental Research, 2019, 31, 1069-1076.	1.4	17
1109	Older adults' perceptions of wearable technology hip protectors: implications for further research and development strategies. Disability and Rehabilitation: Assistive Technology, 2019, 14, 663-668.	1.3	6
1110	General practitioner attitudes and experiences of orthopaedic services in the Irish midlands. Irish Journal of Medical Science, 2019, 188, 735-741.	0.8	3
1111	Skeletal and Extraskeletal Actions of Vitamin D: Current Evidence and Outstanding Questions. Endocrine Reviews, 2019, 40, 1109-1151.	8.9	611
1112	Why Do Individuals with Cirrhosis Fall? A Mechanistic Model for Fall Assessment, Treatment, and Research. Digestive Diseases and Sciences, 2019, 64, 316-323.	1.1	14
1113	Implementation of the Stopping Elderly Accidents, Deaths, and Injuries Initiative in Primary Care: An Outcome Evaluation. Gerontologist, The, 2019, 59, 1182-1191.	2.3	44
1115	Exercise programmes to prevent falls among older adults: modelling health gain, cost-utility and equity impacts. Injury Prevention, 2019, 25, 258-263.	1.2	14
1116	Stability Index as a Novel Risk Factor to Distinguish Fall-Risk Gender Differences among Institutionalized Elderly. Ageing International, 2019, 44, 15-23.	0.6	1
1117	Reliability and feasibility of gait initiation centre-of-pressure excursions using a Wii® Balance Board in older adults at risk of falling. Aging Clinical and Experimental Research, 2019, 31, 257-263.	1.4	6
1118	Using Tai Chi to Reduce Fall Risk Factors Among Older Adults: An Evaluation of a Community-Based Implementation. Journal of Applied Gerontology, 2019, 38, 983-998.	1.0	17
1119	The shock of falling among older Americans. Journal of the Economics of Ageing, 2020, 17, 100123.	0.6	4

#	Article	IF	CITATIONS
1120	Physical function tests predict incident falls: A prospective study of 2969 men in the Swedish Osteoporotic Fractures in Men study. Scandinavian Journal of Public Health, 2020, 48, 436-441.	1.2	24
1121	Multi-sensory training and wrist fractures: a randomized, controlled trial. Aging Clinical and Experimental Research, 2020, 32, 29-40.	1.4	6
1122	Assessment of Implementation Outcomes of a Peer-Led Program Targeting Fear of Falling Among Older Adults. Journal of Applied Gerontology, 2020, 39, 1035-1045.	1.0	3
1123	Multifactorial interventions for preventing falls in older people living in the community: a systematic review and meta-analysis of 41 trials and almost 20 000 participants. British Journal of Sports Medicine, 2020, 54, 1340-1350.	3.1	77
1124	The Associations Between Seven Different Types of Physical Activity and the Incidence of Fracture at Seven Sites in Healthy Postmenopausal UK Women. Journal of Bone and Mineral Research, 2020, 35, 277-290.	3.1	11
1125	Fall Prevention Program Characteristics and Experiences of Older Adults and Program Providers in Canada: A Thematic Content Analysis. Journal of Applied Gerontology, 2020, 39, 1124-1133.	1.0	7
1126	The economic case for prevention of population vitamin D deficiency: a modelling study using data from England and Wales. European Journal of Clinical Nutrition, 2020, 74, 825-833.	1.3	30
1127	Cataract surgery for falls prevention and improving vision: modelling the health gain, health system costs and cost-effectiveness in a high-income country. Injury Prevention, 2020, 26, 302-309.	1.2	10
1128	Effects of task-specific obstacle-induced trip-perturbation training: proactive and reactive adaptation to reduce fall-risk in community-dwelling older adults. Aging Clinical and Experimental Research, 2020, 32, 893-905.	1.4	31
1129	A modelling-based economic evaluation of primary-care-based fall-risk screening followed by fall-prevention intervention: a cohort-based Markov model stratified by older age groups. Age and Ageing, 2020, 49, 57-66.	0.7	12
1130	Embracing the complexity: Older adults with cancer-related cognitive decline—A Young International Society of Geriatric Oncology position paper. Journal of Geriatric Oncology, 2020, 11, 237-243.	0.5	26
1131	Adverse Effects of Anticholinergic Drugs on Cognition and Mobility: Cutoff for Impairment in a Cross-Sectional Study in Young–Old and Old–Old Adults. Drugs and Aging, 2020, 37, 301-310.	1.3	17
1132	How aging affects the premotor control of lower limb movements in simulated gait. Human Brain Mapping, 2020, 41, 1889-1903.	1.9	9
1133	The effect of living in communal homes on the depressive symptoms of older women living in rural areas: the mediating role of the socio-physical environment. Journal of Women and Aging, 2020, 32, 68-90.	0.5	1
1134	Perioperative care of the geriatric patient for noncardiac surgery. Clinical Cardiology, 2020, 43, 127-136.	0.7	22
1135	Factors Influencing Falls in High- and Low-Risk Patients in a Tertiary Hospital in Korea. Journal of Patient Safety, 2020, 16, e376-e382.	0.7	12
1136	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. British Journal of Sports Medicine, 2020, 54, 885-891.	3.1	155
1138	Rehabilitation of Patients With Osteoporotic Fractures. Journal of Clinical Densitometry, 2020, 23, 534-538.	0.5	8

#	Article	IF	CITATIONS
1139	Standing Balance Assessment by Measurement of Body Center of Gravity Using Smartphones. IEEE Access, 2020, 8, 96438-96448.	2.6	2
1140	<p>Multifactorial Assessment of Risk of Falling in 753 Post-Menopausal Women: A Multicenter Cross-Sectional Study by the Italian Group for the Study of Metabolic Bone Diseases</p> . Clinical Interventions in Aging, 2020, Volume 15, 1077-1084.	1.3	22
1141	Factors associated with fracture after stroke and TIA: a long-term follow-up. Osteoporosis International, 2020, 31, 2395-2402.	1.3	12
1142	Effects of Kinect exergames on balance training among community older adults. Medicine (United) Tj ETQq1 1	0.784314 r	gBŢ ĮOverlo
1143	The Intersection of Falls and Dementia in Primary Care. Medical Clinics of North America, 2020, 104, 791-806.	1.1	2
1144	Exercise/physical activity and health outcomes: an overview of Cochrane systematic reviews. BMC Public Health, 2020, 20, 1724.	1.2	135
1145	A secondary analysis of a randomised controlled trial to investigate the effect of Tai Chi on the instrumented timed up and go test in people with mild to moderate dementia. Aging Clinical and Experimental Research, 2020, 33, 2175-2181.	1.4	6
1146	Map the apps: a rapid review of digital approaches to support the engagement of older adults in strength and balance exercises. BMC Geriatrics, 2020, 20, 483.	1.1	26
1147	Independent and synergistic effects of pain, insomnia, and depression on falls among older adults: a longitudinal study. BMC Geriatrics, 2020, 20, 491.	1.1	14
1148	Physical therapy interventions for older people with vertigo, dizziness and balance disorders addressing mobility and participation: a systematic review. BMC Geriatrics, 2020, 20, 494.	1.1	17
1149	Evidence on physical activity and falls prevention for people aged 65+ years: systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 144.	2.0	137
1150	Instrumented Analysis of the Sit-to-Stand Movement for Geriatric Screening: A Systematic Review. Bioengineering, 2020, 7, 139.	1.6	15
1151	Polypharmacy is a risk factor for hospital admission due to a fall: evidence from the English Longitudinal Study of Ageing. BMC Public Health, 2020, 20, 1804.	1,2	34
1152	Gait Analysis with Wearables Can Accurately Classify Fallers from Non-Fallers: A Step toward Better Management of Neurological Disorders. Sensors, 2020, 20, 6992.	2.1	24
1153	Patient-Reported Outcome Measures (PROMs) to Support Adherence to Falls Prevention Clinic Recommendations: A Qualitative Study. Patient Preference and Adherence, 2020, Volume 14, 2105-2121.	0.8	1
1154	Bone turnover and metabolite responses to exercise in people with and without long-duration type 1 diabetes: a case–control study. BMJ Open Diabetes Research and Care, 2020, 8, e001779.	1.2	5
1155	Reflections of older people about their experience of fall prevention exercise in the community- a qualitative study exploring evidence-based practice. BMC Public Health, 2020, 20, 1671.	1.2	4
1156	Management of Fracture Risk in Patients with Chronic Obstructive Pulmonary Disease (COPD): Building a UK Consensus Through Healthcare Professional and Patient Engagement. International Journal of COPD, 2020, Volume 15, 1377-1390.	0.9	2

#	Article	IF	CITATIONS
1157	Vitamin D Signaling in Inflammation and Cancer: Molecular Mechanisms and Therapeutic Implications. Molecules, 2020, 25, 3219.	1.7	80
1158	Skin Photosensitivity is Associated with 25-Hydroxyvitamin D and BMD but not Fractures Independent of Melanin Density in Older Caucasian Adults. Calcified Tissue International, 2020, 107, 335-344.	1.5	0
1159	Novel Mat Exergaming to Improve the Physical Performance, Cognitive Function, and Dual-Task Walking and Decrease the Fall Risk of Community-Dwelling Older Adults. Frontiers in Psychology, 2020, 11, 1620.	1.1	19
1160	Development and validation of the fracture risk scale home care (FRS-HC) that predicts one-year incident fracture: an electronic record-linked longitudinal cohort study. BMC Musculoskeletal Disorders, 2020, 21, 499.	0.8	4
1161	Compliance to Recommendations and Mental Health Consequences among Elderly in Sweden during the Initial Phase of the COVID-19 Pandemic—A Cross Sectional Online Survey. International Journal of Environmental Research and Public Health, 2020, 17, 5380.	1.2	66
1162	Predicting Fall Probability Based on a Validated Balance Scale. , 2020, , .		5
1163	Fall Prevention Bingo: Effects of a Novel Community-based Education Tool on Older Adults Knowledge and Readiness to Reduce Risks for Falls. American Journal of Health Education, 2020, 51, 406-412.	0.3	4
1164	Stakeholder perspectives of fall prevention for older Australians with vision impairment: "it's just a matter of adapting them accordingly― Disability and Rehabilitation, 2020, , 1-7.	0.9	0
1165	Net protein balance correlates with expression of autophagy, mitochondrial biogenesis, and fat metabolismâ€related genes in skeletal muscle from older adults. Physiological Reports, 2020, 8, e14575.	0.7	6
1166	l've always done what I was told by the medical people': a qualitative study of the reasons why older adults attend multifactorial falls risk assessments mapped to the Theoretical Domains Framework. BMJ Open, 2020, 10, e033069.	0.8	6
1167	Does yoga reduce the risk of falls in older people?. BMJ, The, 2020, 370, m3246.	3.0	3
1168	Environmental and behavioural interventions for reducing physical activity limitation and preventing falls in older people with visual impairment. The Cochrane Library, 2020, 2020, CD009233.	1.5	17
1169	Identifying and validating housing adaptation client profiles – a mixed methods study. Disability and Rehabilitation, 2020, 42, 2027-2034.	0.9	5
1170	The combined effect of parathyroid hormone (1–34) and whole-body vibration exercise on physical performance in OSteoporotic women (PaVOS study): a secondary analysis from a randomised controlled trial. BMC Sports Science, Medicine and Rehabilitation, 2020, 12, 54.	0.7	0
1171	A Descriptive Analysis of Location of Older Adult Falls That Resulted in Emergency Department Visits in the United States, 2015. American Journal of Lifestyle Medicine, 2021, 15, 590-597.	0.8	16
1172	Prehospital and Posthospital Fall Injuries in Older US Adults. JAMA Network Open, 2020, 3, e2013243.	2.8	9
1173	Fall Prevention and Management App Prototype for the Elderly and Their Caregivers. International Journal of Extreme Automation and Connectivity in Healthcare, 2020, 2, 48-67.	0.1	2
1174	People living with dementia and their family carers' adherence to home-based Tai Chi practice. Dementia, 2021, 20, 1586-1603.	1.0	6

#	Article	IF	CITATIONS
1175	The Effects of Physical Exercise on Balance and Prevention of Falls in Older People: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2020, 9, 2595.	1.0	59
1176	Current and Emerging Trends in the Management of Fall Risk in People with Lower Limb Amputation. Current Geriatrics Reports, 2020, 9, 134-141.	1.1	4
1177	Medical Qigong for Mobility and Balance Self-Confidence in Older Adults. Frontiers in Medicine, 2020, 7, 422.	1.2	5
1178	The Rose-Colored Glasses of Geriatric Fall Patients: Inconsistencies Between Knowledge of Risk Factors for and Actual Causes of Falls. Gerontology and Geriatric Medicine, 2020, 6, 233372142096788.	0.8	4
1179	Population-based interventions for preventing falls and fall-related injuries in older people. The Cochrane Library, 0 , , .	1.5	1
1180	A Postural Assessment Utilizing Machine Learning Prospectively Identifies Older Adults at a High Risk of Falling. Frontiers in Medicine, 2020, 7, 591517.	1.2	4
1181	The effectiveness of Police General Hospital's fracture liaison service (PGH's FLS) implementation after 5 years: A prospective cohort study. Osteoporosis and Sarcopenia, 2020, 6, 199-204.	0.7	8
1182	Factors Associated With Falls Among Urban-Dwellers Aged 55 Years and Over in the Malaysian Elders Longitudinal Research (MELoR) Study. Frontiers in Public Health, 2020, 8, 506238.	1.3	3
1183	Physiotherapists' perceptions of challenges facing evidence-based practice and the importance of environmental empowerment in fall prevention in the municipality – a qualitative study. BMC Geriatrics, 2020, 20, 432.	1.1	7
1185	Study Protocol of a Randomized Controlled Trial of Home Modification to Prevent Home Fall Injuries in Houses with MÄori Occupants. Methods and Protocols, 2020, 3, 71.	0.9	1
1186	Perturbation-based gait training to improve daily life gait stability in older adults at risk of falling: protocol for the REACT randomized controlled trial. BMC Geriatrics, 2020, 20, 167.	1.1	16
1187	The effectiveness of exercises on fall and fracture prevention amongst community elderlies: A systematic review and meta-analysis. Journal of Orthopaedic Translation, 2020, 24, 58-65.	1.9	16
1188	Personal preferences of participation in fall prevention programmes: a descriptive study. BMC Geriatrics, 2020, 20, 185.	1.1	10
1189	Factors associated with screening positive for high falls risk in fragility fracture patients: a cross-sectional study. BMC Musculoskeletal Disorders, 2020, 21, 372.	0.8	4
1190	Perspective: Pragmatic Exercise Recommendations for Older Adults: The Case for Emphasizing Resistance Training. Frontiers in Physiology, 2020, 11, 799.	1.3	19
1191	A systematic review on the use of mHealth to increase physical activity in older people. Clinical EHealth, 2020, 3, 31-39.	4.1	27
1192	VITamin D and OmegA-3 TriaL (VITAL): Effects of Vitamin D Supplements on Risk of Falls in the US Population. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2929-2938.	1.8	58
1193	A multi-centre, parallel-group, randomised controlled trial to assess the efficacy and safety of eurythmy therapy and tai chi in comparison with standard care in chronically ill elderly patients with increased risk of falling (ENTAIER): a trial protocol. BMC Geriatrics, 2020, 20, 108.	1.1	4

#	Article	IF	CITATIONS
1194	Promoting Fall Prevention among Community Dwelling Older Adults through ActivLife: a Physical and Social Activation. Journal of Population Ageing, 2020, 13, 223-237.	0.8	1
1195	Uptake of an exercise class and use of bone density measurement after advice by the health insurance fund: results from the osteoporotic fracture prevention program in rural areas (OFRA). Aging Clinical and Experimental Research, 2020, 32, 1255-1262.	1.4	2
1196	Modified Timed Up and Go Test for Tendency to Fall and Balance Assessment in Elderly Patients With Gait Instability. Frontiers in Neurology, 2020, 11, 543.	1.1	7
1197	A Randomized Trial of a Multifactorial Strategy to Prevent Serious Fall Injuries. New England Journal of Medicine, 2020, 383, 129-140.	13.9	129
1198	Eyes wide shut: How visual cues affect brain patterns of simulated gait. Human Brain Mapping, 2020, 41, 4248-4263.	1.9	3
1199	The EX-FRAIL CKD trial: a study protocol for a pilot randomised controlled trial of a home-based EXercise programme for pre-frail and FRAIL, older adults with Chronic Kidney Disease. BMJ Open, 2020, 10, e035344.	0.8	11
1200	Vision Loss Among Delaware Nursing Home Residents. Gerontology and Geriatric Medicine, 2020, 6, 233372142093424.	0.8	4
1201	<p>Prevalence of Falls, Physical Performance, and Dual-Task Cost While Walking in Older Adults at High Risk of Falling with and Without Cognitive Impairment</p> . Clinical Interventions in Aging, 2020, Volume 15, 945-952.	1.3	19
1202	Differences in Evaluating Fall Risk by Primary Care Provider Type. Journal for Nurse Practitioners, 2020, 16, 528-532.	0.4	2
1203	Vestibular Rehabilitation Using Posturographic System in Elderly Patients with Postural Instability: Can the Number of Sessions Be Reduced?. Clinical Interventions in Aging, 2020, Volume 15, 991-1001.	1.3	5
1204	The tensions between micro-, meso- and macro-levels: physiotherapists' views of their role towards fall prevention in the community – a qualitative study. BMC Health Services Research, 2020, 20, 97.	0.9	11
1205	Use of Fall Risk–Increasing Drugs Around a Fallâ€Related Injury in Older Adults: A Systematic Review. Journal of the American Geriatrics Society, 2020, 68, 1334-1343.	1.3	44
1206	Vitamin D Deficiency During Pregnancy and Autism Spectrum Disorders Development. Frontiers in Psychiatry, 2019, 10, 987.	1.3	26
1207	Effects of A "Modified―Otago Exercise Program on the Functional Abilities and Social Participation of Older Adults Living in the Community—The AGA@4life Model. International Journal of Environmental Research and Public Health, 2020, 17, 1258.	1.2	11
1208	Effect of Calanus Oil Supplementation and 16 Week Exercise Program on Selected Fitness Parameters in Older Women. Nutrients, 2020, 12, 481.	1.7	15
1209	Clinical osteoarthritis of the hip and knee and fall risk: The role of low physical functioning and pain medication. Seminars in Arthritis and Rheumatism, 2020, 50, 380-386.	1.6	19
1210	A rule-based framework for risk assessment in the health domain. International Journal of Approximate Reasoning, 2020, 119, 242-259.	1.9	5
1211	Effects of a Community-Based Tai Chi Program on Balance, Functional Outcomes, and Sensorimotor Function in Older Adults. Physical and Occupational Therapy in Geriatrics, 2020, 38, 129-150.	0.2	7

#	Article	IF	CITATIONS
1212	Screening for high hip fracture risk does not impact on falls risk: a post hoc analysis from the SCOOP study. Osteoporosis International, 2020, 31, 457-464.	1.3	5
1213	The association between light intensity physical activity with gait speed in older adults (≥ 50Âyears). A longitudinal analysis using the English Longitudinal Study of Ageing (ELSA). Aging Clinical and Experimental Research, 2020, 32, 2279-2285.	1.4	11
1214	Does long-term recreational gymnastics prevent injurious falls in older women? A prospective 20-year follow-up. BMC Geriatrics, 2020, 20, 37.	1.1	6
1215	Development of a conceptual framework for a group-based format of the Lifestyle-integrated Functional Exercise (gLiFE) programme and its initial feasibility testing. Pilot and Feasibility Studies, 2020, 6, 6.	0.5	16
1216	A patient-level key performance indicator set to measure the effectiveness of fracture liaison services and guide quality improvement: a position paper of the IOF Capture the Fracture Working Group, National Osteoporosis Foundation and Fragility Fracture Network. Osteoporosis International, 2020, 31, 1193-1204.	1.3	66
1217	Home Modifications to Improve Function and Safety in the United States. Journal of Aging and Environment, 2020, 34, 110-125.	0.8	10
1218	Falls: considerations for the dental surgeon. British Dental Journal, 2020, 228, 509-514.	0.3	4
1219	"l think I could have designed it better, but I didn't think that it was my place†a critical review of home modification practices from the perspectives of health and of design. Disability and Rehabilitation: Assistive Technology, 2020, 15, 781-788.	1.3	4
1220	Risk of Hospitalized Falls and Hip Fractures in 22,103 Older Adults Receiving Mental Health Care vs 161,603 Controls: A Large Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 1893-1899.	1.2	17
1221	Individual and Environmental Factors Associated with Recurrent Falls in Elderly Patients Hospitalized after Falls. International Journal of Environmental Research and Public Health, 2020, 17, 2441.	1.2	9
1222	Characteristics Associated with Improved Physical Performance among Community-Dwelling Older Adults in a Community-Based Falls Prevention Program. International Journal of Environmental Research and Public Health, 2020, 17, 2509.	1,2	3
1223	The Otago Exercise Program With or Without Motivational Interviewing for Community-Dwelling Older Adults: A 12-Month Follow-Up of a Randomized, Controlled Trial. Journal of Applied Gerontology, 2021, 40, 289-299.	1.0	18
1224	Foot Examination for Older Adults. American Journal of Medicine, 2021, 134, 30-35.	0.6	12
1225	A Prospective Comparison of Frailty Scores and Fall Prediction in Acutely Injured Older Adults. Journal of Surgical Research, 2021, 257, 326-332.	0.8	6
1226	Deciding about the use of a Personal Safety Alerting Deviceâ€"The need for a legitimation process: A qualitative study. Journal of Advanced Nursing, 2021, 77, 331-342.	1.5	6
1227	Community-based intervention effects on older adults' physical activity and falls: Protocol and rationale for a randomized optimization trial (Ready Steady3.0). Contemporary Clinical Trials, 2021, 101, 106238.	0.8	6
1228	Population vitamin D supplementation in UK adults: too much of nothing?. Drug and Therapeutics Bulletin, 2021, 59, 7-12.	0.3	2
1229	Comparison of Three Frailty Scales for Prediction of Adverse Outcomes among Older Adults: A Prospective Cohort Study. Journal of Nutrition, Health and Aging, 2021, 25, 419-424.	1.5	7

#	Article	IF	CITATIONS
1230	Special Report from the CDC Antidepressant subclass use and fall risk in community-dwelling older Americans. Journal of Safety Research, 2021, 76, 332-340.	1.7	4
1231	Medications and the risk of falls among older people in a geriatric centre in Nigeria: a cross-sectional study. International Journal of Clinical Pharmacy, 2021, 43, 236-245.	1.0	3
1232	Home Environment, Living Alone, and Trajectories of Cognitive Function Among Older Adults With Functional Limitations. Environment and Behavior, 2021, 53, 252-276.	2.1	1
1233	A Geriatric Perspective on Oncology Care. , 2021, , 315-324.		O
1234	The Effects of Bicycle Simulator Training on Anticipatory and Compensatory Postural Control in Older Adults: Study Protocol for a Single-Blind Randomized Controlled Trial. Frontiers in Neurology, 2020, 11, 614664.	1.1	3
1235	Malnutrition Risk, Rurality, and Falls among Community-Dwelling Older Adults. Journal of Nutrition, Health and Aging, 2021, 25, 624-627.	1.5	16
1236	The Role of Neuroimaging in Fall Prevention in Healthy Adults at Risk of Alzheimer's Disease. Advances in Medical Diagnosis, Treatment, and Care, 2021, , 107-129.	0.1	0
1237	Age-related differences in stair descent balance control: Are women more prone to falls than men?. PLoS ONE, 2021, 16, e0244990.	1.1	7
1238	Neuromuscular Controller Models for Quantifying Standing Balance in Older People: A Systematic Review. IEEE Reviews in Biomedical Engineering, 2023, 16, 560-578.	13.1	2
1239	Are Anticholinergic Symptoms a Risk Factor for Falls in Older General Practice Patients With Polypharmacy? Study Protocol for the Development and Validation of a Prognostic Model. Frontiers in Pharmacology, 2020, 11, 577747.	1.6	4
1240	Effects of 6-Month Multimodal Physical Exercise Program on Bone Mineral Density, Fall Risk, Balance, and Gait in Patients with Alzheimer's Disease: A Controlled Clinical Trial. Brain Sciences, 2021, 11, 63.	1.1	12
1241	Views, experiences and attitudes of community-living older people towards the FIT-at-Home fall prevention programme: A qualitative interview study / Sichtweisen, Erfahrungswerte und Einstellungen von sturzgefÄhrdeten Menschen im hĶheren Lebensalter zum FIT-at-Home-SturzprÄpentionsprogramm: Eine qualitative Interviewstudie. International Journal of	0.3	0
1242	Non-benzodiazepine hypnotic use for sleep disturbance in people aged over 55 years living with dementia: a series of cohort studies. Health Technology Assessment, 2021, 25, 1-202.	1.3	7
1243	Preventing Falls and Malnutrition among Older Adults in Municipal Residential Care in Sweden: A Registry Study. SAGE Open Nursing, 2021, 7, 237796082110261.	0.5	7
1244	Assessment of Gait Speed and Timed Up and Go Measures as Predictors of Falls in Older Breast Cancer Survivors. Integrative Cancer Therapies, 2021, 20, 153473542110064.	0.8	11
1245	Postadychute-AG, Detection, and Prevention of the Risk of Falling Among Elderly People in Nursing Homes: Protocol of a Multicentre and Prospective Intervention Study. Frontiers in Digital Health, 2020, 2, 604552.	1.5	0
1246	Cancer Survivorship in Women 65ÂYears and Older. , 2021, , 67-85.		0
1247	Bone Health in Older Women. , 2021, , 25-43.		0

#	Article	IF	CITATIONS
1248	The impact of COVID-19 on trauma referrals to a National Neurosurgical Centre. Irish Journal of Medical Science, 2021, 190, 1281-1293.	0.8	29
1249	One-to-One and Group-Based Teleconferencing for Falls Rehabilitation: Usability, Acceptability, and Feasibility Study. JMIR Rehabilitation and Assistive Technologies, 2021, 8, e19690.	1.1	7
1250	Association between a hilly neighborhood environment and falls among rural older adults: a cross-sectional study. Journal of Rural Medicine: JRM, 2021, 16, 214-221.	0.2	2
1251	StayBalanced: implementation of evidence-based fall prevention balance training for older adults—cluster randomized controlled and hybrid type 3 trial. Trials, 2021, 22, 166.	0.7	4
1252	Gait and Balance Disorder in Patients with Transient Ischemic Attack or Minor Stroke. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 305-314.	1.0	4
1253	Measuring Vestibular Contributions to Age-Related Balance Impairment: A Review. Frontiers in Neurology, 2021, 12, 635305.	1.1	10
1254	Volunteer Impact on Health-Related Outcomes for Seniors: a Systematic Review And Meta-Analysis. Canadian Geriatrics Journal, 2021, 24, 44-72.	0.7	7
1255	Deprescribing fall-risk increasing drugs (FRIDs) for the prevention of falls and fall-related complications: a systematic review and meta-analysis. BMJ Open, 2021, 11, e035978.	0.8	51
1256	Efficacy of exercise on balance, fear of falling, and risk of falls in patients with diabetic peripheral neuropathy: a systematic review and meta-analysis. Archives of Endocrinology and Metabolism, 2021, 65, 198-211.	0.3	3
1257	Examining Different Motor Learning Paradigms for Improving Balance Recovery Abilities Among Older Adults, Random vs. Block Training—Study Protocol of a Randomized Non-inferiority Controlled Trial. Frontiers in Human Neuroscience, 2021, 15, 624492.	1.0	2
1258	Falls and Physical Activity among Cataract Patients in Vietnam. Ophthalmic Epidemiology, 2021, , 1-8.	0.8	1
1259	The Effect of Mixed Reality Technologies for Falls Prevention Among Older Adults: Systematic Review and Meta-analysis. JMIR Aging, 2021, 4, e27972.	1.4	13
1260	Comparison of Lateral Perturbation-Induced Step Training and Hip Muscle Strengthening Exercise on Balance and Falls in Community-Dwelling Older Adults: A Blinded Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, e194-e202.	1.7	16
1261	Osteoporosis in Men: A Review of an Underestimated Bone Condition. International Journal of Molecular Sciences, 2021, 22, 2105.	1.8	95
1262	Group or individual lifestyle-integrated functional exercise (LiFE)? A qualitative analysis of acceptability. BMC Geriatrics, 2021, 21, 93.	1.1	8
1263	Interventions to Reduce Fall-Risk-Increasing Drug Use to Prevent Falls: A Narrative Review of Randomized Trials. Drugs and Aging, 2021, 38, 301-309.	1.3	2
1264	Using augmented reality technology for balance training in the older adults: a feasibility pilot study. BMC Geriatrics, 2021, 21, 144.	1.1	21
1266	Exercise intervention for the risk of falls in older adults. Medicine (United States), 2021, 100, e24548.	0.4	7

#	Article	IF	CITATIONS
1267	Prevalence of Drug-Related Problems and Complementary and Alternative Medicine Use in Malaysia: A Systematic Review and Meta-Analysis of 37,249 Older Adults. Pharmaceuticals, 2021, 14, 187.	1.7	16
1268	Cognitive behavioural interventions for reducing fear of falling in older people living in the community. The Cochrane Library, 0, , .	1.5	1
1269	Vestibular rehabilitation with mobile posturography as a "low-cost―alternative to vestibular rehabilitation with computerized dynamic posturography, in old people with imbalance: a randomized clinical trial. Aging Clinical and Experimental Research, 2021, 33, 2807-2819.	1.4	4
1270	Vitamin D supplementation and testing in the UK: costly but ineffective?. BMJ, The, 2021, 372, n484.	3.0	8
1271	In community-dwelling women frailty is associated with imminent risk of osteoporotic fractures. Osteoporosis International, 2021, 32, 1735-1744.	1.3	15
1272	Promoting Generalized Learning in Balance Recovery Interventions. Brain Sciences, 2021, 11, 402.	1.1	14
1273	Stroke Rehabilitation for Falls and Risk of Falls in Southeast Asia: A Scoping Review With Stakeholders' Consultation. Frontiers in Public Health, 2021, 9, 611793.	1.3	9
1274	Benefits of STRENOLD Program on Health-Related Quality of Life in Adults Aged 60 Years or Older. In Common Sport Study. International Journal of Environmental Research and Public Health, 2021, 18, 3253.	1.2	5
1275	Functional progression in post-osteoporotic fracture: A case study. Open Journal of Orthopedics and Rheumatology, 2021, , 016-018.	0.1	0
1276	The impact of healthâ€related supports in senior housing on ambulance transfers and visits to emergency departments: The Right Care, Right Place, Right Time Project. Health Services Research, 2021, 56, 731-739.	1.0	6
1277	Volumetric Brain Changes in Older Fallers: A Voxel-Based Morphometric Study. Frontiers in Bioengineering and Biotechnology, 2021, 9, 610426.	2.0	4
1278	Management of glucocorticoid-induced osteoporosis. Aging Clinical and Experimental Research, 2021, 33, 793-804.	1.4	20
1279	Using a Web-Based App to Deliver Rehabilitation Strategies to Persons With Chronic Conditions: Development and Usability Study. JMIR Rehabilitation and Assistive Technologies, 2021, 8, e19519.	1.1	10
1282	Effectiveness of a Community-Based Muscle Strengthening Exercise Program to Increase Muscle Strength Among Pre-frail Older Persons in Malaysia: A Pilot Study. Frontiers in Public Health, 2021, 9, 610184.	1.3	2
1283	Modern technology against falls – A description of the MoTFall project. Health Informatics Journal, 2021, 27, 146045822110115.	1.1	5
1284	Characteristics of Ophthalmic Trauma in Fall-Related Hospitalizations in the United States from 2000 to 2017. Ophthalmic Epidemiology, 2021, , 1-10.	0.8	3
1285	Falls Detection and Prevention Systems in Home Care for Older Adults: Myth or Reality?. JMIR Aging, 2021, 4, e29744.	1.4	9
1286	The Value of Routinely Collected Data in Evaluating Home Assessment and Modification Interventions to Prevent Falls in Older People: Systematic Literature Review. JMIR Aging, 2021, 4, e24728.	1.4	О

#	Article	IF	CITATIONS
1287	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the $\langle i \rangle$ StandingTall $\langle i \rangle$ + randomised controlled trial. BMJ Open, 2021, 11, e051085.	0.8	4
1288	Falls and fear of falling among Israeli community-dwelling older people: a cross-sectional national survey. Israel Journal of Health Policy Research, 2021, 10, 29.	1.4	8
1289	Physiotherapists' awareness of risk of bone demineralisation and falls in people living with HIV: a qualitative study. BMC Health Services Research, 2021, 21, 333.	0.9	0
1291	eHealth for Addressing Balance Disorders in the Elderly: Systematic Review. Journal of Medical Internet Research, 2021, 23, e22215.	2.1	16
1292	Gender Differences in Older Adults' Perceptions of Falls and Fall Prevention. Health Promotion Practice, 2022, 23, 785-792.	0.9	7
1293	Emergency Department Visits and Hospitalizations for Selected Nonfatal Injuries Among Adults Aged ≥65 Years — United States, 2018. Morbidity and Mortality Weekly Report, 2021, 70, 661-666.	9.0	17
1294	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. Health Technology Assessment, 2021, 25, 1-114.	1.3	12
1295	Exploring a Hidden Epidemic: Drowning Among Adults Aged 65 Years and Older. Journal of Aging and Health, 2021, 33, 828-837.	0.9	13
1296	Keeping adults physically active after Falls Management Exercise (FaME) programmes end: development of a physical activity maintenance intervention. Pilot and Feasibility Studies, 2021, 7, 108.	0.5	2
1297	Does Past Experience Effect Balance in Older Women: a Cross-Sectional Study Comparing Retired Dancers and Age- Matched Controls?. Ageing International, 0 , 1 .	0.6	0
1298	Implementing an Online Virtual Falls Prevention Intervention During a Public Health Pandemic for Older Adults with Mild Cognitive Impairment: A Feasibility Trial. Clinical Interventions in Aging, 2021, Volume 16, 973-983.	1.3	35
1299	Expression levels of specific microRNAs areÂincreased after exercise and are associated with cognitive improvement in Parkinson's disease. Molecular Medicine Reports, 2021, 24, .	1.1	9
1300	Pharmacy fall prevention services for the communityâ€dwelling elderly: Patient engagement and expectations. Health and Social Care in the Community, 2022, 30, 1450-1461.	0.7	5
1301	Household Physical Activity and Risk for Future Falls in Community-Dwelling Older Adults. Journal of Gerontological Nursing, 2021, 47, 13-18.	0.3	0
1302	Efficacy of exercise-based interventions in preventing falls among community-dwelling older persons with cognitive impairment: is there enough evidence? An updated systematic review and meta-analysis. Age and Ageing, 2021, 50, 1557-1568.	0.7	11
1303	The association between visual attention and body movement-controlled video games, balance and mobility in older adults. BMC Geriatrics, 2021, 21, 405.	1.1	1
1304	Chronoprevention in hospital falls of older people: protocol for a mixed-method study. BMC Nursing, 2021, 20, 88.	0.9	1
1305	Moving the needle on fall prevention: A Geriatric Emergency Care Applied Research (GEAR) Network scoping review and consensus statement. Academic Emergency Medicine, 2021, 28, 1214-1227.	0.8	18

#	Article	IF	CITATIONS
1306	Community pharmacists' perceptions on providing fall prevention services: a mixed-methods study. International Journal of Clinical Pharmacy, 2021, 43, 1533-1545.	1.0	4
1307	Relação entre resultados da posturografia dinâmica "foam-laserâ€; preocupação em cair e quedas em idosos praticantes de exercÃcios fÃsicos. Research, Society and Development, 2021, 10, e49110716794.	0.0	0
1308	Proof of Concept of Novel Visuo-Spatial-Motor Fall Prevention Training for Old People. Geriatrics (Switzerland), 2021, 6, 66.	0.6	0
1309	The (cost-)effectiveness of an implemented fall prevention intervention on falls and fall-related injuries among community-dwelling older adults with an increased risk of falls: protocol for the in balance randomized controlled trial. BMC Geriatrics, 2021, 21, 381.	1.1	5
1310	Age suit simulation replicates in healthy young adults the functional challenges to balance experienced by older adults: an observational study. BMJ Simulation and Technology Enhanced Learning, 2021, 7, 581-585.	0.7	5
1311	Cost-Effectiveness of an Exercise Programme That Provided Group or Individual Training to Reduce the Fall Risk in Healthy Community-Dwelling People Aged 65–80: A Secondary Data Analysis. Healthcare (Switzerland), 2021, 9, 714.	1.0	7
1312	Unsupervised Assessment of Balance and Falls Risk Using a Smartphone and Machine Learning. Sensors, 2021, 21, 4770.	2.1	13
1313	Impact of Fall Risk and Direct Oral Anticoagulant Treatment on Quality-Adjusted Life-Years in Older Adults with Atrial Fibrillation: A Markov Decision Analysis. Drugs and Aging, 2021, 38, 713-723.	1.3	8
1314	Automatically evaluating balance usingÂmachineÂlearning and data from a single inertial measurement unit. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 114.	2.4	3
1315	Orthogeriatric co-management for the care of older subjects with hip fracture: recommendations from an Italian intersociety consensus. Aging Clinical and Experimental Research, 2021, 33, 2405-2443.	1.4	11
1316	Medication Review in Preventing Older Adults' Fall-Related Injury: a Systematic Review & Description (201, 24, 237-250).	0.7	11
1317	Enhancement of Anticipatory Postural Adjustments by Virtual Reality in Older Adults with Cognitive and Motor Deficits: A Randomised Trial. Geriatrics (Switzerland), 2021, 6, 72.	0.6	3
1318	A personalized approach empowering successful aging: Patient perspective on fall prevention education. PM and R, 2021, , .	0.9	1
1319	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118.	1.3	8
1320	Interventions for preventing falls and fallâ€related fractures in communityâ€dwelling older adults: A systematic review and network metaâ€analysis. Journal of the American Geriatrics Society, 2021, 69, 2973-2984.	1.3	64
1321	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	0.8	2
1322	Gait Flexibility among Older Persons Significantly More Impaired in Fallers Than Non-Fallers—A Longitudinal Study. International Journal of Environmental Research and Public Health, 2021, 18, 7074.	1.2	10
1323	Falls in older and senile patients. Clinical giudelines. Russian Journal of Geriatric Medicine, 2021, , 153-185.	0.3	10

#	Article	IF	CITATIONS
1324	Unintentional Injury Burden in Hong Kong: Results from a Representative Population-Based Survey. International Journal of Environmental Research and Public Health, 2021, 18, 8826.	1.2	2
1325	Impact of the introduction of falls risk assessment toolkit on falls prevention and psychotropic medicines' utilisation in Walsall: an interrupted time series analysis. BMJ Open, 2021, 11, e039649.	0.8	0
1326	Mitigating Medication-Related Fall Risk Through Pharmacist–Prescriber Collaboration. American Journal of Lifestyle Medicine, 2021, 15, 602-604.	0.8	0
1327	Predicting Fall Risk Through Automatic Wearable Monitoring. International Journal of Prognostics and Health Management, 2021, 12, .	0.6	4
1328	Performance and Characteristics of Wearable Sensor Systems Discriminating and Classifying Older Adults According to Fall Risk: A Systematic Review. Sensors, 2021, 21, 5863.	2.1	9
1329	Home Hazard Removal to Reduce Falls Among Community-Dwelling Older Adults. JAMA Network Open, 2021, 4, e2122044.	2.8	16
1330	Thirty years of hip fracture incidence in Austria: is the worst over?. Osteoporosis International, 2021, , 1.	1.3	10
1331	The effects of the Otago Exercise Programme on actual and perceived balance in older adults: A meta-analysis. PLoS ONE, 2021, 16, e0255780.	1.1	32
1332	Clinical Practice Guideline for Frailty Applicable in Primary Care Setting. Korean Journal of Family Practice, 2021, 11, 223-235.	0.1	3
1333	Mild cognitive impairment, dementia and risk of mortality in essential tremor: A longitudinal prospective study of elders. Journal of the Neurological Sciences, 2021, 428, 117563.	0.3	10
1334	The Effectiveness of the Stepping-On Fall Prevention Program on the Quality of Life, Fear of Fall, and Fall-Preventive Behaviors Among Community-Dwelling Older Adults: A Randomized Clinical Trial. Shiraz E Medical Journal, 2021, 22, .	0.1	2
1335	One leg standing time predicts fracture risk in older women independent of clinical risk factors and BMD. Osteoporosis International, 2022, 33, 185-194.	1.3	8
1336	Outcomes and longitudinal trend of traumatic cataract wound dehiscence in patients with blunt ocular injury. Scientific Reports, 2021, 11, 18191.	1.6	1
1337	Methodology of a home-based motor control exercise and ergonomic intervention programme for community-dwelling older people: The McHeELP study. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 153-162.	0.4	2
1338	Dancing Against falls iN Community-dwElling older adults (DANCE): a study protocol of a stratified, block-randomised trial. Injury Prevention, 2022, 28, 93-101.	1.2	2
1339	Promoting physical activity and physical function in people with long-term conditions in primary care: the Function First realist synthesis with co-design. Health Services and Delivery Research, 2021, 9, 1-104.	1.4	0
1340	Lifestyle-integrated functional exercise to prevent falls and promote physical activity: Results from the LiFE-is-LiFE randomized non-inferiority trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 115.	2.0	20
1341	Self-Monitoring of Balance Performance can Reduce the Rate of Falls Among Older Adults. Frontiers in Sports and Active Living, 2021, 3, 680269.	0.9	1

#	Article	IF	CITATIONS
1342	App-based strength and balance self-test in older adults: an exploratory study from a user perspective. BMC Research Notes, 2021, 14, 379.	0.6	2
1343	Audiologists should not fail with falls: A call to commit to prevention of falls in older adults. South African journal of communication disorders Die Suid-Afrikaanse tydskrif vir Kommunikasieafwykings, The, 2021, 68, e1-e5.	0.3	0
1344	Effects of vitamin D supplementation on the functional outcome in patients with osteoporotic vertebral compression fracture and vitamin D deficiency. Journal of Orthopaedic Surgery and Research, 2021, 16, 571.	0.9	7
1345	A Pilot Study of a Sensor Enhanced Activity Management System for Promoting Home Rehabilitation Exercise Performed during the COVID-19 Pandemic: Therapist Experience, Reimbursement, and Recommendations for Implementation. International Journal of Environmental Research and Public Health. 2021. 18. 10186.	1.2	9
1346	Practical and validated tool to assess falls risk in the primary care setting: a systematic review. BMJ Open, 2021, 11, e045431.	0.8	23
1347	Qualitative research to inform economic modelling: a case study in older people's views on implementing the NICE falls prevention guideline. BMC Health Services Research, 2021, 21, 1020.	0.9	6
1348	Environmental Features Contributing to Falls in Persons With Vision Impairment: The Role of Home Lighting and Home Hazards. American Journal of Ophthalmology, 2021, 230, 207-215.	1.7	4
1349	Fracture risk across a wide range of physical activity levels, from sedentary individuals to elite athletes. Bone, 2021, 153, 116128.	1.4	4
1350	Risk Factors for Intracranial Injury Caused by Falls at Home in Korea Using Data from the Emergency Department-based Injury In-depth Surveillance (2011–2018). Journal of Korean Medical Science, 2021, 36, e53.	1.1	2
1351	Tai Chi training's effect on lower extremity muscle co-contraction during single- and dual-task gait: Cross-sectional and randomized trial studies. PLoS ONE, 2021, 16, e0242963.	1.1	10
1352	Learning From England's Best Practice Tariff. Annals of Surgery, 2022, 275, 506-514.	2.1	10
1353	Fall-Risk-Increasing Drugs. Advances in Medical Diagnosis, Treatment, and Care, 2021, , 67-76.	0.1	1
1354	An Augmented Reality Game for Helping Elderly to Perform Physical Exercises at Home. Lecture Notes in Computer Science, 2020, , 233-241.	1.0	3
1355	Falls Prediction in Care Homes Using Mobile App Data Collection. Lecture Notes in Computer Science, 2020, , 403-413.	1.0	5
1357	Non-pharmacological Treatments for Falls and Fractures. , 2016, , 187-200.		1
1358	Vitamin D and Bone Health: Basic and Clinical Aspects. Contemporary Endocrinology, 2020, , 71-87.	0.3	1
1359	Falls and Secondary Fracture Prevention. Perspectives in Nursing Management and Care for Older Adults, 2018, , 27-40.	0.1	2
1360	Bewegung und Gesundheit im Alter. , 2017, , 139-155.		3

#	Article	IF	CITATIONS
1361	Choose your words wisely: Optimizing impacts on standardized performance testing. Gait and Posture, 2020, 79, 210-216.	0.6	13
1363	Life in Balance. ASHA Leader, 2013, 18, 40-46.	0.2	3
1364	Implementing falls prevention research into policy and practice: an overview of a new National Health and Medical Research Council Partnership Grant. NSW Public Health Bulletin, 2011, 22, 84.	0.3	6
1365	STOPPFall (Screening Tool of Older Persons Prescriptions in older adults with high fall risk): a Delphi study by the EuGMS Task and Finish Group on Fall-Risk-Increasing Drugs. Age and Ageing, 2021, 50, 1189-1199.	0.7	88
1366	Pathogenesis and treatment of falls in elderly. Clinical Cases in Mineral and Bone Metabolism, 0, , .	1.0	22
1368	An 80 year old woman who fell in her home. BMJ: British Medical Journal, 2009, 339, b4839-b4839.	2.4	1
1369	Efficacy of practising Tai Chi for older people with mild dementia: protocol for a randomised controlled study. BMJ Open, 2018, 8, e019940.	0.8	4
1370	Falls in people living with HIV: a scoping review. BMJ Open, 2020, 10, e034872.	0.8	11
1371	Feasibility and acceptability study on the use of a smartphone application to facilitate balance training in the ageing population. BMJ Open, 2020, 10, e039054.	0.8	9
1372	Recov-R. ACM Transactions on Computer-Human Interaction, 2019, 26, 1-38.	4.6	31
1373	Quedas acidentais em mulheres de meia-idade. Revista De Saude Publica, 2020, 54, 141.	0.7	4
1374	Approach to falls among the elderly in the community. Singapore Medical Journal, 2020, 61, 116-121.	0.3	50
1375	Otago exercise programme—from evidence to practice: a qualitative study of physiotherapists' perceptions of the importance of organisational factors of leadership, context and culture for knowledge translation in Norway. BMC Health Services Research, 2020, 20, 985.	0.9	9
1376	Emerging challenges in meeting physiotherapy needs during COVID-19 through telerehabilitation. Bulletin of Faculty of Physical Therapy, 2020, 25, .	0.2	16
1377	Vitamin D Deficiency/Insufficiency Is Associated with Risk of Osteoporotic Thoracolumbar Junction Vertebral Fractures. Medical Science Monitor, 2019, 25, 8260-8268.	0.5	12
1378	Medical Treatment of Osteoporosis/Prevention of Falls. Journal of the Korean Fracture Society, 2018, 31, 165.	0.1	3
1379	Social Dancing and Incidence of Falls in Older Adults: A Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002112.	3.9	71
1380	Epidemiological Survey of Quantitative Ultrasound in Risk Assessment of Falls in Middle-Aged and Elderly People. PLoS ONE, 2013, 8, e71053.	1.1	12

#	ARTICLE	IF	CITATIONS
1381	A Post-Hospital Home Exercise Program Improved Mobility but Increased Falls in Older People: A Randomised Controlled Trial. PLoS ONE, 2014, 9, e104412.	1.1	76
1382	Fall Risk Awareness and Safety Precautions Taken by Older Community-Dwelling Women and Men—A Qualitative Study Using Focus Group Discussions. PLoS ONE, 2015, 10, e0119630.	1.1	39
1383	Recommendations for a Core Outcome Set for Measuring Standing Balance in Adult Populations: A Consensus-Based Approach. PLoS ONE, 2015, 10, e0120568.	1.1	66
1384	Physical Activity and Different Concepts of Fall Risk Estimation in Older People–Results of the ActiFE-Ulm Study. PLoS ONE, 2015, 10, e0129098.	1.1	73
1385	Interactive Cognitive-Motor Step Training Improves Cognitive Risk Factors of Falling in Older Adults – A Randomized Controlled Trial. PLoS ONE, 2015, 10, e0145161.	1.1	106
1386	Predicting Falls and When to Intervene in Older People: A Multilevel Logistical Regression Model and Cost Analysis. PLoS ONE, 2016, 11, e0159365.	1.1	16
1387	Effectiveness of Non-Pharmacological Interventions to Prevent Falls in Older People: A Systematic Overview. The SENATOR Project ONTOP Series. PLoS ONE, 2016, 11, e0161579.	1.1	48
1388	Predictors of falls and mortality among elderly adults with traumatic brain injury: A nationwide, population-based study. PLoS ONE, 2017, 12, e0175868.	1.1	54
1389	Home modification to reduce falls at a health district level: Modeling health gain, health inequalities and health costs. PLoS ONE, 2017, 12, e0184538.	1.1	14
1390	Can Tai Chi training impact fractal stride time dynamics, an index of gait health, in older adults? Cross-sectional and randomized trial studies. PLoS ONE, 2017, 12, e0186212.	1.1	20
1391	Reference data on reaction time and aging using the Nintendo Wii Balance Board: A cross-sectional study of 354 subjects from 20 to 99 years of age. PLoS ONE, 2017, 12, e0189598.	1.1	13
1392	Influences on Modern Multifactorial Falls Prevention Interventions and Fear of Falling in Non-Frail Older Adults: A Literature Review. Journal of Clinical Medicine Research, 2014, 6, 314-20.	0.6	15
1393	Appraisal of exercise recommendations for osteoporosis treatment of current guidelines: a systematic review. Acta Universitaria, 2015, 25, 28-35.	0.2	4
1394	FEAR OF FALLING AMONG COMMUNITY DWELLING OLDER ADULTS. Central European Journal of Nursing and Midwifery, 2017, 8, 580-587.	0.2	12
1395	The Impact of Fear of Falling on Functional Independence Among Older Adults Receiving Home Health Services. Open Journal of Occupational Therapy, 2014, 2, .	0.2	2
1396	Deaths from Falls Among Persons Aged ≥65 Years — United States, 2007–2016. Morbidity and Mortality Weekly Report, 2018, 67, 509-514.	9.0	313
1397	Analysis of user characteristics related to drop-off detection with long cane. Journal of Rehabilitation Research and Development, 2010, 47, 233.	1.6	11
1398	Osteoporosis: Pathophysiology and therapeutic options. EXCLI Journal, 2020, 19, 1017-1037.	0.5	78

#	Article	IF	CITATIONS
1399	Falls Among Wheelchair and Scooter Users with Multiple Sclerosis—A Review. US Neurology, 2018, 14, 82.	0.2	9
1400	Literacy Levels Required to Understand Regularly Accessed Falls Prevention Websites Aimed at the Public. Journal of Physical Therapy and Health Promotion, 2013, 1, 8-14.	0.2	3
1401	Long-Term Participation in a Community-Based Fitness Program for Hispanic Adults Living with HIV Influences Health-Related Outcomes Fitness in Hispanic Adults Living with HIV. Journal of Physical Therapy and Health Promotion, 2014, 2, 1-7.	0.2	4
1402	Faldforebyggelse konstrueret somÂmedicinsk overvÃ¥gning ogÂselvovervÃ¥gning - Fall Prevention Constructed as Medical Surveillance and Self-Surveillance. Klinisk Sygepleje, 2016, 43, 114-128.	0.2	1
1403	Combination psychotropic medicine use in older adults and risk of hip fracture. Australian Prescriber, 2019, 42, 93-96.	0.5	5
1404	The association between serum 25-hydroxyvitamin D level and recurrent falls in the elderly population: a cohort study. Electronic Physician, 2016, 8, 2707-2712.	0.2	1
1405	Consideration of Factors Related to Positive Loco-Check. Journal of the Japanese Association of Rural Medicine, 2020, 68, 588.	0.0	1
1406	Multifactorial Screening Tool for Determining Fall Risk in Community-Dwelling Adults Aged 50 Years or Over (FallSensing): Protocol for a Prospective Study. JMIR Research Protocols, 2018, 7, e10304.	0.5	18
1407	Novel Approach to Inpatient Fall Risk Prediction and Its Cross-Site Validation Using Time-Variant Data. Journal of Medical Internet Research, 2019, 21, e11505.	2.1	20
1408	An Interactive Home-Based Cognitive-Motor Step Training Program to Reduce Fall Risk in Older Adults: Qualitative Descriptive Study of Older Adults' Experiences and Requirements. JMIR Aging, 2018, 1, e11975.	1.4	18
1409	The Aachen Falls Prevention Scale: Multi-Study Evaluation and Comparison. JMIR Aging, 2019, 2, e12114.	1.4	9
1410	A Mobile App Directory of Occupational Therapists Who Provide Home Modifications: Development and Preliminary Usability Evaluation. JMIR Rehabilitation and Assistive Technologies, 2020, 7, e14465.	1.1	5
1411	Identifying the Value of an eHealth Intervention Aimed at Cognitive Impairments: Observational Study in Different Contexts and Service Models. Journal of Medical Internet Research, 2020, 22, e17720.	2.1	7
1412	Understanding the Experiences of Rural Community-Dwelling Older Adults in Using a New DVD-Delivered Otago Exercise Program: A Qualitative Study. Interactive Journal of Medical Research, 2015, 4, e17.	0.6	7
1413	FRAT-up, a Fall-Risk Assessment Tool for Elderly People Living in the Community. Journal of Medical Internet Research, 2015, 17, e41.	2.1	42
1414	Motivational Determinants of Exergame Participation for Older People in Assisted Living Facilities: Mixed-Methods Study. Journal of Medical Internet Research, 2017, 19, e238.	2.1	89
1415	Reduction in Fall Rate in Dementia Managed Care Through Video Incident Review: Pilot Study. Journal of Medical Internet Research, 2017, 19, e339.	2.1	27
1416	Activity Monitors as Support for Older Persons' Physical Activity in Daily Life: Qualitative Study of the Users' Experiences. JMIR MHealth and UHealth, 2018, 6, e34.	1.8	69

#	Article	IF	CITATIONS
1417	Satisfying Product Features of a Fall Prevention Smartphone App and Potential Users' Willingness to Pay: Web-Based Survey Among Older Adults. JMIR MHealth and UHealth, 2018, 6, e75.	1.8	18
1418	Are Virtual Rehabilitation Technologies Feasible Models to Scale an Evidence-Based Fall Prevention Program? A Pilot Study Using the Kinect Camera. JMIR Rehabilitation and Assistive Technologies, 2015, 2, e10.	1.1	9
1419	A Population-Based Intervention for the Prevention of Falls and Fractures in Home Dwelling People 65 Years and Older in South Germany: Protocol. JMIR Research Protocols, 2014, 3, e19.	0.5	8
1420	Obesity and its relationship with falls, fracture site and bone mineral density in postmenopausal women. Journal of Frailty, Sarcopenia and Falls, 2017, 02, 28-32.	0.4	11
1421	What types of physical activities are effective in developing muscle and bone strength and balance?. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 58-65.	0.4	24
1422	How do muscle and bone strengthening and balance activities (MBSBA) vary across the life course, and are there particular ages where MBSBA are most important?. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 74-84.	0.4	18
1423	Which strength and balance activities are safe and efficacious for individuals with specific challenges (osteoporosis, vertebral fractures, frailty, dementia)?: A Narrative review. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 85-104.	0.4	13
1424	Physical, mental, and social functioning in women age 65 and above with and without a falls history: An observational case-control study. Journal of Frailty, Sarcopenia and Falls, 2018, 03, 179-184.	0.4	1
1425	Changes in physical activity predict changes in a comprehensive model of balance in older community-dwelling adults. A longitudinal analysis of the TILDA study. Journal of Frailty, Sarcopenia and Falls, 2019, 4, 102-110.	0.4	3
1426	Effects of a 4-month judo program on gait performance in older adults. Journal of Sports Medicine and Physical Fitness, 2020, 60, 685-692.	0.4	5
1427	Changes in fall-related mortality in older adults in Quebec, 1981–2009. Chronic Diseases and Injuries in Canada, 2013, 33, 226-235.	1.4	8
1428	Vitamin D supplementation is required to normalize serum level of 25OH-vitamin D in older adults: an observational study of 974 hip fracture inpatients. Journal of Endocrinological Investigation, 2012, 35, 921-4.	1.8	7
1429	Support and Assessment for Fall Emergency Referrals (SAFER) 2: a cluster randomised trial and systematic review of clinical effectiveness and cost-effectiveness of new protocols for emergency ambulance paramedics to assess older people following a fall with referral to community-based care when appropriate. Health Technology Assessment, 2017, 21, 1-218.	1.3	38
1430	A self-management programme to reduce falls and improve safe mobility in people with secondary progressive MS: the BRiMS feasibility RCT. Health Technology Assessment, 2019, 23, 1-166.	1.3	13
1431	An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. Health Technology Assessment, 2019, 23, 1-208.	1.3	5
1432	Visually Impaired OLder people's Exercise programme for falls prevenTion (VIOLET): a feasibility study. Public Health Research, 2019, 7, 1-148.	0.5	4
1433	Exercise and Osteoporosis-Related Fractures: Perspectives and Recommendations of the Sports and Exercise Scientist. Physician and Sportsmedicine, 2011, 39, 142-57.	1.0	44
1434	Study on age and education level and their relationship with fall-related injuries in Shanghai, China. Biomedical and Environmental Sciences, 2013, 26, 79-86.	0.2	29

#	Article	IF	CITATIONS
1435	Incidence and associated factors for single and recurrent falls among the elderly in an urban community of Beijing. Biomedical and Environmental Sciences, 2014, 27, 939-49.	0.2	15
1436	Incidence and risk factors of falls among the elderly in the district of Colombo. Ceylon Medical Journal, 2013, 58, 100.	0.1	17
1437	Vitamin D: what clinicians need to know. Sri Lanka Journal of Diabetes Endocrinology and Metabolism, 2012, 2, 73.	0.1	14
1438	Medisinske funn i en tverrfaglig geriatrisk fallpoliklinikk. Tidsskrift for Den Norske Laegeforening, 2014, 134, 705-709.	0.2	12
1439	Investigating the effect of education based on need to prevent falling during activities of daily living among the elderlies referring to health centers of Isfahan. Iranian Journal of Nursing and Midwifery Research, 2016, 21, 430.	0.2	1
1440	Clinical practice guidelines on postmenopausal osteoporosis: *An executive summary and recommendations – Update 2019–2020. Journal of Mid-Life Health, 2020, 11, 96.	0.4	19
1441	Designing Simplified Exergame for Muscle and Balance Training in Seniors: A Concept of ´Out in NatureÂ`. , 2014, , .		11
1442	Effectiveness of Sensory Motor Training Program in Community Dwelling Elderly Individuals with History of Fall. Journal of Physiotherapy & Physical Rehabilitation, 2017, 02, .	0.1	2
1443	The Feasibility of a Novel Dual-Task Exercise Program Which Integrates Balance, Gaze, Mobility and Cognition in Community Dwelling Older Adults: Protocol for a Randomized Clinical Pilot Trial. Advances in Aging Research, 2015, 04, 96-111.	0.3	1
1444	Can the International Classification of Functioning, Disability and Health (ICF) be used to understand risk factors for falls in older Australian women?. Health, 2013, 05, 39-48.	0.1	2
1445	Factors Affecting Minimum Foot Clearance in the Elderly Walking: A Multiple Regression Analysis. Open Journal of Therapy and Rehabilitation, 2015, 03, 109-115.	0.1	7
1446	Clinical Medication Review and Falls in Older Peopleâ€"What Is the Evidence Base?. Pharmacology & Pharmacy, 2016, 07, 89-96.	0.2	2
1447	Parkinson's disease and the bones. Swiss Medical Weekly, 2011, 141, w13154.	0.8	21
1448	Self-reported health, physical activity and socio-economic status of middle-aged and elderly participants to a popular road running race in Switzerland: better off than the general population?. Swiss Medical Weekly, 2013, 143, w13710.	0.8	10
1449	Evaluation of a novel photography-based home assessment protocol for identification of environmental risk factors for falls in elderly persons. Swiss Medical Weekly, 2013, 143, w13884.	0.8	24
1450	Feasibility Trial of Tailored Home Modifications: Process Outcomes. American Journal of Occupational Therapy, 2018, 72, 7201205020p1-7201205020p10.	0.1	17
1451	Rehabilitation strategy in the elderly. Journal of Nephrology, 2012, 25, 90-95.	0.9	15
1452	Supporting Older People to Live Safely at Home – Findings from Thirteen Case Studies on Integrated Care Across Europe. International Journal of Integrated Care, 2020, 20, 1.	0.1	11

#	Article	IF	CITATIONS
1453	Geriatrische Nephrologie – eine aktuelle Positionsbestimmung. Nieren- Und Hochdruckkrankheiten, 2014, 43, 427-434.	0.0	2
1454	Longitudinal Trends in Fall Accidents in Community Dwelling Korean Adults: The 2008–2013 Korean Community Health Survey. Annals of Rehabilitation Medicine, 2016, 40, 657.	0.6	3
1455	The Association Between Fall History and Physical Performance Tests in the Community-Dwelling Elderly: A Cross-Sectional Analysis. Annals of Rehabilitation Medicine, 2017, 41, 239.	0.6	30
1456	Introduction of Fall Risk Assessment (FRA) System and Cross-Sectional Validation Among Community-Dwelling Older Adults. Annals of Rehabilitation Medicine, 2019, 43, 87-95.	0.6	9
1457	The Practice of Geriatrics: Specialized Geriatric Programs and Home Visits. Canadian Geriatrics Journal, 2011, 14, 17-23.	0.7	3
1458	Design Considerations for Technology Interventions to Support Social and Physical Wellness for Older Adults with Disability. International Journal of Automation and Smart Technology, 2015, 5, 249-264.	0.4	12
1459	Effects of Visual Feedback-Based Balance Training on Balance in Elderly Fallers. Journal of Muscle and Joint Health, 2011, 18, 16-27.	0.4	6
1460	Safety Consciousness of the Elderly Living Alone. Journal of Muscle and Joint Health, 2013, 20, 180-188.	0.4	1
1461	Fitness and Quality of Life Outcomes of Cancer Survivor Participants in a Community Exercise Program. Journal of the Advanced Practitioner in Oncology, 2019, 10, .	0.2	5
1462	Posturographic measures did not improve the predictive power to identify recurrent falls in community-dwelling elderly fallers. Clinics, 2020, 75, e1409.	0.6	6
1463	Muscle and Bone Mass Loss in the Elderly Population: Advances in diagnosis and treatment. Journal of Biomedicine (Sydney, NSW), 2018, 3, 40-49.	1.4	72
1464	Drawing on Related Knowledge to Advance Multiple Sclerosis Falls-Prevention Research. International Journal of MS Care, 2014, 16, 163-170.	0.4	12
1465	Whom to Target for Falls-Prevention Trials. International Journal of MS Care, 2014, 16, 203-207.	0.4	10
1466	Home or Away? Choosing a Setting for a Falls-Prevention Program for People with Multiple Sclerosis. International Journal of MS Care, 2014, 16, 186-191.	0.4	6
1467	Medications Are Associated with Falls in People with Multiple Sclerosis. International Journal of MS Care, 2015, 17, 207-214.	0.4	14
1468	Fallhendelser hos eldre i hjemmetjenesten i en norsk kommune- omfang og omstendigheter. Nordisk Tidsskrift for Helseforskning, 2015, 11, 165�.	0.1	2
1469	Habitual exercise and falls among community-dwelling older Japanese adults. Japanese Journal of Physical Fitness and Sports Medicine, 2014, 63, 391-400.	0.0	2
1470	Effects of a fall prevention program on physical functions, health-related QOL, and exercise habits. Japanese Journal of Health Promotion and Physical Therapy, 2014, 4, 25-30.	0.1	4

#	Article	IF	CITATIONS
1471	Accelerometer-Measured Daily Steps, Physical Function, and Subsequent Fall Risk in Older Women: The Objective Physical Activity and Cardiovascular Disease in Older Women Study. Journal of Aging and Physical Activity, 2021, , 1-11.	0.5	1
1472	The Effect of Intensive Close-Kinetic-Chain Exercises on Functionality and Balance Confidence After Total Knee Arthroplasty. Cureus, 2021, 13, e18965.	0.2	2
1473	Vitamin D Supplementation and Fractures in Adults: A Systematic Umbrella Review of Meta-Analyses of Controlled Trials. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 882-898.	1.8	35
1474	Gait aid use for people with and without dementia: A comparison of practice between health and nonâ€health professionals among Australian community care staff. Health and Social Care in the Community, 2022, 30, .	0.7	1
1475	Multifactorial Programs for Healthy Older Adults to Reduce Falls and Improve Physical Performance: Systematic Review. International Journal of Environmental Research and Public Health, 2021, 18, 10842.	1.2	2
1476	Change in central nervous systemâ€active medication use following fallâ€related injury in older adults. Journal of the American Geriatrics Society, 2021, , .	1.3	3
1477	Development and Internal Validation of a Risk Prediction Model for Falls Among Older People Using Primary Care Electronic Health Records. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1438-1445.	1.7	8
1478	Complementary therapies for the aging patient. , 2007, , 477-480.		0
1479	La práctica del Tai Chi previene las caÃdas en el Anciano Institucionalizado: Un Ensayo ClÃnico. Revista ClÃnica De Medicina De Familia, 2010, 3, .	0.1	2
1480	Addressing the Escalating Public Health Issue of Falls Among Older Adults. North Carolina Medical Journal, 2010, 71, 547-552.	0.1	3
1481	Knowledge Transfer Partnership: A Case Study from the Building Industry. International Journal of Knowledge, Culture and Change Management, 2011, 11, 61-72.	0.4	1
1482	Falls prevention in NSW: a big issue requiring sustained research, policy and practice initiatives. NSW Public Health Bulletin, 2011, 22, 41.	0.3	0
1484	Basis for a Swiss perspective on fall prevention in vulnerable older people. Swiss Medical Weekly, 2011, 141, w13305.	0.8	12
1485	Care of the Elderly Patient. , 2012, , 33-52.		0
1486	Vitamin D and Number of Falls in a Long-Term Care Facility. Pharmacology & Pharmacy, 2012, 03, 453-457.	0.2	0
1487	The Implementation of Evidence to Improve Falls Prevention: Lessons from a Case Study in Aged Care. Internet Journal of Allied Health Sciences and Practice, 2012, , .	0.2	0
1488	Physical Exercise for Prevention of Falls and Fractures. , 0, , .		0
1489	Artrite reumatoide: por que tratar apenas a artrite, sabendo que comorbidades são comuns e determinam morbidade e mortalidade?. Revista Brasileira De Reumatologia, 2012, 52, 472-473.	0.8	0

#	Article	IF	CITATIONS
1491	A Step to Prevent Falls in the Elderly: A Literature Review. International Journal of Orientation and Mobility, 2013, 6, 45-52.	0.2	0
1492	Sturz im Alter. , 2013, , 393-409.		1
1494	Functional Improvement in Older Adults after a Falls Prevention Pilot Study. Open Journal of Occupational Therapy, 2013, 1 , .	0.2	0
1495	The Value of Patient Narratives in the Assessment of Older Patients Presenting with Falls. Canadian Geriatrics Journal, 2013, 16, 43-48.	0.7	0
1497	Hospital Falls. , 2014, , 197-210.		1
1498	Relationship between the Risk of Falling and Prescribed Medication in Community-Dwelling Elderly Subjects. Advances in Pharmacology and Pharmacy, 2013, 1, 29-36.	0.1	3
1499	Can reducing medicines decrease falls in older patients living in the community?. Evidence-Based Practice, 2013, 16, 7.	0.0	0
1500	Rol van fysieke activiteit bij ouder worden: CoMBAT, een wapen in de strijd tegen vallen. , 2014, , 127-145.		0
1501	A Standard Low-Cost Worldwide Accessible Nintendo Wii Balance Test Can Differentiate Older Fallers from Non-fallers. Biosystems and Biorobotics, 2014, , 473-478.	0.2	0
1502	Distal Radius Fractures and Osteoporosis. , 2014, , 45-51.		0
1504	Re: Medisinske funn iÂen tverrfaglig geriatrisk fallpoliklinikk. Tidsskrift for Den Norske Laegeforening, 2014, 134, 1023-1024.	0.2	0
1505	ABSTRACT AND REFERENCES. Eastern-European Journal of Enterprise Technologies, 2014, 6, 120.	0.3	0
1506	Fall Related Self-efficacy among Elderly: A Comparison of Resistance Training with Balance Exercise. International Neuropsychiatric Disease Journal, 2014, 2, 234-243.	0.1	0
1507	Acciones extraóseas de la vitamina D. Revista De Osteoporosis Y Metabolismo Mineral, 0, 6, 11-18.	0.3	3
1508	EFFICACY OF PHYSICAL EXERCISES IN PATIENTS WITH OSTEOPOROTIC VERTEBRAL FRACTURES. Nauchno-Prakticheskaya Revmatologiya, 2014, 52, 49.	0.2	3
1510	Changes in the Biomechanical Properties of Ankle Plantarflexors Following 8-week Resistance Training with or without Whole-Body Vibration in Older Women. Korean Journal of Sport Biomechanics, 2014, 24, 399-415.	0.1	3
1511	Customized clinical practice guidelines for management of adult cataract in Iran. Journal of Ophthalmic and Vision Research, 2015, 10, 445.	0.7	3
1512	Use of Alternative and Complementary Medicine by Old Italians Adults: The Determinant of Choice. Open Journal of Social Sciences, 2015, 03, 293-299.	0.1	2

#	Article	IF	CITATIONS
1514	The Effect of Continuous Heat Wraps on Balance and Gait in the Elderly. Anatomy & Physiology: Current Research, 2015, 05, .	0.1	0
1515	The meaning of confidence for older people living with frailty: a systematic review of qualitative evidence protocol. JBI Database of Systematic Reviews and Implementation Reports, 2015, 13, 62-71.	1.7	1
1518	Evidence-based Guideline for Fall Prevention in Korea. Korean Journal of Medicine, 2015, 89, 752-780.	0.1	4
1519	Vitamin D, Exercise, and Health., 2016, , 227-240.		0
1520	Rehabilitación del paciente con enfermedad ósea metastásica: Un desafÃo. Revista Colombiana De Médicina FÃsica Y Rehabilitación, 2016, 26, 95-108.	0.0	1
1521	The Aging Population and Falls: Consequences and Costs. , 2016, , 7-11.		1
1522	Behandlung ÃÞæerer Patienten. , 2016, , 523-546.		0
1523	Physical Therapy: Impact on Psychosocial Well-Being of Older People. , 2016, , 1-8.		0
1524	The effect of an 8-month exercise program on bone density and some physical characteristics in sedentary women. Turkish Journal of Sport and Exercise, 2016, 18, 98.	0.0	0
1525	Vallen., 2017,, 305-313.		0
1526	Exercise to Maximise Postural Control and Reduce the Risk of Falls in Older Age., 2017,, 279-290.		0
1527	Physical Therapy, Impact on Psychosocial Well-Being of Older People. , 2017, , 1809-1816.		0
1528	Injury Prevention. , 2017, , 255-260.		0
1530	Balanscontrole bij veroudering. , 2017, , 69-101.		0
1531	Perfil de idosos submetidos à avaliação geriátrica ampla em serviço de reabilitação. Revista Brasileira Em Promoção Da Saúde, 2017, 30, 170-178.	0.1	2
1532	Geriatric Concussions. , 2018, , 55-67.		0
1536	Review on Physical Therapy for Patients with Vestibular Disorder. The Journal of Korean Physical Therapy, 2017, 29, 316-323.	0.1	0
1537	Akzeptanz von innovativen Gesundheitstechnologien bei äeren Menschen – Ergebnisse einer empirischen Analyse. , 2018, , 151-171.		O

#	Article	IF	CITATIONS
1538	Recovery of physical function after hip fracture: Analysis of secondary outcomes from a randomized controlled trial. AIMS Medical Science, 2018, 5, 268-283.	0.2	1
1539	Prevention of Falls - Interventions in the Home Visits to the Elderly: Scoping Review. International Journal of Clinical Skills, 2018, 12, .	0.0	1
1540	Assessing the Effectiveness of a Practice Improvement Project to Reduce Falls after Discharge from an Inpatient Rehabilitation Facility. Open Journal of Therapy and Rehabilitation, 2018, 06, 65-75.	0.1	0
1541	Impact of Ankle Joint Mobility on Balance Performance in Elderly Type 2 Diabetic Subjects. MOJ Gerontology & Geriatrics, 2018, 3, .	0.1	0
1542	ExercÃcio fÃsico na prevenção de quedas do idoso da comunidade: revisão baseada na evidência. Revista Brasileira De Medicina De FamÃlia E Comunidade, 2017, 12, 1-11.	0.1	3
1543	Therapist-Assisted Progressive Resistance Training, Protein Supplements, and Testosterone Injections in Frail Older Men with Testosterone Deficiency: Protocol for a Randomized Placebo-Controlled Trial. JMIR Research Protocols, 2018, 7, e71.	0.5	0
1544	A Survey of Accidental Fall - induced Injuries and Mortality in a Central Trauma Hospital in Iran: 2015 - 2016. Trauma Monthly, 2018, In Press, .	0.2	0
1545	Acceptability of fall prevention strategies for older people with vision impairment. International Journal of Orientation and Mobility, 2018, 9, 1-9.	0.2	1
1549	Epidemiology and Evidence of Prevention for Falls. The Japanese Journal of Rehabilitation Medicine, 2018, 55, 898-904.	0.0	3
1550	Comprehensive Geriatric Assessment (CGA) for Cancer Patients. , 2019, , 1-14.		0
1551	Fall Prevention for Community-dwelling Older People. The Japanese Journal of Rehabilitation Medicine, 2018, 55, 910-914.	0.0	0
1552	Correlation of Overactive Bladder Symptoms and Falls With Injuries In Older People. MOJ Gerontology & Geriatrics, 2018, 3, .	0.1	0
1553	Sarkopenie., 2019,, 69-84.		2
1556	Falls., 2019,, 1-11.		0
1558	Roles of Occupational Therapist in Community Care System. The Journal of Korean Society of Occupational Therapy, 2019, 27, 103-113.	0.1	3
1559	Effects of a falls exercise intervention on strength, power, functional ability and bone in older frequent fallers: FaME (Falls Management Exercise) RCT secondary analysis. Journal of Frailty, Sarcopenia and Falls, 2019, 04, 11-19.	0.4	1
1560	Management of frailty at individual level: Narrative review of physical activity from the European perspective of joint action on frailty – JA advantage. Zdravstveno Varstvo, 2019, 58, 84-90.	0.6	6
1561	Features of the use of stable platforms with biological feedback in various socially significant diseases. Russian Journal of Physiotherapy Balneology and Rehabilitation, 2019, 18, 103-106.	0.2	11

#	Article	IF	CITATIONS
1563	Effects of a Health Education Program on Fall Risk Prevention among the Urban Elderly: A Quasi-Experimental Study. Iranian Journal of Public Health, 0, , .	0.3	4
1564	Osteoporosis and Therapeutic Exercise. The Japanese Journal of Rehabilitation Medicine, 2019, 56, 367-370.	0.0	0
1565	Demographic Features of Fall-Related Trauma in Geriatric Population in the Emergency Department: 5 Years Experience. Turkish Journal of Family Medicine & Primary Care, 0, , 295-299.	0.2	0
1566	Physical fitness, balance and falls in older adults. Journal of Kinesiology and Exercise Sciences, 2019, 29, 10-19.	0.1	2
1567	The effect of educational intervention by nurses on home environmental risk factors for falls. Central European Journal of Nursing and Midwifery, 2019, 10, 1019-1025.	0.2	6
1569	Engineering Human Gait and the Potential Role of Wearable Sensors to Monitor Falls. , 2020, , 401-426.		1
1570	Physical exercises for patients with osteoporosis and osteoarthritis of hip and knee joints. Medical Alphabet, 2019, 1, 24-29.	0.0	0
1571	Comparison of Fall Risk Assessment Tools for Older Indonesian Adults in the Elderly Home and the Community. The Indonesian Journal of Occupational Safety and Health, 2019, 8, 241.	0.2	1
1572	A Comparative Study of ANN Tuning Methods for Multiclass Daily Activity and Fall Recognition. Communications in Computer and Information Science, 2020, , 24-38.	0.4	0
1575	A short-term yoga-based intervention improves balance control, body composition, and some aspects of mental health in the elderly men. Acta Gymnica, 2020, 50, 16-27.	1.1	5
1577	Efectos del método Pilates en la reducción de caÃdas, el riesgo y miedo a caer en el adulto mayor: una revisión sistemática. Fisioterapia, 2020, 42, 203-213.	0.2	0
1579	Relationship between fall risks and activities of daily living in older individuals. Frontiers of Nursing, 2020, 7, 249-256.	0.1	1
1580	Re-contact rates with a UK ambulance service following paramedic referral to a falls prevention service for those aged ≥ 65 years: a retrospective cohort study. British Paramedic Journal, 2020, 5, 18-25.	0.3	2
1581	Feasibility of a novel Judo4Balance – fall preventive exercise programme targeting community-dwelling older adults. Journal of Frailty, Sarcopenia and Falls, 2020, 05, 47-52.	0.4	8
1582	Spatial Augmented Reality System with functions focused on the rehabilitation of Parkinsonâ \in TM s patients., 2021,,.		2
1583	A study of correlations between metabolic syndrome factors and osteosarcopenic adiposity. BMC Endocrine Disorders, 2021, 21, 216.	0.9	3
1584	Oncology clinic nurses' attitudes and perceptions regarding implementation of routine fall assessment and fall risk screening: A survey study. Canadian Oncology Nursing Journal = Revue Canadienne De Nursing Oncologique, 2021, 31, 367-375.	0.1	0
1585	Theoretical Rationale for Design of Tasks in a Virtual Reality-Based Exergame for Rehabilitation Purposes. Frontiers in Aging Neuroscience, 2021, 13, 734223.	1.7	0

#	Article	lF	CITATIONS
1586	Relationship between Cataract Surgery and Mortality in Elderly Patients with Cataract: Nationwide Population-Based Cohort Study in South Korea. Journal of Personalized Medicine, 2021, 11, 1128.	1.1	1
1589	Prevention of Falls and Capturing Fractures in the Community. , 2020, , 135-155.		0
1590	Community care coordination for stroke survivors: results of a complex intervention study. BMC Health Services Research, 2020, 20, 1143.	0.9	12
1591	Keep on and keep up the fall prevention work: older adults need evidence-based fall prevention actions now more than ever!. European Journal of Physiotherapy, 2021, 23, 1-2.	0.7	O
1592	Is it reasonable to ignore vitamin D status for musculoskeletal health?. Faculty Reviews, 2020, 9, 19.	1.7	2
1593	Integrating Key User Characteristics in User-Centered Design of Digital Support Systems for Seniors' Physical Activity Interventions to Prevent Falls: Protocol for a Usability Study. JMIR Research Protocols, 2020, 9, e20061.	0.5	3
1594	Association between physical capacity and occupational falls among middle-aged and older farmers in Thailand: Using the self-check risk assessment tool in Japan. Journal of Occupational Health, 2021, 63, e12287.	1.0	7
1596	Comprehensive Geriatric Assessment (CGA) for Cancer Patients. , 2020, , 419-432.		0
1597	Sarcopenia and Frailty. Spinal Surgery, 2020, 34, 12-19.	0.0	0
1598	Terapia de Ai chi para el tratamiento del equilibrio y la prevención de las caÃdas. Revista De Investigación En Actividades Acuáticas, 2020, 4, 27-35.	0.0	0
1599	Don't Fall for That: A Residency Curricular Innovation about Fall Prevention. , 2020, 24, .		2
1601	Whole-Body Vibration in Geriatric Rehabilitation. , 2020, , 255-268.		1
1602	Feasibility of a Remotely Delivered Strength and Balance Training Program for Older Adults with Cancer. Current Oncology, 2021, 28, 4408-4419.	0.9	2
1603	Protocol for a systematic review and meta-analysis assessing the effectiveness of deprescribing in falls prevention in older people. BMJ Open, 2021, 11, e047190.	0.8	5
1604	Falls in the elderly: a major public health challenge with some encouraging developments. A mini review. Journal of Gerontology and Geriatrics, 2020, 68, 180-183.	0.2	1
1605	Vitamin D and Frailty. , 2021, , 105-120.		0
1608	Physical Activity Practitioners: Reducing Infection with Coronavirus. International Journal of Educational Research Review, 0, , 335-342.	0.2	0
1612	Community-based falls prevention: lessons from an Interprofessional Mobility Clinic. Journal of the Canadian Chiropractic Association, 2014, 58, 300-11.	0.2	4

#	Article	IF	CITATIONS
1613	Pathogenesis and treatment of falls in elderly. Clinical Cases in Mineral and Bone Metabolism, 2014, 11, 222-5.	1.0	18
1614	Fall Prevention for Community-Living Older Adults: A Tale of Two Systematic Reviews. OT Practice, 2013, 18, 19-22.	0.0	0
1615	Targeting a high-risk group for fall prevention: strategies for health plans. American Journal of Managed Care, 2015, 21, e519-26.	0.8	9
1616	The CDC's STEADI Initiative: Promoting Older Adult Health and Independence Through Fall Prevention. American Family Physician, 2017, 96, 220-221.	0.1	10
1617	Home-related falls: An underestimated mechanism of injury. Journal of Family and Community Medicine, 2018, 25, 48-51.	0.5	2
1618	Deprescribing benzodiazepine receptor agonists: Evidence-based clinical practice guideline. Canadian Family Physician, 2018, 64, 339-351.	0.1	113
1620	Effects of a Health Education Program on Fall Risk Prevention among the Urban Elderly: A Quasi-Experimental Study. Iranian Journal of Public Health, 2019, 48, 103-111.	0.3	2
1621	Are multifactorial and multiple component interventions effective in preventing falls in older people living in the community? A Cochrane Review summary with commentary. Journal of Musculoskeletal Neuronal Interactions, 2019, 19, 1-3.	0.1	21
1623	Impediments to clinical application of exercise interventions in the treatment of cardiometabolic disease. Canadian Family Physician, 2019, 65, 164-170.	0.1	2
1624	Effect of Flywheel Resistance Training on Balance Performance in Older Adults. A Randomized Controlled Trial. Journal of Sports Science and Medicine, 2019, 18, 344-350.	0.7	12
1625	Fitness and Quality of Life Outcomes of Cancer Survivor Participants in a Community Exercise Program. Journal of the Advanced Practitioner in Oncology, 2019, 10, 24-37.	0.2	7
1626	Obese elderly with diabetes experience more pain and reduced quality of life compared to obese elderly with hypertension. Journal of Clinical and Translational Research, 2020, 5, 253-259.	0.3	2
1627	Individualised physical exercise training and enhanced protein intake in older citizens during municipality-based rehabilitation: protocol for a randomised controlled trial. BMJ Open, 2020, 10, e041605.	0.8	0
1628	Effect of blood-flow restriction exercise on falls and fall related risk factors in older adults 60 years or above: a systematic review. Journal of Musculoskeletal Neuronal Interactions, 2020, 20, 513-525.	0.1	3
1629	Systematic review and meta-analysis of clinical trials: In-hospital use of sensors for prevention of falls. Medicine (United States), 2021, 100, e27467.	0.4	1
1630	Cost-Effectiveness of Multifactorial Interventions in Preventing Falls among Elderly Population: A Systematic Review. Bulletin of Emergency and Trauma, 2021, 9, 159-168.	0.4	0
1631	Falls., 2021,, 1766-1775.		0
1632	Are wearable devices effective for preventing and detecting falls: an umbrella review (a review of) Tj ETQq $1\ 1\ 0.7$	84314 rgE	BT <u> </u> Qverlock

#	Article	IF	CITATIONS
1634	Comparisons of Fall Prevention Activities Using Electronic Nursing Records: A Case-Control Study. Journal of Patient Safety, 2022, 18, 145-151.	0.7	3
1635	Prevalence, Circumstances, and Risk Factors of Falls Among Community Dwelling Members of University of the Third Age. Frontiers in Public Health, 2021, 9, 610504.	1.3	4
1636	Clinical Practice Guidelines for Managing Frailty in Community-Dwelling Korean Elderly Adults in Primary Care Settings. Korean Journal of Family Medicine, 2021, 42, 413-424.	0.4	6
1637	The mortality trends of falls among the elderly adults in the mainland of China, 2013—2020: A population-based study through the National Disease Surveillance Points system. The Lancet Regional Health - Western Pacific, 2022, 19, 100336.	1.3	10
1638	A qualitative study of older adults' facilitators, barriers, and cues to action to engage in falls prevention using health belief model constructs. Archives of Gerontology and Geriatrics, 2022, 99, 104610.	1.4	14
1639	Individualised physical exercise training and enhanced protein intake in older citizens during municipality-based rehabilitation: protocol for a randomised controlled trial. BMJ Open, 2020, 10, e041605.	0.8	5
1640	Systematic review and meta-analysis of clinical trials. Medicine (United States), 2021, 100, e27467.	0.4	14
1641	A Review on Aging, Sarcopenia, Falls, and Resistance Training in Community-Dwelling Older Adults. International Journal of Environmental Research and Public Health, 2022, 19, 874.	1.2	62
1642	Quantifying the effect of sagittal plane joint angle variability on bipedal fall risk. PLoS ONE, 2022, 17, e0262749.	1,1	5
1643	Assessing the scalability of an integrated falls prevention service for community-dwelling older people: a mixed methods study. BMC Geriatrics, 2022, 22, 17.	1.1	2
1644	Recording of Falls in Elderly Fallers in Northern Greece and Evaluation of Aging Health-Related Factors and Environmental Safety Associated with Falls: A Cross-Sectional Study. Occupational Therapy International, 2022, 2022, 1-11.	0.3	11
1645	Free-Living Gait Cadence Measured by Wearable Accelerometer: AÂPromising Alternative to Traditional Measures of Mobility for Assessing Fall Risk. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2023, 78, 802-810.	1.7	7
1646	Association between types of leisure-time physical activity and falls in the older adults: a population-based study. Sport Sciences for Health, 2022, 18, 689-697.	0.4	1
1647	THE FALL IN THE GERIATRIC POPULATION: EPIDEMIOLOGY AND PREVENTION. Ek'sperimentuli Da Klinikuri Medic'ina, 0, , .	0.0	0
1648	Development of Data-Driven Metrics for Balance Impairment and Fall Risk Assessment in Older Adults. IEEE Transactions on Biomedical Engineering, 2022, 69, 2324-2332.	2.5	11
1649	Injury Patterns after Falling down Stairs—High Ratio of Traumatic Brain Injury under Alcohol Influence. Journal of Clinical Medicine, 2022, 11, 697.	1.0	3
1650	Effect of Dual-Task Motor-Cognitive Training in Preventing Falls in Vulnerable Elderly Cerebrovascular Patients: A Pilot Study. Brain Sciences, 2022, 12, 168.	1.1	6
1651	Older adults benefit from a new community-based physical activity programme. Annals of Leisure Research, O, , 1-15.	1.0	O

#	Article	IF	CITATIONS
1652	A multidomain decision support tool to prevent falls in older people: the FinCH cluster RCT. Health Technology Assessment, 2022, 26, 1-136.	1.3	7
1653	A comparative analysis of selective serotonin reuptake inhibitors and fall risk in older adults. Journal of the American Geriatrics Society, 2022, 70, 1450-1460.	1.3	3
1654	A novel telerehabilitation with an educational program for caregivers using telelecture is feasible for fall prevention in elderly people. Medicine (United States), 2022, 101, e27451.	0.4	2
1655	Effectiveness of Whole-Body Vibration Combined with Multicomponent Training on the Risk of Falls and Quality of Life in Elderly Women with Osteoporosis: Study Protocol for a Randomized Controlled Clinical Trial. Biology, 2022, 11, 266.	1.3	2
1656	Older Adults' Perceptions and Recommendations Regarding a Falls Prevention Self-Management Plan Template Based on the Health Belief Model: A Mixed-Methods Study. International Journal of Environmental Research and Public Health, 2022, 19, 1938.	1.2	3
1657	Performance of machine learning models in estimation of ground reaction forces during balance exergaming. Journal of NeuroEngineering and Rehabilitation, 2022, 19, 18.	2.4	4
1658	Effects of Taijiquan and Qigong exercises on depression and anxiety levels in patients with substance use disorders: A systematic review and meta-analysis. Sports Medicine and Health Science, 2022, 4, 85-94.	0.7	9
1659	Does smart home technology prevent falls in community-dwelling older adults: a literature review. Informatics in Primary Care, 2014, 21, 105-12.	1.1	14
1660	Health benefits of tai chi: What is the evidence?. Canadian Family Physician, 2016, 62, 881-890.	0.1	64
1662	The Most Common Cardiovascular, Orthopedic, and Neurological Problems in the Elderly and Nursing Care. Open Access Macedonian Journal of Medical Sciences, 2022, 10, 691-696.	0.1	0
1663	Exploring possible risk factors for time to first fall and 6-month fall incidence in persons with acute stroke. SAGE Open Medicine, 2022, 10, 205031212210880.	0.7	0
1664	Exercise Concepts for Fall Prevention. , 2022, , 67-78.		2
1665	Effects of cognitive tasks on center-of-foot pressure displacements and brain activity during single leg stance: comparison in community-dwelling healthy older and young people. Journal of Physical Therapy Science, 2022, 34, 177-182.	0.2	1
1666	Kadınların Fiziksel Aktiviteleri Önündeki Engeller: Sistematik Derleme Çalışması. , 2022, 6, 20-32.		1
1667	The predictive power of geographic health care utilization for unintentional fatal fall rates. BMC Public Health, 2022, 22, 328.	1.2	0
1668	Automatic and Efficient Fall Risk Assessment Based on Machine Learning. Sensors, 2022, 22, 1557.	2.1	12
1669	Effectiveness of a 12-Week Multi-Component Training Program with and without Transcranial Direct-Current Stimulation (tDCS) on Balance to Prevent Falls in Community-Dwelling Older Adults: A Study Protocol. Biology, 2022, 11, 290.	1.3	0
1670	Association between physical activity and falls among older adults in rural China: are there gender and age related differences?. BMC Public Health, 2022, 22, 356.	1.2	3

#	Article	IF	CITATIONS
1671	The Perceived Long-Term Impact of an Ageing Well Program. Activities, Adaptation and Aging, 2023, 47, 113-132.	1.7	6
1673	Recommendations for physical activity in the elderly population: A scoping review of guidelines. Journal of Frailty, Sarcopenia and Falls, 2022, 07, 18-28.	0.4	9
1674	Impact of a personalised care plan for the elderly calling emergency medical services after a fall at home: The RISING-DOM multi-centre randomised controlled trial protocol. BMC Geriatrics, 2022, 22, 182.	1.1	2
1675	Economic models of community-based falls prevention: a systematic review with subsequent commissioning and methodological recommendations. BMC Health Services Research, 2022, 22, 316.	0.9	5
1676	Predictive validity of the Stopping Elderly Accidents, Deaths & De	2.3	8
1677	Cross-Cultural Adaptation and Reliability of the Home Falls and Accidents Screening Tool (HOME) Tj ETQq1 1 0.78 Visit. Occupational Therapy International, 2022, 2022, 1-13.	84314 rgB 0.3	T /Overlock 2
1678	Patient-specific risk factors for adverse outcomes following geriatric proximal femur fractures. European Journal of Trauma and Emergency Surgery, 2022, 48, 753-761.	0.8	3
1679	The impact of a multicomponent-functional training with postural correction on functional balance in the elderly with a history of falling. Journal of Experimental Orthopaedics, 2022, 9, 23.	0.8	5
1680	Flywheel Training in Older Adults—A Systematic Review. Sustainability, 2022, 14, 4137.	1.6	0
1681	Association of a Perioperative Multicomponent Fall Prevention Intervention With Falls and Quality of Life After Elective Inpatient Surgical Procedures. JAMA Network Open, 2022, 5, e221938.	2.8	3
1682	Economic evaluation of community-based falls prevention interventions for older populations: a systematic methodological overview of systematic reviews. BMC Health Services Research, 2022, 22, 401.	0.9	4
1683	UK clinical guideline for the prevention and treatment of osteoporosis. Archives of Osteoporosis, 2022, 17, 58.	1.0	146
1684	A Case Management Program at Home to Reduce Fall Risk in Older Adults (the MAGIC Study): Protocol for a Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34796.	0.5	2
1685	Mind-Body Therapies From Traditional Chinese Medicine: Evidence Map. Frontiers in Public Health, 2021, 9, 659075.	1.3	12
1686	Falls and potential therapeutic interventions among elderly and older adult patients with cancer: a systematic review. African Health Sciences, 2021, 21, 1776-83.	0.3	1
1687	Fall prevention in community-dwelling adults with mild to moderate cognitive impairment: a systematic review and meta-analysis. BMC Geriatrics, 2021, 21, 689.	1,1	22
1688	Calcium and vitamin D supplementation: when and why. Minerva Obstetrics and Gynecology, 2021, 73, 704-713.	0.5	3
1689	Mobility screening for fall prediction in the Canadian Longitudinal Study on Aging (CLSA): implications for fall prevention in the decade of healthy ageing. Age and Ageing, 2022, 51, .	0.7	6

#	Article	IF	CITATIONS
1690	Examining Older Adults' Home Functioning Using the American Housing Survey. International Journal of Environmental Research and Public Health, 2022, 19, 4691.	1.2	1
1691	Comparing the cost-effectiveness of the Otago Exercise Programme among older women and men: A secondary analysis of a randomized controlled trial. PLoS ONE, 2022, 17, e0267247.	1.1	2
1692	Retention Effects of Long-Term Balance Training with Vibrotactile Sensory Augmentation in Healthy Older Adults. Sensors, 2022, 22, 3014.	2.1	7
1703	Home-related falls: An underestimated mechanism of injury. Journal of Family and Community Medicine, 2018, 25, 48.	0.5	4
1706	Fall Prevention and Management App Prototype for the Elderly and Their Caregivers., 2022,, 769-789.		0
1707	The Role of Neuroimaging in Fall Prevention in Healthy Adults at Risk of Alzheimer's Disease. , 2022, , 790-812.		0
1708	The clinician's guide to prevention and treatment of osteoporosis. Osteoporosis International, 2022, 33, 2049-2102.	1.3	255
1709	Effectiveness of workshops to teach a home-based exercise program (BEST at Home) for preventing falls in community-dwelling people aged 65 years and over: a pragmatic randomised controlled trial. BMC Geriatrics, 2022, 22, 366.	1.1	5
1710	Group-Based and Individually Delivered LiFE: Content Evaluation and Predictors of Training Response – A Dose-Response Analysis. Clinical Interventions in Aging, 2022, Volume 17, 637-652.	1.3	3
1712	Current practices of physiotherapists in Switzerland regarding fall risk-assessment for community-dwelling older adults: A national cross-sectional survey. F1000Research, 0, 11, 513.	0.8	0
1713	Pathfinder; alternative care pathways for older adults who phone the emergency medical services in North Dublin: a case study. Irish Journal of Occupational Therapy, 2022, ahead-of-print, .	0.1	0
1714	Evaluating a Novel Extended Scope of Occupational Therapy Service Aimed at Hospital Avoidance in Tasmania, Australia, from the Perspective of Stakeholders. Healthcare (Switzerland), 2022, 10, 842.	1.0	0
1716	Postural disorders of neurological genesis in elderly patients: pathogenesis and features of diagnostics (literature review). Acta Biomedica Scientifica, 2022, 7, 125-133.	0.1	0
1717	Effects of a modified Otago exercise program delivered through outpatient physical therapy to community-dwelling older adult fallers in Greece during the COVID-19 pandemic: a controlled, randomized, multicenter trial. European Geriatric Medicine, 2022, 13, 893-906.	1.2	8
1718	The Use of Static Posturography Cut-Off Scores to Identify the Risk of Falling in Older Adults. International Journal of Environmental Research and Public Health, 2022, 19, 6480.	1.2	3
1719	Spatio-Temporal Gait Parameters in Association with Medications and Risk of Falls in the Elderly. Clinical Interventions in Aging, 0, Volume 17, 873-883.	1.3	1
1720	A randomized trial alerting authors, with or without coauthors or editors, that research they cited in systematic reviews and guidelines has been retracted. Accountability in Research, 2024, 31, 14-37.	1.6	5
1721	Implementation and costs of housing adaptations among older adults with different functional limitations in Japan. BMC Geriatrics, 2022, 22, .	1.1	4

#	Article	IF	CITATIONS
1722	Mobile Technology for Falls Prevention in OlderÂAdults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2023, 78, 861-868.	1.7	3
1723	Effectiveness and Usability of a Novel Kinect-Based Tailored Interactive Fall Intervention System for Fall Prevention in Older People: A Preliminary Study. Frontiers in Public Health, 2022, 10, .	1.3	2
1724	Update of the fracture risk prediction tool FRAX: a systematic review of potential cohorts and analysis plan. Osteoporosis International, 2022, 33, 2103-2136.	1.3	33
1725	Accidental Fall Death in McLean County: Examining Variables in Community-Dwelling Older Adults. Journal of Gerontological Nursing, 2022, 48, 26-32.	0.3	0
1726	Implementing Falls Prevention in Primary Care: Barriers and Facilitators. Clinical Interventions in Aging, 0, Volume 17, 885-902.	1.3	4
1727	Balance Exercise Circuit for fall prevention in older adults: a randomized controlled crossover trial. Journal of Frailty, Sarcopenia and Falls, 2022, 07, 60-71.	0.4	1
1730	Mixed Evidence of an Association between Self-Rated Hearing Difficulties and Falls: Prospective Analysis of Two Longitudinal Studies. Gerontology, 2023, 69, 98-108.	1.4	1
1731	Perspectives of primary care providers on multidisciplinary collaboration to prevent medication-related falls. Exploratory Research in Clinical and Social Pharmacy, 2022, 6, 100149.	0.6	1
1732	Interventions for preventing falls in Parkinson's disease. The Cochrane Library, 2022, 2022, .	1.5	19
1733	High Challenge Exercise and Learning Safe Landing Strategies among Community-Dwelling Older Adults: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 7370.	1.2	8
1734	Cognitive efficacy and neural mechanisms of musicâ€based neurological rehabilitation for traumatic brain injury. Annals of the New York Academy of Sciences, 2022, 1515, 20-32.	1.8	10
1735	Interventions for treating proximal humeral fractures in adults. The Cochrane Library, 2022, 2022, .	1.5	19
1736	Impact of the abandonment of assistive technologies for mobility on the incidence of serious falls in older adults living at home: Results of the ECOCAT study. Journal of Rehabilitation and Assistive Technologies Engineering, 2022, 9, 205566832211108.	0.6	2
1737	Multipronged Programmatic Strategy for Preventing Secondary Fracture and Facilitating Functional Recovery in Older Patients after Hip Fractures: Our Experience in Taipei Municipal Wanfang Hospital. Medicina (Lithuania), 2022, 58, 875.	0.8	4
1738	Population screening for fracture risk in postmenopausal women $\hat{a} \in \hat{a}$ a logical step in reducing the osteoporotic fracture burden?. Osteoporosis International, \hat{a} , .	1.3	2
1739	Physical Exercise Program on Fall Prevention Using Technological Interface: Pretest Study. JMIR Formative Research, 2022, 6, e26196.	0.7	0
1740	Improving Policy for the Prevention of Falls Among Community-Dwelling Older People—A Scoping Review and Quality Assessment of International National and State Level Public Policies. International Journal of Public Health, 0, 67, .	1.0	4
1741	Older Adults' Biobehavioral Fall Risks Were Affected by the COVID-19 Pandemic: Lessons Learned for Future Fall Prevention Research to Incorporate Multilevel Perspectives. Innovation in Aging, 2022, 6, .	0.0	6

#	Article	IF	CITATIONS
1742	Encouraging older adults with pre-frailty and frailty to "MoveStrong†an analysis of secondary outcomes for a pilot randomized controlled trial. Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice, 2022, 42, 238-251.	0.8	2
1743	ls it time to consider population screening for fracture risk in postmenopausal women? A position paper from the International Osteoporosis Foundation Epidemiology/Quality of Life Working Group. Archives of Osteoporosis, 2022, 17, .	1.0	13
1744	Physical Activity, Sedentary Behavior, and the Risk of Cardiovascular Disease in Type 2 Diabetes Mellitus Patients: The MIDiab Study. Engineering, 2023, 20, 26-35.	3.2	1
1745	Emerging Trends and Hotspots in Tai Chi Fall Prevention: Analysis and Visualization. International Journal of Environmental Research and Public Health, 2022, 19, 8326.	1.2	6
1746	Musculoskeletal Biomarkers Response to Exercise in Older Adults. Frontiers in Aging, 0, 3, .	1.2	1
1747	Systematic review and critical methodological appraisal of community-based falls prevention economic models. Cost Effectiveness and Resource Allocation, 2022, 20, .	0.6	3
1748	Quality indicators for home―and communityâ€based aged care: A critical literature review to inform policy directions. Australasian Journal on Ageing, 0, , .	0.4	4
1749	Immersive Virtual Reality as a Novel Physical Therapy Approach for Nonagenarians: Usability and Effects on Balance Outcomes of a Game-Based Exercise Program. Journal of Clinical Medicine, 2022, 11, 3911.	1.0	9
1750	Assessment of the predictive ability of the Johns Hopkins Fall Risk Assessment Tool (Chinese Version) in inpatient settings. Journal of Advanced Nursing, 2022, 78, 4054-4061.	1.5	3
1751	Differences in fall-related emergency departments visits with and without an Injury, 2018. Journal of Safety Research, 2022, 82, 367-370.	1.7	3
1752	Sustainable fall prevention across Europe: challenges and opportunities. Aging Clinical and Experimental Research, 2022, 34, 2553-2556.	1.4	5
1753	Digital health in older adults for the prevention and management of cardiovascular diseases and frailty. <i>A clinical consensus statement from the ESC Council for Cardiology Practice/Taskforce on Geriatric Cardiology, the ESC Digital Health Committee and the ESC Working Group on eâ€Cardiology </i> ESC Heart Failure, 2022, 9, 2808-2822.	1.4	12
1754	Student coaching in a rural community fall prevention program: an exploratory study. Gerontology and Geriatrics Education, 0, , 1-14.	0.6	0
1755	Global Trends and Research Hotspots of Exercise for Intervening Diabetes: A Bibliometric Analysis. Frontiers in Public Health, 0, 10, .	1.3	10
1756	"† Exercise opportunities became very important― Scottish older adults' changes in physical activity during Covid19'. European Review of Aging and Physical Activity, 2022, 19, .	1.3	2
1757	Malaysian older persons' perceptions about falls and their desired educational website characteristics: A qualitative study. PLoS ONE, 2022, 17, e0270741.	1.1	2
1758	Effect of a multicomponent exercise program and cognitive stimulation (VIVIFRAIL-COGN) on falls in frail community older persons with high risk of falls: study protocol for a randomized multicenter control trial. BMC Geriatrics, 2022, 22, .	1.1	3
1759	Falls in older adults: a practical approach. Arquivos De Neuro-Psiquiatria, 2022, 80, 313-323.	0.3	7

#	Article	IF	CITATIONS
1760	Feasibility of smartphone-supported, combined physical and cognitive activities in the Neighbourhood for stimulating social participation of the elderly. BMC Geriatrics, 2022, 22, .	1.1	3
1761	Health-Economic Evaluation of the German Osteoporotic Fracture Prevention Program in Rural Areas (OFRA): Mobility and Falls Prevention Classes, Examination of Bone Health, and Consultation on Safety in the Living Environment. Journal of General Internal Medicine, 2023, 38, 641-647.	1.3	1
1762	Falling Short: The Contribution of Central Insulin Receptors to Gait Dysregulation in Brain Aging. Biomedicines, 2022, 10, 1923.	1.4	3
1763	Effect of Different Ankle-Foot Immobility on Lateral Gait Stability in the Stance Phase. Applied Bionics and Biomechanics, 2022, 2022, 1-10.	0.5	0
1764	Effects of Home-Based Nine-Square Step Exercises for Fall Prevention in Thai Community-Dwelling Older Adults during a COVID-19 Lockdown: A Pilot Randomized Controlled Study. International Journal of Environmental Research and Public Health, 2022, 19, 10514.	1,2	8
1765	Effects of Aquatic Physical Exercise on Motor Risk Factors for Falls in Older People During the COVID-19 Pandemic: A Randomized Controlled Trial. Journal of Manipulative and Physiological Therapeutics, 2022, 45, 378-388.	0.4	2
1766	Association of physical activity with utilization of long-term care in community-dwelling older adults in Germany: results from the population-based KORA-Age observational study. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	2.0	0
1767	Enhancing referral processes within an integrated fall prevention pathway for older people: a mixed-methods study. BMJ Open, 2022, 12, e056182.	0.8	1
1768	Interprofessional Collaboration in Fall Prevention: Insights from a Qualitative Study. International Journal of Environmental Research and Public Health, 2022, 19, 10477.	1.2	3
1769	Effectiveness of Exercise in Patients with Overweight or Obesity Suffering from Knee Osteoarthritis: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 10510.	1.2	3
1770	Falls among Older Adults: Screening, Identification, Rehabilitation, and Management. Applied Sciences (Switzerland), 2022, 12, 7934.	1.3	12
1771	Association Between Vitamin D Supplementation and Fall Prevention. Frontiers in Endocrinology, 0, 13,	1.5	7
1772	Effect of home-based exercise on falls in community-dwelling older adults: an umbrella review. Sport Sciences for Health, 0, , .	0.4	2
1773	Applying Exposure Therapy with Older Adults. , 2022, , 239-257.		4
1774	The Efficacy of the Otago Exercise Program in Preventing Falls in Older Adults. Critical Reviews in Physical and Rehabilitation Medicine, 2022, , .	0.1	0
1775	The Role of Clinical Pharmacists in the Multidisciplinary Care of Geriatric Patients: Now and the Future. Quality of Life in Asia, 2022, , 435-450.	0.1	0
1776	Article Title: MIRA Rehab Exergames for older male residents in a home care centre in Saudi Arabia: A feasibility randomised controlled trial protocol (Preprint). JMIR Research Protocols, 0, , .	0.5	0
1777	EFFECT OF OTAGO EXERCISE PROGRAMME(OEP) ON BALANCE AND FUNCTIONAL MOBILITY AMONG ELDER PEOPLE IN RURAL POPULATION. , 2022, , 144-146.		0

#	Article	IF	CITATIONS
1778	What matters when it comes to measuring <scp>Ageâ€Friendly</scp> Health System transformation. Journal of the American Geriatrics Society, 2022, 70, 2775-2785.	1.3	12
1780	Association Between Low Serum Phosphate Level and Risk of Falls in Hospitalized Patients Over 50 Years of Age: A Retrospective Observational Cohort Study. Clinical Interventions in Aging, 0, Volume 17, 1343-1351.	1.3	O
1781	Evaluating probable predictors for fall related wrist fracture among the elderly population in a tertiary care hospital, Bhubaneswar. Indian Journal of Orthopaedics Surgery, 2022, 8, 200-205.	0.1	0
1782	Efficacy of a multiple-component and multifactorial personalized fall prevention program in a mixed population of community-dwelling older adults with stroke, Parkinson's Disease, or frailty compared to usual care: The PRE.C.I.S.A. randomized controlled trial. Frontiers in Neurology, 0, 13, .	1.1	O
1783	A Big Data Infrastructure in Support of Healthy and Independent Living: AÂReal Case Application. Intelligent Systems Reference Library, 2023, , 95-134.	1.0	0
1784	Medication reviews and deprescribing as a single intervention in falls prevention: a systematic review and meta-analysis. Age and Ageing, 2022, 51, .	0.7	9
1785	Identifying the key characteristics of falls management programmes in UK care homes - A scoping review of grey literature. Journal of Frailty, Sarcopenia and Falls, 2022, 07, 165-174.	0.4	0
1786	Feasibility and Effects of an Immersive Virtual Reality Exergame Program on Physical Functions in Institutionalized Older Adults: A Randomized Clinical Trial. Sensors, 2022, 22, 6742.	2.1	12
1787	World guidelines for falls prevention and management for older adults: a global initiative. Age and Ageing, 2022, 51 , .	0.7	263
1788	Virtual Feedback for Compliance to Prescribed Exercise: A Randomized Crossover Trial. Bioengineered, 2022, 11, 91-98.	1.4	0
1789	Can EMS providers and emergency department nurses work together to identify home risk factors for falls in older people? Medicine (United States), 2022, 101, e30752.	0.4	1
1790	Postmenopausal Osteoporosis: A Literature Review. Cureus, 2022, , .	0.2	2
1791	The role of assistive devices in frail elderly people with fragility fractures: a narrative review. , 2021, 1, 53-58.		2
1792	Definition, Assessment, and Management of Vitamin D Inadequacy: Suggestions, Recommendations, and Warnings from the Italian Society for Osteoporosis, Mineral Metabolism and Bone Diseases (SIOMMMS). Nutrients, 2022, 14, 4148.	1.7	34
1793	A community-based single fall prevention exercise intervention for older adults (STEADY FEET): Study protocol for a randomised controlled trial. PLoS ONE, 2022, 17, e0276385.	1.1	2
1794	A new hybrid risk assessment method based on Fine-Kinney and ANFIS methods for evaluation spatial risks in nursing homes. Heliyon, 2022, 8, e11028.	1.4	4
1795	Using care and support planning to implement routine falls prevention and management for people living with frailty: A qualitative evaluation. PLoS ONE, 2022, 17, e0275974.	1.1	0
1796	Acute effects of virtual reality treadmill training on gait and cognition in older adults: A randomized controlled trial. PLoS ONE, 2022, 17, e0276989.	1.1	3

#	Article	IF	CITATIONS
1797	Ways to improve surgical outcomes in low- and middle-income countries. Bulletin of the World Health Organization, 2022, 100, 726-732.	1.5	3
1798	Lower-limb Aerobic Exercises Improve Physical Function in Frail Older Adults:. Asian Journal of Human Services, 2023, 23, 90-99.	0.2	O
1799	Older Adult Knowledge and Behavior Change in the Stepping On Fall Prevention Program in a Community Setting. , 0, , .		1
1800	Clinical characteristics and prognostic factors of open globe injuries in a North Spain population: a 10-year review. Eye, 0, , .	1.1	O
1801	Implementing best practice occupational therapistâ€led environmental assessment and modification to prevent falls: A qualitative study of two regional and rural public health services in Australia. Australian Occupational Therapy Journal, O, , .	0.6	0
1802	Fall classification, incidence and circumstances in patients undergoing total knee replacement. Scientific Reports, 2022, 12, .	1.6	0
1803	Exergaming delivery of a balance and fall prevention program for older adults: A feasibility study. Digital Health, 2022, 8, 205520762211441.	0.9	1
1805	Global trends and hotspots in research on osteoporosis rehabilitation: A bibliometric study and visualization analysis. Frontiers in Public Health, $0,10,10$	1.3	5
1806	Benefits of a Wearable Activity Tracker with Safety Features for Older Adults: An Intervention Study. International Journal of Environmental Research and Public Health, 2022, 19, 15723.	1,2	0
1807	Drug-induced fall risk in older patients: A pharmacovigilance study of FDA adverse event reporting system database. Frontiers in Pharmacology, 0, 13, .	1.6	6
1808	Adjusting conventional FRAX estimates of fracture probability according to the number of prior falls in the preceding year. Osteoporosis International, 2023, 34, 479-487.	1.3	4
1809	Medication Prescribed Within One Year Preceding Fall-Related Injuries in Ontario Older Adults. Canadian Geriatrics Journal, 2022, 25, 347-367.	0.7	O
1810	Care Needs of Highly Complex Chronic Patients in the Canary Islands: An Observational Study. Nursing Reports, 2023, 13, 1-16.	0.8	0
1811	Vitamin D in Neurological Diseases. International Journal of Molecular Sciences, 2023, 24, 87.	1.8	13
1812	Salient Targets and Fear of Falling Changed the Gait Pattern and Joint Kinematic of Older Adults. Sensors, 2022, 22, 9352.	2.1	0
1813	Effect of Fall Prevention Exercise Program on Fall Efficacy, Depression, and Quality of Life of Elderly in the Community. Physical Therapy Rehabilitation Science, 2022, 11, 391-399.	0.1	O
1814	A validity study to consult on a protocol of a home hazard management program for falls prevention among community dwelling stroke survivors. PLoS ONE, 2023, 18, e0279657.	1.1	0
1815	Mediation of pain in the association of sleep problems with falls among older adults in India. Scientific Reports, 2023, 13, .	1.6	4

#	Article	IF	CITATIONS
1816	Impact of a public open-access community-based physical activity and fall prevention program on physical performance in older adults. European Journal of Public Health, 0, , .	0.1	3
1817	2022: Position of Brazilian Diabetes Society on exercise recommendations for people with type 1 and type 2 diabetes. Diabetology and Metabolic Syndrome, 2023, 15 , .	1.2	3
1818	Empowerment-Based Physical Activity Intervention for People with Advanced Dry Age-Related Macular Degeneration: Mixed-Methods Protocol. International Journal of Environmental Research and Public Health, 2023, 20, 643.	1.2	1
1819	Quasi-experimental pilot study to improve mobility and balance in recurrently falling nursing home residents by voluntary non-targeted side-stepping exercise intervention. BMC Geriatrics, 2022, 22, .	1.1	1
1820	Anticholinergic burden measures, symptoms, and fall-associated risk in older adults with polypharmacy: Development and validation of a prognostic model. PLoS ONE, 2023, 18, e0280907.	1.1	0
1821	Hardware methods for dynamic stereotype gait training in patients of older age groups. Fizioterapevt, 2023, , 7-15.	0.0	0
1822	Comparing the Effects of Virtual Reality and Home Chair-Based Exercises on Balance, Daily Living Activities, and Loneliness Among Older Adults With Balance Disorders. Research in Gerontological Nursing, 2023, 16, 33-42.	0.2	3
1823	Exercise based reduction of falls in communitydwelling older adults: a network meta-analysis. European Review of Aging and Physical Activity, 2023, 20, .	1.3	5
1824	A Standing Low-frequency Vibration Exercise Device for Improving Balance in Community-dwelling Older Adults: A Single-blind Randomized Controlled Trial. Physical Therapy Research, 2023, , .	0.3	0
1826	The Influence of Climate on Flourishing and Motivational Outcomes for U.S. Masters Swimmers. International Journal of Environmental Research and Public Health, 2023, 20, 1990.	1.2	1
1827	Development and Evaluation of Syndromic Surveillance Definitions for Fall- and Hip Fracture–Related Emergency Department Visits Among Adults Aged 65 Years and Older, United States 2017-2018. Journal of Public Health Management and Practice, 2023, 29, 297-305.	0.7	1
1828	Association between Prevention from Going Out and Incidence of Falls among Community-Dwelling Older Adults during COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2023, 20, 2650.	1.2	2
1829	Quantitative Ultrasound Examination (QUS) of the Calcaneus in Long-Term Martial Arts Training on the Example of Long-Time Practitioners of Okinawa Kobudo/Karate Shorin-Ryu. International Journal of Environmental Research and Public Health, 2023, 20, 2708.	1.2	1
1830	Clinical Sensor-Based Fall Risk Assessment at an Orthopedic Clinic: A Case Study of the Staff's Views on Utility and Effectiveness. Sensors, 2023, 23, 1904.	2.1	0
1831	Impact of Geriatric Admissions on Workload in the Emergency Department. Healthcare (Switzerland), 2023, 11, 593.	1.0	1
1832	Evaluation of a novel technology-supported fall prevention intervention $\hat{a} \in \text{``study protocol of a}$ multi-centre randomised controlled trial in older adults at increased risk of falls. BMC Geriatrics, 2023, 23, .	1.1	3
1833	Eight-year longitudinal falls trajectories and associations with modifiable risk factors: evidence from The Irish Longitudinal Study on Ageing (TILDA). Age and Ageing, 2023, 52, .	0.7	2
1834	Assessment of visual training on the physical skills and visual functions in older adults from Bucaramanga, Colombia. Revista De La Universidad Industrial De Santander Salud, 2022, 54, .	0.0	0

#	Article	IF	CITATIONS
1835	Patient perspectives on, and effects of, medication management in geriatric fallers (the EMMA study): protocol for a mixed-methods pre-post study. BMJ Open, 2023, 13, e066666.	0.8	0
1837	Traumatic brain injury: Mechanisms, manifestations, and visual sequelae. Frontiers in Neuroscience, 0, 17, .	1.4	16
1838	Influence of history of falls and physical function on obstacle-straddling behavior. Journal of Physical Therapy Science, 2023, 35, 175-181.	0.2	1
1839	Evaluation of the use of a nursing diagnosis Risk for Falls in the Community of Madrid (Spain) Primary Care System. International Journal of Nursing Knowledge, 2024, 35, 130-135.	0.4	0
1840	Environmental interventions for preventing falls in older people living in the community. The Cochrane Library, 2023, 2023, .	1.5	17
1841	Effects of Muscle Strength, Agility, and Fear of Falling on Risk of Falling in Older Adults. International Journal of Environmental Research and Public Health, 2023, 20, 4945.	1.2	6
1842	Does Cognitive Training Reduce Falls across Ten Years?: Data from the ACTIVE Trial. International Journal of Environmental Research and Public Health, 2023, 20, 4941.	1.2	0
1843	Comments on the use of Key Performance Indicators in evaluating the Organization of Fracture Liaison Services. Osteoporosis and Bone Diseases, 2023, 25, 28-42.	0.3	0
1844	Can simple household assistive products enhance the self-care ofÂhealth and well-being?. Journal of Integrated Care, 2023, 31, 132-145.	0.2	0
1845	Economic model of community-based falls prevention: seeking methodological solutions in evaluating the efficiency and equity of UK guideline recommendations. BMC Geriatrics, 2023, 23, .	1.1	2
1846	Effects of Fall Prevention Elastic Band Exercise on Physical Function Test, Grasp Power, Flexibility, and Muscle Volume in Older Women. Journal of Korean Association of Physical Education and Sport for Girls and Women, 2023, 37, 37-51.	0.1	1
1847	Effects of Otago Exercise Program on Physical and Psychosocial Functions Among Community-Dwelling and Institutionalized Older Adults: A Scoping Review. Inquiry (United States), 2023, 60, 004695802311658.	0.5	1
1848	Effects of whole-body vibration training with different frequencies on the balance ability of the older adults: a network meta-analysis. Frontiers in Physiology, $0,14,.$	1.3	2
1849	Effect of Treadmill Perturbation-Based Balance Training on Fall Rates in Community-Dwelling Older Adults. JAMA Network Open, 2023, 6, e238422.	2.8	7
1855	Effectiveness of Interventions Promoting Physical Activity and Reducing Sedentary Behavior in Community-Dwelling Older Adults: An Umbrella Review With Application to Saudi Arabia. Journal of Epidemiology and Global Health, 2023, 13, 361-373.	1.1	2
1856	Neural network modelling of daily life and fall activity for sensor detection system. AIP Conference Proceedings, 2023, , .	0.3	0
1866	Ganzkörpervibration in der geriatrischen Rehabilitation. , 2023, , 279-294.		0
1896	A Step in the Right Direction: Evaluating the Effectiveness of Customized Stepping Game Software and Balance Boards for Balance Rehabilitation Therapy and Measurement. , 2023, , .		0

Article IF Citations

1903 ICGNN Model for Fall Detection Using Inertial Sensors. , 2023, , . 0