

The atherogenic dyslipidemia ratio [log(TG)/HDL-C] is a risk, beta-cell function loss and microangiopathy in type 2 diabetes

Lipids in Health and Disease

11, 132

DOI: [10.1186/1476-511x-11-132](https://doi.org/10.1186/1476-511x-11-132)

Citation Report

#	ARTICLE	IF	CITATIONS
1	What is the phenotype of patients with gastrointestinal intolerance to metformin?. <i>Diabetes and Metabolism</i> , 2013, 39, 322-329.	1.4	11
2	Making Sense in Antisense: Therapeutic Potential of Noncoding RNAs in Diabetes-Induced Vascular Dysfunction. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-10.	1.0	11
3	Impact of Serum Triglyceride and High Density Lipoprotein Cholesterol Levels on Early-Phase Insulin Secretion in Normoglycemic and Prediabetic Subjects. <i>Diabetes and Metabolism Journal</i> , 2014, 38, 294.	1.8	15
4	Study of pattern of dyslipidemia and its correlation with cardiovascular risk factors in patients with proven coronary artery disease. <i>Indian Journal of Endocrinology and Metabolism</i> , 2014, 18, 48.	0.2	33
5	Residual macrovascular risk in 2013: what have we learned?. <i>Cardiovascular Diabetology</i> , 2014, 13, 26.	2.7	149
6	Prevalence of atherogenic dyslipidemia in primary care patients at moderate-very high risk of cardiovascular disease. <i>Cardiovascular risk perception. Clínica E Investigaci3n En Arteriosclerosis</i> , 2014, 26, 274-284.	0.4	16
8	Novel determinants preventing achievement of major cardiovascular targets in type 2 diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2014, 8, 145-151.	1.8	17
9	Novel unbiased equations to calculate triglyceride-rich lipoprotein cholesterol from routine non-fasting lipids. <i>Cardiovascular Diabetology</i> , 2014, 13, 56.	2.7	15
10	Impact of admission triglyceride for early outcome in diabetic patients with stable coronary artery disease. <i>Lipids in Health and Disease</i> , 2014, 13, 73.	1.2	9
11	Parental brevity linked to cardiometabolic risk in diabetic descendants. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 141-146.	1.2	0
12	The Association between Triglyceride/High-Density Lipoprotein Cholesterol Ratio and All-Cause Mortality in Acute Coronary Syndrome after Coronary Revascularization. <i>PLoS ONE</i> , 2015, 10, e0123521.	1.1	58
13	Higher serum triglyceride to high-density lipoprotein cholesterol ratio was associated with increased cardiovascular mortality in female patients on peritoneal dialysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 749-755.	1.1	29
14	The role of plasma triglyceride/high-density lipoprotein cholesterol ratio to predict cardiovascular outcomes in chronic kidney disease. <i>Lipids in Health and Disease</i> , 2015, 14, 29.	1.2	44
15	Functional and Structural Impact of ATP-Binding Cassette Transporter A1 R219K and I883M Gene Polymorphisms in Obese Children and Adolescents. <i>Molecular Diagnosis and Therapy</i> , 2015, 19, 221-234.	1.6	21
16	The association of hematologic inflammatory markers with atherogenic index in type 2 diabetic retinopathy patients. <i>Clinical Ophthalmology</i> , 2016, Volume 10, 1797-1801.	0.9	20
17	Associations between branched chain amino acid intake and biomarkers of adiposity and cardiometabolic health independent of genetic factors: A twin study. <i>International Journal of Cardiology</i> , 2016, 223, 992-998.	0.8	67
18	The Role of Plasma Triglyceride/High-Density Lipoprotein Cholesterol Ratio to Predict New Cardiovascular Events in Essential Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2016, 18, 772-777.	1.0	53
19	How to transform a metabolic syndrome score into an insulin sensitivity value?. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 87-94.	1.7	8

#	ARTICLE	IF	CITATIONS
20	The normal-weight type 2 diabetes phenotype revisited. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016, 10, S82-S88.	1.8	15
21	Triglyceride to High-Density Lipoprotein Cholesterol Ratio and Cardiovascular Events in Diabetics With Coronary Artery Disease. <i>American Journal of the Medical Sciences</i> , 2017, 354, 117-124.	0.4	43
22	Size, density and cholesterol load of HDL predict microangiopathy, coronary artery disease and β -cell function in men with T2DM. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017, 11, 125-131.	1.8	18
23	The MicroRNA Interaction Network of Lipid Diseases. <i>Frontiers in Genetics</i> , 2017, 8, 116.	1.1	15
24	The mixed benefit of low lipoprotein(a) in type 2 diabetes. <i>Lipids in Health and Disease</i> , 2017, 16, 171.	1.2	20
25	Elevated triglycerides and low high-density lipoprotein cholesterol level as marker of very high risk in type 2 diabetes. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2018, 25, 118-129.	1.2	30
26	Effect of Eicosapentaenoic acid (EPA) supplementation on cardiovascular markers in patients with type 2 diabetes mellitus: A randomized, double-blind, placebo-controlled trial. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 411-415.	1.8	17
27	[HDL β /apoA β]: A multivessel cardiometabolic risk marker in women with T2DM. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2950.	1.7	4
28	Arterial stiffness and cardiometabolic phenotype of Cameroonian Pygmies and Bantus. <i>Journal of Hypertension</i> , 2018, 36, 520-527.	0.3	6
29	Risk of Microangiopathy in Patients with Epilepsy under Long-term Antiepileptic Drug Therapy. <i>Frontiers in Neurology</i> , 2018, 9, 113.	1.1	4
30	Characterization of Ageing- and Diet-Related Swine Models of Sarcopenia and Sarcopenic Obesity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 823.	1.8	12
31	Crossing family histories of diabetes and cardiovascular disease leads to unexpected outcomes in diabetic offspring. <i>Journal of Diabetes</i> , 2019, 11, 301-308.	0.8	4
32	High triglyceride/HDL cholesterol ratio is associated with silent brain infarcts in a healthy population. <i>BMC Neurology</i> , 2019, 19, 147.	0.8	22
33	Association of glycemic status and interferon- γ production with leukocytes and platelet indices alterations in type2 diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 1963-1969.	1.8	8
34	Antidiabetic and antihyperlipidemic effects of a methanolic extract of <i>Mimosa pudica</i> (Fabaceae) in diabetic rats. <i>Egyptian Journal of Basic and Applied Sciences</i> , 2019, 6, 137-148.	0.2	16
35	High rates of atherogenic dyslipidemia, β -cell function loss, and microangiopathy among Turkish migrants with T2DM. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 716-720.	1.8	4
36	The value of ankle-brachial index screening for cardiovascular disease in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3076.	1.7	5
37	Modifiable Variables Are Major Risk Factors for Posttransplant Diabetes Mellitus in a Time-Dependent Manner in Kidney Transplant: An Observational Cohort Study. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-10.	1.0	10

#	ARTICLE	IF	CITATIONS
38	Diabetes and Cardiovascular Risk in Renal Transplant Patients. International Journal of Molecular Sciences, 2021, 22, 3422.	1.8	13
39	Clinical Utility of the Logarithmically Transformed Ratio of Triglycerides-to- High-Density Lipoprotein Cholesterol and Its Relationship with Other Atherosclerosis-Related Lipid Factors in Type 2 Diabetes. Metabolic Syndrome and Related Disorders, 2021, 19, 205-212.	0.5	2
40	Circulating Proprotein Convertase Subtilisin/Kexin Type 9 Levels Predict Future Cardiovascular Event Risks in Hemodialyzed Black African Patients. Rambam Maimonides Medical Journal, 2021, 12, e0020.	0.4	2
41	Negatively-charged Liposome Nanoparticles Can Prevent Dyslipidemia and Atherosclerosis Progression in the Rabbit Model. Current Vascular Pharmacology, 2022, 20, 69-76.	0.8	4
42	Characterisation of body size phenotypes in a middle-aged Maltese population. Journal of Nutritional Science, 2021, 10, e81.	0.7	7
43	Uncovering Factors Related to Pancreatic Beta-Cell Function. PLoS ONE, 2016, 11, e0161350.	1.1	4
44	The atherogenic index of plasma and the risk of mortality in incident dialysis patients: Results from a nationwide prospective cohort in Korea. PLoS ONE, 2017, 12, e0177499.	1.1	22
45	Atherogenic Impact of Lecithin-Cholesterol Acyltransferase and Its Relation to Cholesterol Esterification Rate in HDL (FERHDL) and AIP [log(TG/HDL-C)] Biomarkers: The Butterfly Effect?. Physiological Research, 2017, 66, 193-203.	0.4	24
46	The Atherogenic Dyslipidemia Ratio Log (Tg)/Hdl-C Was Not Associated with Urinary Albumin Excretion Rate (Uaer) and Increased Cardiovascular Risk in Black Patients with Type 2 Diabetes. World Journal of Cardiovascular Diseases, 2016, 06, 14-20.	0.0	3
47	The atherogenic index of plasma and its impact on recanalization of chronic total occlusion. Cardiology Journal, 2020, 27, 756-761.	0.5	9
48	Methanolic Root Extract of Rauwolfia serpentina Lowers Atherogenic Dyslipidemia, Arteriosclerosis and Glycosylation Indices in Type 1 Diabetic Mice. Journal of Applied Pharmaceutical Science, 0, , 061-067.	0.7	4
49	Progressive <i>β</i>-Cell Failure in Type 2 Diabetes Mellitus: Microvascular Pancreatic Isletopathy?. Journal of Diabetes Mellitus, 2015, 05, 21-27.	0.1	3
50	Trigliserit/HDL oranÄ±nÄ±n, koroner arter hastalÄ±Ä± varlÄ±Ä±nÄ± ve plak morfolojisini Ä±ngÄ±rdÄ±rdedeki yeri. Turkish Journal of Clinics and Laboratory, 0, , .	0.2	2
51	Ankle-brachial Index and associated factors in individuals with coronary artery disease. Revista Da AssociaÄ±o MÄ©dica Brasileira, 2020, 66, 407-413.	0.3	2
52	Fatty Liver Linked to Reduced Frequency of Ocular Complications in T2DM. Journal of Diabetes Mellitus, 2020, 10, 154-168.	0.1	3
53	Evaluation of the Relationship between Silent Cerebral Lesions and Triglyceride/HDL-Cholesterol in Patients with First Stroke Attack. Duzce Universitesi Tip FakÄ±ltesi Dergisi, 0, , .	0.3	0
54	Urban-rural differences in atherogenic dyslipidaemia (URDAD Study): a retrospective report on diabetic and non-diabetic subjects of Northern India. Journal of Health, Population and Nutrition, 2014, 32, 494-502.	0.7	1
55	Dysregulated Serum Lipid Metabolism Promotes the Occurrence and Development of Diabetic Retinopathy Associated With Upregulated Circulating Levels of VEGF-A, VEGF-D, and PlGF. Frontiers in Medicine, 2021, 8, 779413.	1.2	17

#	ARTICLE	IF	CITATIONS
56	Sex differences in cardiometabolic abnormalities in a middle-aged Maltese population. Canadian Journal of Public Health, 2022, 113, 484-500.	1.1	4
57	Diabetic Retinopathy among Diabetic Patients at a Tertiary Care Hospital: A Descriptive Cross-sectional Study. Journal of the Nepal Medical Association, 2022, 60, 234-240.	0.1	1
58	Protein Energy Wasting in a Cohort of Maintenance Hemodialysis Patients in Dhaka, Bangladesh. Nutrients, 2022, 14, 1469.	1.7	3
59	Fatty liver and atherogenic dyslipidemia have opposite effects on diabetic micro- and macrovascular disease. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2022, 16, 102613.	1.8	4
61	Quality control and drug-drug interactions between commercially available Metoprolol and Climepiride tablets. Brazilian Journal of Pharmaceutical Sciences, 0, 58, .	1.2	0