

Validation of Reference Genes for Gene Expression Studies in *Benthamina* Using Quantitative Real-Time PCR

PLoS ONE

7, e46451

DOI: [10.1371/journal.pone.0046451](https://doi.org/10.1371/journal.pone.0046451)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A possible approach for gel-based proteomic studies in recalcitrant woody plants. SpringerPlus, 2013, 2, 210. | 1.2 | 13 |
| 2 | Assessment of reference gene stability influenced by extremely divergent disease symptoms in <i>Solanum lycopersicum</i> L.. Journal of Virological Methods, 2013, 194, 161-168. | 1.0 | 33 |
| 3 | Detection and quantitation of two cucurbit criniviruses in mixed infection by real-time RT-PCR. Journal of Virological Methods, 2013, 193, 320-326. | 1.0 | 24 |
| 4 | Changes in gene expression and titin (connectin) content in striated muscles of chronically alcoholized rats. Molecular Biology, 2013, 47, 871-878. | 0.4 | 6 |
| 5 | The <i>Arabidopsis thaliana</i> MYB60 promoter provides a tool for the spatio-temporal control of gene expression in stomatal guard cells. Journal of Experimental Botany, 2013, 64, 3361-3371. | 2.4 | 54 |
| 6 | Transcriptomics-based screen for genes induced by flagellin and repressed by pathogen effectors identifies a cell wall-associated kinase involved in plant immunity. Genome Biology, 2013, 14, R139. | 13.9 | 137 |
| 7 | Selection of reference genes for gene expression studies in virus-infected monocots using quantitative real-time PCR. Journal of Biotechnology, 2013, 168, 7-14. | 1.9 | 33 |
| 8 | Reference Gene Selection and Validation for the Early Responses to Downy Mildew Infection in Susceptible and Resistant <i>Vitis vinifera</i> Cultivars. PLoS ONE, 2013, 8, e72998. | 1.1 | 78 |
| 9 | Selection of Reference Genes for Quantitative Real-Time PCR Normalization in <i>Panax ginseng</i> at Different Stages of Growth and in Different Organs. PLoS ONE, 2014, 9, e112177. | 1.1 | 49 |
| 10 | Deep Sequencing-Based Transcriptome Profiling Reveals Comprehensive Insights into the Responses of <i>Nicotiana benthamiana</i> to Beet necrotic yellow vein virus Infections Containing or Lacking RNA4. PLoS ONE, 2014, 9, e85284. | 1.1 | 26 |
| 11 | Validation of Potential Reference Genes for qPCR in Maize across Abiotic Stresses, Hormone Treatments, and Tissue Types. PLoS ONE, 2014, 9, e95445. | 1.1 | 116 |
| 12 | Silencing of DS2 aminoacylase-like genes confirms basal resistance to <i>Phytophthora infestans</i> in <i>Nicotiana benthamiana</i> . Plant Signaling and Behavior, 2014, 9, e28004. | 1.2 | 3 |
| 13 | Transcriptomic analysis reveals tomato genes whose expression is induced specifically during effector-triggered immunity and identifies the Epk1 protein kinase which is required for the host response to three bacterial effector proteins. Genome Biology, 2014, 15, 492. | 3.8 | 75 |
| 14 | Assessment of reference genes for quantitative real-time PCR gene expression normalization in periwinkle during Wheat Blue Dwarf phytoplasma infection. Australasian Plant Pathology, 2014, 43, 477-485. | 0.5 | 4 |
| 15 | The bacterial effector <i>HopM1</i> suppresses PAMP-triggered oxidative burst and stomatal immunity. New Phytologist, 2014, 202, 259-269. | 3.5 | 101 |
| 16 | The Tomato Kinome and the Tomato Kinase Library ORFeome: Novel Resources for the Study of Kinases and Signal Transduction in Tomato and <i>Solanaceae</i> Species. Molecular Plant-Microbe Interactions, 2014, 27, 7-17. | 1.4 | 30 |
| 17 | Wax esters of different compositions produced via engineering of leaf chloroplast metabolism in <i>Nicotiana benthamiana</i> . Metabolic Engineering, 2014, 25, 103-112. | 3.6 | 28 |
| 18 | Selection of reference genes as internal controls for gene expression in tissues of red abalone <i>Haliotis rufescens</i> (Mollusca, Vetigastropoda; Swainson, 1822). Gene, 2014, 549, 258-265. | 1.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Infection of Beet necrotic yellow vein virus with RNA4-encoded P31 specifically up-regulates pathogenesis-related protein 10 in <i>Nicotiana benthamiana</i> . <i>Virology Journal</i> , 2014, 11, 118. | 1.4 | 19 |
| 20 | Identification and validation of quantitative real-time reverse transcription PCR reference genes for gene expression analysis in teak (<i>Tectona grandis</i> L.f.). <i>BMC Research Notes</i> , 2014, 7, 464. | 0.6 | 40 |
| 21 | Potato virus X-based expression vectors are stabilized for long-term production of proteins and larger inserts. <i>Biotechnology Journal</i> , 2014, 9, 1369-1379. | 1.8 | 40 |
| 22 | Selection of reference genes for quantitative reverse-transcription polymerase chain reaction normalization in <i>Brassica napus</i> under various stress conditions. <i>Molecular Genetics and Genomics</i> , 2014, 289, 1023-1035. | 1.0 | 87 |
| 23 | Analysis of reference gene stability after Israeli acute paralysis virus infection in bumblebees <i>Bombus terrestris</i> . <i>Journal of Invertebrate Pathology</i> , 2014, 115, 76-79. | 1.5 | 40 |
| 24 | Temperature-dependent symptom recovery in <i>Nicotiana benthamiana</i> plants infected with tomato ringspot virus is associated with reduced translation of viral RNA2 and requires ARGONAUTE 1. <i>Virology</i> , 2014, 456-457, 188-197. | 1.1 | 86 |
| 25 | Reference gene selection for normalization of RT-qPCR gene expression data from <i>Actinidia deliciosa</i> leaves infected with <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Scientific Reports</i> , 2015, 5, 16961. | 1.6 | 97 |
| 26 | Conferring resistance to geminiviruses with the CRISPR-Cas prokaryotic immune system. <i>Nature Plants</i> , 2015, 1, . | 4.7 | 327 |
| 27 | Transient silencing of the <i>KASII</i> genes is feasible in <i>Nicotiana benthamiana</i> for metabolic engineering of wax ester composition. <i>Scientific Reports</i> , 2015, 5, 11213. | 1.6 | 16 |
| 28 | Deletion of a terminal intrinsically disordered region of <i>WRINKLED1</i> affects its stability and enhances oil accumulation in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 83, 864-874. | 2.8 | 75 |
| 29 | Genome-Wide Identification and Validation of Reference Genes in Infected Tomato Leaves for Quantitative RT-PCR Analyses. <i>PLoS ONE</i> , 2015, 10, e0136499. | 1.1 | 54 |
| 30 | Screening for Suitable Reference Genes for Quantitative Real-Time PCR in <i>Heterosigma akashiwo</i> (Raphidophyceae). <i>PLoS ONE</i> , 2015, 10, e0132183. | 1.1 | 24 |
| 31 | Validation of Reference Genes for Accurate Normalization of Gene Expression in <i>Lilium davidii</i> var. <i>unicolor</i> for Real Time Quantitative PCR. <i>PLoS ONE</i> , 2015, 10, e0141323. | 1.1 | 22 |
| 32 | Selection of reliable reference genes for quantitative real-time PCR gene expression analysis in <i>Jute</i> (<i>Corchorus capsularis</i>) under stress treatments. <i>Frontiers in Plant Science</i> , 2015, 6, 848. | 1.7 | 57 |
| 33 | Reference gene validation for qRT-PCR based gene expression studies in different developmental stages and under biotic stress in apple. <i>Scientia Horticulturae</i> , 2015, 197, 597-606. | 1.7 | 27 |
| 34 | Overexpression of a <i>Phytophthora</i> Cytoplasmic CRN Effector Confers Resistance to Disease, Salinity and Drought in <i>Nicotiana benthamiana</i> . <i>Plant and Cell Physiology</i> , 2015, 56, 2423-2435. | 1.5 | 28 |
| 35 | Plant-based porcine reproductive and respiratory syndrome virus VLPs induce an immune response in mice. <i>Research in Veterinary Science</i> , 2015, 102, 59-66. | 0.9 | 13 |
| 36 | Cotranslational Coat Protein-Mediated Inhibition of Potyviral RNA Translation. <i>Journal of Virology</i> , 2015, 89, 4237-4248. | 1.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | N-Glycosylation of cholera toxin B subunit in <i>Nicotiana benthamiana</i> : impacts on host stress response, production yield and vaccine potential. <i>Scientific Reports</i> , 2015, 5, 8003. | 1.6 | 54 |
| 38 | Molecular characterization of Pvr9 that confers a hypersensitive response to Pepper mottle virus (a) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 102 T | 1.1 | 22 |
| 39 | A library of synthetic transcription activator-like effector-activated promoters for coordinated orthogonal gene expression in plants. <i>Plant Journal</i> , 2015, 82, 707-716. | 2.8 | 52 |
| 40 | Increased production of wax esters in transgenic tobacco plants by expression of a fatty acid reductase:wax synthase gene fusion. <i>Transgenic Research</i> , 2015, 24, 945-953. | 1.3 | 15 |
| 41 | Pathogenesis-related genes as tools for discovering the response of onion defence system against <i>Iris yellow spot virus</i> infection. <i>Botany</i> , 2015, 93, 735-744. | 0.5 | 21 |
| 42 | Transcriptional transitions in <i>Nicotiana benthamiana</i> leaves upon induction of oil synthesis by WRINKLED1 homologs from diverse species and tissues. <i>BMC Plant Biology</i> , 2015, 15, 192. | 1.6 | 106 |
| 43 | Virus-induced gene silencing of pectin methylesterase protects <i>Nicotiana benthamiana</i> from lethal symptoms caused by Tobacco mosaic virus. <i>European Journal of Plant Pathology</i> , 2015, 141, 339-347. | 0.8 | 9 |
| 44 | Investigating Plasmodesmata Genetics with Virus-Induced Gene Silencing and an <i>Agrobacterium</i> -Mediated GFP Movement Assay. <i>Methods in Molecular Biology</i> , 2015, 1217, 185-198. | 0.4 | 19 |
| 45 | Diseño de casetes de expresión que confieran tolerancia a sequía y a glufosinato en maíz (<i>Zea mays</i>). <i>Acta Biologica Colombiana</i> , 2016, 21, 555. | 0.1 | 1 |
| 46 | Selection and Validation of Reference Genes for qRT-PCR in <i>Cycas elongata</i> . <i>PLoS ONE</i> , 2016, 11, e0154384. | 1.1 | 7 |
| 47 | Two Subclasses of Differentially Expressed TPS1 Genes and Biochemically Active TPS1 Proteins May Contribute to Sugar Signalling in Kiwifruit <i>Actinidia chinensis</i> . <i>PLoS ONE</i> , 2016, 11, e0168075. | 1.1 | 4 |
| 48 | Combined Activity of DCL2 and DCL3 Is Crucial in the Defense against Potato Spindle Tuber Viroid. <i>PLoS Pathogens</i> , 2016, 12, e1005936. | 2.1 | 58 |
| 49 | Evaluation of Sorghum [<i>Sorghum bicolor</i> (L.)] Reference Genes in Various Tissues and under Abiotic Stress Conditions for Quantitative Real-Time PCR Data Normalization. <i>Frontiers in Plant Science</i> , 2016, 7, 529. | 1.7 | 108 |
| 50 | Validation of Suitable Reference Genes for Assessing Gene Expression of MicroRNAs in <i>Lonicera japonica</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 1101. | 1.7 | 7 |
| 51 | Selection and testing of reference genes for accurate RT-qPCR in adult needles and seedlings of maritime pine. <i>Tree Genetics and Genomes</i> , 2016, 12, 1. | 0.6 | 18 |
| 52 | Comparative RNA-Seq analysis of <i>Nicotiana benthamiana</i> in response to <i>Phytophthora parasitica</i> infection. <i>Plant Growth Regulation</i> , 2016, 80, 59-67. | 1.8 | 19 |
| 53 | Identification of reference genes for gene expression normalization in safflower (<i>Carthamus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 T | 0.6 | 10 |
| 54 | Non-targeted effects of virus-induced gene silencing vectors on host endogenous gene expression. <i>Archives of Virology</i> , 2016, 161, 2387-2393. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Functional characterization of NAC55 transcription factor from oilseed rape (<i>Brassica napus</i> L.) as a novel transcriptional activator modulating reactive oxygen species accumulation and cell death. <i>Plant Molecular Biology</i> , 2016, 92, 89-104. | 2.0 | 39 |
| 56 | Visualization of Host-Poleovirus Interaction Topologies Using Protein Interaction Reporter Technology. <i>Journal of Virology</i> , 2016, 90, 1973-1987. | 1.5 | 38 |
| 57 | Reference genes for valid gene expression studies on rat dental, periodontal and alveolar bone tissue by means of RT-qPCR with a focus on orthodontic tooth movement and periodontitis. <i>Annals of Anatomy</i> , 2016, 204, 93-105. | 1.0 | 33 |
| 58 | Root-Knot Nematode Parasitism Suppresses Host RNA Silencing. <i>Molecular Plant-Microbe Interactions</i> , 2017, 30, 295-300. | 1.4 | 10 |
| 59 | Quantification of Pea enation mosaic virus 1 and 2 during infection of <i>Pisum sativum</i> by one step real-time RT-PCR. <i>Journal of Virological Methods</i> , 2017, 240, 63-68. | 1.0 | 5 |
| 60 | Time-resolved dual transcriptomics reveal early induced <i>Nicotiana benthamiana</i> root genes and conserved infection-promoting <i>Phytophthora palmivora</i> effectors. <i>BMC Biology</i> , 2017, 15, 39. | 1.7 | 68 |
| 61 | A spiking strategy facilitates housekeeping selection for RT-qPCR analysis under different biotic stresses in eggplant. <i>Protoplasma</i> , 2017, 254, 2215-2223. | 1.0 | 11 |
| 62 | <i>Nicotiana benthamiana</i> plants asymptotically infected by <i>Pelargonium line pattern virus</i> show unusually high accumulation of viral small RNAs that is neither associated with DCL induction nor RDR6 activity. <i>Virology</i> , 2017, 501, 136-146. | 1.1 | 13 |
| 63 | An R2R3-MYB transcription factor represses the transformation of β - and γ -branch carotenoids by negatively regulating expression of <i>CrBCH2</i> and <i>CrNCED5</i> in flavedo of <i>Citrus reticulata</i> . <i>New Phytologist</i> , 2017, 216, 178-192. | 3.5 | 145 |
| 64 | <i>Nicotiana benthamiana</i> NbbZIP28, a possible regulator of unfolded protein response, plays a negative role in viral infection. <i>European Journal of Plant Pathology</i> , 2017, 149, 831-843. | 0.8 | 7 |
| 65 | A <i>Puccinia striiformis</i> f. sp. <i>tritici</i> secreted protein activates plant immunity at the cell surface. <i>Scientific Reports</i> , 2017, 7, 1141. | 1.6 | 43 |
| 66 | Validation of reference genes for the normalization of the RT-qPCR gene expression of virulence genes of <i>Erwinia amylovora</i> in apple shoots. <i>Scientific Reports</i> , 2017, 7, 2034. | 1.6 | 20 |
| 67 | Valid gene expression normalization by RT-qPCR in studies on hPDL fibroblasts with focus on orthodontic tooth movement and periodontitis. <i>Scientific Reports</i> , 2017, 7, 14751. | 1.6 | 67 |
| 68 | Coat Protein Regulation by CK2, CPIP, HSP70, and CHIP Is Required for Potato Virus A Replication and Coat Protein Accumulation. <i>Journal of Virology</i> , 2017, 91, . | 1.5 | 41 |
| 69 | Morphological and genetic responses of <i>Lactobacillus plantarum</i> FQR to nitrite and its practical applications. <i>Journal of Food Safety</i> , 2017, 37, e12327. | 1.1 | 8 |
| 70 | Stable Internal Reference Genes for Normalizing Real-Time Quantitative PCR in <i>Baphicacanthus cusia</i> under Hormonal Stimuli and UV Irradiation, and in Different Plant Organs. <i>Frontiers in Plant Science</i> , 2017, 8, 668. | 1.7 | 19 |
| 71 | An essential role for the VAS domain of the <i>Arabidopsis</i> VAD1 protein in the regulation of defense and cell death in response to pathogens. <i>PLoS ONE</i> , 2017, 12, e0179782. | 1.1 | 23 |
| 72 | Cloning and evaluation of reference genes for quantitative real-time PCR analysis in <i>Amorphophallus</i> . <i>PeerJ</i> , 2017, 5, e3260. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | An oilseed rape WRKY-type transcription factor regulates ROS accumulation and leaf senescence in <i>Nicotiana benthamiana</i> and <i>Arabidopsis</i> through modulating transcription of RbohD and RbohF. <i>Planta</i> , 2018, 247, 1323-1338. | 1.6 | 56 |
| 74 | Effect of Melatonin on the stability and expression of reference genes in <i>Catharanthus roseus</i> . <i>Scientific Reports</i> , 2018, 8, 2222. | 1.6 | 18 |
| 75 | <i>Barley stripe mosaic virus</i> infection requires PKA-mediated phosphorylation of Î³b for suppression of both RNA silencing and the host cell death response. <i>New Phytologist</i> , 2018, 218, 1570-1585. | 3.5 | 40 |
| 76 | Plant reference genes for development and stress response studies. <i>Journal of Biosciences</i> , 2018, 43, 173-187. | 0.5 | 78 |
| 77 | AV2 protein of tomato leaf curl Palampur virus promotes systemic necrosis in <i>Nicotiana benthamiana</i> and interacts with host Catalase2. <i>Scientific Reports</i> , 2018, 8, 1273. | 1.6 | 37 |
| 78 | Reference gene identification for reliable normalisation of quantitative RT-PCR data in <i>Setaria viridis</i> . <i>Plant Methods</i> , 2018, 14, 24. | 1.9 | 31 |
| 79 | Hsc70-2 is required for Beet black scorch virus infection through interaction with replication and capsid proteins. <i>Scientific Reports</i> , 2018, 8, 4526. | 1.6 | 18 |
| 80 | Cassava brown streak disease: historical timeline, current knowledge and future prospects. <i>Molecular Plant Pathology</i> , 2018, 19, 1282-1294. | 2.0 | 69 |
| 81 | Nerolidol production in agroinfiltrated tobacco: Impact of protein stability and membrane targeting of strawberry (<i>Fragaria ananassa</i>) NEROLIDOL SYNTHASE1. <i>Plant Science</i> , 2018, 267, 112-123. | 1.7 | 4 |
| 82 | Rapid enhancement of Î±-tocopherol content in <i>Nicotiana benthamiana</i> by transient expression of <i>Arabidopsis thaliana</i> Tocopherol cyclase and Homogentisate phytyl transferase genes. <i>3 Biotech</i> , 2018, 8, 485. | 1.1 | 11 |
| 83 | Brassica yellows virus movement protein upregulates anthocyanin accumulation, leading to the development of purple leaf symptoms on <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2018, 8, 16273. | 1.6 | 19 |
| 84 | Expression analysis of Cell wall invertase under abiotic stress conditions influencing specialized metabolism in <i>Catharanthus roseus</i> . <i>Scientific Reports</i> , 2018, 8, 15059. | 1.6 | 20 |
| 85 | Selection and validation of suitable reference genes for qPCR gene expression analysis in goats and sheep under Peste des petits ruminants virus (PPRV), lineage IV infection. <i>Scientific Reports</i> , 2018, 8, 15969. | 1.6 | 19 |
| 86 | Cowpea and abiotic stresses: identification of reference genes for transcriptional profiling by qPCR. <i>Plant Methods</i> , 2018, 14, 88. | 1.9 | 37 |
| 87 | An atypical RNA silencing suppression strategy provides a snapshot of the evolution of sweet potato-infecting potyviruses. <i>Scientific Reports</i> , 2018, 8, 15937. | 1.6 | 32 |
| 88 | Expression and antiviral function of ARGONAUTE 2 in <i>Nicotiana benthamiana</i> plants infected with two isolates of tomato ringspot virus with varying degrees of virulence. <i>Virology</i> , 2018, 524, 127-139. | 1.1 | 25 |
| 89 | <i>Barley stripe mosaic virus</i> Î³b Protein Subverts Autophagy to Promote Viral Infection by Disrupting the ATG7-ATG8 Interaction. <i>Plant Cell</i> , 2018, 30, 1582-1595. | 3.1 | 114 |
| 90 | Tomato Prenylated RAB Acceptor Protein 1 Modulates Trafficking and Degradation of the Pattern Recognition Receptor LeEIX2, Affecting the Innate Immune Response. <i>Frontiers in Plant Science</i> , 2018, 9, 257. | 1.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Nectar Sugar Modulation and Cell Wall Invertases in the Nectaries of Day- and Night- Flowering <i>Nicotiana</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 622. | 1.7 | 25 |
| 92 | Identification and evaluation of PCR reference genes for host and pathogen in sugarcane- <i>Sporisorium scitamineum</i> interaction system. <i>BMC Genomics</i> , 2018, 19, 479. | 1.2 | 14 |
| 93 | The Conserved Proline18 in the Polerovirus P3a Is Important for Brassica Yellow Virus Systemic Infection. <i>Frontiers in Microbiology</i> , 2018, 9, 613. | 1.5 | 16 |
| 94 | The <i>Meloidogyne graminicola</i> effector Mg16820 is secreted in the apoplast and cytoplasm to suppress plant host defense responses. <i>Molecular Plant Pathology</i> , 2018, 19, 2416-2430. | 2.0 | 52 |
| 95 | Transcription factor <i>ABI3</i> auto-activates its own expression during dehydration stress response. <i>FEBS Letters</i> , 2018, 592, 2594-2611. | 1.3 | 18 |
| 96 | Evaluation and selection of internal reference genes from two- and six-row U.S. malting barley varieties throughout micromalting for use in RT-qPCR. <i>PLoS ONE</i> , 2018, 13, e0196966. | 1.1 | 16 |
| 97 | Olive Mild Mosaic Virus Coat Protein and P6 Are Suppressors of RNA Silencing, and Their Silencing Confers Resistance against OMMV. <i>Viruses</i> , 2018, 10, 416. | 1.5 | 11 |
| 98 | Turnip Mosaic Virus Uses the SNARE Protein VTI11 in an Unconventional Route for Replication Vesicle Trafficking. <i>Plant Cell</i> , 2018, 30, 2594-2615. | 3.1 | 51 |
| 99 | <i>Foxtail mosaic virus</i> : A Viral Vector for Protein Expression in Cereals. <i>Plant Physiology</i> , 2018, 177, 1352-1367. | 2.3 | 85 |
| 100 | Genomic variations in the 3' termini of <i>Rice stripe virus</i> in the rotation between vector insect and host plant. <i>New Phytologist</i> , 2018, 219, 1085-1096. | 3.5 | 19 |
| 101 | Utilization of infectious clones to visualize Cassava brown streak virus replication in planta and gain insights into symptom development. <i>Virus Genes</i> , 2019, 55, 825-833. | 0.7 | 7 |
| 102 | A secreted WY-domain-containing protein present in European isolates of the oomycete <i>Plasmopara viticola</i> induces cell death in grapevine and tobacco species. <i>PLoS ONE</i> , 2019, 14, e0220184. | 1.1 | 25 |
| 103 | Dynamics of Protein Accumulation from the 5' End of Viral RNA Are Different from Those in the Rest of the Genome in Potato Virus A Infection. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 7 |
| 104 | An EDS1-SAG101 Complex Is Essential for TNL-Mediated Immunity in <i>Nicotiana benthamiana</i> . <i>Plant Cell</i> , 2019, 31, 2456-2474. | 3.1 | 100 |
| 105 | A barley stripe mosaic virus-based guide RNA delivery system for targeted mutagenesis in wheat and maize. <i>Molecular Plant Pathology</i> , 2019, 20, 1463-1474. | 2.0 | 91 |
| 106 | A Plant Pathogen Type III Effector Protein Subverts Translational Regulation to Boost Host Polyamine Levels. <i>Cell Host and Microbe</i> , 2019, 26, 638-649.e5. | 5.1 | 68 |
| 107 | Plant Cell-Cell Transport via Plasmodesmata Is Regulated by Light and the Circadian Clock. <i>Plant Physiology</i> , 2019, 181, 1459-1467. | 2.3 | 23 |
| 108 | Multiplexed editing of a begomovirus genome restricts escape mutant formation and disease development. <i>PLoS ONE</i> , 2019, 14, e0223765. | 1.1 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Suppression of abscisic acid biosynthesis at the early infection stage of <i>Verticillium longisporum</i> in oilseed rape (<i>Brassica napus</i>). <i>Molecular Plant Pathology</i> , 2019, 20, 1645-1661. | 2.0 | 9 |
| 110 | Cucurbit chlorotic yellows virus p22 is a suppressor of local RNA silencing. <i>Archives of Virology</i> , 2019, 164, 2747-2759. | 0.9 | 5 |
| 111 | Selection of suitable reference genes for quantitative real-time PCR gene expression analysis in Mulberry (<i>Morus alba</i> L.) under different abiotic stresses. <i>Molecular Biology Reports</i> , 2019, 46, 1809-1817. | 1.0 | 34 |
| 112 | Interaction of a plant virus protein with the signature Cajal body protein coilin facilitates salicylic acid-mediated plant defence responses. <i>New Phytologist</i> , 2019, 224, 439-453. | 3.5 | 23 |
| 113 | <i>Cassava brown streak virus</i> Ham1 protein hydrolyses mutagenic nucleotides and is a necrosis determinant. <i>Molecular Plant Pathology</i> , 2019, 20, 1080-1092. | 2.0 | 17 |
| 114 | Evaluation and validation of experimental condition-specific reference genes for normalization of gene expression in Asia II-H <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae). <i>Gene Expression Patterns</i> , 2019, 34, 119058. | 0.3 | 10 |
| 115 | Identification and validation of reference genes for real-time quantitative RT-PCR analysis in jute. <i>BMC Molecular Biology</i> , 2019, 20, 13. | 3.0 | 36 |
| 116 | Suppression of RNA-Dependent RNA Polymerase 6 Favors the Accumulation of Potato Spindle Tuber Viroid in <i>Nicotiana Benthamiana</i> . <i>Viruses</i> , 2019, 11, 345. | 1.5 | 11 |
| 117 | How sequence variants of a plastid-replicating viroid with one single nucleotide change initiate disease in its natural host. <i>RNA Biology</i> , 2019, 16, 906-917. | 1.5 | 19 |
| 118 | Reference genes for gene expression studies targeting sugarcane infected with Sugarcane mosaic virus (SCMV). <i>BMC Research Notes</i> , 2019, 12, 149. | 0.6 | 8 |
| 119 | Inverse Molecular Sentinel-Integrated Fiberoptic Sensor for Direct and <i>in Situ</i> Detection of miRNA Targets. <i>Analytical Chemistry</i> , 2019, 91, 6345-6352. | 3.2 | 31 |
| 120 | Production of santalenes and bergamotene in <i>Nicotiana tabacum</i> plants. <i>PLoS ONE</i> , 2019, 14, e0203249. | 1.1 | 16 |
| 121 | Transcriptome-based identification and validation of reference genes for plant-bacteria interaction studies using <i>Nicotiana benthamiana</i> . <i>Scientific Reports</i> , 2019, 9, 1632. | 1.6 | 34 |
| 122 | New Phenotypes of Potato Co-induced by Mismatch Repair Deficiency and Somatic Hybridization. <i>Frontiers in Plant Science</i> , 2019, 10, 3. | 1.7 | 14 |
| 123 | Glycerol-3-phosphate acyltransferase 6 controls filamentous pathogen interactions and cell wall properties of the tomato and <i>Nicotiana benthamiana</i> leaf epidermis. <i>New Phytologist</i> , 2019, 223, 1547-1559. | 3.5 | 17 |
| 124 | The Rapid Methylation of T-DNAs Upon <i>Agrobacterium</i> Inoculation in Plant Leaves. <i>Frontiers in Plant Science</i> , 2019, 10, 312. | 1.7 | 17 |
| 125 | iTRAQ-based analysis of leaf proteome identifies important proteins in secondary metabolite biosynthesis and defence pathways crucial to cross-protection against TMV. <i>Journal of Proteomics</i> , 2019, 196, 42-56. | 1.2 | 18 |
| 126 | Suitable Reference Genes/miRNAs for qRT-PCR Normalization of Expression Analysis in Sugarcane Under Sorghum mosaic virus Infection. <i>Sugar Tech</i> , 2019, 21, 780-793. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Postmenopausal Osteoporosis reference genes for qPCR expression assays. <i>Scientific Reports</i> , 2019, 9, 16533. | 1.6 | 10 |
| 128 | CRISPR-Cas13d mediates robust RNA virus interference in plants. <i>Genome Biology</i> , 2019, 20, 263. | 3.8 | 124 |
| 129 | A functional investigation of the suppression of CpG and UpA dinucleotide frequencies in plant RNA virus genomes. <i>Scientific Reports</i> , 2019, 9, 18359. | 1.6 | 18 |
| 130 | Hijacking a host scaffold protein, <i>RACK1</i> , for replication of a plant RNA virus. <i>New Phytologist</i> , 2019, 221, 935-945. | 3.5 | 20 |
| 131 | A novel fungal effector from <i>Puccinia graminis</i> suppressing RNA silencing and plant defense responses. <i>New Phytologist</i> , 2019, 222, 1561-1572. | 3.5 | 59 |
| 132 | Co-expressing Turnip Crinkle Virus-coat protein with the serine protease α -thrombin precursor (pFIIa) in <i>Nicotiana benthamiana</i> Domin. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2019, 55, 88-98. | 0.9 | 2 |
| 133 | Identification of Reference Genes for qRT-PCR Gene Expression Studies during Seed Development and under Abiotic Stresses in <i>Cyamopsis tetragonoloba</i> . <i>Crop Science</i> , 2019, 59, 252-265. | 0.8 | 14 |
| 134 | DCL ϵ suppressed <i>Nicotiana benthamiana</i> plants: valuable tools in research and biotechnology. <i>Molecular Plant Pathology</i> , 2019, 20, 432-446. | 2.0 | 19 |
| 135 | Encapsulation of Viral RNA in <i>Picornavirales</i> : Studies on Cowpea Mosaic Virus Demonstrate Dependence on Viral Replication. <i>Journal of Virology</i> , 2019, 93, . | 1.5 | 15 |
| 136 | Screening internal controls for expression analyses involving numerous treatments by combining statistical methods with reference gene selection tools. <i>Physiology and Molecular Biology of Plants</i> , 2019, 25, 289-301. | 1.4 | 8 |
| 137 | Activation of immune receptor Rx1 triggers distinct immune responses culminating in cell death after 4 hours. <i>Molecular Plant Pathology</i> , 2019, 20, 575-588. | 2.0 | 13 |
| 138 | A Single Amino Acid Substitution in the Intervening Region of 129K Protein of Cucumber Green Mottle Mosaic Virus Resulted in Attenuated Symptoms. <i>Phytopathology</i> , 2020, 110, 146-152. | 1.1 | 7 |
| 139 | Extreme resistance to <i>Potato virus Y</i> in potato carrying the <i>Ry_{stc}</i> gene is mediated by a <i>TIR-NLR</i> immune receptor. <i>Plant Biotechnology Journal</i> , 2020, 18, 655-667. | 4.1 | 57 |
| 140 | Simplified method for applying static isotropic tensile strain in cell culture experiments with identification of valid RT-qPCR reference genes for PDL fibroblasts. <i>European Journal of Orthodontics</i> , 2020, 42, 359-370. | 1.1 | 21 |
| 141 | Construction of an Infectious <i>Poa semilatifolia</i> virus cDNA Clone and Comparisons of Hordeivirus Cytopathology and Pathogenicity. <i>Phytopathology</i> , 2020, 110, 215-227. | 1.1 | 9 |
| 142 | An Expansin-Like Candidate Effector Protein from <i>Pratylenchus penetrans</i> Modulates Immune Responses in <i>Nicotiana benthamiana</i> . <i>Phytopathology</i> , 2020, 110, 684-693. | 1.1 | 4 |
| 143 | Characterization of an infectious clone of pepper ringspot virus and its use as a viral vector. <i>Archives of Virology</i> , 2020, 165, 367-375. | 0.9 | 7 |
| 144 | Overexpression of geranyl diphosphate synthase small subunit 1 (LcGPPS.SSU1) enhances the monoterpene content and biomass. <i>Industrial Crops and Products</i> , 2020, 143, 111926. | 2.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Interplay between potato virus X and RNA granules in <i>Nicotiana benthamiana</i> . <i>Virus Research</i> , 2020, 276, 197823. | 1.1 | 5 |
| 146 | SIRLK-like is a malectin-like domain protein affecting localization and abundance of LeEIX2 receptor resulting in suppression of EIX-induced immune responses. <i>Plant Journal</i> , 2020, 104, 1369-1381. | 2.8 | 6 |
| 147 | The NLR Protein Encoded by the Resistance Gene Ty-2 Is Triggered by the Replication-Associated Protein Rep/C1 of Tomato Yellow Leaf Curl Virus. <i>Frontiers in Plant Science</i> , 2020, 11, 545306. | 1.7 | 26 |
| 148 | The potyviral silencing suppressor HCPro recruits and employs host ARGONAUTE1 in pro-viral functions. <i>PLoS Pathogens</i> , 2020, 16, e1008965. | 2.1 | 25 |
| 149 | UhAVR1, an HR-Trigging Avirulence Effector of <i>Ustilago hordei</i> , Is Secreted via the ER-Golgi Pathway, Localizes to the Cytosol of Barley Cells during in Planta-Expression, and Contributes to Virulence Early in Infection. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 178. | 1.5 | 11 |
| 150 | Validation of reference genes for the normalization of RT-qPCR gene expression in <i>Acanthamoeba</i> spp.. <i>Scientific Reports</i> , 2020, 10, 10362. | 1.6 | 39 |
| 151 | Identification of Tomato Proteins That Interact With Replication Initiator Protein (Rep) of the Geminivirus TYLCV. <i>Frontiers in Plant Science</i> , 2020, 11, 1069. | 1.7 | 19 |
| 152 | The Barley stripe mosaic virus β protein promotes viral cell-to-cell movement by enhancing ATPase-mediated assembly of ribonucleoprotein movement complexes. <i>PLoS Pathogens</i> , 2020, 16, e1008709. | 2.1 | 22 |
| 153 | The sugarcane ShMYB78 transcription factor activates suberin biosynthesis in <i>Nicotiana benthamiana</i> . <i>Plant Molecular Biology</i> , 2020, 104, 411-427. | 2.0 | 15 |
| 154 | Epigenetic Changes in Host Ribosomal DNA Promoter Induced by an Asymptomatic Plant Virus Infection. <i>Biology</i> , 2020, 9, 91. | 1.3 | 5 |
| 155 | Activation of Early Defense Signals in Seedlings of <i>Nicotiana benthamiana</i> Treated with Chitin Nanoparticles. <i>Plants</i> , 2020, 9, 607. | 1.6 | 6 |
| 156 | VviWRKY40, a WRKY Transcription Factor, Regulates Glycosylated Monoterpenoid Production by VviGT14 in Grape Berry. <i>Genes</i> , 2020, 11, 485. | 1.0 | 15 |
| 157 | miR159 Represses a Constitutive Pathogen Defense Response in Tobacco. <i>Plant Physiology</i> , 2020, 182, 2182-2198. | 2.3 | 30 |
| 158 | Identification and evaluation of reference genes for quantitative real-time PCR analysis in <i>Passiflora edulis</i> under stem rot condition. <i>Molecular Biology Reports</i> , 2020, 47, 2951-2962. | 1.0 | 18 |
| 159 | TOR dynamically regulates plant cell-cell transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5049-5058. | 3.3 | 73 |
| 160 | Insights into the Functions of eIF4E-Binding Motif of VPg in Potato Virus A Infection. <i>Viruses</i> , 2020, 12, 197. | 1.5 | 23 |
| 161 | Differential expression of IDA (INFLORESCENCE DEFICIENT IN ABSCISSION)-like genes in <i>Nicotiana benthamiana</i> during corolla abscission, stem growth and water stress. <i>BMC Plant Biology</i> , 2020, 20, 34. | 1.6 | 10 |
| 162 | Plant Virus Genome Is Shaped by Specific Dinucleotide Restrictions That Influence Viral Infection. <i>MBio</i> , 2020, 11, . | 1.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | The Q-System as a Synthetic Transcriptional Regulator in Plants. <i>Frontiers in Plant Science</i> , 2020, 11, 245. | 1.7 | 19 |
| 164 | AtMYB92 enhances fatty acid synthesis and suberin deposition in leaves of <i>Nicotiana benthamiana</i> . <i>Plant Journal</i> , 2020, 103, 660-676. | 2.8 | 39 |
| 165 | Transient protein expression in tobacco BY-2 plant cell packs using single and multi-cassette replicating vectors. <i>Plant Cell Reports</i> , 2020, 39, 1115-1127. | 2.8 | 17 |
| 166 | Overexpression of the 3-hydroxy-3-methylglutaryl-CoA synthase gene LcHMGS effectively increases the yield of monoterpenes and sesquiterpenes. <i>Tree Physiology</i> , 2020, 40, 1095-1107. | 1.4 | 11 |
| 167 | Tobacco Necrosis Virus-A ^C Single Coat Protein Amino Acid Substitutions Determine Host-Specific Systemic Infections of <i>Nicotiana benthamiana</i> and Soybean. <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, 49-61. | 1.4 | 11 |
| 170 | Selection and Validation of Reference Genes for Quantitative RT-PCR Analysis in <i>Corylus heterophylla</i> Fisch. – <i>Corylus avellana</i> L. <i>Plants</i> , 2021, 10, 159. | 1.6 | 8 |
| 171 | Comprehensive evaluation of candidate reference genes for quantitative real-time PCR-based analysis in Caucasian clover. <i>Scientific Reports</i> , 2021, 11, 3269. | 1.6 | 6 |
| 172 | Identification and Characterization of Chalcone Isomerase Genes Involved in Flavonoid Production in <i>Dracaena cambodiana</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 616396. | 1.7 | 21 |
| 173 | RNAi activation with homologous and heterologous sequences that induce resistance against the begomovirus Pepper golden mosaic virus (PepGMV). <i>3 Biotech</i> , 2021, 11, 114. | 1.1 | 3 |
| 175 | The Root Lesion Nematode Effector Ppen10370 Is Essential for Parasitism of <i>Pratylenchus penetrans</i> . <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, MPMI-09-20-0267. | 1.4 | 0 |
| 176 | Receptor-like kinase BAM1 facilitates early movement of the Tobacco mosaic virus. <i>Communications Biology</i> , 2021, 4, 511. | 2.0 | 16 |
| 177 | IDA (INFLORESCENCE DEFICIENT IN ABSCISSION)-like peptides and HAE (HAESA)-like receptors regulate corolla abscission in <i>Nicotiana benthamiana</i> flowers. <i>BMC Plant Biology</i> , 2021, 21, 226. | 1.6 | 13 |
| 179 | Revealing the Complexity of Sweepvirus-Deltasatellite Plant Host Interactions: Expanded Natural and Experimental Helper Virus Range and Effect Dependence on Virus-Host Combination. <i>Microorganisms</i> , 2021, 9, 1018. | 1.6 | 7 |
| 181 | Trigger and Suppression of Antiviral Defenses by Grapevine Pinot Gris Virus (GPCV): Novel Insights into Virus-Host Interaction. <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, 1010-1023. | 1.4 | 7 |
| 182 | Promoter analysis of the SPATULA (FvSPT) and SPIRAL (FvSPR) genes in the woodland diploid strawberry (<i>Fragaria vesca</i> L.). <i>Biologia Futura</i> , 2021, 72, 373-384. | 0.6 | 0 |
| 183 | A Qa-SNARE complex contributes to soybean cyst nematode resistance via regulation of mitochondria-mediated cell death. <i>Journal of Experimental Botany</i> , 2021, 72, 7145-7162. | 2.4 | 12 |
| 184 | LDIP cooperates with SEIPIN and LDAP to facilitate lipid droplet biogenesis in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2021, 33, 3076-3103. | 3.1 | 31 |
| 185 | P1 of <i>Sweet Potato Feathery Mottle Virus</i> Shows Strong Adaptation Capacity, Replacing P1-HCPro in a Chimeric <i>Plum Pox Virus</i> . <i>Journal of Virology</i> , 2021, 95, e0015021. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 186 | <i>Barley stripe mosaic virus</i> 2b protein disrupts chloroplast antioxidant defenses to optimize viral replication. <i>EMBO Journal</i> , 2021, 40, e107660. | 3.5 | 27 |
| 188 | Enhanced brightness of bacterial luciferase by bioluminescence resonance energy transfer. <i>Scientific Reports</i> , 2021, 11, 14994. | 1.6 | 12 |
| 189 | The mitochondrial and chloroplast dual targeting of a multifunctional plant viral protein modulates chloroplast-to-nucleus communication, RNA silencing suppressor activity, encapsidation, pathogenesis and tissue tropism. <i>Plant Journal</i> , 2021, 108, 197-218. | 2.8 | 8 |
| 190 | Deep learning-based quantification of arbuscular mycorrhizal fungi in plant roots. <i>New Phytologist</i> , 2021, 232, 2207-2219. | 3.5 | 15 |
| 191 | Double-stranded RNA confers resistance to pepper mottle virus in <i>Nicotiana benthamiana</i> . <i>Applied Biological Chemistry</i> , 2021, 64, . | 0.7 | 15 |
| 199 | Application of plasmonic nanoprobe for SERS sensing and imaging of biotargets in plant systems. , 2019, , . | | 1 |
| 200 | Glycosidase and glycan polymorphism control hydrolytic release of immunogenic flagellin peptides. <i>Science</i> , 2019, 364, . | 6.0 | 102 |
| 202 | Insight on Genes Affecting Tuber Development in Potato upon Potato spindle tuber viroid (PSTVd) Infection. <i>PLoS ONE</i> , 2016, 11, e0150711. | 1.1 | 43 |
| 203 | Stability evaluation of reference genes for gene expression analysis by RT-qPCR in soybean under different conditions. <i>PLoS ONE</i> , 2017, 12, e0189405. | 1.1 | 53 |
| 204 | Cucumber mosaic virus coat protein modulates the accumulation of 2b protein and antiviral silencing that causes symptom recovery in planta. <i>PLoS Pathogens</i> , 2017, 13, e1006522. | 2.1 | 59 |
| 205 | A virus-encoded protein suppresses methylation of the viral genome through its interaction with AGO4 in the Cajal body. <i>ELife</i> , 2020, 9, . | 2.8 | 40 |
| 206 | Reference genes selection for transcript normalization in kenaf (<i>Hibiscus cannabinus</i> L.) under salinity and drought stress. <i>PeerJ</i> , 2015, 3, e1347. | 0.9 | 26 |
| 207 | Genome-wide identification of new reference genes for RT-qPCR normalization in CGMMV-infected <i>Lagenaria siceraria</i> . <i>PeerJ</i> , 2018, 6, e5642. | 0.9 | 11 |
| 209 | Strong and tunable anti-CRISPR/Cas activities in plants. <i>Plant Biotechnology Journal</i> , 2022, 20, 399-408. | 4.1 | 22 |
| 210 | Comparative Analysis of Biological Characteristics among PO Proteins from Different Brassica Yellow Virus Genotypes. <i>Biology</i> , 2021, 10, 1076. | 1.3 | 2 |
| 211 | Severe Stunting Symptoms upon Nepovirus Infection Are Reminiscent of a Chronic Hypersensitive-like Response in a Perennial Woody Fruit Crop. <i>Viruses</i> , 2021, 13, 2138. | 1.5 | 10 |
| 212 | Expression of peptide nanoparticles containing a porcine reproductive and respiratory syndrome (PRRS) virus epitope in plants. <i>African Journal of Microbiology Research</i> , 2015, 9, 1600-1607. | 0.4 | 0 |
| 217 | Sense- and antisense-mediated resistance against Sri Lankan cassava mosaic virus (SLCMV) in <i>Nicotiana benthamiana</i> . <i>Biologia Plantarum</i> , 0, 63, 455-464. | 1.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 218 | Inverse molecular sentinel-integrated fiber sensor for direct detection of miRNA targets. , 2019, , . | | 0 |
| 222 | An Isoform of the Eukaryotic Translation Elongation Factor 1A (eEF1a) Acts as a Pro-Viral Factor Required for Tomato Spotted Wilt Virus Disease in <i>Nicotiana benthamiana</i> . <i>Viruses</i> , 2021, 13, 2190. | 1.5 | 3 |
| 223 | A group I WRKY transcription factor regulates mulberry mosaic dwarfâ€associated virusâ€triggered cell death in <i>Nicotiana benthamiana</i> . <i>Molecular Plant Pathology</i> , 2022, 23, 237-253. | 2.0 | 12 |
| 225 | Validation of Reference Genes for Quantifying Changes in Physiological Gene Expression in Apple Tree under Cold Stress and Virus Infection. <i>Research in Plant Disease</i> , 2020, 26, 144-158. | 0.3 | 0 |
| 227 | Optimizing RNAi-Target by <i>Nicotiana benthamiana</i> -Soybean Mosaic Virus System Drives Broad Resistance to Soybean Mosaic Virus in Soybean. <i>Frontiers in Plant Science</i> , 2021, 12, 739971. | 1.7 | 1 |
| 228 | An Importin-Î²-like Protein from <i>Nicotiana benthamiana</i> Interacts with the RNA Silencing Suppressor P1b of the Cucumber Vein Yellowing Virus, Modulating Its Activity. <i>Viruses</i> , 2021, 13, 2406. | 1.5 | 1 |
| 229 | Effects of the noncoding subgenomic RNA of red clover necrotic mosaic virus in virus infection. <i>Journal of Virology</i> , 2021, , JVI0181521. | 1.5 | 5 |
| 230 | CRISPR guides induce gene silencing in plants in the absence of Cas. <i>Genome Biology</i> , 2022, 23, 6. | 3.8 | 22 |
| 231 | Targeted mutagenesis in plants using Beet curly top virus for efficient delivery of CRISPR/Cas12a components. <i>New Biotechnology</i> , 2022, 67, 1-11. | 2.4 | 9 |
| 232 | Members of the ribosomal protein S6 (RPS6) family act as proâ€viral factor for tomato spotted wilt orthotospovirus infectivity in <i>Nicotiana benthamiana</i> . <i>Molecular Plant Pathology</i> , 2022, 23, 431-446. | 2.0 | 6 |
| 234 | Coat proteins of necroviruses target 14-3-3a to subvert MAPKKKÎ±-mediated antiviral immunity in plants. <i>Nature Communications</i> , 2022, 13, 716. | 5.8 | 27 |
| 235 | Plant reference genes for development and stress response studies. <i>Journal of Biosciences</i> , 2018, 43, 173-187. | 0.5 | 25 |
| 236 | Design and Analysis of Native Photorespiration Gene Motifs of Promoter Untranslated Region Combinations Under Short Term Abiotic Stress Conditions. <i>Frontiers in Plant Science</i> , 2022, 13, 828729. | 1.7 | 2 |
| 237 | Silencing the conserved small nuclear ribonucleoprotein SmD1 target gene alters susceptibility to root-knot nematodes in plants. <i>Plant Physiology</i> , 2022, 189, 1741-1756. | 2.3 | 11 |
| 238 | A viral protein disrupts vacuolar acidification to facilitate virus infection in plants. <i>EMBO Journal</i> , 2022, 41, e108713. | 3.5 | 15 |
| 284 | The Ry_{sto} immune receptor recognises a broadly conserved feature of potyviral coat proteins. <i>New Phytologist</i> , 2022, 235, 1179-1195. | 3.5 | 10 |
| 285 | Customâ€made design of metabolite composition in <i>N. benthamiana</i> leaves using CRISPR activators. <i>Plant Biotechnology Journal</i> , 2022, 20, 1578-1590. | 4.1 | 18 |
| 286 | Virulence strategies of an insect herbivore and oomycete plant pathogen converge on host E3 SUMO ligase SIZ1. <i>New Phytologist</i> , 2022, 235, 1599-1614. | 3.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 287 | Identification of suitable reference genes for quantitative reverse transcription PCR in Luffa (Luffa) Tj ETQq0 0 0 rgBT, /Overlogk 10 Tf 50 | 1.4 | 3 |
| 288 | A Reduced Starch Level in Plants at Early Stages of Infection by Viruses Can Be Considered a Broad-Range Indicator of Virus Presence. <i>Viruses</i> , 2022, 14, 1176. | 1.5 | 2 |
| 289 | Selection and Validation of Reference Genes for Gene Expression Studies Using Quantitative Real-Time PCR in Prunus Necrotic Ringspot Virus-Infected Cucumis sativus. <i>Viruses</i> , 2022, 14, 1269. | 1.5 | 2 |
| 290 | Biocontrol Potential of Endophytic Plant-Growth-Promoting Bacteria against Phytopathogenic Viruses: Molecular Interaction with the Host Plant and Comparison with Chitosan. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6990. | 1.8 | 3 |
| 291 | Delivered CRISPR activation programs lead to strong endogenous gene induction and transient metabolic reprogramming in <i>Nicotiana benthamiana</i> . <i>Plant Journal</i> , 2022, 111, 1550-1564. | 2.8 | 6 |
| 292 | BcTFIIIA Negatively Regulates Turnip Mosaic Virus Infection through Interaction with Viral CP and VPg Proteins in Pak Choi (<i>Brassica campestris</i> ssp. <i>chinensis</i>). <i>Genes</i> , 2022, 13, 1209. | 1.0 | 0 |
| 295 | Detection and discovery of plant viruses in soybean by metagenomic sequencing. <i>Virology Journal</i> , 2022, 19, . | 1.4 | 6 |
| 296 | Identification of effector CEP112 that promotes the infection of necrotrophic <i>Alternaria solani</i> . <i>BMC Plant Biology</i> , 2022, 22, . | 1.6 | 5 |
| 297 | The LRR protein BSR1 from <i>Brachypodium</i> confers resistance to <i>Barley stripe mosaic virus</i> in gramineous plants by recognising TGB1 movement protein. <i>New Phytologist</i> , 2022, 236, 2233-2248. | 3.5 | 2 |
| 298 | Molecular characterization, targeting and expression analysis of chloroplast and mitochondrion protein import components in <i>Nicotiana benthamiana</i> . <i>Frontiers in Plant Science</i> , 0, 13, . | 1.7 | 2 |
| 299 | Prospective Alternate Hosts of an Emerging Polorovirus in Cotton Landscapes in the Southeastern United States. <i>Viruses</i> , 2022, 14, 2249. | 1.5 | 5 |
| 300 | Gain-of-function mutant of movement protein allows systemic transport of a defective tobacco mosaic virus. <i>IScience</i> , 2022, 25, 105486. | 1.9 | 0 |
| 301 | In-Plant Persistence and Systemic Transport of <i>Nicotiana benthamiana</i> Retrozyme RNA. <i>International Journal of Molecular Sciences</i> , 2022, 23, 13890. | 1.8 | 1 |
| 302 | Cloning and Characterization of Two Novel PR4 Genes from <i>Picea asperata</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 14906. | 1.8 | 1 |
| 303 | Sequence optimization and multiple gene-targeting improve the inhibitory efficacy of exogenous double-stranded RNA against pepper mottle virus in <i>Nicotiana benthamiana</i> . <i>Applied Biological Chemistry</i> , 2022, 65, . | 0.7 | 3 |
| 304 | Identification of Reliable Reference Genes under Different Stresses and in Different Tissues of <i>Toxicodendron succedaneum</i> . <i>Genes</i> , 2022, 13, 2396. | 1.0 | 0 |
| 305 | The V2 Protein from the Geminivirus Tomato Yellow Leaf Curl Virus Largely Associates to the Endoplasmic Reticulum and Promotes the Accumulation of the Viral C4 Protein in a Silencing Suppression-Independent Manner. <i>Viruses</i> , 2022, 14, 2804. | 1.5 | 5 |
| 307 | The <i>Phytophthora capsici</i> RxLR effector CRISIS2 triggers cell death via suppressing plasma membrane H ⁺ -ATPase in the host plant. <i>Journal of Experimental Botany</i> , 2023, 74, 1675-1689. | 2.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 308 | Bringing Plant Immunity to Light: A Genetically Encoded, Bioluminescent Reporter of Pattern-Triggered Immunity in <i>Nicotiana benthamiana</i> . <i>Molecular Plant-Microbe Interactions</i> , 2023, 36, 139-149. | 1.4 | 3 |
| 309 | Suppression of <i>Phytophthora capsici</i> using double-stranded RNAs targeting NLP effector genes in <i>Nicotiana benthamiana</i> . <i>Applied Biological Chemistry</i> , 2023, 66, . | 0.7 | 1 |
| 310 | Selection of Novel Reference Genes by RNA-Seq and Their Evaluation for Normalising Real-Time qPCR Expression Data of Anthocyanin-Related Genes in Lettuce and Wild Relatives. <i>International Journal of Molecular Sciences</i> , 2023, 24, 3052. | 1.8 | 1 |
| 311 | Proteasomal degradation of MaMYB60 mediated by the E3 ligase MaBAH1 causes high temperature-induced repression of chlorophyll catabolism and green ripening in banana. <i>Plant Cell</i> , 2023, 35, 1408-1428. | 3.1 | 20 |
| 312 | Selection and Validation of Reference Genes for RT-qPCR Analysis of Gene Expression in <i>Nicotiana benthamiana</i> upon Single Infections by 11 Positive-Sense Single-Stranded RNA Viruses from Four Genera. <i>Plants</i> , 2023, 12, 857. | 1.6 | 3 |
| 313 | I Choose You: Selecting Accurate Reference Genes for qPCR Expression Analysis in Reproductive Tissues in <i>Arabidopsis thaliana</i> . <i>Biomolecules</i> , 2023, 13, 463. | 1.8 | 4 |
| 314 | Identification and functional analysis of protein secreted by <i>Alternaria solani</i> . <i>PLoS ONE</i> , 2023, 18, e0281530. | 1.1 | 3 |
| 316 | DNA primase large subunit is an essential plant gene for geminiviruses, putatively priming viral ss-DNA replication. <i>Frontiers in Plant Science</i> , 0, 14, . | 1.7 | 6 |
| 317 | Grapevine Fanleaf Virus RNA1-Encoded Proteins 1A and 1B ^{Hel} Suppress RNA Silencing. <i>Molecular Plant-Microbe Interactions</i> , 2023, 36, 558-571. | 1.4 | 3 |
| 318 | The ABI5-dependent down-regulation of mitochondrial ATP synthase OSCP subunit facilitates apple necrotic mosaic virus infection. <i>Journal of Experimental Botany</i> , 2023, 74, 4189-4207. | 2.4 | 1 |