The ADHD-200 Consortium: a model to advance the tra neuroimaging in clinical neuroscience

Frontiers in Systems Neuroscience 6, 62

DOI: 10.3389/fnsys.2012.00062

Citation Report

#	Article	IF	CITATIONS
1	Resting state FMRI research in child psychiatric disorders. European Child and Adolescent Psychiatry, 2013, 22, 757-770.	2.8	24
2	A Meta-cognitive Interval Type-2 fuzzy inference system classifier and its projection based learning algorithm., 2013,,.		24
3	Making data sharing work: The FCP/INDI experience. NeuroImage, 2013, 82, 683-691.	2.1	252
4	Using naturalistic utterances to investigate vocal communication processing and development in human and non-human primates. Hearing Research, 2013, 305, 74-85.	0.9	5
5	Measuring network's entropy in ADHD: A new approach to investigate neuropsychiatric disorders. Neurolmage, 2013, 77, 44-51.	2.1	48
6	Learning and comparing functional connectomes across subjects. Neurolmage, 2013, 80, 405-415.	2.1	185
7	Clinical applications of the functional connectome. NeuroImage, 2013, 80, 527-540.	2.1	288
8	A comprehensive assessment of regional variation in the impact of head micromovements on functional connectomics. Neurolmage, 2013, 76, 183-201.	2.1	1,331
9	Computer Aided Diagnosis of ADHD Using Brain Magnetic Resonance Images. Lecture Notes in Computer Science, 2013, , 386-395.	1.0	16
10	Comparison of Features for Voxel-Based Analysis and Classification of Anatomical Neuroimaging Data. , 2013, , .		1
11	Resting State Networks' Corticotopy: The Dual Intertwined Rings Architecture. PLoS ONE, 2013, 8, e67444.	1.1	29
12	BOLD Granger Causality Reflects Vascular Anatomy. PLoS ONE, 2013, 8, e84279.	1.1	49
13	Multisite functional connectivity MRI classification of autism: ABIDE results. Frontiers in Human Neuroscience, 2013, 7, 599.	1.0	293
14	Making Data Sharing Count: A Publication-Based Solution. Frontiers in Neuroscience, 2013, 7, 9.	1.4	81
15	A Robust Classifier to Distinguish Noise from fMRI Independent Components. PLoS ONE, 2014, 9, e95493.	1.1	24
16	Connectotyping: Model Based Fingerprinting of the Functional Connectome. PLoS ONE, 2014, 9, e111048.	1.1	182
17	Learning Topology and Dynamics of Large Recurrent Neural Networks. IEEE Transactions on Signal Processing, 2014, 62, 5881-5891.	3.2	5
18	A nonâ€parametric statistical test to compare clusters with applications in functional magnetic resonance imaging data. Statistics in Medicine, 2014, 33, 4949-4962.	0.8	5

#	Article	IF	Citations
19	Management of Clozapine-Induced Fever in a Child. American Journal of Psychiatry, 2014, 171, 398-402.	4.0	6
20	Software for Neuroimaging Data Analysis. , 2014, , 1-14.		0
21	Abnormal Functional Resting-State Networks in ADHD: Graph Theory and Pattern Recognition Analysis of fMRI Data. BioMed Research International, 2014, 2014, 1-10.	0.9	80
22	Use of EEG to Diagnose ADHD. Current Psychiatry Reports, 2014, 16, 498.	2.1	193
23	Annual Research Review: Current limitations and future directions in <scp>MRI</scp> studies of child― and adultâ€onset developmental psychopathologies. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 659-680.	3.1	45
24	Network connectivity abnormality profile supports a categoricalâ€dimensional hybrid model of ADHD. Human Brain Mapping, 2014, 35, 4531-4543.	1.9	72
25	The autism brain imaging data exchange: towards a large-scale evaluation of the intrinsic brain architecture in autism. Molecular Psychiatry, 2014, 19, 659-667.	4.1	1,882
26	Complexity of lowâ€frequency blood oxygen levelâ€dependent fluctuations covaries with local connectivity. Human Brain Mapping, 2014, 35, 1273-1283.	1.9	31
27	Connecting the Dots: A Review of Resting Connectivity MRI Studies in Attention-Deficit/Hyperactivity Disorder. Neuropsychology Review, 2014, 24, 3-15.	2.5	201
28	Disrupted network architecture of the resting brain in attentionâ€deficit/hyperactivity disorder. Human Brain Mapping, 2014, 35, 4693-4705.	1.9	148
29	Disease prediction based on functional connectomes using a scalable and spatially-informed support vector machine. Neurolmage, 2014, 96, 183-202.	2.1	53
30	An evaluation of independent component analyses with an application to restingâ€state fMRI. Biometrics, 2014, 70, 224-236.	0.8	23
31	Making big data open: data sharing in neuroimaging. Nature Neuroscience, 2014, 17, 1510-1517.	7.1	358
32	Challenges of Big Data analysis. National Science Review, 2014, 1, 293-314.	4.6	954
33	Developmental Resting State Functional Connectivity for Clinicians. Current Behavioral Neuroscience Reports, 2014, 1, 161-169.	0.6	14
34	Lag in maturation of the brain's intrinsic functional architecture in attention-deficit/hyperactivity disorder. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 14259-14264.	3.3	203
35	Neurobiological measures to classify ADHD: a critical appraisal. European Child and Adolescent Psychiatry, 2014, 23, 243-246.	2.8	5
36	Reduction of motion-related artifacts in resting state fMRI using aCompCor. NeuroImage, 2014, 96, 22-35.	2.1	351

#	ARTICLE	IF	CITATIONS
37	Imaging Functional and Structural Brain Connectomics in Attention-Deficit/Hyperactivity Disorder. Molecular Neurobiology, 2014, 50, 1111-1123.	1.9	137
38	Decoding Wakefulness Levels from Typical fMRI Resting-State Data Reveals Reliable Drifts between Wakefulness and Sleep. Neuron, 2014, 82, 695-708.	3.8	567
39	The rise of large-scale imaging studies in psychiatry. GigaScience, 2014, 3, 29.	3.3	24
40	Wavelet-domain regression and predictive inference in psychiatric neuroimaging. Annals of Applied Statistics, 2015, 9, 1076-1101.	0.5	25
41	In search of potent histamine-3 receptor antagonists. Journal of King Saud University - Science, 2015, 27, 189-192.	1.6	0
42	Violence: heightened brain attentional network response is selectively muted in Down syndrome. Journal of Neurodevelopmental Disorders, 2015, 7, 15.	1.5	5
43	Research Review: Functional brain connectivity and child psychopathology – overview and methodological considerations for investigators new to the field. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 400-414.	3.1	21
44	ICA-based artifact removal diminishes scan site differences in multi-center resting-state fMRI. Frontiers in Neuroscience, 2015, 9, 395.	1.4	61
45	Neuroimaging of ADHD., 0,, 198-209.		0
46	Clinical Prediction from Structural Brain MRI Scans: A Large-Scale Empirical Study. Neuroinformatics, 2015, 13, 31-46.	1.5	131
47	Evaluation of ICA-AROMA and alternative strategies for motion artifact removal in resting state fMRI. NeuroImage, 2015, 112, 278-287.	2.1	447
48	Connectomics and new approaches for analyzing human brain functional connectivity. GigaScience, 2015, 4, 13.	3.3	55
50	Wavelet-Based Weighted LASSO and Screening Approaches in Functional Linear Regression. Journal of Computational and Graphical Statistics, 2015, 24, 655-675.	0.9	26
51	Functional neuroimaging of visuospatial working memory tasks enables accurate detection of attention deficit and hyperactivity disorder. Neurolmage: Clinical, 2015, 9, 244-252.	1.4	20
52	Attention Deficit/Hyperactivity Disorder. , 2015, , 42-58.		3
53	Functional Connectivity of Child and Adolescent Attention Deficit Hyperactivity Disorder Patients: Correlation with IQ. Frontiers in Human Neuroscience, 2016, 10, 565.	1.0	15
54	A Tool for Interactive Data Visualization: Application to Over 10,000 Brain Imaging and Phantom MRI Data Sets. Frontiers in Neuroinformatics, 2016, 10, 9.	1.3	21
55	Big Data Approaches for the Analysis of Large-Scale fMRI Data Using Apache Spark and GPU Processing: A Demonstration on Resting-State fMRI Data from the Human Connectome Project. Frontiers in Neuroscience, 2015, 9, 492.	1.4	48

#	ARTICLE	lF	Citations
56	Using Functional or Structural Magnetic Resonance Images and Personal Characteristic Data to Identify ADHD and Autism. PLoS ONE, 2016, 11, e0166934.	1.1	95
57	Differences in connectivity patterns between child and adolescent attention deficit hyperactivity disorder patients., 2016, 2016, 1127-1130.		8
58	Using deep belief network modelling to characterize differences in brain morphometry in schizophrenia. Scientific Reports, 2016, 6, 38897.	1.6	135
59	Temporal Order-based First-Take-All Hashing for Fast Attention-Deficit-Hyperactive-Disorder Detection. , 2016, , .		6
60	The path from big data to precision medicine. Expert Review of Precision Medicine and Drug Development, 2016, 1, 129-143.	0.4	37
61	DPABI: Data Processing & DPABI: Data Processin	1.5	2,538
62	Motion and morphometry in clinical and nonclinical populations. NeuroImage, 2016, 135, 177-185.	2.1	155
63	Morphometricity as a measure of the neuroanatomical signature of a trait. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E5749-56.	3.3	53
64	Quantifying patterns of brain activity: Distinguishing unaffected siblings from participants with ADHD and healthy individuals. NeuroImage: Clinical, 2016, 12, 227-233.	1.4	16
65	Sparse median graphs estimation in a high-dimensional semiparametric model. Annals of Applied Statistics, 2016, 10, .	0.5	5
66	Intrinsic Functional Connectivity in Attention-Deficit/Hyperactivity Disorder: A Science in Development. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2016, 1, 253-261.	1,1	132
67	A neuromarker of sustained attention from whole-brain functional connectivity. Nature Neuroscience, 2016, 19, 165-171.	7.1	833
68	Connected brains and mindsâ€"The UMCD repository for brain connectivity matrices. NeuroImage, 2016, 124, 1238-1241.	2.1	20
69	Single subject prediction of brain disorders in neuroimaging: Promises and pitfalls. NeuroImage, 2017, 145, 137-165.	2.1	688
70	Learning effective connectivity from fMRI using autoregressive hidden Markov model with missing data. Journal of Neuroscience Methods, 2017, 278, 87-100.	1.3	15
71	Using deep learning to investigate the neuroimaging correlates of psychiatric and neurological disorders: Methods and applications. Neuroscience and Biobehavioral Reviews, 2017, 74, 58-75.	2.9	453
72	Statistical power and prediction accuracy in multisite resting-state fMRI connectivity. NeuroImage, 2017, 149, 220-232.	2.1	78
73	Building better biomarkers: brain models in translational neuroimaging. Nature Neuroscience, 2017, 20, 365-377.	7.1	764

#	Article	IF	CITATIONS
74	Characterizing Attention with Predictive Network Models. Trends in Cognitive Sciences, 2017, 21, 290-302.	4.0	121
7 5	Using connectome-based predictive modeling to predict individual behavior from brain connectivity. Nature Protocols, 2017, 12, 506-518.	5 . 5	766
76	Functional connectomics from a "big data―perspective. NeuroImage, 2017, 160, 152-167.	2.1	77
77	Clinically useful brain imaging for neuropsychiatry: How can we get there?. Depression and Anxiety, 2017, 34, 578-587.	2.0	25
78	Real-time motion analytics during brain MRI improve data quality and reduce costs. NeuroImage, 2017, 161, 80-93.	2.1	221
79	A unique pattern of cortical connectivity characterizes patients with attention deficit disorders: a large electroencephalographic coherence study. BMC Medicine, 2017, 15, 51.	2.3	13
80	Generalized reduced rank latent factor regression for high dimensional tensor fields, and neuroimaging-genetic applications. NeuroImage, 2017, 144, 35-57.	2.1	9
81	Deriving reproducible biomarkers from multi-site resting-state data: An Autism-based example. Neurolmage, 2017, 147, 736-745.	2.1	499
82	Motionâ€related artifacts in structural brain images revealed with independent estimates of inâ€scanner head motion. Human Brain Mapping, 2017, 38, 472-492.	1.9	151
83	Sharing Data to Solve the Autism Riddle: An Interview with Adriana Di Martino and Michael Milham of ABIDE. IEEE Pulse, 2017, 8, 6-9.	0.1	4
84	The functional regions in structural controllability of human functional brain networks., 2017,,.		4
85	The Utility of a Computerized Algorithm Based on a Multi-Domain Profile of Measures for the Diagnosis of Attention Deficit/Hyperactivity Disorder. Frontiers in Psychiatry, 2017, 8, 189.	1.3	21
86	A Computational Model for the Automatic Diagnosis of Attention Deficit Hyperactivity Disorder Based on Functional Brain Volume. Frontiers in Computational Neuroscience, 2017, 11, 75.	1.2	19
87	Advances in Studying Brain Morphology: The Benefits of Open-Access Data. Frontiers in Human Neuroscience, 2017, 11, 405.	1.0	29
88	Cyberinfrastructure for Open Science at the Montreal Neurological Institute. Frontiers in Neuroinformatics, 2016, 10, 53.	1.3	28
89	Inconsistency in Abnormal Brain Activity across Cohorts of ADHD-200 in Children with Attention Deficit Hyperactivity Disorder. Frontiers in Neuroscience, 2017, 11, 320.	1.4	41
90	Novel subgroups of attention-deficit/hyperactivity disorder identified by topological data analysis and their functional network modular organizations. PLoS ONE, 2017, 12, e0182603.	1.1	14
91	Prediction complements explanation in understanding the developing brain. Nature Communications, 2018, 9, 589.	5.8	144

#	Article	IF	CITATIONS
92	Time-Varying Analyses of Imaging Data: Capturing the Role of Network Dynamics in Psychopathology. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 205-206.	1.1	0
93	Novel in silico multivariate mapping of intrinsic and anticorrelated connectivity to neurocognitive functional maps supports the maturational hypothesis of ADHD. Human Brain Mapping, 2018, 39, 3449-3467.	1.9	20
94	Diagnosis of Attention Deficit Hyperactivity Disorder by Using MR Imaging and Radiomics: A Potential Tool for Clinicians. Radiology, 2018, 287, 631-632.	3.6	32
95	Future Directions for Examination of Brain Networks in Neurodevelopmental Disorders. Journal of Clinical Child and Adolescent Psychology, 2018, 47, 483-497.	2.2	18
96	Advances, challenges, and promises in pediatric neuroimaging of neurodevelopmental disorders. Neuroscience and Biobehavioral Reviews, 2018, 90, 50-69.	2.9	16
97	A Network Neuroscience Approach to Typical and Atypical Brain Development. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 754-766.	1.1	39
98	The effect of feature selection on multivariate pattern analysis of structural brain MR images. Physica Medica, 2018, 47, 103-111.	0.4	22
99	Aberrant Modulation of Brain Oscillatory ActivityÂand Attentional Impairment in Attention-Deficit/Hyperactivity Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 19-29.	1.1	34
100	A multi-level classification framework for multi-site medical data: Application to the ADHD-200 collection. Expert Systems With Applications, 2018, 91, 36-45.	4.4	35
101	Psychoradiologic Utility of MR Imaging for Diagnosis of Attention Deficit Hyperactivity Disorder: A Radiomics Analysis. Radiology, 2018, 287, 620-630.	3.6	121
102	Predicting Violent Behavior: What Can Neuroscience Add?. Trends in Cognitive Sciences, 2018, 22, 111-123.	4.0	56
103	Connectome-based predictive modeling of attention: Comparing different functional connectivity features and prediction methods across datasets. Neurolmage, 2018, 167, 11-22.	2.1	139
104	Aberrant Time-Varying Cross-Network Interactions in Children With Attention-Deficit/Hyperactivity Disorder and the RelationÂto Attention Deficits. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 263-273.	1.1	39
105	Faster ICA Under Orthogonal Constraint. , 2018, , .		18
106	Automatic Recognition of Resting State fMRI Networks with Dictionary Learning. Lecture Notes in Computer Science, 2018, , 249-259.	1.0	3
107	The Dynamic Measurements of Regional Brain Activity for Resting-State fMRI: d-ALFF, d-fALFF and d-ReHo. Lecture Notes in Computer Science, 2018, , 190-197.	1.0	8
108	A Novel Transfer Learning Approach to Enhance Deep Neural Network Classification of Brain Functional Connectomes. Frontiers in Neuroscience, 2018, 12, 491.	1.4	114
109	Network Analysis in Disorders of Consciousness: Four Problems and One Proposed Solution (Exponential Random Graph Models). Frontiers in Neurology, 2018, 9, 439.	1.1	20

#	Article	IF	CITATIONS
110	Resting-State Brain Signal Variability in Prefrontal Cortex Is Associated With ADHD Symptom Severity in Children. Frontiers in Human Neuroscience, 2018, 12, 90.	1.0	38
111	Different Developmental Pattern of Brain Activities in ADHD: A Study of Resting-State fMRI. Developmental Neuroscience, 2018, 40, 246-257.	1.0	34
112	Assessment of the impact of shared brain imaging data on the scientific literature. Nature Communications, 2018, 9, 2818.	5.8	95
113	Identifying individuals with attention deficit hyperactivity disorder based on temporal variability of dynamic functional connectivity. Scientific Reports, 2018, 8, 11789.	1.6	29
114	Classification Accuracy of Neuroimaging Biomarkers in Attention-Deficit/Hyperactivity Disorder: Effects of Sample Size and Circular Analysis. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 108-120.	1.1	46
115	A paradigm for longitudinal complex network analysis over patient cohorts in neuroscience. Network Science, 2019, 7, 196-214.	0.8	1
116	Unsupervised learning of probabilistic diffeomorphic registration for images and surfaces. Medical Image Analysis, 2019, 57, 226-236.	7.0	191
117	Head motion: the dirty little secret of neuroimaging in psychiatry. Journal of Psychiatry and Neuroscience, 2019, 44, 62-68.	1.4	51
118	Toward optimizing control signal paths in functional brain networks. Chaos, 2019, 29, 103144.	1.0	5
119	Use of health-related indices and classification methods in medical data. , 2019, , 31-66.		3
120	Inconsistency in Abnormal Functional Connectivity Across Datasets of ADHD-200 in Children With Attention Deficit Hyperactivity Disorder. Frontiers in Psychiatry, 2019, 10, 692.	1.3	21
121	Quasi-periodic patterns of brain activity in individuals with attention-deficit/hyperactivity disorder. Neurolmage: Clinical, 2019, 21, 101653.	1.4	29
122	Hyperactivity/restlessness is associated with increased functional connectivity in adults with ADHD: a dimensional analysis of resting state fMRI. BMC Psychiatry, 2019, 19, 43.	1.1	39
123	The Brain Basis of Comorbidity in Neurodevelopmental Disorders. Current Developmental Disorders Reports, 2019, 6, 9-18.	0.9	6
124	Application of Graph Theory for Identifying Connectivity Patterns in Human Brain Networks: A Systematic Review. Frontiers in Neuroscience, 2019, 13, 585.	1.4	398
125	Towards interpretable machine learning models for diagnosis aid: A case study on attention deficit/hyperactivity disorder. PLoS ONE, 2019, 14, e0215720.	1.1	25
126	The Functional Brain Organization of an Individual Allows Prediction of Measures of Social Abilities Transdiagnostically in Autism and Attention-Deficit/Hyperactivity Disorder. Biological Psychiatry, 2019, 86, 315-326.	0.7	95
127	Global signal regression strengthens association between resting-state functional connectivity and behavior. Neurolmage, 2019, 196, 126-141.	2.1	292

#	ARTICLE	IF	CITATIONS
128	Multi-Region Risk-Sensitive Cognitive Ensembler for Accurate Detection of Attention-Deficit/Hyperactivity Disorder. Cognitive Computation, 2019, 11, 545-559.	3.6	6
129	A Multichannel Deep Neural Network Model Analyzing Multiscale Functional Brain Connectome Data for Attention Deficit Hyperactivity Disorder Detection. Radiology: Artificial Intelligence, 2019, 2, e190012.	3.0	29
130	Commute Time as a Method to Explore Brain Functional Connectomes. Brain Connectivity, 2019, 9, 155-161.	0.8	0
131	Unbiased age-specific structural brain atlases for Chinese pediatric population. NeuroImage, 2019, 189, 55-70.	2.1	50
132	Specifics of medical data mining for diagnosis aid: A survey. Expert Systems With Applications, 2019, 118, 300-314.	4.4	43
133	Individual differences <i>v.</i> the average patient: mapping the heterogeneity in ADHD using normative models. Psychological Medicine, 2020, 50, 314-323.	2.7	113
134	Toward a Better Estimation of Functional Brain Network for Mild Cognitive Impairment Identification: A Transfer Learning View. IEEE Journal of Biomedical and Health Informatics, 2020, 24, 1160-1168.	3.9	39
135	Clinical Strategies and Technical Challenges in Psychoradiology. Neuroimaging Clinics of North America, 2020, 30, 1-13.	0.5	23
136	Supervised machine learning for diagnostic classification from large-scale neuroimaging datasets. Brain Imaging and Behavior, 2020, 14, 2378-2416.	1.1	51
137	Multivariate models of brain volume for identification of children and adolescents with fetal alcohol spectrum disorder. Human Brain Mapping, 2020, 41, 1181-1194.	1.9	18
138	Metaheuristic Spatial Transformation (MST) for accurate detection of Attention Deficit Hyperactivity Disorder (ADHD) using rs-fMRI., 2020, 2020, 2829-2832.		7
139	Mutations associated with neuropsychiatric conditions delineate functional brain connectivity dimensions contributing to autism and schizophrenia. Nature Communications, 2020, 11, 5272.	5.8	35
140	Beyond diagnosis: Cross-diagnostic features in canonical resting-state networks in children with neurodevelopmental disorders. NeuroImage: Clinical, 2020, 28, 102476.	1.4	14
141	Large-scale analysis of interindividual variability in theta-burst stimulation data: Results from the â€~Big TMS Data Collaboration'. Brain Stimulation, 2020, 13, 1476-1488.	0.7	81
142	Accounting for Changing Structure in Functional Network Analysis of TBI Patients. Frontiers in Systems Neuroscience, 2020, 14, 42.	1.2	1
143	Charting brain growth in tandem with brain templates at school age. Science Bulletin, 2020, 65, 1924-1934.	4.3	52
144	Recent advances of deep learning in psychiatric disorders. Precision Clinical Medicine, 2020, 3, 202-213.	1.3	16
145	Research Advances in ADHD and Technology. Synthesis Lectures on Assistive Rehabilitative and Health-Preserving Technologies, 2020, 9, i-156.	0.2	5

#	Article	IF	CITATIONS
146	Effect of Gender on Development of Hippocampal Subregions From Childhood to Adulthood. Frontiers in Human Neuroscience, 2020, 14, 611057.	1.0	6
147	Towards a brainâ€based predictome of mental illness. Human Brain Mapping, 2020, 41, 3468-3535.	1.9	92
148	Transdiagnostic subtyping of males with developmental disorders using cortical characteristics. NeuroImage: Clinical, 2020, 27, 102288.	1.4	9
149	Regularized Bagged Canonical Component Analysis for Multiclass Learning in Brain Imaging. Neuroinformatics, 2020, 18, 641-659.	1.5	2
150	Head Motion During MRI Predicted by out-of-Scanner Sustained Attention Performance in Attention-Deficit/Hyperactivity Disorder. Journal of Attention Disorders, 2021, 25, 1429-1440.	1.5	9
151	Gender-based functional connectivity differences in brain networks in childhood. Computer Methods and Programs in Biomedicine, 2020, 192, 105444.	2.6	7
152	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. NeuroImage, 2020, 220, 117127.	2.1	48
153	MALINI (Machine Learning in Neurolmaging): A MATLAB toolbox for aiding clinical diagnostics using resting-state fMRI data. Data in Brief, 2020, 29, 105213.	0.5	14
154	Animal Functional Magnetic Resonance Imaging: Trends and Path Toward Standardization. Frontiers in Neuroinformatics, 2019, 13, 78.	1.3	78
155	A one-class classification decision tree based on kernel density estimation. Applied Soft Computing Journal, 2020, 91, 106250.	4.1	24
156	Diagnostic Classification for Human Autism and Obsessive-Compulsive Disorder Based on Machine Learning From a Primate Genetic Model. American Journal of Psychiatry, 2021, 178, 65-76.	4.0	37
157	Convolutional kernels with an element-wise weighting mechanism for identifying abnormal brain connectivity patterns. Pattern Recognition, 2021, 109, 107570.	5.1	18
158	Detect and correct bias in multi-site neuroimaging datasets. Medical Image Analysis, 2021, 67, 101879.	7.0	62
159	A hitchhiker's guide to working with large, open-source neuroimaging datasets. Nature Human Behaviour, 2021, 5, 185-193.	6.2	33
160	Systematic Review and Meta-analysis: Resting-State Functional Magnetic Resonance Imaging Studies of Attention-Deficit/Hyperactivity Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 61-75.	0.3	83
161	Shared alterations in resting-state brain connectivity in adults with attention-deficit/hyperactivity disorder and their unaffected first-degree relatives. Psychological Medicine, 2021, 51, 329-339.	2.7	4
162	A review of deep learning-based three-dimensional medical image registration methods. Quantitative Imaging in Medicine and Surgery, 2021, 11, 4895-4916.	1.1	33
163	Integrating Multimodal MRIs for Adult ADHD Identification with Heterogeneous Graph Attention Convolutional Network. Lecture Notes in Computer Science, 2021, , 157-167.	1.0	3

#	Article	IF	CITATIONS
164	3D-StyleGAN: A Style-Based Generative Adversarial Network for Generative Modeling of Three-Dimensional Medical Images. Lecture Notes in Computer Science, 2021, , 24-34.	1.0	24
165	Asymmetry in Cortical and Subcortical Structures of the Brain in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 493-502.	1.0	5
166	Evidence for similar structural brain anomalies in youth and adult attention-deficit/hyperactivity disorder: a machine learning analysis. Translational Psychiatry, 2021, 11, 82.	2.4	25
168	Categorizing SHR and WKY rats by chi2 algorithm and decision tree. Scientific Reports, 2021, 11, 3463.	1.6	0
169	Predicting disease severity in children with combined attention deficit hyperactivity disorder using quantitative features from structural MRI of amygdaloid and hippocampal subfields. Journal of Neural Engineering, 2021, 18, 046013.	1.8	4
170	An assessment of the autism neuroimaging literature for the prospects of re-executability. F1000Research, 2020, 9, 1031.	0.8	1
171	Unsupervised deformable image registration network for 3D medical images. Applied Intelligence, 2022, 52, 766-779.	3.3	8
172	The current and future roles of artificial intelligence in pediatric radiology. Pediatric Radiology, 2022, 52, 2065-2073.	1.1	9
173	Scan Once, Analyse Many: Using Large Open-Access Neuroimaging Datasets to Understand the Brain. Neuroinformatics, 2022, 20, 109-137.	1.5	20
175	Abnormal hemispheric asymmetry of both brain function and structure in attention deficit/hyperactivity disorder: a meta-analysis of individual participant data. Brain Imaging and Behavior, 2022, 16, 54-68.	1.1	14
177	U-RSNet: An unsupervised probabilistic model for joint registration and segmentation. Neurocomputing, 2021, 450, 264-274.	3.5	11
178	Multimodal MR Images-Based Diagnosis of Early Adolescent Attention-Deficit/Hyperactivity Disorder Using Multiple Kernel Learning. Frontiers in Neuroscience, 2021, 15, 710133.	1.4	19
179	Developmental Cognitive Neuroscience in the Era of Networks and Big Data: Strengths, Weaknesses, Opportunities, and Threats. Annual Review of Developmental Psychology, 2021, 3, 249-275.	1.4	16
180	RSegNet: A Joint Learning Framework for Deformable Registration and Segmentation. IEEE Transactions on Automation Science and Engineering, 2022, 19, 2499-2513.	3.4	8
181	Deep Learning-Based Binary Classification of ADHD Using Resting State MR Images. Augmented Human Research, 2021, 6, 1.	3.5	20
182	Convolutional Neural Network With Sparse Strategies to Classify Dynamic Functional Connectivity. IEEE Journal of Biomedical and Health Informatics, 2022, 26, 1219-1228.	3.9	4
183	Unsupervised Deep Learning for Bayesian Brain MRI Segmentation. Lecture Notes in Computer Science, 2019, 11766, 356-365.	1.0	38
184	Quantifying Confounding Bias in Neuroimaging Datasets with Causal Inference. Lecture Notes in Computer Science, 2019, , 484-492.	1.0	8

#	Article	IF	Citations
185	Progress and roadblocks in the search for brain-based biomarkers of autism and attention-deficit/hyperactivity disorder. Translational Psychiatry, 2017, 7, e1218-e1218.	2.4	115
186	Deep learning in medical image registration. Progress in Biomedical Engineering, 0, , .	2.8	17
195	Exploring attentive task-based connectivity for screening attention deficit/hyperactivity disorder children: a functional near-infrared spectroscopy study. Neurophotonics, 2019, 6, 1.	1.7	9
196	PRN: a preprint service for catalyzing R-fMRI and neuroscience related studies. F1000Research, 2014, 3, 313.	0.8	1
197	An Evaluation of the Left-Brain vs. Right-Brain Hypothesis with Resting State Functional Connectivity Magnetic Resonance Imaging. PLoS ONE, 2013, 8, e71275.	1.1	190
198	A New Approach to Investigate the Association between Brain Functional Connectivity and Disease Characteristics of Attention-Deficit/Hyperactivity Disorder: Topological Neuroimaging Data Analysis. PLoS ONE, 2015, 10, e0137296.	1.1	22
199	Topological Data Analysis Reveals Robust Alterations in the Whole-Brain and Frontal Lobe Functional Connectomes in Attention-Deficit/Hyperactivity Disorder. ENeuro, 2020, 7, ENEURO.0543-19.2020.	0.9	23
200	Ensemble-based Ultrahigh-dimensional Variable Screening. , 2019, , .		2
202	Individual variation in functional brain connectivity: implications for personalized approaches to psychiatric disease. Dialogues in Clinical Neuroscience, 2016, 18, 277-287.	1.8	72
203	Distinct neural signatures detected for ADHD subtypes after controlling for micro-movements in resting state functional connectivity MRI data. Frontiers in Systems Neuroscience, 2012, 6, 80.	1.2	390
204	Will Neuroimaging Produce a Clinical Tool for Psychiatry?. Psychiatric Annals, 2019, 49, 209-214.	0.1	1
205	Age-related connectivity differences between attention deficit and hyperactivity disorder patients and typically developing subjects: a resting-state functional MRI study. Neural Regeneration Research, 2017, 12, 1640.	1.6	13
206	Neuroimaging-Based Deep Learning in Autism Spectrum Disorder and Attention-Deficit/Hyperactivity Disorder. SoaA;\$ceongso'nyeon Jeongsin Yihag, 2020, 31, 97-104.	0.3	6
207	Surface values, volumetric measurements and radiomics of structural MRI for the diagnosis and subtyping of attentionâ€deficit/hyperactivity disorder. European Journal of Neuroscience, 2021, 54, 7654-7667.	1.2	9
208	PRN: a preprint service for catalyzing R-fMRI and neuroscience related studies. F1000Research, 2014, 3, 313.	0.8	1
209	Software for Neuroimaging Data Analysis. , 2015, , 2733-2744.		0
210	Mental Health Status is Subjective and is Revealed in ADHD Distribution. Journal of Psychiatry and Mental Health, 2017, 1 , 1 .	0.2	0
211	Central Europe. , 2017, , 87-106.		O

#	Article	IF	CITATIONS
219	An assessment of the autism neuroimaging literature for the prospects of re-executability. F1000Research, 2020, 9, 1031.	0.8	2
221	3D Dense Separated Convolution Module for Volumetric Medical Image Analysis. Applied Sciences (Switzerland), 2020, 10, 485.	1.3	14
222	Overview of Machine Learning Methods in ADHD Prediction. , 2020, , 51-71.		7
223	A Brief Survey on Various Prediction Models for Detection of ADHD from Brain-MRI Images. , 2020, , .		5
224	At the Crossroads Between Psychiatry and Machine Learning: Insights Into Paradigms and Challenges for Clinical Applicability. Frontiers in Psychiatry, 2020, 11, 552262.	1.3	1
225	Translational Meta-analytical Methods to Localize the Regulatory Patterns of Neurological Disorders in the Human Brain. AMIA Annual Symposium proceedings, 2015, 2015, 2073-82.	0.2	0
227	A dynamic graph convolutional neural network framework reveals new insights into connectome dysfunctions in ADHD. NeuroImage, 2022, 246, 118774.	2.1	52
228	A brain-based general measure of attention. Nature Human Behaviour, 2022, 6, 782-795.	6.2	12
229	Brain charts for the human lifespan. Nature, 2022, 604, 525-533.	13.7	518
230	Accurate Brain Age Prediction Model for Healthy Children and Adolescents using 3D-CNN and Dimensional Attention. , 2021, , .		4
231	The structural connectome in ADHD. Psychoradiology, 2021, 1, 257-271.	1.0	10
233	rs-fMRI and machine learning for ASD diagnosis: a systematic review and meta-analysis. Scientific Reports, 2022, 12, 6030.	1.6	37
241	Interdisciplinary Tensions When Developing Digital Interventions Supporting Individuals With ADHD. Frontiers in Digital Health, 2022, 4, .	1.5	2
242	Software for Neuroimaging Data Analysis. , 2022, , 3159-3171.		0
243	Recent advances of Artificial Intelligence tools in Attention-Deficit Hyperactivity Disorder (ADHD). Current Psychopharmacology, 2022, 11, .	0.1	0
244	Systematic evaluation of machine learning algorithms for neuroanatomicallyâ€based age prediction in youth. Human Brain Mapping, 2022, 43, 5126-5140.	1.9	8
245	Non-iterative Coarse-to-Fine Registration Based on Single-Pass Deep Cumulative Learning. Lecture Notes in Computer Science, 2022, , 88-97.	1.0	4
246	Semi-supervised Learning withÂData Harmonisation forÂBiomarker Discovery fromÂResting State fMRI. Lecture Notes in Computer Science, 2022, , 441-451.	1.0	1

#	Article	IF	CITATIONS
247	An Ensemble Deep Learning Approach Combining Phenotypic Data and fMRI for ADHD Diagnosis. Journal of Signal Processing Systems, 2022, 94, 1269-1281.	1.4	10
249	Evidence from "big data―for the default-mode hypothesis of ADHD: a mega-analysis of multiple large samples. Neuropsychopharmacology, 2023, 48, 281-289.	2.8	8
250	Transdiagnostic connectome signatures from resting-state fMRI predict individual-level intellectual capacity. Translational Psychiatry, 2022, 12, .	2.4	6
251	Diagnostic model optimization method for ADHD based on brain network analysis of resting-state fMRI images and transfer learning neural network. Frontiers in Human Neuroscience, 0, 16, .	1.0	1
252	Deep Forest withÂSparse Topological Feature Extraction andÂHash Mapping forÂBrain Network Classification. Lecture Notes in Computer Science, 2022, , 161-174.	1.0	0
253	å'展人å£ç¥žç»ç§'å¦ä¸çš"规范åŒ−廰模-é‡åŒ−脑智å'展规律与个体å^†åŒ−特å¾çš"&Idqu	o; æ̃.¾ 4å¾	∙® é œ&i
254	A review of deep learning-based deformable medical image registration. Frontiers in Oncology, $0,12,.$	1.3	17
255	Part-and-whole: A novel framework for deformable medical image registration. Applied Intelligence, 0,	3.3	1
256	Preliminary evidence for a lower brain age in children with attention-deficit/hyperactivity disorder. Frontiers in Psychiatry, 0, 13, .	1.3	2
257	A Review of Machine Learning and Deep Learning Approaches on Mental Health Diagnosis. Healthcare (Switzerland), 2023, 11, 285.	1.0	22
258	SQET: Squeeze and Excitation Transformer for High-accuracy Brain Age Estimation. , 2022, , .		2
259	3D CNN Based Automatic Diagnosis of ADHD Using fMRI Volumes. Deu Muhendislik Fakultesi Fen Ve Muhendislik, 2023, 25, 1-8.	0.1	2
260	Identification of overlapping and interacting networks reveals intrinsic spatiotemporal organization of the human brain. Neurolmage, 2023, 270, 119944.	2.1	3
261	SynthSeg: Segmentation of brain MRI scans of any contrast and resolution without retraining. Medical Image Analysis, 2023, 86, 102789.	7.0	41
262	Multiple measurement analysis of resting-state fMRI for ADHD classification in adolescent brain from the ABCD study. Translational Psychiatry, 2023, 13, .	2.4	6
263	Applications of Deep Learning to Neurodevelopment in Pediatric Imaging: Achievements and Challenges. Applied Sciences (Switzerland), 2023, 13, 2302.	1.3	2
265	Identifying individuals with attentionâ€deficit/hyperactivity disorder based on multisite restingâ€state functionalÂmagnetic resonance imaging: A radiomics analysis. Human Brain Mapping, 2023, 44, 3433-3445.	1.9	4
272	Discrimination ofÂAttention Deficit Hyperactivity Disorder Using Capsule Networks andÂLSTM Networks onÂfMRI Data. Communications in Computer and Information Science, 2023, , 291-302.	0.4	0

#	Article	IF	CITATIONS
275	Modeling Life-Span Brain Age fromÂLarge-Scale Dataset Based onÂMulti-level Information Fusion. Lecture Notes in Computer Science, 2024, , 84-93.	1.0	0
278	Development andÂFast Transferring ofÂGeneral Connectivity-Based Diagnosis Model toÂNew Brain Disorders withÂAdaptive Graph Meta-Learner. Lecture Notes in Computer Science, 2023, , 99-108.	1.0	O
279	Non-iterative Coarse-to-Fine Transformer Networks for Joint Affine and Deformable Image Registration. Lecture Notes in Computer Science, 2023, , 750-760.	1.0	1
283	Exploring ADHD anatomic patterns by a multiresolution curvelet analysis. , 2023, , .		O
285	Adaptive particle swarm architecture search based on multi-level convolutions for functional brain network classification., 2023,,.		0