

Hybrid graphene–quantum dot phototransistors with

Nature Nanotechnology

7, 363-368

DOI: 10.1038/nnano.2012.60

Citation Report

#	ARTICLE	IF	CITATIONS
7	Silver nanoisland enhanced Raman interaction in graphene. Applied Physics Letters, 2012, 101, 153113.	1.5	45
8	Structure- and composition-dependent electron field emission from nitrogenated carbon nanotips. Journal of Applied Physics, 2012, 112, 084304.	1.1	7
9	Photoconductivity and enhanced memory effects in hybrid C <sub>60</sub> -graphene transistors. Nanotechnology, 2012, 23, 455202.	1.3	28
10	Graphene photodetectors get gain. Physics Today, 2012, 65, 15-16.	0.3	4
11	Visible Light-Driven Fe <sub>2</sub> O <sub>3</sub> Nanorod/Graphene/BiVO <sub>4</sub> Core/Shell Heterojunction Array for Efficient Photoelectrochemical Water Splitting. Nano Letters, 2012, 12, 6464-6473.	4.5	424
12	Graphene applications in electronics and photonics. MRS Bulletin, 2012, 37, 1225-1234.	1.7	186
13	Highly sensitive organic near-infrared phototransistors based on poly(3-hexylthiophene) and PbS quantum dots. Journal of Materials Chemistry, 2012, 22, 21673.	6.7	62
14	Plasmon-Induced Doping of Graphene. ACS Nano, 2012, 6, 10222-10228.	7.3	356
15	Strong Enhancement of Light-Matter Interaction in Graphene Coupled to a Photonic Crystal Nanocavity. Nano Letters, 2012, 12, 5626-5631.	4.5	248
16	Infrared Photodetectors Based on CVD-Grown Graphene and PbS Quantum Dots with Ultrahigh Responsivity. Advanced Materials, 2012, 24, 5878-5883.	11.1	698
17	Production and processing of graphene and 2d crystals. Materials Today, 2012, 15, 564-589.	8.3	866
18	A sensitive pair. Nature Nanotechnology, 2012, 7, 349-350.	15.6	26
19	Radiation effects on the electronic properties of bilayer graphene. Physical Review B, 2012, 86, .	1.1	116
20	Microcavity-Integrated Graphene Photodetector. Nano Letters, 2012, 12, 2773-2777.	4.5	753
21	Photoresponse mechanisms of ultraviolet photodetectors based on colloidal ZnO quantum dot-graphene nanocomposites. Applied Physics Letters, 2013, 102, .	1.5	85
22	Tunable Superlattice in Graphene To Control the Number of Dirac Points. Nano Letters, 2013, 13, 3990-3995.	4.5	76
23	Biologically inspired graphene-chlorophyll phototransistors with high gain. Carbon, 2013, 63, 23-29.	5.4	100
24	Fabrication of graphene quantum dots via size-selective precipitation and their application in upconversion-based DSSCs. Chemical Communications, 2013, 49, 9995.	2.2	93

#	ARTICLE	IF	CITATIONS
25	Broadband THz Absorbers With Graphene-Based Anisotropic Metamaterial Films. IEEE Transactions on Terahertz Science and Technology, 2013, 3, 757-763.	2.0	116
26	Plasmonic control of nonlinear two-photon absorption in graphene nanocomposites. Journal of Physics Condensed Matter, 2013, 25, 385302.	0.7	18
27	Graphene-MoS <sub>2</sub> hybrid structures for multifunctional photoresponsive memory devices. Nature Nanotechnology, 2013, 8, 826-830.	15.6	1,232
28	Properties and applications of chemically functionalized graphene. Journal of Physics Condensed Matter, 2013, 25, 423201.	0.7	85
29	Excitonic effects of bilayer graphene: A simple approach. Optik, 2013, 124, 6126-6131.	1.4	2
30	Evidence for Nonradiative Energy Transfer in Graphene-Oxide-Based Hybrid Structures. Journal of Physical Chemistry C, 2013, 117, 25298-25304.	1.5	19
31	Ultrafast zero balance of the oscillator-strength sum rule in graphene. Scientific Reports, 2013, 3, 2663.	1.6	8
32	Quantum dot field effect transistors. Materials Today, 2013, 16, 312-325.	8.3	188
33	Photoelectrical response of hybrid graphene-PbS quantum dot devices. Applied Physics Letters, 2013, 103, .	1.5	56
34	Improved photoresponse with enhanced photoelectric contribution in fully suspended graphene photodetectors. Scientific Reports, 2013, 3, 2791.	1.6	68
35	Chip-integrated ultrafast graphene photodetector with high responsivity. Nature Photonics, 2013, 7, 883-887.	15.6	971
36	High-responsivity graphene/silicon-heterostructure waveguide photodetectors. Nature Photonics, 2013, 7, 888-891.	15.6	731
37	CMOS-compatible graphene photodetector covering all optical communication bands. Nature Photonics, 2013, 7, 892-896.	15.6	679
38	Graphene benefits. Nature Photonics, 2013, 7, 851-852.	15.6	33
39	Enhancing the absorption of graphene in the terahertz range. Europhysics Letters, 2013, 101, 58002.	0.7	44
40	Interface-Engineered Bistable [2]Rotaxane-Graphene Hybrids with Logic Capabilities. Advanced Materials, 2013, 25, 6752-6759.	11.1	53
41	Absorption of electromagnetic waves by graphene. Physics of Wave Phenomena, 2013, 21, 207-213.	0.3	7
42	Photoelectrochemical Properties of Graphene and Its Derivatives. Nanomaterials, 2013, 3, 325-356.	1.9	104

#	ARTICLE	IF	CITATIONS
43	Ultra-sensitive Graphene-Plasmonic Hybrid Platform for Label-Free Detection. <i>Advanced Materials</i> , 2013, 25, 4918-4924.	11.1	193
44	Optically active heterostructures of graphene and ultrathin MoS <sub>2</sub> . <i>Solid State Communications</i> , 2013, 175-176, 35-42.	0.9	42
45	All Carbon-Based Photodetectors: An eminent integration of graphite quantum dots and two dimensional graphene. <i>Scientific Reports</i> , 2013, 3, 2694.	1.6	86
46	A high-sensitivity near-infrared phototransistor based on an organic bulk heterojunction. <i>Nanoscale</i> , 2013, 5, 11850.	2.8	134
47	High-Contrast Electrooptic Modulation of a Photonic Crystal Nanocavity by Electrical Gating of Graphene. <i>Nano Letters</i> , 2013, 13, 691-696.	4.5	177
48	Functional Hybrid Systems Based on Large-Area High-Quality Graphene. <i>Accounts of Chemical Research</i> , 2013, 46, 2193-2201.	7.6	28
49	Few layer graphene to graphitic films: infrared photoconductive versus bolometric response. <i>Nanoscale</i> , 2013, 5, 381-389.	2.8	37
50	Tunable Graphene-Silicon Heterojunctions for Ultrasensitive Photodetection. <i>Nano Letters</i> , 2013, 13, 909-916.	4.5	538
51	Nanoscale assembly into extended and continuous structures and hybrid materials. <i>NPG Asia Materials</i> , 2013, 5, e43-e43.	3.8	21
52	How Do the Electrical Properties of Graphene Change with its Functionalization?. <i>Small</i> , 2013, 9, 341-350.	5.2	287
53	Quantum Dot-Carbon Nanotube Hybrid Phototransistor with an Enhanced Optical Stark Effect. <i>Advanced Functional Materials</i> , 2013, 23, 3653-3660.	7.8	21
54	Multiwall Nanotubes, Multilayers, and Hybrid Nanostructures: New Frontiers for Technology and Raman Spectroscopy. <i>ACS Nano</i> , 2013, 7, 1838-1844.	7.3	49
55	Universal Distance-Scaling of Nonradiative Energy Transfer to Graphene. <i>Nano Letters</i> , 2013, 13, 2030-2035.	4.5	197
56	Graphene in Light: Design, Synthesis and Applications of Photoactive Graphene and Graphene-Like Materials. <i>Small</i> , 2013, 9, 1266-1283.	5.2	129
57	Exact solution for square-wave grating covered with graphene: surface plasmon-polaritons in the terahertz range. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 125303.	0.7	33
58	Graphene-Based Nanomaterials: Synthesis, Properties, and Optical and Optoelectronic Applications. <i>Advanced Functional Materials</i> , 2013, 23, 1984-1997.	7.8	257
59	Few-Layer MoS <sub>2</sub> with High Broadband Photogain and Fast Optical Switching for Use in Harsh Environments. <i>ACS Nano</i> , 2013, 7, 3905-3911.	7.3	584
60	Highly Responsive Ultrathin GaS Nanosheet Photodetectors on Rigid and Flexible Substrates. <i>Nano Letters</i> , 2013, 13, 1649-1654.	4.5	683

#	ARTICLE	IF	CITATIONS
61	Broadband high photoresponse from pure monolayer graphene photodetector. Nature Communications, 2013, 4, 1811.	5.8	681
62	The Interaction of Light and Graphene: Basics, Devices, and Applications. Proceedings of the IEEE, 2013, 101, 1717-1731.	16.4	94
63	Interfacing Quantum Dots and Graphitic Surfaces with Chlorine Atomic Ligands. ACS Nano, 2013, 7, 2559-2565.	7.3	22
64	Synthesis of metal selenide colloidal nanocrystals by the hot injection of selenium powder. Dalton Transactions, 2013, 42, 12654.	1.6	16
65	SYNTHETIC GRAPHENE GROWN BY CHEMICAL VAPOR DEPOSITION ON COPPER FOILS. International Journal of Modern Physics B, 2013, 27, 1341002.	1.0	30
66	Oxygen-Assisted Charge Transfer Between ZnO Quantum Dots and Graphene. Small, 2013, 9, 3031-3036.	5.2	174
67	Measuring Charge Carrier Diffusion in Coupled Colloidal Quantum Dot Solids. ACS Nano, 2013, 7, 5282-5290.	7.3	178
68	Photocurrent in graphene harnessed by tunable intrinsic plasmons. Nature Communications, 2013, 4, 1951.	5.8	280
69	Plasmonics in Nanostructures. Advanced Materials, 2013, 25, 3840-3856.	11.1	134
70	Two-Dimensional Crystals: Managing Light for Optoelectronics. ACS Nano, 2013, 7, 5660-5665.	7.3	398
71	Ultrasensitive photodetectors based on monolayer MoS <sub>2</sub> . Nature Nanotechnology, 2013, 8, 497-501.	15.6	4,202
72	Optical properties of functionalized graphene. Physica Status Solidi (B): Basic Research, 2013, 250, 2678-2680.	0.7	6
73	Theory of the plasma-wave photoresponse of a gated graphene sheet. Physical Review B, 2013, 88, .	1.1	85
74	Arbitrary Multicolor Photodetection by Hetero-integrated Semiconductor Nanostructures. Scientific Reports, 2013, 3, 2368.	1.6	41
75	Deterministic growth of AgTCNQ and CuTCNQ nanowires on large-area reduced graphene oxide films for flexible optoelectronics. Nanotechnology, 2013, 24, 465202.	1.3	17
76	Anodic bonded 2D semiconductors: from synthesis to device fabrication. Nanotechnology, 2013, 24, 415708.	1.3	21
77	Optoelectronic properties of graphene-MoS <sub>2</sub> hybrid. Materials Research Society Symposia Proceedings, 2013, 1505, 1.	0.1	2
78	Facile Fabrication of PbS Nanocrystal: Fullerite Broadband Photodetectors with High Detectivity. Advanced Functional Materials, 2013, 23, 4149-4155.	7.8	44

#	ARTICLE	IF	CITATIONS
79	A trilayer architecture for polymer photoconductors. Applied Physics Letters, 2013, 102, .	1.5	17
80	Gate-tunable carbon nanotube-MoS <sub>2</sub> heterojunction p-n diode. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 18076-18080.	3.3	373
81	Fluorescence quenching of CdSe quantum dots on graphene. Applied Physics Letters, 2013, 103, 201909.	1.5	16
82	Introduction to carbon-based nanostructures. , 0, , 1-10.		0
83	Electronic properties of carbon-based nanostructures. , 0, , 11-90.		0
84	Colloidal quantum dot photodetectors. , 2013, , 173-198.		4
85	Search Boundary, Knowledge Recombination, and Technological Breakthroughs. SSRN Electronic Journal, 0, , .	0.4	0
86	Chemical vapor deposited graphene: From synthesis to applications. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 2439-2449.	0.8	81
87	Charge Transfer Dynamics between Colloidal Nanocrystals and Graphene. , 2014, , .		0
88	Reduced graphene oxide/ZnO hybrid structure for high-performance photodetection. Journal of Nanoparticle Research, 2014, 16, 1.	0.8	19
89	Disorder density of states in supported graphene. Journal of Applied Physics, 2014, 116, 074516.	1.1	1
90	Ultrahigh Infrared Photoresponse from Core-Shell Single-Domain VO <sub>2</sub> /V <sub>2</sub> O <sub>5</sub> Heterostructure in Nanobeam. Advanced Functional Materials, 2014, 24, 1821-1830.	7.8	87
91	Two-dimensional material nanophotonics. Nature Photonics, 2014, 8, 899-907.	15.6	2,362
92	Renormalization of nanoparticle polarizability in the vicinity of a graphene-covered interface. Physical Review B, 2014, 90, .	1.1	12
93	Strong enhancement of Faraday rotation using one-dimensional conjugated photonic crystals containing graphene layers. Applied Optics, 2014, 53, 8374.	2.1	10
94	Transparent, High-Performance Thin-Film Transistors with an InGaZnO/Aligned-SnO <sub>2</sub> -Nanowire Composite and their Application in Photodetectors. Advanced Materials, 2014, 26, 7399-7404.	11.1	104
95	Synergetically Enhanced Near-Infrared Photoresponse of Reduced Graphene Oxide by Upconversion and Gold Plasmon. Small, 2014, 10, 3637-3643.	5.2	31
96	Electron energy loss spectroscopy of gold nanoparticles on graphene. Journal of Applied Physics, 2014, 116, .	1.1	27

#	ARTICLE	IF	CITATIONS
97	Nanocarbons and quantum dots formation in new hybrid materials. Proceedings of SPIE, 2014, , .	0.8	0
98	The micropatterning of layers of colloidal quantum dots with inorganic ligands using selective wet etching. Nanotechnology, 2014, 25, 175302.	1.3	18
99	Quantum dots - graphene hybrid structures: interplay of optical and electrical properties. , 2014, , .		2
100	Wettability of graphene-laminated micropillar structures. Journal of Applied Physics, 2014, 116, .	1.1	7
101	Low-voltage organic phototransistors based on naphthyl end-capped oligothiophene nanofibers. Organic Electronics, 2014, 15, 1273-1281.	1.4	22
102	Solitary electromagnetic waves in a graphene superlattice under influence of high-frequency electric field. Superlattices and Microstructures, 2014, 70, 70-81.	1.4	10
103	Infrared to terahertz absorption window in mono- and multi-layer graphene systems. Optics Communications, 2014, 328, 135-142.	1.0	9
104	Waveguide-Coupled Graphene Optoelectronics. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 84-94.	1.9	64
105	Graphene Photonics, Plasmonics, and Optoelectronics. IEEE Journal of Selected Topics in Quantum Electronics, 2014, 20, 72-83.	1.9	153
106	Grapheneviasonication assisted liquid-phase exfoliation. Chemical Society Reviews, 2014, 43, 381-398.	18.7	976
107	25th Anniversary Article: Hybrid Nanostructures Based on Twoâ€­Dimensional Nanomaterials. Advanced Materials, 2014, 26, 2185-2204.	11.1	579
108	Application and Future Challenges of Functional Nanocarbon Hybrids. Advanced Materials, 2014, 26, 2295-2318.	11.1	290
109	Ultrahigh Photoresponse of Fewâ€­Layer TiS <sub>3</sub> Nanoribbon Transistors. Advanced Optical Materials, 2014, 2, 641-645.	3.6	189
110	Graphene quasi-energy spectrum under high-frequency electromagnetic radiation. Physics of Wave Phenomena, 2014, 22, 25-30.	0.3	2
111	Effect of ligand passivation on morphology, optical and photoresponse properties of CdS colloidal quantum dots thin film. Journal of Materials Science: Materials in Electronics, 2014, 25, 1499-1504.	1.1	10
112	Plasma-induced photoresponse in few-layer graphene. Carbon, 2014, 73, 25-33.	5.4	8
113	Flexible lead sulfide colloidal quantum dot photodetector using pencil graphite electrodes on paper substrates. Journal of Alloys and Compounds, 2014, 596, 73-78.	2.8	55
114	Graphene photodetectors with ultra-broadband and high responsivity at room temperature. Nature Nanotechnology, 2014, 9, 273-278.	15.6	999

#	ARTICLE	IF	CITATIONS
115	High Responsivity and Gate Tunable Graphene-MoS <sub>2</sub> Hybrid Phototransistor. <i>Small</i> , 2014, 10, 2300-2306.	5.2	301
116	Mass Production of Graphene Quantum Dots by One-Pot Synthesis Directly from Graphite in High Yield. <i>Small</i> , 2014, 10, 866-870.	5.2	111
117	Ultrafast Phase Transition via Catastrophic Phonon Collapse Driven by Plasmonic Hot-Electron Injection. <i>Nano Letters</i> , 2014, 14, 1127-1133.	4.5	123
118	A graphene-based transparent electrode for use in flexible optoelectronic devices. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2646-2656.	2.7	145
119	Controlled Ambipolar Tuning and Electronic Superlattice Fabrication of Graphene via Optical Gating. <i>Advanced Materials</i> , 2014, 26, 3735-3740.	11.1	26
120	Photosensitive Graphene Transistors. <i>Advanced Materials</i> , 2014, 26, 5239-5273.	11.1	290
121	Time-resolved energy transfer from single chloride-terminated nanocrystals to graphene. <i>Applied Physics Letters</i> , 2014, 104, 171101.	1.5	23
122	Nanoantenna-Sandwiched Graphene with Giant Spectral Tuning in the Visible-Near-Infrared Region. <i>Advanced Optical Materials</i> , 2014, 2, 162-170.	3.6	39
123	Trilayered MoS <sub>2</sub> Metal-Semiconductor-Metal Photodetectors: Photogain and Radiation Resistance. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014, 20, 30-35.	1.9	40
124	Graphene and Graphene-like Two-Dimensional Materials in Photodetection: Mechanisms and Methodology. <i>ACS Nano</i> , 2014, 8, 4133-4156.	7.3	507
125	PbTe Nanocrystal Arrays on Graphene and the Structural Influence of Capping Ligands. <i>Chemistry of Materials</i> , 2014, 26, 1567-1575.	3.2	11
126	Subdiffusive Exciton Transport in Quantum Dot Solids. <i>Nano Letters</i> , 2014, 14, 3556-3562.	4.5	152
127	Graphene-Ruthenium Complex Hybrid Photodetectors with Ultrahigh Photoresponsivity. <i>Small</i> , 2014, 10, 3700-3706.	5.2	35
128	High Performance and Bendable Few-Layered InSe Photodetectors with Broad Spectral Response. <i>Nano Letters</i> , 2014, 14, 2800-2806.	4.5	690
129	Photodetection Based on Ionic Liquid Gated Plasmonic Ag Nanoparticle/Graphene Nanohybrid Field Effect Transistors. <i>Advanced Optical Materials</i> , 2014, 2, 729-736.	3.6	36
130	Size tuning at full yield in the synthesis of colloidal semiconductor nanocrystals, reaction simulations and experimental verification. <i>Coordination Chemistry Reviews</i> , 2014, 263-264, 217-228.	9.5	27
131	Synthesis of two-dimensional In <sub>2</sub> Ga <sub>2</sub> O <sub>3</sub> nanosheets for high-performance solar blind photodetectors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 3254-3259.	2.7	167
132	Molecule-substrate interaction in functionalized graphene. <i>Carbon</i> , 2014, 69, 536-542.	5.4	9



#	ARTICLE	IF	CITATIONS
133	Emerging Device Applications for Semiconducting Two-Dimensional Transition Metal Dichalcogenides. ACS Nano, 2014, 8, 1102-1120.	7.3	2,307
134	Optical conductivity of hydrogenated graphene from first principles. Physical Review B, 2014, 89, .	1.1	15
135	Electroluminescence from graphene excited by electron tunneling. Nanotechnology, 2014, 25, 055206.	1.3	26
136	Efficient and cost-effective graphene on silicon solar cells prepared by spray coating. RSC Advances, 2014, 4, 55300-55304.	1.7	11
137	Attribution of Fano resonant features to plasmonic particle size, lattice constant, and dielectric wavenumber in square nanoparticle lattices. Photonics Research, 2014, 2, 15.	3.4	27
138	Nanocrystal Skins with Exciton Funneling for Photosensing. Small, 2014, 10, 2470-2475.	5.2	15
139	A Highly Sensitive Graphene-Organic Hybrid Photodetector with a Piezoelectric Substrate. Advanced Functional Materials, 2014, 24, 6818-6825.	7.8	84
140	Transport properties of epitaxial graphene formed on the surface of a superconductor. Semiconductors, 2014, 48, 924-934.	0.2	10
141	Nanowires of Methylammonium Lead Iodide (CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> ) Prepared by Low Temperature Solution-Mediated Crystallization. Nano Letters, 2014, 14, 6761-6766.	4.5	257
142	Piezoelectric coupling in a field-effect transistor with a nanohybrid channel of ZnO nanorods grown vertically on graphene. Nanoscale, 2014, 6, 15144-15150.	2.8	24
143	A deep ultraviolet to near-infrared photoresponse from glucose-derived graphene oxide. Journal of Materials Chemistry C, 2014, 2, 6971-6977.	2.7	40
144	Spatially Resolved Energy Transfer in Patterned Colloidal Quantum Dot Heterostructures. ACS Applied Materials & Interfaces, 2014, 6, 3111-3114.	4.0	12
145	Ultrahigh Responsivity and External Quantum Efficiency of an Ultraviolet-Light Photodetector Based on a Single VO <sub>2</sub> Microwire. ACS Applied Materials & Interfaces, 2014, 6, 14286-14292.	4.0	94
146	Epitaxial Growth of PbSe Quantum Dots on MoS <sub>2</sub> Nanosheets and their Near-Infrared Photoresponse. Advanced Functional Materials, 2014, 24, 5798-5806.	7.8	134
147	Oxygen-induced abnormal photoelectric behavior of a MoO <sub>3</sub> /graphene heterocomposite. RSC Advances, 2014, 4, 49873-49878.	1.7	18
148	Anomalous and Highly Efficient InAs Nanowire Phototransistors Based on Majority Carrier Transport at Room Temperature. Advanced Materials, 2014, 26, 8203-8209.	11.1	168
149	High-performance ZnO/Ag Nanowire/ZnO composite film UV photodetectors with large area and low operating voltage. Journal of Materials Chemistry C, 2014, 2, 4312-4319.	2.7	85
150	Graphene-based hybrid structures combined with functional materials of ferroelectrics and semiconductors. Nanoscale, 2014, 6, 6346-6362.	2.8	83

#	ARTICLE	IF	CITATIONS
151	Quantum Carrier Reinvestment-Induced Ultrahigh and Broadband Photocurrent Responses in Graphene-Silicon Junctions. ACS Nano, 2014, 8, 10270-10279.	7.3	105
152	Strong light-matter interactions in sub-nanometer gaps defined by monolayer graphene: toward highly sensitive SERS substrates. Nanoscale, 2014, 6, 11112-11120.	2.8	87
153	Two-dimensional heterostructures: fabrication, characterization, and application. Nanoscale, 2014, 6, 12250-12272.	2.8	323
154	Extraordinary Absorption of Decorated Undoped Graphene. Physical Review Letters, 2014, 112, 077401.	2.9	50
155	Electronic transport in nanoparticle monolayers sandwiched between graphene electrodes. Nanoscale, 2014, 6, 14158-14162.	2.8	8
156	Study of exciton transfer in dense quantum dot nanocomposites. Nanoscale, 2014, 6, 11387-11394.	2.8	24
157	Photoresponse of an Electrically Tunable Ambipolar Graphene Infrared Thermocouple. Nano Letters, 2014, 14, 901-907.	4.5	44
158	Graphene Field-Effect Transistor and Its Application for Electronic Sensing. Small, 2014, 10, 4042-4065.	5.2	184
159	Carbon nanotube light sensors with linear dynamic range of over 120 dB. Applied Physics Letters, 2014, 105, .	1.5	29
160	Interface Engineering for CVD Graphene: Current Status and Progress. Small, 2014, 10, 4443-4454.	5.2	29
161	Nonlinear optical absorption in a graphene infrared photodetector. Nanotechnology, 2014, 25, 335710.	1.3	2
162	Utilisation of janus material for controllable formation of graphene p-n junctions and superlattices. RSC Advances, 2014, 4, 4146-4154.	1.7	16
163	Dye-Sensitized MoS <sub>2</sub> Photodetector with Enhanced Spectral Photoresponse. ACS Nano, 2014, 8, 8285-8291.	7.3	268
164	Mechanisms of Photoconductivity in Atomically Thin MoS <sub>2</sub> . Nano Letters, 2014, 14, 6165-6170.	4.5	563
165	Nanoscale Carrier Multiplication Mapping in a Si Diode. Nano Letters, 2014, 14, 5636-5640.	4.5	5
166	Substrate-Sensitive Mid-infrared Photoresponse in Graphene. ACS Nano, 2014, 8, 8350-8356.	7.3	30
167	Photodetectors based on graphene, other two-dimensional materials and hybrid systems. Nature Nanotechnology, 2014, 9, 780-793.	15.6	3,017
168	Synergetic Effect of Silver Nanocrystals Applied in PbS Colloidal Quantum Dots for High-Performance Infrared Photodetectors. ACS Photonics, 2014, 1, 936-943.	3.2	103

#	ARTICLE	IF	CITATIONS
169	Investigations on the morphology, optical and photoresponse properties of PbS/CdS binary colloidal quantum dot thin film. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 2516-2521.	1.1	4
170	Physically Flexible, Rapid-Response Gas Sensor Based on Colloidal Quantum Dot Solids. <i>Advanced Materials</i> , 2014, 26, 2718-2724.	11.1	313
171	High-Responsivity Mid-Infrared Graphene Detectors with Antenna-Enhanced Photocarrier Generation and Collection. <i>Nano Letters</i> , 2014, 14, 3749-3754.	4.5	231
172	Recent advances in solution-processed inorganic nanofilm photodetectors. <i>Chemical Society Reviews</i> , 2014, 43, 1400-1422.	18.7	142
173	Transition from Thermodynamic to Kinetic-Limited Excitonic Energy Migration in Colloidal Quantum Dot Solids. <i>Journal of Physical Chemistry C</i> , 2014, 118, 7894-7900.	1.5	22
174	Photo-modulated thin film transistor based on dynamic charge transfer within quantum-dots-InGaZnO interface. <i>Applied Physics Letters</i> , 2014, 104, 113501.	1.5	21
175	Photothermoelectric and Photoelectric Contributions to Light Detection in Metal-Graphene-Metal Photodetectors. <i>Nano Letters</i> , 2014, 14, 3733-3742.	4.5	153
176	Graphene for Electron Devices: The Panorama of a Decade. <i>IEEE Journal of the Electron Devices Society</i> , 2014, 2, 77-104.	1.2	25
177	Large-Area, Transparent, and Flexible Infrared Photodetector Fabricated Using P-N Junctions Formed by N-Doping Chemical Vapor Deposition Grown Graphene. <i>Nano Letters</i> , 2014, 14, 3702-3708.	4.5	201
178	Transport properties of epitaxial graphene formed on the surface of a metal. <i>Physics of the Solid State</i> , 2014, 56, 854-864.	0.2	6
180	Electrical and Photo-Induced Effects in Graphene Channels When Interfaced with Quantum Dots. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1727, 62.	0.1	1
181	Photoinduced conductivity enhancement in quantum dot/multilayer graphene nanostructures. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1787, 15-19.	0.1	5
182	High Broad-Band Photoresponsivity of Mechanically Formed InSe-Graphene van der Waals Heterostructures. <i>Advanced Materials</i> , 2015, 27, 3760-3766.	11.1	320
183	Ligand-Induced Control of Photoconductive Gain and Doping in a Hybrid Graphene-Quantum Dot Transistor. <i>Advanced Electronic Materials</i> , 2015, 1, 1500062.	2.6	59
184	Interface designed MoS <sub>2</sub> /GaAs heterostructure solar cell with sandwich stacked hexagonal boron nitride. <i>Scientific Reports</i> , 2015, 5, 15103.	1.6	110
185	Effect of Interlayer Coupling on Ultrafast Charge Transfer from Semiconducting Molecules to Mono- and Bilayer Graphene. <i>Physical Review Applied</i> , 2015, 4, .	1.5	19
186	Dynamical tuning of energy transfer efficiency on a graphene monolayer. <i>Physical Review B</i> , 2015, 91, .	1.1	21
187	Plasmon-mediated emergence of collective emission and enhanced quantum efficiency in quantum dot films. <i>Physical Review B</i> , 2015, 92, .	1.1	18

#	ARTICLE	IF	CITATIONS
188	Highly photosensitive graphene field-effect transistor with optical memory function. Scientific Reports, 2015, 5, 15491.	1.6	13
189	High-performance ultraviolet photodetectors based on solution-grown ZnS nanobelts sandwiched between graphene layers. Scientific Reports, 2015, 5, 12345.	1.6	62
190	Negative terahertz conductivity in remotely doped graphene bilayer heterostructures. Journal of Applied Physics, 2015, 118, .	1.1	4
191	Ultrasensitive organic phototransistors with multispectral response based on thin-film/single-crystal bilayer structures. Applied Physics Letters, 2015, 107, .	1.5	25
192	Pulsed Near-IR Photoresponse in a Bi-metal Contacted Graphene Photodetector. Scientific Reports, 2015, 5, 14803.	1.6	7
193	Graphene/CdTe heterostructure solar cell and its enhancement with photo-induced doping. Applied Physics Letters, 2015, 107, .	1.5	17
194	Precisely Controlled Ultrastrong Photoinduced Doping at Grapheneâ€“Heterostructures Assisted by Trapâ€“Stateâ€“Mediated Charge Transfer. Advanced Materials, 2015, 27, 7809-7815.	11.1	39
195	High Responsivity, Broadband, and Fast Graphene/Silicon Photodetector in Photoconductor Mode. Advanced Optical Materials, 2015, 3, 1207-1214.	3.6	141
196	Microengineered CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Nanowire/Graphene Phototransistor for Lowâ€“Intensity Light Detection at Room Temperature. Small, 2015, 11, 4824-4828.	5.2	151
197	Sandwiched confinement of quantum dots in graphene matrix for efficient electron transfer and photocurrent production. Scientific Reports, 2015, 5, 9860.	1.6	25
198	Sunlight-activated graphene-heterostructure transparent cathodes: enabling high-performance n-graphene/p-Si Schottky junction photovoltaics. Energy and Environmental Science, 2015, 8, 2085-2092.	15.6	42
199	Integrated colloidal quantum dot photodetectors with color-tunable plasmonic nanofocusing lenses. Light: Science and Applications, 2015, 4, e234-e234.	7.7	46
200	Few-layer graphene/ZnO nanowires based high performance UV photodetector. Nanotechnology, 2015, 26, 235703.	1.3	79
201	Photoluminescence of graphene oxide integrated with silicon substrates. , 2015, , .		0
202	High Gain Hybrid Grapheneâ€“Organic Semiconductor Phototransistors. ACS Applied Materials & Interfaces, 2015, 7, 11083-11088.	4.0	65
203	Broad Family of Carbon Nanoallotropes: Classification, Chemistry, and Applications of Fullerenes, Carbon Dots, Nanotubes, Graphene, Nanodiamonds, and Combined Superstructures. Chemical Reviews, 2015, 115, 4744-4822.	23.0	1,519
204	Graphene as a Massless Electrode for Ultrahigh-Frequency Piezoelectric Nanoelectromechanical Systems. Nano Letters, 2015, 15, 4599-4604.	4.5	53
206	Surface plasmon propelled high-performance CdSe nanoribbons photodetector. Optics Express, 2015, 23, 12979.	1.7	42

#	ARTICLE	IF	CITATIONS
207	Au Nanoparticle Light Scattering Enhanced Responsivity in Pentacene Phototransistor for Deep-UV Light Detection. IEEE Electron Device Letters, 2015, 36, 1186-1188.	2.2	9
208	Graphene Nanoribbon Quantum-Well Interband and Intersubband Photodetector. IEEE Transactions on Electron Devices, 2015, 62, 4082-4090.	1.6	6
209	Graphene, graphene quantum dots and their applications in optoelectronics. Current Opinion in Colloid and Interface Science, 2015, 20, 439-453.	3.4	73
210	Building graphene p-n junctions for next-generation photodetection. Nano Today, 2015, 10, 701-716.	6.2	45
211	High-sensitive hybrid photodetector based on CdSe quantum dots and graphene for detecting ATP bioluminescence on lab-on-chip devices. , 2015, , .		1
212	Two-dimensional materials for nanophotonics application. Nanophotonics, 2015, 4, 128-142.	2.9	97
213	Bulk- and layer-heterojunction phototransistors based on poly [2-methoxy-5-(2-ethylhexyloxy-p-phenylenevinylene)] and PbS quantum dot hybrids. Applied Physics Letters, 2015, 106, .	1.5	14
214	Hybrid Single Walled Carbon Nanotube - Quantum Dot photosensors. , 2015, , .		0
215	High sensitivity, ultra-broadband SWNT-graphene hybrid photodetector. , 2015, , .		0
216	Strongly Nonlinear Dependence of Energy Transfer Rate on $sp^2$ Carbon Content in Reduced Graphene Oxide-Quantum Dot Hybrid Structures. Journal of Physical Chemistry Letters, 2015, 6, 44-47.	2.1	11
217	Flexible graphene devices related to energy conversion and storage. Energy and Environmental Science, 2015, 8, 790-823.	15.6	328
218	Highly Sensitive Ultraviolet Photodetectors Fabricated from ZnO Quantum Dots/Carbon Nanodots Hybrid Films. Scientific Reports, 2014, 4, 7469.	1.6	116
219	Epitaxial graphene contact electrode for silicon carbide based ultraviolet photodetector. Journal Physics D: Applied Physics, 2015, 48, 095104.	1.3	42
220	Ultrahigh Field Enhancement and Photoresponse in Atomically Separated Arrays of Plasmonic Dimers. Advanced Materials, 2015, 27, 1751-1758.	11.1	59
221	Transparent and transferrable organic optoelectronic devices based on WO <sub>3</sub> /Ag/WO <sub>3</sub> electrodes. Applied Physics Letters, 2015, 106, .	1.5	29
222	Gate-Tunable Photoresponse of Defective Graphene: from Ultraviolet to Visible. ACS Applied Materials & Interfaces, 2015, 7, 2171-2177.	4.0	17
223	Nanoplatelets Bridging a Nanotrench: A New Architecture for Photodetectors with Increased Sensitivity. Nano Letters, 2015, 15, 1736-1742.	4.5	59
224	Tailoring the Electronic Properties of Colloidal Quantum Dots in Metal-Semiconductor Nanocomposites for High Performance Photodetectors. Small, 2015, 11, 2636-2641.	5.2	35

#	ARTICLE	IF	CITATIONS
225	Strong enhancement of photoresponsivity with shrinking the electrodes spacing in few layer GaSe photodetectors. <i>Scientific Reports</i> , 2015, 5, 8130.	1.6	106
226	Photoactive Hybrid Material Based on Pyrene Functionalized PbS Nanocrystals Decorating CVD Monolayer Graphene. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4151-4159.	4.0	29
227	Mapping the Exciton Diffusion in Semiconductor Nanocrystal Solids. <i>ACS Nano</i> , 2015, 9, 2926-2937.	7.3	56
228	Raman characterization of defects and dopants in graphene. <i>Journal of Physics Condensed Matter</i> , 2015, 27, 083002.	0.7	451
229	A new transfer matrix method to calculate the optical absorption of graphene at any position in stratified media. <i>Europhysics Letters</i> , 2015, 109, 27002.	0.7	22
230	Solution-Processed Graphene Quantum Dot Deep-UV Photodetectors. <i>ACS Nano</i> , 2015, 9, 1561-1570.	7.3	249
231	Physicochemical properties of hybrid graphene-lead sulfide quantum dots prepared by supercritical ethanol. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	35
232	Stabilization of the shape of a solitary electromagnetic wave in a graphene superlattice by a high-frequency laser field. <i>Optics and Spectroscopy (English Translation of Optika i Spektroskopiya)</i> , 2015, 118, 157-162.	0.2	5
233	Probing excitonic states in suspended two-dimensional semiconductors by photocurrent spectroscopy. <i>Scientific Reports</i> , 2014, 4, 6608.	1.6	351
234	Graphene nanomesh photodetector with effective charge tunnelling from quantum dots. <i>Nanoscale</i> , 2015, 7, 4242-4249.	2.8	18
235	Significant Enhancement of Infrared Photodetector Sensitivity Using a Semiconducting Single-Walled Carbon Nanotube/C <sub>60</sub> Phototransistor. <i>Advanced Materials</i> , 2015, 27, 759-765.	11.1	133
236	Distinct photoresponse in graphene induced by laser irradiation. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	10
237	Broadband Photodetectors Based on Graphene-Bi <sub>2</sub> Te <sub>3</sub> Heterostructure. <i>ACS Nano</i> , 2015, 9, 1886-1894.	7.3	338
238	Black Phosphorus Quantum Dots. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3653-3657.	7.2	594
239	Improving the sensitivity of a near-infrared nanocomposite photodetector by enhancing trap induced hole injection. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	43
240	Distance Dependence of the Energy Transfer Rate from a Single Semiconductor Nanostructure to Graphene. <i>Nano Letters</i> , 2015, 15, 1252-1258.	4.5	78
241	Prospects of Nanoscience with Nanocrystals. <i>ACS Nano</i> , 2015, 9, 1012-1057.	7.3	1,005
242	High-Performance Ge Quantum Dot Decorated Graphene/Zinc-Oxide Heterostructure Infrared Photodetector. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 2452-2458.	4.0	57

#	ARTICLE	IF	CITATIONS
243	Numerical Study of Graphene Superlattice-Based Photodetectors. IEEE Transactions on Electron Devices, 2015, 62, 593-600.	1.6	17
244	Photojunction Field-Effect Transistor Based on a Colloidal Quantum Dot Absorber Channel Layer. ACS Nano, 2015, 9, 356-362.	7.3	73
245	Hybrid Graphene-Giant Nanocrystal Quantum Dot Assemblies with Highly Efficient Biexciton Emission. Advanced Optical Materials, 2015, 3, 39-43.	3.6	21
246	Ultrahigh Photogain Nanoscale Hybrid Photodetectors. Small, 2015, 11, 2856-2861.	5.2	14
247	Ultrahigh Responsivity in Graphene-ZnO Nanorod Hybrid UV Photodetector. Small, 2015, 11, 3054-3065.	5.2	161
248	Two-dimensional dichalcogenides for light-harvesting applications. Nano Today, 2015, 10, 128-137.	6.2	208
249	Observation of Ground- and Excited-State Charge Transfer at the C <sub>60</sub> /Graphene Interface. ACS Nano, 2015, 9, 7175-7185.	7.3	69
250	Effect of the interface on UV-vis-IR photodetection performance of PbS/ZnO nanocomposite photocatalysts. Applied Surface Science, 2015, 358, 498-505.	3.1	11
251	Quasi Core/Shell Lead Sulfide/Graphene Quantum Dots for Bulk Heterojunction Solar Cells. Journal of Physical Chemistry C, 2015, 119, 18886-18895.	1.5	50
252	Pore-free bubbling delamination of chemical vapor deposited graphene from copper foils. Journal of Materials Chemistry C, 2015, 3, 8634-8641.	2.7	29
253	Ultraviolet light sensor based on graphene quantum dots/reduced graphene oxide hybrid film. Sensors and Actuators A: Physical, 2015, 233, 368-373.	2.0	29
254	Colossal Ultraviolet Photoresponsivity of Few-Layer Black Phosphorus. ACS Nano, 2015, 9, 8070-8077.	7.3	204
255	Antenna Enhanced Graphene THz Emitter and Detector. Nano Letters, 2015, 15, 5295-5301.	4.5	138
256	Wide spectral response field effect phototransistor based on graphene-quantum dot hybrid. IEEE Photonics Journal, 2015, , 1-1.	1.0	6
257	Position sensitivity of graphene field effect transistors to X-rays. Applied Physics Letters, 2015, 106, .	1.5	15
258	Flexible phototransistors based on graphene nanoribbon decorated with MoS <sub>2</sub> nanoparticles. Sensors and Actuators A: Physical, 2015, 232, 285-291.	2.0	18
259	Magnetoabsorption of elliptically polarized electromagnetic radiation by graphene: The relaxation-time approximation and Monte Carlo method. Physics of the Solid State, 2015, 57, 1244-1248.	0.2	0
260	Extrinsic Origin of Persistent Photoconductivity in Monolayer MoS <sub>2</sub> Field Effect Transistors. Scientific Reports, 2015, 5, 11472.	1.6	110

#	ARTICLE	IF	CITATIONS
261	Growth and optical properties of Cu <sub>2</sub> ZnSnS <sub>4</sub> decorated reduced graphene oxide nanocomposites. Dalton Transactions, 2015, 44, 15031-15041.	1.6	30
262	Photocurrent generation in lateral graphene p-n junction created by electron-beam irradiation. Scientific Reports, 2015, 5, 12014.	1.6	69
263	Electron spin coherence near room temperature in magnetic quantum dots. Scientific Reports, 2015, 5, 10855.	1.6	15
264	Highly responsive MoS <sub>2</sub> photodetectors enhanced by graphene quantum dots. Scientific Reports, 2015, 5, 11830.	1.6	155
265	Efficient charge transfer in solution-processed PbS quantum dot/reduced graphene oxide hybrid materials. Journal of Materials Chemistry C, 2015, 3, 7088-7095.	2.7	43
266	Dynamic Charge Carrier Trapping in Quantum Dot Field Effect Transistors. Nano Letters, 2015, 15, 4657-4663.	4.5	32
267	Photocurrent generation with two-dimensional van der Waals semiconductors. Chemical Society Reviews, 2015, 44, 3691-3718.	18.7	802
268	Graphene/Si Quantum Dot Heterojunction Diodes Showing High Photosensitivity Compatible with Quantum Confinement Effect. Advanced Materials, 2015, 27, 2614-2620.	11.1	56
269	A self-powered graphene/MoS <sub>2</sub> hybrid phototransistor with fast response rate and high on/off ratio. Carbon, 2015, 92, 126-132.	5.4	80
270	Plasmon-Induced Optical Anisotropy in Hybrid Graphene/Metal Nanoparticle Systems. Nano Letters, 2015, 15, 3458-3464.	4.5	48
271	Transparent, Broadband, Flexible, and Bifacial-Operable Photodetectors Containing a Large-Area Graphene/Gold Oxide Heterojunction. ACS Nano, 2015, 9, 5093-5103.	7.3	62
272	Hybrid structures of organic dye and graphene for ultrahigh gain photodetectors. Carbon, 2015, 88, 165-172.	5.4	67
273	Hybrid Graphene/Perovskite Phototransistors with Ultrahigh Responsivity and Gain. Advanced Optical Materials, 2015, 3, 1389-1396.	3.6	240
274	Plasmon-Assisted Designable Multi-Resonance Photodetection by Graphene via Nanopatterning of Block Copolymer. ACS Photonics, 2015, 2, 506-514.	3.2	17
275	A high performance graphene/few-layer InSe photo-detector. Nanoscale, 2015, 7, 5981-5986.	2.8	143
276	Graphene Composites Based Photodetectors. , 2015, , 193-222.		3
277	Determination of Exciton Diffusion Length by Transient Photoluminescence Quenching and Its Application to Quantum Dot Films. Journal of Physical Chemistry C, 2015, 119, 9005-9015.	1.5	84
278	Plasmon-Enhanced Terahertz Photodetection in Graphene. Nano Letters, 2015, 15, 4295-4302.	4.5	94



#	ARTICLE	IF	CITATIONS
279	Organic-Inorganic Heterointerfaces for Ultrasensitive Detection of Ultraviolet Light. Nano Letters, 2015, 15, 3787-3792.	4.5	117
280	Multifunctional Graphene Optoelectronic Devices Capable of Detecting and Storing Photonic Signals. Nano Letters, 2015, 15, 2542-2547.	4.5	110
281	TiO <sub>2</sub> enhanced ultraviolet detection based on a graphene/Si Schottky diode. Journal of Materials Chemistry A, 2015, 3, 8133-8138.	5.2	46
282	UV Light Detection from CdS Nanocrystal Sensitized Graphene Photodetectors at kHz Frequencies. Journal of Physical Chemistry C, 2015, 119, 23859-23864.	1.5	30
283	Comparison of photoresponse of transistors based on graphene-quantum dot hybrids with layered and bulk heterojunctions. Nanotechnology, 2015, 26, 335201.	1.3	22
284	State-of-the-art photodetectors for optoelectronic integration at telecommunication wavelength. Nanophotonics, 2015, 4, 277-302.	2.9	76
285	Reversible optical switching of dirac point of graphene functionalized with azobenzene. Russian Journal of General Chemistry, 2015, 85, 2167-2173.	0.3	1
286	Solution-Processed Gold Nanorods Integrated with Graphene for Near-Infrared Photodetection via Hot Carrier Injection. ACS Applied Materials & Interfaces, 2015, 7, 24136-24141.	4.0	29
287	Ultra-broadband and high-responsive photodetectors based on bismuth film at room temperature. Scientific Reports, 2015, 5, 12320.	1.6	79
288	Graphene-based technologies for energy applications, challenges and perspectives. 2D Materials, 2015, 2, 030204.	2.0	74
289	Negative terahertz conductivity in disordered graphene bilayers with population inversion. Applied Physics Letters, 2015, 106, 113501.	1.5	16
290	Extremely high near field enhancement in a novel plasmonic nano material used for photovoltage generation. Proceedings of SPIE, 2015, , .	0.8	0
291	Electronic and Optical Properties of Edge-Functionalized Graphene Quantum Dots and the Underlying Mechanism. Journal of Physical Chemistry C, 2015, 119, 24950-24957.	1.5	136
292	New hybrid structures based on CdSe/ZnS quantum dots and multilayer graphene for photonics applications. , 2015, , .		0
293	Tunable GaTe-MoS <sub>2</sub> van der Waals p-n Junctions with Novel Optoelectronic Performance. Nano Letters, 2015, 15, 7558-7566.	4.5	369
294	ZnO quantum dots and graphene based heterostructure for excellent photoelastic and highly sensitive ultraviolet photodetector. RSC Advances, 2015, 5, 90838-90846.	1.7	23
295	Electronic transport in NbSe <sub>2</sub> two-dimensional nanostructures: semiconducting characteristics and photoconductivity. Nanoscale, 2015, 7, 18964-18970.	2.8	42
296	Black Phosphorus: Narrow Gap, Wide Applications. Journal of Physical Chemistry Letters, 2015, 6, 4280-4291.	2.1	631

#	ARTICLE	IF	CITATIONS
297	Planar carbon nanotubeâ€“graphene hybrid films for high-performance broadband photodetectors. Nature Communications, 2015, 6, 8589.	5.8	258
298	Surfactant mediated liquid phase exfoliation of graphene. Nano Convergence, 2015, 2, 20.	6.3	128
299	Graphene-Based Thermopile for Thermal Imaging Applications. Nano Letters, 2015, 15, 7211-7216.	4.5	81
300	Fractional photo-current dependence of graphene quantum dots prepared from carbon nanotubes. Physical Chemistry Chemical Physics, 2015, 17, 24566-24569.	1.3	14
301	Hybrid zinc oxide/graphene electrodes for depleted heterojunction colloidal quantum-dot solar cells. Physical Chemistry Chemical Physics, 2015, 17, 24412-24419.	1.3	45
302	Highly narrowband perovskite single-crystal photodetectors enabled by surface-charge recombination. Nature Photonics, 2015, 9, 679-686.	15.6	1,201
303	Photoresponse of double-stacked graphene to Infrared radiation. Nanoscale, 2015, 7, 15806-15813.	2.8	6
304	An organicâ€“inorganic hybrid perovskite logic gate for better computing. Journal of Materials Chemistry C, 2015, 3, 10793-10798.	2.7	77
305	Ambipolar solution-processed hybrid perovskite phototransistors. Nature Communications, 2015, 6, 8238.	5.8	519
306	Colloidal quantum dot materials for infrared optoelectronics. Proceedings of SPIE, 2015, , .	0.8	3
307	Photoinduced electrical response in quantum dots/graphene hybrid structure. Journal of Applied Physics, 2015, 118, 104305.	1.1	13
308	Fabrication of fast mid-infrared range photodetector based on hybrid grapheneâ€“PbSe nanorods. Applied Optics, 2015, 54, 6386.	2.1	25
309	Multiheterojunction Phototransistors Based on Grapheneâ€“PbSe Quantum Dot Hybrids. Journal of Physical Chemistry C, 2015, 119, 21739-21743.	1.5	43
310	Ultrasensitive solution-processed broad-band photodetectors using CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite hybrids and PbS quantum dots as light harvesters. Nanoscale, 2015, 7, 16460-16469.	2.8	106
311	Coupling Two Distant Double Quantum Dots with a Microwave Resonator. Nano Letters, 2015, 15, 6620-6625.	4.5	71
312	High performance photodetectors based on two-dimensional materials. , 2015, , .		1
313	Substrate-Induced Photofield Effect in Graphene Phototransistors. IEEE Transactions on Electron Devices, 2015, 62, 3734-3741.	1.6	6
314	Graphene oxide/carbon dot composite: a new photoelectrode material for photocurrent response enhancement. Physical Chemistry Chemical Physics, 2015, 17, 32283-32288.	1.3	19

#	ARTICLE	IF	CITATIONS
315	Engineering heterojunctions with carbon nanostructures: towards high-performance optoelectronics. Proceedings of SPIE, 2015, , .	0.8	1
316	Hybrid 2Dâ€“OD MoS <sub>2</sub> â€“PbS Quantum Dot Photodetectors. Advanced Materials, 2015, 27, 176-180.	11.1	638
317	Wavelengthâ€“Selective Dual pâ€“and nâ€“Type Carrier Transport of an Organic/Graphene/Inorganic Heterostructure. Advanced Materials, 2015, 27, 282-287.	11.1	26
318	Ultrahigh-Gain Photodetectors Based on Atomically Thin Graphene-MoS <sub>2</sub> Heterostructures. Scientific Reports, 2014, 4, 3826.	1.6	771
319	Light trapping and surface plasmon enhanced high-performance NIR photodetector. Scientific Reports, 2014, 4, 3914.	1.6	132
320	Photoinduced Chargeâ€“Carrier Dynamics of Phototransistors Based on Perylene Diimide/Reduced Graphene Oxide Core/Shell pâ€“n Junction Nanowires. Advanced Optical Materials, 2015, 3, 241-247.	3.6	22
321	About the linewidth of cyclotron resonance in band-gap graphene. Physica E: Low-Dimensional Systems and Nanostructures, 2015, 65, 13-16.	1.3	0
322	Highâ€“Performance Perovskiteâ€“Graphene Hybrid Photodetector. Advanced Materials, 2015, 27, 41-46.	11.1	753
323	High-performance graphene-quantum-dot photodetectors. Scientific Reports, 2014, 4, 5603.	1.6	123
324	Photoresponsive and Gas Sensing Field-Effect Transistors based on Multilayer WS <sub>2</sub> Nanoflakes. Scientific Reports, 2014, 4, 5209.	1.6	377
325	Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. Nanoscale, 2015, 7, 4598-4810.	2.8	2,452
326	Graphene via Molecule-Assisted Ultrasound-Induced Liquid-Phase Exfoliation: A Supramolecular Approach. ChemistrySelect, 2016, 1, .	0.7	0
327	Gate-Voltage Dependency of Fâ€“rster Transfer in Graphene - Quantum Dot Photo Detection. , 2016, , .		0
328	A Review of the Synthesis and Photoluminescence Properties of Hybrid ZnO and Carbon Nanomaterials. Journal of Nanomaterials, 2016, 2016, 1-12.	1.5	58
329	Optoelectronic Devices Based on Atomically Thin Transition Metal Dichalcogenides. Applied Sciences (Switzerland), 2016, 6, 78.	1.3	96
330	Graphene and Two-Dimensional Materials for Optoelectronic Applications. Electronics (Switzerland), 2016, 5, 13.	1.8	72
331	Making few-layer graphene photoluminescent by UV ozonation. Optical Materials Express, 2016, 6, 3527.	1.6	7
332	High-performance graphene photodetector using interfacial gating. Optica, 2016, 3, 1066.	4.8	152

#	ARTICLE	IF	CITATIONS
333	Strain Modulation in Graphene/ZnO Nanorod Film Schottky Junction for Enhanced Photosensing Performance. <i>Advanced Functional Materials</i> , 2016, 26, 1347-1353.	7.8	85
334	High-Sensitivity Floating-Gate Phototransistors Based on WS <sub>2</sub> and MoS <sub>2</sub> . <i>Advanced Functional Materials</i> , 2016, 26, 6084-6090.	7.8	124
335	Logic Control of Interface-Induced Charge-Trapping Effect for Ultrasensitive Gas Detection with All-Mirror-Image Symmetry. <i>Advanced Materials Technologies</i> , 2016, 1, 1600067.	3.0	10
336	Supramolecular Approaches to Graphene: From Self-Assembly to Molecule-Assisted Liquid-Phase Exfoliation. <i>Advanced Materials</i> , 2016, 28, 6030-6051.	11.1	154
337	Crumpled Graphene Photodetector with Enhanced, Strain-Tunable, and Wavelength-Selective Photoresponsivity. <i>Advanced Materials</i> , 2016, 28, 4639-4645.	11.1	177
338	3D Bicontinuous Nanoporous Reduced Graphene Oxide for Highly Sensitive Photodetectors. <i>Advanced Functional Materials</i> , 2016, 26, 1271-1277.	7.8	48
339	Graphene Doping Improved Device Performance of ZnMgO/PbS Colloidal Quantum Dot Photovoltaics. <i>Advanced Functional Materials</i> , 2016, 26, 1899-1907.	7.8	85
340	Ultrahigh Gain, Low Noise, Ultraviolet Photodetectors with Highly Aligned Organic Crystals. <i>Advanced Optical Materials</i> , 2016, 4, 264-270.	3.6	69
341	A Surface Plasmon Enhanced Near-Infrared Nanophotodetector. <i>Advanced Optical Materials</i> , 2016, 4, 763-771.	3.6	45
342	Tuning Chemical Potential Difference across Alternately Doped Graphene p-n Junctions for High-Efficiency Photodetection. <i>Nano Letters</i> , 2016, 16, 4094-4101.	4.5	34
343	High performance hybrid graphene-CsPbBr <sub>3</sub> perovskite nanocrystal photodetector. <i>RSC Advances</i> , 2016, 6, 65252-65256.	1.7	168
344	Calculation of electron spectra and some problems in the thermodynamics of graphene layers. <i>Journal of Experimental and Theoretical Physics</i> , 2016, 122, 341-360.	0.2	6
345	Cation exchange synthesis of uniform PbSe/PbS core/shell tetra-pods and their use as near-infrared photodetectors. <i>Nanoscale</i> , 2016, 8, 14203-14212.	2.8	32
346	Chemically Triggered Formation of Two-Dimensional Epitaxial Quantum Dot Superlattices. <i>ACS Nano</i> , 2016, 10, 6861-6870.	7.3	49
347	Strategies for the Controlled Electronic Doping of Colloidal Quantum Dot Solids. <i>ChemPhysChem</i> , 2016, 17, 632-644.	1.0	49
348	Electrical-Polarization-Induced Ultrahigh Responsivity Photodetectors Based on Graphene and Graphene Quantum Dots. <i>Advanced Functional Materials</i> , 2016, 26, 620-628.	7.8	98
349	An Interface Engineered Multicolor Photodetector Based on n-Si(111)/TiO <sub>2</sub> Nanorod Array Heterojunction. <i>Advanced Functional Materials</i> , 2016, 26, 1400-1410.	7.8	64
350	Designed Assembly and Integration of Colloidal Nanocrystals for Device Applications. <i>Advanced Materials</i> , 2016, 28, 1176-1207.	11.1	211

#	ARTICLE	IF	CITATIONS
351	High-performance Phototransistor of Epitaxial PbS Nanoplatelet-Graphene Heterostructure with Edge Contact. <i>Advanced Materials</i> , 2016, 28, 6497-6503.	11.1	51
352	Photocurrent enhancement of graphene phototransistors using p-n junction formed by conventional photolithography process. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 110307.	0.8	24
353	Boosting photoresponse in silicon metal-semiconductor-metal photodetector using semiconducting quantum dots. <i>Scientific Reports</i> , 2016, 6, 37857.	1.6	2
354	Negative Electro-conductance in Suspended 2D WS <sub>2</sub> Nanoscale Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32963-32970.	4.0	10
355	Plasmon-gating photoluminescence in graphene/GeSi quantum dots hybrid structures. <i>Scientific Reports</i> , 2016, 5, 17688.	1.6	3
356	High-performance PbS quantum dot vertical field-effect phototransistor using graphene as a transparent electrode. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	23
357	Giant Dirac point shift of graphene phototransistors by doped silicon substrate current. <i>AIP Advances</i> , 2016, 6, .	0.6	38
358	Highly sensitive photodetectors based on hybrid 2D-0D SnS <sub>2</sub> -copper indium sulfide quantum dots. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	28
359	Interactions between photoexcited NIR emitting CdHgTe quantum dots and graphene oxide. <i>Journal of Applied Physics</i> , 2016, 119, .	1.1	9
360	Improved hybrid polymer/PbS quantum dot infrared phototransistors incorporating single-layer graphene. , 2016, , .		0
361	Distance-dependent energy transfer between CdSe/CdS quantum dots and a two-dimensional semiconductor. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	54
362	Graphene/GaSe-Nanosheet Hybrid: Towards High Gain and Fast Photoresponse. <i>Scientific Reports</i> , 2016, 6, 19161.	1.6	79
363	High performance PbSe colloidal quantum dot vertical field effect phototransistors. <i>Nanotechnology</i> , 2016, 27, 425204.	1.3	21
364	Modulation of graphene field effect by heavy charged particle irradiation. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	7
365	Highly photoresponsive charge-sensitive infrared phototransistors with a dynamically controlled optical gate. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	6
366	Novel dynamic tuning of broadband visible metamaterial perfect absorber using graphene. <i>Journal of Applied Physics</i> , 2016, 120, .	1.1	20
367	2D Colloidal Nanoplatelets based Optoelectronics. <i>MRS Advances</i> , 2016, 1, 2187-2192.	0.5	2
368	Enhanced photoresponsivity in graphene-silicon slow-light photonic crystal waveguides. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	38

#	ARTICLE	IF	CITATIONS
369	Patterning monolayer graphene with zigzag edges on hexagonal boron nitride by anisotropic etching. Applied Physics Letters, 2016, 109, .	1.5	20
370	Highly sensitive visible and near-infrared photo-FET based on PbS quantum dots embedded in the gate insulator. , 2016, , .		0
371	VIS-NIR-SWIR multicolor avalanche photodetector originating from quantum-confined Stark effect in Si<sub>2</sub>-FeSi <sub>2&lt;/sub&gt;/Si structure. Applied Physics Letters, 2016, 109, .</sub>	1.5	15
372	Realization of a Piezophototronic Device Based on Reduced Graphene Oxide/MoS<sub>2</sub>/Heterostructure. IEEE Electron Device Letters, 2016, 37, 677-680.	2.2	14
373	Photoconductivities in MoS <sub>2</sub> Nanoflake Photoconductors. Nanoscale Research Letters, 2016, 11, 124.	3.1	32
374	Fast Photoresponse from 1T Tin Diselenide Atomic Layers. Advanced Functional Materials, 2016, 26, 137-145.	7.8	150
375	Graphene-quantum dot hybrid materials on the road to optoelectronic applications. Synthetic Metals, 2016, 219, 33-43.	2.1	14
376	A filterless, visible-blind, narrow-band, and near-infrared photodetector with a gain. Nanoscale, 2016, 8, 12990-12997.	2.8	114
377	Charge Carrier Conduction Mechanism in PbS Quantum Dot Solar Cells: Electrochemical Impedance Spectroscopy Study. ACS Applied Materials & Interfaces, 2016, 8, 18526-18533.	4.0	59
378	Graphene quantum dots: structural integrity and oxygen functional groups for high sulfur/sulfide utilization in lithium sulfur batteries. NPG Asia Materials, 2016, 8, e272-e272.	3.8	105
379	Boosting Responsivity of Organic-Metal Oxynitride Hybrid Heterointerface Phototransistor. ACS Applied Materials & Interfaces, 2016, 8, 14665-14670.	4.0	25
380	On-Chip Integrated, Silicon-Graphene Plasmonic Schottky Photodetector with High Responsivity and Avalanche Photogain. Nano Letters, 2016, 16, 3005-3013.	4.5	265
381	Trap-induced photoresponse of solution-synthesized MoS<sub>2</sub>. Nanoscale, 2016, 8, 9193-9200.	2.8	52
382	Charge Transfer Dynamics from Photoexcited Semiconductor Quantum Dots. Annual Review of Physical Chemistry, 2016, 67, 259-281.	4.8	156
383	Influence of the QD luminescence quantum yield on photocurrent in QD/graphene hybrid structures. Proceedings of SPIE, 2016, , .	0.8	0
384	Tuning surface properties of graphene oxide quantum dots by gamma-ray irradiation. Journal of Luminescence, 2016, 175, 88-93.	1.5	6
385	Improved photoelectronic performance of graphene, polymer and PbSe quantum dot infrared photodetectors. Materials Letters, 2016, 178, 52-55.	1.3	12
386	High-Responsivity, High-Detectivity, Ultrafast Topological Insulator Bi<sub>2</sub>Se<sub>3</sub>/Silicon Heterostructure Broadband Photodetectors. ACS Nano, 2016, 10, 5113-5122.	7.3	300

#	ARTICLE	IF	CITATIONS
387	A hybrid MoS <sub>2</sub> nanosheet/CdSe nanocrystal phototransistor with a fast photoresponse. <i>Nanoscale</i> , 2016, 8, 17223-17230.	2.8	47
388	Room-temperature mid-infrared photodetector in all-carbon graphene nanoribbon-C <sub>60</sub> hybrid nanostructure. <i>Optica</i> , 2016, 3, 979.	4.8	40
389	Visible Light-Assisted High-Performance Mid-Infrared Photodetectors Based on Single InAs Nanowire. <i>Nano Letters</i> , 2016, 16, 6416-6424.	4.5	134
390	Integrated high responsivity photodetectors based on graphene/glass hybrid waveguide. <i>Optics Letters</i> , 2016, 41, 4214.	1.7	3
391	Alternative Patterning Process for Realization of Large-Area, Full-Color, Active Quantum Dot Display. <i>Nano Letters</i> , 2016, 16, 6946-6953.	4.5	171
392	Radiation effects on two-dimensional materials. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 3065-3077.	0.8	48
393	Solvothermal synthesis, stirring-assisted assembly and photoelectric performance of Te nanowires. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 32691-32696.	1.3	19
394	Photodetectors based on two dimensional materials. <i>Journal of Semiconductors</i> , 2016, 37, 091001.	2.0	29
395	Integrated High-Performance Infrared Phototransistor Arrays Composed of Nonlayered PbS/MoS <sub>2</sub> Heterostructures with Edge Contacts. <i>Nano Letters</i> , 2016, 16, 6437-6444.	4.5	98
396	Ultrahigh Surface-Enhanced Raman Scattering of Graphene from Au/Graphene/Au Sandwiched Structures with Subnanometer Gap. <i>Advanced Optical Materials</i> , 2016, 4, 2021-2027.	3.6	38
397	Near-Field Energy Transfer Using Nanoemitters For Optoelectronics. <i>Advanced Functional Materials</i> , 2016, 26, 8158-8177.	7.8	73
398	Design of photoactive hybrid based intelligent photodetectors for identifying the detected wavelength. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10797-10803.	2.7	10
399	Size and pH dependent photoluminescence of graphene quantum dots with low oxygen content. <i>RSC Advances</i> , 2016, 6, 97990-97994.	1.7	49
400	Persistent Photoconductivity in Perylene Diimide Nanofiber Materials. <i>ACS Energy Letters</i> , 2016, 1, 906-912.	8.8	29
402	High-quality infrared imaging with graphene photodetectors at room temperature. <i>Nanoscale</i> , 2016, 8, 16065-16072.	2.8	47
403	Strongly-coupled PbS QD solids by doctor blading for IR photodetection. <i>RSC Advances</i> , 2016, 6, 80201-80212.	1.7	25
404	Persistent photoconductivity in two-dimensional Mo <sub>1-x</sub> W <sub>x</sub> Se <sub>2</sub> /MoSe <sub>2</sub> van der Waals heterojunctions. <i>Journal of Materials Research</i> , 2016, 31, 923-930.	1.2	20
405	Optical Coupling of Graphene Sheets. , 2016, , 457-468.		0

#	ARTICLE	IF	CITATIONS
406	Review of photo response in semiconductor transition metal dichalcogenides based photosensitive devices. <i>Optical Materials Express</i> , 2016, 6, 2313.	1.6	44
407	Size dependent magnetic and optical properties in diamond shaped graphene quantum dots: A DFT study. <i>Journal of Physics and Chemistry of Solids</i> , 2016, 99, 34-42.	1.9	46
408	Novel organic-perovskite hybrid structure forward photo field effect transistor. <i>Organic Electronics</i> , 2016, 38, 158-163.	1.4	33
409	Seed/Catalyst Free Growth and Self-Powered Photoresponse of Vertically Aligned ZnO Nanorods on Reduced Graphene Oxide Nanosheets. <i>Crystal Growth and Design</i> , 2016, 16, 4831-4838.	1.4	29
410	Broadband, sensitive and spectrally distinctive SnS <sub>2</sub> nanosheet/PbS colloidal quantum dot hybrid photodetector. <i>Light: Science and Applications</i> , 2016, 5, e16126-e16126.	7.7	113
411	High Responsivity, Large-Area Graphene/MoS <sub>2</sub> Flexible Photodetectors. <i>ACS Nano</i> , 2016, 10, 8252-8262.	7.3	275
412	Near infrared photodetectors based on sub-bandgap absorption in organohalide perovskite single crystals. <i>Laser and Photonics Reviews</i> , 2016, 10, 1047-1053.	4.4	64
413	Graphene-aluminum nitride NEMS resonant infrared detector. <i>Microsystems and Nanoengineering</i> , 2016, 2, 16026.	3.4	60
414	Multiple exciton generation induced enhancement of the photoresponse of pulsed-laser-ablation synthesized single-wall-carbon-nanotube/PbS-quantum-dots nanohybrids. <i>Scientific Reports</i> , 2016, 6, 20083.	1.6	23
415	InGaAs Nanomembrane/Si van der Waals Heterojunction Photodiodes with Broadband and High Photoresponsivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 26105-26111.	4.0	32
416	Hybrid Graphene-Si-Based Nanoscale Vacuum Field Effect Phototransistors. <i>ACS Photonics</i> , 2016, 3, 1799-1808.	3.2	44
417	Theoretical Study of Transition Metal Dichalcogenides. , 2016, , 157-178.		1
418	Epitaxial 2D PbS Nanoplates Arrays with Highly Efficient Infrared Response. <i>Advanced Materials</i> , 2016, 28, 8051-8057.	11.1	93
419	Tunable and long-range energy transfer efficiency through a graphene nanodisk. <i>Physical Review B</i> , 2016, 93, .	1.1	28
420	Ultrathin 2D Photodetectors Utilizing Chemical Vapor Deposition Grown WS <sub>2</sub> With Graphene Electrodes. <i>ACS Nano</i> , 2016, 10, 7866-7873.	7.3	264
421	Photovoltage Enhancement in Twisted-Bilayer Graphene Using Surface Plasmon Resonance. <i>Advanced Optical Materials</i> , 2016, 4, 1703-1710.	3.6	29
422	Self-aligned graphene oxide nanoribbon stack with gradient bandgap for visible-light photodetection. <i>Nano Energy</i> , 2016, 27, 114-120.	8.2	14
423	Anomalous Light Emission and Wide Photoluminescence Spectra in Graphene Quantum Dot: Quantum Confinement from Edge Microstructure. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 2888-2892.	2.1	25



#	ARTICLE	IF	CITATIONS
424	<b>An Ultrahigh-Performance Photodetector based on a Perovskite-Transition-Metal-Dichalcogenide Hybrid Structure</b>. Advanced Materials, 2016, 28, 7799-7806.	11.1	242
425	Photoinduced Schottky Barrier Lowering in 2D Monolayer WS <sub>2</sub> Photodetectors. Advanced Optical Materials, 2016, 4, 1573-1581.	3.6	62
426	Aliovalent Doping in Colloidal Quantum Dots and Its Manifestation on Their Optical Properties: Surface Attachment versus Structural Incorporation. Chemistry of Materials, 2016, 28, 5384-5393.	3.2	15
427	Photoresponse enhancement in graphene/silicon infrared detector by controlling photocarrier collection. Materials Research Express, 2016, 3, 076203.	0.8	11
428	Organic Dye Graphene Hybrid Structures with Spectral Color Selectivity. Advanced Functional Materials, 2016, 26, 6593-6600.	7.8	31
429	Two-Dimensional Colloidal Nanocrystals. Chemical Reviews, 2016, 116, 10934-10982.	23.0	412
430	Synthesis and optoelectronic properties of reduced graphene oxide/InP quantum dot hybrids. RSC Advances, 2016, 6, 97861-97864.	1.7	5
431	Van der Waals heterostructures and devices. Nature Reviews Materials, 2016, 1, .	23.3	1,897
432	High- and Reproducible-Performance Graphene/II-VI Semiconductor Film Hybrid Photodetectors. Scientific Reports, 2016, 6, 28943.	1.6	29
433	Photoconductivity of few-layered p-WSe <sub>2</sub> phototransistors via multi-terminal measurements. 2D Materials, 2016, 3, 041004.	2.0	21
434	Ultra-high responsivity photodetector on the silicon-graphene platform. , 2016, , .		1
435	Reprint of "Graphene-quantum dot hybrid materials on the road to optoelectronic applications": Synthetic Metals, 2016, 222, 23-33.	2.1	5
436	Solution processable PbS quantum dots/silicon multispectral detectors. , 2016, , .		0
437	Ultrasensitive photodetectors exploiting electrostatic trapping and percolation transport. Nature Communications, 2016, 7, 11924.	5.8	59
438	Gate Tuning of Förster Resonance Energy Transfer in a Graphene - Quantum Dot FET Photo-Detector. Scientific Reports, 2016, 6, 28224.	1.6	16
439	Novel Colloidal MoS <sub>2</sub> Quantum Dot Heterojunctions on Silicon Platforms for Multifunctional Optoelectronic Devices. Scientific Reports, 2016, 6, 29016.	1.6	133
440	Colloidal quantum dot solids for solution-processed solar cells. Nature Energy, 2016, 1, .	19.8	255
441	Engineering the Charge Transfer in all 2D Graphene-Nanoplatelets Heterostructure Photodetectors. Scientific Reports, 2016, 6, 24909.	1.6	49

#	ARTICLE	IF	CITATIONS
442	Robust electric-field tunable opto-electrical behavior in Pt-NiO-Pt planar structures. Scientific Reports, 2016, 6, 28007.	1.6	10
443	Surface plasmon enhanced graphene/p-GaN heterostructure light-emitting-diode by Ag nano-particles. Nano Energy, 2016, 30, 362-367.	8.2	28
444	Integrating an electrically active colloidal quantum dot photodiode with a graphene phototransistor. Nature Communications, 2016, 7, 11954.	5.8	217
445	Photo-FETs: Phototransistors Enabled by 2D and 0D Nanomaterials. ACS Photonics, 2016, 3, 2197-2210.	3.2	217
446	Graphene/nitrogen-functionalized graphene quantum dot hybrid broadband photodetectors with a buffer layer of boron nitride nanosheets. Nanoscale, 2016, 8, 19677-19683.	2.8	50
447	Solution-processed copper oxide interlayers for broadband PbS quantum-dot photodiodes. Journal of Materials Chemistry C, 2016, 4, 11205-11211.	2.7	20
448	Black Phosphorus Nanosheets: Synthesis, Characterization and Applications. Small, 2016, 12, 3480-3502.	5.2	337
449	Graphene Coupled with Silicon Quantum Dots for High-Performance Bulk-Silicon-Based Schottky-Junction Photodetectors. Advanced Materials, 2016, 28, 4912-4919.	11.1	206
450	Epitaxial Ultrathin Organic Crystals on Graphene for High-Efficiency Phototransistors. Advanced Materials, 2016, 28, 5200-5205.	11.1	134
451	High Responsivity Phototransistors Based on Few-Layer ReS <sub>2</sub> for Weak Signal Detection. Advanced Functional Materials, 2016, 26, 1938-1944.	7.8	270
452	Nanostructured Photodetectors: From Ultraviolet to Terahertz. Advanced Materials, 2016, 28, 403-433.	11.1	492
453	Polymeric Carbon Nitride Nanosheets/Graphene Hybrid Phototransistors with High Responsivity. Advanced Optical Materials, 2016, 4, 555-561.	3.6	35
454	Magneto-optical responses of microcavity-integrated graphene photonic crystals in the infrared spectral region. Superlattices and Microstructures, 2016, 97, 78-84.	1.4	13
455	Spontaneous emission intensity and anisotropy of quantum dot films in proximity to nanoscale photonic-plasmonic templates. Journal Physics D: Applied Physics, 2016, 49, 265111.	1.3	2
456	Highly sensitive and selective ammonia gas sensors based on PbS quantum dots/TiO <sub>2</sub> nanotube arrays at room temperature. Sensors and Actuators B: Chemical, 2016, 236, 529-536.	4.0	98
457	Direct growth of Ge quantum dots on a graphene/SiO <sub>2</sub> /Si structure using ion beam sputtering deposition. Nanotechnology, 2016, 27, 305601.	1.3	11
458	A self-powered sensitive ultraviolet photodetector based on epitaxial graphene on silicon carbide. Chinese Physics B, 2016, 25, 067205.	0.7	15
459	Black Phosphorus Mid-Infrared Photodetectors with High Gain. Nano Letters, 2016, 16, 4648-4655.	4.5	616

#	ARTICLE	IF	CITATIONS
460	Interface Engineering in Hybrid Quantum Dotâ€“2D Phototransistors. ACS Photonics, 2016, 3, 1324-1330.	3.2	122
461	Blue light emitting self-healable graphene quantum dot embedded hydrogels. RSC Advances, 2016, 6, 54793-54800.	1.7	31
462	Anomalous photoresponse in the deep-ultraviolet due to resonant excitonic effects in oxygen plasma treated few-layer graphene. Carbon, 2016, 106, 330-335.	5.4	19
463	Tunable Photoinduced Carrier Transport of a Black Phosphorus Transistor with Extended Stability Using a Light-Sensitized Encapsulated Layer. ACS Photonics, 2016, 3, 1102-1108.	3.2	20
464	Broadband Blackâ€“Phosphorus Photodetectors with High Responsivity. Advanced Materials, 2016, 28, 3481-3485.	11.1	364
465	Molecularly Designed, Nitrogenâ€“Functionalized Graphene Quantum Dots for Optoelectronic Devices. Advanced Materials, 2016, 28, 4632-4638.	11.1	229
466	Room Temperature Broadband Infrared Carbon Nanotube Photodetector with High Detectivity and Stability. Advanced Optical Materials, 2016, 4, 238-245.	3.6	90
467	Enhanced Photoresponse of SnSe-Nanocrystals-Decorated WS <sub>2</sub> Monolayer Phototransistor. ACS Applied Materials & Interfaces, 2016, 8, 4781-4788.	4.0	91
468	Lead sulphide nanocrystal photodetector technologies. Nature Photonics, 2016, 10, 81-92.	15.6	548
469	Wireless Communication in Data Centers: A Survey. IEEE Communications Surveys and Tutorials, 2016, 18, 1572-1595.	24.8	89
470	Doping Graphene Transistors Using Vertical Stacked Monolayer WS <sub>2</sub> Heterostructures Grown by Chemical Vapor Deposition. ACS Applied Materials & Interfaces, 2016, 8, 1644-1652.	4.0	61
471	Infrared Photodetection Based on Colloidal Quantum-Dot Films with High Mobility and Optical Absorption up to THz. Nano Letters, 2016, 16, 1282-1286.	4.5	150
472	High-gain infrared-to-visible upconversion light-emitting phototransistors. Nature Photonics, 2016, 10, 129-134.	15.6	96
473	Surface Plasmon Polariton Graphene Photodetectors. Nano Letters, 2016, 16, 8-20.	4.5	161
474	Scalable Production of a Few-Layer MoS <sub>2</sub> /WS <sub>2</sub> Vertical Heterojunction Array and Its Application for Photodetectors. ACS Nano, 2016, 10, 573-580.	7.3	362
475	Monolayer MoS <sub>2</sub> /GaAs heterostructure self-driven photodetector with extremely high detectivity. Nano Energy, 2016, 23, 89-96.	8.2	138
476	MoS <sub>2</sub> â€“InGaZnO Heterojunction Phototransistors with Broad Spectral Responsivity. ACS Applied Materials & Interfaces, 2016, 8, 8576-8582.	4.0	98
477	Work function-tunable transparent electrodes based on all graphene-based materials for organicâ€“graphene photodetectors. RSC Advances, 2016, 6, 19372-19376.	1.7	10

#	ARTICLE	IF	CITATIONS
478	Polystyrene nanoparticles enhance photo responsivity of graphene photodetector. <i>Optical Materials Express</i> , 2016, 6, 296.	1.6	3
479	Plasmonic-enhanced perovskite-graphene hybrid photodetectors. <i>Nanoscale</i> , 2016, 8, 7377-7383.	2.8	144
480	Li-doped graphene for spintronic applications. <i>RSC Advances</i> , 2016, 6, 18156-18164.	1.7	5
481	Energy Transfer from Quantum Dots to Graphene and MoS <sub>2</sub> : The Role of Absorption and Screening in Two-Dimensional Materials. <i>Nano Letters</i> , 2016, 16, 2328-2333.	4.5	179
482	Near-Infrared Photodetector Based on MoS <sub>2</sub> /Black Phosphorus Heterojunction. <i>ACS Photonics</i> , 2016, 3, 692-699.	3.2	446
483	High-quality InSb nanocrystals: synthesis and application in graphene-based near-infrared photodetectors. <i>RSC Advances</i> , 2016, 6, 25123-25127.	1.7	11
484	Triboelectricity-assisted transfer of graphene for flexible optoelectronic applications. <i>Nano Research</i> , 2016, 9, 899-907.	5.8	6
485	Vertical heterostructures based on graphene and other 2D materials. <i>Semiconductors</i> , 2016, 50, 66-82.	0.2	40
486	Excitation of graphene plasmons as an analogy with the two-level system. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2016, 380, 803-808.	0.9	3
487	Fabrication of high sensitive and fast response MIR photodetector based on a new hybrid graphene structure. <i>Sensors and Actuators A: Physical</i> , 2016, 238, 150-157.	2.0	5
488	Intrinsic photo-conductance triggered by the plasmonic effect in graphene for terahertz detection. <i>Nanotechnology</i> , 2016, 27, 035205.	1.3	10
489	Graphene Schottky diodes: An experimental review of the rectifying graphene/semiconductor heterojunction. <i>Physics Reports</i> , 2016, 606, 1-58.	10.3	449
490	Constructing BiVO <sub>4</sub> /Graphene/TiO <sub>2</sub> nanocomposite photoanode for photoelectrochemical conversion applications. <i>Journal of Electroanalytical Chemistry</i> , 2016, 763, 1-9.	1.9	30
491	Highly Stretchable and Sensitive Photodetectors Based on Hybrid Graphene and Graphene Quantum Dots. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 466-471.	4.0	86
492	Ultrasensitive PbS quantum-dot-sensitized InGaZnO hybrid photoinverter for near-infrared detection and imaging with high photogain. <i>NPG Asia Materials</i> , 2016, 8, e233-e233.	3.8	129
493	High photosensitivity and broad spectral response of multi-layered germanium sulfide transistors. <i>Nanoscale</i> , 2016, 8, 2284-2292.	2.8	129
494	2D layered group IIIA metal chalcogenides: synthesis, properties and applications in electronics and optoelectronics. <i>CrystEngComm</i> , 2016, 18, 3968-3984.	1.3	171
495	Optical techniques for probing the excited state dynamics of quantum dot solids. <i>Chemical Physics</i> , 2016, 471, 59-68.	0.9	9

#	ARTICLE	IF	CITATIONS
496	The Quest for Originality: A New Typology of Knowledge Search and Breakthrough Inventions. <i>Academy of Management Journal</i> , 2016, 59, 1725-1753.	4.3	108
497	Excitation of Surface Plasmon Polaritons in an Inhomogeneous Graphene-Covered Grating. <i>Plasmonics</i> , 2017, 12, 209-213.	1.8	12
498	Highly conductive free-standing reduced graphene oxide thin films for fast photoelectric devices. <i>Carbon</i> , 2017, 115, 561-570.	5.4	56
499	Reversible Photochemical Control of Doping Levels in Supported Graphene. <i>Journal of Physical Chemistry C</i> , 2017, 121, 4083-4091.	1.5	28
500	Solution-processed semiconductors for next-generation photodetectors. <i>Nature Reviews Materials</i> , 2017, 2, .	23.3	992
501	Toward Sensitive Room-Temperature Broadband Detection from Infrared to Terahertz with Antenna-Integrated Black Phosphorus Photoconductor. <i>Advanced Functional Materials</i> , 2017, 27, 1604414.	7.8	88
502	Broadband Epsilon-near-Zero Reflectors Enhance the Quantum Efficiency of Thin Solar Cells at Visible and Infrared Wavelengths. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 5556-5565.	4.0	25
503	Highly responsive and broadband photodetectors based on WS <sub>2</sub> -graphene van der Waals epitaxial heterostructures. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1494-1500.	2.7	103
504	Heterogeneity in the fluorescence of graphene and graphene oxide quantum dots. <i>Mikrochimica Acta</i> , 2017, 184, 871-878.	2.5	47
505	High-performance Bi-stage process in reduction of graphene oxide for transparent conductive electrodes. <i>Optical Materials</i> , 2017, 64, 366-375.	1.7	15
506	A stretchable crumpled graphene photodetector with plasmonically enhanced photoresponsivity. <i>Nanoscale</i> , 2017, 9, 4058-4065.	2.8	81
507	Narrowband spectrally selective near-infrared photodetector based on up-conversion nanoparticles used in a 2D hybrid device. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1591-1595.	2.7	51
508	Highly Photosensitive Vertical Phototransistors Based on a Poly(3-hexylthiophene) and PbS Quantum Dot Layered Heterojunction. <i>ACS Photonics</i> , 2017, 4, 584-592.	3.2	43
509	Ultrahigh Carrier Mobility Achieved in Photoresponsive Hybrid Perovskite Films via Coupling with Single-Walled Carbon Nanotubes. <i>Advanced Materials</i> , 2017, 29, 1602432.	11.1	106
510	Phosphorene quantum dot saturable absorbers for ultrafast fiber lasers. <i>Scientific Reports</i> , 2017, 7, 42357.	1.6	143
511	Graphene Phototransistors Sensitized by Cu <sub>2</sub> Se Nanocrystals with Short Amine Ligands. <i>Journal of Physical Chemistry C</i> , 2017, 121, 5436-5443.	1.5	13
512	Highly Sensitive, Gate-Tunable, Room-Temperature Mid-Infrared Photodetection Based on Graphene-Bi <sub>2</sub> Se <sub>3</sub> Heterostructure. <i>ACS Photonics</i> , 2017, 4, 482-488.	3.2	70
513	Photoconductive multi-layer graphene photodetectors fabricated on etched silicon-on-insulator substrates. <i>Chinese Physics B</i> , 2017, 26, 028101.	0.7	0

#	ARTICLE	IF	CITATIONS
514	Hybrid structures based on quantum dots and graphene nanobelts. Optics and Spectroscopy (English) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.2	7
515	MoS <sub>2</sub> /HgTe Quantum Dot Hybrid Photodetectors beyond 2 Åµm. Advanced Materials, 2017, 29, 1606576.	11.1	248
516	Recent progress in van der Waals heterojunctions. Nanoscale, 2017, 9, 4324-4365.	2.8	155
517	Mobility enhancement of CVD graphene by spatially correlated charges. 2D Materials, 2017, 4, 025026.	2.0	6
518	Photovoltage field-effect transistors. Nature, 2017, 542, 324-327.	13.7	204
519	Switching of Photonic Crystal Lasers by Graphene. Nano Letters, 2017, 17, 1892-1898.	4.5	23
520	Illumination-Induced Hole Doping for Performance Improvement of Graphene/Silicon Solar Cells with P3HT Interlayer. Advanced Electronic Materials, 2017, 3, 1600516.	2.6	20
521	Band-tunable photodetectors based on graphene/alloyed ZnxCd1-x film hybrids. RSC Advances, 2017, 7, 4444-4452.	1.7	2
522	Utilizing Electrical Characteristics of Individual Nanotube Devices to Study the Charge Transfer between CdSe Quantum Dots and Double-Walled Nanotubes. ACS Energy Letters, 2017, 2, 717-725.	8.8	5
523	Quantum-Confined Stark Effect of Individual Defects in a van der Waals Heterostructure. Nano Letters, 2017, 17, 2253-2258.	4.5	81
524	Graphene and PbS quantum dot hybrid vertical phototransistor. Nanotechnology, 2017, 28, 145201.	1.3	25
525	Position-dependent and millimetre-range photodetection in phototransistors with micrometre-scale graphene on SiC. Nature Nanotechnology, 2017, 12, 668-674.	15.6	55
526	Electronics and optoelectronics of quasi-1D layered transition metal trichalcogenides. 2D Materials, 2017, 4, 022003.	2.0	146
527	Vertical Charge Transfer and Lateral Transport in Graphene/Germanium Heterostructures. ACS Applied Materials & Interfaces, 2017, 9, 15830-15840.	4.0	2
528	High Photoresponsivity in Graphene Nanoribbon Field-Effect Transistor Devices Contacted with Graphene Electrodes. Journal of Physical Chemistry C, 2017, 121, 10620-10625.	1.5	45
529	High White Light Photosensitivity of SnSe Nanoplate-Graphene Nanocomposites. Nanoscale Research Letters, 2017, 12, 259.	3.1	27
530	Fast and Highly Sensitive Ionic-Polymer-Gated WS <sub>2</sub> /Graphene Photodetectors. Advanced Materials, 2017, 29, 1700222.	11.1	103
531	Non-symmetric hybrids of noble metal-semiconductor: Interplay of nanoparticles and nanostructures in formation dynamics and plasmonic applications. Progress in Natural Science: Materials International, 2017, 27, 157-168.	1.8	19

#	ARTICLE	IF	CITATIONS
532	Light Induced Electron-Phonon Scattering Mediated Resistive Switching in Nanostructured Nb Thin Film Superconductor. Scientific Reports, 2017, 7, 881.	1.6	12
533	Optoelectronics based on 2D TMDs and heterostructures. Journal of Semiconductors, 2017, 38, 031002.	2.0	69
534	Humidity-Tolerant Single-Stranded DNA-Functionalized Graphene Probe for Medical Applications of Exhaled Breath Analysis. Advanced Functional Materials, 2017, 27, 1700068.	7.8	47
535	Graphene for flexible and wearable device applications. Carbon, 2017, 120, 244-257.	5.4	137
536	Few-Layered PtS <sub>2</sub> Phototransistor on h-BN with High Gain. Advanced Functional Materials, 2017, 27, 1701011.	7.8	176
537	Flexible and Highly Photosensitive Electrolyte-Gated Organic Transistors with Ionogel/Silver Nanowire Membranes. ACS Applied Materials & Interfaces, 2017, 9, 18134-18141.	4.0	22
538	The optical selection rules of a graphene quantum dot in external electric fields. RSC Advances, 2017, 7, 22771-22776.	1.7	5
539	Electron-Hole Symmetry Breaking in Charge Transport in Nitrogen-Doped Graphene. ACS Nano, 2017, 11, 4641-4650.	7.3	46
540	Highly polarization sensitive infrared photodetector based on black phosphorus-on-WSe <sub>2</sub> photogate vertical heterostructure. Nano Energy, 2017, 37, 53-60.	8.2	252
541	Ultrahigh Responsivity and Detectivity Graphene-Perovskite Hybrid Phototransistors by Sequential Vapor Deposition. Scientific Reports, 2017, 7, 46281.	1.6	61
542	Graphene-pyramid textured silicon heterojunction for sensitive near-infrared light photodiode. Materials Research Express, 2017, 4, 045022.	0.8	5
543	An unusual photoconductive property of polyiodide and enhancement by catenating with 3-thiophenemethylamine salt. Chemical Communications, 2017, 53, 432-435.	2.2	11
544	Detecting 100 fW cm <sup>-2</sup> Light with Trapped Electron Gated Organic Phototransistors. Advanced Materials, 2017, 29, 1603969.	11.1	47
545	Ferroelectric Polarization-Assisted Sensitive and High-Power Photodetector in Broad Ultraviolet-Visible Range. Advanced Optical Materials, 2017, 5, 1700158.	3.6	19
546	Quantum Dots-Facilitated Printing of ZnO Nanostructure Photodetectors with Improved Performance. ACS Applied Materials & Interfaces, 2017, 9, 23189-23194.	4.0	13
547	Twisted graphene-assisted photocarrier transfer from HgSe colloidal quantum dots into silicon with enhanced collection and transport efficiency. Applied Physics Letters, 2017, 110, .	1.5	17
548	Enhancing optoelectronic properties of SiC-grown graphene by a surface layer of colloidal quantum dots. 2D Materials, 2017, 4, 031001.	2.0	5
549	Bilayer PbS Quantum Dots for High-Performance Photodetectors. Advanced Materials, 2017, 29, 1702055.	11.1	189

#	ARTICLE	IF	CITATIONS
550	Progress on Electronic and Optoelectronic Devices of 2D Layered Semiconducting Materials. <i>Small</i> , 2017, 13, 1604298.	5.2	65
551	Recent Progress on Localized Field Enhanced Two-dimensional Material Photodetectors from Ultraviolet to Visible to Infrared. <i>Small</i> , 2017, 13, 1700894.	5.2	234
552	Graphene and related two-dimensional materials: Structure-property relationships for electronics and optoelectronics. <i>Applied Physics Reviews</i> , 2017, 4, .	5.5	476
553	Engineering charge transport by heterostructuring solution-processed semiconductors. <i>Nature Reviews Materials</i> , 2017, 2, .	23.3	105
554	Colloidal quantum dots for optoelectronics. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13252-13275.	5.2	167
555	Integration of graphene/ZnS nanowire film hybrids based photodetector arrays for high-performance image sensors. <i>2D Materials</i> , 2017, 4, 025113.	2.0	16
556	Black Phosphorus Quantum Dot Induced Oxidative Stress and Toxicity in Living Cells and Mice. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 20399-20409.	4.0	128
557	Broadband image sensor array based on graphene-CMOS integration. <i>Nature Photonics</i> , 2017, 11, 366-371.	15.6	523
558	Compound Quantum Dot Perovskite Optical Absorbers on Graphene Enhancing Short-Wave Infrared Photodetection. <i>ACS Nano</i> , 2017, 11, 5547-5557.	7.3	87
559	High Photocurrent in Gated Graphene-Silicon Hybrid Photodiodes. <i>ACS Photonics</i> , 2017, 4, 1506-1514.	3.2	78
560	Visualization of weak interactions between quantum dot and graphene in hybrid materials. <i>Scientific Reports</i> , 2017, 7, 417.	1.6	11
561	Nanostructured Materials and Architectures for Advanced Infrared Photodetection. <i>Advanced Materials Technologies</i> , 2017, 2, 1700005.	3.0	87
562	Energy transfer from TPD to CdSe/CdS/ZnS colloidal nanocrystals. <i>Semiconductors</i> , 2017, 51, 628-631.	0.2	3
563	Strain modulation on graphene/ZnO nanowire mixed-dimensional van der Waals heterostructure for high-performance photosensor. <i>Nano Research</i> , 2017, 10, 3476-3485.	5.8	41
564	Flexible Organic/Inorganic Hybrid Near-Infrared Photoplethysmogram Sensor for Cardiovascular Monitoring. <i>Advanced Materials</i> , 2017, 29, 1700975.	11.1	193
565	Development of theoretical approach for describing electronic properties of hetero-interface systems under applied bias voltage. <i>Journal of Chemical Physics</i> , 2017, 146, 084706.	1.2	6
566	Ultrathin Broadband Germanium-Graphene Hybrid Photodetector with High Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 13422-13429.	4.0	82
567	A Broadband Fluorographene Photodetector. <i>Advanced Materials</i> , 2017, 29, 1700463.	11.1	110



#	ARTICLE	IF	CITATIONS
568	All-Printable ZnO Quantum Dots/Graphene van der Waals Heterostructures for Ultrasensitive Detection of Ultraviolet Light. ACS Nano, 2017, 11, 4114-4123.	7.3	158
569	Synthesis of novel nitrogen-doped carbon dots for highly selective detection of iron ion. Nanotechnology, 2017, 28, 165502.	1.3	68
570	Field-emission from quantum-dot-in-perovskite solids. Nature Communications, 2017, 8, 14757.	5.8	83
571	Photoresponse of Physically Oxidized Graphene Sensitized by an Organic Dye. Journal of Physical Chemistry C, 2017, 121, 8188-8195.	1.5	1
572	Photodetecting and light-emitting devices based on two-dimensional materials. Chinese Physics B, 2017, 26, 036801.	0.7	30
573	Flexible Piezoelectric-Induced Pressure Sensors for Static Measurements Based on Nanowires/Graphene Heterostructures. ACS Nano, 2017, 11, 4507-4513.	7.3	435
574	High-performance Schottky heterojunction photodetector with directly grown graphene nanowalls as electrodes. Nanoscale, 2017, 9, 6020-6025.	2.8	77
575	Vapor-Phase-Gating-Induced Ultrasensitive Ion Detection in Graphene and Single-Walled Carbon Nanotube Networks. Advanced Materials, 2017, 29, 1606883.	11.1	3
576	Photoluminescence of Lead Sulfide Quantum Dots of Different Sizes in a Nanoporous Silicate Glass Matrix. Journal of Physical Chemistry C, 2017, 121, 8645-8652.	1.5	18
577	Printable Transfer-Free and Wafer-Size MoS <sub>2</sub> /Graphene van der Waals Heterostructures for High-Performance Photodetection. ACS Applied Materials & Interfaces, 2017, 9, 12728-12733.	4.0	82
578	Extremely high-performance visible light photodetector in the Sb <sub>2</sub> SeTe <sub>2</sub> nanoflake. Scientific Reports, 2017, 7, 45413.	1.6	31
579	Formation and optoelectronic properties of graphene sheets with CdSe/CdS/ZnS quantum dots monolayer formed by Langmuir-Schaefer hybrid method. Applied Surface Science, 2017, 424, 222-227.	3.1	18
580	High-Performance Broadband Floating-Base Bipolar Phototransistor Based on WSe <sub>2</sub> /BP/MoS <sub>2</sub> Heterostructure. ACS Photonics, 2017, 4, 823-829.	3.2	89
581	High-performance nanotube-enhanced perovskite photodetectors. Scientific Reports, 2017, 7, 45543.	1.6	41
582	Graphene integrated photodetectors and opto-electronic devices – a review. Chinese Physics B, 2017, 26, 034203.	0.7	27
583	Black Phosphorus Quantum Dots with Tunable Memory Properties and Multilevel Resistive Switching Characteristics. Advanced Science, 2017, 4, 1600435.	5.6	175
584	Low-Dimensional Halide Perovskites and Their Advanced Optoelectronic Applications. Nano-Micro Letters, 2017, 9, 36.	14.4	73
585	Carbon Materials. , 2017, , 429-462.		2

#	ARTICLE	IF	CITATIONS
586	Hexagonal graphene quantum dots. <i>Physica Status Solidi - Rapid Research Letters</i> , 2017, 11, 1600226.	1.2	5
587	Mid-Infrared Pyroresistive Graphene Detector on LiNbO <sub>3</sub> . <i>Advanced Optical Materials</i> , 2017, 5, 1600723.	3.6	30
588	Synergistic Effects of Plasmonics and Electron Trapping in Graphene Short-Wave Infrared Photodetectors with Ultrahigh Responsivity. <i>ACS Nano</i> , 2017, 11, 430-437.	7.3	192
589	High-Performance UV-Vis-NIR Phototransistors Based on Single-Crystalline Organic Semiconductor-Gold Hybrid Nanomaterials. <i>Advanced Functional Materials</i> , 2017, 27, 1604528.	7.8	79
590	An Enhanced UV-Vis-NIR and Flexible Photodetector Based on Electrospun ZnO Nanowire Array/PbS Quantum Dots Film Heterostructure. <i>Advanced Science</i> , 2017, 4, 1600316.	5.6	160
591	Programmed dielectrophoretic assembly of Pd nanoparticles for conductance control in VO <sub>2</sub> nanowires. <i>Current Applied Physics</i> , 2017, 17, 351-357.	1.1	3
592	Influence of post-synthesis annealing on PbS quantum dot solar cells. <i>Organic Electronics</i> , 2017, 42, 309-315.	1.4	25
593	Towards an all-in fiber photodetector by directly bonding few-layer molybdenum disulfide to a fiber facet. <i>Nanoscale</i> , 2017, 9, 3424-3428.	2.8	22
594	Al-Doped Black Phosphorus p-n Homojunction Diode for High Performance Photovoltaic. <i>Advanced Functional Materials</i> , 2017, 27, 1604638.	7.8	145
595	Enhanced Emission of Nanocrystal Solids Featuring Slowly Diffusive Excitons. <i>Journal of Physical Chemistry C</i> , 2017, 121, 1477-1487.	1.5	20
596	Perovskite/Poly(3-hexylthiophene)/Graphene Multiheterojunction Phototransistors with Ultrahigh Gain in Broadband Wavelength Region. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 1569-1576.	4.0	110
597	Resonant Enhancement of Photoluminescence Intensity and Anisotropy of Quantum Dot Monolayers with Self-Assembled Gold Nanorods. <i>Plasmonics</i> , 2017, 12, 1911-1919.	1.8	5
598	Graphene-carbon nanotube hybrid films for high-performance flexible photodetectors. <i>Nano Research</i> , 2017, 10, 1880-1887.	5.8	64
599	Energy Transfer in Quantum Dot Solids. <i>ACS Energy Letters</i> , 2017, 2, 154-160.	8.8	87
600	Enhanced Graphene Photodetector with Fractal Metasurface. <i>Nano Letters</i> , 2017, 17, 57-62.	4.5	106
601	High Performances for Solution-Processed OD-OD Heterojunction Phototransistors. <i>Advanced Optical Materials</i> , 2017, 5, 1700565.	3.6	39
602	Fully Suspended Reduced Graphene Oxide Photodetector with Annealing Temperature-Dependent Broad Spectral Binary Photoresponses. <i>ACS Photonics</i> , 2017, 4, 2797-2806.	3.2	36
603	Surface Oxidation Doping to Enhance Photogenerated Carrier Separation Efficiency for Ultrahigh Gain Indium Selenide Photodetector. <i>ACS Photonics</i> , 2017, 4, 2930-2936.	3.2	44

#	ARTICLE	IF	CITATIONS
604	Negative Photoconductance in Heavily Doped Si Nanowire Field-Effect Transistors. Nano Letters, 2017, 17, 6727-6734.	4.5	69
605	Enhanced broadband photoresponse of substrate-free reduced graphene oxide photodetectors. RSC Advances, 2017, 7, 46536-46544.	1.7	20
606	High photoresponsivity from multilayer MoS <sub>2</sub> /Si heterojunction diodes formed by vertically stacking. Journal of Applied Physics, 2017, 122, .	1.1	11
607	Photogating in Low Dimensional Photodetectors. Advanced Science, 2017, 4, 1700323.	5.6	622
608	Polyoxometalate-Based Bottom-Up Fabrication of Graphene Quantum Dot/Manganese Vanadate Composites as Lithium Ion Battery Anodes. Chemistry - A European Journal, 2017, 23, 16637-16643.	1.7	56
609	Mixed-Dimensional 1D ZnO-2D WSe <sub>2</sub> van der Waals Heterojunction Device for Photosensors. Advanced Functional Materials, 2017, 27, 1703822.	7.8	98
610	A convenient method of manufacturing liquid-gated MoS <sub>2</sub> field effect transistors. Materials Research Express, 2017, 4, 105028.	0.8	5
611	Formation of Layer-Structured Black Phosphorus Nanocrystals during High-Speed Rotation of Two-Dimensional Amorphous Ultrathin Films. Crystal Growth and Design, 2017, 17, 5608-5613.	1.4	0
612	Color-selective photodetection from intermediate colloidal quantum dots buried in amorphous-oxide semiconductors. Nature Communications, 2017, 8, 840.	5.8	47
613	Wide-spectral/dynamic-range skin-compatible phototransistors enabled by floated heterojunction structures with surface functionalized SWCNTs and amorphous oxide semiconductors. Nanoscale, 2017, 9, 16711-16721.	2.8	22
614	Highly Efficient Rubrene-Graphene Charge Transfer Interfaces as Phototransistors in the Visible Regime. Advanced Materials, 2017, 29, 1702993.	11.1	58
615	Enhanced photoelectric performance of composite nanostructures combining monolayer graphene and a RbAg <sub>4</sub> I <sub>5</sub> film. Applied Physics Letters, 2017, 110, .	1.5	8
616	Highly Efficient and Air-Stable Infrared Photodetector Based on 2D Layered Graphene-Black Phosphorus Heterostructure. ACS Applied Materials & Interfaces, 2017, 9, 36137-36145.	4.0	185
617	Semiconductor Quantum Dot-tagged Graphene Nanosheets for Bioimaging and Cancer Dual Modal Therapy. , 2017, , 141-156.		0
618	Recent progress in the preparation and application of quantum dots/graphene composite materials. RSC Advances, 2017, 7, 47999-48018.	1.7	43
619	Ultra-sensitive near-infrared graphene photodetectors with nanopillar antennas. Nanoscale, 2017, 9, 17459-17464.	2.8	33
620	High Performance PbS Colloidal Quantum Dot Solar Cells by Employing Solution-Processed CdS Thin Films from a Single-Source Precursor as the Electron Transport Layer. Advanced Functional Materials, 2017, 27, 1703687.	7.8	40
621	Effects of asymmetric Schottky contacts on photoresponse in tungsten diselenide (WSe <sub>2</sub> ) phototransistor. Journal of Applied Physics, 2017, 122, .	1.1	16

#	ARTICLE	IF	CITATIONS
622	Using Bulk Heterojunctions and Selective Electron Trapping to Enhance the Responsivity of Perovskiteâ€“Graphene Photodetectors. <i>Advanced Functional Materials</i> , 2017, 27, 1704173.	7.8	79
623	Microscopic understanding of the photoconduction effect in graphene. <i>Physical Review B</i> , 2017, 96, .	1.1	5
624	Surface/Interface Carrier-Transport Modulation for Constructing Photon-Alternative Ultraviolet Detectors Based on Self-Bending-Assembled ZnO Nanowires. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 31042-31053.	4.0	15
625	Single-crystalline germanium nanomembrane photodetectors on foreign nanocavities. <i>Science Advances</i> , 2017, 3, e1602783.	4.7	76
626	Ultrafast photoresponse and enhanced photoresponsivity of Indium Nitride based broad band photodetector. <i>Solar Energy Materials and Solar Cells</i> , 2017, 172, 376-383.	3.0	42
627	Ambipolar Grapheneâ€“Quantum Dot Hybrid Vertical Photodetector with a Graphene Electrode. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 32001-32007.	4.0	34
628	Twinned Growth of Metalâ€“Free, Triazineâ€“Based Photocatalyst Films as Mixedâ€“Dimensional (2D/3D) van der Waals Heterostructures. <i>Advanced Materials</i> , 2017, 29, 1703399.	11.1	59
629	Highly Sensitive Grapheneâ€“Semiconducting Polymer Hybrid Photodetectors with Millisecond Response Time. <i>ACS Photonics</i> , 2017, 4, 2335-2344.	3.2	25
630	Carrier scattering in quasi-free standing graphene on hexagonal boron nitride. <i>Nanoscale</i> , 2017, 9, 15934-15944.	2.8	7
631	Flexible Photodetectors Based on Novel Functional Materials. <i>Small</i> , 2017, 13, 1701822.	5.2	259
632	Monolithic optoelectronic integrated broadband optical receiver with graphene photodetectors. <i>Nanophotonics</i> , 2017, 6, 1343-1352.	2.9	11
633	Plasmonic Silicon Quantum Dots Enabled High-Sensitivity Ultrabroadband Photodetection of Graphene-Based Hybrid Phototransistors. <i>ACS Nano</i> , 2017, 11, 9854-9862.	7.3	285
634	Ultrasensitive all-2D MoS <sub>2</sub> phototransistors enabled by an out-of-plane MoS <sub>2</sub> PN homojunction. <i>Nature Communications</i> , 2017, 8, 572.	5.8	181
635	Graphene-CdSe quantum dot hybrid as a platform for the control of carrier temperature. <i>FlatChem</i> , 2017, 6, 77-82.	2.8	9
636	Black Phosphorus Quantum Dots Used for Boosting Light Harvesting in Organic Photovoltaics. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13717-13721.	7.2	113
637	Hybrid Organicâ€“Inorganic Perovskite Photodetectors. <i>Small</i> , 2017, 13, 1702107.	5.2	334
638	Hybrid WSe <sub>2</sub> â€“In <sub>2</sub> O <sub>3</sub> Phototransistor with Ultrahigh Detectivity by Efficient Suppression of Dark Currents. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 34489-34496.	4.0	47
639	Black Phosphorus Quantum Dots Used for Boosting Light Harvesting in Organic Photovoltaics. <i>Angewandte Chemie</i> , 2017, 129, 13905-13909.	1.6	12

#	ARTICLE	IF	CITATIONS
640	Enhancing light absorption in graphene with plasmonic lattices. <i>Europhysics Letters</i> , 2017, 119, 17006.	0.7	7
641	Flexible Broadband Graphene Photodetectors Enhanced by Plasmonic Cu <sub>3</sub> P Colloidal Nanocrystals. <i>Small</i> , 2017, 13, 1701881.	5.2	63
642	Black phosphorus ink formulation for inkjet printing of optoelectronics and photonics. <i>Nature Communications</i> , 2017, 8, 278.	5.8	311
643	Relaxation dynamics of a driven two-level system coupled to a Bose-Einstein condensate: application to quantum dot-dipolar exciton gas hybrid systems. <i>Journal of Physics Condensed Matter</i> , 2017, 29, 465301.	0.7	0
644	Improving the Performance of Graphene Phototransistors Using a Heterostructure as the Light-Absorbing Layer. <i>Nano Letters</i> , 2017, 17, 6391-6396.	4.5	87
645	Biocompatible, large-format, inkjet printed heterostructure MoS <sub>2</sub> -graphene photodetectors on conformable substrates. <i>Npj 2D Materials and Applications</i> , 2017, 1, .	3.9	88
646	Hybrid graphene tunneling photoconductor with interface engineering towards fast photoresponse and high responsivity. <i>Npj 2D Materials and Applications</i> , 2017, 1, .	3.9	77
647	A sensitive electrochemiluminescence glucose biosensor based on graphene quantum dot prepared from graphene oxide sheets and hydrogen peroxide. <i>Journal of Electroanalytical Chemistry</i> , 2017, 801, 162-170.	1.9	31
648	X-ray induced electrostatic graphene doping via defect charging in gate dielectric. <i>Scientific Reports</i> , 2017, 7, 563.	1.6	12
649	Rectified photocurrent in a planar ITO/graphene/ITO photodetector on SiC by local irradiation of ultraviolet light. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 405102.	1.3	3
650	Graphene: Optoelectronic Devices. , 0, , 180-196.		0
651	Photon-triggered nanowire transistors. <i>Nature Nanotechnology</i> , 2017, 12, 963-968.	15.6	95
652	Graphene quantum dot (GQD)-induced photovoltaic and photoelectric memory elements in a pentacene/GQD field effect transistor as a probe of functional interface. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 365303.	1.3	7
653	Ultrasensitive broadband phototransistors based on perovskite/organic-semiconductor vertical heterojunctions. <i>Light: Science and Applications</i> , 2017, 6, e17023-e17023.	7.7	272
654	TMDs " Optoelectronic Devices. , 0, , 329-343.		0
655	Optical Properties and Optoelectronic Applications of Black Phosphorus. , 0, , 435-457.		0
656	Printable Nanocomposite FeS <sub>2</sub> -PbS Nanocrystals/Graphene Heterojunction Photodetectors for Broadband Photodetection. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 27801-27808.	4.0	37
657	2D/0D graphene hybrids for visible-blind flexible UV photodetectors. <i>Scientific Reports</i> , 2017, 7, 5544.	1.6	41

#	ARTICLE	IF	CITATIONS
658	A solution-processed near-infrared polymer: PbS quantum dot photodetectors. RSC Advances, 2017, 7, 34633-34637.	1.7	17
659	Graphene/PbS-Quantum Dots/Graphene Sandwich Structures Enabled by Laser Shock Imprinting for High Performance Photodetectors. ACS Applied Materials & Interfaces, 2017, 9, 44715-44723.	4.0	49
660	van der Waals Layered Materials: Opportunities and Challenges. ACS Nano, 2017, 11, 11803-11830.	7.3	394
661	Wavelength-selective enhancement of photo-responsivity in metal-gated multi-layer MoS <sub>2</sub> phototransistors. Applied Physics Letters, 2017, 111, 223106.	1.5	12
662	Plasmonic silicon quantum dots extend photodetection into mid-infrared range. Science Bulletin, 2017, 62, 1430-1431.	4.3	3
663	2D Lead Dihalides for High-Performance Ultraviolet Photodetectors and their Detection Mechanism Investigation. Small, 2017, 13, 1702024.	5.2	48
664	A small bandgap (3 <i>E</i> <sub>g</sub> )-3,7-bis(2-oxindolin-3-ylidene)benzo[1,2- <i>b</i> :4,5- <i>b'</i> ]-difuran-2,6(3 <i>H</i> ,7 <i>H</i> )-dione (IBDF) based polymer semiconductor for near-infrared organic phototransistors. Journal of Materials Chemistry C, 2017, 5, 12163-12171.	2.7	26
665	Stable Graphene-Two-Dimensional Multiphase Perovskite Heterostructure Phototransistors with High Gain. Nano Letters, 2017, 17, 7330-7338.	4.5	88
666	Graphene-Insulator-Semiconductor Junction for Hybrid Photodetection Modalities. Scientific Reports, 2017, 7, 14651.	1.6	20
667	High-Performance Graphene-Based Electrostatic Field Sensor. IEEE Electron Device Letters, 2017, 38, 1136-1138.	2.2	12
668	Synthesis, structure and applications of graphene-based 2D heterostructures. Chemical Society Reviews, 2017, 46, 4572-4613.	18.7	275
669	The physics and chemistry of graphene-on-surfaces. Chemical Society Reviews, 2017, 46, 4417-4449.	18.7	309
670	High-response hybrid quantum dots- 2D conductor phototransistors: recent progress and perspectives. Nanophotonics, 2017, 6, 1263-1280.	2.9	23
671	Improved photoresponse and stable photoswitching of tungsten disulfide single-layer phototransistor decorated with black phosphorus nanosheets. Journal of Materials Science, 2017, 52, 11506-11512.	1.7	15
672	Electrically Tunable Enhanced Photoluminescence of Semiconductor Quantum Dots on Graphene. ACS Photonics, 2017, 4, 1967-1973.	3.2	7
673	Ultra-high sensitivity infra-red detection and temperature effects in a graphene-tellurium nanowire binary hybrid. Nanoscale, 2017, 9, 9284-9290.	2.8	31
674	Sensitivity Limit of Nanoscale Phototransistors. IEEE Electron Device Letters, 2017, 38, 1051-1054.	2.2	18
675	Room temperature high-detectivity mid-infrared photodetectors based on black arsenic phosphorus. Science Advances, 2017, 3, e1700589.	4.7	419

#	ARTICLE	IF	CITATIONS
676	Nonlinear optical conductivity of a generic two-band system with application to doped and gapped graphene. Physical Review B, 2017, 95, .	1.1	13
677	Short Channel Quantum Dot Vertical and Lateral Phototransistors. Advanced Optical Materials, 2017, 5, 1600434.	3.6	11
678	Synergistic Effect of Hybrid PbS Quantum Dots/2D $\alpha$ -WSe <sub>2</sub> Toward High Performance and Broadband Phototransistors. Advanced Functional Materials, 2017, 27, 1603605.	7.8	193
679	Hybrid Nanostructures for Photodetectors. Advanced Optical Materials, 2017, 5, 1600468.	3.6	43
680	Photodetectors Based on Two $\alpha$ -Dimensional Layered Materials Beyond Graphene. Advanced Functional Materials, 2017, 27, 1603886.	7.8	534
681	Mixed-dimensional van der Waals heterostructures. Nature Materials, 2017, 16, 170-181.	13.3	1,220
682	Quantum Dot Solar Cell Fabrication Protocols. Chemistry of Materials, 2017, 29, 189-198.	3.2	77
683	Temperature-dependent spontaneous emission of PbS quantum dots inside photonic nanostructures at telecommunication wavelength. Optics Communications, 2017, 383, 555-560.	1.0	14
684	Solution $\alpha$ -Processed MoS <sub>2</sub> /Organolead Trihalide Perovskite Photodetectors. Advanced Materials, 2017, 29, 1603995.	11.1	187
685	Graphene gold nanoparticle hybrid based near infrared photodetector. , 2017, , .		2
686	Ultrafast and broadband graphene photodetectors based on plasmonic nanoantennas. , 2017, , .		3
687	Electrochemical half-reaction-assisted sub-bandgap photon sensing in a graphene hybrid photodetector. NPG Asia Materials, 2017, 9, e436-e436.	3.8	6
688	Spectral photovoltaic response of graphene-silicon heterojunction. Applied Physics Letters, 2017, 111, .	1.5	9
689	Black phosphorus carbide infrared phototransistor with wide spectrum sensing for IoT applications. , 2017, , .		0
690	An Ordered AgNWs@GO-AgNPs Film as the Sensitive, Stable and Multifunctional Surface-Enhanced Raman Scattering Substrate. Journal of the Electrochemical Society, 2017, 164, B747-B752.	1.3	7
691	Computational modeling of hybrid graphene/quantum dot photodetectors. , 2017, , .		0
692	6. Graphene via Molecule-Assisted Ultrasound- Induced Liquid-Phase Exfoliation: A Supramolecular Approach. , 2017, , .		0
693	Electrically Tunable Photoresponse in a Graphene Heterostructure Photodetector. , 2017, , .		2

#	ARTICLE	IF	CITATIONS
694	Material and Device Architecture Engineering Toward High Performance Two-Dimensional (2D) Photodetectors. <i>Crystals</i> , 2017, 7, 149.	1.0	21
695	Topological edge modes in non-Hermitian plasmonic waveguide arrays. <i>Optics Express</i> , 2017, 25, 11132.	1.7	40
696	Graphene plasmonics for surface enhancement near-infrared absorptivity. <i>Optics Express</i> , 2017, 25, 16400.	1.7	33
697	The Property, Preparation and Application of Topological Insulators: A Review. <i>Materials</i> , 2017, 10, 814.	1.3	119
698	Interfacial amplification for graphene-based position-sensitive-detectors. <i>Light: Science and Applications</i> , 2017, 6, e171113-e171113.	7.7	62
699	Surface-Modified Graphene for Mid-Infrared Detection. , 0, , .		2
700	Broadband surface plasmon resonance enhanced self-powered graphene/GaAs photodetector with ultrahigh detectivity. <i>Nano Energy</i> , 2018, 47, 140-149.	8.2	82
701	Short-Wave Infrared Sensor by the Photothermal Effect of Colloidal Gold Nanorods. <i>Small</i> , 2018, 14, e1704013.	5.2	16
702	Light and Matter Interaction in Two-Dimensional Atomically Thin Films. <i>Bulletin of the Chemical Society of Japan</i> , 2018, 91, 761-771.	2.0	22
703	Graphene devices based on laser scribing technology. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 04FA01.	0.8	19
704	Fabrication of high-hole-mobility germanium-on-insulator wafers through an easy method. <i>Journal of Alloys and Compounds</i> , 2018, 750, 182-188.	2.8	13
705	2D GeP: An Unexploited Low-Symmetry Semiconductor with Strong In-Plane Anisotropy. <i>Advanced Materials</i> , 2018, 30, e1706771.	11.1	219
706	Performance Improvement of Graphene/Silicon Photodetectors Using High Work Function Metal Nanoparticles with Plasma Effect. <i>Advanced Optical Materials</i> , 2018, 6, 1701243.	3.6	32
707	Recent Advances in Black-Phosphorus-Based Photonics and Optoelectronics Devices. <i>Small Methods</i> , 2018, 2, 1700315.	4.6	36
708	Graphene/Semiconductor Hybrid Heterostructures for Optoelectronic Device Applications. <i>Nano Today</i> , 2018, 19, 41-83.	6.2	172
709	Photoexcitation-Controllable Magnetization in Magnetic-Semiconducting Nanohybrid Containing $\text{Fe}_2\text{O}_3$ -Graphene (0D-2D) van der Waals Heterostructure Based on Steady-State Pump-Probe Light Scattering Measurement in Magnetic Field. <i>Journal of Physical Chemistry C</i> . 2018. 122. 6912-6917.	1.5	3
710	Symmetry and optical selection rules in graphene quantum dots. <i>Physical Review B</i> , 2018, 97, .	1.1	9
711	Sub-100 nm Channel ZnSe Film/Graphene Hybrid-Based Photodetectors With an Ultrahigh Responsivity of $10^9$ A/W. <i>IEEE Electron Device Letters</i> , 2018, 39, 240-243.	2.2	8



#	ARTICLE	IF	CITATIONS
712	Towards sensitive terahertz detection via thermoelectric manipulation using graphene transistors. <i>NPG Asia Materials</i> , 2018, 10, 318-327.	3.8	31
713	Charge Separation at Mixed-Dimensional Single and Multilayer MoS <sub>2</sub> /Silicon Nanowire Heterojunctions. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 16760-16767.	4.0	31
714	Nonvolatile infrared memory in MoS <sub>2</sub> /PbS van der Waals heterostructures. <i>Science Advances</i> , 2018, 4, eaap7916.	4.7	161
715	An ultra-broadband perovskite-PbS quantum dot sensitized carbon nanotube photodetector. <i>Nanoscale</i> , 2018, 10, 9044-9052.	2.8	35
716	Recent advances in phosphorene as a sensing material. <i>Nano Today</i> , 2018, 20, 13-32.	6.2	134
717	Studying the influence of substrate conductivity on the optoelectronic properties of quantum dots langmuir monolayer. <i>Materials Research Express</i> , 2018, 5, 045050.	0.8	2
718	Ultrasensitive Photoresponsive Devices Based on Graphene/BiI <sub>3</sub> van der Waals Epitaxial Heterostructures. <i>Advanced Functional Materials</i> , 2018, 28, 1800179.	7.8	44
719	On the Generalized Thermal Conductance Characterizations of Mixed One-Dimensional-Two-Dimensional van der Waals Heterostructures and Their Implication for Pressure Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 14221-14229.	4.0	16
720	Electrically-induced polarization selection rules of a graphene quantum dot. <i>Solid State Communications</i> , 2018, 273, 55-59.	0.9	4
721	Hybrid Black Phosphorus/Zero-Dimensional Quantum Dot Phototransistors: Tunable Photodoping and Enhanced Photoresponsivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 16033-16040.	4.0	28
722	Recent advances in the fabrication of graphene-ZnO heterojunctions for optoelectronic device applications. <i>Journal of Materials Chemistry C</i> , 2018, 6, 3815-3833.	2.7	85
723	Achieving high-performance PbS quantum dot solar cells by improving hole extraction through Ag doping. <i>Nano Energy</i> , 2018, 46, 212-219.	8.2	72
724	Design of Resonant Cavity-Enhanced Schottky Graphene/Silicon Photodetectors at 1550 nm. <i>Journal of Lightwave Technology</i> , 2018, 36, 1766-1774.	2.7	28
725	Large-Area Heterostructures from Graphene and Encapsulated Colloidal Quantum Dots via the Langmuir-Blodgett Method. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 6805-6809.	4.0	12
726	Graphene-Silicon-Based High-Sensitivity and Broadband Phototransistor. <i>IEEE Electron Device Letters</i> , 2018, 39, 216-219.	2.2	22
727	Ultraefficient Ultraviolet and Visible Light Sensing and Ohmic Contacts in High-Mobility InSe Nanoflake Photodetectors Fabricated by the Focused Ion Beam Technique. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 5740-5749.	4.0	45
728	Dependence of Photocurrent Enhancements in Quantum Dot (QD)-Sensitized MoS <sub>2</sub> Devices on MoS <sub>2</sub> Film Properties. <i>Advanced Functional Materials</i> , 2018, 28, 1706149.	7.8	20
729	Efficient Quantum-Dot Light-Emitting Diodes Employing Thermally Activated Delayed Fluorescence Emitters as Exciton Harvesters. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 7435-7441.	4.0	23

#	ARTICLE	IF	CITATIONS
730	Graphene nanoribbon photodetectors based on an asymmetric potential barrier: a new concept and a new structure. <i>Journal of Computational Electronics</i> , 2018, 17, 531-539.	1.3	5
731	<i>In situ</i> growth of all-inorganic perovskite nanocrystals on black phosphorus nanosheets. <i>Chemical Communications</i> , 2018, 54, 2365-2368.	2.2	36
732	Charge-transfer channel in quantum dot-graphene hybrid materials. <i>Nanotechnology</i> , 2018, 29, 145202.	1.3	8
733	2D Nanomaterial Arrays for Electronics and Optoelectronics. <i>Advanced Functional Materials</i> , 2018, 28, 1706559.	7.8	101
734	Broadband Photodetectors Enabled by Localized Surface Plasmonic Resonance in Doped Iron Pyrite Nanocrystals. <i>Advanced Optical Materials</i> , 2018, 6, 1701241.	3.6	32
735	Facile and Highly Effective Synthesis of Controllable Lattice Sulfur-Doped Graphene Quantum Dots via Hydrothermal Treatment of Durian. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 5750-5759.	4.0	201
736	The all-optical modulator in dielectric-loaded waveguide with graphene-silicon heterojunction structure. <i>Nanotechnology</i> , 2018, 29, 135201.	1.3	29
737	Engineering the Exciton Dissociation in Quantum-Confined 2D CsPbBr <sub>3</sub> Nanosheet Films. <i>Advanced Functional Materials</i> , 2018, 28, 1705908.	7.8	98
738	Giant photoeffect in proton transport through graphene membranes. <i>Nature Nanotechnology</i> , 2018, 13, 300-303.	15.6	59
739	Rediscovering the MP <sub>15</sub> Family (M = Li, Na, and K) as an Anisotropic Layered Semiconducting Material. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 732-738.	2.1	15
740	0D-2D and 1D-2D Semiconductor Hybrids Composed of All Inorganic Perovskite Nanocrystals and Single-Layer Graphene with Improved Light Harvesting. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700310.	1.2	22
741	2D MoS <sub>2</sub> -carbon quantum dot hybrid based large area, flexible UV-vis-NIR photodetector on paper substrate. <i>Applied Materials Today</i> , 2018, 10, 106-114.	2.3	89
742	Boosting Two-Dimensional MoS <sub>2</sub> /CsPbBr <sub>3</sub> Photodetectors via Enhanced Light Absorbance and Interfacial Carrier Separation. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 2801-2809.	4.0	207
743	Graphene and its sensor-based applications: A review. <i>Sensors and Actuators A: Physical</i> , 2018, 270, 177-194.	2.0	475
744	Low-dimensional materials-based field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 924-941.	2.7	24
745	Composites of Proteins and 2D Nanomaterials. <i>Advanced Functional Materials</i> , 2018, 28, 1704990.	7.8	38
746	A Black Phosphorus Carbide Infrared Phototransistor. <i>Advanced Materials</i> , 2018, 30, 1705039.	11.1	95
747	Generalized Scheme for High Performing Photodetectors with a p-type 2D Channel Layer and n-type Nanoparticles. <i>Small</i> , 2018, 14, 1703065.	5.2	18

#	ARTICLE	IF	CITATIONS
748	Field effect transistors and phototransistors based upon p-type solution-processed PbS nanowires. <i>Nanotechnology</i> , 2018, 29, 075202.	1.3	11
749	High-Responsivity Photodetectors Based on Formamidinium Lead Halide Perovskite Quantum Dot-Graphene Hybrid. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700304.	1.2	46
750	Room-temperature photoconduction assisted by hot-carriers in graphene for sub-terahertz detection. <i>Carbon</i> , 2018, 130, 233-240.	5.4	26
751	Enhanced performance of perovskite/organic-semiconductor hybrid heterojunction photodetectors with the electron trapping effects. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1338-1342.	2.7	47
752	Residue-and-polymer-free graphene transfer: DNA-CTMA/graphene/GaN bio-hybrid photodiode for light-sensitive applications. <i>Optical Materials</i> , 2018, 76, 302-307.	1.7	18
753	Transparent, Wearable, Broadband, and Highly Sensitive Upconversion Nanoparticles and Graphene-Based Hybrid Photodetectors. <i>ACS Photonics</i> , 2018, 5, 2336-2347.	3.2	59
754	Significant Enhancement of Single-Walled Carbon Nanotube Based Infrared Photodetector Using PbS Quantum Dots. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018, 24, 1-8.	1.9	19
755	Graphene-Organic Two-Dimensional Charge-Transfer Complexes: Intermolecular Electronic Transitions and Broadband Near-Infrared Photoresponse. <i>Journal of Physical Chemistry C</i> , 2018, 122, 7551-7556.	1.5	25
756	Toward High-Performance Photodetectors Based on 2D Materials: Strategy on Methods. <i>Small Methods</i> , 2018, 2, 1700349.	4.6	118
757	High-Sensitivity Light Detection via Gate Tuning of Organometallic Perovskite/PCBM Bulk Heterojunctions on Ferroelectric $\text{Pb}_{0.92}\text{La}_{0.08}\text{Zr}_{0.52}\text{Ti}_{0.48}\text{O}_3$ Gated Graphene Field Effect Transistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 12824-12830.	4.0	20
758	Enhanced performance of a graphene/GaAs self-driven near-infrared photodetector with upconversion nanoparticles. <i>Nanoscale</i> , 2018, 10, 8023-8030.	2.8	84
759	Hybrid graphene/cadmium-free ZnSe/ZnS quantum dots phototransistors for UV detection. <i>Scientific Reports</i> , 2018, 8, 5107.	1.6	21
760	Dynamics of Charge Carriers in Silicon Nanowire Photoconductors Revealed by Photo Hall Effect Measurements. <i>ACS Nano</i> , 2018, 12, 3436-3441.	7.3	16
761	Top-gated black phosphorus phototransistor for sensitive broadband detection. <i>Nanoscale</i> , 2018, 10, 5852-5858.	2.8	19
762	Silicon photoresistive sensors with improved performance. <i>Journal of Applied Physics</i> , 2018, 123, 044505.	1.1	3
763	Graphene Field-Effect Transistor as a High-Throughput Platform to Probe Charge Separation at Donor-Acceptor Interfaces. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 1633-1641.	2.1	11
764	High Speed Ultraviolet Phototransistors Based on an Ambipolar Fullerene Derivative. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 10202-10210.	4.0	26
765	Lifetime and linewidth of individual quantum dots interfaced with graphene. <i>Nanoscale</i> , 2018, 10, 7040-7046.	2.8	6

#	ARTICLE	IF	CITATIONS
766	Black phosphorus quantum dots for femtosecond laser photonics. Optics Communications, 2018, 406, 85-90.	1.0	33
767	Recent progress in organometal halide perovskite photodetectors. Organic Electronics, 2018, 52, 172-183.	1.4	83
768	Graphene Electronic Devices. , 2018, , 103-155.		10
769	Emerging technologies for high performance infrared detectors. Nanophotonics, 2018, 7, 169-197.	2.9	203
770	Ultraviolet-light-driven enhanced photoresponse of chemical-vapor-deposition grown graphene-WS2 heterojunction based FETs. Sensors and Actuators B: Chemical, 2018, 257, 263-269.	4.0	16
771	Uncooled EuSbTe <sub>3</sub> photodetector highly sensitive from ultraviolet to terahertz frequencies. 2D Materials, 2018, 5, 011008.	2.0	16
772	2D Organic Materials for Optoelectronic Applications. Advanced Materials, 2018, 30, 1702415.	11.1	266
773	A $\alpha$ -turn-on fluorescence sensor for Pb <sup>2+</sup> detection based on graphene quantum dots and gold nanoparticles. Sensors and Actuators B: Chemical, 2018, 255, 1577-1581.	4.0	162
774	Polarity-controlled Attachment of Cytochrome C for High-performance Cytochrome C/Graphene van der Waals Heterojunction Photodetectors. Advanced Functional Materials, 2018, 28, 1704797.	7.8	18
775	Nanocrystalline Perovskite Hybrid Photodetectors with High Performance in Almost Every Figure of Merit. Advanced Functional Materials, 2018, 28, 1705589.	7.8	42
776	Room-temperature-operated ultrasensitive broadband photodetectors by perovskite incorporated with conjugated polymer and single-wall carbon nanotubes. Advanced Functional Materials, 2018, 28, 1705541.	7.8	69
777	Crumpled graphene prepared by a simple ultrasonic pyrolysis method for fast photodetection. Carbon, 2018, 128, 117-124.	5.4	19
778	Multicolor Spectral-Specific Silicon Nanodetectors based on Molecularly Embedded Nanowires. Nano Letters, 2018, 18, 190-201.	4.5	22
779	Phase Stabilized $\text{CsPbI}_3$ Perovskite Nanocrystals for Photodiode Applications. Laser and Photonics Reviews, 2018, 12, 1700209.	4.4	86
780	Heterostructured graphene quantum dot/WSe <sub>2</sub> /Si photodetector with suppressed dark current and improved detectivity. Nano Research, 2018, 11, 3233-3243.	5.8	67
781	Electrogenerated chemiluminescence of Ru(bpy) <sub>3</sub> <sup>2+</sup> at a black phosphorus quantum dot modified electrode and its sensing application. Analyst, The, 2018, 143, 304-310.	1.7	38
782	Energy transfer in hybrid systems composed of TPD and CdSe/CdS/ZnS colloidal nanocrystals. Journal of Luminescence, 2018, 194, 530-534.	1.5	5
783	Giant optical absorption and low dark current characteristics in wrinkled single layer graphene/bismuth nanorods heterostructures. Carbon, 2018, 127, 596-601.	5.4	10

#	ARTICLE	IF	CITATIONS
784	Number-Resolved Single-Photon Detection with Ultralow Noise van der Waals Hybrid. <i>Advanced Materials</i> , 2018, 30, 1704412.	11.1	32
785	Two dimensional materials based photodetectors. <i>Infrared Physics and Technology</i> , 2018, 88, 149-173.	1.3	79
786	Ultra-sensitive and plasmon-tunable graphene photodetectors for micro-spectrometry. <i>Nanoscale</i> , 2018, 10, 20013-20019.	2.8	34
787	Scalable Production of Graphene/Semiconducting Single-Wall Carbon Nanotube Film Schottky Broadband Photodiode Array with Enhanced Photoresponse. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 2369.	1.3	3
788	Correlated, Dual-Beam Optical Gating in Coupled Organic-Inorganic Nanostructures. <i>Angewandte Chemie</i> , 2018, 130, 11733-11737.	1.6	7
789	NIR polymers and phototransistors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 13049-13058.	2.7	25
790	Assembly of graphene nanoflake-quantum dot hybrids in aqueous solution and their performance in light-harvesting applications. <i>Nanoscale</i> , 2018, 10, 19678-19683.	2.8	4
791	Bilayer graphene/HgCdTe based very long infrared photodetector with superior external quantum efficiency, responsivity, and detectivity. <i>RSC Advances</i> , 2018, 8, 39579-39592.	1.7	34
792	Facile synthesis of AgBiS <sub>2</sub> nanocrystals for high responsivity infrared detectors. <i>RSC Advances</i> , 2018, 8, 39203-39207.	1.7	16
793	Two-dimensional black phosphorus: its fabrication, functionalization and applications. <i>Nanoscale</i> , 2018, 10, 21575-21603.	2.8	73
794	Photonic Devices. , 2018, , 216-250.		0
795	The Extremely Enhanced Photocurrent Response in Topological Insulator Nanosheets with High Conductance. <i>Nanoscale Research Letters</i> , 2018, 13, 371.	3.1	5
797	Road Map for Nanocrystal Based Infrared Photodetectors. <i>Frontiers in Chemistry</i> , 2018, 6, 575.	1.8	52
798	Graphene quantum dots from chemistry to applications. <i>Materials Today Chemistry</i> , 2018, 10, 221-258.	1.7	539
799	Printing High-Performance Tungsten Oxide Thin Film Ultraviolet Photodetectors on ZnO Quantum Dot Textured SiO <sub>2</sub> Surface. <i>IEEE Sensors Journal</i> , 2018, 18, 9542-9547.	2.4	15
800	Spatially controlled electrostatic doping in graphene p-i-n junction for hybrid silicon photodiode. <i>Npj 2D Materials and Applications</i> , 2018, 2, .	3.9	31
801	PbSe Quantum Dot Passivated Via Mixed Halide Perovskite Nanocrystals for Solar Cells With Over 9% Efficiency. <i>Solar Rrl</i> , 2018, 2, 1800234.	3.1	29
802	High responsivity graphene photodetectors from visible to near-infrared by photogating effect. <i>AIP Advances</i> , 2018, 8, 115106.	0.6	46

#	ARTICLE	IF	CITATIONS
804	A Novel PbS/n-IGZO Thin-Film Nano-Photodetector with High Responsivity and High Photo-to-Dark Current Ratio. , 2018, , .		2
805	Graphene-Based Perfect Absorption Structures in the Visible to Terahertz Band and Their Optoelectronics Applications. <i>Nanomaterials</i> , 2018, 8, 1033.	1.9	57
806	Low-Dimensional Materials and State-of-the-Art Architectures for Infrared Photodetection. <i>Sensors</i> , 2018, 18, 4163.	2.1	19
807	Vapour transport deposition of fluorographene oxide films and electro-optical device applications. <i>Applied Materials Today</i> , 2018, 13, 387-395.	2.3	9
808	Photogating and high gain in ReS <sub>2</sub> field-effect transistors. <i>Journal of Applied Physics</i> , 2018, 124, 204306.	1.1	13
809	Two Dimensional Materials based Heterostructures for Photosensing Applications. , 2018, , .		0
810	Current status and technological prospect of photodetectors based on two-dimensional materials. <i>Nature Communications</i> , 2018, 9, 5266.	5.8	177
811	Band Structure Engineering in 2D Materials for Optoelectronic Applications. <i>Advanced Materials Technologies</i> , 2018, 3, 1800072.	3.0	78
812	Direct Observation of Perovskite Photodetector Performance Enhancement by Atomically Thin Interface Engineering. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 36493-36504.	4.0	25
813	The Interaction between Quantum Dots and Graphene: The Applications in Graphene-Based Solar Cells and Photodetectors. <i>Advanced Functional Materials</i> , 2018, 28, 1804712.	7.8	69
814	Highly Sensitive Broadband Single-Walled Carbon Nanotube Photodetectors Enhanced by Separated Graphene Nanosheets. <i>Advanced Optical Materials</i> , 2018, 6, 1800791.	3.6	29
815	Highly-Efficient InAs Nanowire Phototransistors. <i>Springer Theses</i> , 2018, , 21-34.	0.0	0
816	Hybrid WSe <sub>2</sub> -In <sub>2</sub> O <sub>3</sub> Phototransistors with Ultrahigh Detectivity. <i>Springer Theses</i> , 2018, , 35-51.	0.0	0
817	Graphene-based integrated photonics for next-generation datacom and telecom. <i>Nature Reviews Materials</i> , 2018, 3, 392-414.	23.3	286
818	Graphene/Organic Semiconductor Heterojunction Phototransistors with Broadband and Bi-directional Photoresponse. <i>Advanced Materials</i> , 2018, 30, e1804020.	11.1	103
819	Ambipolar Graphene-Quantum Dot Phototransistors with CMOS Compatibility. <i>Advanced Optical Materials</i> , 2018, 6, 1800985.	3.6	50
820	One-Dimensional Assembly on Two-Dimensions: AuCN Nanowire Epitaxy on Graphene for Hybrid Phototransistors. <i>Nano Letters</i> , 2018, 18, 6214-6221.	4.5	30
821	Generation of direct current in bilayer graphene due to the bichromatic electric field effect. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2018, 82, 90-93.	0.1	1

#	ARTICLE	IF	CITATIONS
822	Graphene-Based Light Sensing: Fabrication, Characterisation, Physical Properties and Performance. <i>Materials</i> , 2018, 11, 1762.	1.3	43
823	Improving the Responsivity of Hybrid Graphene-Conductive Polymer Photodetectors via Nanowire Self-Assembly. <i>ACS Photonics</i> , 2018, 5, 4296-4302.	3.2	10
824	Promise and Challenge of Phosphorus in Science, Technology, and Application. <i>Advanced Functional Materials</i> , 2018, 28, 1803471.	7.8	65
825	Room-Temperature High-Gain Long-Wavelength Photodetector via Optical-Electrical Controlling of Hot Carriers in Graphene. <i>Advanced Optical Materials</i> , 2018, 6, 1800836.	3.6	28
826	The photoelectric response of the graphene/GeSi QDs hybrid structure. <i>Nanotechnology</i> , 2018, 29, 504005.	1.3	0
827	Infrared Imaging with Graphene Photodetectors. <i>Springer Theses</i> , 2018, , 7-19.	0.0	1
828	Narrow bandgap oxide nanoparticles coupled with graphene for high performance mid-infrared photodetection. <i>Nature Communications</i> , 2018, 9, 4299.	5.8	151
829	Trapped Photons Induced Ultrahigh External Quantum Efficiency and Photoresponsivity in Hybrid Graphene/Metal-Organic Framework Broadband Wearable Photodetectors. <i>Advanced Functional Materials</i> , 2018, 28, 1804802.	7.8	59
830	Adiabatic transfer of surface plasmons in non-Hermitian graphene waveguides. <i>Optical and Quantum Electronics</i> , 2018, 50, 1.	1.5	22
831	The Effect of Light Intensity, Temperature, and Oxygen Pressure on the Photo-Oxidation Rate of Bare PbS Quantum Dots. <i>Nanomaterials</i> , 2018, 8, 341.	1.9	10
832	Microwave-Polyol Synthesis of Sub-10-nm PbS Nanocrystals for Metal Oxide/Nanocrystal Heterojunction Photodetectors. <i>ACS Applied Nano Materials</i> , 2018, 1, 6063-6072.	2.4	11
833	Consecutive Junction-Induced Efficient Charge Separation Mechanisms for High-Performance MoS <sub>2</sub> /Quantum Dot Phototransistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 38264-38271.	4.0	58
834	A Colloidal Quantum Dot Infrared Photodiode with High Photoconductive Gain. <i>Small</i> , 2018, 14, e1803158.	5.2	39
835	A Photoconductor Intrinsically Has No Gain. <i>ACS Photonics</i> , 2018, 5, 4111-4116.	3.2	67
836	Ultrahigh Photoresponsive Device Based on ReS <sub>2</sub> /Graphene Heterostructure. <i>Small</i> , 2018, 14, e1802593.	5.2	75
837	Hybrid graphene/unintentionally doped GaN ultraviolet photodetector with high responsivity and speed. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	35
838	Sensitive and Robust Ultraviolet Photodetector Array Based on Self-Assembled Graphene/C <sub>60</sub> Hybrid Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 38326-38333.	4.0	48
839	Highly Sensitive, Visible Blind, Wearable, and Omnidirectional Near-Infrared Photodetectors. <i>ACS Nano</i> , 2018, 12, 9596-9607.	7.3	62

#	ARTICLE	IF	CITATIONS
840	Low temperature photoconductivity of few layer <i>p</i> -type tungsten diselenide (WSe <sub>2</sub> ) field-effect transistors (FETs). Nanotechnology, 2018, 29, 484002.	1.3	11
841	Gate tunable surface plasmon resonance enhanced graphene/Ag nanoparticles-polymethyl methacrylate/graphene/p-GaN heterostructure light-emitting diodes. Optics Express, 2018, 26, 25257.	1.7	9
842	Giant and controllable Goos-Hänchen shifts based on surface plasmon resonance with graphene-MoS <sub>2</sub> heterostructure. Optical Materials Express, 2018, 8, 3036.	1.6	47
843	Defect Engineering for Modulating the Trap States in 2D Photoconductors. Advanced Materials, 2018, 30, e1804332.	11.1	146
844	Transient and Flexible Photodetectors. ACS Applied Nano Materials, 2018, 1, 5092-5100.	2.4	22
845	High-performance ultraviolet detector employing out-of-plane rGO/MoS <sub>2</sub> PN heterostructure. , 2018, , .		0
846	Graphene-on-silicon nitride waveguide photodetector with interdigital contacts. Applied Physics Letters, 2018, 112, 211107.	1.5	37
847	Plasmonic Photodetectors. IEEE Journal of Selected Topics in Quantum Electronics, 2018, 24, 1-13.	1.9	88
848	Suppression of spin and optical gaps in phosphorene quantum dots. Physical Review B, 2018, 97, .	1.1	10
849	Distinct Optoelectronic Signatures for Charge Transfer and Energy Transfer in Quantum Dot-MoS <sub>2</sub> Hybrid Photodetectors Revealed by Photocurrent Imaging Microscopy. Advanced Functional Materials, 2018, 28, 1707558.	7.8	63
850	Infrared photodetectors based on graphene metal nano clusters. Photonics and Nanostructures - Fundamentals and Applications, 2018, 31, 173-179.	1.0	3
851	Improvement of photoresponse in MoS <sub>2</sub> BY SnO <sub>2</sub> -functionalization and its application to flexible and transparent photodetector. , 2018, , .		1
852	Solution-processed ZnO/SnO <sub>2</sub> bilayer ultraviolet phototransistor with high responsivity and fast photoresponse. Journal of Materials Chemistry C, 2018, 6, 6014-6022.	2.7	28
853	Gap-Mode Surface Plasmon-Enhanced Photoluminescence and Photoresponse of MoS <sub>2</sub> . Advanced Materials, 2018, 30, e1706527.	11.1	121
854	A highly sensitive and fast graphene nanoribbon/CsPbBr <sub>3</sub> quantum dot phototransistor with enhanced vertical metal oxide heterostructures. Nanoscale, 2018, 10, 10182-10189.	2.8	28
855	Colloidal Quantum Dot Tandem Solar Cells Using Chemical Vapor Deposited Graphene as an Atomically Thin Intermediate Recombination Layer. ACS Energy Letters, 2018, 3, 1753-1759.	8.8	33
856	Gold-patched graphene nano-strips for high-responsivity and ultrafast photodetection from the visible to infrared regime. Light: Science and Applications, 2018, 7, 20.	7.7	142
857	Carbon nanomaterials for electroanalysis in pharmaceutical applications. , 2018, , 169-225.		11



#	ARTICLE	IF	CITATIONS
858	Asymmetric lateral graphene/h-BCN heterojunctions: A new method for separation of carriers in graphene nanoribbon photodetectors. <i>Superlattices and Microstructures</i> , 2018, 122, 522-529.	1.4	3
859	Correlated, Dual-Beam Optical Gating in Coupled Organic-Inorganic Nanostructures. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11559-11563.	7.2	7
860	Interfacial Charge Behavior Modulation in Perovskite Quantum Dot-Monolayer MoS <sub>2</sub> 2D Mixed-Dimensional van der Waals Heterostructures. <i>Advanced Functional Materials</i> , 2018, 28, 1802015.	7.8	107
861	Frontier challenges in doping quantum dots: synthesis and characterization. <i>RSC Advances</i> , 2018, 8, 22103-22112.	1.7	49
862	Recent Progress and Future Prospects of 2D-Based Photodetectors. <i>Advanced Materials</i> , 2018, 30, e1801164.	11.1	408
863	Hybrid graphene/GaN ultraviolet photo-transistors with high responsivity and speed. <i>Optics Express</i> , 2018, 26, 5408.	1.7	39
864	Low dark-current and high-photodetectivity transparent organic ultraviolet photodetector by using polymer-modified ZnO as the electron transfer layer. <i>Optics Letters</i> , 2018, 43, 3212.	1.7	21
865	Integration of green CuInS <sub>2</sub> /ZnS quantum dots for high-efficiency light-emitting diodes and high-responsivity photodetectors. <i>Optical Materials Express</i> , 2018, 8, 314.	1.6	22
866	Enhanced perovskite phototransistor by multi-step slow annealing strategy. <i>Optical Materials</i> , 2018, 84, 498-503.	1.7	21
867	Broadband organic phototransistor with high photoresponse from ultraviolet to near-infrared realized via synergistic effect of trilayer heterostructure. <i>Journal of Materials Chemistry C</i> , 2018, 6, 8804-8811.	2.7	32
868	Photodiode based on Pb <sub>0.9</sub> Cd <sub>0.1</sub> S ternary alloy semiconductor for solar tracking systems. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 16880-16893.	1.1	9
869	Ultraviolet-light-driven photoresponse of chemical vapor deposition grown molybdenum disulfide/graphene heterostructured FET. <i>Applied Surface Science</i> , 2018, 459, 853-859.	3.1	12
870	Anisotropic Magneto-Coulomb Properties of 2D-0D Heterostructure Single Electron Device. <i>Advanced Materials</i> , 2018, 30, e1802478.	11.1	17
871	Tunable WSe <sub>2</sub> -CdS mixed-dimensional van der Waals heterojunction with a piezo-phototronic effect for an enhanced flexible photodetector. <i>Nanoscale</i> , 2018, 10, 14472-14479.	2.8	53
872	Assisted Tip Sonication Approach for Graphene Synthesis in Aqueous Dispersion. <i>Biomedicines</i> , 2018, 6, 63.	1.4	30
873	Van der Waals Heterostructure Based Field Effect Transistor Application. <i>Crystals</i> , 2018, 8, 8.	1.0	24
874	Optoelectronics Based Dynamic Advancement of Graphene: Characteristics and Applications. <i>Crystals</i> , 2018, 8, 171.	1.0	10
875	SnS nanoribbon/graphene mixed-dimensional heterostructures: Group VII passivation and quantum size effects. <i>Journal of Alloys and Compounds</i> , 2018, 766, 215-220.	2.8	2

#	ARTICLE	IF	CITATIONS
876	High-yield production of 2D crystals by wet-jet milling. <i>Materials Horizons</i> , 2018, 5, 890-904.	6.4	139
877	High Detectivity from a Lateral Graphene-MoS <sub>2</sub> Schottky Photodetector Grown by Chemical Vapor Deposition. <i>Advanced Electronic Materials</i> , 2018, 4, 1800069.	2.6	42
878	Effective Neural Photostimulation Using Indium-Based Type-II Quantum Dots. <i>ACS Nano</i> , 2018, 12, 8104-8114.	7.3	52
879	Emerging photonic architectures in two-dimensional opto-electronics. <i>Chemical Society Reviews</i> , 2018, 47, 6824-6844.	18.7	71
880	Large photoelectric-gating effect of two-dimensional van-der-Waals organic/tungsten diselenide heterointerface. <i>Npj 2D Materials and Applications</i> , 2018, 2, .	3.9	28
881	2D library beyond graphene and transition metal dichalcogenides: a focus on photodetection. <i>Chemical Society Reviews</i> , 2018, 47, 6296-6341.	18.7	207
882	Ultrafast Charge Transfer at a Quantum Dot/2D Materials Interface Probed by Second Harmonic Generation. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 4227-4232.	2.1	32
883	High-performance photodetector based on hybrid of MoS <sub>2</sub> and reduced graphene oxide. <i>Nanotechnology</i> , 2018, 29, 404001.	1.3	25
884	Perovskite nanowires find an edge. <i>Nature Electronics</i> , 2018, 1, 380-381.	13.1	5
885	Facile Synthesis of Water-Soluble Graphene Quantum Dots/Graphene for Efficient Photodetector. <i>MRS Advances</i> , 2018, 3, 817-824.	0.5	2
886	1D Organic-Inorganic Hybrid Perovskite Micro/Nanocrystals: Fabrication, Assembly, and Optoelectronic Applications. <i>Small Methods</i> , 2018, 2, 1700340.	4.6	27
887	Self-Assembled UV Photodetector Made by Direct Epitaxial GaN Growth on Graphene. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 18857-18862.	4.0	52
888	A Highly Sensitive UV-Vis-NIR All-Inorganic Perovskite Quantum Dot Phototransistor Based on a Layered Heterojunction. <i>Advanced Optical Materials</i> , 2018, 6, 1800324.	3.6	51
889	Ultrafast and highly sensitive infrared photodetectors based on two-dimensional oxyselenide crystals. <i>Nature Communications</i> , 2018, 9, 3311.	5.8	213
890	Double-layer heterostructure of graphene/carbon nanotube films for highly efficient broadband photodetector. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	21
891	Abnormal Near-Infrared Absorption in 2D Black Phosphorus Induced by Ag Nanoclusters Surface Functionalization. <i>Advanced Materials</i> , 2018, 30, e1801931.	11.1	43
892	Ultracompact Optical Hybrid Based on Standing Wave Integrated With Graphene-Based Photodetector for Coherent Detection. <i>IEEE Photonics Journal</i> , 2018, 10, 1-12.	1.0	1
893	Thioethyl-Porphyrine/Nanocarbon Hybrids for Photoinduced Electron Transfer. <i>Advanced Functional Materials</i> , 2018, 28, 1705418.	7.8	22

#	ARTICLE	IF	CITATIONS
894	Extending the Spectral Responsivity of MoS <sub>2</sub> Phototransistors by Incorporating Upâ€Conversion Microcrystals. <i>Advanced Optical Materials</i> , 2018, 6, 1800660.	3.6	25
895	Self-Powered, Highly Sensitive, High-Speed Photodetection Using ITO/WSe <sub>2</sub> /SnSe <sub>2</sub> Vertical Heterojunction. <i>IEEE Transactions on Electron Devices</i> , 2018, 65, 4141-4148.	1.6	22
897	Synthesis of silver sulfide nanoparticles and their photodetector applications. <i>RSC Advances</i> , 2018, 8, 28447-28452.	1.7	29
898	Graphene-Based Semiconductor Heterostructures for Photodetectors. <i>Micromachines</i> , 2018, 9, 350.	1.4	68
899	Biomass-waste derived graphene quantum dots and their applications. <i>Carbon</i> , 2018, 140, 77-99.	5.4	202
900	High responsivity middle-wavelength infrared graphene photodetectors using photo-gating. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	43
901	Feasibility of Room-Temperature GHz-THz Direct Detection in Graphene Through Hot-Carrier Effect. <i>IEEE Transactions on Device and Materials Reliability</i> , 2018, 18, 429-437.	1.5	22
902	Ultraâ€Broadband Flexible Photodetector Based on Topological Crystalline Insulator SnTe with High Responsivity. <i>Small</i> , 2018, 14, e1802598.	5.2	65
903	Room-Temperature Single-Photon Detector Based on Single Nanowire. <i>Nano Letters</i> , 2018, 18, 5439-5445.	4.5	42
904	Review of the Synthetic Techniques and Applications of the Quantum Dots/Graphene Composites. <i>Nano</i> , 2018, 13, 1830003.	0.5	9
905	Gateâ€Controlled Grapheneâ€Silicon Schottky Junction Photodetector. <i>Small</i> , 2018, 14, e1801182.	5.2	53
906	Overlayer induced air gap acting as a responsivity amplifier for majority carrier grapheneâ€insulatorâ€silicon photodetectors. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6958-6965.	2.7	11
907	Enhanced Photoresponse in Interfacial Gated Graphene Phototransistor With Ultrathin Al <sub>2</sub> O <sub>3</sub> Dielectric. <i>IEEE Electron Device Letters</i> , 2018, 39, 987-990.	2.2	8
908	Fluorinationâ€Enhanced Ambient Stability and Electronic Tolerance of Black Phosphorus Quantum Dots. <i>Advanced Science</i> , 2018, 5, 1800420.	5.6	67
909	Photoelectric Detectors Based on Inorganic pâ€Type Semiconductor Materials. <i>Advanced Materials</i> , 2018, 30, e1706262.	11.1	344
910	High Responsivity and Detectivity Graphene-Silicon Majority Carrier Tunneling Photodiodes with a Thin Native Oxide Layer. <i>ACS Photonics</i> , 2018, 5, 2895-2903.	3.2	14
911	Solutionâ€Processed Highâ€Performance Hybrid Photodetectors Enhanced by Perovskite/MoS <sub>2</sub> Bulk Heterojunction. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800505.	1.9	50
912	Heterogeneous Integration of 2D Materials and Devices on a Si Platform. , 2019, , 43-84.		5

#	ARTICLE	IF	CITATIONS
913	Flexible Logic Circuits by using Van Der Waals Contacted Graphene Field-Effect Transistors. , 2019, , .		3
914	Graphene Schottky Varactor Diodes for High-Performance Photodetection. ACS Photonics, 2019, 6, 1910-1915.	3.2	11
915	Colloidal quantum dots for infrared detection beyond silicon. Journal of Chemical Physics, 2019, 151, .	1.2	63
916	PbSe Quantum Dots Sensitized High-Mobility Bi <sub>2</sub> O <sub>2</sub> Se Nanosheets for High-Performance and Broadband Photodetection Beyond 2 μm. ACS Nano, 2019, 13, 9028-9037.	7.3	149
917	Lead Sulfide Quantum Dot Photodetector with Enhanced Responsivity through a Two-Step Ligand-Exchange Method. ACS Applied Nano Materials, 2019, 2, 6135-6143.	2.4	52
918	Rapid microwave-assisted synthesis of Ag-doped PbS nanoparticles for optoelectronic applications. Ceramics International, 2019, 45, 21975-21985.	2.3	70
919	Patterned Quantum Dot Photosensitive FETs for Medium Frequency Optoelectronics. Advanced Materials Technologies, 2019, 4, 1900054.	3.0	10
920	Toxicity of Two-Dimensional Layered Materials and Their Heterostructures. Bioconjugate Chemistry, 2019, 30, 2287-2299.	1.8	49
921	Light-Induced Interfacial Phenomena in Atomically Thin 2D van der Waals Material Hybrids and Heterojunctions. ACS Energy Letters, 2019, 4, 2323-2335.	8.8	31
922	Highly Oriented Thin Films of 2D Ruddlesden-Popper Hybrid Perovskite toward Superfast Response Photodetectors. Small, 2019, 15, e1901194.	5.2	29
923	Ultrafast Photoresponse by Surface State-Mediated Optical Transitions in Topological Insulator Bi <sub>2</sub> Te <sub>3</sub> Nanowire. Advanced Optical Materials, 2019, 7, 1900621.	3.6	11
924	High-Performance Hybrid InP QDs/Black Phosphorus Photodetector. ACS Applied Materials & Interfaces, 2019, 11, 29041-29046.	4.0	55
925	High sensitivity ultraviolet detection based on three-dimensional graphene field effect transistors decorated with TiO <sub>2</sub> NPs. Nanoscale, 2019, 11, 14912-14920.	2.8	27
926	Hybrid Graphene/Cu <sub>2</sub> O Quantum Dot Photodetectors with Ultrahigh Responsivity. Advanced Optical Materials, 2019, 7, 1900455.	3.6	30
927	Topological phase transitions in superlattice based on 2D Dirac crystals with anisotropic dispersion. Superlattices and Microstructures, 2019, 133, 106183.	1.4	4
928	Tuning the optoelectronic properties of PEDOT:PSS-PVP core-shell electrospun nanofibers by solvent-quantum dot doping and phase inversion. Nanotechnology, 2019, 30, 395601.	1.3	7
929	Graphene Hybrid Structures for Integrated and Flexible Optoelectronics. Advanced Materials, 2020, 32, e1902039.	11.1	127
930	Graphene-Based Mixed-Dimensional van der Waals Heterostructures for Advanced Optoelectronics. Advanced Materials, 2019, 31, e1806411.	11.1	115

#	ARTICLE	IF	CITATIONS
931	Black phosphorus quantum dot based all-optical signal processing: ultrafast optical switching and wavelength converting. <i>Nanotechnology</i> , 2019, 30, 415202.	1.3	30
932	Carbon Nanotube-Perovskite Composites for Ultrasensitive Broadband Photodiodes. <i>ACS Applied Nano Materials</i> , 2019, 2, 4974-4982.	2.4	18
933	Light Trapping in Conformal Graphene/Silicon Nanoholes for High-Performance Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 30421-30429.	4.0	25
934	Highly Sensitive, Fast Graphene Photodetector with Responsivity $>10^6$ A/W Using a Floating Quantum Well Gate. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 30010-30018.	4.0	23
935	Challenges and recent advancements of functionalization of two-dimensional nanostructured molybdenum trioxide and dichalcogenides. <i>Nanoscale</i> , 2019, 11, 15709-15738.	2.8	27
936	Engineering Optical Absorption in Graphene and Other 2D Materials: Advances and Applications. <i>Advanced Optical Materials</i> , 2019, 7, 1900595.	3.6	123
937	Ultrahighly Photosensitive and Highly Stretchable Rippled Structure Photodetectors Based on Perovskite Nanocrystals and Graphene. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1517-1526.	2.0	11
938	Functionalization of graphene layers and advancements in device applications. <i>Carbon</i> , 2019, 152, 954-985.	5.4	110
939	Mechanical peeling of van der Waals heterostructures: Theory and simulations. <i>Extreme Mechanics Letters</i> , 2019, 30, 100501.	2.0	28
940	Multibit Optoelectronic Memory in Top-Gated van der Waals Heterostructures. <i>Advanced Functional Materials</i> , 2019, 29, 1902890.	7.8	69
941	Si nanowires with porous segments for photon-triggered transistors. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 373001.	1.3	1
942	Chemical-physical analysis and exfoliation of biochar-carbon matter: from agriculture soil improver to starting material for advanced nanotechnologies. <i>Materials Research Express</i> , 2019, 6, 115612.	0.8	12
943	Graphene Sandwich Stable Perovskite Quantum-Dot Light-Emissive Ultrasensitive and Ultrafast Broadband Vertical Phototransistors. <i>ACS Nano</i> , 2019, 13, 12540-12552.	7.3	69
944	Implementation of Metallic Vertical Interconnect Access in Hybrid Intercalated Graphene/Quantum Dot Photodetector for Improved Charge Collection. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	5
945	Heavy-Metal-Free Flexible Hybrid Polymer-Nanocrystal Photodetectors Sensitive to 1.5 $\mu$ m Wavelength. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 42571-42579.	4.0	12
946	Photosensing System Using Photosystem I and Gold Nanoparticle on Graphene Field-Effect Transistor. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 42773-42779.	4.0	24
947	Transition-Metal Carbide ( $\text{Mo}_2\text{C}$ ) Multiperiod Gratings for Realization of High-Sensitivity and Broad-Spectrum Photodetection. <i>Advanced Functional Materials</i> , 2019, 29, 1905384.	7.8	57
948	Ultrasensitive $\text{MoS}_2$ photodetector by serial nano-bridge multi-heterojunction. <i>Nature Communications</i> , 2019, 10, 4701.	5.8	66

#	ARTICLE	IF	CITATIONS
949	Heat current method for analysis and optimization of heat recovery-based power generation systems. <i>Energy</i> , 2019, 189, 116209.	4.5	20
950	Color Sensitive Response of Graphene/Graphene Quantum Dot Phototransistors. <i>Journal of Physical Chemistry C</i> , 2019, 123, 26490-26497.	1.5	10
951	Graphene/HgTe Quantum-Dot Photodetectors with Gate-Tunable Infrared Response. <i>ACS Applied Nano Materials</i> , 2019, 2, 6701-6706.	2.4	22
952	Deposition of nickel hydroxide on water-dispersible multi-walled carbon nanotubes for enhanced electrochemical performance. <i>Synthetic Metals</i> , 2019, 256, 116152.	2.1	2
953	InGaAs/graphene infrared photodetectors with enhanced responsivity. <i>Materials Research Express</i> , 2019, 6, 116208.	0.8	29
954	High performance MoO <sub>3</sub> /Si heterojunction photodetectors with nanoporous pyramid Si arrays for visible light communication application. <i>Journal of Materials Chemistry C</i> , 2019, 7, 917-925.	2.7	40
955	Sensing Infrared Photons at Room Temperature: From Bulk Materials to Atomic Layers. <i>Small</i> , 2019, 15, e1904396.	5.2	83
956	Gas sensing with heterostructures based on two-dimensional nanostructured materials: a review. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13367-13383.	2.7	197
957	All-carbon hybrids for high-performance electronics, optoelectronics and energy storage. <i>Science China Information Sciences</i> , 2019, 62, 1.	2.7	6
959	High on/off ratio black phosphorus based memristor with ultra-thin phosphorus oxide layer. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	42
960	Fast Photoelectric Conversion in the Near-Infrared Enabled by Plasmon-Induced Hot-Electron Transfer. <i>Advanced Materials</i> , 2019, 31, e1903829.	11.1	44
961	2D In <sub>2</sub> S <sub>3</sub> Nanoflake Coupled with Graphene toward High-Sensitivity and Fast-Response Bulk-Silicon Schottky Photodetector. <i>Small</i> , 2019, 15, e1904912.	5.2	67
962	UV Rewritable Hybrid Graphene/Phosphor p-n Junction Photodiode. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 43351-43358.	4.0	5
963	Hot-Pressed CsPbBr <sub>3</sub> Quasi-Monocrystalline Film for Sensitive Direct X-ray Detection. <i>Advanced Materials</i> , 2019, 31, e1904405.	11.1	213
964	Horizontally Aggregation of Monolayer Reduced Graphene Oxide Under Deep UV Irradiation in Solution. <i>Nanoscale Research Letters</i> , 2019, 14, 117.	3.1	13
965	Metamaterial grating-integrated graphene photodetector with broadband high responsivity. <i>Applied Surface Science</i> , 2019, 473, 633-640.	3.1	37
966	Two-Dimensional Covalent Organic Framework-Graphene Photodetectors: Insight into the Relationship between the Microscopic Interfacial Structure and Performance. <i>ACS Omega</i> , 2019, 4, 18780-18786.	1.6	18
967	WS <sub>2</sub> /CsPbBr <sub>3</sub> van der Waals heterostructure planar photodetectors with ultrahigh on/off ratio and piezo-phototronic effect-induced strain-gated characteristics. <i>Nano Energy</i> , 2019, 65, 104001.	8.2	48

#	ARTICLE	IF	CITATIONS
968	Photodetectors based on two dimensional materials for biomedical application. Biosensors and Bioelectronics, 2019, 143, 111617.	5.3	34
969	High-performance UV detectors based on room-temperature deposited amorphous Ga <sub>2</sub> O <sub>3</sub> thin films by RF magnetron sputtering. Journal of Materials Chemistry C, 2019, 7, 11834-11844.	2.7	40
970	The Scaling Effect of Graphene-Based Hybrid Photodetectors. IOP Conference Series: Earth and Environmental Science, 2019, 252, 022123.	0.2	0
971	Colloidal-annealing of ZnO nanoparticles to passivate traps and improve charge extraction in colloidal quantum dot solar cells. Nanoscale, 2019, 11, 17498-17505.	2.8	26
972	Plasmonic WS <sub>2</sub> Nanodiscs/Graphene van der Waals Heterostructure Photodetectors. ACS Applied Materials & Interfaces, 2019, 11, 33390-33398.	4.0	41
973	Room-temperature high sensitivity of multiple tunnel junctions based on single-charge photodetection. Journal of Computational Electronics, 2019, 18, 1407-1415.	1.3	0
974	Waveguide-Integrated, Plasmonic Enhanced Graphene Photodetectors. Nano Letters, 2019, 19, 7632-7644.	4.5	113
975	Photocharge Trapping in Two-Sheet Reduced Graphene Oxide/Ti <sub>0.87</sub> O <sub>2</sub> Heterostructures and Their Photoreduction and Photomemory Applications. ACS Applied Nano Materials, 2019, 2, 6378-6386.	2.4	6
976	Solution-Processed Phototransistors Combining Organic Absorber and Charge Transporting Oxide for Visible to Infrared Light Detection. ACS Applied Materials & Interfaces, 2019, 11, 36880-36885.	4.0	46
977	Photodetecting Heterostructures from Graphene and Encapsulated Colloidal Quantum Dot Films. ACS Omega, 2019, 4, 15824-15828.	1.6	3
978	Flexible graphene photodetectors for wearable fitness monitoring. Science Advances, 2019, 5, eaaw7846.	4.7	186
979	A feasible strategy to prepare quantum dot-incorporated carbon nanofibers as free-standing platforms. Nanoscale Advances, 2019, 1, 3948-3956.	2.2	1
980	Study of Charge Transfer at the Quantum Dot/Graphene Interface by Raman Spectroscopy. Journal of Physical Chemistry C, 2019, 123, 24943-24948.	1.5	9
981	High Sensitivity Hybrid PbS CQD-TMDC Photodetectors up to 2 ¼m. ACS Photonics, 2019, 6, 2381-2386.	3.2	48
982	Structural and optical study of CZTS-reduced graphene oxide composite towards photovoltaic device application. Materials Today: Proceedings, 2019, 17, 131-137.	0.9	0
983	Cascade-type energy band design of a black phosphorus photodetector with high performance. Journal of Materials Chemistry C, 2019, 7, 2232-2239.	2.7	17
984	Highly efficient photogenerated electron transfer at a black phosphorus/indium selenide heterostructure interface from ultrafast dynamics. Journal of Materials Chemistry C, 2019, 7, 1864-1870.	2.7	53
985	Plasmonic Effect on Quantum-Dot Photodetector Responsivity. IEEE Sensors Journal, 2019, 19, 3660-3667.	2.4	4

#	ARTICLE	IF	CITATIONS
986	Highly tunable doping in Ge quantum dots/graphene composite with distinct quantum dot growth evolution. <i>Nanotechnology</i> , 2019, 30, 195601.	1.3	7
987	Superionic Modulation of Polymethylmethacrylate-Assisted Suspended Few-Layer Graphene Nanocomposites for High-Performance Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 7600-7606.	4.0	6
988	High photoresponsivity and broadband photodetection with a band-engineered $\text{WSe}_2/\text{SnSe}_2$ heterostructure. <i>Nanoscale</i> , 2019, 11, 3240-3247.	2.8	84
989	Efficient Photodoping of Graphene in Perovskiteâ€“Graphene Heterostructure. <i>Advanced Electronic Materials</i> , 2019, 5, 1800940.	2.6	8
990	Morphology controlled synthesis of low bandgap $\text{SnSe}_2$ with high photodetectivity. <i>Nanoscale</i> , 2019, 11, 870-877.	2.8	31
991	Ultra-sensitive grapheneâ€“bismuth telluride nano-wire hybrids for infrared detection. <i>Nanoscale</i> , 2019, 11, 1579-1586.	2.8	28
992	Photothermally powered conductive films for absorber-free solar thermoelectric harvesting. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2066-2074.	5.2	27
993	A tunable positive and negative photoconductive photodetector based on a gold/graphene/p-type silicon heterojunction. <i>Journal of Materials Chemistry C</i> , 2019, 7, 887-896.	2.7	32
994	Two-dimensional infrared and terahertz detectors: Outlook and status. <i>Applied Physics Reviews</i> , 2019, 6, .	5.5	94
995	Planar plasmonic nanocavity for efficient enhancement of photoluminescence of molecular emitters. <i>Optical Materials</i> , 2019, 94, 348-355.	1.7	6
996	Magnetotransport properties of graphene layers decorated with colloid quantum dots. <i>Chinese Physics B</i> , 2019, 28, 067201.	0.7	1
997	Layer-Dependent Photoinduced Electron Transfer in 0Dâ€“2D Lead Sulfide/Cadmium Sulfideâ€“Layered Molybdenum Disulfide Hybrids. <i>ACS Nano</i> , 2019, 13, 8461-8468.	7.3	39
998	Optically Driven Tunable Transistor Effect at Matter/Vacuum Interfaceâ€“Toward Dielectric Optical Transistors. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1141-1149.	2.0	3
999	Charge transfer induced ferromagnetism and anomalous temperature increment of coercivity in ultrathin $\text{Fe}_2\text{O}_3$ decorated graphene 2D nanostructures. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	9
1000	Amorphous $\text{MoS}_2$ Photodetector with Ultra-Broadband Response. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1314-1321.	2.0	65
1001	Preparation of large-area ultrathin carbon semiconductors converted from conjugated microporous polymer films. <i>RSC Advances</i> , 2019, 9, 17399-17404.	1.7	3
1002	Perovskite- $\text{WS}_2$ Nanosheet Composite Optical Absorbers on Graphene as High-Performance Phototransistors. <i>Frontiers in Chemistry</i> , 2019, 7, 257.	1.8	7
1003	Dramatic Enhancement of Optoelectronic Properties of Electrophoretically Deposited $\text{C}_{60}$ â€“Graphene Hybrids. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 24349-24359.	4.0	27



#	ARTICLE	IF	CITATIONS
1004	Photogating in the Grapheneâ€“Dyeâ€“Graphene Sandwich Heterostructure. ACS Applied Materials & Interfaces, 2019, 11, 23474-23481.	4.0	21
1005	Ultrasensitive Hybrid MoS <sub>2</sub> â€“ZnCdSe Quantum Dot Photodetectors with High Gain. ACS Applied Materials & Interfaces, 2019, 11, 23667-23672.	4.0	62
1006	High performance graphene photodetector by introducing porous interface. Materials Research Express, 2019, 6, 0850c5.	0.8	2
1007	Production of large-area 2D materials for high-performance photodetectors by pulsed-laser deposition. Progress in Materials Science, 2019, 106, 100573.	16.0	160
1008	Integration of bulk materials with two-dimensional materials for physical coupling and applications. Nature Materials, 2019, 18, 550-560.	13.3	211
1009	Integrating graphene into semiconductor fabrication lines. Nature Materials, 2019, 18, 525-529.	13.3	127
1010	Unveiling the Stimulated Robust Carrier Lifetime of Surfaceâ€“Bound Excitons and Their Photoresponse in InSe. Advanced Materials Interfaces, 2019, 6, 1900171.	1.9	18
1011	High-Performance Low-Voltage Flexible Photodetector Arrays Based on All-Solid-State Organic Electrochemical Transistors for Photosensing and Imaging. ACS Applied Materials & Interfaces, 2019, 11, 20214-20224.	4.0	44
1012	Recent Advances in Applications of Sorted Singleâ€“Walled Carbon Nanotubes. Advanced Functional Materials, 2019, 29, 1902273.	7.8	67
1013	Molecular-Orientation-Dependent Interfacial Charge Transfer in Phthalocyanine/MoS <sub>2</sub> Mixed-Dimensional Heterojunctions. Journal of Physical Chemistry C, 2019, 123, 13337-13343.	1.5	54
1014	Schottky Barrierâ€“Controlled Black Phosphorus/Perovskite Phototransistors with Ultrahigh Sensitivity and Fast Response. Small, 2019, 15, 1901004.	5.2	46
1015	Enhancement in power conversion efficiency of edge-functionalized graphene quantum dot through adatoms for solar cell applications. Solar Energy Materials and Solar Cells, 2019, 200, 109908.	3.0	51
1016	Electrical Control of Lifetime-Limited Quantum Emitters Using 2D Materials. Nano Letters, 2019, 19, 3789-3795.	4.5	30
1017	Room Temperature Silicon Detector for IR Range Coated with Ag <sub>2</sub> S Quantum Dots. Physica Status Solidi - Rapid Research Letters, 2019, 13, 1900187.	1.2	11
1019	A General Layerâ€“byâ€“Layer Printing Method for Scalable Highâ€“Resolution Fullâ€“Color Flexible Luminescent Patterns. Advanced Optical Materials, 2019, 7, 1900127.	3.6	13
1020	Optically coupled engineered upconversion nanoparticles and graphene for a high responsivity broadband photodetector. Nanoscale, 2019, 11, 9716-9725.	2.8	39
1021	Graphene/p-AlGaIn/p-GaN electron tunnelling light emitting diodes with high external quantum efficiency. Nano Energy, 2019, 60, 836-840.	8.2	20
1022	Infrared Photodetector Based on the Photothermionic Effect of Graphene-Nanowall/Silicon Heterojunction. ACS Applied Materials & Interfaces, 2019, 11, 17663-17669.	4.0	45

#	ARTICLE	IF	CITATIONS
1023	A Highly Sensitive Perovskite/Organic Semiconductor Heterojunction Phototransistor and Its Device Optimization Utilizing the Selective Electron Trapping Effect. <i>Advanced Optical Materials</i> , 2019, 7, 1900272.	3.6	35
1024	Solar-blind ultraviolet detection based on TiO <sub>2</sub> nanoparticles decorated graphene field-effect transistors. <i>Nanophotonics</i> , 2019, 8, 899-908.	2.9	31
1025	Inkjet Printing Multicolor Pixelated Quantum Dots on Graphene for Broadband Photodetection. <i>ACS Applied Nano Materials</i> , 2019, 2, 3246-3252.	2.4	21
1026	Balanced Photodetection in Mixed-Dimensional Phototransistors Consisting of CsPbBr <sub>3</sub> Quantum Dots and Few-Layer MoS <sub>2</sub> . <i>ACS Applied Nano Materials</i> , 2019, 2, 2599-2605.	2.4	30
1027	High-Performance, Room Temperature, Ultra-Broadband Photodetectors Based on Air-Stable PdSe <sub>2</sub> . <i>Advanced Materials</i> , 2019, 31, e1807609.	11.1	223
1028	Van der Waals integration before and beyond two-dimensional materials. <i>Nature</i> , 2019, 567, 323-333.	13.7	946
1029	Dependence of Photocurrent Enhancements in Hybrid Quantum Dot-MoS <sub>2</sub> Devices on Quantum Dot Emission Wavelength. <i>ACS Photonics</i> , 2019, 6, 976-984.	3.2	9
1030	Flexible photodetectors based on reticulated SWNT/perovskite quantum dot heterostructures with ultrahigh durability. <i>Nanoscale</i> , 2019, 11, 8020-8026.	2.8	30
1031	Epitaxial growth of non-layered PbSe nanoplates on MoS <sub>2</sub> monolayer for infrared photoresponse. <i>Applied Physics Express</i> , 2019, 12, 055005.	1.1	16
1032	Photodetectors based on two-dimensional materials and organic thin-film heterojunctions. <i>Chinese Physics B</i> , 2019, 28, 017103.	0.7	18
1033	Room-temperature infrared photodetectors with hybrid structure based on two-dimensional materials. <i>Chinese Physics B</i> , 2019, 28, 017302.	0.7	24
1035	Advances in solution-processable near-infrared phototransistors. <i>Journal of Materials Chemistry C</i> , 2019, 7, 3711-3729.	2.7	74
1036	Electronic and Thermal Properties of Graphene and Recent Advances in Graphene Based Electronics Applications. <i>Nanomaterials</i> , 2019, 9, 374.	1.9	238
1037	Near unity charge separation efficiency leads to pure ultraviolet emission in few layer graphene nanosheets. <i>Nanotechnology</i> , 2019, 30, 295201.	1.3	0
1038	A Novel Hybrid-Layered Organic Phototransistor Enables Efficient Intermolecular Charge Transfer and Carrier Transport for Ultrasensitive Photodetection. <i>Advanced Materials</i> , 2019, 31, e1900763.	11.1	89
1039	Tapered InP nanowire arrays for efficient broadband high-speed single-photon detection. <i>Nature Nanotechnology</i> , 2019, 14, 473-479.	15.6	73
1040	Nanoprinted Quantum Dot-Graphene Photodetectors. <i>Advanced Optical Materials</i> , 2019, 7, 1900019.	3.6	53
1041	Engineering Vacancies in Bi <sub>2</sub> S <sub>3</sub> yielding Sub-Bandgap Photoresponse and Highly Sensitive Short-Wave Infrared Photodetectors. <i>Advanced Optical Materials</i> , 2019, 7, 1900258.	3.6	37

#	ARTICLE	IF	CITATIONS
1042	Recent progress of infrared photodetectors based on lead chalcogenide colloidal quantum dots. Chinese Physics B, 2019, 28, 020701.	0.7	17
1043	High-Responsivity Near-Infrared Photodetector Using Gate-Modulated Graphene/Germanium Schottky Junction. Advanced Electronic Materials, 2019, 5, 1800957.	2.6	54
1044	The Role of Ligands in the Chemical Synthesis and Applications of Inorganic Nanoparticles. Chemical Reviews, 2019, 119, 4819-4880.	23.0	709
1045	A high-performance near-infrared light photovoltaic detector based on a multilayered PtSe <sub>2</sub> /Ge heterojunction. Journal of Materials Chemistry C, 2019, 7, 5019-5027.	2.7	58
1047	Design strategies for two-dimensional material photodetectors to enhance device performance. Informa-Materially, 2019, 1, 33-53.	8.5	158
1048	Enhanced photogating via pyroelectric effect induced by insulator layer for high-responsivity long-wavelength infrared graphene-based photodetectors operating at room temperature. Applied Physics Express, 2019, 12, 025001.	1.1	26
1049	Self-powered room temperature broadband infrared photodetector based on MoSe <sub>2</sub> /germanium heterojunction with 35 A/W responsivity at 1550 nm. Applied Physics Letters, 2019, 114, .	1.5	41
1050	Reevaluating the effects of reorganization energy on electron transfer rate for quantum dot-molecular acceptor complexes in different solvents. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 218, 237-242.	2.0	7
1051	Highly Enhanced SWIR Image Sensors Based on Ge <sub>1-x</sub> Sn <sub>x</sub> Graphene Heterostructure Photodetector. ACS Photonics, 2019, 6, 1199-1206.	3.2	38
1052	Efficient Degradation of Gas-Phase Toluene by Ozone-Assisted Photocatalytic Oxidation on TiO <sub>2</sub> /Graphene Composites. Catalysis Letters, 2019, 149, 2739-2748.	1.4	4
1053	Solution-Based Fast Fabrication of a High-Performance Unlimited Area Au Nanostructure/Si Heterojunction Photodetector. ACS Applied Electronic Materials, 2019, 1, 577-584.	2.0	10
1054	Perovskite/Black Phosphorus/MoS <sub>2</sub> Photogate Reversed Photodiodes with Ultrahigh Light On/Off Ratio and Fast Response. ACS Nano, 2019, 13, 4804-4813.	7.3	81
1055	Thermodynamics of Dual Doping in Quantum Dots. Journal of Physical Chemistry Letters, 2019, 10, 1992-1998.	2.1	7
1056	Ultrafast Monolayer In/Gr-WS <sub>2</sub> -Gr Hybrid Photodetectors with High Gain. ACS Nano, 2019, 13, 3269-3279.	7.3	44
1057	Programmed electrochemical exfoliation of graphite to high quality graphene. Chemical Communications, 2019, 55, 3379-3382.	2.2	38
1058	Dual-band infrared imaging using stacked colloidal quantum dot photodiodes. Nature Photonics, 2019, 13, 277-282.	15.6	303
1059	Electron transfer and cascade relaxation dynamics of graphene quantum dots/MoS <sub>2</sub> monolayer mixed-dimensional van der Waals heterostructures. Materials Today, 2019, 24, 10-16.	8.3	49
1060	Simple Multi Spectral Detection Using Infrared Nanocrystal Detector. IEEE Sensors Journal, 2019, 19, 3668-3672.	2.4	2

#	ARTICLE	IF	CITATIONS
1061	Ge/Oxide Structured Programmable Phototransistors. IEEE Electron Device Letters, 2019, 40, 632-634.	2.2	2
1062	Organic charge transfer complexes on graphene with ultrahigh near infrared photogain. Nanotechnology, 2019, 30, 254003.	1.3	17
1063	Graphene on Group-IV Elementary Semiconductors: The Direct Growth Approach and Its Applications. Advanced Materials, 2019, 31, e1803469.	11.1	21
1064	Ultrathin two-dimensional nanosheets meet upconverting nanoparticles: <i>in situ</i> near-infrared triggered molecular switching. Journal of Materials Chemistry C, 2019, 7, 3965-3972.	2.7	16
1065	Planar graphene-C60-graphene heterostructures for sensitive UV-Visible photodetection. Carbon, 2019, 146, 486-490.	5.4	30
1066	Improved Charge Extraction Beyond Diffusion Length by Layer-by-Layer Multistacking Intercalation of Graphene Layers inside Quantum Dots Films. Advanced Materials, 2019, 31, e1807894.	11.1	21
1067	Colloidal semiconductor nanocrystals in energy transfer reactions. Chemical Communications, 2019, 55, 3033-3048.	2.2	31
1068	Research on Deep-UV Photodetectors Based on Carbon Dots as Reactive Layer. , 2019, , .		1
1069	High-responsivity turbostratic stacked graphene photodetectors using enhanced photogating. Applied Physics Express, 2019, 12, 122010.	1.1	18
1070	Highly efficient broadband photodetectors based on lithography-free Au/Bi <sub>2</sub> O <sub>3</sub> /Se/Au heterostructures. Nanoscale, 2019, 11, 20707-20714.	2.8	32
1071	Gate-tunable ion-electron hybrid phototransistor based on a graphene/RbAg <sub>4</sub> I <sub>5</sub> composite. Journal of Materials Chemistry C, 2019, 7, 13253-13260.	2.7	1
1072	Optoelectronic response of hybrid PbS-QD/graphene photodetectors. Journal of Chemical Physics, 2019, 151, 234705.	1.2	17
1073	Phase-transition modulated, high-performance dual-mode photodetectors based on WSe <sub>2</sub> /VO <sub>2</sub> heterojunctions. Applied Physics Reviews, 2019, 6, 041407.	5.5	50
1074	High gain broadband photoconductor based on amorphous Ga <sub>2</sub> O <sub>3</sub> and suppression of persistent photoconductivity. Journal of Materials Chemistry C, 2019, 7, 13149-13155.	2.7	77
1075	Quantum Confinement-Tunable Ultrafast Charge Transfer in a PbS Quantum Dots/WSe <sub>2</sub> OD-2D Hybrid Structure: Transition from the Weak to Strong Coupling Regime. Journal of Physical Chemistry Letters, 2019, 10, 7665-7671.	2.1	25
1076	Gapless van der Waals Heterostructures for Infrared Optoelectronic Devices. ACS Nano, 2019, 13, 14519-14528.	7.3	24
1077	Heterogeneous Integration of 2D Materials: Recent Advances in Fabrication and Functional Device Applications. Nano, 2019, 14, 1930009.	0.5	10
1078	Organic molecular crystal-based photosynaptic devices for an artificial visual-perception system. NPC Asia Materials, 2019, 11, .	3.8	81

#	ARTICLE	IF	CITATIONS
1079	Path towards graphene commercialization from lab to market. <i>Nature Nanotechnology</i> , 2019, 14, 927-938.	15.6	235
1080	Low-Dimensional Saturable Absorbers in the Visible Spectral Region. <i>Advanced Optical Materials</i> , 2019, 7, 1800886.	3.6	55
1081	Progress, Challenges, and Opportunities for 2D Material Based Photodetectors. <i>Advanced Functional Materials</i> , 2019, 29, 1803807.	7.8	884
1082	Improved Performance of Quantum-Dot Photodetectors Using Cheap and Environmentally Friendly Polyethylene Glycol. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801666.	1.9	9
1083	A generic strategy for preparation of TiO <sub>2</sub> /Bi <sub>x</sub> MyO <sub>z</sub> (M <sup>2+</sup> =W, Mo) heterojunctions with enhanced photocatalytic activities. <i>Applied Surface Science</i> , 2019, 475, 785-792.	3.1	15
1084	Symmetry-Controlled Reversible Photovoltaic Current Flow in Ultrathin All 2D Vertically Stacked Graphene/MoS <sub>2</sub> /WS <sub>2</sub> /Graphene Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 2234-2242.	4.0	32
1085	Enhanced UV photoresponse employing 3D graphene nanowalls/SnO <sub>2</sub> nanocomposite film. <i>Surface and Coatings Technology</i> , 2019, 359, 90-96.	2.2	14
1086	Fabrication of High-Gain Photodetector With Graphene-PbSe Heterostructure. <i>IEEE Electron Device Letters</i> , 2019, 40, 48-50.	2.2	12
1087	Ultrasensitive 2D Bi <sub>2</sub> O <sub>3</sub> /Se Phototransistors on Silicon Substrates. <i>Advanced Materials</i> , 2019, 31, e1804945.	11.1	183
1088	Barrier Height Inhomogeneity in Mixed-Dimensional Graphene/Single CdSe Nanobelt Schottky Junctions. <i>IEEE Electron Device Letters</i> , 2019, 40, 119-122.	2.2	12
1089	Van der Waals Heterostructure Devices with Dynamically Controlled Conduction Polarity and Multifunctionality. <i>Advanced Functional Materials</i> , 2019, 29, 1804897.	7.8	23
1090	High performance photodetector based on graphene/MoS <sub>2</sub> /graphene lateral heterostructure with Schottky junctions. <i>Journal of Alloys and Compounds</i> , 2019, 779, 140-146.	2.8	68
1091	Plasma-enhanced atomic layer deposition of SiO <sub>2</sub> for channel isolation of colloidal quantum dots phototransistors. <i>Superlattices and Microstructures</i> , 2019, 125, 281-286.	1.4	3
1092	Broadband Optical-Fiber-Compatible Photodetector Based on a Graphene-MoS <sub>2</sub> /WS <sub>2</sub> Heterostructure with a Synergetic Photogenerating Mechanism. <i>Advanced Electronic Materials</i> , 2019, 5, 1800562.	2.6	53
1093	Hybrid InSe Nanosheets and MoS <sub>2</sub> Quantum Dots for High-Performance Broadband Photodetectors and Photovoltaic Cells. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801336.	1.9	23
1094	High-Performance <i>n-i-p</i> -Type Perovskite Photodetectors Employing Graphene-Transparent Conductive Electrodes N-Type Doped with Amine Group Molecules. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 734-739.	3.2	21
1095	Environmental effects on the charge transfer properties of Graphene quantum dot based interfaces. <i>International Journal of Quantum Chemistry</i> , 2019, 119, e25882.	1.0	8
1096	Toward a Fast and Highly Responsive SnSe <sub>2</sub> -Based Photodiode by Exploiting the Mobility of the Counter Semiconductor. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 6184-6194.	4.0	39

#	ARTICLE	IF	CITATIONS
1097	Reduced Graphene Oxide-Nanostructured Silicon Photosensors with High Photoresponsivity at Room Temperature. ACS Applied Nano Materials, 2019, 2, 2086-2098.	2.4	5
1098	On-Chip-Integrated Methylammonium Halide Perovskite Optical Sensors. Advanced Optical Materials, 2019, 7, 1801308.	3.6	15
1099	High performance charge-transfer induced homojunction photodetector based on ultrathin ZnO nanosheet. Applied Physics Letters, 2019, 114, .	1.5	21
1100	Precise Control of Interfacial Charge Transport for Building Functional Optoelectronic Devices. Advanced Materials Technologies, 2019, 4, 1800358.	3.0	1
1101	Recent Advances in the Functional 2D Photonic and Optoelectronic Devices. Advanced Optical Materials, 2019, 7, 1801274.	3.6	209
1102	Au@HgxCd <sub>1-x</sub> Te core-shell nanorods by sequential aqueous cation exchange for near-infrared photodetectors. Nano Energy, 2019, 57, 57-65.	8.2	38
1103	Performance Enhancement of Graphene Photodetectors via In Situ Preparation of TiO <sub>2</sub> on Graphene Channels. Advanced Materials Technologies, 2019, 4, 1800548.	3.0	11
1104	Hybrid graphene heterojunction photodetector with high infrared responsivity through barrier tailoring. Nanotechnology, 2019, 30, 195202.	1.3	8
1105	Plasmonically Enhanced Graphene Photodetector Featuring 100 Gbit/s Data Reception, High Responsivity, and Compact Size. ACS Photonics, 2019, 6, 154-161.	3.2	169
1106	Scalable Graphene-Organometal Halide Perovskite Heterostructure Fabricated by Dry Transfer. Advanced Materials Interfaces, 2019, 6, 1801419.	1.9	11
1107	Restoring the photovoltaic effect in graphene-based van der Waals heterojunctions towards self-powered high-detectivity photodetectors. Nano Energy, 2019, 57, 214-221.	8.2	65
1108	Organic charge-transfer interface enhanced graphene hybrid phototransistors. Organic Electronics, 2019, 64, 22-26.	1.4	25
1109	Broadband Metamaterial Absorbers. Advanced Optical Materials, 2019, 7, 1800995.	3.6	404
1110	Nitrogen-Functionalized Graphene Quantum Dots: A Versatile Platform for Integrated Optoelectronic Devices. Chemical Record, 2020, 20, 429-439.	2.9	11
1111	High-Performance Flexible Broadband Photodetectors Based on 2D Hafnium Selenosulfide Nanosheets. Advanced Electronic Materials, 2020, 6, 1900794.	2.6	24
1112	Photoresponse of wafer-scale palladium diselenide films prepared by selenization method. Journal Physics D: Applied Physics, 2020, 53, 065102.	1.3	10
1113	Light-Driven WSe <sub>2</sub> -ZnO Junction Field-Effect Transistors for High-Performance Photodetection. Advanced Science, 2020, 7, 1901637.	5.6	66
1114	Tuning of reduced graphene oxide thin film as an efficient electron conductive interlayer in a proven heterojunction photoanode for solar-driven photoelectrochemical water splitting. Journal of Alloys and Compounds, 2020, 817, 152721.	2.8	11

#	ARTICLE	IF	CITATIONS
1116	Highly Conductive Graphene Electronics by Inkjet Printing. Journal of Electronic Materials, 2020, 49, 1765-1776.	1.0	18
1117	Introduction to Carbon-Based Nanostructures. , 2020, , 1-10.		0
1118	The New Family of Two-Dimensional Materials and van der Waals Heterostructures. , 2020, , 70-91.		0
1119	Quantum Transport: General Concepts. , 2020, , 92-119.		0
1120	Klein Tunneling and Ballistic Transport in Graphene and Related Materials. , 2020, , 120-144.		0
1121	Quantum Transport in Disordered Graphene-Based Materials. , 2020, , 145-209.		0
1122	High Responsivity and Photovoltaic Effect Based on Vertical Transport in Multilayer $\text{In}_2\text{Se}_3$ . Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 1900932.	0.8	19
1123	Recent advances in two-dimensional-material-based sensing technology toward health and environmental monitoring applications. Nanoscale, 2020, 12, 3535-3559.	2.8	318
1126	Electronic Properties of Carbon-Based Nanostructures. , 2020, , 11-69.		0
1127	Quantum Hall Effects in Graphene. , 2020, , 210-236.		0
1128	Spin-Related Phenomena. , 2020, , 237-277.		0
1129	Ab Initio and Multiscale Quantum Transport in Graphene-Based Materials. , 2020, , 293-353.		0
1133	All-Fiber Multifunctional Electrooptic Prototype Device with a Graphene/PMMA (Poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Materials, 2020, 2, 447-455.	2.0	12
1134	Role of van der Waals interaction in enhancing the photon absorption capability of the $\text{MoS}_2$ /2D heterostructure. Physical Chemistry Chemical Physics, 2020, 22, 2775-2782.	1.3	5
1135	2D material broadband photodetectors. Nanoscale, 2020, 12, 454-476.	2.8	167
1136	Light-triggered two-dimensional lateral homogeneous p-n diodes for opto-electrical interconnection circuits. Science Bulletin, 2020, 65, 293-299.	4.3	29
1137	High-specific-detectivity, low-dark-current Ge nanowire metal-semiconductor-metal photodetectors fabricated by Ge condensation method. Journal Physics D: Applied Physics, 2020, 53, 125103.	1.3	4
1138	Bridging the van der Waals Interface for Advanced Optoelectronic Devices. Advanced Materials, 2020, 32, e1906874.	11.1	31

#	ARTICLE	IF	CITATIONS
1139	Flexible Quasi-2D Perovskite/IGZO Phototransistors for Ultrasensitive and Broadband Photodetection. <i>Advanced Materials</i> , 2020, 32, e1907527.	11.1	88
1140	Structural Engineering of Dispersed Graphene Flakes into ZnO Nanotubes on Discontinues Ultra-Nanocrystalline Diamond Substrates for High-Performance Photodetector with Excellent UV Light to Dark Current Ratios. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901694.	1.9	7
1141	Gap-Mode Plasmon-Induced Photovoltaic Effect in a Vertical Multilayer Graphene Homo Junction. <i>Advanced Optical Materials</i> , 2020, 8, 1901519.	3.6	6
1142	Quantum-Dot Tandem Solar Cells Based on a Solution-Processed Nanoparticle Intermediate Layer. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 2313-2318.	4.0	19
1143	Gate stimulated high-performance MoS <sub>2</sub> -In(OH) x Se phototransistor. <i>Nanotechnology</i> , 2020, 31, 095203.	1.3	2
1144	Solvent influenced synthesis of single-phase SnS <sub>2</sub> nanosheets for solution-processed photodiode fabrication. <i>CrystEngComm</i> , 2020, 22, 525-533.	1.3	40
1145	Application of organic-graphene hybrids in high performance photodetectors. <i>Materials Chemistry Frontiers</i> , 2020, 4, 354-368.	3.2	16
1146	Substantially Improving Device Performance of All-Inorganic Perovskite-Based Phototransistors via Indium Tin Oxide Nanowire Incorporation. <i>Small</i> , 2020, 16, e1905609.	5.2	33
1147	Photovoltaic and Photoconductive Action Due to PbS Quantum Dots on Graphene/SiC Schottky Diodes from NIR to UV. <i>ACS Applied Electronic Materials</i> , 2020, 2, 134-139.	2.0	15
1148	Hybrid J-Aggregate-Graphene Phototransistor. <i>ACS Applied Nano Materials</i> , 2020, 3, 409-417.	2.4	13
1149	Solution-processed MoS <sub>2</sub> quantum dot/GaAs vertical heterostructure based self-powered photodetectors with superior detectivity. <i>Nanotechnology</i> , 2020, 31, 135203.	1.3	22
1150	Ultrasensitive Organic-Modulated CsPbBr <sub>3</sub> Quantum Dot Photodetectors via Fast Interfacial Charge Transfer. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901741.	1.9	20
1151	Ultraviolet-light-driven current modulation of Au/WS <sub>2</sub> /Gr Schottky barrier. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020, 117, 113837.	1.3	6
1152	A synergetic enhancement of localized surface plasmon resonance and photo-induced effect for graphene/GaAs photodetector. <i>Nanotechnology</i> , 2020, 31, 105204.	1.3	13
1153	InGaAs photo field-effect-transistors (PhotoFETs) on half-inch Si wafer using layer transfer technology. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SGGE03.	0.8	6
1154	Insights into the Control of Optoelectronic Properties in Mixed-Stacking Charge-Transfer Complexes. <i>Chemistry - A European Journal</i> , 2020, 26, 3578-3585.	1.7	29
1155	High Responsivity and Speed of 3D Graphene/InGaAs/InAs/InAlAs/InSb/InP HEMT Photodetector. <i>Journal of Electronic Materials</i> , 2020, 49, 7479-7485.	1.0	1
1156	Vertical OD-Perovskite/2D-MoS <sub>2</sub> van der Waals Heterojunction Phototransistor for Emulating Photoelectrically Synergistically Classical Pavlovian Conditioning and Neural Coding Dynamics. <i>Small</i> , 2020, 16, e2005217.	5.2	87



#	ARTICLE	IF	CITATIONS
1157	Ultraviolet photodetector based on the hybrid graphene/phosphor field-effect transistor. <i>Optical Materials</i> , 2020, 109, 110439.	1.7	9
1158	Rippled Metallic Nanowire/Graphene/Semiconductor Nanostack for a Gate-Tunable Ultrahigh-Performance Stretchable Phototransistor. <i>Advanced Optical Materials</i> , 2020, 8, 2000859.	3.6	5
1159	Enhancing the graphene photocurrent using surface plasmons and a p-n junction. <i>Light: Science and Applications</i> , 2020, 9, 126.	7.7	56
1160	Ultralow-Transition-Energy Organic Complex on Graphene for High-Performance Shortwave Infrared Photodetection. <i>Advanced Materials</i> , 2020, 32, e2002628.	11.1	42
1161	Inclined Ultrathin Bi <sub>2</sub> O <sub>2</sub> Se Films: A Building Block for Functional van der Waals Heterostructures. <i>ACS Nano</i> , 2020, 14, 16803-16812.	7.3	45
1162	An Effort Towards Full Graphene Photodetectors. <i>Photonic Sensors</i> , 2022, 12, 31-67.	2.5	16
1163	Graphene/WS <sub>2</sub> Nanodisk Van der Waals Heterostructures on Plasmonic Ag Nanoparticle-Embedded Silica Metafilms for High-Performance Photodetectors. <i>ACS Applied Nano Materials</i> , 2020, 3, 7858-7868.	2.4	25
1164	A new photodetector structure based on graphene nanomeshes: an ab initio study. <i>Beilstein Journal of Nanotechnology</i> , 2020, 11, 1036-1044.	1.5	0
1165	Graphene-Quantum Dot Hybrid Photodetectors with Low Dark-Current Readout. <i>ACS Nano</i> , 2020, 14, 11897-11905.	7.3	39
1166	Zero-Dimensional PbS Quantum Dot-InGaZnO Film Heterostructure for Short-Wave Infrared Flat-Panel Imager. <i>ACS Photonics</i> , 2020, 7, 1932-1941.	3.2	26
1167	Graphene/PbS quantum dot hybrid structure for application in near-infrared photodetectors. <i>Scientific Reports</i> , 2020, 10, 12475.	1.6	28
1168	Theoretical Investigation of Near-Infrared Fabry-Pérot Microcavity Graphene/Silicon Schottky Photodetectors Based on Double Silicon on Insulator Substrates. <i>Micromachines</i> , 2020, 11, 708.	1.4	7
1169	Atomic-Thin ZnO Sheet for Visible-Blind Ultraviolet Photodetection. <i>Small</i> , 2020, 16, e2005520.	5.2	45
1170	Integrated Structure and Device Engineering for High Performance and Scalable Quantum Dot Infrared Photodetectors. <i>Small</i> , 2020, 16, e2003397.	5.2	67
1171	High-Responsivity Photodetector Based on a Suspended Monolayer Graphene/RbAg <sub>4</sub> I <sub>5</sub> Composite Nanostructure. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 50763-50771.	4.0	6
1172	Hardware implementation of photoelectrically modulated dendritic arithmetic and spike-timing-dependent plasticity enabled by an ion-coupling gate-tunable vertical OD-perovskite/2D-MoS <sub>2</sub> hybrid-dimensional van der Waals heterostructure. <i>Nanoscale</i> , 2020, 12, 21798-21811.	2.8	51
1174	Reduction of Trap and Polydispersity in Mutually Passivated Quantum Dot Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 8903-8911.	2.5	9
1175	Highly Stable and Scalable Blue QD-LED via an Evaporated TiO <sub>2</sub> Thin Film as an Electron Transport Layer. <i>Advanced Optical Materials</i> , 2020, 8, 2001172.	3.6	7

#	ARTICLE	IF	CITATIONS
1176	A 3D UV Photodetector Based on TiO <sub>2</sub> Nanoparticles Decorated Microtubular Graphene FET. , 2020, , .		0
1177	Light-modulated vertical heterojunction phototransistors with distinct logical photocurrents. Light: Science and Applications, 2020, 9, 167.	7.7	40
1178	Dependence of Photoresponsivity and On/Off Ratio on Quantum Dot Density in Quantum Dot Sensitized MoS <sub>2</sub> Photodetector. Nanomaterials, 2020, 10, 1828.	1.9	13
1179	Epitaxial Growth of PbS Nanocrystals from PbI <sub>2</sub> Nanosheet Templates and Its Application in Fast Near-Infrared Photodetectors. Advanced Optical Materials, 2020, 8, 2001319.	3.6	11
1180	Effect of Graphene Doping Level near the Metal Contact Region on Electrical and Photoresponse Characteristics of Graphene Photodetector. Sensors, 2020, 20, 4661.	2.1	3
1181	A Study of the Photoresponse in Graphene Produced by Chemical Vapor Deposition. Semiconductors, 2020, 54, 991-998.	0.2	0
1182	Advances of Sensitive Infrared Detectors with HgTe Colloidal Quantum Dots. Coatings, 2020, 10, 760.	1.2	11
1183	Ambipolar Plasmon-Enhanced Photodetector Built on Germanium Nanodots Array/Graphene Hybrid. Advanced Materials Interfaces, 2020, 7, 2001122.	1.9	10
1184	Colloidal Nanosurfactants for 3D Conformal Printing of 2D van der Waals Materials. Advanced Materials, 2020, 32, e2003081.	11.1	23
1185	Rational design of Al <sub>2</sub> O <sub>3</sub> /2D perovskite heterostructure dielectric for high performance MoS <sub>2</sub> phototransistors. Nature Communications, 2020, 11, 4266.	5.8	59
1186	Gap-Plasmon Induced One-Order Enhancement of Optical Anisotropy of 2D Black Phosphorus. Advanced Photonics Research, 2020, 1, 2000010.	1.7	6
1187	Perovskite Quantum Dots. Springer Series in Materials Science, 2020, , .	0.4	4
1188	Transparent phototransistor with high responsivity, sensitivity, and detectivity from heterojunction metal oxide semiconductors. Applied Physics Letters, 2020, 117, 111103.	1.5	7
1189	The Effect of Periodic Spatial Perturbations on the Emission Rates of Quantum Dots near Graphene Platforms. Materials, 2020, 13, 3504.	1.3	0
1190	Probing the Importance of Charge Balance and Noise Current in WSe <sub>2</sub> /WS <sub>2</sub> /MoS <sub>2</sub> van der Waals Heterojunction Phototransistors by Selective Electrostatic Doping. Advanced Science, 2020, 7, 2001475.	5.6	13
1191	Nanolayered Black Arsenic-Silicon Lateral Heterojunction Photodetector for Visible to Mid-Infrared Wavelengths. ACS Applied Nano Materials, 2020, 3, 9401-9409.	2.4	14
1192	ZnO Nanoparticle/Graphene Hybrid Photodetectors via Laser Fragmentation in Liquid. Nanomaterials, 2020, 10, 1648.	1.9	18
1193	Perfect Impedance Matching with Meta-Surfaces Made of Ultra-Thin Metal Films: A Phenomenological Approach to the Ideal THz Sensors. Materials, 2020, 13, 5417.	1.3	5

#	ARTICLE	IF	CITATIONS
1194	Enhanced Electro-Optical Performance of Inorganic Perovskite/a-InGaZnO Phototransistors Enabled by Sn <sup>2+</sup> /Pb Binary Incorporation with a Selective Photonic Deactivation. ACS Applied Materials & Interfaces, 2020, 12, 58038-58048.	4.0	9
1195	Emerging Artificial Two-Dimensional van der Waals Heterostructures for Optoelectronics. , 2020, , .		2
1196	Solution-Processed Vertical Field-Effect Transistor with Separated Charge Generation and Charge Transport Layers for High-Performance Near-Infrared Photodetection. ACS Applied Electronic Materials, 2020, 2, 3871-3879.	2.0	3
1197	Scalable fabrication of long-wave infrared PtSe <sub>2</sub> -G heterostructure array photodetectors. Applied Physics Letters, 2020, 117, 231104.	1.5	11
1198	Engineering the photoresponse of liquid-exfoliated 2D materials by size selection and controlled mixing for an ultrasensitive and ultrasensitive photodetector. Materials Horizons, 2020, 7, 3325-3338.	6.4	31
1199	High-performance graphene/InSb heterojunction photodetectors for high-resolution mid-infrared image sensors. Applied Physics Letters, 2020, 117, .	1.5	29
1200	Back-Reflected Performance-Enhanced Flexible Perovskite Photodetectors through Substrate Texturing with Femtosecond Laser. ACS Applied Materials & Interfaces, 2020, 12, 26614-26623.	4.0	12
1201	Polyaniline and quantum dot-based nanostructures: Developments and perspectives. Journal of Plastic Film and Sheeting, 2020, 36, 430-447.	1.3	6
1202	Enhanced Charge Transfer and Responsivity in Hybrid Quantum Dot/Graphene Photodetectors Using ZnO as Intermediate Electron-Collecting Layer. Advanced Electronic Materials, 2020, 6, 2000014.	2.6	16
1203	Photosensitive n-Type Doping Using Perovskite CsPbX <sub>3</sub> Quantum Dots for Two-Dimensional MSe <sub>2</sub> (M = Mo and W) Field-Effect Transistors. ACS Applied Materials & Interfaces, 2020, 12, 25159-25167.	4.0	21
1204	Bismuthene quantum dots based optical modulator for MIR lasers at 2.14 μm. Optical Materials, 2020, 102, 109830.	1.7	22
1205	High-Responsivity Mid-Infrared Black Phosphorus Slow Light Waveguide Photodetector. Advanced Optical Materials, 2020, 8, 2000337.	3.6	75
1206	Ag <sub>2</sub> S QDs/Si Heterostructure-Based Ultrasensitive SWIR Range Detector. Nanomaterials, 2020, 10, 861.	1.9	10
1207	SnS <sub>2</sub> Quantum Dot-Based Optoelectronic Flexible Sensors for Ultrasensitive Detection of NO <sub>2</sub> Down to 1 ppb. ACS Applied Materials & Interfaces, 2020, 12, 25178-25188.	4.0	51
1209	Giant tunability in electrical contacts and doping via inconsiderable normal electric field strength or gating for a high-performance in ultrathin field effect transistors based on 2D BX <sub>2</sub> /graphene (X=As, Sb, Bi) Tj ETQq0 0 0.rgBT /Overlock 10 T		
1210	Ultrafast Exfoliation of 2D Materials by Solvent Activation and One-Step Fabrication of All-2D-Material Photodetectors by Electrohydrodynamic Printing. ACS Applied Materials & Interfaces, 2020, 12, 28840-28851.	4.0	34
1211	Near-Infrared Photodetectors Based on Hybrid Graphene-Colloidal PbSe Quantum Dots. MRS Advances, 2020, 5, 2273-2280.	0.5	5
1212	Microplasma-Enabled Graphene Quantum Dot-Wrapped Gold Nanoparticles with Synergistic Enhancement for Broad Band Photodetection. ACS Applied Materials & Interfaces, 2020, 12, 28550-28560.	4.0	35

#	ARTICLE	IF	CITATIONS
1213	Ultra High-efficiency Integrated Mid Infrared to Visible Up-conversion System. Scientific Reports, 2020, 10, 9325.	1.6	16
1214	Heterostructures formed through abraded van der Waals materials. Nature Communications, 2020, 11, 3047.	5.8	36
1215	State of the art two-dimensional materials-based photodetectors: Prospects, challenges and future outlook. Journal of Industrial and Engineering Chemistry, 2020, 89, 28-46.	2.9	11
1216	NV Center Charge State Controlled Graphene-on-Diamond Field Effect Transistor Actions With Multi-Wavelength Optical Inputs. IEEE Open Journal of Nanotechnology, 2020, 1, 18-24.	0.9	3
1217	Non-layered 2D materials toward advanced photoelectric devices: progress and prospects. Materials Horizons, 2020, 7, 2185-2207.	6.4	47
1218	Solution-Processed p-Type Copper Thiocyanate (CuSCN) Enhanced Sensitivity of PbS-Quantum-Dots-Based Photodiode. ACS Photonics, 2020, 7, 1628-1635.	3.2	8
1219	Electrical properties and applications. , 2020, , 173-249.		1
1220	An asymmetric contact-induced self-powered 2D In <sub>2</sub> S <sub>3</sub> photodetector towards high-sensitivity and fast-response. Nanoscale, 2020, 12, 7196-7205.	2.8	44
1221	Photodetectors based on solution-processable semiconductors: Recent advances and perspectives. Applied Physics Reviews, 2020, 7, .	5.5	118
1222	Van der waals heterojunctions for catalysis. Materials Today Advances, 2020, 6, 100059.	2.5	23
1223	Semiconductor Quantum Dots for Memories and Neuromorphic Computing Systems. Chemical Reviews, 2020, 120, 3941-4006.	23.0	203
1224	Present advances and perspectives of broadband photo-detectors based on emerging 2D-Xenes beyond graphene. Nano Research, 2020, 13, 891-918.	5.8	36
1225	Room Temperature Graphene Mid-Infrared Bolometer with a Broad Operational Wavelength Range. ACS Photonics, 2020, 7, 1206-1215.	3.2	41
1226	Reconfigurable 2D/0D p-n Graphene/HgTe Nanocrystal Heterostructure for Infrared Detection. ACS Nano, 2020, 14, 4567-4576.	7.3	60
1227	Colloidal Quantum-Dots/Graphene/Silicon Dual-Channel Detection of Visible Light and Short-Wave Infrared. ACS Photonics, 2020, 7, 1117-1121.	3.2	37
1228	Solution-processed upconversion photodetectors based on quantum dots. Nature Electronics, 2020, 3, 251-258.	13.1	135
1229	Interface-Induced High Responsivity in Hybrid Graphene/GaAs Photodetector. Advanced Optical Materials, 2020, 8, 1901741.	3.6	31
1230	Explicit Gain Equations for Single Crystalline Photoconductors. ACS Nano, 2020, 14, 3405-3413.	7.3	21

#	ARTICLE	IF	CITATIONS
1231	Substrate effects in graphene field-effect transistor photodetectors. <i>Journal of Physics: Conference Series</i> , 2020, 1461, 012188.	0.3	1
1232	Ultrafast and Sensitive Self-Powered Photodetector Featuring Self-Limited Depletion Region and Fully Depleted Channel with van der Waals Contacts. <i>ACS Nano</i> , 2020, 14, 9098-9106.	7.3	120
1233	A Graphene/Polycrystalline Silicon Photodiode and Its Integration in a Photodiode- $\alpha$ -Oxide- $\alpha$ -Semiconductor Field Effect Transistor. <i>Micromachines</i> , 2020, 11, 596.	1.4	3
1234	High-Performance Broadband Tungsten Disulfide Photodetector Decorated with Indium Arsenide Nanoislands. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 2000297.	0.8	2
1235	Graphene Plasmonics in Sensor Applications: A Review. <i>Sensors</i> , 2020, 20, 3563.	2.1	35
1236	Two-dimensional materials and hybrid systems for photodetection. , 2020, , 325-349.		3
1237	Hybrid heterostructures and devices based on two-dimensional layers and wide bandgap materials. <i>Materials Today Nano</i> , 2020, 12, 100092.	2.3	28
1238	Graphene Quantum Dot-Decorated Vertically Oriented Graphene/Germanium Heterojunctions for Near-Infrared Photodetectors. <i>ACS Applied Nano Materials</i> , 2020, 3, 6915-6924.	2.4	21
1239	Semimetals for high-performance photodetection. <i>Nature Materials</i> , 2020, 19, 830-837.	13.3	181
1240	Unveiling the Hot Carrier Distribution in Vertical Graphene/h-BN/Au van der Waals Heterostructures for High-Performance Photodetector. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10772-10780.	4.0	44
1241	Investigating photoresponsivity of graphene-silver hybrid nanomaterials in the ultraviolet. <i>Journal of Chemical Physics</i> , 2020, 152, 044709.	1.2	14
1242	A Novel Route to High-Quality Graphene Quantum Dots by Hydrogen-Assisted Pyrolysis of Silicon Carbide. <i>Nanomaterials</i> , 2020, 10, 277.	1.9	14
1243	Highly sensitive ultraviolet photodetectors based on single wall carbon nanotube-graphene hybrid films. <i>Applied Surface Science</i> , 2020, 512, 145651.	3.1	22
1244	Optoelectronic and photoelectric properties and applications of graphene-based nanostructures. <i>Materials Today Physics</i> , 2020, 13, 100196.	2.9	42
1245	Metal/semiconductor interfaces in nanoscale objects: synthesis, emerging properties and applications of hybrid nanostructures. <i>Nanoscale Advances</i> , 2020, 2, 930-961.	2.2	42
1246	Compact Graphene Plasmonic Slot Photodetector on Silicon-on-Insulator with High Responsivity. <i>ACS Photonics</i> , 2020, 7, 932-940.	3.2	63
1247	Abnormal scaling of excitons in phosphorene quantum dots. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 5723-5728.	1.3	2
1248	Near full light absorption and full charge collection in 1-micron thick quantum dot photodetector using intercalated graphene monolayer electrodes. <i>Nanoscale</i> , 2020, 12, 4909-4915.	2.8	11

#	ARTICLE	IF	CITATIONS
1249	Interplay of charge transfer and disorder in optoelectronic response in Graphene/hBN/MoS <sub>2</sub> van der Waals heterostructures. 2D Materials, 2020, 7, 025043.	2.0	31
1250	1D@0D hybrid dimensional heterojunction-based photonics logical gate and isolator. Applied Materials Today, 2020, 19, 100589.	2.3	19
1251	Optical Transistor for Amplification of Radiation in a Broadband Terahertz Domain. Physical Review Letters, 2020, 124, 087701.	2.9	19
1252	Ultrasensitive and high gain solution-processed perovskite photodetectors by CH <sub>3</sub> NH <sub>3</sub> PbI <sub>2.55</sub> Br <sub>0.45</sub> :Zn <sub>2</sub> SnO <sub>4</sub> bulk heterojunction composite. Emergent Materials, 2020, 3, 1-7.	3.2	10
1253	Excellent performance in vertical graphene-C <sub>60</sub> -graphene heterojunction phototransistors with a tunable bi-directionality. Carbon, 2020, 162, 375-381.	5.4	17
1254	Ultrafast Infrared Photoresponse from Heavily Hydrogen-Doped VO <sub>2</sub> Single Crystalline Nanoparticles. Nano Letters, 2020, 20, 2733-2740.	4.5	16
1255	Recent advances in infrared imagers: toward thermodynamic and quantum limits of photon sensitivity. Reports on Progress in Physics, 2020, 83, 044101.	8.1	20
1256	Graphene-nanowalls/silicon hybrid heterojunction photodetectors. Carbon, 2020, 162, 181-186.	5.4	14
1257	High figure of merit of monolayer Sb <sub>2</sub> Te <sub>2</sub> Se of ultra low lattice thermal conductivity. Computational Materials Science, 2020, 177, 109588.	1.4	9
1258	van der Waals Heterojunction between a Bottom-Up Grown Doped Graphene Quantum Dot and Graphene for Photoelectrochemical Water Splitting. ACS Nano, 2020, 14, 1185-1195.	7.3	100
1259	Emergent Optoelectronic Properties of Mixed-Dimensional Heterojunctions. Accounts of Chemical Research, 2020, 53, 763-772.	7.6	55
1260	Amorphous ZnO/PbS Quantum Dots Heterojunction for Efficient Responsivity Broadband Photodetectors. ACS Applied Materials & Interfaces, 2020, 12, 8403-8410.	4.0	47
1261	Photocurrent spectra for above and below bandgap energies from photovoltaic PbS infrared detectors with graphene transparent electrodes. Current Applied Physics, 2020, 20, 445-450.	1.1	13
1262	Large-Scale Production of Nanocrystalline Black Phosphorus Ceramics. ACS Applied Materials & Interfaces, 2020, 12, 7381-7391.	4.0	23
1263	PbS-quantum-dots/double-wall-carbon-nanotubes nanohybrid based photodetectors with extremely fast response and high responsivity. Materials Today Energy, 2020, 16, 100378.	2.5	12
1264	Ultrahigh Responsivity Photodetectors of 2D Covalent Organic Frameworks Integrated on Graphene. Advanced Materials, 2020, 32, e1907242.	11.1	114
1265	Dirac terahertz plasmonics in two and three dimensions. Optics Communications, 2020, 462, 125319.	1.0	10
1266	Graphene-mediated enhanced Raman scattering and coherent light lasing from CsPbI <sub>3</sub> perovskite nanorods. Nano Energy, 2020, 70, 104497.	8.2	9

#	ARTICLE	IF	CITATIONS
1267	Ranging and light field imaging with transparent photodetectors. <i>Nature Photonics</i> , 2020, 14, 143-148.	15.6	80
1268	Quantum Transport beyond DC. , 2020, , 278-292.		0
1270	Multicolor Broadband and Fast Photodetector Based on InGaAs/Insulator/Graphene Hybrid Heterostructure. <i>Advanced Electronic Materials</i> , 2020, 6, 1901007.	2.6	44
1271	Transport Properties of a Molybdenum Disulfide and Carbon Dot Nanohybrid Transistor and Its Applications as a Hg <sup>2+</sup> Aptasensor. <i>ACS Applied Electronic Materials</i> , 2020, 2, 635-645.	2.0	22
1272	PbE (E = S, Se) Colloidal Quantum Dot-Layered 2D Material Hybrid Photodetectors. <i>Nanomaterials</i> , 2020, 10, 172.	1.9	29
1273	Low-dimensional metal halide perovskites and related optoelectronic applications. <i>Informa Materials</i> , 2020, 2, 341-378.	8.5	72
1274	Ultrafast Colloidal Quantum Dot Infrared Photodiode. <i>ACS Photonics</i> , 2020, 7, 1297-1303.	3.2	40
1275	Development of flexible and curved infrared detectors with HgTe colloidal quantum dots. <i>Infrared Physics and Technology</i> , 2020, 108, 103344.	1.3	17
1276	Functionalized graphene and targeted applications – Highlighting the road from chemistry to applications. <i>Progress in Materials Science</i> , 2020, 114, 100683.	16.0	61
1277	Effect of Ligand Treatment on the Tuning of Infrared Plasmonic Indium Tin Oxide Nanocrystal Electrochromic Devices. <i>Advanced Engineering Materials</i> , 2020, 22, 2000112.	1.6	15
1278	Up-Conversion Device Based on Quantum Dots With High-Conversion Efficiency Over 6%. <i>IEEE Access</i> , 2020, 8, 71041-71049.	2.6	9
1279	Ligand-Assisted Formation of Graphene/Quantum Dot Monolayers with Improved Morphological and Electrical Properties. <i>Nanomaterials</i> , 2020, 10, 723.	1.9	5
1280	Graphene Plasmonic Fractal Metamaterials for Broadband Photodetectors. <i>Scientific Reports</i> , 2020, 10, 6882.	1.6	22
1281	Tuning optical properties of monolayer MoS <sub>2</sub> through the OD/2D interfacial effect with C60 nanoparticles. <i>Applied Surface Science</i> , 2020, 523, 146371.	3.1	12
1282	Evolution of Dip-Pen Nanolithography (DPN): From Molecular Patterning to Materials Discovery. <i>Chemical Reviews</i> , 2020, 120, 6009-6047.	23.0	107
1283	Recent insights into the robustness of two-dimensional black phosphorous in optoelectronic applications. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2020, 43, 100354.	5.6	25
1284	Position-sensitive detectors based on two-dimensional materials. <i>Nano Research</i> , 2021, 14, 1889-1900.	5.8	14
1285	Metallo-graphene enhanced upconversion luminescence for broadband photodetection under polychromatic illumination. <i>Chemical Engineering Journal</i> , 2021, 420, 127608.	6.6	15

#	ARTICLE	IF	CITATIONS
1286	Recent Progress of Quantum Dot-Based Photonic Devices and Systems: A Comprehensive Review of Materials, Devices, and Applications. <i>Small Structures</i> , 2021, 2, 2000024.	6.9	55
1287	Facile fabrication of bismuth sulphide microflowers for a novel type of flexible paper laser detector. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 263, 114831.	1.7	5
1288	High-performance photodetector using CsPbBr <sub>3</sub> perovskite nanocrystals and graphene hybrid channel. <i>Journal of Materials Science</i> , 2021, 56, 2341-2346.	1.7	32
1289	2D HfN <sub>2</sub> /graphene interface based Schottky device: Unmatched controllability in electrical contacts and carrier concentration via electrostatic gating and out-of-plane strain. <i>Applied Surface Science</i> , 2021, 540, 148389.	3.1	25
1290	A fresh-bias photoresponse of graphene field-effect transistor: An electrical tunable fast dipole moment generation. <i>Carbon</i> , 2021, 173, 322-328.	5.4	5
1291	Recent Progress in Short- to Long-Wave Infrared Photodetection Using 2D Materials and Heterostructures. <i>Advanced Optical Materials</i> , 2021, 9, 2001708.	3.6	118
1292	Temperature-dependent Raman investigation and photoluminescence of graphene quantum dots with and without nitrogen-doping. <i>Journal of Materials Science</i> , 2021, 56, 4979-4990.	1.7	10
1293	Electrochemical Epitaxial Grown PbS Nanorods Array on Graphene Film for High-Performance Photodetector. <i>Advanced Materials Interfaces</i> , 2021, 8, .	1.9	17
1294	Growth of In <sub>2</sub> S <sub>3</sub> nanolayers on F-Mica, SiO <sub>2</sub> , ZnO, and TiO <sub>2</sub> substrates using chemical vapor deposition. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 264, 114889.	1.7	9
1295	Mixed-dimensional CsPbBr <sub>3</sub> @ZnO heterostructures for high-performance p-n diodes and photodetectors. <i>Nano Today</i> , 2021, 36, 101055.	6.2	37
1296	Gold nanoparticles-decorated N,N'-dioctyl-3,4,9,10-perylene tetracarboxylic diimide active layer towards remarkably enhanced visible-light photoresponse of an n-type organic phototransistor. <i>Thin Solid Films</i> , 2021, 718, 138478.	0.8	1
1297	Perovskite quantum dots integrated with vertically aligned graphene toward ambipolar multifunctional photodetectors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 609-619.	2.7	12
1298	Photoresponse improvement of mixed-dimensional 1D-2D GaAs photodetectors by incorporating constructive interface states. <i>Nanoscale</i> , 2021, 13, 1086-1092.	2.8	43
1299	Explicit Gain Equations for Hybrid Graphene-Quantum-Dot Photodetectors. <i>Small</i> , 2021, 17, e2006307.	5.2	10
1300	Temperature-Dependent Charge Carrier Transfer in Colloidal Quantum Dot/Graphene Infrared Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 848-856.	4.0	16
1301	Spectral Responsivity Characteristics of Front-Side Illumination InGaAs PhotoFETs on Si. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021, 218, 2000439.	0.8	5
1302	Emerging low-dimensional materials for mid-infrared detection. <i>Nano Research</i> , 2021, 14, 1863-1877.	5.8	22
1303	Recent advancements in synthesis and property control of graphene quantum dots for biomedical and optoelectronic applications. <i>Materials Chemistry Frontiers</i> , 2021, 5, 627-658.	3.2	63



#	ARTICLE	IF	CITATIONS
1304	Intrinsic carrier multiplication in layered Bi <sub>2</sub> O <sub>2</sub> Se avalanche photodiodes with gain bandwidth product exceeding 1 GHz. <i>Nano Research</i> , 2021, 14, 1961-1966.	5.8	17
1305	PbS QD-based photodetectors: future-oriented near-infrared detection technology. <i>Journal of Materials Chemistry C</i> , 2021, 9, 417-438.	2.7	64
1306	The Basic Category and Application of Graphene-based Hybrid Photodetector. <i>IOP Conference Series: Earth and Environmental Science</i> , 0, 632, 052092.	0.2	0
1307	Infrared colloidal quantum dots for photoelectric conversion devices. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2994-3025.	2.7	9
1308	Trends in Performance Limits of the HOT Infrared Photodetectors. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 501.	1.3	48
1309	Entering a Two-Dimensional Materials World. <i>Springer Series in Solid-state Sciences</i> , 2021, , 17-59.	0.3	0
1310	Two-Dimensional Material-Based Quantum Dots for Wavelength-Selective, Tunable, and Broadband Photodetector Devices. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2021, , 249-287.	0.4	2
1311	Progress in Quantum Dot Infrared Photodetectors. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2021, , 1-74.	0.4	3
1312	Photogating-driven enhanced responsivity in a few-layered ReSe <sub>2</sub> phototransistor. <i>Journal of Materials Chemistry C</i> , 2021, 9, 12168-12176.	2.7	7
1313	Reconfigurable optical memory based on MoS <sub>2</sub> /QDs mixed-dimensional van der Waals heterostructure. <i>2D Materials</i> , 2021, 8, 025021.	2.0	12
1314	Precise Control of the Oxidation State of PbS Quantum Dots Using Rapid Thermal Annealing for Infrared Photodetectors. <i>ACS Applied Nano Materials</i> , 2021, 4, 1-6.	2.4	12
1315	Seamlessly Integrable Optoelectronics for Clinical Grade Wearables. <i>Advanced Materials Technologies</i> , 2021, 6, 2000853.	3.0	6
1316	Solution-Processable Carbon and Graphene Quantum Dots Photodetectors. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2021, , 157-214.	0.4	1
1317	Recent progress and challenges based on two-dimensional material photodetectors. <i>Nano Express</i> , 2021, 2, 012001.	1.2	31
1318	Hybrid structure of PbS QDs and vertically-few-layer MoS <sub>2</sub> nanosheets array for broadband photodetector. <i>Nanotechnology</i> , 2021, 32, 145602.	1.3	8
1319	Mid-Wave Infrared Polarization-Independent Graphene Photoconductor with Integrated Plasmonic Nanoantennas Operating at Room Temperature. <i>Advanced Optical Materials</i> , 2021, 9, 2001854.	3.6	11
1320	Graphene-Ta <sub>2</sub> O <sub>5</sub> heterostructure enabled high performance, deep-ultraviolet to mid-infrared photodetection. <i>Nanoscale</i> , 2021, 13, 10526-10535.	2.8	8
1321	Functional two-dimensional black phosphorus nanostructures towards next-generation devices. <i>Journal of Materials Chemistry A</i> , 2021, 9, 12433-12473.	5.2	73

#	ARTICLE	IF	CITATIONS
1322	Light-triggered interfacial charge transfer and enhanced photodetection in CdSe/ZnS quantum dots/MoS <sub>2</sub> ; mixed-dimensional phototransistors. Opto-Electronic Advances, 2021, 4, 210017-210017.	6.4	19
1323	Perspectives on nanocomposite with polypyrrole and nanoparticles. , 2021, , 103-128.		0
1324	Metal halide perovskite nanocrystals: application in high-performance photodetectors. Materials Advances, 2021, 2, 856-879.	2.6	18
1325	Electrical read-out of light-induced spin transition in thin film spin crossover/graphene heterostructures. Journal of Materials Chemistry C, 2021, 9, 2712-2720.	2.7	40
1326	Oxidized eutectic gallium–indium (EGaIn) nanoparticles for broadband light response in a graphene-based photodetector. Materials Advances, 2021, 2, 4414-4422.	2.6	3
1327	Type-III organic/two-dimensional multi-layered phototransistors with promoted operation speed at the communication band. Journal of Materials Chemistry C, 2021, 9, 13963-13971.	2.7	6
1328	Finite Element Modelling of Bandgap Engineered Graphene FET with the Application in Sensing Methanethiol Biomarker. Sensors, 2021, 21, 580.	2.1	10
1329	Flexible and efficient perovskite quantum dot solar cells via hybrid interfacial architecture. Nature Communications, 2021, 12, 466.	5.8	176
1330	Quantum Energy and Charge Transfer at Two-Dimensional Interfaces. Nano Letters, 2021, 21, 1193-1204.	4.5	31
1331	A comparative study of electrical and opto-electrical properties of a few-layer p-WSe <sub>2</sub> /n-WS <sub>2</sub> heterojunction diode on SiO <sub>2</sub> and h-BN substrates. RSC Advances, 2021, 11, 17901-17909.	1.7	6
1332	Structuring Possibilities. Springer Series in Solid-state Sciences, 2021, , 209-228.	0.3	0
1333	Gain and bandwidth of InP nanowire array photodetectors with embedded photogated InAsP quantum discs. Nanoscale, 2021, 13, 6227-6233.	2.8	6
1334	High-performance near-infrared photodetectors based on C <sub>3</sub> N quantum dots integrated with single-crystal graphene. Journal of Materials Chemistry C, 2021, 9, 1333-1338.	2.7	7
1335	Exciton-Photon Interactions in Semiconductor Nanocrystals: Radiative Transitions, Non-Radiative Processes and Environment Effects. Applied Sciences (Switzerland), 2021, 11, 497.	1.3	7
1336	Recent Progress of Flexible Image Sensors for Biomedical Applications. Advanced Materials, 2021, 33, e2004416.	11.1	117
1337	Highly responsive near-infrared photodetector with low dark current using graphene/germanium Schottky junction with Al <sub>2</sub> O <sub>3</sub> interfacial layer. Nanophotonics, 2021, 10, 1573-1579.	2.9	39
1338	Long-lived charge separation following pump-wavelength–dependent ultrafast charge transfer in graphene/WS <sub>2</sub> heterostructures. Science Advances, 2021, 7, .	4.7	60
1339	Electrochemically Exfoliated Platinum Dichalcogenide Atomic Layers for High-Performance Air-Stable Infrared Photodetectors. ACS Applied Materials & Interfaces, 2021, 13, 8518-8527.	4.0	23

#	ARTICLE	IF	CITATIONS
1340	Design of Flexible Image Sensors: Hybridizing ZnSe Light-Absorbing Layer With Highly-Flexible Graphene Channel. IEEE Electron Device Letters, 2021, 42, 236-239.	2.2	1
1341	Silver nanowires as plasmonic compensators of luminescence quenching in single up-converting nanocrystals deposited on graphene. Scientific Reports, 2021, 11, 3557.	1.6	2
1342	Growth of specific geometries such as cubes of In <sub>2</sub> S <sub>3</sub> for PEC water splitting by hydrothermal technique. Materials Today: Proceedings, 2022, 50, 7-10.	0.9	1
1343	The Highly Uniform Photoresponsivity from Visible to Near IR Light in Sb <sub>2</sub> Te <sub>3</sub> Flakes. Sensors, 2021, 21, 1535.	2.1	6
1344	Self-powered graphene phototransistor with high and tunable responsivity and detectivity. Engineering Research Express, 2021, 3, 015018.	0.8	0
1345	Facile synthesis of graphene quantum dots and their optical characterization. Fullerenes Nanotubes and Carbon Nanostructures, 2021, 29, 638-642.	1.0	4
1346	Van der Waals Heterostructures by Design: From 1D and 2D to 3D. Matter, 2021, 4, 552-581.	5.0	83
1347	Colloidal HgTe Quantum Dot/Graphene Phototransistor with a Spectral Sensitivity Beyond 3 Åµm. Advanced Science, 2021, 8, 2003360.	5.6	30
1348	Perspectivas y aplicaciones reales del grafeno despu�s de 16 a�os de su descubrimiento. Revista Colombiana De Quimica, 2021, 50, 51-85.	0.2	0
1349	Optically stimulated synaptic transistor based on MoS <sub>2</sub> /quantum dots mixed-dimensional heterostructure with gate-tunable plasticity. Optics Letters, 2021, 46, 1748.	1.7	12
1350	High Gain and Broadband Absorption Graphene Photodetector Decorated with Bi <sub>2</sub> Te <sub>3</sub> Nanowires. Nanomaterials, 2021, 11, 755.	1.9	15
1351	Graphene/SrTiO <sub>3</sub> interface-based UV photodetectors with high responsivity*. Chinese Physics B, 2021, 30, 038502.	0.7	9
1352	Dual-Color Photodetection Based on Speed-Differentiated Photoresponse with High Photogain. ACS Photonics, 2021, 8, 1027-1033.	3.2	7
1353	High-performance silicon-based PbSe-CQDs infrared photodetector. Journal of Materials Science: Materials in Electronics, 2021, 32, 9452-9462.	1.1	5
1354	Graphene in 2D/3D Heterostructure Diodes for High Performance Electronics and Optoelectronics. Advanced Electronic Materials, 2021, 7, 2001210.	2.6	16
1355	A flexible ultrasensitive optoelectronic sensor array for neuromorphic vision systems. Nature Communications, 2021, 12, 1798.	5.8	198
1356	High-Responsivity Solar-Blind Ultraviolet Photodetectors Based on Carbon Nanodots/Graphene Hybrids. IEEE Transactions on Electron Devices, 2021, 68, 1101-1106.	1.6	6
1357	Great Enhancement Effect of 20-40 nm Ag NPs on Solar-Blind UV Response of the Mixed-Phase MgZnO Detector. ACS Omega, 2021, 6, 6699-6707.	1.6	4

#	ARTICLE	IF	CITATIONS
1358	Challenges and Opportunities for CsPbBr <sub>3</sub> Perovskites in Low- and High-Energy Radiation Detection. ACS Energy Letters, 2021, 6, 1290-1314.	8.8	80
1359	Synthesis of wafer-scale graphdiyne/graphene heterostructure for scalable neuromorphic computing and artificial visual systems. Nano Research, 2021, 14, 4591-4600.	5.8	45
1360	Modification of graphene photodetector by TiO <sub>2</sub> prepared by oxygen plasma. Journal of Materials Science, 2021, 56, 10938-10946.	1.7	4
1361	High performance mid-wave infrared photodetector based on graphene/black phosphorus heterojunction. Materials Research Express, 2021, 8, 035602.	0.8	10
1362	Liquid-Exfoliated 2D Materials for Optoelectronic Applications. Advanced Science, 2021, 8, e2003864.	5.6	77
1363	Mercury Chalcogenide Quantum Dots: Material Perspective for Device Integration. Chemical Reviews, 2021, 121, 3627-3700.	23.0	70
1364	Photoresist as a choice of molecularly thin gate dielectrics in graphene-based devices. APL Materials, 2021, 9, 031104.	2.2	0
1365	UV response characteristics of mixed-phase MgZnO thin films with different structure distributions, high I <sub>uv</sub> /I <sub>dark</sub> ratios, and fast speed MgZnO UV detectors with tunneling breakdown mechanisms. Nanotechnology, 2021, 32, 235202.	1.3	8
1366	Neural network based 3D tracking with a graphene transparent focal stack imaging system. Nature Communications, 2021, 12, 2413.	5.8	16
1367	Ultrafast Interfacial Electron Transfer from Graphene Quantum Dot to 2,4-Dinitrotoluene. Journal of Physical Chemistry C, 2021, 125, 9638-9645.	1.5	13
1368	Electrical Tuning of Optical Properties of Quantum Dot-Graphene Hybrid Devices: Interplay of Charge and Energy Transfer. Journal of Physical Chemistry C, 2021, 125, 8314-8322.	1.5	4
1369	Low-energy room-temperature optical switching in mixed-dimensionality nanoscale perovskite heterojunctions. Science Advances, 2021, 7, .	4.7	41
1370	Crack-Free Conjugated PbS Quantum Dot-Hole Transport Layers for Solar Cells. ACS Applied Nano Materials, 2021, 4, 4016-4025.	2.4	12
1371	Synthesis of Wafer-Scale Graphene with Chemical Vapor Deposition for Electronic Device Applications. Advanced Materials Technologies, 2021, 6, 2000744.	3.0	46
1372	Polymer dots and derived hybrid nanomaterials: A review. Journal of Plastic Film and Sheeting, 2021, 37, 510-528.	1.3	7
1373	Theoretical Investigation of Responsivity/NEP Trade-off in NIR Graphene/Semiconductor Schottky Photodetectors Operating at Room Temperature. Applied Sciences (Switzerland), 2021, 11, 3398.	1.3	6
1374	Band alignment in SiC-based one-dimensional van der Waals homojunctions. Chinese Physics B, 0, , .	0.7	1
1375	High-performance graphene/Si hybrid photodetector with a PMMA coating layer. Materials Letters, 2021, 289, 129393.	1.3	3

#	ARTICLE	IF	CITATIONS
1376	Giant enhancement of optical nonlinearity in two-dimensional materials by multiphoton-excitation resonance energy transfer from quantum dots. <i>Nature Photonics</i> , 2021, 15, 510-515.	15.6	50
1377	Recent Progress on Electrical and Optical Manipulations of Perovskite Photodetectors. <i>Advanced Science</i> , 2021, 8, e2100569.	5.6	118
1378	Two-dimensional selenium and its composites for device applications. <i>Nano Research</i> , 2022, 15, 104-122.	5.8	26
1379	Van der Waals Integration Based on Two-Dimensional Materials for High-Performance Infrared Photodetectors. <i>Advanced Functional Materials</i> , 2021, 31, 2103106.	7.8	112
1380	Interfacial Gated Graphene Photodetector with Broadband Response. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 22796-22805.	4.0	16
1381	Invited Paper: Graphene Enhanced QD Image Sensor Technology. <i>Digest of Technical Papers SID International Symposium</i> , 2021, 52, 987-990.	0.1	11
1382	Photo-Detectors Based on Two Dimensional Materials. , 0, , .		0
1383	Nanohybrid Photodetectors. <i>Advanced Photonics Research</i> , 2021, 2, 2100015.	1.7	9
1384	Repression of Interlayer Recombination by Graphene Generates a Sensitive Nanostructured 2D vdW Heterostructure Based Photodetector. <i>Advanced Science</i> , 2021, 8, e2100503.	5.6	28
1385	Modeling Photodetection at the Graphene/Ag <sub>2</sub> S Interface. <i>Physica Status Solidi - Rapid Research Letters</i> , 2021, 15, 2100120.	1.2	1
1386	Fabrication of graphene: CdSe quantum dots/CdS nanorod heterojunction photodetector and role of graphene to enhance the photoresponsive characteristics. <i>Nanotechnology</i> , 2021, 32, 315204.	1.3	6
1387	Enhancing Light-Matter Interactions in MoS <sub>2</sub> by Copper Intercalation. <i>Advanced Materials</i> , 2021, 33, e2008779.	11.1	25
1388	Spatially resolved Fourier transform impedance spectroscopy: A technique to rapidly characterize interfaces, applied to a QD/SiC heterojunction. <i>Applied Physics Letters</i> , 2021, 118, 223102.	1.5	0
1389	Enhancing Carrier Diffusion Length and Quantum Efficiency through Photoinduced Charge Transfer in Layered Graphene-Semiconducting Quantum Dot Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 24295-24303.	4.0	9
1390	Investigation of charge trapping mechanism in MoS <sub>2</sub> field effect transistor by incorporating Al into host La <sub>2</sub> O <sub>3</sub> as gate dielectric. <i>Nanotechnology</i> , 2021, 32, 305201.	1.3	5
1391	Infrared Proximity Sensors Based on Photo-Induced Tunneling in van der Waals Integration. <i>Advanced Functional Materials</i> , 2021, 31, 2100966.	7.8	12
1392	Photomemory and Pulse Monitoring Featured Solution-Processed Near-Infrared Graphene/Organic Phototransistor with Detectivity of $2.4 \times 10^{13}$ Jones. <i>Advanced Functional Materials</i> , 2021, 31, 2103988.	7.8	31
1393	Organic thin film thickness-dependent photocurrents polarity in graphene heterojunction phototransistor. <i>Carbon</i> , 2021, 178, 506-514.	5.4	12

#	ARTICLE	IF	CITATIONS
1394	Toward Green Optoelectronics: Environmental-Friendly Colloidal Quantum Dots Photodetectors. <i>Frontiers in Energy Research</i> , 2021, 9, .	1.2	15
1395	Silicon/2D-material photodetectors: from near-infrared to mid-infrared. <i>Light: Science and Applications</i> , 2021, 10, 123.	7.7	177
1396	Graphene-Based Hybrid Functional Materials. <i>Small</i> , 2021, 17, e2100514.	5.2	31
1397	Ultra-Narrowband Photodetector with High Responsivity Enabled by Integrating Monolayer J-Aggregate Organic Crystal with Graphene. <i>Advanced Optical Materials</i> , 2021, 9, 2100158.	3.6	15
1398	Recent Advances in Two-Dimensional Quantum Dots and Their Applications. <i>Nanomaterials</i> , 2021, 11, 1549.	1.9	39
1399	A Broadband Photoelectronic Detector in a Silicon Nanopillar Array with High Detectivity Enhanced by a Monolayer Graphene. <i>Nano Letters</i> , 2021, 21, 5655-5662.	4.5	13
1400	Chlorophylls as Molecular Semiconductors: Introduction and State of Art. <i>Advanced Materials Technologies</i> , 2022, 7, 2100245.	3.0	11
1401	Ultrasensitive Photodetectors Promoted by Interfacial Charge Transfer from Layered Perovskites to Chemical Vapor Deposition-Grown MoS <sub>2</sub> . <i>Small</i> , 2021, 17, e2102461.	5.2	14
1402	Optical modulation frequency mediated tunable response time and responsivity in graphene-PbS QD based hybrid photodetectors. <i>Nanotechnology</i> , 2021, 32, 405205.	1.3	2
1403	ENHANCEMENT OF REDUCED GRAPHENE OXIDE BOLOMETRIC PHOTO RESPONSE VIA ADDITION OF GRAPHENE QUANTUM DOTS. <i>Surface Review and Letters</i> , 2021, 28, 2140011.	0.5	2
1404	Bandwidth Enhancement of Graphene-Organic Hybrid Photoconductors by Accelerating Electron Transfer Processes at Graphene Interface. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100478.	1.9	2
1405	Charge-transfer-induced 2D ferromagnetism and realization of thermo-remnant memory effect in ultrathin Å-NiOOH-encapsulated graphene. <i>Nanotechnology</i> , 2021, 32, 385705.	1.3	2
1406	An ultrasensitive molybdenum-based double-heterojunction phototransistor. <i>Nature Communications</i> , 2021, 12, 4094.	5.8	37
1407	The photo response properties of shape memory alloy thin film based photodiode. <i>Journal of Molecular Structure</i> , 2021, 1235, 130263.	1.8	11
1408	Multielement 2D layered material photodetectors. <i>Nanotechnology</i> , 2021, 32, 392001.	1.3	12
1409	Polarization-insensitive graphene photodetectors enhanced by a broadband metamaterial absorber. <i>Optics Express</i> , 2021, 29, 24255.	1.7	10
1410	Mechanism of Long-Range Energy Transfer from Quantum Dots to Black Phosphorus. <i>Journal of Physical Chemistry C</i> , 2021, 125, 15458-15464.	1.5	6
1411	3D self-supporting mixed transition metal oxysulfide nanowires on porous graphene networks for oxygen evolution reaction in alkaline solution. <i>Journal of Electroanalytical Chemistry</i> , 2021, 893, 115308.	1.9	10

#	ARTICLE	IF	CITATIONS
1412	Optimizing GaAs nanowire-based visible-light photodetectors. <i>Applied Physics Letters</i> , 2021, 119, .	1.5	5
1413	ZnO/graphene heterostructure nanohybrids for optoelectronics and sensors. <i>Journal of Applied Physics</i> , 2021, 130, .	1.1	12
1414	Up-conversion hybrid nanomaterials for light- and heat-driven applications. <i>Progress in Materials Science</i> , 2021, 121, 100838.	16.0	34
1415	Interfacial Photogating Effect for Hybrid Graphene-Based Photodetectors. <i>ACS Applied Nano Materials</i> , 2021, 4, 8539-8545.	2.4	15
1416	A UV-enhanced, self-powered detector with graphene p-n junction grown <i>in situ</i> on SiC(0001) with periodic boron ion modulation. <i>AIP Advances</i> , 2021, 11, .	0.6	4
1417	Photoinitiated Polymerization of Hydrogels by Graphene Quantum Dots. <i>Nanomaterials</i> , 2021, 11, 2169.	1.9	4
1418	Recent developments of infrared photodetectors with low-dimensional inorganic nanostructures. <i>Nano Research</i> , 2022, 15, 805-817.	5.8	13
1419	Flexible and Air-Stable Near-Infrared Sensors Based on Solution-Processed Inorganic-Organic Hybrid Phototransistors. <i>Advanced Functional Materials</i> , 2021, 31, 2105887.	7.8	47
1420	Improved photodetection performance enabled by gradient alloyed quantum dots. <i>APL Materials</i> , 2021, 9, .	2.2	7
1421	Mixed-Dimensional Van der Waals Heterostructures Enabled Optoelectronic Synaptic Devices for Neuromorphic Applications. <i>Advanced Functional Materials</i> , 2021, 31, 2105625.	7.8	39
1422	Oxygen Adsorption and Photoconduction Models for Metal Oxide Semiconductors: A Review. <i>IEEE Sensors Journal</i> , 2021, 21, 16409-16427.	2.4	9
1423	Semiconductor quantum dots: Technological progress and future challenges. <i>Science</i> , 2021, 373, .	6.0	600
1424	Advance Optical Properties and Emerging Applications of 2D Materials. <i>Frontiers in Materials</i> , 2021, 8, .	1.2	22
1425	Transfer-free, scalable photodetectors based on MOCVD-grown 2D-heterostructures. <i>2D Materials</i> , 2021, 8, 045015.	2.0	8
1426	Experimental advances in charge and spin transport in chemical vapor deposited graphene. <i>JPhys Materials</i> , 2021, 4, 042007.	1.8	10
1427	Thin-Film Photodetector Optimization for High-Performance Short-Wavelength Infrared Imaging. <i>IEEE Electron Device Letters</i> , 2021, 42, 1196-1199.	2.2	34
1428	Graphene-based heterojunction for enhanced photodetectors. <i>Chinese Physics B</i> , 2022, 31, 038501.	0.7	10
1429	Colloidal quantum dot electronics. <i>Nature Electronics</i> , 2021, 4, 548-558.	13.1	192

#	ARTICLE	IF	CITATIONS
1430	Quantum dots/graphene nanohybrids photodetectors: progress and perspective. Nano Express, 2021, 2, 031002.	1.2	1
1431	Carbon-Based Heterojunction Broadband Photodetectors. Springer Series in Materials Science, 2022, , 91-129.	0.4	0
1432	High Gain Solution-Processed Carbon-Free BiSI Chalcogenide Thin Film Photodetectors. Advanced Functional Materials, 2021, 31, 2104788.	7.8	30
1433	Introduction of Carbon Nanostructures. Springer Series in Materials Science, 2022, , 1-26.	0.4	0
1434	Circularly Polarized Photodetectors Based on Chiral Materials: A Review. Frontiers in Chemistry, 2021, 9, 711488.	1.8	42
1435	Novel graphene-based OPFET for optoelectronic applications. Materials Today: Proceedings, 2021, , .	0.9	1
1436	General synthesis of mixed-dimensional van der Waals heterostructures with hexagonal symmetry. Nanotechnology, 2021, 32, 505610.	1.3	1
1437	Hybrid 2D-QD MoS <sub>2</sub> -PbSe Quantum Dot Broadband Photodetectors with High-Sensitivity and Room-Temperature Operation at 2.5 Åµm. Advanced Optical Materials, 2021, 9, 2101378.	3.6	18
1438	Edge assisted epitaxy of CsPbBr <sub>3</sub> nanoplates on Bi <sub>2</sub> O <sub>2</sub> Se nanosheets for enhanced photoresponse. Chinese Physics B, 2022, 31, 048102.	0.7	3
1439	Recent advances in development of nanostructured photodetectors from ultraviolet to infrared region: A review. Chemosphere, 2021, 279, 130473.	4.2	77
1440	Controllable Doping in 2D Layered Materials. Advanced Materials, 2021, 33, e2104942.	11.1	59
1441	Large-Area Pixelized Optoelectronic Neuromorphic Devices with Multispectral Light-Modulated Bidirectional Synaptic Circuits. Advanced Materials, 2021, 33, e2105017.	11.1	45
1442	Reduction of Hydroxyl Traps and Improved Coupling for Efficient and Stable Quantum Dot Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 46549-46557.	4.0	6
1443	Van der Waals organic/inorganic heterostructures in the two-dimensional limit. Chem, 2021, 7, 2989-3026.	5.8	19
1444	Extracting Electrons from Delocalized Excitons by Flattening the Energetic Pathway for Charge Separation. Journal of Physical Chemistry Letters, 2021, 12, 9047-9054.	2.1	3
1445	High-sensitivity shortwave infrared photodetectors of metal-organic frameworks integrated on 2D layered materials. Science China Materials, 2022, 65, 451-459.	3.5	15
1446	Highly sensitive broadband binary photoresponse in gateless epitaxial graphene on 4H-SiC. Carbon, 2021, 184, 72-81.	5.4	13
1447	Recent advances of atomically thin 2D heterostructures in sensing applications. Nano Today, 2021, 40, 101287.	6.2	41



#	ARTICLE	IF	CITATIONS
1448	Metal Halide Perovskite/2D Material Heterostructures: Syntheses and Applications. <i>Small Methods</i> , 2021, 5, e2000937.	4.6	24
1449	Photogating in graphene field-effect phototransistors: Theory and observations. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	2
1450	Ultra-wideband self-powered photodetector based on suspended reduced graphene oxide with asymmetric metal contacts. <i>RSC Advances</i> , 2021, 11, 19482-19491.	1.7	10
1451	Multilayered PtSe <sub>2</sub> /pyramid-Si heterostructure array with light confinement effect for high-performance photodetection, image sensing and light trajectory tracking applications. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2823-2832.	2.7	20
1452	Deciphering the photocurrent polarity of Bi <sub>2</sub> O <sub>2</sub> Se heterojunction phototransistors to enhance detection performance. <i>Journal of Materials Chemistry C</i> , 0, , .	2.7	6
1453	Quantum Dot/Graphene Heterostructure Nanohybrid Photodetectors. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2021, , 215-248.	0.4	4
1454	Ultra-Compact High-Speed Polarization Division Multiplexing Optical Receiving Chip Enabled by Graphene-Plasmonic Slot Waveguide Photodetectors. <i>Advanced Optical Materials</i> , 2021, 9, 2001215.	3.6	17
1455	High resolution patterning of PbS quantum dots/graphene photodetectors with high responsivity via photolithography with a top graphene layer to protect surface ligands. <i>Nanoscale Advances</i> , 2021, 3, 6206-6212.	2.2	4
1456	Flexible Difunctional (Pressure and Light) Sensors Based on ZnO Nanowires/Graphene Heterostructures. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901932.	1.9	16
1457	Research development of 2D materials based photodetectors towards mid-infrared regime. <i>Nano Select</i> , 2021, 2, 527-540.	1.9	17
1459	Atomically thin heterostructure with gap-mode plasmon for overcoming trade-off between photoresponsivity and response time. <i>Nano Research</i> , 2021, 14, 1305-1310.	5.8	5
1460	The chemistry of colloidal semiconductor nanocrystals: From metal-chalcogenides to emerging perovskite. <i>Coordination Chemistry Reviews</i> , 2020, 418, 213333.	9.5	23
1461	Fabrication of hybrid graphene/CdS quantum dots film with the flexible photo-detecting performance. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020, 124, 114216.	1.3	14
1464	Transparent CsPbBr <sub>3</sub> Quantum Dot Photodetector with a Vertical Transistor Structure. <i>ACS Applied Electronic Materials</i> , 2021, 3, 337-343.	2.0	9
1465	Photo-Triggered Logic Circuits Assembled on Integrated Illuminants and Resonant Nanowires. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 46501-46508.	4.0	17
1466	Large-Scale and Flexible Optical Synapses for Neuromorphic Computing and Integrated Visible Information Sensing Memory Processing. <i>ACS Nano</i> , 2021, 15, 1497-1508.	7.3	210
1467	Silicon-graphene conductive photodetector with ultra-high responsivity. <i>Scientific Reports</i> , 2017, 7, 40904.	1.6	41
1468	Multi-type quantum dots photo-induced doping enhanced graphene/semiconductor solar cell. <i>RSC Advances</i> , 2017, 7, 33413-33418.	1.7	11

#	ARTICLE	IF	CITATIONS
1469	Photovoltage responses of graphene-Au heterojunctions. AIP Advances, 2017, 7, .	0.6	4
1470	Highly sensitive SWIR detector array based on nanoscale phototransistors integrated on CMOS readout. Applied Physics Letters, 2020, 117, .	1.5	8
1471	Gate tunable vertical geometry phototransistor based on infrared HgTe nanocrystals. Applied Physics Letters, 2020, 117, .	1.5	16
1472	Silicon-based PbS-CQDs infrared photodetector with high sensitivity and fast response. Nanotechnology, 2020, 31, 485206.	1.3	17
1473	Broadband photoresponse of graphene photodetector from visible to long-wavelength infrared wavelengths. Optical Engineering, 2019, 58, 1.	0.5	15
1474	Role of defect states in functionalized graphene photodetectors. , 2017, , .		1
1475	Broadband photoresponse of graphene photodetector from visible to long-wavelength infrared wavelengths. , 2018, , .		5
1476	Graphene-germanium quantum dot photodetector with high sensitivity. , 2019, , .		1
1477	Ultrasensitive and ultrathin phototransistors and photonic synapses using perovskite quantum dots grown from graphene lattice. Science Advances, 2020, 6, eaay5225.	4.7	178
1478	Dynamic Control of High-Range Photoresponsivity in a Graphene Nanoribbon Photodetector. Nanoscale Research Letters, 2020, 15, 124.	3.1	13
1479	CuFe <sub>2</sub> O <sub>4</sub> /MoS <sub>2</sub> Mixed-Dimensional Heterostructures with Improved Gas Sensing Response. Nanoscale Research Letters, 2020, 15, 32.	3.1	15
1480	Graphene-based materials in the infrared and terahertz detector families: a tutorial. Advances in Optics and Photonics, 2019, 11, 314.	12.1	53
1481	100 Gbit/s Graphene Photodetector. , 2018, , .		2
1482	Experimental demonstration of nanophotonic devices and circuits with colloidal quantum dot waveguides. Optics Express, 2020, 28, 23091.	1.7	5
1483	Two-photon saturable absorption properties and laser Q-switch application of carbon quantum dots. Optics Letters, 2017, 42, 3972.	1.7	16
1484	On-chip colloidal quantum dot devices with a CMOS compatible architecture for near-infrared light sensing. Optics Letters, 2019, 44, 463.	1.7	14
1485	Slowing down photocarrier relaxation in Dirac semimetal Cd <sub>3</sub> As <sub>2</sub> via Mn doping. Optics Letters, 2019, 44, 4103.	1.7	20
1486	Polarization-enhanced AlGaIn solar-blind ultraviolet detectors. Photonics Research, 2020, 8, 1243.	3.4	26

#	ARTICLE	IF	CITATIONS
1487	High-performance fiber-integrated multifunctional graphene-optoelectronic device with photoelectric detection and optic-phase modulation. <i>Photonics Research</i> , 2020, 8, 1949.	3.4	13
1488	Nearly lattice-matched molybdenum disulfide/gallium nitride heterostructure enabling high-performance phototransistors. <i>Photonics Research</i> , 2019, 7, 311.	3.4	25
1489	Bipolar phototransistor in a vertical Au/graphene/MoS <sub>2</sub> van der Waals heterojunction with photocurrent enhancement. <i>Photonics Research</i> , 2020, 8, 39.	3.4	23
1490	Design and optimization of tunneling photodetectors based on graphene/Al <sub>2</sub> O <sub>3</sub> /silicon heterostructures. <i>Nanophotonics</i> , 2020, 9, 3841-3848.	2.9	20
1491	MXenes for future nanophotonic device applications. <i>Nanophotonics</i> , 2020, 9, 1831-1853.	2.9	31
1492	Hybrid silicon photonic devices with two-dimensional materials. <i>Nanophotonics</i> , 2020, 9, 2295-2314.	2.9	20
1493	Ultrasensitive and fast photoresponse in graphene/silicon-on-insulator hybrid structure by manipulating the photogating effect. <i>Nanophotonics</i> , 2020, 9, 3663-3672.	2.9	24
1496	A Review of Clinical Applications of Graphene Quantum Dot-based Composites. <i>Journal of Composites and Compounds</i> , 2019, 1, 36-47.	0.4	17
1497	SnSe Nanosheets: From Facile Synthesis to Applications in Broadband Photodetections. <i>Nanomaterials</i> , 2021, 11, 49.	1.9	6
1498	Enhanced Photosensitivity in Monolayer MoS <sub>2</sub> with PbS Quantum Dots. <i>Applied Science and Convergence Technology</i> , 2017, 26, 47-49.	0.3	4
1499	Excitons in Two-Dimensional Materials. , 0, , .		6
1500	Application of quantum dot infrared photodetectors in space photoelectric systems. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2014, 63, 148501.	0.2	4
1501	Field effect transistor photodetector based on graphene and perovskite quantum dots. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2018, 67, 118502.	0.2	8
1502	Temperature dependent excitonic transition energies and linewidths of monolayer MoS <sub>2</sub> probed by magnetic circular dichroism spectroscopy. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2018, 67, 147801.	0.2	1
1503	Recent progress on advanced infrared photodetectors. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2019, 68, 120701.	0.2	38
1504	A Micro Broadband Photodetector Based on Single Wall Carbon Nanotubes-Graphene Heterojunction. <i>Journal of Lightwave Technology</i> , 2022, 40, 149-155.	2.7	9
1505	Design and Performance Study of Hybrid Graphene/HgCdTe Mid-Infrared Photodetector. <i>IEEE Sensors Journal</i> , 2021, 21, 26708-26715.	2.4	8
1506	Surface band bending and carrier dynamics in colloidal quantum dot solids. <i>Nanoscale</i> , 2021, 13, 17793-17806.	2.8	2

#	ARTICLE	IF	CITATIONS
1507	Room-Temperature Direct Synthesis of PbSe Quantum Dot Inks for High-Detectivity Near-Infrared Photodetectors. ACS Applied Materials & Interfaces, 2021, 13, 51198-51204.	4.0	20
1508	Topological physics of non-Hermitian optics and photonics: a review. Journal of Optics (United Kingdom), 2021, 18, 073001.	1.0	38
1509	Oxide perovskite Ba <sub>2</sub> AgIO <sub>6</sub> wafers for X-ray detection. Frontiers of Optoelectronics, 2021, 14, 473-481.	1.9	7
1510	Mechanism, Material, Design, and Implementation Principle of Two-Dimensional Material Photodetectors. Nanomaterials, 2021, 11, 2688.	1.9	17
1511	Electrical Performance of Amorphous Oxide/Colloidal Quantum Dot/Amorphous Oxide Hybrid Thin Film Transistor. Transactions on Electrical and Electronic Materials, 2022, 23, 25.	1.0	0
1512	Solution-Processed Graphene/Nanographene van der Waals Heterostructures for Photodetectors with Efficient and Ultralong Charge Separation. Journal of the American Chemical Society, 2021, 143, 17109-17116.	6.6	19
1513	Controlling Photocurrent Lifetime in Graphene for Enhanced Photocurrent Generation via Cascade Hot Electron Transfer. Journal of Physical Chemistry Letters, 2021, 12, 9989-9994.	2.1	6
1514	Toward the commercialization of chemical vapor deposition graphene films. Applied Physics Reviews, 2021, 8, .	5.5	19
1515	Broadband high photoresponse graphene photodetector. , 2013, , .		0
1517	All-carbon photodetectors. , 2015, , .		0
1518	High performance all-fiber photodetector with hybrid CsPbBr <sub>3</sub> nanocrystals and multi-layered graphene. , 2016, , .		0
1519	Effect of indirect interband transitions on terahertz conductivity in "decorated" graphene bilayer heterostructures. Lithuanian Journal of Physics, 2016, 55, .	0.1	0
1520	Anisotropic etching of bilayer graphene controlled by gate voltage. Wuli Xuebao/Acta Physica Sinica, 2016, 65, 196101.	0.2	1
1521	Light-activated artificial synapses based on graphene hybrid phototransistors. , 2016, , .		1
1522	Zastosowanie grafenu w czujnikach elektronicznych. , 2016, 1, 21-24.	0.0	0
1523	Photonic synaptic device capable of optical memory and logic operations. , 2017, , .		0
1524	Chapter 12: Photodetectors. Series in Optics and Optoelectronics, 2017, , 257-274.	0.0	0
1525	Semiconductor Graphenes for Photovoltaics. Springer Proceedings in Energy, 2018, , 348-363.	0.2	0

#	ARTICLE	IF	CITATIONS
1526	PbS quantum dot-graphene hybrid phototransistor. , 2017, , .		0
1529	Extrinsic Origin of Persistent Photoconductivity in Monolayer MoS2 Field Effect. Springer Theses, 2018, , 55-71.	0.0	0
1530	Complex epsilon-near-zero metamaterials for broadband light harvesting systems. , 2018, , .		0
1531	Robust excitonâ€“polariton Rabi splitting in graphene nano ribbons: the means of two-coupled semiconductor microcavities. Optical Engineering, 2018, 57, 1.	0.5	1
1532	Ultrafast carrier dynamics in atomically thin two-dimensional crystals. , 2018, , .		1
1533	Field effect photoconductivity in graphene on undoped semiconductor substrates. , 2018, , .		0
1534	Nano-cameras. , 2018, , .		9
1535	Plasmonic photo-thermo-electric effect in graphene. , 2019, , .		0
1536	Ultra-high responsivity graphene-CIS/ZnS QDs hybrid photodetector. , 2019, , .		0
1537	Crumple nanostructuring of atomically thin 2D materials for flexible optoelectronic devices and plasmonic metamaterials. , 2019, , .		0
1538	Graphene-based Salisbury screen metasurfaces at infrared wavelengths. , 2019, , .		0
1539	Multispectral graphene infrared photodetectors using plasmonic metasurfaces. , 2019, , .		3
1540	A silicon-graphene hybrid waveguide photodetector with a 3dB-bandwidth of 17 GHz. , 2019, , .		1
1541	Innovative fiber Bragg grating filter based on a graphene photonic crystal microcavity. Applied Optics, 2020, 59, 84.	0.9	4
1542	Recent advances in UV photodetectors based on 2D materials: a review. Journal Physics D: Applied Physics, 2022, 55, 133002.	1.3	26
1543	Review: Optoelectronic Response and van der Waals Materials. Springer Theses, 2020, , 37-77.	0.0	0
1544	Flexible high-performance graphene hybrid photodetectors functionalized with gold nanostars and perovskites. NPG Asia Materials, 2020, 12, .	3.8	21
1545	A 2DEG back-gated graphene/AlGaIn deep-ultraviolet photodetector with ultrahigh responsivity*. Chinese Physics B, 2020, 29, 128502.	0.7	5

#	ARTICLE	IF	CITATIONS
1546	High-performance flexible WSe2 flake photodetector with broadband detection capability. AIP Advances, 2020, 10, .	0.6	12
1547	Switching Operation with Graphene-on-MoSS\$_2\$ Heterostructures. Springer Theses, 2020, , 157-170.	0.0	1
1548	Photoresponse in Graphene-on-MoSS\$_2\$ Heterostructures. Springer Theses, 2020, , 141-156.	0.0	1
1549	Perovskite Quantum Dot Photodetectors. Springer Series in Materials Science, 2020, , 181-218.	0.4	1
1550	π-π Interactions Mediated Pyrene Based Ligand Enhanced Photoresponse in Hybrid Graphene/PbS Quantum Dots Photodetectors. Advanced Electronic Materials, 2022, 8, 2100672.	2.6	5
1551	Short-wavelength infrared (SWIR) photodetector based on multi-layer 2D GaGeTe. Optics Express, 2021, 29, 39395.	1.7	11
1552	Enhanced Hot Carrier Up-Conversion in Graphene By Quantum Dot Coating. Advanced Optical Materials, 2022, 10, 2101563.	3.6	2
1553	Suspended few-layer GaS photodetector with sensitive fast response. Materials and Design, 2021, 212, 110233.	3.3	9
1554	Split-Gate Photodiode Based on Graphene/HgTe Heterostructures with a Few Nanosecond Photoresponse. ACS Applied Electronic Materials, 2021, 3, 4681-4688.	2.0	11
1555	Effects of doping graphene on the performance of graphene-silicon hybrid photoconductive detectors. Nanotechnology, 2020, 31, 485201.	1.3	4
1556	Research on in-situ oxidation of the copper covered by graphene. , 2020, , .		0
1557	Quantum transport: general concepts. , 0, , 91-117.		1
1558	Graphene-enabled wearable sensors for healthcare monitoring. Biosensors and Bioelectronics, 2022, 197, 113777.	5.3	82
1559	Analytical Transient Responses and Gain-Bandwidth Products of Low-Dimensional High-Gain Photodetectors. ACS Nano, 2021, 15, 20242-20252.	7.3	6
1560	Research and Progress of Transparent, Flexible Tin Oxide Ultraviolet Photodetector. Crystals, 2021, 11, 1479.	1.0	12
1561	Double Quantum Dot Field Effect Transistor on Graphene. JETP Letters, 2021, 114, 707-712.	0.4	0
1562	Orbital Gating Driven by Giant Stark Effect in Tunneling Phototransistors. Advanced Materials, 2022, 34, e2106625.	11.1	9
1563	An innovative graphene/QDs photodetector for remote sensing. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
1564	High and broadband sensitivity front-side illuminated InGaAs photo field-effect transistors (photoFETs) with SWIR transparent conductive oxide (TCO) gate. Applied Physics Letters, 2021, 119, .	1.5	7
1565	Silicon: quantum dot photovoltage triodes. Nature Communications, 2021, 12, 6696.	5.8	22
1566	A New Approach to Designing High-Sensitivity Low-Dimensional Photodetectors. Nano Letters, 2021, 21, 9838-9844.	4.5	12
1567	Colloidal Quantum Dot Image Sensors: Technology and Marketplace Opportunities. Information Display, 2021, 37, 18-23.	0.1	5
1568	Super-boosted Hybrid Plasmonic Upconversion Process for Photodetection at 1550Ånm Wavelength. Advanced Materials, 2021, , 2106225.	11.1	5
1569	Cavity-enhanced InGaAs photo-FET with a metal gate reflector fabricated by wafer bonding on Si. Optics Express, 2021, 29, 42630.	1.7	3
1570	A novel graphene/QDs curved detector for space applications. , 2021, , .		0
1571	Dynamics of light-induced charge transfer between carbon nanotube and CdSe/CdS core/shell nanocrystals. Nano Futures, 2022, 6, 015001.	1.0	0
1572	Mid-infrared photonics and optoelectronics in 2D materials. Materials Today, 2021, 51, 294-316.	8.3	28
1573	Achieving direct electrophoretically deposited highly stable polymer induced CsPbBr <sub>3</sub> colloidal nanocrystal films for high-performance optoelectronics. Chemical Engineering Journal, 2022, 433, 133809.	6.6	14
1574	Recent Development of Multifunctional Sensors Based on Low-Dimensional Materials. Sensors, 2021, 21, 7727.	2.1	4
1575	High-performance near-infrared photodetector based on quasi one-dimensional layered (TaSe <sub>4</sub> ) <sub>2</sub> I. Applied Physics Letters, 2021, 119, .	1.5	8
1576	High sensitivity UV photodetectors based on low-cost TiO <sub>2</sub> /P25-graphene hybrids. Nanotechnology, 2022, 33, 08LT01.	1.3	4
1577	Ultrahigh-Performance Optoelectronic Skin Based on Intrinsically Stretchable Perovskite-Polymer Heterojunction Transistors. Advanced Materials, 2022, 34, e2107304.	11.1	34
1578	Toward High-Performance Self-Driven Photodetectors via Multistacking Van der Waals Heterostructures. ACS Applied Materials & Interfaces, 2021, 13, 56438-56445.	4.0	7
1579	Tunable Performance of Quantum Dot-MoS <sub>2</sub> Hybrid Photodetectors via Interface Engineering. ACS Applied Materials & Interfaces, 2021, 13, 59411-59421.	4.0	7
1580	Photoelectric effect of hybrid ultraviolet-sensitized phototransistors from an n-type organic semiconductor and an all-inorganic perovskite quantum dot photosensitizer. Nanoscale, 2021, 13, 20498-20507.	2.8	5
1581	Infrared Colloidal Quantum Dot Image Sensors. IEEE Transactions on Electron Devices, 2022, 69, 2840-2850.	1.6	43

#	ARTICLE	IF	CITATIONS
1582	Visible to Mid-Infrared Photodetection Based on Flexible 3D Graphene/Organic Hybrid Photodetector with Ultrahigh Responsivity at Ambient Conditions. ACS Photonics, 2022, 9, 59-67.	3.2	30
1583	Measuring the carrier diffusion length in quantum dot films using graphene as photocarrier density probe. Journal of Chemical Physics, 2022, 156, 024702.	1.2	3
1584	One-step synthesized PbSe nanocrystal inks decorated 2D MoS <sub>2</sub> heterostructure for high stability photodetectors with photoresponse extending to near-infrared region. Journal of Materials Chemistry C, 2022, 10, 2236-2244.	2.7	18
1585	Turbostratic stacked graphene-based high-responsivity mid-wavelength infrared detector using an enhanced photogating effect. Optical Materials Express, 2022, 12, 458.	1.6	4
1586	Retina-Inspired Color-Cognitive Learning via Chromatically Controllable Mixed Quantum Dot Synaptic Transistor Arrays. Advanced Materials, 2022, 34, e2108979.	11.1	46
1587	High-Performance 3D Vertically Oriented Graphene Photodetector Using a Floating Indium Tin Oxide Channel. Sensors, 2022, 22, 959.	2.1	3
1588	High-Responsivity Gate-Tunable Ultraviolet-Visible Broadband Phototransistor Based on Graphene-WS <sub>2</sub> Mixed-Dimensional (2D-0D) Heterostructure. ACS Applied Materials & Interfaces, 2022, 14, 5775-5784.	4.0	22
1589	High responsivity of hybrid MoTe <sub>2</sub> /perovskite heterojunction photodetectors. Journal of Physics Condensed Matter, 2022, 34, 154007.	0.7	7
1590	Tuning interfacial charge transfer in atomically precise nanographene-graphene heterostructures by engineering van der Waals interactions. Journal of Chemical Physics, 2022, 156, 074702.	1.2	5
1591	Metasurface Colloidal Quantum Dot Photodetectors. ACS Photonics, 2022, 9, 482-492.	3.2	11
1592	Highly-Responsive Broadband Photodetector Based on Graphene-PTAA-SnS <sub>2</sub> Hybrid. Nanomaterials, 2022, 12, 475.	1.9	4
1593	Electron trapping in twisted light driven graphene quantum dots. Physical Review B, 2022, 105, .	1.1	5
1594	Commensurate Assembly of C <sub>60</sub> on Black Phosphorus for Mixed-Dimensional van der Waals Transistors. Small, 2022, 18, e2105916.	5.2	6
1595	Colloidal II-VI Epitaxial III-V heterostructure: A strategy to expand InGaAs spectral response. Applied Physics Letters, 2022, 120, .	1.5	4
1596	An Asymmetry Field-Effect Phototransistor for Solving Large Exciton Binding Energy of 2D TMDCs. Advanced Materials, 2022, 34, e2107468.	11.1	7
1597	Colloidal quantum dot based infrared detectors: extending to the mid-infrared and moving from the lab to the field. Journal of Materials Chemistry C, 2022, 10, 790-804.	2.7	21
1598	High-performance near-infrared photodetectors based on gate-controlled graphene-germanium Schottky junction with split active junction. Nanophotonics, 2022, 11, 1041-1049.	2.9	6
1599	Engineering sensitivity and spectral range of photodetection in van der Waals materials and hybrids. Nano Express, 2022, 3, 014001.	1.2	10



#	ARTICLE	IF	CITATIONS
1600	Rich Device Physics Found in Photoresponses of Low-Dimensional Photodetectors by Fitting With Explicit Photogain Theory. IEEE Electron Device Letters, 2022, 43, 422-425.	2.2	4
1601	Nanostructured Hybrid Materials based on Semiconductor Quantum Dots and Graphene, Graphene Oxide or Reduced Graphene Oxide. Current Nanoscience, 2022, 18, .	0.7	0
1602	Spectral and temporal performance enhancement in a symmetric co-planar Auâ€“Ge/AlGaAs/Auâ€“Ge natural superlattice-based MSM photodetector. Journal of Materials Science: Materials in Electronics, 0, , 1.	1.1	0
1603	Graphene-based semiconductor nanocrystals for optoelectronics devices. , 2022, , 383-406.		0
1604	High zero-bias responsivity induced by photogating effect in asymmetric device structure. Optical Materials, 2022, 124, 112013.	1.7	5
1605	Robust type-I band alignment in ZnS nanowire/MoTe2 nanotube van der Waals heterostructures. Chemical Physics Letters, 2022, 791, 139370.	1.2	1
1606	Enhancement of infrared response speed via modulating crystallinity of highly-oriented PbS polycrystalline thin films. Infrared Physics and Technology, 2022, 121, 104033.	1.3	4
1607	High sensitivity and fast response infrared detector fabricated with the Bi2Se3-PbSe heterojunction. Applied Surface Science, 2022, 584, 152578.	3.1	6
1608	2D Heterostructures for Ubiquitous Electronics and Optoelectronics: Principles, Opportunities, and Challenges. Chemical Reviews, 2022, 122, 6514-6613.	23.0	187
1609	Tailoring Spectrally Flat Infrared Photodetection with Thickness-Controlled Nanocrystalline Graphite. ACS Applied Materials & Interfaces, 2022, 14, 9525-9534.	4.0	5
1610	Ultrasensitive Flexible Memory Phototransistor with Detectivity of $1.8 \times 10^{13}$ Jones for Artificial Visual Nociceptor. Advanced Intelligent Systems, 2022, 4, .	3.3	13
1611	Biomassâ€“Derived Nanoporous Graphene Memory Cell. Advanced Materials Interfaces, 2022, 9, .	1.9	3
1612	A brief review on photodetector performance based on zero dimensional and two dimensional materials and their hybrid structures. Materials Today Communications, 2022, 30, 103224.	0.9	8
1613	Nanostructured Materials and Architectures for Advanced Optoelectronic Synaptic Devices. Advanced Functional Materials, 2022, 32, .	7.8	45
1614	Energy Band Alignment Engineering in Nanostructured Hybrid Materials Based on Pbs Qds and Reduced Graphene Oxide: Enhancing Photodetector Device Performance. SSRN Electronic Journal, 0, , .	0.4	0
1615	Energy Band Alignment Engineering in Nanostructured Hybrid Materials Based on Pbs Qds and Reduced Graphene Oxide: Enhancing Photodetector Device Performance. SSRN Electronic Journal, 0, , .	0.4	0
1616	A stretchable ultraviolet-to-NIR broad spectral photodetector using organicâ€“inorganic vertical multiheterojunctions. Nanoscale, 2022, 14, 5102-5111.	2.8	5
1617	MoSe <sub>2</sub> /nâ€“GaN Heterojunction Induced High Photoconductive Gain for Lowâ€“Noise Broadband Photodetection from Ultraviolet to Nearâ€“Infrared Wavelengths. Advanced Materials Interfaces, 2022, 9, .	1.9	9

#	ARTICLE	IF	CITATIONS
1618	Photodetection Tuning with High Absorptivity Using Stacked 2D Heterostructure Films. <i>Nanomaterials</i> , 2022, 12, 712.	1.9	4
1619	Enhanced Photogating Effect in Graphene Photodetectors via Potential Fluctuation Engineering. <i>ACS Nano</i> , 2022, 16, 4458-4466.	7.3	41
1620	Graphene photogated infrared photodetectors for high-performance infrared imaging. , 2022, , .		0
1621	A hybrid photodetector of graphene/TiO <sub>2</sub> /inorganic PbS quantum dots for fast response. <i>Japanese Journal of Applied Physics</i> , 2022, 61, 040903.	0.8	4
1622	Lifetime enhancement of quasibound states in graphene quantum dots via circularly polarized light. <i>Physical Review B</i> , 2022, 105, .	1.1	3
1623	Solution-Processed CsPbBr <sub>3</sub> Quantum Dots/Organic Semiconductor Planar Heterojunctions for High-Performance Photodetectors. <i>Advanced Science</i> , 2022, 9, e2105856.	5.6	15
1624	Near-Infrared to Visible Light Converter by Integrating Graphene Transistor into Perovskite Quantum Dot Light Emitting Diodes. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	3
1625	Macroscopic assembled graphene nanofilms based room temperature ultrafast mid-infrared photodetectors. <i>Informa Mater Jly</i> , 2022, 4, .	8.5	24
1626	Mid-wave and long-wave infrared transmitters and detectors for optical satellite communications—a review. <i>Journal of Optics (United Kingdom)</i> , 2022, 24, 043002.	1.0	22
1627	Sulfide-Inhibiting Growth of Lead Sulfide Rods Array Film from Micron to Nano for NIR Photodetector. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2022, 219, .	0.8	3
1628	Giant Photoresponsivity and External Quantum Efficiency in a Contact-Engineered Broadband a-IGZO Phototransistor. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	14
1629	Carrier localization enhanced high responsivity in graphene/semiconductor photodetectors. , 2022, 1, 100006.		6
1630	2D materials for future heterogeneous electronics. <i>Nature Communications</i> , 2022, 13, 1392.	5.8	174
1631	A Ferroelectric in Heterostructure for Highly Enhanced Short-Circuit Current Density and Self-Powered Photodetection. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	17
1632	Broadband photoresponse arising from photo-bolometric effect in quasi-one-dimensional Ta <sub>2</sub> Ni <sub>3</sub> Se <sub>8</sub> . <i>Journal of Physics Condensed Matter</i> , 2022, 34, 255303.	0.7	3
1633	High-performance dual-mode ultra-thin broadband CdS/CIGS heterojunction photodetector on steel. <i>Optics Express</i> , 2022, 30, 13875.	1.7	11
1634	Graphene-oxide interface for optoelectronic synapse application. <i>Scientific Reports</i> , 2022, 12, 5880.	1.6	11
1635	High-sensitivity graphene/Cu <sub>2</sub> O hybrid photodetectors based on photo-induced quantum capacitance. <i>AIP Advances</i> , 2022, 12, 045003.	0.6	1

#	ARTICLE	IF	CITATIONS
1636	Physical and Chemical Sensors on the Basis of Laser-Induced Graphene: Mechanisms, Applications, and Perspectives. <i>ACS Nano</i> , 2021, 15, 18708-18741.	7.3	70
1637	Gold Enhanced Graphene-Based Photodetector on Optical Fiber with Ultrasensitivity over Near-Infrared Bands. <i>Nanomaterials</i> , 2022, 12, 124.	1.9	4
1638	Next-generation machine vision systems incorporating two-dimensional materials: Progress and perspectives. <i>Informa-Materials</i> , 2022, 4, .	8.5	58
1639	The Sustainability of Graphene Research: A Novel Approach in Assessing the Role of Higher Education Policies in Developing Countries—The Case of Indonesia. <i>Sustainability</i> , 2022, 14, 302.	1.6	2
1640	Perspectives of 2D Materials for Optoelectronic Integration. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	62
1641	Tunable Quantum Tunneling through a Graphene/Bi <sub>2</sub> Se <sub>3</sub> Heterointerface for the Hybrid Photodetection Mechanism. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 58927-58935.	4.0	10
1642	Transparent graphene electrodes based hybrid perovskites photodetectors with broad spectral response from UV-visible to near-infrared. <i>Nanotechnology</i> , 2022, 33, 085204.	1.3	3
1643	Infrared Photodetectors Based on 2D Materials and Nanophotonics. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	86
1644	High-Performance Mid-IR to Deep-UV van der Waals Photodetectors Capable of Local Spectroscopy at Room Temperature. <i>Nano Letters</i> , 2022, 22, 3425-3432.	4.5	6
1645	On-chip integration of 2D Van der Waals germanium phosphide (GeP) for active silicon photonics devices. <i>Optics Express</i> , 2022, 30, 15986.	1.7	5
1646	High-performance photodetectors based on Schottky junctions formed by vertical 2D-3D-2D graphene sandwich nanocavity and germanium substrate. <i>Diamond and Related Materials</i> , 2022, , 109043.	1.8	0
1647	Properties and applications of quantum dots derived from two-dimensional materials. <i>Advances in Physics: X</i> , 2022, 7, .	1.5	11
1648	Bandgap engineering of ZnX (X = O, S, Se, Te) QDs/Graphene nanocomposites: Towards the designing of a highly efficient light-harvesting device. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 167, 110717.	1.9	1
1649	Review of recent progress, challenges, and prospects of 2D materials-based short wavelength infrared photodetectors. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 313001.	1.3	12
1650	Substrate-Independent Broad-Band Immersion Microlens Arrays with a High Coupling Efficiency for Infrared Focal Plane Arrays. <i>ACS Applied Electronic Materials</i> , 2022, 4, 1910-1920.	2.0	3
1651	Klein tunneling and ballistic transport in graphene and related materials. , 0, , 118-142.		0
1652	Quantum transport in disordered graphene-based materials. , 0, , 143-218.		0
1653	Ab initio and multiscale quantum transport in graphene-based materials. , 0, , 232-299.		0

#	ARTICLE	IF	CITATIONS
1654	Electronic structure calculations: the density functional theory (DFT). , 0, , 314-331.		0
1655	Electronic structure calculations: the many-body perturbation theory (MBPT). , 0, , 332-337.		0
1656	Green's functions and ab initio quantum transport in the Landauer-Büttiker formalism. , 0, , 338-357.		0
1659	Dual-Enhanced Photodetectors Combining Graphene Plasmonic Nanoresonators With Germanium-on-Insulator Optical Cavities. <i>IEEE Transactions on Electron Devices</i> , 2022, 69, 3246-3250.	1.6	3
1660	Resonant cavity-enhanced colloidal quantum-dot dual-band infrared photodetectors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8218-8225.	2.7	8
1661	A high-responsivity CsPbBr <sub>3</sub> nanowire photodetector induced by CdS@Cd <sub>x</sub> Zn <sub>1-x</sub> S gradient-alloyed quantum dots. <i>Nanoscale Horizons</i> , 2022, 7, 644-654.	4.1	6
1662	Non-Markovian diffusion of excitons in layered perovskites and transition metal dichalcogenides. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 13941-13950.	1.3	12
1663	Room-Temperature Infrared Photodetectors with Zero-Dimensional and New Two-Dimensional Materials. <i>Coatings</i> , 2022, 12, 609.	1.2	4
1664	Advances in Photoelectric Detection Units for Imaging Based on Perovskite Materials. <i>Laser and Photonics Reviews</i> , 2022, 16, .	4.4	9
1665	Optoelectronic Neural Interfaces Based on Quantum Dots. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 20468-20490.	4.0	21
1666	Highly sensitive SWIR photodetector using carbon nanotube thin film transistor gated by quantum dots heterojunction. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	3
1667	Giant Effects of Interlayer Interaction on Valence-Band Splitting in Transition Metal Dichalcogenides. <i>Journal of Physical Chemistry C</i> , 2022, 126, 8667-8675.	1.5	2
1668	Improvement of Plasmonic CuS Nanocrystals'™ Optoelectronic Properties via Cation Exchange for Infrared Detection Enhancement. <i>ACS Applied Electronic Materials</i> , 2022, 4, 2203-2216.	2.0	10
1669	Designed p-type graphene quantum dots to heal interface charge transfer in Sn-Pb perovskite solar cells. <i>Nano Energy</i> , 2022, 98, 107298.	8.2	25
1670	Near-infrared heterojunction field modulated phototransistors with distinct photodetection/photostorage switching features for artificial visuals. <i>Journal of Materials Chemistry C</i> , 2022, 10, 9198-9207.	2.7	3
1671	Integrated optoelectronics with two-dimensional materials. , 2022, 1, 20220022.		2
1672	2D Materials for Efficient Photodetection: Overview, Mechanisms, Performance and UV-IR Range Applications. <i>Frontiers in Chemistry</i> , 0, 10, .	1.8	32
1673	In-Situ Growth of High-Quality Customized Monolayer Graphene Structures for Optoelectronics. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	3

#	ARTICLE	IF	CITATIONS
1674	A Review on MX <sub>2</sub> (M=Mo, W and X=As, Se) layered material for opto-electronic devices. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2022, 13, 023001.	0.7	5
1675	Enhancing the Alkaline Hydrogen Evolution Reaction of Graphene Quantum Dots by Ethylenediamine Functionalization. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 26733-26741.	4.0	13
1676	Catalyst and substrate-free synthesis of graphene nanosheets by unzipping C <sub>60</sub> fullerene clusters using a pulse current method. <i>Materials Science in Semiconductor Processing</i> , 2022, 149, 106831.	1.9	2
1677	Graphene Nanofilms/Silicon Near-Infrared Avalanche Photodetectors. <i>IEEE Nanotechnology Magazine</i> , 2022, 21, 307-310.	1.1	9
1678	Self-assembled graphene/BUBD-1 hybrids for ultrasensitive organic phototransistors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 11710-11718.	2.7	7
1679	Developing Potential Energy Surfaces for Graphene-Based 2D-3D Interfaces From Modified High-Dimensional Neural Networks for Applications in Energy Storage. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2022, 19, .	1.1	4
1680	MoS <sub>2</sub> /WSe <sub>2</sub> vdW Heterostructures Decorated with PbS Quantum Dots for the Development of High-Performance Photovoltaic and Broadband Photodiodes. <i>ACS Nano</i> , 2022, 16, 9329-9338.	7.3	22
1681	Two-color photodetection of graphene-based transistors enhanced by metallic photonic crystals. <i>Journal of Computational Electronics</i> , 2022, 21, 953-959.	1.3	2
1683	Advances in Flexible Optoelectronics Based on Chemical Vapor Deposition-Grown Graphene. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	19
1684	Recent Progress in 2D Inorganic/Organic Charge Transfer Heterojunction Photodetectors. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	23
1685	Steep-slope Schottky diode with cold metal source. <i>Applied Physics Letters</i> , 2022, 120, 243506.	1.5	4
1686	2D Material and Perovskite Heterostructure for Optoelectronic Applications. <i>Nanomaterials</i> , 2022, 12, 2100.	1.9	13
1687	Near-Infrared Phototransistor Based on Graphene/C <sub>60</sub> /PbPc Heterojunction with Tunable Bidirectional Photoresponse. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	3
1688	Controllable Coupling Effects Enhance the Performance of Ionic-Polymer-Gated Graphene Photodetectors. <i>ACS Applied Nano Materials</i> , 2022, 5, 9034-9041.	2.4	1
1689	B/N-doping-induced non-radiative relaxation dynamics in graphene quantum dots. <i>Diamond and Related Materials</i> , 2022, 127, 109160.	1.8	5
1690	2D semiconductor SnP <sub>2</sub> S <sub>6</sub> as a new dielectric material for 2D electronics. <i>Journal of Materials Chemistry C</i> , 2022, 10, 13753-13761.	2.7	5
1691	One-dimensional excitons in long phosphorene atomic chains. <i>Physical Review B</i> , 2022, 105, .	1.1	3
1692	Inducing Strong Light-Matter Coupling and Optical Anisotropy in Monolayer MoS <sub>2</sub> with High Refractive Index Nanowire. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 31140-31147.	4.0	4

#	ARTICLE	IF	CITATIONS
1693	Mid-Infrared Optoelectronic Devices Based on Two-Dimensional Materials beyond Graphene: Status and Trends. <i>Nanomaterials</i> , 2022, 12, 2260.	1.9	16
1694	Thiocyanate- and Thiol-Functionalized p-Doped Quantum Dot Colloids for the Development of Bulk Homo Junction Solar Cells. <i>Energy Technology</i> , 2022, 10, .	1.8	7
1695	High-Efficiency Infrared Sensing with Optically Excited Graphene-Transition Metal Dichalcogenide Heterostructures. <i>Small</i> , 2022, 18, .	5.2	10
1696	A review on realizing the modern optoelectronic applications through persistent photoconductivity. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 393001.	1.3	11
1697	Recent Progress on Graphene Flexible Photodetectors. <i>Materials</i> , 2022, 15, 4820.	1.3	10
1698	Using an Atomically Thin Layer of Hexagonal Boron Nitride to Separate Bound Charge-Transfer Excitons at Organic Interfaces. <i>Physical Review Applied</i> , 2022, 18, .	1.5	3
1699	Enhanced performance and stability in InGaZnO NIR phototransistors with alumina-infilled quantum dot solid. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
1700	Multifunctional nanomaterials and nanocomposites for sensing and monitoring of environmentally hazardous heavy metal contaminants. <i>Environmental Research</i> , 2022, 214, 113795.	3.7	17
1701	Centimeter-Scale Growth of Unidirectional CsCu <sub>2</sub> Te <sub>3</sub> Wire Arrays for High Performance UV Photodetectors. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	10
1702	MoS <sub>2</sub> /Quantum Dot Hybrid Photodetectors on Flexible Substrates. , 2022, , .		0
1703	Advances in solution-processed quantum dots based hybrid structures for infrared photodetector. <i>Materials Today</i> , 2022, 58, 119-134.	8.3	11
1704	High-Performance Broad-Band Photodetection Based on Graphene-MoS <sub>2</sub> /Se <sub>2</sub> (Te) <sub>2</sub> Alloy Engineered Phototransistors. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 34875-34883.	4.0	12
1705	Ultrahigh Photogain Short-Wave Infrared Detectors Enabled by Integrating Graphene and Hyperdoped Silicon. <i>ACS Nano</i> , 2022, 16, 12777-12785.	7.3	12
1706	Operando photoelectron spectroscopy analysis of graphene field-effect transistors. <i>Nanotechnology</i> , 2022, 33, 475702.	1.3	3
1707	CNT-molecule-CNT (1D-0D-1D) van der Waals integration ferroelectric memory with 1-nm <sup>2</sup> junction area. <i>Nature Communications</i> , 2022, 13, .	5.8	2
1708	Fully Depleted Self-Aligned Heterosandwiched Van Der Waals Photodetectors. <i>Advanced Materials</i> , 2022, 34, .	11.1	55
1709	Co-assembled perylene/graphene oxide photosensitive heterobilayer for efficient neuromorphics. <i>Nature Communications</i> , 2022, 13, .	5.8	17
1710	Heterogeneous Integration of Colloidal Quantum Dot Inks on Silicon Enables Highly Efficient and Stable Infrared Photodetectors. <i>ACS Photonics</i> , 2022, 9, 2792-2801.	3.2	11

#	ARTICLE	IF	CITATIONS
1711	Recordâ€High Responsivity and High Detectivity Broadband Photodetectors Based on Upconversion/Gold/Prussianâ€Blue Nanocomposite. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	5
1712	Nonradiative electron-hole recombination dynamics in edge-selective phosphorus-doped graphene quantum dots for energy conversion applications. <i>Solar Energy</i> , 2022, 242, 312-322.	2.9	5
1713	Shallow Impurity States in Doped Silicon Substrates Enabling High Responsivity for Graphene Mid-Infrared Photodetectors. <i>ACS Applied Nano Materials</i> , 2022, 5, 12477-12486.	2.4	6
1714	An Irradianceâ€Adaptable Nearâ€Infrared Vertical Heterojunction Phototransistor. <i>Advanced Materials</i> , 2022, 34, .	11.1	11
1715	SnS Nanoflakes/Graphene Hybrid: Towards Broadband Spectral Response and Fast Photoresponse. <i>Nanomaterials</i> , 2022, 12, 2777.	1.9	2
1716	Topological insulators photodetectors: Preparation, advances and application challenges. <i>Materials Today Communications</i> , 2022, 33, 104190.	0.9	8
1717	Synergetic Effect of Photoconductive Gain and Persistent Photocurrent in a High-Photoresponse Ga<sub>2</sub>O<sub>3</sub> Deep-Ultraviolet Photodetector. <i>IEEE Transactions on Electron Devices</i> , 2022, 69, 5595-5602.	1.6	19
1718	Elucidating the Gain Mechanism in PbS Colloidal Quantum Dot Visibleâ€Near-Infrared Photodiodes. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 8327-8335.	2.1	3
1719	Electrospun Triâ€Cation Perovskite Nanofibers for Infrared Photodetection. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	4
1720	2D Material-Based Photo- and Nanoelectronics. Part III. Photosensors Based on Graphene, Graphene-Like, and Related 2D Nanomaterials. <i>Journal of Communications Technology and Electronics</i> , 2022, 67, 1152-1174.	0.2	2
1721	Energy transfer in hybrid 0D-CdSe quantum dot/2D-WSe<sub>2</sub> near-infrared photodetectors. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 444006.	1.3	3
1722	Vertical Barrier Heterostructures for Reliable, Robust, and Highâ€Performance Ultraviolet Detection. <i>Small</i> , 2022, 18, .	5.2	4
1723	Lightâ€Tunable 2D Esaki Diode Photodetector with Wellâ€Balanced High Detectivity and Response Speed. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	2
1724	Geometry-asymmetric photodetectors from metalâ€semiconductorâ€metal van der Waals heterostructures. <i>Materials Horizons</i> , 2022, 9, 3095-3101.	6.4	6
1725	Towards integrated mode-division demultiplexing spectrometer by deep learning. , 2022, 1, 220012-220012.		8
1726	Thermomechanical Energy Converters for Harvesting Thermal Energy: A Review. <i>Journal of Renewable Materials</i> , 2023, 11, 1555-1600.	1.1	3
1727	Wrinkled 2D hybrid heterostructures for stretchable and sensitive photodetectors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 16370-16378.	2.7	8
1728	Two-dimensional van der Waals heterostructures (vdWHs) with band alignment transformation in multi-functional devices. <i>RSC Advances</i> , 2022, 12, 31456-31465.	1.7	2

#	ARTICLE	IF	CITATIONS
1729	Omnidirectional and Highly Sensitive Microtubular Photodetectors Based on QD/2D Heterojunctions. ACS Applied Electronic Materials, 2022, 4, 5208-5214.	2.0	2
1730	Short-Wave Infrared Synaptic Phototransistor with Ambient Light Adaptability for Flexible Artificial Night Visual System. Advanced Functional Materials, 2023, 33, .	7.8	19
1731	Short-Wave Infrared Photodetectors and Imaging Sensors Based on Lead Chalcogenide Colloidal Quantum Dots. Advanced Optical Materials, 2023, 11, .	3.6	6
1734	High-Performance Phototransistor Based on Graphene/Organic Heterostructure for In-Chip Visual Processing and Pulse Monitoring. Advanced Functional Materials, 2022, 32, .	7.8	10
1735	A high-performance and broadband two-dimensional perovskite-based photodetector via van der Waals integration. Applied Physics Letters, 2022, 121, .	1.5	3
1736	Graphene/Quantum Dot Heterostructure Photodetectors: From Material to Performance. Advanced Optical Materials, 2022, 10, .	3.6	12
1737	Development of Broadband PbS Quantum Dot/Graphene Photodetector Arrays with High-Speed Readout Circuits for Flexible Imagers. ACS Applied Nano Materials, 2022, 5, 16896-16905.	2.4	13
1738	Towards highly efficient NIR II response up-conversion phosphor enabled by long lifetimes of Er <sup>3+</sup> . Nature Communications, 2022, 13, .	5.8	32
1739	Ultrafast Charge Carrier Dynamics and Transport Characteristics in HgTe Quantum Dots. Journal of Physical Chemistry C, 2022, 126, 19229-19239.	1.5	6
1740	1D/2D Hybrid Te/Graphene and Te/MoS <sub>2</sub> : Multifaceted Broadband Photonics and Green-Energy Applications. ACS Applied Materials & Interfaces, 2022, 14, 51449-51458.	4.0	1
1741	Photo-dynamics in 2D materials: Processes, tunability and device applications. Physics Reports, 2022, 993, 1-70.	10.3	4
1742	Energy band alignment engineering in nanostructured hybrid materials based on PbS QDs and reduced graphene oxide: Enhancing photodetector device performance. Journal of Alloys and Compounds, 2023, 932, 167707.	2.8	2
1743	Ultraviolet to near infrared wavelength independent SnS-graphene hybrid thin film photodetector from nanocolloids. Applied Surface Science, 2023, 609, 155277.	3.1	6
1744	Ultra-low-power photodetector based on a high-photoresponse, plasmonic-effect-induced gateless quasi-freestanding graphene device. Applied Surface Science, 2023, 610, 155275.	3.1	3
1745	Surface plasmon-enhanced photodetection of monolayers MoS <sub>2</sub> on an ion beam modified functional substrate. Journal of Applied Physics, 2022, 132, .	1.1	8
1746	Graphene nanoribbon/graphene hybrid broadband infrared photodetectors. Optical Engineering, 2022, 61, .	0.5	1
1747	Bandlike Transport in FaPbBr <sub>3</sub> Quantum Dot Phototransistor with High Hole Mobility and Ultrahigh Photodetectivity. Nano Letters, 2022, 22, 9020-9026.	4.5	8
1748	Photodetectors Based on Emerging Materials. Springer Handbooks, 2023, , 777-805.	0.3	0



#	ARTICLE	IF	CITATIONS
1749	Highly adaptive and energy efficient neuromorphic computation enabled by deep-spike heterostructure photonic neuro-transistors. <i>Nano Energy</i> , 2022, 104, 107991.	8.2	2
1750	High-Performance Photodetectors Based on Graphene/MoS <sub>2</sub> , Heterojunction FETs. <i>IEEE Sensors Journal</i> , 2023, 23, 293-299.	2.4	5
1751	Metal Thermopile Infrared Detector With Vertical Graphene. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, .	0.2	0
1752	Insight into charge transfer between graphene and palladium nanosheets investigated by Raman spectroscopy. <i>New Journal of Chemistry</i> , 0, , .	1.4	0
1753	Recent progress in mid-infrared photodetection devices using 2D/nD (n=0, 1, 2, 3) heterostructures. <i>Materials and Design</i> , 2023, 225, 111446.	3.3	4
1754	A broadband 3D microtubular photodetector based on a single wall carbon nanotubeâ€“graphene heterojunction. <i>Nanoscale</i> , 2023, 15, 1402-1411.	2.8	6
1755	A review of the synthesis, fabrication, and recent advances in mixed dimensional heterostructures for optoelectronic devices applications. <i>Applied Materials Today</i> , 2023, 30, 101717.	2.3	6
1756	SnS <sub>2</sub> Nanosheets as a Template for 2D SnO <sub>2</sub> Sensitive Material: Nanostructure and Surface Composition Effects. <i>Materials</i> , 2022, 15, 8213.	1.3	0
1757	Zero Bias Operation: Photodetection Behaviors Obtained by Emerging Materials and Device Structures. <i>Micromachines</i> , 2022, 13, 2089.	1.4	3
1758	In-Situ Monitoring of Reciprocal Charge Transfer and Losses in Graphene-Silicon CCD Pixels. <i>Sensors</i> , 2022, 22, 9341.	2.1	5
1759	Short-wave infrared photodetector. <i>Materials Today</i> , 2023, 62, 327-349.	8.3	21
1760	Photoâ€“Driven Semimetalâ€“Semiconductor Fieldâ€“Effect Transistors. <i>Advanced Optical Materials</i> , 2023, 11, .	3.6	1
1761	Optimizing the Infrared Photoelectric Detection Performance of Pbs Quantum Dots through Solid-State Ligand Exchange. <i>Materials</i> , 2022, 15, 9058.	1.3	3
1762	Ultra-high-responsivity waveguide-coupled optical power monitor for Si photonic circuits operating at near-infrared wavelengths. <i>Nature Communications</i> , 2022, 13, .	5.8	7
1763	MXene quantum dots/perovskite heterostructure enabling highly specific ultraviolet detection for skin prevention. <i>Matter</i> , 2023, 6, 506-520.	5.0	28
1764	Graphene/MoS <sub>2</sub> X <sub>4</sub> : A class of van der Waals heterojunctions with unique mechanical and optical properties and controllable electrical contacts. <i>Applied Surface Science</i> , 2023, 614, 156095.	3.1	5
1765	Graphene FETs with high and low mobilities have universal temperature-dependent properties. <i>Nanotechnology</i> , 2023, 34, 125702.	1.3	4
1766	Carrier Recirculation Induced High-Gain Photodetector Based on van der Waals Heterojunction. <i>ACS Nano</i> , 2022, 16, 21293-21302.	7.3	10

#	ARTICLE	IF	CITATIONS
1767	Interfacial Engineering of High-Performance, Solution-Processed Sb <sub>2</sub> S <sub>3</sub> Phototransistors. ACS Applied Materials & Interfaces, 2022, 14, 57419-57427.	4.0	4
1768	Wavelength-dependent negative/positive photoresponses in single-walled carbon nanotube/PbS quantum dot mixed-dimensional heterostructures. Optical and Quantum Electronics, 2023, 55, .	1.5	0
1771	Magnetic and Electric Field Dependent Charge Transfer in Perovskite/Graphene Field Effect Transistors. Advanced Electronic Materials, 0, , 2200995.	2.6	1
1772	Successful 2D MoS <sub>2</sub> nanosheets synthesis with SnSe grid-like nanoparticles: Photoelectrochemical hydrogen generation and solar cell applications. Solar Energy, 2022, 248, 251-259.	2.9	20
1773	Solution-Processed Organic-Inorganic Semiconductor Heterostructures for Advanced Hybrid Phototransistors. ACS Applied Electronic Materials, 2023, 5, 578-592.	2.0	5
1774	Responsivity enhancement of a PtSi photodetector with graphene by the photogating effect. Applied Optics, 2023, 62, 1160.	0.9	3
1775	Ultrasensitive solar-blind ultraviolet detection and optoelectronic neuromorphic computing using In <sub>2</sub> Se <sub>3</sub> phototransistors. Frontiers of Physics, 2023, 18, .	2.4	4
1776	Reconfigurable and Broadband Polarimetric Photodetector. Advanced Functional Materials, 2023, 33, .	7.8	9
1777	Metal Halide Perovskite for next-generation optoelectronics: progresses and prospects. ELight, 2023, 3, .	11.9	74
1778	PbS nanostructures: A review of recent advances. Materials Today Sustainability, 2023, 21, 100305.	1.9	21
1779	Vertical Architecture Solution-Processed Quantum Dot Photodetectors with Amorphous Selenium Hole Transport Layer. ACS Photonics, 2023, 10, 134-146.	3.2	1
1780	2D heterostructures for advanced logic and memory devices. , 2023, , 141-167.		0
1781	Tutorial: Lead sulfide colloidal quantum dot infrared photodetector. Journal of Applied Physics, 2023, 133, .	1.1	4
1783	Gate-enhanced broadband photodetection based on Cd <sub>3</sub> As <sub>2</sub> /graphene Dirac heterojunctions. Applied Physics Letters, 2023, 122, 031105.	1.5	3
1784	Van der Waals Nonlinear Photodetector with Quadratic Photoresponse. Nano Letters, 2023, 23, 1023-1029.	4.5	5
1786	Graphene/HgCdTe Heterojunction-Based IR Detectors. , 2023, , 183-202.		1
1788	Gold Nanorod-Activated Graphene/MoS <sub>2</sub> Nanosheet-Based Photodetectors for Bidirectional Photoconductance. ACS Applied Nano Materials, 2023, 6, 1783-1795.	2.4	3
1789	Graphene Field-Effect-Coupled Detection of Avalanche Multiplication in Silicon. IEEE Transactions on Electron Devices, 2023, 70, 2370-2377.	1.6	4

#	ARTICLE	IF	CITATIONS
1790	Two Dimensional Heterostructures for Optoelectronics: Current Status and Future Perspective. <i>Molecules</i> , 2023, 28, 2275.	1.7	2
1791	Conformal Integration of an Inkjet-Printed PbS QDs-Graphene IR Photodetector on a Polymer Optical Fiber. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	3
1792	Optical Switching of Hole Transfer in Double-Perovskite/Graphene Heterostructure. <i>Advanced Materials</i> , 2023, 35, .	11.1	2
1793	Dramatic increase in SWIR detection for GeSn strip detector with graphene hybrid structure. <i>Journal of Alloys and Compounds</i> , 2023, 945, 169287.	2.8	3
1794	Photoactive materials and devices for energy-efficient soft wearable optoelectronic systems. <i>Nano Energy</i> , 2023, 110, 108379.	8.2	7
1795	WS <sub>2</sub> /WSe <sub>2</sub> /Si <sub>3</sub> N <sub>4</sub> heterostructure for high-performance infrared photodetection. <i>Science China Materials</i> , 2023, 66, 2354-2363.		
1796	High-performance infrared photodetection beyond bandgap limitation based on surface plasmon resonance in sub-stoichiometry molybdenum oxide nanostructures. <i>2D Materials</i> , 2023, 10, 025012.	2.0	2
1797	Ligand-induced charge transport modulation and enhanced photoresponse in hybrid MoS <sub>2</sub> /quantum dot phototransistors. <i>Applied Surface Science</i> , 2023, 617, 156623.	3.1	5
1798	2D VI Semiconductor Nanoplatelets: From Material Synthesis to Optoelectronic Integration. <i>Chemical Reviews</i> , 2023, 123, 3543-3624.	23.0	48
1799	Control of spectral, topological and charge transport properties of graphene via circularly polarized light and magnetic field. <i>Results in Physics</i> , 2023, 46, 106257.	2.0	3
1800	High Performance Graphene-C <sub>60</sub> -Bismuth Telluride-C <sub>60</sub> -Graphene Nanometer Thin Film Phototransistor with Adjustable Positive and Negative Responses. <i>Advanced Science</i> , 2023, 10, .	5.6	1
1801	Copper Iron Chalcogenide Semiconductor Nanocrystals in Energy and Optoelectronics Applications: State of the Art, Challenges, and Future Potential. <i>Advanced Optical Materials</i> , 2023, 11, .	3.6	4
1802	Commentary on the Record-Breaking Performance of Low-Dimensional Solid Photodetectors. <i>ACS Photonics</i> , 2023, 10, 647-653.	3.2	5
1803	Wafer-Scale Fabrication of CMOS-Compatible Trapping-Mode Infrared Imagers with Colloidal Quantum Dots. <i>ACS Photonics</i> , 2023, 10, 673-682.	3.2	19
1804	Flexible optoelectronic sensors: status and prospects. <i>Materials Chemistry Frontiers</i> , 2023, 7, 1496-1519.	3.2	4
1805	Multi-Bandgap Quantum Dots Ensemble for Near-Infrared Photovoltaics. <i>Energy Technology</i> , 0, , 2201375.	1.8	0
1806	Highly Responsive Mid-Infrared Metamaterial Enhanced Heterostructure Photodetector Formed out of Sintered PbSe/PbS Colloidal Quantum Dots. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 10847-10857.	4.0	9
1807	Anti-ambipolar and polarization-resolved behavior in MoTe <sub>2</sub> channel sensitized with low-symmetric CrOCl. <i>Applied Physics Letters</i> , 2023, 122, .	1.5	5

#	ARTICLE	IF	CITATIONS
1808	High-performance grapheneâ€PbS quantum dots hybrid photodetector with broadband response and long-time stability. Applied Physics B: Lasers and Optics, 2023, 129, .	1.1	3
1809	High-Performance Photodetector with a-IGZO/PbS Quantum Dots Heterojunction. ACS Photonics, 2023, 10, 790-800.	3.2	17
1810	2D Material Infrared Photonics and Plasmonics. ACS Nano, 2023, 17, 4134-4179.	7.3	30
1811	Skin-Like Near-Infrared II Photodetector with High Performance for Optical Communication, Imaging, and Proximity Sensing. Chemistry of Materials, 2023, 35, 2114-2124.	3.2	8
1812	The Physics behind the Modulation of Thermionic Current in Photodetectors Based on Graphene Embedded between Amorphous and Crystalline Silicon. Nanomaterials, 2023, 13, 872.	1.9	3
1813	Mid-wave infrared sensitized InGaAs using intraband transition in doped colloidal IIâ€VI nanocrystals. Journal of Chemical Physics, 2023, 158, 094702.	1.2	2
1814	Semimetalâ€Monolayer Transition Metal Dichalcogenides Photodetectors for Waferâ€Scale Broadband Photonics. Advanced Photonics Research, 2023, 4, .	1.7	0
1815	Recent Progress of Non-Cadmium and Organic Quantum Dots for Optoelectronic Applications with a Focus on Photodetector Devices. Electronics (Switzerland), 2023, 12, 1327.	1.8	7
1816	Ultrafast Carbon Nanotube Photodetectors with Bandwidth over 60 GHz. ACS Photonics, 0, , .	3.2	1
1817	Preparation, properties, and applications of Bi<sub>2</sub>O<sub>2</sub>Se thin films: A review. Journal of Semiconductors, 2023, 44, 031001.	2.0	1
1818	Photoelectronics Based on OD Materials. Journal of Communications Technology and Electronics, 2022, 67, S1-S36.	0.2	0
1819	Two-Dimensional Nanocrystal Assemblies for Photocapacitive Devices. ACS Applied Electronic Materials, 2023, 5, 1770-1777.	2.0	0
1820	Graphene-black phosphorus printed photodetectors. 2D Materials, 2023, 10, 035015.	2.0	3
1821	Photosensitive Field-Effect Transistor with Enhanced Photoamplification Mediated by Charge Transfer in a Heterostructure of $\pm I$ CsPb <sub>3</sub> I <sub>9</sub> Nanocrystals and Two-Dimensional	1.5	0
1822	Highly Sensitive Phototransistors Based on Partially Suspended Monolayer WS <sub>2</sub> . ACS Photonics, 0, , .	3.2	3
1823	Some Aspects of Novel Materials from Optical to THz Engineering. Progress in Optical Science and Photonics, 2023, , 59-80.	0.3	1
1824	Graphene/IIIâ€V Quantum Dot Mixed-Dimensional Heterostructure for Enhanced Radiative Recombinations via Hole Carrier Transfer. Nano Letters, 2023, 23, 3344-3351.	4.5	3
1826	Coupling between Pyroelectricity and Built-In Electric Field Enabled Highly Sensitive Infrared Phototransistor Based on InSe/WSe <sub>2</sub> /P(VDF-TrFE) Heterostructure. ACS Applied Materials & Interfaces, 2023, 15, 19121-19128.	4.0	4

#	ARTICLE	IF	CITATIONS
1827	Graphene Channel Electron-Multiplying Charge-Coupled Pixel. IEEE Access, 2023, 11, 37424-37436.	2.6	1
1828	A high-performance UV photodetector with superior responsivity enabled by a synergistic photo/thermal enhancement of localized surface plasmon resonance. Journal of Materials Chemistry C, 2023, 11, 6227-6238.	2.7	1
1829	Advances in the Field of Two-Dimensional Crystal-Based Photodetectors. Nanomaterials, 2023, 13, 1379.	1.9	6
1830	Two-dimensional material-assisted remote epitaxy and van der Waals epitaxy: a review. , 2023, 2, 20220068.		2
1831	Interlayer sensitized van der Waals heterojunction photodetector with enhanced performance. Nano Research, 2023, 16, 10537-10544.	5.8	2
1832	Experimental comparison between photoconductive and graphene-based photogating detection in UV-A region. Applied Optics, 0, , .	0.9	0
1835	A Study on Graphene-Based Sensor Devices. Advanced Structured Materials, 2023, , 69-82.	0.3	1
1843	Polarity-Tunable Field Effect Phototransistors. Nano Letters, 2023, 23, 4923-4930.	4.5	5
1856	Recent progress in functional two-dimensional photovoltaic photodetectors and related emerging applications. Journal of Materials Chemistry A, 2023, 11, 11548-11571.	5.2	5
1859	Recent Progress and Perspective of an Evolving Carbon Family From 0D to 3D: Synthesis, Biomedical Applications, and Potential Challenges. ACS Applied Bio Materials, 2023, 6, 2043-2088.	2.3	3
1868	Low-dimensional wide-bandgap semiconductors for UV photodetectors. Nature Reviews Materials, 2023, 8, 587-603.	23.3	124
1882	Graphene Based Field Effect Transistor with Chemical Free p-Type Channel Doping. , 2023, , .		0
1910	P-doped bilayer graphene based photodetector with colloidal quantum dots absorber. , 2023, , .		0
1914	Recent advances in 2D transition metal dichalcogenide-based photodetectors: a review. Nanoscale, 2024, 16, 2097-2120.	2.8	1
1917	Graphene-Quantum-Dots-Graphene Heterojunction Waveguide Photodetector with Low Dark Current and High Speed. , 2023, , .		0
1927	Graphene and its hybrid materials: Properties and applications. , 2023, , .		0