Citation Report

List of articles citing

Transparent triboelectric nanogenerators and self-powered pressure sensors based on micropatterned plastic films

DOI: 10.1021/nl300988z
Nano Letters, 2012, 12, 3109-14.

#	Paper	IF	Citations
1519	Triboelectric Nanogenerator as a Self-Powered Communication Unit for Processing and Transmitting Information.		
1518	Triboelectric-generator-driven pulse electrodeposition for micropatterning. *Nano Letters*, **2012**, 12, 4960-5	11.5	690
1517	Nanoscale triboelectric-effect-enabled energy conversion for sustainably powering portable electronics. *Nano Letters*, **2012**, 12, 6339-46	11.5	840
1516	Nanobasierte Energiegewinnung in autarken Mikro-/Nanosystemen. **2012**, 124, 11868-11891		19
1515	Nanotechnology-enabled energy harvesting for self-powered micro-/nanosystems. **2012**, 51, 11700-21		747
1514	Progress in nanogenerators for portable electronics. **2012**, 15, 532-543		351
1513	Fiber-based all-solid-state flexible supercapacitors for self-powered systems. **2012**, 6, 9200-6		554
1512	Piezotronics and Piezo-Phototronics. **2012**,		46
1511	Finger typing driven triboelectric nanogenerator and its use for instantaneously lighting up LEDs. **2013**, 2, 491-497		222
1510	Sliding-triboelectric nanogenerators based on in-plane charge-separation mechanism. *Nano Letters*, **2013**, 13, 2226-33	11.5	496
1509	Triboelectric nanogenerator as self-powered active sensors for detecting liquid/gaseous water/ethanol. **2013**, 2, 693-701		208
1508	Harmonic-resonator-based triboelectric nanogenerator as a sustainable power source and a self-powered active vibration sensor. **2013**, 25, 6094-9		572
1507	A transparent single-friction-surface triboelectric generator and self-powered touch sensor. **2013**, 6, 3235		314
1506	Retrieving and converting energy from polymers: deployable technologies and emerging concepts. **2013**, 6, 3467		59
1505	Effect of humidity and pressure on the triboelectric nanogenerator. **2013**, 2, 604-608		260
1504	r-Shaped hybrid nanogenerator with enhanced piezoelectricity. **2013**, 7, 8554-60		188
1503	Triboelectric nanogenerators as new energy technology for self-powered systems and as active mechanical and chemical sensors. **2013**, 7, 9533-57		1700

1502	Triboelectric active sensor array for self-powered static and dynamic pressure detection and tactile imaging. **2013**, 7, 8266-74	434
1501	Cylindrical rotating triboelectric nanogenerator. **2013**, 7, 6361-6	201
1500	Triboelectric nanogenerator built inside shoe insole for harvesting walking energy. **2013**, 2, 856-862	271
1499	Investigation of power generation based on stacked triboelectric nanogenerator. **2013**, 2, 1164-1171	83
1498	Motion charged battery as sustainable flexible-power-unit. **2013**, 7, 11263-71	114
1497	Harvesting vibration energy by a triple-cantilever based triboelectric nanogenerator. **2013**, 6, 880-886	161
1496	Fabrication of a ZnO nanogenerator for eco-friendly biomechanical energy harvesting. **2013**, 3, 16646	71
1495	Self-powered flexible printed circuit board with integrated triboelectric generator. **2013**, 2, 1101-1106	99
1494	Flexible electrostatic nanogenerator using graphene oxide film. **2013**, 5, 8951-7	70
1493	Silicon nanowires nanogenerator based on the piezoelectricity of alpha-quartz. **2013**, 5, 12330-4	16
1492	Fully Enclosed Triboelectric Nanogenerators for Applications in Water and Harsh Environments. **2013**, 3, 1563-1568	116
1491	Integrated multilayered triboelectric nanogenerator for harvesting biomechanical energy from human motions. **2013**, 7, 3713-9	444
1490	High performance piezoelectric devices based on aligned arrays of nanofibers of poly(vinylidenefluoride-co-trifluoroethylene). **2013**, 4, 1633	821
1489	Simultaneously harvesting mechanical and chemical energies by a hybrid cell for self-powered biosensors and personal electronics. **2013**, 6, 1744	122
1488	Enhanced triboelectric nanogenerators and triboelectric nanosensor using chemically modified TiO2 nanomaterials. **2013**, 7, 4554-60	222
1487	Triboelectric nanogenerator built inside clothes for self-powered glucose biosensors. **2013**, 2, 1019-1024	181
1486	Rotary triboelectric nanogenerator based on a hybridized mechanism for harvesting wind energy. **2013**, 7, 7119-25	263
1485	Responsive polymers for analytical applications: a review. **2013**, 789, 17-32	68

1484	Linear-grating triboelectric generator based on sliding electrification. *Nano Letters*, **2013**, 13, 2282-9	11.5	378
1483	Segmentally structured disk triboelectric nanogenerator for harvesting rotational mechanical energy. *Nano Letters*, **2013**, 13, 2916-23	11.5	368
1482	Toward large-scale energy harvesting by a nanoparticle-enhanced triboelectric nanogenerator. *Nano Letters*, **2013**, 13, 847-53	11.5	804
1481	A paper-based nanogenerator as a power source and active sensor. **2013**, 6, 1779		191
1480	Harvesting energy from the natural vibration of human walking. **2013**, 7, 11317-24		400
1479	Triboelectric nanogenerator built on suspended 3D spiral structure as vibration and positioning sensor and wave energy harvester. **2013**, 7, 10424-32		164
1478	Pulsed nanogenerator with huge instantaneous output power density. **2013**, 7, 7383-91		162
1477	Flexible Triboelectric Nanogenerator for Energy Harvesting and Pressure Sensor. **2013**,		
1476	Recent advances in flexible sensors for wearable and implantable devices. **2013**, 130, 1429-1441		316
1475	A self-powered triboelectric nanosensor for mercury ion detection. **2013**, 52, 5065-9		270
1474	Harvesting piezoelectric potential from zinc oxide nanoflowers grown on textile fabric substrate. **2013**, 7, 980-984		25
1473	Theory of sliding-mode triboelectric nanogenerators. **2013**, 25, 6184-93		430
1472	A Self-Powered Triboelectric Nanosensor for Mercury Ion Detection. **2013**, 125, 5169-5173		42
1471	A single-electrode based triboelectric nanogenerator as self-powered tracking system. **2013**, 25, 6594-601		239
1470	A non-resonant, gravity-induced micro triboelectric harvester to collect kinetic energy from low-frequency jiggling movements of human limbs. **2014**, 24, 065010		9
1469	Waste Energy Harvesting. **2014**,		35
1468	Nature-replicated nano-in-micro structures for triboelectric energy harvesting. **2014**, 10, 3887-94		133
1467	Nanometer resolution self-powered static and dynamic motion sensor based on micro-grated triboelectrification. **2014**, 26, 1719-24		102

1466	Flexible triboelectric generator and pressure sensor based on poly[(R)-3-hydroxybutyric acid] biopolymer. **2014**, 52, 859-863	16
1465	3D Stack Integrated Triboelectric Nanogenerator for Harvesting Vibration Energy. **2014**, 24, 4090-4096	213
1464	Ultrasensitive Piezoresistive Pressure Sensors Based on Interlocked Micropillar Arrays. **2014**, 4, 349-355	21
1463	Increase Output Energy and Operation Frequency of a Triboelectric Nanogenerator by Two Grounded Electrodes Approach. **2014**, 24, 2892-2898	53
1462	Complementary power output characteristics of electromagnetic generators and triboelectric generators. **2014**, 25, 135402	56
1461	Multi-layered disk triboelectric nanogenerator for harvesting hydropower. **2014**, 6, 129-136	86
1460	Functional nanogenerators as vibration sensors enhanced by piezotronic effects. **2014**, 7, 190-198	47
1459	Silk-molded flexible, ultrasensitive, and highly stable electronic skin for monitoring human physiological signals. **2014**, 26, 1336-42	992
1458	Theoretical comparison, equivalent transformation, and conjunction operations of electromagnetic induction generator and triboelectric nanogenerator for harvesting mechanical energy. **2014**, 26, 3580-91	350
1457	Wearable and Highly Sensitive Graphene Strain Sensors for Human Motion Monitoring. **2014**, 24, 4666-4670	769
1456	Energy Harvesting for Nanostructured Self-Powered Photodetectors. **2014**, 24, 2591-2610	177
1455	Memristor-integrated voltage-stabilizing supercapacitor system. **2014**, 26, 4999-5004	25
1454	Transparent flexible graphene triboelectric nanogenerators. **2014**, 26, 3918-25	313
1453	PDMS-based triboelectric and transparent nanogenerators with ZnO nanorod arrays. **2014**, 6, 6631-7	131
1452	A wearable and highly sensitive pressure sensor with ultrathin gold nanowires. **2014**, 5, 3132	1392
1451	Applicability of triboelectric generator over a wide range of temperature. **2014**, 4, 150-156	98
1450	High-performance triboelectric nanogenerator with enhanced energy density based on single-step fluorocarbon plasma treatment. **2014**, 4, 123-131	229
1449	Triboelectric nanogenerator using nano-Ag ink as electrode material. **2014**, 3, 95-101	38

1448	Highly stretchable resistive pressure sensors using a conductive elastomeric composite on a micropyramid array. **2014**, 26, 3451-8		814
1447	A Novel Soft Metal-Polymer Composite for Multidirectional Pressure Energy Harvesting. **2014**, 4, 1400024		27
1446	Membrane-Based Self-Powered Triboelectric Sensors for Pressure Change Detection and Its Uses in Security Surveillance and Healthcare Monitoring. **2014**, 24, 5807-5813		199
1445	Topographically-designed triboelectric nanogenerator via block copolymer self-assembly. *Nano Letters*, **2014**, 14, 7031-8	11.5	258
1444	Hydrophobic sponge structure-based triboelectric nanogenerator. **2014**, 26, 5037-42		344
1443	Fabrication of a hybrid structure of diamond nanopits infilled with a gold nanoparticle. **2014**, 4, 32000		6
1442	High transparency and triboelectric charge generation properties of nano-patterned PDMS. **2014**, 4, 10216		50
1441	An electrospun nanowire-based triboelectric nanogenerator and its application in a fully self-powered UV detector. **2014**, 6, 7842-6		167
1440	A nanogenerator for harvesting airflow energy and light energy. **2014**, 2, 2079-2087		113
1439	Tactile-direction-sensitive and stretchable electronic skins based on human-skin-inspired interlocked microstructures. **2014**, 8, 12020-9		398
1438	Piezoelectric nanoparticle-polymer composite foams. **2014**, 6, 19504-9		59
1437	A theoretical study of grating structured triboelectric nanogenerators. **2014**, 7, 2339-2349		154
1436	A specially structured conductive nickel-deposited poly(ethylene terephthalate) nonwoven membrane intertwined with microbial pili-like poly(vinyl alcohol-co-ethylene) nanofibers and its application as an alcohol sensor. **2014**, 4, 40788-40793		10
1435	Highly conductive PEDOT electrodes for harvesting dynamic energy through piezoelectric conversion. **2014**, 2, 5462-5469		49
1434	Stretchable energy-harvesting tactile electronic skin capable of differentiating multiple mechanical stimuli modes. **2014**, 26, 7324-32		392
1433	Harvesting broadband kinetic impact energy from mechanical triggering/vibration and water waves. **2014**, 8, 7405-12		150
1432	Enhancing the performance of triboelectric nanogenerator through prior-charge injection and its application on self-powered anticorrosion. **2014**, 10, 37-43		85
1431	Triboelectric-based harvesting of gas flow energy and powerless sensing applications. **2014**, 323, 82-87		21

1430	Airflow-induced triboelectric nanogenerator as a self-powered sensor for detecting humidity and airflow rate. **2014**, 6, 17184-9	134
1429	Case-encapsulated triboelectric nanogenerator for harvesting energy from reciprocating sliding motion. **2014**, 8, 3836-42	119
1428	Manipulating nanoscale contact electrification by an applied electric field. *Nano Letters*, **2014**, 14, 1567-72 12.5	135
1427	Cover-sheet-based nanogenerator for charging mobile electronics using low-frequency body motion/vibration. **2014**, 9, 121-127	81
1426	Conformable amplified lead zirconate titanate sensors with enhanced piezoelectric response for cutaneous pressure monitoring. **2014**, 5, 4496	571
1425	Dipole-moment-induced effect on contact electrification for triboelectric nanogenerators. **2014**, 7, 990-997	139
1424	Highly transparent and flexible triboelectric nanogenerators: performance improvements and fundamental mechanisms. **2014**, 2, 13219-13225	115
1423	Fiber-based wearable electronics: a review of materials, fabrication, devices, and applications. **2014**, 26, 5310-36	1376
1422	Noncontact free-rotating disk triboelectric nanogenerator as a sustainable energy harvester and self-powered mechanical sensor. **2014**, 6, 3031-8	168
1421	Dual-mode triboelectric nanogenerator for harvesting water energy and as a self-powered ethanol nanosensor. **2014**, 8, 6440-8	194
1420	Simultaneously harvesting electrostatic and mechanical energies from flowing water by a hybridized triboelectric nanogenerator. **2014**, 8, 1932-9	139
1419	Theoretical study of electric energy consumption for self-powered chaos signal generator. **2014**, 57, 1063-1067	3
1418	Transparent paper-based triboelectric nanogenerator as a page mark and anti-theft sensor. **2014**, 7, 1215-1223	71
1417	Low cost and flexible mesh-based supercapacitors for promising large-area flexible/wearable energy storage. **2014**, 6, 82-91	39
1416	Rotating-Disk-Based Direct-Current Triboelectric Nanogenerator. **2014**, 4, 1301798	146
1415	Flutter-driven triboelectrification for harvesting wind energy. **2014**, 5, 4929	265
1414	Investigation of contact electrification based broadband energy harvesting mechanism using elastic PDMS microstructures. **2014**, 24, 104002	41
1413	Single-electrode-based rotating triboelectric nanogenerator for harvesting energy from tires. **2014**, 8, 680-9	139

1412	Microstructured graphene arrays for highly sensitive flexible tactile sensors. **2014**, 10, 3625-31	426
1411	A shape-adaptive thin-film-based approach for 50% high-efficiency energy generation through micro-grating sliding electrification. **2014**, 26, 3788-96	346
1410	Giant tunneling piezoresistance of composite elastomers with interlocked microdome arrays for ultrasensitive and multimodal electronic skins. **2014**, 8, 4689-97	561
1409	Triboelectric Nanogenerator for Harvesting Vibration Energy in Full Space and as Self-Powered Acceleration Sensor. **2014**, 24, 1401-1407	299
1408	Graphene-based Nanogenerator: Experiments, Theories and Applications. **2015**, 1782, 15-21	1
1407	Stretchable resistive pressure sensor based on CNT-PDMS nanocomposites. **2015**,	9
1406	Paper-Based Active Tactile Sensor Array. **2015**, 27, 7130-6	113
1405	Surface Engineering of Triboelectric Nanogenerator with an Electrodeposited Gold Nanoflower Structure. **2015**, 5, 13866	40
1404	Recent Progress in Electronic Skin. **2015**, 2, 1500169	586
1403	Integrated active sensor system for real time vibration monitoring. **2015**, 5, 16063	19
1402	Enhanced Power Output of a Triboelectric Nanogenerator Composed of Electrospun Nanofiber Mats Doped with Graphene Oxide. **2015**, 5, 13942	89
1401	A Fully Transparent Resistive Memory for Harsh Environments. **2015**, 5, 15087	17
1400	Wearable Fall Detector using Integrated Sensors and Energy Devices. **2015**, 5, 17081	58
1399	Performance Enhancement of Electronic and Energy Devices via Block Copolymer Self-Assembly. **2015**, 27, 3982-98	79
1398	One-Step Fabrication of Transparent and Flexible Nanotopographical-Triboelectric Nanogenerators via Thermal Nanoimprinting of Thermoplastic Fluoropolymers. **2015**, 27, 7386-94	59
1397	Scalable fabrication of triboelectric nanogenerators for commercial applications. **2015**, 660, 012032	
1396	Bubble-Decorated Honeycomb-Like Graphene Film as Ultrahigh Sensitivity Pressure Sensors. **2015**, 25, 6545-6551	163
1395	Recent Progress on Flexible Triboelectric Nanogenerators for SelfPowered Electronics. **2015**, 8, 2327-44	127

1394	Flexible, Stretchable and Wearable Multifunctional Sensor Array as Artificial Electronic Skin for Static and Dynamic Strain Mapping. **2015**, 1, 1500142	177
1393	Direct Power Generation from a Graphene Oxide Film under Moisture. **2015**, 27, 4351-7	256
1392	Sequential Infiltration Synthesis of Doped Polymer Films with Tunable Electrical Properties for Efficient Triboelectric Nanogenerator Development. **2015**, 27, 4938-44	124
1391	Roll-to-Roll Green Transfer of CVD Graphene onto Plastic for a Transparent and Flexible Triboelectric Nanogenerator. **2015**, 27, 5210-6	215
1390	Healable, Transparent, Room-Temperature Electronic Sensors Based on Carbon Nanotube Network-Coated Polyelectrolyte Multilayers. **2015**, 11, 5807-13	126
1389	Simplified Process for Manufacturing Macroscale Patterns to Enhance Voltage Generation by a Triboelectric Generator. **2015**, 8, 12729-12740	10
1388	Piezoresistive Tactile Sensor Discriminating Multidirectional Forces. **2015**, 15, 25463-73	37
1387	Electrospinning of Nanofibers and Their Applications for Energy Devices. **2015**, 2015, 1-20	119
1386	Flexible triboelectric and piezoelectric coupling nanogenerator based on electrospinning P(VDF-TRFE) nanowires. **2015**,	4
1385	Silver nanowire-embedded PDMS with a multiscale structure for a highly sensitive and robust flexible pressure sensor. **2015**, 7, 6208-15	254
1384	Easy Tuning of Surface and Optical Properties of PDMS Decorated by Ag Nanoparticles. **2015**, 119, 8194-200	27
1383	A tactile sensor translating texture and sliding motion information into electrical pulses. **2015**, 7, 10801-6	13
1382	Flexible triboelectric nanogenerator from micro-nano structured polydimethylsiloxane. **2015**, 31, 434-438	14
1381	Electrification based devices with encapsulated liquid for energy harvesting, multifunctional sensing, and self-powered visualized detection. **2015**, 3, 7382-7388	36
1380	A cylindrical triboelectric energy harvester for capsule endoscopes. **2015**,	
1379	Effect of polymer hygroscopicity on the performance of electrospun tirboelectric nanogenerators. **2015**,	1
1378	Large-scale self-assembled epitaxial growth of highly-ordered three-dimensional micro/nano single-crystalline PbSe pyramid arrays by selective chemical bath deposition. **2015**, 2, 055010	2
1377	Fabrication of PDMS Nanocomposite Materials and Nanostructures for Biomedical Nanosystems. **2015**, 14, 841-9	13

1376	A flexible and transparent graphene based triboelectric nanogenerator. **2015**,	
1375	Hierarchical surface patterning for triboelectric nanogenerators and sensors. **2015**,	3
1374	Paper-based origami triboelectric nanogenerators and self-powered pressure sensors. **2015**, 9, 901-7	213
1373	Spiral-interdigital-electrode-based multifunctional device: Dual-functional triboelectric generator and dual-functional self-powered sensor. **2015**, 12, 626-635	36
1372	High-performance nanopattern triboelectric generator by block copolymer lithography. **2015**, 12, 331-338	101
1371	Development of a Broadband Triboelectric Energy Harvester With SU-8 Micropillars. **2015**, 24, 91-99	55
1370	Ultrasensitive self-powered pressure sensing system. **2015**, 2, 28-36	66
1369	Nanopatterned textile-based wearable triboelectric nanogenerator. **2015**, 9, 3501-9	495
1368	Human walking-driven wearable all-fiber triboelectric nanogenerator containing electrospun polyvinylidene fluoride piezoelectric nanofibers. **2015**, 14, 226-235	213
1367	Robust triboelectric nanogenerator based on rolling electrification and electrostatic induction at an instantaneous energy conversion efficiency of ~ 55%. **2015**, 9, 922-30	173
1366	Triboelectrification induced UV emission from plasmon discharge. **2015**, 8, 219-226	30
1365	Theoretical systems of triboelectric nanogenerators. **2015**, 14, 161-192	594
1364	Triboelectric energy harvester based on wearable textile platforms employing various surface morphologies. **2015**, 12, 410-418	130
1363	Magnetic-assisted triboelectric nanogenerators as self-powered visualized omnidirectional tilt sensing system. **2014**, 4, 4811	82
1362	High power triboelectric nanogenerator based on printed circuit board (PCB) technology. **2015**, 8, 722-730	130
1361	. **2015**, 3, 89-98	48
1360	Triboelectric smart machine elements and self-powered encoder. **2015**, 13, 92-102	11
1359	Highly elastic and transparent multiwalled carbon nanotube/polydimethylsiloxane bilayer films as electric heating materials. **2015**, 86, 72-79	45

1358	A highly sensitive, low-cost, wearable pressure sensor based on conductive hydrogel spheres. **2015**, 7, 14766-73	105
1357	Multi-unit hydroelectric generator based on contact electrification and its service behavior. **2015**, 16, 329-338	33
1356	Molecularly Engineered Surface Triboelectric Nanogenerator by Self-Assembled Monolayers (METS). **2015**, 27, 4749-4755	77
1355	Self-Powered Human-Interactive Transparent Nanopaper Systems. **2015**, 9, 7399-406	85
1354	Multifunctional triboelectric nanogenerator based on porous micro-nickel foam to harvest mechanical energy. **2015**, 16, 516-523	81
1353	Avoiding Resistance Limitations in High-Performance Transparent Supercapacitor Electrodes Based on Large-Area, High-Conductivity PEDOT:PSS Films. **2015**, 7, 16495-506	109
1352	Progress in triboelectric nanogenerators as a new energy technology and self-powered sensors. **2015**, 8, 2250-2282	1326
1351	Soft Tactile Sensors for Human-Machine Interaction. **2015**, 1-28	
1350	Highly transparent triboelectric nanogenerator for harvesting water-related energy reinforced by antireflection coating. **2015**, 5, 9080	149
1349	Theoretical Study of Rotary Freestanding Triboelectric Nanogenerators. **2015**, 25, 2928-2938	102
1348	Surface-modified piezoresistive nanocomposite flexible pressure sensors with high sensitivity and wide linearity. **2015**, 7, 8636-44	67
1347	Skin based flexible triboelectric nanogenerators with motion sensing capability. **2015**,	5
1346	Triboelectric Nanogenerator Based on Biocompatible Polymer Materials. **2015**, 119, 9061-9068	36
1345	. **2015**, 24, 1338-1345	23
1344	A multi-layered interdigitative-electrodes-based triboelectric nanogenerator for harvesting hydropower. **2015**, 15, 256-265	76
1343	Motion-driven electrochromic reactions for self-powered smart window system. **2015**, 9, 4757-65	129
1342	High performance sound driven triboelectric nanogenerator for harvesting noise energy. **2015**, 15, 321-328	93
1341	Triboelectric sensor as self-powered signal reader for scanning probe surface topography imaging. **2015**, 26, 165501	10

1340	Triboelectric generators and sensors for self-powered wearable electronics. **2015**, 9, 3421-7	187
1339	Triboelectric charging sequence induced by surface functionalization as a method to fabricate high performance triboelectric generators. **2015**, 9, 4621-7	160
1338	Hydrothermal synthesis of Co□nO nanowire array and its application as piezo-driven self-powered humidity sensor with high sensitivity and repeatability. **2015**, 5, 84343-84349	25
1337	Mechanically tunable organic vertical-cavity surface emitting lasers (VCSELs) for highly sensitive stress probing in dual-modes. **2015**, 23, 4385-96	4
1336	Impact of contact pressure on output voltage of triboelectric nanogenerator based on deformation of interfacial structures. **2015**, 17, 63-71	88
1335	Simple triboelectric generator applied on macro-sized surface patterns and test-bed device to control humidity. **2015**,	2
1334	Folded Elastic Strip-Based Triboelectric Nanogenerator for Harvesting Human Motion Energy for Multiple Applications. **2015**, 7, 20469-76	38
1333	Stretchable Array of Highly Sensitive Pressure Sensors Consisting of Polyaniline Nanofibers and Au-Coated Polydimethylsiloxane Micropillars. **2015**, 9, 9974-85	272
1332	Self-powered flexible pressure sensors with vertically well-aligned piezoelectric nanowire arrays for monitoring vital signs. **2015**, 3, 11806-11814	141
1331	Porous dielectric elastomer based ultra-sensitive capacitive pressure sensor and its application to wearable sensing device. **2015**,	8
1330	Fingertip skin-inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. **2015**, 1, e1500661	485
1329	High-performance giant magnetoresistive sensorics on flexible Si membranes. **2015**, 106, 153501	33
1328	. **2015**,	2
1327	Mesoporous pores impregnated with Au nanoparticles as effective dielectrics for enhancing triboelectric nanogenerator performance in harsh environments. **2015**, 8, 3006-3012	241
1326	A high energy output nanogenerator based on reduced graphene oxide. **2015**, 7, 18147-51	18
1325	Packaged triboelectric nanogenerator with high endurability for severe environments. **2015**, 7, 18049-53	31
1324	Highly Transparent and Flexible Triboelectric Nanogenerators with Subwavelength-Architectured Polydimethylsiloxane by a Nanoporous Anodic Aluminum Oxide Template. **2015**, 7, 20520-9	73
1323	Triboelectric Nanogenerators as a Self-Powered 3D Acceleration Sensor. **2015**, 7, 19076-82	110

1322	Self-powered thin-film motion vector sensor. **2015**, 6, 8031	100
1321	Multi-stacked PDMS-based triboelectric generators with conductive textile for efficient energy harvesting. **2015**, 5, 6437-6442	45
1320	Electrospun ion gel nanofibers for flexible triboelectric nanogenerator: electrochemical effect on output power. **2015**, 7, 16189-94	62
1319	Shape memory polymer-based self-healing triboelectric nanogenerator. **2015**, 8, 3605-3613	166
1318	Floor-based large-area triboelectric generator for active security monitoring. **2015**,	
1317	The effect of anodized Ti on output performance of biomedical compatible triboelectric nanogenerators used for controlling the degradation of Mg-3wt%Zn-0.8wt%Zr. **2015**, 26, 495401	4
1316	Preparation of Alginate/Graphene Oxide Hybrid Films and Their Integration in Triboelectric Generators. **2015**, 2015, 1192-1197	16
1315	Self-powered acoustic source locator in underwater environment based on organic film triboelectric nanogenerator. **2015**, 8, 765-773	56
1314	From cotton to wearable pressure sensor. **2015**, 3, 2181-2187	127
1313	Microwave-induced catalytic degradation of a textile dye using bentonite–poly(o-toluidine) nanohybrid. **2015**, 5, 3276-3285	20
1312	Mimosa-inspired design of a flexible pressure sensor with touch sensitivity. **2015**, 11, 1886-91	240
1311	Transparent flexible stretchable piezoelectric and triboelectric nanogenerators for powering portable electronics. **2015**, 14, 139-160	166
1310	Controllable fabrication of ultrafine oblique organic nanowire arrays and their application in energy harvesting. **2015**, 7, 1285-9	20
1309	Improving energy conversion efficiency for triboelectric nanogenerator with capacitor structure by maximizing surface charge density. **2015**, 7, 1896-903	170
1308	Single-electrode-based rotationary triboelectric nanogenerator and its applications as self-powered contact area and eccentric angle sensors. **2015**, 11, 323-332	63
1307	Ferrohydrodynamic energy harvesting based on air droplet movement. **2015**, 11, 171-178	19
1306	Triboelectric nanogenerators as self-powered active sensors. **2015**, 11, 436-462	505
1305	Facile fabrication and characterization of arch-shaped triboelectric nanogenerator with a graphite top electrode. **2015**, 212, 401-405	13

1304	High performance triboelectric nanogenerators based on large-scale mass-fabrication technologies. **2015**, 11, 304-322	149
1303	Multilayered-Electrode-Based Triboelectric Nanogenerators with Managed Output Voltage and Multifold Enhanced Charge Transport. **2015**, 5, 1401452	45
1302	Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. **2015**, 7, 4598-810	2015
1301	A Flexible and Highly Sensitive Piezoresistive Pressure Sensor Based on Micropatterned Films Coated with Carbon Nanotubes. **2016**, 2016, 1-5	6
1300	Recent Progress in Triboelectric Nanogenerators as a Renewable and Sustainable Power Source. **2016**, 2016, 1-24	29
1299	Triboelectric Hydrogen Gas Sensor with Pd Functionalized Surface. **2016**, 6,	19
1298	High Sensitivity, Wearable, Piezoresistive Pressure Sensors Based on Irregular Microhump Structures and Its Applications in Body Motion Sensing. **2016**, 12, 3827-36	142
1297	Asymmetrical Triboelectric Nanogenerator with Controllable Direct Electrostatic Discharge. **2016**, 26, 5524-5533	34
1296	Flexible Nanogenerators for Energy Harvesting and Self-Powered Electronics. **2016**, 28, 4283-305	1065
1295	Silk Nanofiber-Networked Bio-Triboelectric Generator: Silk Bio-TEG. **2016**, 6, 1502329	138
1294	Pursuing prosthetic electronic skin. **2016**, 15, 937-50	1324
1293	Nanoparticle Based Curve Arrays for Multirecognition Flexible Electronics. **2016**, 28, 1369-74	129
1292	Self-Powered Electronic Skin with Biotactile Selectivity. **2016**, 28, 3549-56	80
1291	Self-Assembly of Single-Crystal Silver Microflakes on Reduced Graphene Oxide and their Use in Ultrasensitive Sensors. **2016**, 3, 1500658	2
1290	A Novel Triboelectric Generator Based on the Combination of a Waterwheel-Like Electrode with a Spring Steel Plate For Efficient Harvesting of Low-Velocity Rotational Motion Energy. **2016**, 2, 1500448	14
1289	Fully Packaged Self-Powered Triboelectric Pressure Sensor Using Hemispheres-Array. **2016**, 6, 1502566	162
1288	Stretchable and Waterproof Self-Charging Power System for Harvesting Energy from Diverse Deformation and Powering Wearable Electronics. **2016**, 10, 6519-25	160
1287	Fabrication of PDMS-based triboelectric nanogenerator for self-sustained power source application. **2016**, 40, 288-297	31

1286	Enhancing the Sensitivity of Percolative Graphene Films for Flexible and Transparent Pressure Sensor Arrays. **2016**, 26, 5061-5067	72
1285	Self-Powered Electrochemistry for the Oxidation of Organic Molecules by a Cross-Linked Triboelectric Nanogenerator. **2016**, 28, 5188-94	24
1284	Ar plasma treated polytetrafluoroethylene films for a highly efficient triboelectric generator. **2016**, 69, 1720-1723	11
1283	Piezoelectric and Triboelectric Dual Effects in Mechanical-Energy Harvesting Using BaTiO/Polydimethylsiloxane Composite Film. **2016**, 8, 34335-34341	136
1282	Stretchable Triboelectric Fiber for Self-powered Kinematic Sensing Textile. **2016**, 6, 35153	82
1281	Contact Electrification of Individual Dielectric Microparticles Measured by Optical Tweezers in Air. **2016**, 8, 34904-34913	7
1280	Study of Triboelectric Micromechanism for Three Dimensional Energy Harvesting. **2016**, 773, 012069	
1279	Predicting the Output of a Triboelectric Energy Harvester Undergoing Mechanical Pressure. **2016**,	
1278	A Low Input Current and Wide Conversion Ratio Buck Regulator with 75% Efficiency for High-Voltage Triboelectric Nanogenerators. **2016**, 6, 19246	14
1277	Honeycomb-like nanofiber based triboelectric nanogenerator using self-assembled electrospun poly(vinylidene fluoride-co-trifluoroethylene) nanofibers. **2016**, 108, 143901	29
1276	Charge collection kinetics on ferroelectric polymer surface using charge gradient microscopy. **2016**, 6, 25087	13
1275	Effective energy harvesting from a single electrode based triboelectric nanogenerator. **2016**, 6, 38835	38
1274	The effect of dielectric constant and work function on triboelectric nanogenerators: Analytical and numerical study. **2016**, 176, 251-256	12
1273	Triboelectric generator based on a moving charged bead. **2016**, 49, 47LT02	5
1272	Deformation of Pyramidal PDMS Stamps During Microcontact Printing. **2016**, 83,	8
1271	Biodegradable triboelectric nanogenerator as a life-time designed implantable power source. **2016**, 2, e1501478	307
1270	Triboelectric liquid volume sensor for self-powered lab-on-chip applications. **2016**, 23, 80-88	87
1269	Force-pad made from contact-electrification poly(ethylene oxide)/InSb field-effect transistor. **2016**, 22, 468-474	22

1268	Triboelectric contact surface charge modulation and piezoelectric charge inducement using polarized composite thin film for performance enhancement of triboelectric generators. **2016**, 25, 225-231	44
1267	A highly sensitive pressure sensor using conductive composite elastomers with wavy structures. **2016**,	
1266	Scalable and enhanced triboelectric output power generation by surface functionalized nanoimprint patterns. **2016**, 27, 205401	18
1265	A Flexible and Transparent Graphene-Based Triboelectric Nanogenerator. **2016**, 15, 435-441	31
1264	Ultra-sensitive transparent and stretchable pressure sensor with single electrode. **2016**,	5
1263	Multilayered electret films based triboelectric nanogenerator. **2016**, 9, 1442-1451	109
1262	Flexible photodetectors based on phase dependent PbI2 single crystals. **2016**, 4, 6492-6499	77
1261	All-in-one energy harvesting and storage devices. **2016**, 4, 7983-7999	195
1260	Wearable Microsensor Array for Multiplexed Heavy Metal Monitoring of Body Fluids. **2016**, 1, 866-874	216
1259	Triboelectric and Piezoelectric Effects in a Combined Tribo-Piezoelectric Nanogenerator Based on an Interfacial ZnO Nanostructure. **2016**, 26, 8194-8201	63
1258	Self-powered Sensing for Human-Machine Interface. **2016**, 401-429	1
1257	Design and application of photo-reversible elastomer networks by using the [4+4] cycloaddition reaction of pendant anthracene groups. **2016**, 102, 10-20	29
1256	Self-powered triboelectric aptasensor for label-free highly specific thrombin detection. **2016**, 30, 77-83	24
1255	Enhanced triboelectric charge through a facile hydrothermal treatment of electrode. **2016**, 16, 1364-1368	4
1254	Understanding the role of mechanics in energy materials: A perspective. **2016**, 9, 347-352	34
1253	Energy Harvesters for Wearable and Stretchable Electronics: From Flexibility to Stretchability. **2016**, 28, 9881-9919	309
1252	Machine-Washable Textile Triboelectric Nanogenerators for Effective Human Respiratory Monitoring through Loom Weaving of Metallic Yarns. **2016**, 28, 10267-10274	246
1251	Triboelectric nanogenerators and power-boards from cellulose nanofibrils and recycled materials. **2016**, 30, 103-108	121

1250	Biosensors in Tissue and Organ Fabrication. **2016**, 31-57	5
1249	Solvent-free fabrication of multi-walled carbon nanotube based flexible pressure sensors for ultra-sensitive touch pad and electronic skin applications. **2016**, 6, 95836-95845	20
1248	Robust design of unearthed single-electrode TENG from three-dimensionally hybridized copper/polydimethylsiloxane film. **2016**, 30, 155-161	34
1247	Direct Observation of Conducting Filaments in Tungsten Oxide Based Transparent Resistive Switching Memory. **2016**, 8, 27885-27891	57
1246	Transparent triboelectric generators based on glass and polydimethylsiloxane. **2016**, 30, 235-241	40
1245	Design of tactile sensor assembly and concentrated path of thermal sensing for bionic arm. **2016**,	
1244	Nanopillar Arrayed Triboelectric Nanogenerator as a Self-Powered Sensitive Sensor for a Sleep Monitoring System. **2016**, 10, 8097-103	99
1243	High-performance triboelectric nanogenerators with artificially well-tailored interlocked interfaces. **2016**, 27, 595-601	45
1242	Self-Powered Triboelectric Micro Liquid/Gas Flow Sensor for Microfluidics. **2016**, 10, 8104-12	98
1241	Triboelectric Nanogenerators Driven Self-Powered Electrochemical Processes for Energy and Environmental Science. **2016**, 6, 1600665	300
1240	Laser-Direct Writing of Silver Metal Electrodes on Transparent Flexible Substrates with High-Bonding Strength. **2016**, 8, 24887-92	53
1239	Flexible and Stretchable Piezoelectric Sensor with Thickness-Tunable Configuration of Electrospun Nanofiber Mat and Elastomeric Substrates. **2016**, 8, 24773-81	123
1238	Triboelectric Nanogenerator: Lateral Sliding Mode. **2016**, 49-90	7
1237	A size-unlimited surface microstructure modification method for achieving high performance triboelectric nanogenerator. **2016**, 28, 172-178	93
1236	Mechanically Robust Silver Nanowires Network for Triboelectric Nanogenerators. **2016**, 26, 7717-7724	57
1235	Flexible and transparent triboelectric nanogenerator based on high performance well-ordered porous PDMS dielectric film. **2016**, 9, 3714-3724	84
1234	Soft piezoresistive pressure sensing matrix from copper nanowires composite aerogel. **2016**, 61, 1624-1630	26
1233	Direct Writing of Patterned, Lead-Free Nanowire Aligned Flexible Piezoelectric Device. **2016**, 3, 1600120	28

1232	Ultra-Stretchable and Force-Sensitive Hydrogels Reinforced with Chitosan Microspheres Embedded in Polymer Networks. **2016**, 28, 8037-8044	220
1231	On the contact behavior of micro-/nano-structured interface used in vertical-contact-mode triboelectric nanogenerators. **2016**, 27, 68-77	54
1230	Conformal, graphene-based triboelectric nanogenerator for self-powered wearable electronics. **2016**, 27, 298-305	116
1229	Wearable Power-Textiles by Integrating Fabric Triboelectric Nanogenerators and Fiber-Shaped Dye-Sensitized Solar Cells. **2016**, 6, 1601048	221
1228	Wind-blown Sand Electrification Inspired Triboelectric Energy Harvesting Based on Homogeneous Inorganic Materials Contact: A Theoretical Study and Prediction. **2016**, 6, 19912	5
1227	Self-Powered, Wireless, Remote Meteorologic Monitoring Based on Triboelectric Nanogenerator Operated by Scavenging Wind Energy. **2016**, 8, 32649-32654	51
1226	Large Scale Triboelectric Nanogenerator and Self-Powered Pressure Sensor Array Using Low Cost Roll-to-Roll UV Embossing. **2016**, 6, 22253	87
1225	Hydrophobic SiO2 Electret Enhances the Performance of Poly(vinylidene fluoride) Nanofiber-Based Triboelectric Nanogenerator. **2016**, 120, 26600-26608	20
1224	All-Textile Triboelectric Generator Compatible with Traditional Textile Process. **2016**, 1, 1600147	59
1223	Self-powered liquid triboelectric microfluidic sensor for pressure sensing and finger motion monitoring applications. **2016**, 30, 450-459	116
1222	Improving the Working Efficiency of a Triboelectric Nanogenerator by the Semimetallic PEDOT:PSS Hole Transport Layer and Its Application in Self-Powered Active Acetylene Gas Sensing. **2016**, 8, 30079-30089	42
1221	One-Piece Triboelectric Nanosensor for Self-Triggered Alarm System and Latent Fingerprint Detection. **2016**, 10, 10366-10372	84
1220	Paper-based triboelectric nanogenerators and their application in self-powered anticorrosion and antifouling. **2016**, 4, 18022-18030	55
1219	Boosted output performance of triboelectric nanogenerator via electric double layer effect. **2016**, 7, 12985	267
1218	MEMS Based Broadband Piezoelectric Ultrasonic Energy Harvester (PUEH) for Enabling Self-Powered Implantable Biomedical Devices. **2016**, 6, 24946	103
1217	High performance triboelectric nanogenerators based on phase-inversion piezoelectric membranes of poly(vinylidene fluoride)-zinc stannate (PVDF-ZnSnO3) and polyamide-6 (PA6). **2016**, 30, 470-480	97
1216	Hybrid Energy Cell with Hierarchical Nano/Micro-Architectured Polymer Film to Harvest Mechanical, Solar, and Wind Energies Individually/Simultaneously. **2016**, 8, 30165-30175	37
1215	Triboelectric Nanogenerators Based on Melamine and Self-Powered High-Sensitive Sensors for Melamine Detection. **2016**, 26, 3029-3035	36

1214	Controllable Charge Transfer by Ferroelectric Polarization Mediated Triboelectricity. **2016**, 26, 3067-3073	65
1213	Self-Powered High-Resolution and Pressure-Sensitive Triboelectric Sensor Matrix for Real-Time Tactile Mapping. **2016**, 28, 2896-903	268
1212	Sandwiched Composite Fluorocarbon Film for Flexible Electret Generator. **2016**, 2, 1500408	38
1211	Surface dipole enhanced instantaneous charge pair generation in triboelectric nanogenerator. **2016**, 26, 360-370	43
1210	Flexible, transparent and high-power triboelectric generator with asymmetric graphene/ITO electrodes. **2016**, 27, 30LT01	10
1209	Integrated Flexible, Waterproof, Transparent, and Self-Powered Tactile Sensing Panel. **2016**, 10, 7696-704	64
1208	Fabrication techniques and applications of flexible graphene-based electronic devices. **2016**, 37, 041001	17
1207	Highly flexible strain sensor based on ZnO nanowires and P(VDF-TrFE) fibers for wearable electronic device. **2016**, 59, 173-181	33
1206	A flexible large-area triboelectric generator by low-cost roll-to-roll process for location-based monitoring. **2016**, 247, 206-214	30
1205	Highly Sensitive, Flexible, and Wearable Pressure Sensor Based on a Giant Piezocapacitive Effect of Three-Dimensional Microporous Elastomeric Dielectric Layer. **2016**, 8, 16922-31	287
1204	Wearable Electricity Generators Fabricated Utilizing Transparent Electronic Textiles Based on Polyester/Ag Nanowires/Graphene Core-Shell Nanocomposites. **2016**, 10, 6449-57	159
1203	Influence of Processing Conditions and Material Properties on Electrohydrodynamic Direct Patterning of a Polymer Solution. **2016**, 45, 2291-2298	8
1202	A self-powered active hydrogen sensor based on a high-performance triboelectric nanogenerator using a wrinkle-micropatterned PDMS film. **2016**, 6, 63030-63036	20
1201	Flexible and Stretchable Physical Sensor Integrated Platforms for Wearable Human-Activity Monitoringand Personal Healthcare. **2016**, 28, 4338-72	1219
1200	Skin-Inspired Haptic Memory Arrays with an Electrically Reconfigurable Architecture. **2016**, 28, 1559-66	135
1199	Magnetic-Assisted Noncontact Triboelectric Nanogenerator Converting Mechanical Energy into Electricity and Light Emissions. **2016**, 28, 2744-51	107
1198	A Triboelectric Sponge Fabricated from a Cube Sugar Template by 3D Soft Lithography for Superhydrophobicity and Elasticity. **2016**, 2, 1500331	52
1197	Kinematic design for high performance triboelectric nanogenerators with enhanced working frequency. **2016**, 21, 19-25	31

1196	High output polypropylene nanowire array triboelectric nanogenerator through surface structural control and chemical modification. **2016**, 19, 48-57	104
1195	Micro/Nano Integrated Fabrication Technology and Its Applications in Microenergy Harvesting. **2016**,	4
1194	Self-Powered Analogue Smart Skin. **2016**, 10, 4083-91	133
1193	Novel Piezoelectric Paper-Based Flexible Nanogenerators Composed of BaTiO Nanoparticles and Bacterial Cellulose. **2016**, 3, 1500257	127
1192	A self-powered active hydrogen gas sensor with fast response at room temperature based on triboelectric effect. **2016**, 231, 601-608	53
1191	A triboelectric textile templated by a three-dimensionally penetrated fabric. **2016**, 4, 6077-6083	48
1190	A three-dimensional integrated nanogenerator for effectively harvesting sound energy from the environment. **2016**, 8, 4938-44	55
1189	Molecular surface functionalization to enhance the power output of triboelectric nanogenerators. **2016**, 4, 3728-3734	177
1188	Improving the surface charge density of a contact-separation-based triboelectric nanogenerator by modifying the surface morphology. **2016**, 159, 102-107	50
1187	A single-electrode wearable triboelectric nanogenerator based on conductive & stretchable fabric. **2016**,	10
1186	Facile fabrication of three-dimensional TiO 2 structures for highly efficient perovskite solar cells. **2016**, 22, 499-506	34
1185	Chemical modification of polymer surfaces for advanced triboelectric nanogenerator development. **2016**, 9, 514-530	107
1184	Triboelectric Nanogenerator as a Self-Powered Communication Unit for Processing and Transmitting Information. **2016**, 10, 3944-50	47
1183	Force-assembled triboelectric nanogenerator with high-humidity-resistant electricity generation using hierarchical surface morphology. **2016**, 20, 283-293	77
1182	Introduction. **2016**, 1-21	
1181	Aluminum-doped zinc oxide thin film as seeds layer effects on the alignment of zinc oxide nanorods synthesized in the chemical bath deposition. **2016**, 605, 37-43	13
1180	Photoenhanced Patterning of Metal Nanowire Networks for Fabrication of Ultraflexible Transparent Devices. **2016**, 8, 480-9	61
1179	High-output current density of the triboelectric nanogenerator made from recycling rice husks. **2016**, 19, 39-47	50

1178	An intelligent skin based self-powered finger motion sensor integrated with triboelectric nanogenerator. **2016**, 19, 532-540	147
1177	Flexible and Highly Sensitive Pressure Sensors Based on Bionic Hierarchical Structures. **2017**, 27, 1606066	372
1176	Breath Figure Micromolding Approach for Regulating the Microstructures of Polymeric Films for Triboelectric Nanogenerators. **2017**, 9, 4988-4997	47
1175	A microcrystalline cellulose ingrained polydimethylsiloxane triboelectric nanogenerator as a self-powered locomotion detector. **2017**, 5, 1810-1815	45
1174	Full Dynamic-Range Pressure Sensor Matrix Based on Optical and Electrical Dual-Mode Sensing. **2017**, 29, 1605817	129
1173	Ultrafast Self-Healing Nanocomposites via Infrared Laser and Their Application in Flexible Electronics. **2017**, 9, 3040-3049	83
1172	A Self-Powered Implantable Drug-Delivery System Using Biokinetic Energy. **2017**, 29, 1605668	89
1171	Texture and sliding motion sensation with a triboelectric-nanogenerator transducer. **2017**, 256, 89-94	10
1170	Self-powered wireless smart patch for healthcare monitoring. **2017**, 32, 479-487	73
1169	Comb-shaped electrode-based triboelectric nanogenerators for bi-directional mechanical energy harvesting. **2017**, 174, 46-51	6
1168	Enhancement of output performance through post-poling technique on BaTiO/PDMS-based triboelectric nanogenerator. **2017**, 28, 075203	19
1167	Electronic Devices for Human-Machine Interfaces. **2017**, 4, 1600709	52
1166	Triboelectric nanogenerator based on 317L stainless steel and ethyl cellulose for biomedical applications. **2017**, 7, 6772-6779	40
1165	Environmental life cycle assessment and techno-economic analysis of triboelectric nanogenerators. **2017**, 10, 653-671	90
1164	Three-dimensional conformal graphene microstructure for flexible and highly sensitive electronic skin. **2017**, 28, 115501	26
1163	Evolutionary trend analysis of nanogenerator research based on a novel perspective of phased bibliographic coupling. **2017**, 34, 93-102	64
1162	Chemical Electrostatics. **2017**,	15
1161	Service Behavior of Multifunctional Triboelectric Nanogenerators. **2017**, 29, 1606703	88

1160	Enhanced performance of ZnO microballoon arrays for a triboelectric nanogenerator. **2017**, 28, 135401		23
1159	Smart Polymer Nanocomposites. **2017**,		10
1158	Stretchable electronic skin based on silver nanowire composite fiber electrodes for sensing pressure, proximity, and multidirectional strain. **2017**, 9, 3834-3842		98
1157	Transfer-printable micropatterned fluoropolymer-based triboelectric nanogenerator. **2017**, 36, 126-133		37
1156	Triboelectric Nanogenerator Using Microdome-Patterned PDMS as a Wearable Respiratory Energy Harvester. **2017**, 2, 1700014		25
1155	Overview of Energy Harvesting Technologies. **2017**, 9-37		5
1154	Study of Effect of Topography on Triboelectric Nanogenerator Performance Using Patterned Arrays. **2017**, 39-66		1
1153	Large Scale Fabrication of Triboelectric Energy Harvesting and Sensing Applications. **2017**, 87-106		
1152	High-performance, flexible electronic skin sensor incorporating natural microcapsule actuators. **2017**, 36, 38-45		116
1151	Polymer-Pen Chemical Lift-Off Lithography. *Nano Letters*, **2017**, 17, 3302-3311	11.5	30
1150	Research Update: Nanogenerators for self-powered autonomous wireless sensors. **2017**, 5, 073803		31
1149	Wearable carbon nanotube-based fabric sensors for monitoring human physiological performance. **2017**, 26, 055018		40
1148	High-Performance Piezoresistive Electronic Skin with Bionic Hierarchical Microstructure and Microcracks. **2017**, 9, 14911-14919		86
1147	Corrugated Textile based Triboelectric Generator for Wearable Energy Harvesting. **2017**, 7, 45583		53
1146	Progress in triboelectric nanogenerators as self-powered smart sensors. **2017**, 32, 1628-1646		116
1145	A novel means of fabricating microporous structures for the dielectric layers of capacitive pressure sensor. **2017**, 179, 60-66		30
1144	A triboelectric charge top-gated graphene transistor. **2017**, 73, 33-38		5
1143	A transparent and biocompatible single-friction-surface triboelectric and piezoelectric generator and body movement sensor. **2017**, 5, 1176-1183		58

1142	Flexible transparent tribotronic transistor for active modulation of conventional electronics. **2017**, 31, 533-540	49
1141	Energy conversion technologies towards self-powered electrochemical energy storage systems: the state of the art and perspectives. **2017**, 5, 1873-1894	88
1140	Hydroelectric generator from transparent flexible zinc oxide nanofilms. **2017**, 32, 125-129	29
1139	Flexible electronic eardrum. **2017**, 10, 2683-2691	27
1138	Chemically Functionalized Natural Cellulose Materials for Effective Triboelectric Nanogenerator Development. **2017**, 27, 1700794	147
1137	Wearable Flexible Sensors: A Review. **2017**, 17, 3949-3960	259
1136	Self-powered pressure sensor for ultra-wide range pressure detection. **2017**, 10, 3557-3570	85
1135	Energy Harvesting from the Animal/Human Body for Self-Powered Electronics. **2017**, 19, 85-108	227
1134	A Facile Method and Novel Mechanism Using Microneedle-Structured PDMS for Triboelectric Generator Applications. **2017**, 13, 1700373	29
1133	Performance-boosted triboelectric textile for harvesting human motion energy. **2017**, 39, 562-570	75
1132	Crumpled sheets of reduced graphene oxide as a highly sensitive, robust and versatile strain/pressure sensor. **2017**, 9, 9581-9588	25
1131	A study of sustainable green current generated by the fluid-based triboelectric nanogenerator (FluTENG) with a comparison of contact and sliding mode. **2017**, 38, 447-456	25
1130	Dark current reduction strategies using edge-on aligned donor polymers for high detectivity and responsivity organic photodetectors. **2017**, 8, 3612-3621	27
1129	Supramolecular-Assembled Nanoporous Film with Switchable Metal Salts for a Triboelectric Nanogenerator. **2017**, 27, 1701367	17
1128	Robust nanogenerators based on graft copolymers via control of dielectrics for remarkable output power enhancement. **2017**, 3, e1602902	141
1127	Formation of Triboelectric Series via Atomic-Level Surface Functionalization for Triboelectric Energy Harvesting. **2017**, 11, 6131-6138	109
1126	Lignin biopolymer based triboelectric nanogenerators. **2017**, 5, 074109	29
1125	Ultrastretchable, transparent triboelectric nanogenerator as electronic skin for biomechanical energy harvesting and tactile sensing. **2017**, 3, e1700015	674

1124	Light-transformable and -healable triboelectric nanogenerators. **2017**, 38, 412-418	20
1123	Effect of argon plasma treatment on the output performance of triboelectric nanogenerator. **2017**, 412, 350-356	48
1122	Facile and robust triboelectric nanogenerators assembled using off-the-shelf materials. **2017**, 35, 263-270	34
1121	Research Update: Recent progress in the development of effective dielectrics for high-output triboelectric nanogenerator. **2017**, 5, 073802	38
1120	Research Update: Materials design of implantable nanogenerators for biomechanical energy harvesting. **2017**, 5,	51
1119	Remarkable increase in triboelectrification by enhancing the conformable contact and adhesion energy with a film-covered pillar structure. **2017**, 34, 233-241	20
1118	Recent Progress on Piezoelectric and Triboelectric Energy Harvesters in Biomedical Systems. **2017**, 4, 1700029	298
1117	Development of high-flexible triboelectric generators using plastic metal as electrodes. **2017**, 123, 1	8
1116	Triboelectric Devices for Power Generation and Self-Powered Sensing Applications. **2017**,	6
1115	Direct-laser-patterned friction layer for the output enhancement of a triboelectric nanogenerator. **2017**, 35, 379-386	48
1114	Recent progress in flexible and wearable bio-electronics based on nanomaterials. **2017**, 10, 1560-1583	79
1113	Versatile Electronic Skins for Motion Detection of Joints Enabled by Aligned Few-Walled Carbon Nanotubes in Flexible Polymer Composites. **2017**, 27, 1606604	92
1112	Functional Nanomaterials for Transparent Electrodes. **2017**, 345-376	
1111	A flat-panel-shaped hybrid piezo/triboelectric nanogenerator for ambient energy harvesting. **2017**, 28, 175402	34
1110	Highly Sensitive and Bendable Capacitive Pressure Sensor and Its Application to 1 V Operation Pressure-Sensitive Transistor. **2017**, 3, 1600455	57
1109	Nanogenerators: An emerging technology towards nanoenergy. **2017**, 5, 074103	121
1108	Flexible Sensing Electronics for Wearable/Attachable Health Monitoring. **2017**, 13, 1602790	491
1107	Tribogenerators. **2017**, 157-168	

1106	All rGO-on-PVDF-nanofibers based self-powered electronic skins. **2017**, 35, 121-127	107
1105	A self-powered acceleration sensor with flexible materials based on triboelectric effect. **2017**, 31, 469-477	45
1104	Hysteretic behavior of contact force response in triboelectric nanogenerator. **2017**, 32, 408-413	31
1103	Graphene oxide as high-performance dielectric materials for capacitive pressure sensors. **2017**, 114, 209-216	142
1102	A leaf-molded transparent triboelectric nanogenerator for smart multifunctional applications. **2017**, 32, 180-186	67
1101	Superfast and high-sensitivity printable strain sensors with bioinspired micron-scale cracks. **2017**, 9, 1166-1173	74
1100	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. **2017**, 32, 42-49	94
1099	Nanopillar-array architectured PDMS-based triboelectric nanogenerator integrated with a windmill model for effective wind energy harvesting. **2017**, 42, 269-281	93
1098	Digitalized self-powered strain gauge for static and dynamic measurement. **2017**, 42, 129-137	22
1097	A highly flexible and sensitive piezoresistive sensor based on MXene with greatly changed interlayer distances. **2017**, 8, 1207	378
1096	Toward large-scale fabrication of triboelectric nanogenerator (TENG) with silk-fibroin patches film via spray-coating process. **2017**, 41, 359-366	65
1095	A new approach for ultrahigh-performance piezoresistive sensor based on wrinkled PPy film with electrospun PVA nanowires as spacer. **2017**, 41, 527-534	74
1094	Wearable and visual pressure sensors based on Zn2GeO4@polypyrrole nanowire aerogels. **2017**, 5, 11018-11024	25
1093	Self-Powered Dual-Mode Amenity Sensor Based on the Water-Air Triboelectric Nanogenerator. **2017**, 11, 10337-10346	81
1092	Reviving Vibration Energy Harvesting and Self-Powered Sensing by a Triboelectric Nanogenerator. **2017**, 1, 480-521	487
1091	Nature-Inspired Structural Materials for Flexible Electronic Devices. **2017**, 117, 12893-12941	401
1090	Transparent, Flexible Cellulose Nanofibril–Phosphorene Hybrid Paper as Triboelectric Nanogenerator. **2017**, 4, 1700651	55
1089	Surface structural analysis of a friction layer for a triboelectric nanogenerator. **2017**, 42, 34-42	52

1088	Wearable triboelectric nanogenerator using a plasma-etched PDMS□CNT composite for a physical activity sensor. **2017**, 7, 48368-48373	41
1087	Improving the performance and stability of flexible pressure sensors with an air gap structure. **2017**, 7, 48354-48359	11
1086	Highly Efficient Moisture-Triggered Nanogenerator Based on Graphene Quantum Dots. **2017**, 9, 38170-38175	54
1085	Self-Powered, Paper-Based Electrochemical Devices for Sensitive Point-of-Care Testing. **2017**, 2, 1700130	35
1084	Flexible tensile strain sensor based on lead-free 0.5Ba (Ti0.8Zr0.2) O3□0.5(Ba0.7Ca0.3) TiO3 piezoelectric nanofibers. **2017**, 26, 097001	10
1083	Self-Powered Gyroscope Ball Using a Triboelectric Mechanism. **2017**, 7, 1701300	68
1082	. **2017**, 1-1	33
1081	Size effect on the output of a miniaturized triboelectric nanogenerator based on superimposed electrode layers. **2017**, 41, 128-138	19
1080	A sandpaper assisted micro-structured polydimethylsiloxane fabrication for human skin based triboelectric energy harvesting application. **2017**, 206, 150-158	75
1079	Fast charging self-powered wearable and flexible asymmetric supercapacitor power cell with fish swim bladder as an efficient natural bio-piezoelectric separator. **2017**, 40, 633-645	65
1078	Improved triboelectrification effect by bendable and slidable fish-scale-like microstructures. **2017**, 40, 646-654	23
1077	Self-powered Real-time Movement Monitoring Sensor Using Triboelectric Nanogenerator Technology. **2017**, 7, 10521	47
1076	Cellulose-Based Nanomaterials for Energy Applications. **2017**, 13, 1702240	130
1075	Surface Engineering of Graphene Composite Transparent Electrodes for High-Performance Flexible Triboelectric Nanogenerators and Self-Powered Sensors. **2017**, 9, 36017-36025	33
1074	Energy harvesting using air bubbles on hydrophobic surfaces containing embedded charges. **2017**, 206, 432-438	22
1073	Ultrasensitive triboelectric nanogenerator for weak ambient energy with rational unipolar stacking structure and low-loss power management. **2017**, 41, 351-358	16
1072	Paper-Based Bimodal Sensor for Electronic Skin Applications. **2017**, 9, 26974-26982	59
1071	A Bi-Sheath Fiber Sensor for Giant Tensile and Torsional Displacements. **2017**, 27, 1702134	68

1070	Seesaw-structured triboelectric nanogenerator for scavenging electrical energy from rotational motion of mechanical systems. **2017**, 263, 600-609	13
1069	Biocompatible and Flexible Hydrogel Diode-Based Mechanical Energy Harvesting. **2017**, 2, 1700118	17
1068	Recent progresses on flexible tactile sensors. **2017**, 1, 61-73	137
1067	Nature Degradable, Flexible, and Transparent Conductive Substrates from Green and Earth-Abundant Materials. **2017**, 7, 4936	28
1066	Self-powered, highly sensitive pressure sensor based on thin-film solar cell and pressure-responsive porous elastomer film. **2017**,	
1065	Wind-powered triboelectric energy harvester using curved flapping film array. **2017**,	2
1064	Simple and rapid fabrication of pencil-on-paper triboelectric nanogenerators with enhanced electrical performance. **2017**, 9, 13034-13041	23
1063	Solid-liquid triboelectrification in smart U-tube for multifunctional sensors. **2017**, 40, 95-106	59
1062	Flexible piezocapacitive sensors based on wrinkled microstructures: toward low-cost fabrication of pressure sensors over large areas. **2017**, 7, 39420-39426	57
1061	A wearable, fibroid, self-powered active kinematic sensor based on stretchable sheath-core structural triboelectric fibers. **2017**, 39, 673-683	53
1060	Self-Powered Electrostatic Filter with Enhanced Photocatalytic Degradation of Formaldehyde Based on Built-in Triboelectric Nanogenerators. **2017**, 11, 12411-12418	120
1059	A novel interface circuit for triboelectric nanogenerator. **2017**, 38, 105009	1
1058	Using water as a self-generated triboelectric sensor for pressure and flow rate measurement. **2017**,	0
1057	Output optimized electret nanogenerators for self-powered long-distance optical communication systems. **2017**, 9, 18529-18534	5
1056	Fully stretchable and highly durable triboelectric nanogenerators based on gold-nanosheet electrodes for self-powered human-motion detection. **2017**, 42, 300-306	92
1055	Effect of the relative permittivity of oxides on the performance of triboelectric nanogenerators. **2017**, 7, 49368-49373	56
1054	Toward the blue energy dream by triboelectric nanogenerator networks. **2017**, 39, 9-23	602
1053	Capacitive behavior of carbon nanotube thin film induced by deformed ZnO microspheres. **2017**, 28, 395101	2

1052	Triboelectric nanogenerators: providing a fundamental framework. **2017**, 10, 1801-1811	130
1051	Ultrasensitive Pressure Sensor Based on an Ultralight Sparkling Graphene Block. **2017**, 9, 22885-22892	89
1050	Chemical sintering of direct-written silver nanowire flexible electrodes under room temperature. **2017**, 28, 285703	27
1049	Triboelectric charge generation by semiconducting SnO2 film grown by atomic layer deposition. **2017**, 13, 318-323	2
1048	Self-Powered Acceleration Sensor Based on Liquid Metal Triboelectric Nanogenerator for Vibration Monitoring. **2017**, 11, 7440-7446	207
1047	An ultrathin paper-based self-powered system for portable electronics and wireless human-machine interaction. **2017**, 39, 328-336	107
1046	The elastic microstructures of inkjet printed polydimethylsiloxane as the patterned dielectric layer for pressure sensors. **2017**, 110, 261904	41
1045	Highly sensitive flexible tactile sensors based on microstructured multiwall carbon nanotube arrays. **2017**, 129, 61-64	45
1044	Wearable strain sensor made of carbonized cotton cloth. **2017**, 28, 3535-3541	26
1043	A flexible self-powered T-ZnO/PVDF/fabric electronic-skin with multi-functions of tactile-perception, atmosphere-detection and self-clean. **2017**, 31, 37-48	123
1042	Advanced Mechatronics and MEMS Devices II. **2017**,	4
1041	Flexible Electronic Devices for Biomedical Applications. **2017**, 341-366	3
1040	MEMS Pressure-Flow-Temperature Sensor for Hydraulic Systems. **2017**, 387-420	
1039	Flexible Transparent Triboelectric Nanogenerators with Graphene and Indium Tin Oxide Electrode Structures. **2017**, 5, 599-603	7
1038	Boosting Power-Generating Performance of Triboelectric Nanogenerators via Artificial Control of Ferroelectric Polarization and Dielectric Properties. **2017**, 7, 1600988	153
1037	A power manager system with 78% efficiency for high-voltage triboelectric nanogenerators. **2017**, 60, 1	
1036	Seed layer-assisted fabrication of KNbO3 nanowires on Cu foil. **2017**, 691, 606-612	4
1035	Flash-Induced Self-Limited Plasmonic Welding of Silver Nanowire Network for Transparent Flexible Energy Harvester. **2017**, 29, 1603473	153

1034	ZnO nanostructure electrodeposited on flexible conductive fabric: A flexible photo-sensor. **2017**, 240, 1106-1113	20
1033	Morphology effect on the transferred charges in triboelectric nanogenerators: Numerical study using a finite element method. **2017**, 183, 19-25	4
1032	Remote tactile sensing system integrated with magnetic synapse. **2017**, 7, 16963	16
1031	Modeling an Impact Vibration Harvester With Triboelectric Transduction. **2017**,	
1030	Large-Scale and Flexible Self-Powered Triboelectric Tactile Sensing Array for Sensitive Robot Skin. **2017**, 9,	16
1029	Wearable Wide-Range Strain Sensors Based on Ionic Liquids and Monitoring of Human Activities. **2017**, 17,	42
1028	Healthcare in the Smart Home: A Study of Past, Present and Future. **2017**, 9, 840	37
1027	Energy Harvesting Based on Polymer. **2017**, 151-196	6
1026	Influence of MWCNTs on Phase PVDF and Triboelectric Properties. **2017**, 2017, 1-7	7
1025	Introduction. **2017**, 1-8	1
1024	Hybridized nanogenerator based on honeycomb-like three electrodes for efficient ocean wave energy harvesting. **2018**, 47, 217-223	64
1023	Conductive Nanosheets for Ultra-Conformable Smart Electronics. **2018**, 253-285	2
1022	Novel Safeguarding Tactile e-Skins for Monitoring Human Motion Based on SST/PDMS/AgNW/PET Hybrid Structures. **2018**, 28, 1707538	40
1021	A Highly Sensitive Flexible Capacitive Tactile Sensor with Sparse and High-Aspect-Ratio Microstructures. **2018**, 4, 1700586	154
1020	Triboelectric-Nanogenerator-Based Soft Energy-Harvesting Skin Enabled by Toughly Bonded Elastomer/Hydrogel Hybrids. **2018**, 12, 2818-2826	169
1019	All-in-one self-powered flexible microsystems based on triboelectric nanogenerators. **2018**, 47, 410-426	185
1018	Tailoring force sensitivity and selectivity by microstructure engineering of multidirectional electronic skins. **2018**, 10, 163-176	95
1017	Enhanced piezoelectric output of NiO/nanoporous GaN by suppression of internal carrier screening. **2018**, 33, 065007	7

1016	Triboelectric nanogenerator as a new technology for effective PM2.5 removing with zero ozone emission. **2018**, 28, 99-112		19
1015	Highly Flexible, Large-Area, and Facile Textile-Based Hybrid Nanogenerator with Cascaded Piezoelectric and Triboelectric Units for Mechanical Energy Harvesting. **2018**, 3, 1800016		47
1014	On-vehicle triboelectric nanogenerator enabled self-powered sensor for tire pressure monitoring. **2018**, 49, 126-136		59
1013	Hybridized Nanogenerators for Harvesting Vibrational Energy by Triboelectric–Piezoelectric–Electromagnetic Effects. **2018**, 3, 1800019		25
1012	Tunable-Sensitivity flexible pressure sensor based on graphene transparent electrode. **2018**, 145, 29-33		33
1011	Deformation of elastomeric pyramid pen arrays in cantilever-free scanning probe lithography. **2018**, 56, 731-738		2
1010	Flexible Ferroelectric Sensors with Ultrahigh Pressure Sensitivity and Linear Response over Exceptionally Broad Pressure Range. **2018**, 12, 4045-4054		212
1009	Inversely polarised ferroelectric polymer contact electrodes for triboelectric-like generators from identical materials. **2018**, 11, 1437-1443		28
1008	Harvesting mechanical energy, storage, and lighting using a novel PDMS based triboelectric generator with inclined wall arrays and micro-topping structure. **2018**, 213, 353-365		38
1007	Wearable and robust triboelectric nanogenerator based on crumpled gold films. **2018**, 46, 73-80		61
1006	Magnetorheological elastomers enabled high-sensitive self-powered tribo-sensor for magnetic field detection. **2018**, 10, 4745-4752		54
1005	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. **2018**, 30, e1706738		230
1004	Emerging nanogenerator technology in China: A review and forecast using integrating bibliometrics, patent analysis and technology roadmapping methods. **2018**, 46, 322-330		56
1003	Large-Area High-Performance Flexible Pressure Sensor with Carbon Nanotube Active Matrix for Electronic Skin. *Nano Letters*, **2018**, 18, 2054-2059	11.5	122
1002	Wide Range Fabrication of Wrinkle Patterns for Maximizing Surface Charge Density of a Triboelectric Nanogenerator. **2018**, 27, 106-112		21
1001	Transparent, Flexible, Conformal Capacitive Pressure Sensors with Nanoparticles. **2018**, 14, 1703432		83
1000	Triboelectric nanogenerator based on immersion precipitation derived highly porous ethyl cellulose. **2018**, 92, 1-5		20
999	Skin-inspired highly stretchable and conformable matrix networks for multifunctional sensing. **2018**, 9, 244		710

998	Layer-by-layer assembled graphene multilayers on multidimensional surfaces for highly durable, scalable, and wearable triboelectric nanogenerators. **2018**, 6, 3108-3115	44
997	Recent progress of flexible and wearable strain sensors for human-motion monitoring. **2018**, 39, 011012	66
996	Engineered and Laser-Processed Chitosan Biopolymers for Sustainable and Biodegradable Triboelectric Power Generation. **2018**, 30, 1706267	104
995	Novel piezoelectric paper based on SbSI nanowires. **2018**, 25, 7-15	23
994	Development, applications, and future directions of triboelectric nanogenerators. **2018**, 11, 2951-2969	66
993	Large-Area Direct Laser-Shock Imprinting of a 3D Biomimic Hierarchical Metal Surface for Triboelectric Nanogenerators. **2018**, 30, 1705840	70
992	Design of Mechanical Frequency Regulator for Predictable Uniform Power from Triboelectric Nanogenerators. **2018**, 8, 1702667	32
991	Recent progress of unconventional and multifunctional integrated supercapacitors. **2018**, 29, 564-570	17
990	Three-dimensional ultraflexible triboelectric nanogenerator made by 3D printing. **2018**, 45, 380-389	135
989	Fully biodegradable triboelectric nanogenerators based on electrospun polylactic acid and nanostructured gelatin films. **2018**, 45, 193-202	128
988	Coupled Supercapacitor and Triboelectric Nanogenerator Boost Biomimetic Pressure Sensor. **2018**, 8, 1702671	101
987	Flexible Single-Electrode Triboelectric Nanogenerator and Body Moving Sensor Based on Porous NaCO/Polydimethylsiloxane Film. **2018**, 10, 3652-3659	80
986	Facile fabrication of Ag nanowires for capacitive flexible pressure sensors by liquid polyol reduction method. **2018**, 5, 015041	5
985	Electret-material enhanced triboelectric energy harvesting from air flow for self-powered wireless temperature sensor network. **2018**, 271, 364-372	57
984	Noncontact Heartbeat and Respiration Monitoring Based on a Hollow Microstructured Self-Powered Pressure Sensor. **2018**, 10, 3660-3667	81
983	A multilayer thin-film screen-printed triboelectric nanogenerator. **2018**, 42, 3688-3695	11
982	Transparent and attachable ionic communicators based on self-cleanable triboelectric nanogenerators. **2018**, 9, 1804	160
981	Synthesis of ZnO rod arrays on aluminum recyclable paper and effect of the rod size on power density of eco-friendly nanogenerators. **2018**, 44, 12174-12179	7

980	Triboelectric electronic-skin based on graphene quantum dots for application in self-powered, smart, artificial fingers. **2018**, 49, 274-282	35
979	High-performance flexible triboelectric nanogenerator based on porous aerogels and electrospun nanofibers for energy harvesting and sensitive self-powered sensing. **2018**, 48, 327-336	138
978	Freestanding Triboelectric Nanogenerator Enables Noncontact Motion-Tracking and Positioning. **2018**, 12, 3461-3467	55
977	Piezoresistive effect observed in flexible amorphous carbon films. **2018**, 51, 175304	3
976	TriboMotion: A Self-Powered Triboelectric Motion Sensor in Wearable Internet of Things for Human Activity Recognition and Energy Harvesting. **2018**, 5, 4441-4453	25
975	Highly sensitive strain sensors based on fragmentized carbon nanotube/polydimethylsiloxane composites. **2018**, 29, 235501	45
974	Stretchable 3D polymer for simultaneously mechanical energy harvesting and biomimetic force sensing. **2018**, 47, 442-450	29
973	Triboelectric energy harvesting with surface-charge-fixed polymer based on ionic liquid. **2018**, 19, 317-323	20
972	Triboelectric nanogenerators with gold-thin-film-coated conductive textile as floating electrode for scavenging wind energy. **2018**, 11, 101-113	33
971	Triboelectric Nanogenerators for Mechanical Energy Harvesting. **2018**, 6, 958-997	15
970	Helical gold nanotube film as stretchable micro/nanoscale strain sensor. **2018**, 53, 2181-2192	11
969	Discharge voltage behavior of electric double-layer capacitors during high-g impact and their application to autonomously sensing high-g accelerometers. **2018**, 11, 1146-1156	13
968	Polymer nanogenerators: Opportunities and challenges for large-scale applications. **2018**, 135, 45674	53
967	Intelligent Sensing System Based on Hybrid Nanogenerator by Harvesting Multiple Clean Energy. **2018**, 20, 1700886	16
966	A review on heat and mechanical energy harvesting from human Principles, prototypes and perspectives. **2018**, 82, 3582-3609	100
965	A Water-Driven Triboelectric Generator for Electrocatalytic Wastewater Treatment. **2018**, 6, 670-676	2
964	Enhanced sensing performance of bimetallic Al/Ag-CNF network and porous PDMS-based triboelectric acetylene gas sensors in a high humidity atmosphere. **2018**, 258, 857-869	23
963	Double characteristic BNO-SPI-TENGs for robust contact electrification by vertical contact separation mode through ion and electron charge transfer. **2018**, 44, 430-437	21

962	Development of wearable and flexible insole type capacitive pressure sensor for continuous gait signal analysis. **2018**, 53, 213-220	35
961	Surface morphology effects in a vibration based triboelectric energy harvester. **2018**, 27, 015029	27
960	A self-powered brain multi-perception receptor for sensory-substitution application. **2018**, 44, 43-52	36
959	Layer-by-layer assembly-induced triboelectric nanogenerators with high and stable electric outputs in humid environments. **2018**, 44, 228-239	53
958	Core-shell nanofiber mats for tactile pressure sensor and nanogenerator applications. **2018**, 44, 248-255	142
957	Fabrication of controlled hierarchical wrinkle structures on polydimethylsiloxane via one-step C4F8plasma treatment. **2018**, 28, 015007	7
956	AgNW coated on poplar fibres for flexible capacitors. **2018**, 460, 012022	1
955	E-Skin Pressure Sensors Made by Laser Engraved PDMS Molds. **2018**, 2, 1039	6
954	Large Scale and Flexile Triboelectric Nanogenerator Based On Roll-to-roll UV Embossing Fabrication. **2018**,	
953	A double-helix-structured triboelectric nanogenerator enhanced with positive charge traps for self-powered temperature sensing and smart-home control systems. **2018**, 10, 19781-19790	28
952	Nanoridge patterns on polymeric film by a photodegradation copying method for metallic nanowire networks.. **2018**, 8, 40740-40747	4
951	Ultra-stretchable, bio-inspired ionic skins that work stably in various harsh environments. **2018**, 6, 24114-24119	45
950	Crisscross-designed piezoresistive strain sensors with a cracked microtectonic architecture for direction-selective tensile perception. **2018**, 6, 11170-11177	11
949	The Progress of PVDF as a Functional Material for Triboelectric Nanogenerators and Self-Powered Sensors. **2018**, 9,	33
948	Recent Advances in Smart Wearable Sensing Systems. **2018**, 3, 1800444	78
947	Application of Rubrene Air-Gap Transistors as Sensitive MEMS Physical Sensors. **2018**, 10, 41570-41577	9
946	Mesoporous Highly-Deformable Composite Polymer for a Gapless Triboelectric Nanogenerator via a One-Step Metal Oxidation Process. **2018**, 9,	14
945	Highly Flexible and Transparent Polyionic-Skin Triboelectric Nanogenerator for Biomechanical Motion Harvesting. **2018**, 9, 1803183	34

944	Bioinspired and bristled microparticles for ultrasensitive pressure and strain sensors. **2018**, 9, 5161	89
943	Facile and Efficient Welding of Silver Nanowires Based on UVA-Induced Nanoscale Photothermal Process for Roll-to-Roll Manufacturing of High-Performance Transparent Conducting Films. **2018**, 6, 1801635	16
942	Nature of Power Generation and Output Optimization Criteria for Triboelectric Nanogenerators. **2018**, 8, 1802190	54
941	Rapid Fabrication of Microporous BaTiO/PDMS Nanocomposites for Triboelectric Nanogenerators through One-step Microwave Irradiation. **2018**, 8, 14287	26
940	Promise and Challenge of Phosphorus in Science, Technology, and Application. **2018**, 28, 1803471	49
939	Direct Electricity Generation Mediated by Molecular Interactions with Low Dimensional Carbon Materials: A Mechanistic Perspective. **2018**, 8, 1802212	26
938	Ultra-highly sensitive, low hysteretic and flexible pressure sensor based on porous MWCNTs/Ecoflex elastomer composites. **2018**, 29, 20978-20983	16
937	Towards personalized medicine: the evolution of imperceptible health-care technologies. **2018**, 20, 589-601	15
936	Triboelectric Self-Powered Wearable Flexible Patch as 3D Motion Control Interface for Robotic Manipulator. **2018**, 12, 11561-11571	118
935	Ultra-Flexible and Large-Area Textile-Based Triboelectric Nanogenerators with a Sandpaper-Induced Surface Microstructure. **2018**, 11,	19
934	Flexible pressure sensor using carbon nanotube-wrapped polydimethylsiloxane microspheres for tactile sensing. **2018**, 284, 260-265	38
933	A self-powered radio frequency (RF) transmission system based on the combination of triboelectric nanogenerator (TENG) and piezoelectric element for disaster rescue/relief. **2018**, 54, 331-340	17
932	High-Performance Resistive Pressure Sensor Based on Elastic Composite Hydrogel of Silver Nanowires and Poly(ethylene glycol). **2018**, 9,	5
931	Enhanced output power of a freestanding ball-based triboelectric generator through the electrophorus effect. **2018**, 6, 18518-18524	2
930	High-performance and cost-effective triboelectric nanogenerators by sandpaper-assisted micropatterned polytetrafluoroethylene. **2018**, 165, 677-684	28
929	Washable textile-structured single-electrode triboelectric nanogenerator for self-powered wearable electronics. **2018**, 6, 19143-19150	93
928	A self-improving triboelectric nanogenerator with improved charge density and increased charge accumulation speed. **2018**, 9, 3773	121
927	Highly Surface-Embossed Polydimethylsiloxane-Based Triboelectric Nanogenerators with Hierarchically Nanostructured Conductive Ni-Cu Fabrics. **2018**, 10, 33221-33229	26

926	Electric impulse spring-assisted contact separation mode triboelectric nanogenerator fabricated from polyaniline emeraldine salt and woven carbon fibers. **2018**, 53, 362-372	29
925	Insight into Cigarette Wrapper and Electroactive Polymer Based Efficient TENG as Biomechanical Energy Harvester for Smart Electronic Applications. **2018**, 1, 4963-4975	13
924	Stretchable and Wearable Triboelectric Nanogenerator Based on Kinesio Tape for Self-Powered Human Motion Sensing. **2018**, 8,	27
923	A Highly Sensitive Force Sensor with Fast Response Based on Interlocked Arrays of Indium Tin Oxide Nanosprings toward Human Tactile Perception. **2018**, 28, 1804132	26
922	Triboelectric charge density of porous and deformable fabrics made from polymer fibers. **2018**, 53, 383-390	45
921	Triboelectrification-enabled thin-film tactile matrix for self-powered high-resolution imaging. **2018**, 50, 497-503	24
920	3D hybrid porous Mxene-sponge network and its application in piezoresistive sensor. **2018**, 50, 79-87	264
919	Remarkably enhanced triboelectric nanogenerator based on flexible and transparent monolayer titania nanocomposite. **2018**, 50, 140-147	68
918	Flexible one-structure arched triboelectric nanogenerator based on common electrode for high efficiency energy harvesting and self-powered motion sensing. **2018**, 8, 045022	4
917	A flexible tube-based triboelectric□electromagnetic sensor for knee rehabilitation assessment. **2018**, 279, 694-704	15
916	Air-Flow-Driven Triboelectric Nanogenerators for Self-Powered Real-Time Respiratory Monitoring. **2018**, 12, 6156-6162	148
915	Self-Powered Cursor Using a Triboelectric Mechanism. **2018**, 2, 1800078	15
914	Ultrahigh-Sensitivity Piezoresistive Pressure Sensors for Detection of Tiny Pressure. **2018**, 10, 20826-20834	74
913	Flexoelectricity in dielectrics: Materials, structures and characterizations. **2018**, 08, 1830002	23
912	Disk-based triboelectric nanogenerator operated by rotational force converted from linear force by a gear system. **2018**, 50, 489-496	35
911	Flexible hemispheric microarrays of highly pressure-sensitive sensors based on breath figure method. **2018**, 10, 10691-10698	64
910	Flexible pressure sensors using highly-oriented and free-standing carbon nanotube sheets. **2018**, 139, 586-592	33
909	Microneedles integrated with a triboelectric nanogenerator: an electrically active drug delivery system. **2018**, 10, 13502-13510	25

908	Sustainable powering triboelectric nanogenerators: Approaches and the path towards efficient use. **2018**, 51, 270-285	77
907	Test bed for contact-mode triboelectric nanogenerator. **2018**, 89, 065110	4
906	Comprehensive contact analysis for vertical-contact-mode triboelectric nanogenerators with micro-/nano-textured surfaces. **2018**, 51, 241-249	32
905	Enhanced Performance of Microarchitectured PTFE-Based Triboelectric Nanogenerator via Simple Thermal Imprinting Lithography for Self-Powered Electronics. **2018**, 10, 24181-24192	40
904	Visualizing the knowledge profile on self-powered technology. **2018**, 51, 250-259	10
903	Toward a Rapid-Fabricated Triboelectric Device with a 1,3-Phosphorylated Poly(vinyl alcohol) Polymer for Water Turbulence Energy Harvesting. **2018**, 3, 8421-8428	2
902	Controlled Crumpling of Two-Dimensional Titanium Carbide (MXene) for Highly Stretchable, Bendable, Efficient Supercapacitors. **2018**, 12, 8048-8059	85
901	Graphene based strain sensor with LCP substrate. **2018**, 307, 012051	1
900	A Self-Powered Six-Axis Tactile Sensor by Using Triboelectric Mechanism. **2018**, 8,	11
899	Ionic Skin with Biomimetic Dielectric Layer Templated from Calathea Zebrine Leaf. **2018**, 28, 1802343	129
898	Sandpaper-molded wearable pressure sensor for electronic skins. **2018**, 280, 205-209	27
897	Polymer tubes as carrier boats of thermosetting and powder materials based on 3D printing for triboelectric nanogenerator with microstructure. **2018**, 52, 134-141	32
896	Flexible Triboelectric Nanogenerators. **2018**, 383-423	1
895	Enhanced Power Output of a Triboelectric Nanogenerator using Poly(dimethylsiloxane) Modified with Graphene Oxide and Sodium Dodecyl Sulfate. **2018**, 10, 25263-25272	71
894	Triboelectric nanogenerators with transfer-printed arrays of hierarchically dewetted microdroplets. **2018**, 51, 588-596	7
893	Large Scale Triboelectric Nanogenerator and Self-Powered Flexible Sensor for Human Sleep Monitoring. **2018**, 18,	29
892	Self-Powered Plasmonic UV Detector, Based on Reduced Graphene Oxide/Ag Nanoparticles. **2018**, 39, 1433-1436	10
891	Integrating a Triboelectric Nanogenerator and a Zinc-Ion Battery on a Designed Flexible 3D Spacer Fabric. **2018**, 2, 1800150	54

890	Tube-based triboelectric nanogenerator for self-powered detecting blockage and monitoring air pressure. **2018**, 52, 71-77	33
889	Enhancing the output performance of hybrid nanogenerators based on Al-doped BaTiO3 composite films: a self-powered utility system for portable electronics. **2018**, 6, 16101-16110	44
888	Optimization of contact-mode triboelectric nanogeneration for high energy conversion efficiency. **2018**, 61, 1	1
887	3D printing individualized triboelectric nanogenerator with macro-pattern. **2018**, 50, 126-132	43
886	Wearable triboelectric nanogenerators based on hybridized triboelectric modes for harvesting mechanical energy.. **2018**, 8, 26243-26250	8
885	Recent progress in flexible pressure sensor arrays: from design to applications. **2018**, 6, 11878-11892	116
884	Self-Power Dynamic Sensor Based on Triboelectrification for Tilt of Direction and Angle. **2018**, 18,	7
883	Photosynthetic Bioelectronic Sensors for Touch Perception, UV-Detection, and Nanopower Generation: Toward Self-Powered E-Skins. **2018**, 30, e1802290	51
882	Hybrid nanogenerator and enhancement of water–solid contact electrification using triboelectric charge supplier. **2018**, 52, 402-407	18
881	Harvest of ocean energy by triboelectric generator technology. **2018**, 5, 031303	9
880	Transparent and flexible high power triboelectric nanogenerator with metallic nanowire-embedded tribonegative conducting polymer. **2018**, 53, 152-159	31
879	Investigation of Position Sensing and Energy Harvesting of a Flexible Triboelectric Touch Pad. **2018**, 8,	21
878	Controlling Surface Charge Generated by Contact Electrification: Strategies and Applications. **2018**, 30, e1802405	81
877	Air-Permeable and Washable Paper-Based Triboelectric Nanogenerator Based on Highly Flexible and Robust Paper Electrodes. **2018**, 3, 1800178	33
876	Nanostructured polymer-based piezoelectric and triboelectric materials and devices for energy harvesting applications. **2018**, 51, 303001	62
875	High-Performance Flexible Piezoelectric-Assisted Triboelectric Hybrid Nanogenerator via Polydimethylsiloxane-Encapsulated Nanoflower-like ZnO Composite Films for Scavenging Energy from Daily Human Activities. **2018**, 6, 8525-8535	46
874	Flexible and highly sensitive artificial electronic skin based on graphene/polyamide interlocking fabric. **2018**, 6, 6840-6846	54
873	Actively Perceiving and Responsive Soft Robots Enabled by Self-Powered, Highly Extensible, and Highly Sensitive Triboelectric Proximity- and Pressure-Sensing Skins. **2018**, 30, e1801114	180

872	Flexible ZnO-PVDF/PTFE based piezo-tribo hybrid nanogenerator. **2018**, 51, 216-222	88
871	A wet-chemistry-based hydrogel sensing platform for 2D imaging of pressure, chemicals and temperature. **2018**, 10, 13581-13588	5
870	Self-powered Flexible PDMS Channel Assisted Discrete Liquid Column Motion Based Triboelectric Nanogenerator (DLC-TENG) as Mechanical Transducer. **2019**, 6, 907-917	14
869	A highly elastic self-charging power system for simultaneously harvesting solar and mechanical energy. **2019**, 65, 103997	31
868	Triboelectric nanogenerators enabled sensing and actuation for robotics. **2019**, 65, 104005	34
867	Textile-based triboelectric nanogenerators with high-performance via optimized functional elastomer composited tribomaterials as wearable power source. **2019**, 65, 104012	29
866	Energy Scavenging and Powering E-Skin Functional Devices. **2019**, 107, 2118-2136	18
865	Fingerprint-Inspired Conducting Hierarchical Wrinkles for Energy-Harvesting E-Skin. **2019**, 29, 1903580	48
864	Hydrophobic, Structure-Tunable Cu Nanowire@Graphene Core–Shell Aerogels for Piezoresistive Pressure Sensing. **2019**, 4, 1900470	12
863	Photo-stimulated charge transfer in contact electrification coupled with plasmonic excitations. **2019**, 65, 104031	2
862	Vibration-Energy-Harvesting System: Transduction Mechanisms, Frequency Tuning Techniques, and Biomechanical Applications. **2019**, 4, 1900177	22
861	Triboelectrically boosted SERS on sea-urchin-like gold clusters facilitated by a high dielectric substrate. **2019**, 64, 103959	13
860	A flexible single-electrode-based triboelectric nanogenerator based on double-sided nanostructures. **2019**, 9, 075221	7
859	Entirely, Intrinsically, and Autonomously Self-Healable, Highly Transparent, and Superstretchable Triboelectric Nanogenerator for Personal Power Sources and Self-Powered Electronic Skins. **2019**, 29, 1904626	77
858	Linear freestanding electret generator for harvesting swinging motion energy: Optimization and experiment. **2019**, 65, 104013	16
857	A flexible triboelectric nanogenerator integrated with an artificial petal micro/nanostructure surface. **2019**, 58, SDDL02	2
856	Optimization of Electrospinning Parameters for Electrospun Nanofiber-Based Triboelectric Nanogenerators. **2019**, 6, 731-739	13
855	Transparent and stretchable bimodal triboelectric nanogenerators with hierarchical micro-nanostructures for mechanical and water energy harvesting. **2019**, 64, 103904	61

854	Hierarchically Structured Vertical Gold Nanowire Array-Based Wearable Pressure Sensors for Wireless Health Monitoring. **2019**, 11, 29014-29021	86
853	Sliding non-contact inductive nanogenerator. **2019**, 63, 103878	14
852	Enhancing the Performance of Textile Triboelectric Nanogenerators with Oblique Microrod Arrays for Wearable Energy Harvesting. **2019**, 11, 26824-26829	28
851	Flexible and Washable Poly(Ionic Liquid) Nanofibrous Membrane with Moisture Proof Pressure Sensing for Real-Life Wearable Electronics. **2019**, 11, 27200-27209	55
850	Polymer thin film adhesion utilizing the transition from surface wrinkling to delamination. **2019**, 15, 6375-6382	7
849	Modulation of surface physics and chemistry in triboelectric energy harvesting technologies. **2019**, 20, 758-773	65
848	Fe2O3 magnetic particles derived triboelectric-electromagnetic hybrid generator for zero-power consuming seismic detection. **2019**, 64, 103926	35
847	Piezoelectric-enhanced triboelectric nanogenerator fabric for biomechanical energy harvesting. **2019**, 64, 103933	37
846	Flexible capacitive pressure sensor with sensitivity and linear measuring range enhanced based on porous composite of carbon conductive paste and polydimethylsiloxane. **2019**, 30, 455501	49
845	High-Output and Bending-Tolerant Triboelectric Nanogenerator Based on an Interlocked Array of Surface-Functionalized Indium Tin Oxide Nanohelixes. **2019**, 4, 1748-1754	30
844	Amplitude-variable output characteristics of triboelectric-electret nanogenerators during multiple working cycles. **2019**, 63, 103856	7
843	Dual-Stimulus Smart Actuator and Robot Hand Based on a Vapor-Responsive PDMS Film and Triboelectric Nanogenerator. **2019**, 11, 42504-42511	17
842	Transparent and Flexible Mayan-Pyramid-based Pressure Sensor using Facile-Transferred Indium tin Oxide for Bimodal Sensor Applications. **2019**, 9, 14040	10
841	Enhancing the Output Performance of Triboelectric Nanogenerator via Grating-Electrode-Enabled Surface Plasmon Excitation. **2019**, 9, 1902725	23
840	Omnidirectional Strain-Independent Organic Transistors Integrated onto an Elastomer Template with a Spontaneously Formed Fingerprint-Mimicking Microtopography. **2019**, 5, 1900441	7
839	Simulation of high-output and lightweight sliding-mode triboelectric nanogenerators. **2019**, 66, 104115	7
838	Hybrid nanomanufacturing of mixed-dimensional manganese oxide/graphene aerogel macroporous hierarchy for ultralight efficient supercapacitor electrodes in self-powered ubiquitous nanosystems. **2019**, 66, 104124	22
837	Chemically functionalized cellulose nanofibrils-based gear-like triboelectric nanogenerator for energy harvesting and sensing. **2019**, 66, 104126	80

836	Unveiling Peritoneum Membrane for a Robust Triboelectric Nanogenerator. **2019**, 4, 17684-17690	6
835	Development of a highly transparent and flexible touch sensor based on triboelectric effect. **2019**, 1, 045001	18
834	. **2019**,	5
833	Self-Powered Flexible Sensor Based on the Graphene Modified P(VDF-TrFE) Electrospun Fibers for Pressure Detection. **2019**, 304, 1900504	8
832	Nighttime Reflectance Generation in the Visible Band of Satellites. **2019**, 11, 2087	11
831	Fabrication of Triboelectric Nanogenerators. **2019**, 41-57	1
830	Flexible and Ultrasensitive Piezoelectric Composites Based on Highly (00l)-Assembled BaTiO3 Microplatelets for Wearable Electronics Application. **2019**, 4, 1900689	4
829	Flexible and Stretchable Electronic Skin. **2019**, 281-303	2
828	Power Management of Triboelectric Nanogenerators. **2019**, 77-93	1
827	Extrusion printing of carbon nanotube-coated elastomer fiber with microstructures for flexible pressure sensors. **2019**, 299, 111625	12
826	Viewpoint: Atomic-Scale Design Protocols toward Energy, Electronic, Catalysis, and Sensing Applications. **2019**, 58, 14939-14980	18
825	Mo1260 Management of Acute Gastrointestinal Bleeding in Jehovah Witnesses: A Tertiary Care Bloodless Medicine Center Experience. **2019**, 156, S-737-S-738	
824	Electricity Generation from Capillary-Driven Ionic Solution Flow in a Three-Dimensional Graphene Membrane. **2019**, 11, 4922-4929	28
823	Willow-like portable triboelectric respiration sensor based on polyethylenimine-assisted CO2 capture. **2019**, 65, 103990	14
822	Flexible Pressure Sensors with Wide Linearity Range and High Sensitivity Based on Selective Laser Sintering 3D Printing. **2019**, 4, 1900679	22
821	Nano oxide intermediate layer assisted room temperature sintering of ink-jet printed silver nanoparticles pattern. **2019**, 30, 495302	3
820	Development of a Flexible Force Sensor using Additive Print Manufacturing Process. **2019**,	4
819	FeSe/carbon nanotube hybrid lithium-ion battery for harvesting energy from triboelectric nanogenerators. **2019**, 55, 10960-10963	21

818	Ionic liquid-based click-ionogels. **2019**, 5, eaax0648	113
817	Tactile Sensors for Advanced Intelligent Systems. **2019**, 1, 1900090	47
816	Strategies for ultrahigh outputs generation in triboelectric energy harvesting technologies: from fundamentals to devices. **2019**, 20, 927-936	15
815	Carbon-Nanotube-Coated 3D Microspring Force Sensor for Medical Applications. **2019**, 11, 35577-35586	18
814	Wide Range-Sensitive, Bending-Insensitive Pressure Detection and Application to Wearable Healthcare Device. **2019**,	0
813	Study on the Influence of Ferroelectric Materials on the Output Performance of Triboelectric Nanogenerators. **2019**,	
812	Performance of Self-Powered, Water-Resistant Bending Sensor Using Transverse Piezoelectric Effect of Polypropylene Ferroelectret Polymer. **2019**, 19, 10327-10335	9
811	Does Flexoelectricity Drive Triboelectricity?. **2019**, 123, 116103	38
810	Flexible and Wearable PDMS-Based Triboelectric Nanogenerator for Self-Powered Tactile Sensing. **2019**, 9,	23
809	Simulation study on piezoelectric characteristics of two-dimensional ZnO nanodiscs. **2019**, 14, 1029-1032	1
808	Core-Shell Fiber-Based 2D Woven Triboelectric Nanogenerator for Effective Motion Energy Harvesting. **2019**, 14, 311	14
807	Design and experimental analysis of a low-frequency resonant hybridized nanogenerator with a wide bandwidth and high output power density. **2019**, 66, 104122	11
806	A smart glove with integrated triboelectric nanogenerator for self-powered gesture recognition and language expression. **2019**, 20, 964-971	28
805	Enhancing charge transfer for ZnO nanorods based triboelectric nanogenerators through Ga doping. **2019**, 65, 104069	19
804	High sensitivity knitted fabric bi-directional pressure sensor based on conductive blended yarn. **2019**, 28, 035017	13
803	Nanoimprint lithography for the manufacturing of flexible electronics. **2019**, 62, 175-198	59
802	Highly fluorescent dual-emission red carbon dots and their applications in optoelectronic devices and water detection. **2019**, 43, 3050-3058	34
801	A strategy to develop highly efficient TENGs through the dielectric constant, internal resistance optimization, and surface modification. **2019**, 7, 3979-3991	40

800	Bio-Integrated Wearable Systems: A Comprehensive Review. **2019**, 119, 5461-5533	496
799	A Monocharged Electret Nanogenerator-Based Self-Powered Device for Pressure and Tactile Sensor Applications. **2019**, 29, 1807618	21
798	Emerging Technologies of Flexible Pressure Sensors: Materials, Modeling, Devices, and Manufacturing. **2019**, 29, 1808509	175
797	Magnetization-Induced Self-Assembling of Bendable Microneedle Arrays for Triboelectric Nanogenerators. **2019**, 5, 1800785	12
796	A flexible piezoresistive sensor with highly elastic weave pattern for motion detection. **2019**, 28, 035020	15
795	Progress on triboelectric nanogenerator with stretchability, self-healability and bio-compatibility. **2019**, 59, 237-257	105
794	Water droplet-driven triboelectric nanogenerator with superhydrophobic surfaces. **2019**, 58, 579-584	63
793	Power Generation from a Hybrid Generator (TENG-EMG) Run by a Thermomagnetic Engine Harnessing Low Temperature Waste Heat. **2019**, 12, 1774	13
792	Self-Powered Flexible Blood Oxygen Monitoring System Based on a Triboelectric Nanogenerator. **2019**, 9,	9
791	3D-Printed Flexible Tactile Sensor Mimicking the Texture and Sensitivity of Human Skin. **2019**, 4, 1900147	13
790	Increasing surface charge density by effective charge accumulation layer inclusion for high-performance triboelectric nanogenerators. **2019**, 9, 682-689	8
789	Flexible and Pressure-Responsive Sensors from Cellulose Fibers Coated with Multiwalled Carbon Nanotubes. **2019**, 1, 1179-1188	20
788	Highly Conducting MXene-Silver Nanowire Transparent Electrodes for Flexible Organic Solar Cells. **2019**, 11, 25330-25337	97
787	Flexible PDMS-based triboelectric nanogenerator for instantaneous force sensing and human joint movement monitoring. **2019**, 62, 1423-1432	31
786	Paper-Based Mechanical Sensors Enabled by Folding and Stacking. **2019**, 11, 26339-26345	22
785	A laser ablated graphene-based flexible self-powered pressure sensor for human gestures and finger pulse monitoring. **2019**, 12, 1789-1795	43
784	Towards optimized triboelectric nanogenerators. **2019**, 62, 530-549	54
783	A study of the charge distribution and output characteristics of an ultra-thin tribo-dielectric layer. **2019**, 62, 458-464	5

782	Micro/nano-structures-enhanced triboelectric nanogenerators by femtosecond laser direct writing. **2019**, 62, 638-644	58
781	Skin-contact actuated single-electrode protein triboelectric nanogenerator and strain sensor for biomechanical energy harvesting and motion sensing. **2019**, 62, 674-681	77
780	Multi-Layered, Hierarchical Fabric-Based Tactile Sensors with High Sensitivity and Linearity in Ultrawide Pressure Range. **2019**, 29, 1902484	73
779	Hybrid Tribo-Piezo-Electric Nanogenerator with Unprecedented Performance Based on Ferroelectric Composite Contacting Layers. **2019**, 2, 4027-4032	20
778	A flexible tactile sensor integrated with carbon black/carbon nanotube composite film and flexible printed circuit. **2019**, 58, SDDD03	1
777	Fabrication of highly homogeneous and controllable nanogratings on silicon via chemical etching-assisted femtosecond laser modification. **2019**, 8, 869-878	22
776	Treefrog Toe Pad-Inspired Micropatterning for High-Power Triboelectric Nanogenerator. **2019**, 29, 1901638	33
775	Power management and effective energy storage of pulsed output from triboelectric nanogenerator. **2019**, 61, 517-532	88
774	Ultrawide Sensing Range and Highly Sensitive Flexible Pressure Sensor Based on a Percolative Thin Film with a Knoll-like Microstructured Surface. **2019**, 11, 20500-20508	18
773	Small-Sized, Lightweight, and Flexible Triboelectric Nanogenerator Enhanced by PTFE/PDMS Nanocomposite Electret. **2019**, 11, 20370-20377	41
772	Graphene-based stretchable/wearable self-powered touch sensor. **2019**, 62, 259-267	78
771	A stretchable dual-mode sensor array for multifunctional robotic electronic skin. **2019**, 62, 164-170	84
770	Self-restoring, waterproof, tunable microstructural shape memory triboelectric nanogenerator for self-powered water temperature sensor. **2019**, 61, 584-593	72
769	Survey of energy scavenging for wearable and implantable devices. **2019**, 178, 33-49	58
768	Progress in Triboelectric Materials: Toward High Performance and Widespread Applications. **2019**, 29, 1900098	93
767	Chitosan biopolymer-derived self-powered triboelectric sensor with optimized performance through molecular surface engineering and data-driven learning. **2019**, 1, 116-125	25
766	A tunable triboelectric wideband energy harvester. **2019**, 30, 1745-1756	7
765	Improved performance of ferroelectric nanocomposite flexible film based triboelectric nanogenerator by controlling surface morphology, polarizability, and hydrophobicity. **2019**, 178, 765-771	44

764	The Rise of Fiber Electronics. **2019**, 131, 13778-13788	11
763	The Rise of Fiber Electronics. **2019**, 58, 13643-13653	48
762	Remarkable Output Power Density Enhancement of Triboelectric Nanogenerators via Polarized Ferroelectric Polymers and Bulk MoS Composites. **2019**, 13, 4640-4646	54
761	Literature Review. **2019**, 17-81	
760	Triboelectric filtering for air purification. **2019**, 30, 292001	13
759	Octopus tentacles inspired triboelectric nanogenerators for harvesting mechanical energy from highly wetted surface. **2019**, 60, 493-502	30
758	A liquid PEDOT:PSS electrode-based stretchable triboelectric nanogenerator for a portable self-charging power source. **2019**, 11, 7513-7519	39
757	Recent advance in new-generation integrated devices for energy harvesting and storage. **2019**, 60, 600-619	126
756	An Ultra-Mechanosensitive Visco-Poroelastic Polymer Ion Pump for Continuous Self-Powering Kinematic Triboelectric Nanogenerators. **2019**, 9, 1803786	38
755	All printable snow-based triboelectric nanogenerator. **2019**, 60, 17-25	27
754	E-Skin Bimodal Sensors for Robotics and Prosthesis Using PDMS Molds Engraved by Laser. **2019**, 19,	16
753	Triboelectric Energy Harvester performance enhanced by modifying the tribo-layer with cost-effective fabrication. **2019**, 6, 065514	3
752	Motion sensors achieved from a conducting polymer-metal Schottky contact.. **2019**, 9, 6576-6582	3
751	Can nanogenerators contribute to the global greening data centres?. **2019**, 60, 235-246	5
750	Triboelectric sensor as a dual system for impact monitoring and prediction of the damage in composite structures. **2019**, 60, 527-535	22
749	Quantifying the triboelectric series. **2019**, 10, 1427	567
748	Flexible Triboelectric Nanogenerator Based on Paper, PET and Aluminum. **2019**,	2
747	One-step ion beam irradiation manufacture of 3D micro/nanopatterned structures in SiC with tunable work functions. **2019**, 148, 387-393	2

746	Bifunctional Fe3O4@AuNWs particle as wearable bending and strain sensor. **2019**, 104, 98-104	14
745	A fully packed water-proof, humidity resistant triboelectric nanogenerator for transmitting Morse code. **2019**, 60, 850-856	60
744	A Path Beyond Metal and Silicon:Polymer/Nanomaterial Composites for Stretchable Strain Sensors. **2019**, 29, 1806306	88
743	The Pathway to Intelligence: Using Stimuli-Responsive Materials as Building Blocks for Constructing Smart and Functional Systems. **2019**, 31, e1804540	105
742	Expandable microsphere-based triboelectric nanogenerators as ultrasensitive pressure sensors for respiratory and pulse monitoring. **2019**, 59, 295-301	79
741	Pure Piezoelectricity Generation by a Flexible Nanogenerator Based on Lead Zirconate Titanate Nanofibers. **2019**, 4, 2610-2617	35
740	From flexible electronics technology in the era of IoT and artificial intelligence toward future implanted body sensor networks. **2019**, 7, 031302	73
739	Flexible resistive pressure sensor with silver nanowire networks embedded in polymer using natural formation of air gap. **2019**, 174, 50-57	35
738	Simple fabrication of nanogratings using flexible polydimethylsiloxane film. **2019**, 58, 035004	
737	Nanogenerator for scavenging low frequency vibrations. **2019**, 29, 053001	23
736	Wearable high-dielectric-constant polymers with core□shell liquid metal inclusions for biomechanical energy harvesting and a self-powered user interface. **2019**, 7, 7109-7117	31
735	Humidity Sustained Wearable Pouch-Type Triboelectric Nanogenerator for Harvesting Mechanical Energy from Human Activities. **2019**, 29, 1807779	64
734	MEMS/NEMS-Enabled Energy Harvesters as Self-Powered Sensors. **2019**, 1-30	3
733	Polyimide/Graphene Nanocomposite Foam-Based Wind-Driven Triboelectric Nanogenerator for Self-Powered Pressure Sensor. **2019**, 4, 1800723	59
732	Transfer Printing and its Applications in Flexible Electronic Devices. **2019**, 9,	35
731	Integrated dielectric-electrode layer for triboelectric nanogenerator based on Cu nanowire-Mesh hybrid electrode. **2019**, 59, 120-128	19
730	Triboelectric performances of self-powered, ultra-flexible and large-area poly(dimethylsiloxane)/Ag-coated chinlon composites with a sandpaper-assisted surface microstructure. **2019**, 54, 7823-7833	6
729	High-voltage applications of the triboelectric nanogenerator□Opportunities brought by the unique energy technology. **2019**, 6, 1	12

728	Large area flexible pressure/strain sensors and arrays using nanomaterials and printing techniques. **2019**, 6, 28	25
727	Self-Powered Speed Sensor for Turbodrills Based on Triboelectric Nanogenerator. **2019**, 19,	7
726	Screen-printed soft triboelectric nanogenerator with porous PDMS and stretchable PEDOT:PSS electrode. **2019**, 40, 112601	12
725	The assembly of silk fibroin and graphene-based nanomaterials with enhanced mechanical/conductive properties and their biomedical applications. **2019**, 7, 6890-6913	18
724	A Two-Degree-of-Freedom Cantilever-Based Vibration Triboelectric Nanogenerator for Low-Frequency and Broadband Operation. **2019**, 8, 1526	6
723	Biomimetics for high-performance flexible tactile sensors and advanced artificial sensory systems. **2019**, 7, 14816-14844	33
722	Magnetic-Assisted Transparent and Flexible Percolative Composite for Highly Sensitive Piezoresistive Sensor via Hot Embossing Technology. **2019**, 11, 48331-48340	18
721	Nanotechnology Characterization Tools for Environment, Health, and Safety. **2019**,	1
720	Flexible and durable wood-based triboelectric nanogenerators for self-powered sensing in athletic big data analytics. **2019**, 10, 5147	183
719	Flexible Pressure Sensors with a Wide Detection Range Based on Self-Assembled Polystyrene Microspheres. **2019**, 19,	8
718	Large-Area Carbon Nanotube-Based Flexible Composites for Ultra-Wide Range Pressure Sensing and Spatial Pressure Mapping. **2019**, 11, 48370-48380	20
717	Highly Stretchable, Sensitive, and Transparent Strain Sensors with a Controllable In-Plane Mesh Structure. **2019**, 11, 5316-5324	27
716	Touchpoint-Tailored Ultrasensitive Piezoresistive Pressure Sensors with a Broad Dynamic Response Range and Low Detection Limit. **2019**, 11, 2551-2558	60
715	Chemically surface-engineered polydimethylsiloxane layer via plasma treatment for advancing textile-based triboelectric nanogenerators. **2019**, 57, 353-362	50
714	Triboiontronic Transistor of MoS. **2019**, 31, e1806905	54
713	The Current Development and Future Outlook of Triboelectric Nanogenerators: A Survey of Literature. **2019**, 4, 1800588	57
712	Fundamental research on the effective contact area of micro-/nano-textured surface in triboelectric nanogenerator. **2019**, 57, 41-47	57
711	Scalable nanomanufacturing and assembly of chiral-chain piezoelectric tellurium nanowires for wearable self-powered cardiovascular monitoring. **2019**, 3, 011001	12

710	Detection and measurement of impacts in composite structures using a self-powered triboelectric sensor. **2019**, 56, 443-453	24
709	Textile-Based Triboelectric Nanogenerators for Self-Powered Wearable Electronics. **2019**, 29, 1804533	103
708	Tribo-piezoelectricity in Janus transition metal dichalcogenide bilayers: A first-principles study. **2019**, 56, 33-39	37
707	Progress in textile-based triboelectric nanogenerators for smart fabrics. **2019**, 56, 16-24	82
706	Microwave-welded single-walled carbon nanotubes as suitable electrodes for triboelectric energy harvesting from biomaterials and bioproducts. **2019**, 56, 338-346	16
705	Self-powered electronic skin based on the triboelectric generator. **2019**, 56, 252-268	147
704	Electrically Responsive Materials and Devices Directly Driven by the High Voltage of Triboelectric Nanogenerators. **2019**, 29, 1806351	73
703	Angle-shaped triboelectric nanogenerator for harvesting environmental wind energy. **2019**, 56, 269-276	84
702	Mechanical energy conversion systems for triboelectric nanogenerators: Kinematic and vibrational designs. **2019**, 56, 307-321	56
701	Micro-scale to nano-scale generators for energy harvesting: Self powered piezoelectric, triboelectric and hybrid devices. **2019**, 792, 1-33	80
700	Triboelectric Nanogenerator: A Foundation of the Energy for the New Era. **2019**, 9, 1802906	592
699	Phase inversion enabled energy scavenger: A multifunctional triboelectric nanogenerator as benzene monitoring system. **2019**, 282, 590-598	27
698	Vertically aligned cyclo-phenylalanine peptide nanowire-based high-performance triboelectric energy generator. **2019**, 57, 737-745	19
697	High humidity- and contamination-resistant triboelectric nanogenerator with superhydrophobic interface. **2019**, 57, 903-910	73
696	Ingenious use of natural triboelectrification on the human body for versatile applications in walking energy harvesting and body action monitoring. **2019**, 57, 872-878	18
695	More than energy harvesting Combining triboelectric nanogenerator and flexible electronics technology for enabling novel micro-/nano-systems. **2019**, 57, 851-871	177
694	Energy autonomous electronic skin. **2019**, 3,	168
693	All-in-One Iontronic Sensing Paper. **2019**, 29, 1807343	50

692	Triboelectric Nanogenerator Driven Self-Charging and Self-Healing Flexible Asymmetric Supercapacitor Power Cell for Direct Power Generation. **2019**, 11, 5022-5036	43
691	Micropatterned elastic ionic polyacrylamide hydrogel for low-voltage capacitive and organic thin-film transistor pressure sensors. **2019**, 58, 96-104	64
690	Copper Nanowire Dispersion through an Electrostatic Dispersion Mechanism for High-Performance Flexible Transparent Conducting Films and Optoelectronic Devices. **2019**, 11, 5264-5275	12
689	High power-output mechanical energy harvester based on flexible and transparent Au nanoparticle-embedded polymer matrix. **2019**, 55, 433-440	23
688	Recent progress on textile-based triboelectric nanogenerators. **2019**, 55, 401-423	113
687	Wearable and durable triboelectric nanogenerators via polyaniline coated cotton textiles as a movement sensor and self-powered system. **2019**, 55, 305-315	70
686	Strategies to achieve high performance piezoelectric nanogenerators. **2019**, 55, 288-304	109
685	Self-Powered Tactile Sensor Array Systems Based on the Triboelectric Effect. **2019**, 29, 1806379	68
684	A Smart Knee Implant Using Triboelectric Energy Harvesters. **2019**, 28,	21
683	Self-powered flexible electronics beyond thermal limits. **2019**, 56, 531-546	51
682	A Flexible, Lightweight, and Wearable Triboelectric Nanogenerator for Energy Harvesting and Self-Powered Sensing. **2019**, 4, 1800216	24
681	Nanogenerators for wearable bioelectronics and biodevices. **2019**, 52, 023002	23
680	A flexible and highly sensitive graphene-based strain sensor for structural health monitoring. **2019**, 22, 8217-8224	20
679	High Performance Triboelectric Nanogenerator by Hot Embossing on Self-Assembled Micro-Particles. **2019**, 21, 1700957	21
678	Fiber-Based Energy Conversion Devices for Human-Body Energy Harvesting. **2020**, 32, e1902034	120
677	Investigation of the forming process under UV illumination in HfO2-based resistance random access memory with a transparent electrode. **2020**, 53, 025104	4
676	Ionic Tactile Sensors for Emerging Human-Interactive Technologies: A Review of Recent Progress. **2020**, 30, 1904532	54
675	Wnt11 preserves mitochondrial membrane potential and protects cardiomyocytes against hypoxia through paracrine signaling. **2020**, 121, 1144-1155	2

674	Nature-inspired surface topography: design and function. **2020**, 63, 1	11
673	Triboelectric nanogenerator as self-powered impact force sensor for falling object. **2020**, 20, 137-144	12
672	Electrospun nanofibers of PVDF-HFP composites containing magnetic nickel ferrite for energy harvesting application. **2020**, 239, 122257	27
671	Crafting NiCo2O4@Co9S8 nanotrees on carbon cloth as flexible pressure sensors for effectively monitoring human motion. **2020**, 10, 861-867	5
670	Dual-ion batteries: The emerging alternative rechargeable batteries. **2020**, 25, 1-32	83
669	Graphene-based fiber sensors with high stretchability and sensitivity by direct ink extrusion. **2020**, 7, 015025	11
668	A Micropillar-Assisted Versatile Strategy for Highly Sensitive and Efficient Triboelectric Energy Generation under In-Plane Stimuli. **2020**, 32, e1905539	17
667	An ambient-stable and stretchable ionic skin with multimodal sensation. **2020**, 7, 477-488	55
666	Multiscale Soft-Hard Interface Design for Flexible Hybrid Electronics. **2020**, 32, e1902278	35
665	Materials Strategies and Device Architectures of Emerging Power Supply Devices for Implantable Bioelectronics. **2020**, 16, e1902827	46
664	Highly dispersed porous polydimethylsiloxane for boosting power-generating performance of triboelectric nanogenerators. **2020**, 67, 104214	29
663	Two voltages in contact-separation triboelectric nanogenerator: From asymmetry to symmetry for maximum output. **2020**, 69, 104452	45
662	A triboelectric and pyroelectric hybrid energy harvester for recovering energy from low-grade waste fluids. **2020**, 70, 104459	37
661	A flexible, ultra-highly sensitive and stable capacitive pressure sensor with convex microarrays for motion and health monitoring. **2020**, 70, 104436	143
660	High contact surface area enhanced Al/PDMS triboelectric nanogenerator using novel overlapped microneedle arrays and its application to lighting and self-powered devices. **2020**, 508, 145310	24
659	A high-resolution flexible sensor array based on PZT nanofibers. **2020**, 31, 155503	15
658	Flexible bioelectronics for physiological signals sensing and disease treatment. **2020**, 6, 397-413	10
657	Corrosion-resistant and high-performance crumpled-platinum-based triboelectric nanogenerator for self-powered motion sensing. **2020**, 69, 104430	4

656	Oleic-acid enhanced triboelectric nanogenerator with high output performance and wear resistance. **2020**, 69, 104435	27
655	State-of-the-art and recent developments in micro/nanoscale pressure sensors for smart wearable devices and health monitoring systems. **2020**, 3, 43-52	17
654	Ultra-flexible and high-sensitive triboelectric nanogenerator as electronic skin for self-powered human physiological signal monitoring. **2020**, 69, 104437	58
653	High-output, transparent, stretchable triboelectric nanogenerator based on carbon nanotube thin film toward wearable energy harvesters. **2020**, 67, 104297	42
652	Highly Sensitive 1T-MoS2 Pressure Sensor with Wide Linearity Based on Hierarchical Microstructures of Leaf Vein as Spacer. **2020**, 6, 1900916	6
651	A new approach for an ultrasensitive tactile sensor covering an ultrawide pressure range based on the hierarchical pressure-peak effect. **2020**, 5, 541-552	27
650	Physical sensors for skin-inspired electronics. **2020**, 2, 184-211	80
649	The recent advances in self-powered medical information sensors. **2020**, 2, 212-234	55
648	Electrically conducting polyaniline smart coatings and thin films for industrial applications. **2020**, 585-617	5
647	Self-standing Substrates. **2020**,	1
646	Dynamic wear sensor array based on single-electrode triboelectric nanogenerators. **2020**, 68, 104303	6
645	Architectural design of flexible anisotropic piezoresistive composite for multiple-loading recognization. **2020**, 182, 107631	6
644	Encapsulation of enzyme by metal-organic framework for single-enzymatic biofuel cell-based self-powered biosensor. **2020**, 68, 104308	68
643	Progress in TENG technology—A journey from energy harvesting to nanoenergy and nanosystem. **2020**, 2, e12058	57
642	Energy conversion based on superhydrophobic surfaces. **2020**, 22, 25430-25444	1
641	A non-toxic triboelectric nanogenerator for baby care applications. **2020**, 8, 22745-22753	13
640	Enhanced Triboelectric Performance of Modified PDMS Nanocomposite Multilayered Nanogenerators. **2020**, 13,	15
639	Organogel electrode enables highly transparent and stretchable triboelectric nanogenerators of high power density for robust and reliable energy harvesting. **2020**, 78, 105373	15

638	Recent Progress in Pressure Sensors for Wearable Electronics: From Design to Applications. **2020**, 10, 6403	9
637	Theoretical maximum efficiency and higher power output in triboelectric nanogenerators. **2020**, 6, 2463-2475	10
636	Triboelectricity and textile structures. **2020**, 1-8	0
635	Synergetic enhancement of energy harvesting performance in triboelectric nanogenerator using ferroelectric polarization for self-powered IR signaling and body activity monitoring. **2020**, 8, 22257-22268	16
634	Toward Self-Powered Inertial Sensors Enabled by Triboelectric Effect. **2020**, 2, 3072-3087	8
633	Programmed-triboelectric nanogeneratorsÂ multi-switch regulation methodology for energy manipulation. **2020**, 78, 105241	24
632	Flexible nanofiber based triboelectric nanogenerators with high power conversion. **2020**, 162, 1428-1437	13
631	Free-Standing Triboelectric Layer-Based Full Fabric Wearable Nanogenerator for Efficient Mechanical Energy Harvesting. **2020**, 2, 3366-3372	8
630	Poly[(Butyl acrylate)-co-(butyl methacrylate)] as Transparent Tribopositive Material for High-Performance Hydrogel-Based Triboelectric Nanogenerators. **2020**, 2, 5219-5227	7
629	Emerging triboelectric nanogenerators for ocean wave energy harvesting: state of the art and future perspectives. **2020**, 13, 2657-2683	78
628	Energy-generating textiles. **2020**, 415-455	2
627	Improved Output Voltage of a Nanogenerator with 3D Fabric. **2020**, 20, 4666-4670	2
626	Photo-Curable Ion-Enhanced Fluorinated Elastomers for Pressure-Sensitive Textiles. **2020**, 2, 1900180	5
625	A novel triboelectric nanogenerator based on electrospun nanofibers and its application as a self-powered nanosensor. **2020**, 117-128	
624	Self-Powered Memory Systems. **2020**, 2, 1669-1690	10
623	Leverage Surface Chemistry for High-Performance Triboelectric Nanogenerators. **2020**, 8, 577327	21
622	Robust Triboelectric Generators by All-In-One Commercial Rubbers. **2020**, 2, 4054-4064	5
621	Recent trends of biocompatible triboelectric nanogenerators toward self-powered e-skin. **2020**, 2, e12065	19

620	A Single-Mode, Self-Adapting, and Self-Powered Mechanoreceptor Based on a Potentiometric-Triboelectric Hybridized Sensing Mechanism for Resolving Complex Stimuli. **2020**, 32, e2005970	20
619	Micro/nanofiber-based noninvasive devices for health monitoring diagnosis and rehabilitation. **2020**, 7, 041309	21
618	Hybridized Nanogenerators for Multifunctional Self-Powered Sensing: Principles, Prototypes, and Perspectives. **2020**, 23, 101813	16
617	Triboelectric Nanogenerator Powered Electrowetting-on-Dielectric Actuator for Concealed Aquatic Microbots. **2020**, 14, 15394-15402	12
616	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. **2020**, 20,	12
615	Respiration-driven triboelectric nanogenerators for biomedical applications. **2020**, 2, e12045	21
614	Enhancement of triboelectric nanogenerator output performance by laser 3D-Surface pattern method for energy harvesting application. **2020**, 78, 105205	31
613	Fabrication of composite material based nanogenerator for electricity generation enhancement of food waste by-product. **2020**, 256, 123331	3
612	Engineering Materials at the Nanoscale for Triboelectric Nanogenerators. **2020**, 1, 100142	59
611	Recent progress in the development of portable high voltage source based on triboelectric nanogenerator. **2020**, 1, 66-76	3
610	A high-output flexible triboelectric nanogenerator based on polydimethylsiloxane/three-dimensional bilayer graphene/carbon cloth composites. **2020**, 8, 17150-17155	20
609	Superhydrophobic Cellulose Paper-Based Triboelectric Nanogenerator for Water Drop Energy Harvesting. **2020**, 5, 2000454	50
608	Ink-Based Additive Nanomanufacturing of Functional Materials for Human-Integrated Smart Wearables. **2020**, 2, 2000117	9
607	Highly sensitive flexible pressure sensor based on ionic dielectric layer with hierarchical ridge microstructure. **2020**, 313, 112218	7
606	Designer patterned functional fibers via direct imprinting in thermal drawing. **2020**, 11, 3842	19
605	Toward High-Performance Triboelectric Nanogenerators by Engineering Interfaces at the Nanoscale: Looking into the Future Research Roadmap. **2020**, 5, 2000520	16
604	Modeling of a square-shape ZnO, ZnS and AlN membrane for mems capacitive pressure-sensor applications. **2020**, 11, 14	0
603	Blood Pressure Sensors: Materials, Fabrication Methods, Performance Evaluations and Future Perspectives. **2020**, 20,	13

602	Windmill-inspired hybridized triboelectric nanogenerators integrated with power management circuit for harvesting wind and acoustic energy. **2020**, 78, 105244	28
601	Recent advancements in solid-liquid triboelectric nanogenerators for energy harvesting and self-powered applications. **2020**, 12, 17663-17697	30
600	Self-powered flexible pressure sensors based on nanopatterned polymer films. **2020**, 40, 629-635	2
599	Enhancing the triboelectricity of stretchable electrospun piezoelectric polyvinylidene fluoride/boron nitride nanosheets composite nanofibers. **2020**, 22, 100535	7
598	Preparation of Flexible Electrodes Based on Silver Nanoparticles-Carbon Nanotubes (AgNPs-CNTs) and Elastomer Composites for Soft Electronics. **2020**, 20, 5563-5569	
597	Dynamical charge transfer for high-performance triboelectric nanogenerators. **2020**, 1, 461-470	3
596	State of the art recent progress in two dimensional MXenes based gas sensors and biosensors: A comprehensive review. **2020**, 424, 213514	79
595	Crack-based and Hair-like Sensors Inspired from Arthropods: A Review. **2020**, 17, 867-898	7
594	Hierarchically Surface-Textured Ultrastable Hybrid Film for Large-Scale Triboelectric Nanogenerators. **2020**, 30, 2005610	15
593	Triboelectric nanogenerators based on elastic electrodes. **2020**, 12, 20118-20130	18
592	Robust Flexible Pressure Sensors Made from Conductive Micropyramids for Manipulation Tasks. **2020**, 14, 12866-12876	38
591	Enhancement of Triboelectric Charge Density by Chemical Functionalization. **2020**, 30, 2004714	63
590	Ultrahigh emissivity of grating-patterned PDMS film from 8 to 13 μm wavelength regime. **2020**, 117, 094101	22
589	Coaxial double helix structured fiber-based triboelectric nanogenerator for effectively harvesting mechanical energy. **2020**, 2, 4482-4490	7
588	Engineered Microstructure Derived Hierarchical Deformation of Flexible Pressure Sensor Induces a Supersensitive Piezoresistive Property in Broad Pressure Range. **2020**, 7, 2000154	35
587	Solar Energy Harvesting with Photosynthetic Pigment-Protein Complexes. **2020**,	0
586	A Polyimide Based Force Sensor Fabricated Using Additive Screen-Printing Process for Flexible Electronics. **2020**, 8, 207813-207821	10
585	. **2020**, 8, 222556-222561	

584	Precision Manufacturing of a Linear Fiber Assembly with Axially Varying Compositions and Structures by Using Computer Numerically Controlled Ring Spinning. **2020**, 21, 2675-2684	3
583	Modeling and Analysis of Vertical Contact Mode Triboelectric Energy Harvester. **2020**, 212, 68-80	4
582	Wireless sensors for continuous, multimodal measurements at the skin interface with lower limb prostheses. **2020**, 12,	39
581	Chemically Functionalized Cellulose Nanofibrils for Improving Triboelectric Charge Density of a Triboelectric Nanogenerator. **2020**, 8, 18678-18685	23
580	Green energy from working surfaces: a contact electrification□enabled data theft protection and monitoring smart table. **2020**, 18, 100544	15
579	Design and Optimization of Piezoresistive PEO/PEDOT:PSS Electrospun Nanofibers for Wearable Flex Sensors. **2020**, 10,	7
578	A water droplet motion energy harvester with wafer-level fabrication method. **2020**, 30, 065006	1
577	Artificial Tactile Perceptual Neuron with Nociceptive and Pressure Decoding Abilities. **2020**, 12, 26258-26266	30
576	Charge-trapping-blocking layer for enhanced triboelectric nanogenerators. **2020**, 75, 105011	42
575	Tunable ionic pressure sensor based on 3D printed ordered hierarchical mesh structure. **2020**, 308, 112012	7
574	A flexible triboelectric nanogenerator based on a super-stretchable and self-healable hydrogel as the electrode. **2020**, 12, 12753-12759	24
573	Portland Cement-TiO2 triboelectric nanogenerator for robust large-scale mechanical energy harvesting and instantaneous motion sensor applications. **2020**, 74, 104802	20
572	A high-performance transparent and flexible triboelectric nanogenerator based on hydrophobic composite films. **2020**, 75, 104918	27
571	Mechanically Asymmetrical Triboelectric Nanogenerator for Self-Powered Monitoring of In Vivo Microscale Weak Movement. **2020**, 10, 2000827	25
570	Tactile electronic skin to simultaneously detect and distinguish between temperature and pressure based on a triboelectric nanogenerator. **2020**, 75, 105073	39
569	Sensitive piezoresistive sensors using ink-modified plant fiber sponges. **2020**, 401, 126029	10
568	Dielectric control of porous polydimethylsiloxane elastomers with Au nanoparticles for enhancing the output performance of triboelectric nanogenerators.. **2020**, 10, 21309-21317	12
567	Multifunctional smart electronic skin fabricated from two-dimensional like polymer film. **2020**, 75, 105044	14

566	Tuning of Highly Dielectric Calcium Copper Titanate Nanowires To Enhance the Output Performance of a Triboelectric Nanogenerator. **2020**, 2, 1709-1715	6
565	Super Tough and Self-Healable Poly(dimethylsiloxane) Elastomer via Hydrogen Bonding Association and Its Applications as Triboelectric Nanogenerators. **2020**, 12, 31975-31983	28
564	Electrode selection rules for enhancing the performance of triboelectric nanogenerators and the role of few-layers graphene. **2020**, 76, 104989	13
563	Self-powered Biosensor Big Data Intelligent Information Processing System for Real-time Motion Monitoring. **2020**, 646, 500-506	3
562	Enhanced performances of triboelectric nanogenerators by filling hierarchical flower-like TiO particles into polymethyl methacrylate film. **2020**, 12, 14160-14170	20
561	Polymer nanocomposite meshes for flexible electronic devices. **2020**, 107, 101279	44
560	A flexible semitransparent dual-electrode hydrogel based triboelectric nanogenerator with tough interfacial bonding and high energy output. **2020**, 8, 5752-5760	16
559	A novel post-processed surface modified double-network polymer layer for a triboelectric nanogenerator. **2020**, 8, 6328-6336	14
558	Nanomaterial-based wearable pressure sensors: A minireview. **2020**, 48, 459-479	7
557	Piezo/Tribotronics Toward Smart Flexible Sensors. **2020**, 2, 1900175	18
556	Piezoelectricity Enhancement of Nanogenerators Based on PDMS and ZnSnO Nanowires through Microstructuration. **2020**, 12, 18421-18430	30
555	Sand-polished Kapton film and aluminum as source of electron transfer triboelectric nanogenerator through vertical contact separation mode. **2020**, 11, 38-46	7
554	Smart Textiles for Electricity Generation. **2020**, 120, 3668-3720	349
553	Cumulative charging behavior of water droplet driven freestanding triboelectric nanogenerators toward hydrodynamic energy harvesting. **2020**, 8, 7880-7888	30
552	Highly stretchable and strain sensitive fibers based on braid-like structure and sliver nanowires. **2020**, 19, 100610	10
551	Holistically Engineered Polymer-Polymer and Polymer-Ion Interactions in Biocompatible Polyvinyl Alcohol Blends for High-Performance Triboelectric Devices in Self-Powered Wearable Cardiovascular Monitorings. **2020**, 32, e2002878	33
550	Mechanoplastic Tribotronic Floating-Gate Neuromorphic Transistor. **2020**, 30, 2002506	42
549	High-Resolution Monolithic Integrated Tribotronic InGaZnO Thin-Film Transistor Array for Tactile Detection. **2020**, 30, 2002613	11

548	Durable, Sensitive, and Wide-Range Wearable Pressure Sensors Based on Wavy-Structured Flexible Conductive Composite Film. **2020**, 305, 2000206	14
547	High-Performance Al/PDMS TENG with Novel Complex Morphology of Two-Height Microneedles Array for High-Sensitivity Force-Sensor and Self-Powered Application. **2020**, 16, e2001209	40
546	Facile preparation of patterned silver electrodes with high conductivity, flatness and adjustable work function by laser direct writing followed by transfer process. **2020**, 530, 147237	6
545	Enhanced sensing performance of triboelectric nanosensors by solid-liquid contact electrification. **2020**, 77, 105093	18
544	Electron transfer mechanism of graphene/Cu heterostructure for improving the stability of triboelectric nanogenerators. **2020**, 70, 104540	24
543	Anisotropic nanogenerator for anticounterfeiting and information encrypted transmission. **2020**, 71, 104572	14
542	Ultrathin, Biocompatible, and Flexible Pressure Sensor with a Wide Pressure Range and Its Biomedical Application. **2020**, 5, 481-489	34
541	Meter-scale fabrication of water-driven triboelectric nanogenerator based on in-situ grown layered double hydroxides through a bottom-up approach. **2020**, 71, 104646	19
540	Enhanced output performance and stability of triboelectric nanogenerators by employing silane-based self-assembled monolayers. **2020**, 8, 4542-4548	12
539	Tailoring PEDOT properties for applications in bioelectronics. **2020**, 140, 100546	71
538	Ion Gel Capacitively Coupled Tribotronic Gating for Multiparameter Distance Sensing. **2020**, 14, 3461-3468	21
537	Ultra-Sensitive Flexible Pressure Sensor Based on Microstructured Electrode. **2020**, 20,	26
536	Flexible microcavity surface triboelectric nanogenerator for harvesting power in different operating modes. **2020**, 59, SIIJ01	1
535	. **2020**, 20, 3280-3284	2
534	A Sustainable Blue Energy Scavenging Smart Buoy toward Self-Powered Smart Fishing Net Tracker. **2020**, 8, 4120-4127	12
533	Self-driven power management system for triboelectric nanogenerators. **2020**, 71, 104642	63
532	Hydrophobic Ionic Liquid Gel-Based Triboelectric Nanogenerator: Next Generation of Ultrastable, Flexible, and Transparent Power Sources for Sustainable Electronics. **2020**, 12, 15012-15022	24
531	Bioinspired Microspines for a High-Performance Spray TiCT MXene-Based Piezoresistive Sensor. **2020**, 14, 2145-2155	162

530	A highly reliable, impervious and sustainable triboelectric nanogenerator as a zero-power consuming active pressure sensor. **2020**, 2, 746-754	41
529	Progress in achieving high-performance piezoresistive and capacitive flexible pressure sensors: A review. **2020**, 43, 175-188	89
528	Dynamical charge transfer model for high surface charge density triboelectric nanogenerators. **2020**, 70, 104513	15
527	Structurally engineered textile-based triboelectric nanogenerator for energy harvesting application. **2020**, 55, 5177-5189	12
526	Flexible and stretchable dual mode nanogenerator for rehabilitation monitoring and information interaction. **2020**, 8, 3647-3654	24
525	Tailoring all-inorganic cesium lead halide perovskites for robust triboelectric nanogenerators. **2020**, 70, 104514	24
524	Analysis of mechanical deformation effect on the voltage generation of a vertical contact mode triboelectric generator. **2020**, 30,	5
523	Stretchable Energy-Harvesting Tactile Interactive Interface with Liquid-Metal-Nanoparticle-Based Electrodes. **2020**, 30, 1909652	57
522	Ultraflexible and transparent electroluminescent skin for real-time and super-resolution imaging of pressure distribution. **2020**, 11, 663	58
521	Self-cleaning triboelectric nanogenerator based on TiO2 photocatalysis. **2020**, 70, 104499	43
520	1D Triboelectric Nanogenerator Operating by Repeatedly Stretching and as a Self-Powered Electronic Fence and Geological Monitor. **2020**, 5, 1901005	7
519	Large-Scale Smart Carpet for Self-Powered Fall Detection. **2020**, 5, 1900978	13
518	Smart Soft Actuators and Grippers Enabled by Self-Powered Tribo-Skins. **2020**, 5, 1901075	25
517	Large-Area Fabrication of High-Performance Flexible and Wearable Pressure Sensors. **2020**, 6, 1901310	27
516	A self-powered character recognition device based on a triboelectric nanogenerator. **2020**, 70, 104534	10
515	A flexible bifunctional sensor based on porous copper nanowire@IonGel composite films for high-resolution stress/deformation detection. **2020**, 8, 4081-4092	13
514	A wearable breathable pressure sensor from metal-organic framework derived nanocomposites for highly sensitive broad-range healthcare monitoring. **2020**, 70, 104560	56
513	Triboelectric nanogenerators from reused plastic: An approach for vehicle security alarming and tire motion monitoring in rover. **2020**, 19, 100625	20

512	Triboelectric-nanogenerator-integrated structural supercapacitor based on highly active P-doped branched CuMn selenide nanowires for efficient energy harvesting and storage. **2020**, 73, 104754	36
511	Research Progress and Prospect of Triboelectric Nanogenerators as Self-Powered Human Body Sensors. **2020**, 2, 863-878	45
510	An intrinsically stretchable and ultrasensitive nanofiber-based resistive pressure sensor for wearable electronics. **2020**, 8, 5361-5369	19
509	Flexible Liquid-Filled Fiber Adapter Enabled Wearable Optical Sensors. **2020**, 5, 2000079	8
508	Pulse-driven bio-triboelectric nanogenerator based on silk nanoribbons. **2020**, 74, 104837	40
507	A soft robotic finger with self-powered triboelectric curvature sensor based on multi-material 3D printing. **2020**, 73, 104772	27
506	Nanowrinkle-patterned flexible woven triboelectric nanogenerator toward self-powered wearable electronics. **2020**, 73, 104797	33
505	Low-cost, highly sensitive and stable pressure sensor based on glass fiber surfacing mat coated with graphene. **2020**, 13, 2051002	0
504	Highly Wearable, Breathable, and Washable Sensing Textile for Human Motion and Pulse Monitoring. **2020**, 12, 19965-19973	67
503	Improved performance of nanogenerator via synergetic piezo/triboelectric effects of lithium niobate microparticles embedded composite films. **2021**, 201, 108540	15
502	Enhanced performance of a cellulose nanofibrils-based triboelectric nanogenerator by tuning the surface polarizability and hydrophobicity. **2021**, 404, 126512	77
501	Ultrathin Biocompatible Electrospun Fiber Films for Self-Powered Human Motion Sensor. **2021**, 8, 855-868	12
500	A new approach for an ultra-thin piezoresistive sensor based on solidified carbon ink film. **2021**, 56, 607-614	11
499	Research methods of contact electrification: Theoretical simulation and experiment. **2021**, 79, 105501	9
498	Advances in triboelectric nanogenerators for biomedical sensing. **2021**, 171, 112714	90
497	Soft-contact cylindrical triboelectric-electromagnetic hybrid nanogenerator based on swing structure for ultra-low frequency water wave energy harvesting. **2021**, 81, 105625	55
496	Electronic Skins for Healthcare Monitoring and Smart Prostheses. **2021**, 4, 629-650	3
495	Wood-cellulose-fiber-based functional materials for triboelectric nanogenerators. **2021**, 81, 105637	48

494	Polymer chemistry underpinning materials for triboelectric nanogenerators (TENGs): Recent trends. **2021**, 142, 110163	12
493	Hybrid PDMS-TiO2-stainless steel textiles for triboelectric nanogenerators. **2021**, 417, 127974	4
492	Development of a self-powered wireless sensor node to measure the water flowrate by using a turbine flowmeter. **2021**, 13, 100327	1
491	Recent advances in cellulose-based piezoelectric and triboelectric nanogenerators for energy harvesting: a review. **2021**, 9, 1910-1937	61
490	Trampoline inspired stretchable triboelectric nanogenerators as tactile sensors for epidermal electronics. **2021**, 81, 105590	28
489	A facile and robust route to polyvinyl alcohol-based triboelectric nanogenerator containing flame-retardant polyelectrolyte with improved output performance and fire safety. **2021**, 81, 105656	13
488	Stability and temporal decay of nanopatterned tribocharge on nanotextured elastomer surfaces. **2021**, 79, 105441	0
487	Breathable, washable and wearable woven-structured triboelectric nanogenerators utilizing electrospun nanofibers for biomechanical energy harvesting and self-powered sensing. **2021**, 80, 105549	62
486	Large-Area, Flexible SnS/Paper-Based Piezoresistive Pressure Sensor for Artificial Electronic Skin Application. **2021**, 21, 5143-5150	7
485	Integrated energy storage system based on triboelectric nanogenerator in electronic devices. **2021**, 15, 238-250	54
484	Recent Progress in Flexible Microstructural Pressure Sensors toward Human-Machine Interaction and Healthcare Applications.. **2021**, 5, e2001041	29
483	Optical Micro/Nanofiber-Enabled Compact Tactile Sensor for Hardness Discrimination. **2021**, 13, 4560-4566	7
482	Self-powered flexible tactile sensors. **2021**, 245-261	
481	Self-powered nanosensors using nanogenerators. **2021**, 617-647	
480	Energy Harvesters for Wearable Electronics and Biomedical Devices. **2021**, 6, 2000771	14
479	Advances in Nanostructures for High-Performance Triboelectric Nanogenerators. **2021**, 6, 2000916	36
478	Hydrogenation of diamond nanowire surfaces for effective electrostatic charge storage. **2021**, 13, 7308-7321	2
477	Organolead halide perovskites beyond solar cells: self-powered devices and the associated progress and challenges. **2021**, 2, 5274-5299	7

476	Nanogenerators: a new paradigm in blue energy harvesting. **2021**, 171-193	2
475	Emerging beyond-graphene elemental 2D materials for energy and catalysis applications. **2021**, 50, 10983-11031	36
474	Natural silk for energy and sensing applications: a review. **2021**, 19, 2141-2155	6
473	Energy Harvesting and Storage with Soft and Stretchable Materials. **2021**, 33, e2004832	34
472	Charge trapping with ⊞FeO nanoparticles accompanied by human hair towards an enriched triboelectric series and a sustainable circular bioeconomy. **2021**, 8, 3149-3162	2
471	Air-gap embedded triboelectric nanogenerator surface modification of non-contact layer using sandpapers. **2021**, 13, 8837-8847	7
470	Characterization of a packaged triboelectric harvester under simulated gait loading for total knee replacement.. **2021**, 26, 2967-2976	3
469	Advances in self-powered triboelectric pressure sensors. **2021**, 9, 20100-20130	23
468	Materials-Related Strategies for Highly Efficient Triboelectric Energy Generators. **2021**, 11, 2003802	24
467	Acceleration Sensors: Sensing Mechanisms, Emerging Fabrication Strategies, Materials, and Applications. **2021**, 3, 504-531	7
466	Practical applications of triboelectric nanogenerators as self-powered active sensors for pressures, vibrations, and impacts. **2021**, 307-321	1
465	Expecting the unexpected: high pressure crystallization significantly boosts up triboelectric outputs of microbial polyesters. **2021**, 9, 6306-6315	0
464	Multifunctional Coaxial Energy Fiber toward Energy Harvesting, Storage, and Utilization. **2021**, 15, 1597-1607	48
463	Strong tribocatalytic dye degradation by tungsten bronze Ba4Nd2Fe2Nb8O30. **2021**, 47, 5038-5043	7
462	Electric-Field-Induced Gradient Ionogels for Highly Sensitive, Broad-Range-Response, and Freeze/Heat-Resistant Ionic Fingers. **2021**, 33, e2008486	40
461	Piezoresistive Electronic-Skin Sensors Produced With Self-Channeling Laser Microstructured Silicon Molds. **2021**, 68, 786-792	8
460	Wearable triboelectric nanogenerator based exercise system for upper limb rehabilitation post neurological injuries. **2021**, 80, 105508	18
459	High-precision optical fiber pressure sensor using frequency-modulated continuous-wave laser interference. **2021**, 11, 025038	

458	Efficient Triboelectric Nanogenerator (TENG) Output Management for Improving Charge Density and Reducing Charge Loss. **2021**, 3, 532-549	4
457	An Overview of Cellulose-Based Nanogenerators. **2021**, 6, 2001164	11
456	Skin Electronics: Next-Generation Device Platform for Virtual and Augmented Reality. **2021**, 31, 2009602	42
455	Triboelectric Nanogenerators and Hybridized Systems for Enabling Next-Generation IoT Applications. **2021**, 2021, 6849171	26
454	Functional Polymer Nanocomposite for Triboelectric Nanogenerators. **2021**, 189-210	
453	Flexible pressure sensors with microstructures. **2021**, 2, 1874	1
452	Synergetic Enhancement of Triboelectric Nanogenerators Performance Based on Patterned Membranes Fabricated by Phase-Inversion Process. **2021**, 218, 2000829	1
451	Self-assembly of superstructures at all scales. **2021**, 4, 927-941	14
450	Bioinspired mechano-photonic artificial synapse based on graphene/MoS heterostructure. **2021**, 7,	45
449	Eggshell membrane and expanded polytetrafluoroethylene piezoelectric-enhanced triboelectric bio-nanogenerators for energy harvesting. **2021**, 45, 11053-11064	9
448	Design and engineering of high-performance triboelectric nanogenerator for ubiquitous unattended devices. **2021**, 3, e12093	16
447	Production and applications of flexible/wearable triboelectric nanogenerator (TENGS). **2021**, 273, 116692	7
446	Triboelectric Rotary Motion Sensor for Industrial-Grade Speed and Angle Monitoring. **2021**, 21,	5
445	Operation of a low-temperature differential heat engine for power generation via hybrid nanogenerators. **2021**, 285, 116385	7
444	Highly Flexible, Stretchable, and Self-Powered Strain-Temperature Dual Sensor Based on Free-Standing PEDOT:PSS/Carbon Nanocoils-Poly(vinyl) Alcohol Films. **2021**, 6, 1120-1128	15
443	Further Improving the Current and Power Density of Miniaturized Microbial Fuel Cells. 7,	1
442	Endoluminal Motion Recognition of a Magnetically-Guided Capsule Endoscope Based on Capsule-Tissue Interaction Force. **2021**, 21,	1
441	Contact-electrification-activated artificial afferents at femtojoule energy. **2021**, 12, 1581	33

440	Controllable Graphene Wrinkle for a High-Performance Flexible Pressure Sensor. **2021**, 13, 20448-20458	27
439	Self-Adhesive, Stretchable, Biocompatible, and Conductive Nonvolatile Eutectogels as Wearable Conformal Strain and Pressure Sensors and Biopotential Electrodes for Precise Health Monitoring. **2021**, 13, 20735-20745	17
438	Green and stable piezoresistive pressure sensor based on lignin-silver hybrid nanoparticles/polyvinyl alcohol hydrogel. **2021**, 176, 78-86	16
437	Cellulose Paper Modified by a Zinc Oxide Nanosheet Using a ZnCl-Urea Eutectic Solvent for Novel Applications. **2021**, 11,	4
436	Electret Nanogenerators for Self-Powered, Flexible Electronic Pianos. **2021**, 13, 4142	0
435	In Situ and Intraoperative Detection of the Ureter Injury Using a Highly Sensitive Piezoresistive Sensor with a Tunable Porous Structure. **2021**, 13, 21669-21679	3
434	Design and Optimization Principles of Cylindrical Sliding Triboelectric Nanogenerators. **2021**, 12,	4
433	Moderately Transparent Chitosan-PVA Blended Membrane for Strong Mechanical Stiffness and as a Robust Bio-Material Energy Harvester Through Contact-Separation Mode TENG. **2021**, 3,	2
432	Fully elastic multilayered triboelectric energy harvester made of polymer thin films and elastic tubes.	
431	Electrical charge storage effect in carbon based polymer composite for long-term performance enhancement of the triboelectric nanogenerator. **2021**, 207, 108680	15
430	Triboelectric Nanogenerators for Therapeutic Electrical Stimulation. **2021**, 33, e2007502	37
429	Comprehensive Review on Triboelectric Nanogenerator Based Wrist Pulse Measurement: Sensor Fabrication and Diagnosis of Arterial Pressure. **2021**, 6, 1681-1694	13
428	Advanced designs for output improvement of triboelectric nanogenerator system. **2021**, 45, 93-119	28
427	Recent Applications of Different Microstructure Designs in High Performance Tactile Sensors: A Review. **2021**, 21, 10291-10303	10
426	Poly(dimethylsiloxane) for Triboelectricity: From Mechanisms to Practical Strategies. **2021**, 33, 4304-4327	10
425	Water-evaporation-induced intermolecular force for nano-wrinkled polymeric membrane. **2021**, 100441	13
424	Enhancement of output power density in a modified polytetrafluoroethylene surface using a sequential O2/Ar plasma etching for triboelectric nanogenerator applications. 1	10
423	Charge Pumping by Contact Electrification Using Electrostatic Force Microscopy in Bi- and Trilayered MoS2 Nanosheets. **2021**, 125, 12155-12165	0

422	Transparent Triboelectric Nanogenerator Based on Thermoplastic Polyurethane Films. **2021**, 21, 3072-3080	1
421	High-Linearity, Response-Range Adjustable Force Sensors Based on a Yarn/Film/Spacer Triboelectric Device Design. **2021**, 6, 2100203	6
420	Natural silk-composite enabled versatile robust triboelectric nanogenerators for smart applications. **2021**, 83, 105819	14
419	Bioinspired Energy Storage and Harvesting Devices. **2021**, 6, 2001301	3
418	Three-dimensional light-weight piezoresistive sensors based on conductive polyurethane sponges coated with hybrid CNT/CB nanoparticles. **2021**, 548, 149268	20
417	Two-dimensional oxide based pressure sensors with high sensitivity.	
416	Autonomous shock sensing using bi-stable triboelectric generators and MEMS electrostatic levitation actuators. **2021**, 30, 065019	4
415	Self-powered pressure sensor based on microfluidic triboelectric principle for human□machine interface applications. **2021**, 30, 075012	5
414	Systematic optimization of triboelectric nanogenerator performance through surface micropatterning. **2021**, 83, 105856	3
413	Fully self-powered instantaneous wireless humidity sensing system based on triboelectric nanogenerator. **2021**, 83, 105814	19
412	Enhancing the Triboelectric Nanogenerator Output by Micro Plasma Generation in a Micro-Cracked Surface Structure. **2021**, 11, 4262	4
411	Triboelectric nanogenerator based self-powered sensor for artificial intelligence. **2021**, 84, 105887	47
410	A flexible highly sensitive capacitive pressure sensor. **2021**, 324, 112629	10
409	Novel multi-walled carbon nanotubes-embedded laser-induced graphene in crosslinked architecture for highly responsive asymmetric pressure sensor. **2021**, 323, 112658	6
408	Contact electrification behaviors of micro-patterned polydimethylsiloxane. **2021**, 79, 81	0
407	Bioinspired designs and biomimetic applications of triboelectric nanogenerators. **2021**, 84, 105865	18
406	3D Ionic Networked Hydrophilic-Hydrophobic Nano Channeled Triboelectric Nanogenerators.	1
405	Dielectric Modulated Glass Fiber Fabric-Based Single Electrode Triboelectric Nanogenerator for Efficient Biomechanical Energy Harvesting. **2021**, 31, 2102431	6

404	Smart textile triboelectric nanogenerators: Current status and perspectives. **2021**, 46, 512-521	36
403	Highly Sensitive Flexible Tactile Sensor Mimicking the Microstructure Perception Behavior of Human Skin. **2021**, 13, 28538-28545	9
402	Wearable Triboelectric Strain-Insensitive Pressure Sensors Based on Hierarchical Superposition Patterns. **2021**, 6, 2411-2418	8
401	A Strategy to Reduce Air Breakdown Effect and Boost Output Energy for Contact-Separation Mode Triboelectric Nanogenerator. **2021**,	1
400	Effect of Dielectric Material and Package Stiffness on the Power Generation in a Packaged Triboelectric Energy Harvesting System for Total Knee Replacement. **2021**, 143,	4
399	Interfacial Polarization and Dual Charge Transfer Induced High Permittivity of Carbon Dots-Based Composite as Humidity-Resistant Tribomaterial for Efficient Biomechanical Energy Harvesting. **2021**, 11, 2101294	9
398	3-Dimensional Logic Motion Sensing of Polyvinylidene Fluoride for Self-Powered Flexible Interactive Electronics. **2021**,	
397	Parametric Analysis of Vertical Contact Mode Triboelectric Energy Harvester. **2022**, 1733-1744	2
396	Flexible Pressure Sensors Based on the Controlled Buckling of Doped Semiconducting Polymer Nanopillars. **2021**, 13, 37445-37454	
395	A self-powered implantable and bioresorbable electrostimulation device for biofeedback bone fracture healing. **2021**, 118,	18
394	Carbon/Silicone Nanocomposite-Enabled Soft Pressure Sensors with a Liquid-Filled Cell Structure Design for Low Pressure Measurement. **2021**, 21,	
393	Triboelectric Nanogenerator-Based Sensor Systems for Chemical or Biological Detection. **2021**, 33, e2008276	21
392	Coupling electrostatic induction and global electron circulation for constant-current triboelectric nanogenerators. **2021**, 85, 105929	3
391	Morphology-controllable wrinkled hierarchical structure and its application to superhydrophobic triboelectric nanogenerator. **2021**, 85, 105978	15
390	PI Film Laser Micro-Cutting for Quantitative Manufacturing of Contact Spacer in Flexible Tactile Sensor. **2021**, 12,	0
389	Combination of Piezoelectric and Triboelectric Devices for Robotic Self-Powered Sensors. **2021**, 12,	5
388	Mechanomaterials: A Rational Deployment of Forces and Geometries in Programming Functional Materials. **2021**, 33, e2007977	10
387	Toward Enhanced Humidity Stability of Triboelectric Mechanical Sensors via Atomic Layer Deposition. **2021**, 11,	2

386	Stretchable, Stable, and Degradable Silk Fibroin Enabled by Mesoscopic Doping for Finger Motion Triggered Color/Transmittance Adjustment. **2021**,	9
385	Triboelectric Nanogenerator with Microstructure Fabricated by 3D Lithography at Contact Interface. **2021**, 141, 254-259	
384	A ball-in-ball type self-powered magnetoelectric inertial sensor for 3D multi-angle motion monitoring of humanoid robots. **2021**, 85, 106016	5
383	Nanogenerator-based self-powered sensors for data collection. **2021**, 12, 680-693	4
382	Technology evolution from micro-scale energy harvesters to nanogenerators. **2021**, 31, 093002	25
381	Advanced cathode materials in dual-ion batteries: Progress and prospect. e2100127	1
380	A Soft Pressure Sensor Array Based on a Conducting Nanomembrane. **2021**, 12,	3
379	A new method for the electrostatic manipulation of droplet movement by triboelectric nanogenerator. **2021**, 86, 106115	5
378	Portable Mobile Gait Monitor System Based on Triboelectric Nanogenerator for Monitoring Gait and Powering Electronics. **2021**, 14, 4996	3
377	High performance temperature difference triboelectric nanogenerator. **2021**, 12, 4782	13
376	Theoretical investigation and experiment of a disc-shaped triboelectric energy harvester with a magnetic bistable mechanism. **2021**, 30, 095026	0
375	Boosted output performance of nanocellulose-based triboelectric nanogenerators via device engineering and surface functionalization. **2021**, 266, 118120	5
374	Modified organic polystyrene microspheres embedded into P(VDF-TrFE) with lotus-leaf microstructure enables high performance triboelectric nanogenerator. **2021**, 86, 106128	6
373	Performance-enhanced and cost-effective triboelectric nanogenerator based on stretchable electrode for wearable SpO2 monitoring. 1	4
372	Mixed Triboelectric and Flexoelectric Charge Transfer at the Nanoscale. **2021**, 8, e2101793	4
371	Analytical Model of Micropyramidal Capacitive Pressure Sensors and Machine-Learning-Assisted Design. 2100634	1
370	Micro-Crack Assisted Wrinkled PEDOT: PSS to Detect and Distinguish Tensile Strain and Pressure Based on a Triboelectric Nanogenerator. 2100423	1
369	Enhancement of performance of triboelectric generators by introduction of micro- and nano-structures on triboelectric films. 1	0

368	Towards the Development of Triboelectricity-Based Virus Killer Face Mask for COVID-19: Role of Different Inputs. **2022**, 269-283	0
367	Triboelectric Nanogenerators for Energy Harvesting in Ocean: A Review on Application and Hybridization. **2021**, 14, 5600	6
366	Dual-mode thermal-regulating and self-powered pressure sensing hybrid smart fibers. **2021**, 420, 129650	13
365	Hybrid Triboelectric-Electromagnetic Nanogenerators for Mechanical Energy Harvesting: A Review. **2021**, 13, 199	14
364	Self-powered skin electronics for energy harvesting and healthcare monitoring. **2021**, 21, 100786	13
363	Development progress, performance enhancement routes, and applications of paper-based triboelectric nanogenerators. **2021**, 430, 132559	1
362	Surfactant-Free GO-PLA Nanocomposite with Honeycomb Patterned Surface for High Power Antagonistic Bio-Triboelectric Nanogenerator. **2021**,	0
361	From contact electrification to triboelectric nanogenerators. **2021**, 84,	61
360	E-Skin: The Dawn of a New Era of On-Body Monitoring Systems. **2021**, 12,	3
359	Skinless porous films generated by supercritical CO2 foaming for high-performance complementary shaped triboelectric nanogenerators and self-powered sensors. **2021**, 87, 106148	9
358	Advance on flexible pressure sensors based on metal and carbonaceous nanomaterial. **2021**, 87, 106181	25
357	Flexible Layered-Graphene Charge Modulation for Highly Stable Triboelectric Nanogenerator. **2021**, 11,	5
356	Surface Engineering for Enhanced Triboelectric Nanogenerator. **2021**, 1, 58-80	10
355	PEDOT:PSS/CNT composites based ultra-stretchable thermoelectrics and their application as strain sensors. **2021**, 27, 100822	9
354	Research progress of flexible wearable pressure sensors. **2021**, 330, 112838	12
353	Fibrous self-powered sensor with high stretchability for physiological information monitoring. **2021**, 88, 106258	10
352	Spring assisted triboelectric nanogenerator based on sepiolite doped polyacrylonitrile nanofibers. **2021**, 47, 101492	1
351	Mould-Free Skin-Inspired Robust and Sensitive Flexible Pressure Sensors With Hierarchical Microstructures. **2021**, 42, 1536-1539	2

350	3D printed bidirectional rotatory hybrid nanogenerator for mechanical energy harvesting. **2021**, 88, 106250	3
349	Harmonic balance analysis of output characteristics of free-standing mode triboelectric nanogenerators. **2021**, 207, 106668	5
348	Fully wood-based green triboelectric nanogenerators. **2021**, 567, 150806	6
347	Nanogenerator-based devices for biomedical applications. **2021**, 89, 106461	14
346	A stretchable self-powered triboelectric tactile sensor with EGaIn alloy electrode for ultra-low-pressure detection. **2021**, 89, 106320	11
345	Bio-waste sunflower husks powder based recycled triboelectric nanogenerator for energy harvesting. **2021**, 7, 724-731	22
344	Self-powered AC electrokinetic microfluidic system based on triboelectric nanogenerator. **2021**, 89, 106451	4
343	Chemically tailored molecular surface modification of cellulose nanofibrils for manipulating the charge density of triboelectric nanogenerators. **2021**, 89, 106369	25
342	Multi-scale metal mesh based triboelectric nanogenerator for mechanical energy harvesting and respiratory monitoring. **2021**, 89, 106423	9
341	Stretchable polyurethane composite foam triboelectric nanogenerator with tunable microwave absorption properties at elevated temperature. **2021**, 89, 106397	7
340	A highly stretchable and breathable polyurethane fibrous membrane sensor for human motion monitoring and voice signal recognition. **2021**, 331, 112974	4
339	Photovoltaic and triboelectrification empowered light-weight flexible self-charging asymmetric supercapacitor cell for self-powered multifunctional electronics. **2021**, 151, 111595	6
338	Regulation of nanocrystals structure for high-performance magnetic triboelectric nanogenerator. **2021**, 89, 106390	3
337	Achieving a highly efficient chitosan-based triboelectric nanogenerator via adding organic proteins: Influence of morphology and molecular structure. **2021**, 89, 106430	10
336	A wind vector detecting system based on triboelectric and photoelectric sensors for simultaneously monitoring wind speed and direction. **2021**, 89, 106382	9
335	Electromechanical coupling modeling and analysis of contact-separation mode triboelectric nanogenerators. **2021**, 136, 103773	2
334	Enhanced output performance of ZnO thin film triboelectric nanogenerators by leveraging surface limited ga doping and insulting bulk. **2021**, 89, 106394	6
333	Power Generation from an Elastic Leidenfrost Hydrogel Piston Enabled Heat Engine. **2021**, 179, 121661	

332	Biomimetic-inspired highly sensitive flexible capacitive pressure sensor with high-aspect-ratio microstructures. **2021**, 31, 29-37	0
331	A capsule-structured triboelectric energy harvester with stick-slip vibration and vibro-impact. **2021**, 235, 121393	7
330	Influence of pore morphologies on the mechanical and tribo-electrical performance of polydimethylsiloxane sponge fabricated via commercial seasoning templates. **2021**, 189, 109720	1
329	Integrated and shape-adaptable multifunctional flexible triboelectric nanogenerators using coaxial direct ink writing 3D printing. **2021**, 90, 106534	3
328	Fiber-shaped stretchable triboelectric nanogenerator with a novel synergistic structure of opposite Poisson's ratios. **2022**, 427, 131698	2
327	Energy harvesting and self-powered devices in droplet microfluidics. **2022**, 361-383	
326	Research and application of flexible wearable electronics based on nanogenerator in touch sensor. **2021**, 70, 100705-100705	1
325	Laser direct writing and characterizations of flexible piezoresistive sensors with microstructures. **2021**, 4, 20006101-20006111	5
324	Performance Enhancement of Flexible Polymer Triboelectric Generator through Polarization of the Embedded Ferroelectric Polymer Layer. **2021**, 11, 1284	2
323	Recent advances in stretchable field-effect transistors.	5
322	Tactile sensor based on capacitive structure. **2021**, 31-52	1
321	Polydimethylsiloxane nanocomposite macroporous films prepared Pickering high internal phase emulsions as effective dielectrics for enhancing the performance of triboelectric nanogenerators.. **2020**, 11, 416-424	2
320	Tactile sensors based on organic field-effect transistors. **2021**, 53-66	
319	Next-generation self-powered nanosensors. **2021**, 487-515	0
318	Coupling piezoelectric and piezoresistive effects in flexible pressure sensors for human motion detection from zero to high frequency.	8
317	Droplet-based nanogenerators for energy harvesting and self-powered sensing. **2021**, 13, 17290-17309	4
316	Synthesis of fluorinated polyimide towards a transparent triboelectric nanogenerator applied on screen surface. **2021**, 9, 6583-6590	6
315	Textile triboelectric nanogenerators for self-powered biomonitoring. **2021**, 9, 19149-19178	28

314	Bioinspired Prosthetic Interfaces. **2020**, 5, 1900856	21
313	Multilevel Microstructured Flexible Pressure Sensors with Ultrahigh Sensitivity and Ultrawide Pressure Range for Versatile Electronic Skins. **2019**, 15, e1804559	95
312	Waste Mechanical Energy Harvesting (II): Nanopiezoelectric Effect. **2014**, 135-262	4
311	Soft Tactile Sensors for Human-Machine Interaction. **2015**, 317-355	2
310	Unidirectional-current triboelectric nanogenerator based on periodical lateral-cantilevers. **2020**, 74, 104770	16
309	Charge boosting and storage by tailoring rhombus all-inorganic perovskite nanoarrays for robust triboelectric nanogenerators. **2020**, 74, 104845	17
308	Diatom Bio-Silica and Cellulose Nanofibril for Bio-Triboelectric Nanogenerators and Self-Powered Breath Monitoring Masks. **2021**, 13, 219-232	20
307	Carbon nanotube/polydimethylsiloxane composite micropillar arrays using non-lithographic silicon nanowires as a template for performance enhancement of triboelectric nanogenerators. **2021**, 32, 095303	3
306	All-textile wearable triboelectric nanogenerator using pile-embroidered fibers for enhancing output power. **2020**, 29, 055026	12
305	From nanoenergy harvesting to self-powering of micro- or nano-sensors for measurements on-site or for IoT applications. **2019**,	1
304	A Highly Sensitive Mercury Ion Sensor Based on Solid-Liquid Contact Electrification. **2020**, 9, 115029	3
303	Characteristics of Voltage Multiplier Circuits Driven by Triboelectric Nanogenerators. **2018**, 07, 223-233	1
302	Literature on Wearable Technology for Connected Health: Scoping Review of Research Trends, Advances, and Barriers. **2019**, 21, e14017	77
301	Improvement of Triboelectric Efficiency using SnO2 Friction Layer for Triboelectric Generator. **2015** , 22, 321-325	1
300	Cost Effective Fabrication of a Triboelectric Energy Harvester Using Soft Lithography. **2013**, 22, 198-203	1
299	Self-Powered Acceleration Sensor Based on Multilayer Suspension Structure and TPU-RTV Film for Vibration Monitoring. **2021**, 11,	0
298	A polymer based self-powered ethanol gas sensor to eliminate the interference of ultraviolet light. **2021**, 332, 113173	1
297	Fabric-Assisted MXene/Silicone Nanocomposite-Based Triboelectric Nanogenerators for Self-Powered Sensors and Wearable Electronics. 2107143	14

296	Modeling the Triboelectric Behaviors of Elastomeric Nonwoven Fabrics. **2021**, e2106429	0
295	Super-robust self-healing superhydrophobic coating with triboelectrification induced liquid self-repellency. **2021**, 211, 110145	2
294	Porous PDMS conformable coating for high power output carbon fibers/ZnO nanorod-based triboelectric energy harvesters. **2021**, 90, 106582	2
293	Massive enhancement in power output of BoPET-paper triboelectric nanogenerator using 2D-hexagonal boron nitride nanosheets. **2021**, 90, 106628	4
292	Preparation and force-sensitive properties of carbon nanotube/polydimethylsiloxane composites films. **2014**, 63, 237306	2
291	Performance-enhanced triboelectric nanogenerator using polyimide aerogel for energy harvesting and sensing. **2018**,	1
290	Nanoparticles-Based Flexible Wearable Sensors for Health Monitoring Applications. **2019**, 245-284	
289	Self-supported Materials for Flexible/Stretchable Sensors. **2020**, 269-296	
288	Tuning the Dielectric Constant and Surface Engineering of a BaTiO/Porous PDMS Composite Film for Enhanced Triboelectric Nanogenerator Output Performance. **2021**, 6, 29765-29773	6
287	PDMS Microfabrication and Design for Microfluidics and Sustainable Energy Application: Review. **2021**, 12,	4
286	Flexible Pressure Sensor with Micro-Structure Arrays Based on PDMS and PEDOT:PSS/PUD&CNTs Composite Film with 3D Printing. **2021**, 14,	0
285	Smart Cities Pilot Projects: An IoT Perspective. **2021**, 231-255	1
284	Advanced functional materials and devices for energy conversion and storage applications. **2022**, 43-96	1
283	Photoproteins Tapping Solar Energy to Power Sensors. **2020**, 127-140	
282	Triboelectric Nanogenerators for Energy Harvesting and Sensing Applications. **2020**, 327-359	
281	Powering Healthcare IoT Sensors-Based Triboelectric Nanogenerator. **2020**, 29-51	1
280	A Mechanical Energy Writeable Ferroelectric Memory Based on PMN-35PT Single Crystal. **2020**, 75-101	
279	Review on the Recent Advances in Composite Based Highoutput Piezo-Triboelectric Energy Harvesters. **2020**, 23, 54-88	

278	All-3D-Printed, Flexible, and Hybrid Wearable Bioelectronic Tactile Sensors Using Biocompatible Nanocomposites for Health Monitoring. 2101034	3
277	Alternating Current Electroluminescent Device Powered by Triboelectric Nanogenerator with Capacitively Driven Circuit Strategy. 2106411	2
276	Application of piezoelectric nanogenerator in medicine: bio-experiment and theoretical exploration. **2014**, 6, 1300-6	3
275	Enhancement of patterned triboelectric output performance by an interfacial polymer layer for energy harvesting application. **2021**,	1
274	A stretching-insensitive, self-powered and wearable pressure sensor. **2022**, 91, 106695	5
273	Designable functional polymer nanocomposites via layer-by-layer assembly for highly deformable power-boosted triboelectric nanogenerators. **2022**, 230, 109513	3
272	A transparent electrowetting-on-dielectric device driven by triboelectric nanogenerator for extremely fast anti-fogging. **2022**, 92, 106697	4
271	Hierarchically Structured Ni-Enhanced Flexible Multiwall Carbon Nanotubes/Polydimethylsiloxane for a High-Performance Pressure Sensor. **2021**, 8, 2101362	1
270	Triboionization in Discontinuous Atmospheric Pressure Inlet for a Miniature Ion Trap Mass Spectrometer. **2021**, 93, 15897-15904	0
269	Mechano-Triboelectric Analysis of Surface Charge Generation on Replica-Molded Elastomeric Nanodomes.. **2021**, 12,	0
268	WEARABLE TEXTILE-BASED PIEZOELECTRIC NANOGENERATORS WITH GRAPHENE/ZNO/AgNW.	
267	Cellulose for Sustainable Triboelectric Nanogenerators. 2100161	6
266	Advanced triboelectric materials for liquid energy harvesting and emerging application. **2021**,	14
265	Grooved Fibers: Preparation Principles Through Electrospinning and Potential Applications. 1	12
264	Multidimensional Force Sensors Based on Triboelectric Nanogenerators for Electronic Skin. **2021**, 13, 56320-56328	5
263	Study on fabric-based triboelectric nanogenerator using graphene oxide/porous PDMS as a compound friction layer. **2021**, 106791	5
262	Yoyo-ball inspired triboelectric nanogenerators for harvesting biomechanical energy. **2022**, 308, 118322	1
261	MXene/tissue paper composites for wearable pressure sensors and thermotherapy electronics. **2022**, 743, 139054	1

260	Superwettable hybrid dielectric based multimodal triboelectric nanogenerator with superior durability and efficiency for biomechanical energy and hydropower harvesting. **2022**, 431, 134002	3
259	A robust hybrid generator for harvesting vehicle suspension vibration energy from random road excitation. **2022**, 309, 118506	0
258	Highly wearable, machine-washable, and self-cleaning fabric-based triboelectric nanogenerator for wireless drowning sensors. **2022**, 93, 106835	10
257	Scalable self-attaching/assembling robotic cluster (S2A2RC) system enabled by triboelectric sensors for in-orbit spacecraft application. **2022**, 93, 106894	1
256	Printed Capacitive Pressure Sensor with Enhanced Sensitivity through a Layered PDMS/BaTiO3 Structure. **2021**,	
255	All-electrospun performance-enhanced triboelectric nanogenerator based on the charge-storage process. **2022**, 57, 5334	2
254	Achieving Remarkable Charge Density Via Self-polarization of Polar High-k Material in Charge-excitation Triboelectric Nanogenerator.. **2022**, e2109918	12
253	Triboelectric Nanogenerators as Active Tactile Stimulators for Multifunctional Sensing and Artificial Synapses.. **2022**, 22,	1
252	Ultra-Sensitive, Deformable, and Transparent Triboelectric Tactile Sensor Based on Micro-Pyramid Patterned Ionic Hydrogel for Interactive Human-Machine Interfaces.. **2022**, e2104168	22
251	Self-Powered Artificial Mechanoreceptor Based on Triboelectrification for a Neuromorphic Tactile System.. **2022**, e2105076	6
250	Lightweight mobile stick-type water-based triboelectric nanogenerator with amplified current for portable safety devices.. **2022**, 23, 161-168	2
249	Harvesting thermal energy via tube-based triboelectric nanogenerators within an oscillating heat pipe. **2022**, 6, 693-699	0
248	Mechanical Conversion and Transmission Systems for Controlling Triboelectric Nanogenerators. **2022**, 2, 29-51	0
247	Wearable Pressure Sensors for Pulse Wave Monitoring.. **2022**, e2109357	36
246	A high-performance PDMS-based triboelectric nanogenerator fabricated using surface-modified carbon nanotubes via pulsed laser ablation. **2022**, 10, 1299-1308	8
245	Helical Fiber Strain Sensors Based on Triboelectric Nanogenerators for Self-Powered Human Respiratory Monitoring.. **2022**,	15
244	Paper-based triboelectric nanogenerator and activities of salt ions. **2022**, 4, 015002	0
243	Advances in High-Performance Autonomous Energy and Self-Powered Sensing Textiles with Novel 3D Fabric Structures.. **2022**, e2109355	15

242	Piezoelectric and magnetoelectric properties of PVDF/NiFe2O4 based electrospun nanofibers for flexible piezoelectric nanogenerators. **2022**, 36, 143-159	0
241	Textile-based moisture power generator with dual asymmetric structure and high flexibility for wearable applications. **2022**, 107017	4
240	Wearable Multi-Functional Sensing Technology for Healthcare Smart Detection.. **2022**, 13,	2
239	3D customized triboelectric nanogenerator with high performance achieved via charge-trapping effect and strain-mismatching friction. **2022**, 107051	4
238	Effects of PDMS Base/Agent Ratios and Texture Sizes on the Electrical Performance of Triboelectric Nanogenerators. 2102139	1
237	Dual-Mode Self-Powered Rainfall Sensor Based on Interfacial-Polarization-Enhanced and Nanocapacitor-Embedded FCB@PDMS Composite Film. 2101481	3
236	Output signals control of triboelectric nanogenerator with metal-dielectric-metal configuration through high resistance grounded systems. **2022**, 95, 107023	1
235	Applications of nanogenerators for biomedical engineering and healthcare systems. **2022**, 4,	13
234	DC Output Water Droplet Energy Harvester Enhanced by Triboelectric Effect.	
233	Textile-Based Moisture Power Generator with Dual Asymmetric Structure and High Flexibility for Wearable Applications.	
232	Output Signals Control of Triboelectric Nanogenerator with Metal-Dielectric-Metal Configuration Through High Resistance Grounded Systems.	
231	Interfacial Molecular Engineering for Enhanced Polarization of Negative Tribo-Materials.	
230	Current progress on power management systems for triboelectric nanogenerators. **2022**, 1-1	5
229	A low-cost flexible capacitive pressure sensor for health detection. **2022**, 1-1	1
228	Elastomeric microwell-based triboelectric nanogenerators by in situ simultaneous transfer-printing.. **2022**,	1
227	Stretchable, breathable, and highly sensitive capacitive and self-powered electronic skin based on core-shell nanofibers.. **2022**,	1
226	Bionic MEMS for Touching and Hearing Sensations: Recent Progress, Challenges, and Solutions. **2022**, 19, 590	0
225	Exploring the sputtering conditions in ZnO thin film for triboelectric nanogenerator electrode.	

224	Hydrogels as Soft Ionic Conductors in Flexible and Wearable Triboelectric Nanogenerators.. **2022**, e2106008	12
223	Revolution in Flexible Wearable Electronics for Temperature and Pressure Monitoring—A Review. **2022**, 11, 716	5
222	Elastic and Skin-Contact Triboelectric Nanogenerators and Their Applicability in Energy Harvesting and Tactile Sensing. **2022**, 4, 1124-1131	4
221	Review of the gas breakdown physics and nanomaterial-based ionization gas sensors and their applications. **2022**, 31, 033001	0
220	A flutter-driven triboelectric nanogenerator for harvesting energy of gentle breezes with a rear-fixed fluttering film. **2022**, 107197	4
219	Blood pressure monitoring via double sandwich-structured triboelectric sensors and deep learning models. 1	0
218	Integrated electronic skin (e-skin) for harvesting of TENG energy through push-pull ionic electrets and ion-ion hopping mechanism.. **2022**, 12, 3879	1
217	The effect of metal surface nanomorphology on the output performance of a TENG.. **2022**, 13, 298-312	0
216	Freestanding Translucent ZnO-Cellulose Nanocomposite Films for Ultraviolet Sensor Applications.. **2022**, 12,	0
215	Harvesting of flow current through implanted hydrophobic PTFE surface within silicone-pipe as liquid nanogenerator.. **2022**, 12, 3700	0
214	Reconfigurable Origami Transparent Cellulose Triboelectric Paper for Multi-modal Energy Harvesting. **2022**, 8,	1
213	Flexible Sensory Systems: Structural Approaches.. **2022**, 14,	2
212	Comparative study on the contact-separation mode triboelectric nanogenerator. **2022**, 116, 103685	0
211	Contact electrification property controlled by amino modification of cellulose fibers. **2022**, 29, 3195	0
210	Smart Textile Triboelectric Nanogenerators: Prospective Strategies for Improving Electricity Output Performance. **2022**, 2, 133-164	6
209	Windmill-Like Nanogenerator for Harvesting Low-Speed Wind Energy and Wind Speed Measuring. 2200006	0
208	Research on PDMS TENG of laser etch 3D structure. **2022**, 57, 6723-6733	1
207	Bioinspired sensor system for health care and human-machine interaction.	8

206	Graphene Oxide-Coated Metal-Insulator-Metal SERS Substrates for Trace Melamine Detection.. **2022**, 12,	1
205	Harvesting circuits for triboelectric nanogenerators for wearable applications.. **2022**, 25, 103977	0
204	Gigantic stimulation in response by solar irradiation in self-healable and self-powered LPG sensor based on triboelectric nanogenerator: Experimental and DFT computational study. **2022**, 359, 131573	2
203	Self-powered sensors driven by Maxwell's displacement current wirelessly provided by TENG. **2022**, 27, 101375	1
202	Synthesis of novel FeM (Co, Ni, Cu & Zn)/PDMS for magnetic actuators thin film fabrication by greener route. **2022**, 552, 169139	
201	Biodegradable silk fibroin-based bio-piezoelectric/triboelectric nanogenerators as self-powered electronic devices. **2022**, 96, 107101	4
200	Hierarchical nanofibrous mat via water-assisted electrospinning for self-powered ultrasensitive vibration sensors. **2022**, 97, 107149	4
199	Interfacial molecular engineering for enhanced polarization of negative tribo-materials. **2022**, 96, 107110	1
198	Self-powered triboelectric-mechanoluminescent electronic skin for detecting and differentiating multiple mechanical stimuli. **2022**, 96, 107115	8
197	Wearable triboelectric devices for haptic perception and VR/AR applications. **2022**, 96, 107112	4
196	Tactile tribotronic reconfigurable p-n junctions for artificial synapses. **2021**,	2
195	The comparison of triboelectric power generated by electron-donating polymers KAPTON and PDMS in contact with PET polymer. **2022**,	
194	Hydrogel-based triboelectric nanogenerators: Properties, performance, and applications. **2022**, 46, 5603-5624	2
193	Soft Bioelectronics Based on Nanomaterials.. **2021**,	11
192	Machine-Learning-Aided Self-Powered Assistive Physical Therapy Devices.. **2021**, 15, 18633-18646	14
191	Gridding Triboelectric Nanogenerator for Raindrop Energy Harvesting.. **2021**, 13, 59975-59982	2
190	Cost-effective test set-up for the real-time measurement of the triboelectric energy harvester. 107754632110564	5
189	Compressible piezoresistive pressure sensor based on Ag nanowires wrapped conductive carbonized melamine foam. **2022**, 128, 1	2

188	Stretchable Thermoelectric-Based Self-Powered Dual-Parameter Sensors with Decoupled Temperature and Strain Sensing. **2021**,	12
187	Forward polarization enhanced all-polymer based sustainable triboelectric nanogenerator from oriented electrospinning PVDF/cellulose nanofibers for energy harvesting.	3
186	Flexible Piezoelectric and Triboelectric Sensors for Energy Harvesting Applications. **2022**, 131-152	
185	Antagonistically Functionalized Diatom Biosilica for Bio-Triboelectric Generators.. **2022**, e2107638	1
184	A Hygroscopic Janus Heterojunction for Continuous Moisture-Triggered Electricity Generators.. **2022**,	1
183	Solution Printing of Electronics and Sensors: Applicability and Application in Space. 2200173	2
182	Ultra-compact triboelectric bearing based on a ribbon cage with applications for fault diagnosis of rotating machinery. **2022**, 107263	4
181	An AI-Assisted and Self-Powered Smart Robotic Gripper Based on Eco-EGaIn Nanocomposite for Pick-and-Place Operation.. **2022**, 12,	0
180	A button switch inspired duplex hydrogel sensor based on both triboelectric and piezoresistive effects for detecting dynamic and static pressure. **2022**, 5, 023002	
179	Multichannel driving triboelectric nanogenerator for enhancing the output charge density. **2022**, 98, 107272	1
178	Prebent Membrane-Based Disk-Type Triboelectric Nanogenerator Applied to Fault Diagnosis in Rotating Machinery. **2022**, 1-11	0
177	Variable Direct Electromechanical Properties of As-Electrospun Polystyrene Microfiber Mats with Different Electrospinning Conditions.. **2022**, 14,	
176	Nanogenerators-Based Self-Powered Sensors. 2200282	2
175	A New Reversible Thermosensitive Liquid-Solid TENG Based on a P(NIPAM-MMA) Copolymer for Triboelectricity Regulation and Temperature Monitoring.. **2022**, e2201442	4
174	Wearable Alignment-Free Microfiber-Based Sensor Chip for Precise Vital Signs Monitoring and Cardiovascular Assessment. **2022**, 4, 475-486	4
173	Additive-Manufactured Flexible Triboelectric Sensor Based on Porous PDMS Sponge for Highly Detecting Joint Movements. 1	
172	Recent Advancements for Improving the Performance of Triboelectric Nanogenerator Devices. **2022**, 107318	5
171	A Multi-Modal Energy Harvesting Device for Multi-Directional and Low-Frequency Wave Energy. **2022**, 9,	2

170	Improvement of Dielectric Polarization Characteristic for a Highly Sensitive Flexible Triboelectric Sensor. **2022**, 39, 357-362		
169	A Review on Epidermal Nanogenerators: Recent Progress of the Future Self-powered Skins.		
168	Band Bending and Ratcheting Explain Triboelectricity in a Flexoelectric Contact Diode.. *Nano Letters*, **2022**,	11.5	0
167	Effect of Surface Pre-Charging and Electric Field on the Contact Electrification between Liquid and Solid.		1
166	Structural and electrical dynamics of a grating-patterned triboelectric energy harvester with stick□lip oscillation and magnetic bistability. 1		0
165	High-Performance Compressible Zinc Ion Battery Based on Melamine Foam-Derived Electrodes.		2
164	Multi-dimensional, transparent and foldable cellulose-based triboelectric nanogenerator for touching password recognition. **2022**, 98, 107307		1
163	Natural lignocellulosic nanofibrils as tribonegative materials for self-powered wireless electronics. **2022**, 98, 107337		2
162	Fully nano/micro-fibrous triboelectric on-skin patch with high breathability and hydrophobicity for physiological status monitoring. **2022**, 98, 107311		4
161	A cantilever-type vibro-impact triboelectric energy harvester for wind energy harvesting. **2022**, 177, 109185		1
160	3D-printed endoplasmic reticulum rGO microstructure based self-powered triboelectric pressure sensor. **2022**, 445, 136821		3
159	DC Output Water Droplet Energy Harvester Enhanced by the Triboelectric Effect.		1
158	Micro/Nanoarrays and Their Applications in Flexible Sensors: A Review. **2022**, 100224		0
157	A Low-Cost Simple Sliding Triboelectric Nanogenerator for Harvesting Energy from Human Activities. 2200186		2
156	Interfacial structure design for triboelectric nanogenerators. 20220001		1
155	Recent Advances in Touch Sensors for Flexible Wearable Devices. **2022**, 22, 4460		5
154	Toward 3D Double-electrode Textile Triboelectric Nanogenerators for Wearable Biomechanical Energy Harvesting and Sensing. **2022**, 137491		1
153	Mechanical energy-induced charge separation in intelligent sensing. **2022**, 100952		0

152	Recent Advances in Materials for Wearable Thermoelectric Generators and Biosensing Devices. **2022**, 15, 4315	1
151	Progress of Biomechanical Energy Harvesters for Wearable Electronic Applications.	0
150	Triboelectric Nanogenerator Based on Polyimide/Boron Nitride Nanosheets/Polyimide Nanocomposite Film with Enhanced Electrical Performance.	1
149	Investigating the Performance of Triboelectric Nanogenerators (TENGs) Fabricated Using Various Flexible Polymeric Materials. **2022**,	0
148	3D micro-nanostructure based waterproof triboelectric nanogenerator as an outdoor adventure power source. **2022**, 100, 107506	3
147	Smart and autonomous (self-powered) nanosensor networks. **2022**, 105-121	
146	A High-Performance Flexible Piezoresistive Sensor Based on a Nanocellulose/Carbon-nanotube/Polyvinyl-alcohol Composite with a Wrinkled Microstructure. **2022**, 1-1	
145	Human body IoT systems based on triboelectrification effect: energy harvesting, sensing, interfacing and communication.	8
144	Promoting Maturation and Contractile Function of Neonatal Rat Ventricular Myocytes by Self-Powered Implantable Triboelectric Nanogenerator.	
143	Polysaccharide-based nanocomposites for energy-harvesting nanogenerators. **2022**, 159-180	
142	Foam Nickel-Pdms Composite Film Based Triboelectric Nanogenerator for Speed and Acceleration Sensing.	
141	High-Sensitivity Flexible Piezoresistive Pressure Sensor Using PDMS/MWNTS Nanocomposite Membrane Reinforced with Isopropanol for Pulse Detection. **2022**, 22, 4765	1
140	Parameter optimization for enhancing TENG by UV nanosecond laser direct writing and coupling. **2022**, 14, 100482	0
139	Quantifying Wetting Dynamics with Triboelectrification. 2200822	2
138	A □quare Box□Structured Triboelectric Nanogenerator for Road Transportation Monitoring. **2022**, 14, 2695	
137	Recent Progress in Sensing Technology Based on Triboelectric Nanogenerators in Dynamic Behaviors. **2022**, 22, 4837	1
136	High-voltage direct current triboelectric nanogenerator based on charge pump and air ionization for electrospinning. **2022**, 107599	0
135	Interlinked Microcone Resistive Sensors Based on Self-Assembly Carbon Nanotubes Film for Monitoring of Signals. **2022**, 12, 2325	0

134	Morphological Engineering of Sensing Materials for Flexible Pressure Sensors and Artificial Intelligence Applications. **2022**, 14,	7
133	Recent progress in the fabrication and applications of flexible capacitive and resistive pressure sensors. **2022**, 113770	2
132	Poling-Polarization-Mediated Centrosymmetric Charge-Transfer Organic-Cocrystal-Based Flexible Triboelectric Nanogenerator.	
131	Variable stiffness triboelectric nano-generator to harvest high-speed railway bridge vibration energy. **2022**, 268, 115969	1
130	Toxic micro/nano particles removal in water via triboelectric nanogenerator. **2022**, 100, 107433	1
129	Dual-Enhanced Effect of Ionic Liquid Incorporation on Improving Hybrid Harvesting Properties of Solar and Raindrop Energy. 2200664	1
128	Stretchable Ionic Conductors for Soft Electronics. 2200512	1
127	Highly Reliable Sensitive Capacitive Tactile Sensor with Spontaneous Micron-Pyramid Structures for Electronic Skins. 2200192	1
126	Triboelectric Nanogenerators for Harvesting Diverse Water Kinetic Energy. **2022**, 13, 1219	0
125	Interfacial Material Engineering for Enhancing Triboelectric Nanogenerators. **2022**, 31, 218-227	
124	Effect of cone on efficiency improvement of a self-powered IoT-based hydro turbine. **2022**, 14, 168781322211072	
123	Enhancing Drug Utilization Efficiency via Dish-Structured Triboelectric Nanogenerator. 10,	1
122	Touchless interactive teaching of soft robots through flexible bimodal sensory interfaces. **2022**, 13,	7
121	Wearable Exoskeleton System for Energy Harvesting and Angle Sensing Based on a Piezoelectric Cantilever Generator Array. **2022**, 14, 36622-36632	1
120	Emerging Iontronic Sensing: Materials, Mechanisms, and Applications. **2022**, 2022, 1-35	0
119	Robust triboelectric information-mat enhanced by multi-modality deep learning for smart home.	2
118	Mechanically Active Materials and Devices for Bio-Interfaced Pressure Sensors A Review. 2205609	2
117	Enhancement of triboelectric nanogenerators output performance by background paper-based hierarchical micro-structures for energy harvesting. **2022**, 121, 063902	

116	Flexible Pressure Sensors with Combined Spraying and Self-Diffusion of Carbon Nanotubes. **2022**, 14, 38409-38420	3
115	Recent Progresses in Wearable Triboelectric Nanogenerators. 2205438	5
114	Self-powered smart agriculture real-time sensing device based on hybrid wind energy harvesting triboelectric-electromagnetic nanogenerator. **2022**, 269, 116098	0
113	Recent advances in gas and environmental sensing: From micro/nano to the era of self-powered and artificial intelligent (AI)-enabled device. **2022**, 181, 107833	0
112	Self-powered silicon PIN neutron detector based on triboelectric nanogenerator. **2022**, 102, 107668	0
111	Facile fabrication of stretchable and multifunctional thermoelectric composite fabrics with strain-enhanced self-powered sensing performance. **2022**, 35, 101275	1
110	Preparation of gradient hydrogel for pressure sensing by combining freezing and directional diffusion processes. **2023**, 451, 138335	2
109	Reversible electrical percolation in a stretchable and self-healable silver-gradient nanocomposite bilayer. **2022**, 13,	1
108	GnPs/PVDF decorated thermoplastic veils to boost the triboelectric nanogenerator output performance toward highly efficient energy harvesting. **2022**, 270, 116204	0
107	Output optimization of biodegradable triboelectric nanogenerators. **2022**, 103, 107811	0
106	Artificial synapses enabled neuromorphic computing: From blueprints to reality. **2022**, 103, 107744	1
105	Applications of nanogenerator-based wearable devices in orthopedics. **2022**, 103, 107762	2
104	Ultra-porous cellulose nanofibril aerogel films as excellent triboelectric positive materials via direct freeze-drying of dispersion. **2022**, 103, 107832	0
103	Promoting maturation and contractile function of neonatal rat cardiomyocytes by self-powered implantable triboelectric nanogenerator. **2022**, 103, 107798	2
102	PEO-PDMS-based triboelectric nanogenerators as self-powered sensors for driver status monitoring. **2023**, 451, 138961	1
101	Self-powered broadband photodetection with mixed-phase black TiO2-assisted output boosting of a biobased triboelectric nanogenerator. **2023**, 452, 139138	1
100	Enhanced Spontaneous Self-Charging Through Scalable Template-Free Surface Engineering at Building Block Fiber Scale for Wearable Electronics.	0
99	Influence of surface functionalization on the contact electrification of fabrics. **2022**, 46, 15645-15656	0

98	Enhanced Performance of Triboelectric Nanogenerator with Micro-Rhombic Patterned PDMS for Self-Powered Wearable Sensing. **2022**, 9, 2201265	0
97	Active Deformable and Flexible Triboelectric Nanogenerator Based on Super-Light Clay. **2022**, 4, 4764-4771	0
96	Low-cost, environmentally friendly and high-performance cellulose-based triboelectric nanogenerator for self-powered human motion monitoring. **2022**, 29, 8733-8747	0
95	Electrospun P3HT/PVDF-HFP semiconductive nanofibers for triboelectric nanogenerators. **2022**, 12,	0
94	3D-printing-assisted flexible pressure sensor with concentric circles patterns and high sensitivity for health monitoring.	0
93	Enhanced Triboelectric Nanogenerator Performance Based on Mechanical Imprinting PDMS Microstructures. 2201525	0
92	Improving the Output Performance of Bacterial Cellulose-Based Triboelectric Nanogenerators by Modulating the Surface Potential in a Simple Method. **2022**, 10, 13050-13058	0
91	From Triboelectric Nanogenerator to Multifunctional Triboelectric Sensors: A Chemical Perspective toward the Interface Optimization and Device Integration. 2107222	3
90	Versatile self-assembled electrospun micropyramid arrays for high-performance on-skin devices with minimal sensory interference. **2022**, 13,	4
89	Acid- and Alkali-Resistant and High-Performance Cellulose Paper-Based Triboelectric Nanogenerator by Controlling the Surface Hydrophobicity.	0
88	High output power density owing to enhanced charge transfer in ZnO-based triboelectric nanogenerator. **2022**, 125646	1
87	A review of various single layer, bilayer, and multilayer TCO materials and their applications. **2022**, 292, 126789	2
86	Control of triboelectrification on Al metal surfaces through microstructural design. **2022**, 14, 15129-15140	0
85	Energy autonomous paper modules and functional circuits.	2
84	Self-powered Dielectrophoretic Microparticle Manipulation Platform Based on Triboelectric Nanogenerator. 2207093	0
83	Self-powered piezoelectric player-interactive patch for guitar learning assistance.	0
82	Boosting performance of triboelectric nanogenerator via polydimethylsiloxane modified with perovskite BiFeO3 nanoparticles. 1-10	0
81	Triboelectric Nanogenerators: Enhancing Performance by Increasing the Charge-Generating Layer Compressibility. 1291-1297	0

80	High-Performance and Low-Cost Overhead Projector Sheet-Based Triboelectric Nanogenerator for Self-Powered Cholesteric Liquid Crystal, Electroluminescence, and Portable Electronic Devices.	0
79	Roadmap on nanogenerators and piezotronics. **2022**, 10, 109201	0
78	All-Printed Wearable Triboelectric Nanogenerator with Ultra-Charged Electron Accumulation Polymers Based on MXene Nanoflakes. 2200819	0
77	Engineering of Nanocellulose Thin Films for Triboelectric Nanogenerator Development. **2023**, 335-366	0
76	Self-Healable Triboelectric Nanogenerators: Marriage between Self-Healing Polymer Chemistry and Triboelectric Devices. 2208372	3
75	Effect of Surface and Contact Points Modification on the Output Performance of Triboelectric Nanogenerator. **2022**, 107964	0
74	Continuously fabricated nano/micro aligned fiber based waterproof and breathable fabric triboelectric nanogenerators for self-powered sensing systems. **2022**, 104, 107885	0
73	Enhanced spontaneous self-charging through scalable template-free surface engineering at building block fiber scale for wearable electronics. **2022**, 104, 107891	0
72	Energy-from-waste: A triboelectric nanogenerator fabricated from waste polystyrene for energy harvesting and self-powered sensor. **2022**, 104, 107902	0
71	Wireless Power Transfer for Smart Knee Implants. **2022**,	0
70	High-performance flexible self-powered triboelectric pressure sensor based on chemically modified micropatterned PDMS film. **2022**, 114013	0
69	From Triboelectric Nanogenerator to Uninterrupted Power Supply System: The Key Role of Electrochemical Batteries and Supercapacitors. **2022**, 8, 215	1
68	Flexible carbon cloth-based single-electrode triboelectric nanogenerators with incorporated TiO2 nanoparticles. **2022**, 8, 15048-15056	0
67	Surface patterning strategies for performance enhancement in triboelectric nanogenerators. **2022**, 16, 100756	0
66	Electrical Energy Generation using Fish Scale of Rohu Fish by Harvesting Human Motion Mechanical Energy for Self Powered Battery-Less Devices. **2022**, 114023	0
65	Physically doped and printed elastomer films as flexible high-performance triboelectric nanogenerator for self-powered mechanoelectric sensor for recovering voice and monitoring heart rate. **2023**, 456, 141012	0
64	Stretchable conductive-ink-based wrinkled triboelectric nanogenerators for mechanical energy harvesting and self-powered signal sensing. **2023**, 27, 101286	0
63	A warm hug from a robot: A dual-mode e-skin with programming compliance. **2022**, 93, 115007	0

62	Overview of Advanced Micro-Nano Manufacturing Technologies for Triboelectric Nanogenerators. **2022**, 2, 316-343	0
61	Direct current triboelectric nanogenerators: a review. **2023**, 33, 013001	0
60	Improving Relative Permittivity and Suppressing Dielectric Loss of Triboelectric Layers for High-Performance Wearable Electricity Generation.	0
59	Multiscale in-situ quantification of the role of surface roughness and contact area using a novel Mica-PVS triboelectric nanogenerator. **2022**, 108122	0
58	Battery-Free, Wireless, Ionic Liquid Sensor Arrays to Monitor Pressure and Temperature of Patients in Bed and Wheelchair. 2205048	0
57	Piezoelectric soft robot driven by mechanical energy.	0
56	Enhanced triboelectric properties of Eu2O3-doped BaTiO3/PVDF-HFP nanofibers.	0
55	Ultrahigh current output from triboelectric nanogenerators based on UIO-66 materials for electrochemical cathodic protection. **2023**, 108195	0
54	A Washable, Permeable, and Ultrasensitive Sn-Based Textile Pressure Sensor for Health Monitoring. **2022**, 1-7	1
53	Scalable one-step wet-spinning of triboelectric fibers for large-area power and sensing textiles.	0
52	MoS2-PVDF/PDMS Based Flexible Hybrid Piezo-Triboelectric Nanogenerator for Harvesting Mechanical Energy. **2023**, 168850	0
51	Emerging Self-Powered Autonomous Sensing Triboelectric Fibers toward Future Wearable Human-Computer Interaction Devices. 2200044	0
50	Harsh Environmental-Tolerant and High-Performance Triboelectric Nanogenerator Based on Nanofiber/Microsphere Hybrid Membranes. **2023**, 16, 562	2
49	Triboelectric nanogenerator for neuromorphic electronics. **2023**, 2, 100014	0
48	A nonresonant triboelectric-electromagnetic energy harvester via a vibro-impact mechanism for low-frequency multi-directional excitations. **2023**, 107, 108123	0
47	Triboelectric nanogenerator module for circuit design and simulation. **2023**, 107, 108139	0
46	Cellulose template-based triboelectric nanogenerators for self-powered sensing at high humidity. **2023**, 108, 108196	1
45	Highly Transparent and Mechanically Robust Energy-harvestable Piezocomposite with Embedded 1D P(VDF-TrFE) Nanofibers and Single-walled Carbon Nanotubes. 2213374	0

44	Structural and electrical characterization of gold nanoparticles-based flexible triboelectric nanogenerator. **2023**, 34,	0
43	Recent progress on flexible pressure sensors based on multiple microstructures: From design to application.	0
42	Nanocavities Stabilize Charge: Surface Topology is a General Strategy For Controlling Charge Dissipation.	0
41	Leaf surface-microstructure inspired fabrication of fish gelatin-based triboelectric nanogenerator. **2023**, 109, 108231	0
40	Multiarray nanopatterned (top-down nanolithography) e-nose. **2023**, 101-124	0
39	A self-assembled molecularly triboelectronegative cellulose nanofiber material with ultrahigh contact triboelectrification for the design of green triboelectric nanogenerators.	0
38	Bioinspired MXene-Based Piezoresistive Sensor with Two-stage Enhancement for Motion Capture. 2214503	0
37	More Than Energy Harvesting in Electret Electronics-Moving toward Next-Generation Functional System. 2214859	0
36	Silicone-Based Multifunctional Thin Films with Improved Triboelectric and Sensing Performances via Chemically Interfacial Modification. **2023**, 8, 7135-7142	0
35	A High-Performance S-TENG based on the Synergistic Effect of Keratin and Calcium Chloride for Finger Activity Tracking. **2023**, 108443	0
34	Self-healing fluorinated poly(urethane urea) for mechanically and environmentally stable, high performance, and versatile fully self-healing triboelectric nanogenerators. **2023**, 108, 108243	0
33	Advances in triboelectric pressure sensors. **2023**, 355, 114331	0
32	A biocompatible, eco-friendly, and high-performance triboelectric nanogenerator based on sepiolite, bentonite, and kaolin decorated chitosan composite film. **2023**, 110, 108354	0
31	Experimental study on the effect of electrical and mechanical conditions on piezoelectric energy harvesting. **2022**,	0
30	Development and applications of electrospun nanofiber-based triboelectric nanogenerators. **2023**, 112, 108444	0
29	Molecule-Assembled Plasmonic Gold Nanoparticle Network for Piezophototronic and Human Activity Detections. **2023**, 25,	0
28	Quantification of Triboelectric Charge Density for a Solid. **2023**, 1-49	0
27	An Advanced Strategy to Enhance TENG Output: Reducing Triboelectric Charge Decay. 2209895	0

26	Recent Progress of Energy-Storage-Device-Integrated Sensing Systems. **2023**, 13, 645	0
25	Biowaste Eggshell Membranes for Bio-triboelectric Nanogenerators and Smart Sensors. **2023**, 8, 6699-6707	0
24	Surface engineering AgNW transparent conductive films for triboelectric nanogenerator and self-powered pressure sensor. **2023**, 462, 142170	0
23	Self-Powered Triboelectric Nanogenerator for Security Applications. **2023**, 14, 592	0
22	Flexible and Wearable Strain/Pressure Sensors. **2023**, 180-198	0
21	Generation of Electrical Energy Using Fish Market Waste Fish Fin from Mechanical Motion for Battery-Less Self-Powered Wearable Sensors and IoT Devices.	0
20	Enhancing the Output Performance of a Triboelectric Nanogenerator Based on Modified Polyimide and Sandwich-Structured Nanocomposite Film. **2023**, 13, 1056	0
19	Opportunities and Challenges in Power Management Systems for Triboelectric Nanogenerators. **2023**, 5, 1347-1375	0
18	Recent Progress of Biomaterials-Based Epidermal Electronics for Healthcare Monitoring and Human-Machine Interaction. **2023**, 13, 393	0
17	Towards Real-Time Blood Pressure Monitoring via High-Fidelity Iontronic Tonometric Sensors with High Sensitivity and Large Dynamic Ranges. 2202461	0
16	Advances in Ultrathin Soft Sensors, Integrated Materials, and Manufacturing Technologies for Enhanced Monitoring of Human Physiological Signals. 2201294	0
15	DNA-Nanocrystal Assemblies for Environmentally Responsive and Highly Efficient Energy Harvesting and Storage. 2206848	0
14	Recent developments in 2D materials for energy harvesting applications.	0
13	Designing and Analysis of Different Modes of Triboelectric Nanogenerator-based Sensors for IOT. **2022**,	0
12	Enhancing Surface Charge Density of Materials. **2023**, 1-26	0
11	Waste Take-out Boxes Reused in High-Performance Triboelectric Nanogenerator for Energy Harvesting and Self-Powered Sensor.	0
10	A medical waste X-ray film based triboelectric nanogenerator for self-powered devices, sensors, and smart buildings.	0
9	3D-printing-assisted flexible pressure sensor with a concentric circle pattern and high sensitivity for health monitoring. **2023**, 9,	0

8	Power Management Systems for Triboelectric Nanogenerators. **2023**, 1-34	0
7	Mechanical Systems for Triboelectric Nanogenerators. **2023**, 1-50	0
6	Recent Advances, Properties, Fabrication and Opportunities in Two-Dimensional Materials for their Potential Sustainable Applications. **2023**, 102780	0
5	Moisture-Induced Ionovoltaic Electricity Generation by Manipulating Organic□norganic Hybrid Halide Perovskites. 2259-2266	0
4	A triboelectric gait sensor system for human activity recognition and user identi□ation. **2023**, 108473	0
3	Recent advances in high-performance triboelectric nanogenerators.	0
2	Eco-Friendly Garlic Tunic□in Oxide(II) Nanoparticle Composite-Based Triboelectric Nanogenerator for Self-Powered Human Motion Monitoring.	0
1	Human Robot Interaction with Triboelectric Nanogenerator for Tactile Sensing. **2023**,	0