

CITATION REPORT

List of articles citing

Luminescent functional metal-organic frameworks

DOI: 10.1021/cr200101d

Chemical Reviews, 2012, 112, 1126-62.

Source: <https://exaly.com/paper-pdf/54315640/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2266	NbO lattice MOFs based on octahedral M(II) and ditopic pyridyl substituted diketonate ligands: structure, encapsulation and guest-driven luminescent property. 2011 , 47, 10731-3		86
2265	Two isomorphous 3-D lanthanide oxalatophosphonate frameworks based on glyphosate: syntheses, crystal structures, and luminescence properties. 2011 , 13, 6511		18
2264	Turn-on fluorescence in tetraphenylethylene-based metal-organic frameworks: an alternative to aggregation-induced emission. 2011 , 133, 20126-9		533
2263	When Cu ₄ I ₄ cubane meets Cu ₃ (pyrazolate) ₃ triangle: dynamic interplay between two classical luminophores functioning in a reversibly thermochromic coordination polymer. 2011 , 47, 12441-3		92
2262	Multi-functional magnetic, ferroelectric, and fluorescent homochiral lanthanide (Ln) ₃ amphorate compounds built on helical {Ln ₃ D ₃ } _n inorganic substructures. 2011 , 13, 6827		19
2261	Zinc(II) complexes with a versatile multitopic tetrazolate-based ligand showing various structures: impact of reaction conditions on the final product structures. 2011 , 50, 10994-1003		44
2260	Coexistent Ag ⁺ /Ag and Ag ⁺ /C interactions in three photoluminescent silver(I) coordination networks based on o-, m-, p-methylbenzoic acid. 2011 , 1006, 475-482		4
2259	Syntheses, Structures, Thermal and Photoluminescence Properties of Two Zn(II) and Cd(II) Coordination Polymers Constructed from Taurine-derived Schiff Base and 4,4'-Bipyridine Ligands. 2012 , 67, 774-782		3
2258	Deposition of Metal-Organic Frameworks by Liquid-Phase Epitaxy: The Influence of Substrate Functional Group Density on Film Orientation. 2012 , 5, 1581-1592		58
2257	Poly[bis(μ ₂ -purin-9-ido-μ ₂ -N(7):N(9))zinc]. 2012 , 68, m449		
2256	Synthesis, structures, and fluorescence of two cadmium(II) coordination polymers with a semirigid bis-benzimidazole. 2012 , 65, 2294-2303		18
2255	Urothermal synthesis of an unprecedented pillar-layered metal-organic framework. 2012 , 65, 4108-4114		9
2254	Fast capture and separation of, and luminescent probe for, pollutant chromate using a multi-functional cationic heterometal-organic framework. 2012 , 48, 8231-3		208
2253	Microporous lanthanide metal-organic frameworks. 2012 , 32, 81-100		92
2252	Bis-[(E)-3-[2-(hydroxy-imino)propanamido]-2,2-dimethylpropan-1-aminium] bis-[(E)-N-(3-amino-2,2-dimethylprop-yl)-2-(hydroxy-imino)propanamido-(2-)]bis-[(E)-N-(3-amino-2,2-dimethylprop-yl)bis-[(E)-3-[2-(hydroxy-imino)propanamido]-2,2-dimethylprop-yl]carbamate) acetonitrile disolvate. 2012 , 68, m1189-1		
2251	A two-dimensional coordination polymer containing a two-dimensional zinc-carboxylate layer constructed from helical chains: poly[(μ ₂ -benzene-1,2-dicarboxylato)zinc(II)]. 2012 , 68, m235-7		4
2250	Assembly and post-modification of a metal-organic nanotube for highly efficient catalysis. 2012 , 134, 19851-7		214

2249	Conformational locking by design: relating strain energy with luminescence and stability in rigid metal-organic frameworks. 2012 , 134, 19596-9	154
2248	Cluster-Organic Framework Materials as Heterogeneous Catalysts for High Efficient Addition Reaction of Diethylzinc to Aromatic Aldehydes. 2012 , 24, 4711-4716	111
2247	Multifunctional amino-decorated metal-organic frameworks: nonlinear-optic, ferroelectric, fluorescence sensing and photocatalytic properties. 2012 , 22, 22603	136
2246	Three new acylamide ligands formed in situ and their application in constructing metal-organic frameworks. 2012 , 14, 8418	13
2245	Construction of luminescent three-dimensional Ln(III)-Zn(II) heterometallic coordination polymers based on 2-pyridyl imidazole dicarboxylate. 2012 , 14, 8236	29
2244	A cobalt(II) metal-organic framework with all-cis 1,2,3,4,5,6-cyclohexanhexacarboxylate ligand: Synthesis, structure, and magnetic properties. 2012 , 24, 237-240	3
2243	Synthesis, structures, and luminescent properties of four new 3D lanthanide metal-organic frameworks with fluorescent whitener, 4,4'-biphenyldicarboxylate and 1,10-phenanthroline. 2012 , 24, 114-117	10
2242	Metal oxo cluster-based coordination polymers with rigid 1,4-naphthalenedicarboxylate and semirigid 1,3-di(4-pyridyl)propane ligands: syntheses, structural topologies, and luminescent properties. 2012 , 14, 7245	24
2241	Two Types of New Three-Dimensional d ⁸ Heterometallic Coordination Polymers Based on 2-(Pyridin-3-yl)-1H-Imidazole-4,5-Dicarboxylate and Oxalate Ligands: Syntheses, Structures, Luminescence, and Magnetic Properties. 2012 , 12, 4441-4449	60
2240	A luminescent nanoscale metal-organic framework with controllable morphologies for spore detection. 2012 , 48, 7377-9	133
2239	Fluorite Topology in Lanthanoid Coordination Polymers with Di- and Trimetallic Building Blocks. 2012 , 12, 4425-4430	36
2238	Charge Transfer and Exciplex Emissions from a Naphthalenediimide-Entangled Coordination Framework Accommodating Various Aromatic Guests. 2012 , 116, 26084-26090	50
2237	Two dual-emissive Zn(II) coordination polymers with tunable photoluminescence properties. 2012 , 14, 6394	28
2236	Biomimetic catalysis of a porous iron-based metal-metalloporphyrin framework. 2012 , 51, 12600-2	194
2235	Dimensionality transformation through paddlewheel reconfiguration in a flexible and porous Zn-based metal-organic framework. 2012 , 134, 20466-78	73
2234	The arylation of aldehydes with arylboronic acids using metal-organic framework Ni(HBTC)BPY as an efficient heterogeneous catalyst. 2012 , 365, 95-102	23
2233	Perfluorinated Aromatic Spacers for Sensitizing Europium(III) Centers in Dinuclear Oligomers: Better than the Best by Chemical Design?. 2012 , 124, 11464-11467	4
2232	Perfluorinated aromatic spacers for sensitizing europium(III) centers in dinuclear oligomers: better than the best by chemical design?. 2012 , 51, 11302-5	25

2231	Unusual regenerable porous metal-organic framework based on a new triple helical molecular necklace for separating organosulfur compounds. 2012 , 18, 16302-9	47
2230	Construction of three new coordination polymers based on 5-ethyltetrazole (ET) generated via in situ cycloaddition reaction. 2012 , 24, 190-194	5
2229	Hydrothermal synthesis, crystal structure, thermal and photoluminescent properties of Zn(II) and Cd(II) coordination polymers with 3-methyl-5-(pyridin-4-yl)benzoic acid. 2012 , 24, 195-199	12
2228	A novel 2-D metal-organic layer containing helical double channels based on nickel, 1,4-bis(imidazol)butane, and in situ oxalic acid ligand. 2012 , 24, 205-208	4
2227	A new 2D-3D interpenetrating polymer containing polyrotaxane- and polycatenane-like motifs: The tilt of local distortion axes for the magnetic behavior. 2012 , 25, 10-13	16
2226	A left-handed 21 helix with triple chiral components: Synthesis, luminescence and SHG response. 2012 , 24, 110-113	9
2225	A new supramolecular net based on 1D chain subunits showing unprecedented 4, 4-connected t _{cd} -4,4-C _{ccm} topology and 3-fold interpenetration. 2012 , 26, 17-19	4
2224	Porous metal-organic framework based on a macrocyclic tetracarboxylate ligand exhibiting selective CO ₂ uptake. 2012 , 14, 6115	43
2223	Riboflavin Chelated Luminescent Metal-Organic Framework: Identified by Liquid-Assisted Grinding for Large-Molecule Sensing via Chromaticity Coordinates. 2012 , 12, 3181-3190	19
2222	Deliberate design of a neutral heterometallic organic framework containing a record 25-fold interpenetrating diamondoid network. 2012 , 14, 6359	41
2221	Charge-distribution-related regioisomerism of photoresponsive metal-organic polymeric chains. 2012 , 41, 13441-6	43
2220	A structural paradigm for 3-periodic semiregular (4(6).6(9))-h _{xg} net with high-symmetry hexagonal geometry, constructed from the linear [Cd ₂ NaO ₆ (H ₂ O) ₆] SBUs and a flexible 6,6'-dithiodinicotinate linker. 2012 , 48, 7459-61	39
2219	Challenging fabrication of hollow ceramic fiber supported Cu ₃ (BTC) ₂ membrane for hydrogen separation. 2012 , 22, 10322	63
2218	A 6-fold interpenetrated ThSi ₂ topological metal-organic framework from a nanosized tripodal aromatic acid. 2012 , 14, 5166	15
2217	Construction of coordination frameworks based on 4-imidazolyl tecton 1,4-di(1H-imidazol-4-yl)benzene and varied carboxylic acids. 2012 , 14, 3564	70
2216	Role of anions in preparing silver(I) complexes with a new multidentate ligand: polymorphs, structures and nonlinear optical properties. 2012 , 14, 8409	21
2215	Selective and colorimetric fluoride anion chemosensor based on s-tetrazines. 2012 , 41, 13338-42	48
2214	A microporous lanthanide-tricarboxylate framework with the potential for purification of natural gas. 2012 , 48, 10856-8	120

2213	HIGHLY CATALYTICALLY ACTIVE PALLADIUM NANOPARTICLES INCORPORATED INSIDE METAL-ORGANIC FRAMEWORK PORES BY DOUBLE SOLVENTS METHOD. 2012 , 05, 1250039	26
2212	Structure modulations in luminescent alkaline earth metal-sulfonate complexes constructed from dihydroxyl-1,5-benzenedisulfonic acid: Influences of metal cations, coordination modes and pH value. 2012 , 14, 6675	23
2211	Temperature-induced chiral Ag(I) coordination polymers with structural variation from 1D to 2D: synthesis, luminescence and SHG response. 2012 , 14, 7502	18
2210	Open diamondoid amino-functionalized MOFs for CO ₂ capture. 2012 , 48, 4842-4	71
2209	Controllable synthesis of a non-interpenetrating microporous metal-organic framework based on octahedral cage-like building units for highly efficient reversible adsorption of iodine. 2012 , 48, 10001-3	64
2208	Syntheses, crystal structures and photoluminescent properties of silver(I) and cadmium(II) coordination polymers constructed from flexible hexadentate di-Schiff base ligands. 2012 , 2, 10189	7
2207	Synthesis, structure, topology and magnetic properties of cobalt(II) coordination polymers with 2-nitrobiphenyl-4,4'-dicarboxylic acid and bis(pyridyl) ligands. 2012 , 41, 14316-28	41
2206	Highly porous and robust ionic MOFs with nia topology constructed by connecting an octahedral ligand and a trigonal prismatic metal cluster. 2012 , 48, 6010-2	52
2205	A novel 2D-3D array in a vertical mode containing both polyrotaxane and polycatenane motifs. 2012 , 14, 5714	46
2204	Controllable synthesis of microporous, nanotubular and mesocage-like metal-organic frameworks by adjusting the reactant ratio and modulated luminescence properties of Alq ₃ @MOF composites. 2012 , 22, 17947	37
2203	Syntheses, crystal structures and properties of transition metal coordination polymers based on isophthalic acid and flexible bis(pyridyl) ligand with unsymmetrical spacer: influence of metal cations, ligand conformations and coordination modes. 2012 , 14, 6548	28
2202	Independent 1D nanosized metal-organic tube: anion exchange, separation, and anion-responsive luminescence. 2012 , 51, 3923-5	55
2201	Solvent-Controlled Syntheses, Structure, and Magnetic Properties of Trinuclear Mn(II)-Based Metal-Organic Frameworks. 2012 , 12, 5693-5700	37
2200	Solvothermal Synthesis of Oxamate-Based Helicate: Temperature Dependence of the Hydrogen Bond Structuring in the Solid. 2012 , 12, 4955-4962	25
2199	Employing Zinc Clusters as SBUs To Construct (3,8) and (3,14)-Connected Coordination Networks: Structures, Topologies, and Luminescence. 2012 , 12, 2730-2735	75
2198	Two Cadmium-Cluster-Based Metal-Organic Frameworks with Mixed Ligands of 1,2,3-Benzenetriazole (HBTA) and 1,4-Benzenedicarboxylic acid (H ₂ BDC). 2012 , 12, 1992-1998	47
2197	Construction of Ba(II) Coordination Polymers Based on Imidazole-Based Dicarboxylate Ligands: Structural Diversity Tuned by Alcohol Solvents. 2012 , 12, 3575-3582	58
2196	Crystal Structure Diversities Based on 4,4'-(2,3,6,7-Tetramethoxyanthracene-9,10-diyl)dibenzoic Acid: From 2D Layer to 3D Net Framework. 2012 , 12, 6215-6222	30

2195	A New 10-Connected Coordination Network with Pentanuclear Zinc Clusters as Secondary Building Units. 2012 , 12, 1064-1068	84
2194	Two Novel 3d-4f Heterometallic Frameworks Assembled from a Flexible Bifunctional Macrocyclic Ligand. 2012 , 12, 4708-4711	45
2193	A New Family of 3d-4f Heterometallic Tetrazole-based Coordination Frameworks: In Situ Tetrazole Ligand Synthesis, Structure, Luminescence, and Magnetic Properties. 2012 , 12, 1151-1158	68
2192	Protein-mediated efficient synergistic "antenna effect" in a ternary system in D ₂ O medium. 2012 , 116, 8303-12	11
2191	A Series of New Three-Dimensional d ¹⁰ -f Heterometallic Coordination Polymers with Rare 10-Connected bct Net Topology Based on Planar Hexanuclear Heterometallic Second Building Units. 2012 , 12, 5737-5745	63
2190	The effect of furcated hydrogen bond and coordination bond on luminescent behavior of metal-organic framework [CuCN(EIN)]: a TDDFT study. 2012 , 97, 589-93	10
2189	Polynuclear complexes constructed by lanthanides and pyridine-3,5-dicarboxylate ligand: Structures, thermal and luminescent properties. 2012 , 41, 7-19	42
2188	Encapsulation and sensitization of UV-vis and near infrared lanthanide hydrate emitters for dual- and bimodal-emissions in both air and aqueous media based on a porous heteroatom-rich Cd(II)-framework. 2012 , 51, 9629-35	49
2187	Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. 2012 , 22, 19732	16
2186	Zinc(II) coordination polymers of tetrakis(4-pyridyl)cyclobutane and various dicarboxylates: Syntheses, structures and luminescent properties. 2012 , 14, 6230	21
2185	Carboxylate-assisted acylamide metal-organic frameworks: synthesis, structure, thermostability and luminescence studies. 2012 , 14, 6182	38
2184	Stepwise pillar insertion into metal-organic frameworks: a sequential self-assembly approach. 2012 , 14, 6129	47
2183	Solvent-induced supramolecular isomers, structural diversity, and unprecedented in situ formation of both inorganic and organic ions in inorganic-organic mercury(II) complexes. 2012 , 41, 12670-3	22
2182	Coordination Polymers of Copper and Zinc Ions with a Linear Linker Having Imidazole at Each End and an Azo Moiety in the Middle: Pedal Motion, Gas Adsorption, and Emission Studies. 2012 , 12, 5025-5034	46
2181	Control of the coordination status of the open metal sites in metal-organic frameworks for high performance separation of polar compounds. 2012 , 28, 6794-802	62
2180	In situ formed white-light-emitting lanthanide-zinc-organic frameworks. 2012 , 51, 1201-3	113
2179	Two hybrid polyoxometalate-pillared metal-organic frameworks. 2012 , 41, 11783-7	24
2178	Effect of organic anions on the self-assembly of Zn(II)-containing coordination polymers based on trigonal N-donor ligands. 2012 , 14, 6934	24

2177	A luminescent mixed-lanthanide metal-organic framework thermometer. 2012 , 134, 3979-82	896
2176	Improving Predictions of Gas Adsorption in Metal-Organic Frameworks with Coordinatively Unsaturated Metal Sites: Model Potentials, ab initio Parameterization, and GCMC Simulations. 2012 , 116, 18899-18909	95
2175	Microporous metal-organic frameworks for storage and separation of small hydrocarbons. 2012 , 48, 11813-31	278
2174	Comparison of the effect of functional groups on gas-uptake capacities by fixing the volumes of cages A and B and modifying the inner wall of cage C in rht-type MOFs. 2012 , 51, 10350-5	88
2173	Structural Diversity, Luminescence, and Magnetic Property: Series of Coordination Polymers with 2,2'-Bipyridyl-4,4'-Dicarboxylic Acid. 2012 , 12, 3917-3926	33
2172	Diverse Structures of Metal-Organic Frameworks Based on a New Star-Like Tri(4-pyridylphenyl)amine Ligand. 2012 , 12, 3957-3963	50
2171	Promising long-lasting phosphor material: a novel metal-organic framework showing intriguing luminescent performance. 2012 , 41, 13280-3	32
2170	Synthesis, crystal structures and luminescent properties of nickel (II) and copper (II) hexaazamacrocyclic compounds with 1,3,5-benzenetricarboxylate ligands. 2012 , 1028, 176-180	11
2169	Construction of cobalt-imidazole-based dicarboxylate complexes with topological diversity: From metal-organic square to one-dimensional coordination polymer. 2012 , 22, 170-173	9
2168	Synthesis, structure, photoluminescence and theoretical calculations on a novel tetranuclear Cd(II) complex based on (2,3-f)-pyrazino(1,10)phenanthroline-2,3-dicarboxylic acid. 2012 , 23, 123-126	19
2167	Encapsulation of Ln ³⁺ hydrate species for tunable luminescent materials based on a porous Cd(II)-MOF. 2012 , 22, 9027	71
2166	Highly Thermostable One-Dimensional Lanthanide(III) Coordination Polymers Constructed from Benzimidazole-5,6-dicarboxylic Acid and 1,10-Phenanthroline: Synthesis, Structure, and Tunable White-Light Emission. 2012 , 12, 5227-5232	120
2165	Luminescent MTN-type cluster-organic framework with 2.6 nm cages. 2012 , 134, 17881-4	220
2164	Metal-Organic Frameworks for Light Harvesting and Photocatalysis. 2012 , 2, 2630-2640	634
2163	Highly selective chemical sensing in a luminescent nanoporous magnet. 2012 , 24, 5625-9	121
2162	Zirconium-Metalloporphyrin PCN-222: Mesoporous Metal-Organic Frameworks with Ultrahigh Stability as Biomimetic Catalysts. 2012 , 124, 10453-10456	231
2161	Crystal Engineering of a Microporous, Catalytically Active fcu Topology MOF Using a Custom-Designed Metalloporphyrin Linker. 2012 , 124, 10229-10232	27
2160	Zirconium-metalloporphyrin PCN-222: mesoporous metal-organic frameworks with ultrahigh stability as biomimetic catalysts. 2012 , 51, 10307-10	1236

2159	Crystal engineering of a microporous, catalytically active fcu topology MOF using a custom-designed metalloporphyrin linker. 2012 , 51, 10082-5	141
2158	Dye encapsulation inside a new mesoporous metal-organic framework for multifunctional solvatochromic-response function. 2012 , 18, 13299-303	81
2157	Zeolitic boron imidazolate frameworks with 4-connected octahedral metal centers. 2012 , 18, 11876-9	33
2156	Mixed Rare-Earth Complexes of Eu(III) and Y(III) with Pyridine-2,4,6-tricarboxylic Acid and Their Photoluminescent Properties. 2012 , 30, 2097-2102	3
2155	Synthesis, Crystal Structure and Photoluminescent Property of Metal-Organic Frameworks with Mixed Carboxylate and Imidazole-Containing Ligands. 2012 , 30, 2016-2022	18
2154	Isorecticular Lanthanide Metal-Organic Frameworks: Syntheses, Structures and Photoluminescence of a Family of 3D Phenylcarboxylates. 2012 , 2012, 4419-4426	29
2153	Barium Carboxylate Metal-Organic Framework Synthesis, X-ray Crystal Structure, Photoluminescence and Catalytic Study. 2012 , 2012, 4914-4920	37
2152	Structures and properties of lanthanide metal-organic frameworks based on a 1,2,3-triazole-containing tetracarboxylate ligand. 2012 , 41, 12790-6	44
2151	Generalized synthesis of zeolite-type metal-organic frameworks encapsulating immobilized transition-metal clusters. 2012 , 134, 11936-9	74
2150	Hyperbranched microspheres formed by an EDTA-based coordination polymer with ternary architectures assembled by ultrathin nanoribbons and their tricolor luminescent properties. 2012 , 14, 3653	4
2149	Luminescent humidity sensors based on porous Ln ³⁺ -MOFs. 2012 , 14, 7157	94
2148	Hydrothermal synthesis, crystal structure and properties of three-dimensional Co(II)-4f heterometallic-organic frameworks. 2012 , 14, 8689	8
2147	Metal-organic frameworks in mixed-matrix membranes for gas separation. 2012 , 41, 14003-27	391
2146	Methane storage in advanced porous materials. 2012 , 41, 7761-79	643
2145	A series of three-dimensional (3D) chiral lanthanide coordination polymers generated by spontaneous resolution. 2012 , 14, 8083	20
2144	Enhanced hydrostability in Ni-doped MOF-5. 2012 , 51, 9200-7	177
2143	Luminescent properties of metal-organic framework MOF-5: relativistic time-dependent density functional theory investigations. 2012 , 51, 12389-94	93
2142	Homochiral porous metal-organic frameworks containing only achiral building blocks for enantioselective separation. 2012 , 22, 16288	48

2141	Lanthanides: Metal-Organic Frameworks. 2012,	
2140	Structural Diversity and Properties of Coordination Polymers Built from a Rigid Octadentate Carboxylic Acid. 2012, 12, 6158-6164	46
2139	Chiral nanoporous metal-metallosalen frameworks for hydrolytic kinetic resolution of epoxides. 2012, 134, 8058-61	227
2138	Metal complexes as templates: syntheses, structures, and luminescent properties of two zinc phosphonocarboxylates with ABW-zeolite topology. 2012, 41, 4079-83	22
2137	Color tunable and white light emitting Tb ³⁺ and Eu ³⁺ doped lanthanide metal-organic framework materials. 2012, 22, 3210	190
2136	Tunable emission based on lanthanide(III) metal-organic frameworks: an alternative approach to white light. 2012, 22, 8868	148
2135	Highly luminescent and thermostable lanthanide-carboxylate framework materials with helical configurations. 2012, 22, 21210	93
2134	Lanthanide coordination polymer nanoparticles for sensing of mercury(II) by photoinduced electron transfer. 2012, 6, 10505-11	204
2133	Luminescent lanthanide metal-organic frameworks with a large SHG response. 2012, 48, 11139-41	56
2132	Assembly of Discrete One-, Two-, and Three-Dimensional Zn(II) Complexes Containing Semirigid V-Shaped Tricarboxylate Ligands. 2012, 12, 1452-1463	106
2131	Synthesis, crystal structures, and luminescence properties of carboxylate based rare-earth coordination polymers. 2012, 51, 11623-34	160
2130	A Two-Fold Interpenetrated Coordination Framework with a Rare (3,6)-Connected loh1 Topology: Magnetic Properties and Photocatalytic Behavior. 2012, 12, 5426-5431	119
2129	Luminescent microporous metal-organic framework with functional lewis basic sites on the pore surface: specific sensing and removal of metal ions. 2012, 51, 10089-91	178
2128	2D lanthanide-organic frameworks constructed from lanthanide acetate skeletons and benzotriazole-5-carboxylic acid connectors: synthesis, structure, luminescence and magnetic properties. 2012, 14, 8485	19
2127	The first 2D-3D polycatenation array built on (3,4)-connected bilayer nets. 2012, 14, 7861	21
2126	A layer-structured Eu-MOF as a highly selective fluorescent probe for Fe ³⁺ detection through a cation-exchange approach. 2012, 22, 16920	381
2125	Porous double-walled metal triazolate framework based upon a bifunctional ligand and a pentanuclear zinc cluster exhibiting selective CO ₂ uptake. 2012, 51, 4423-5	47
2124	Syntheses, Structures, and Photoluminescent Properties of Coordination Polymers Based on 1,4-Bis(imidazol-1-yl-methyl)benzene and Various Aromatic Dicarboxylic Acids. 2012, 12, 253-263	83

2123	Multifunctional Luminescent and Proton-Conducting Lanthanide Carboxyphosphate Open-Framework Hybrids Exhibiting Crystalline-to-Amorphous-to-Crystalline Transformations. 2012 , 24, 3780-3792	149
2122	Functionalizing the pore wall of chiral porous metal-organic frameworks by distinct -H, -OH, -NH ₂ , -NO ₂ , -COOH shutters showing selective adsorption of CO ₂ , tunable photoluminescence, and direct white-light emission. 2012 , 48, 5989-91	138
2121	Chiral porous metal-organic frameworks with dual active sites for sequential asymmetric catalysis. 2012 , 468, 2035-2052	29
2120	Highly selective acetone fluorescent sensors based on microporous Cd(II) metal-organic frameworks. 2012 , 22, 23201	131
2119	Substituted groups-directed assembly of Cd(II) coordination polymers based on 5-R-1,3-benzenedicarboxylate and 4,4'-bis(1-imidazolyl)biphenylene: syntheses, structures and photoluminescent properties. 2012 , 14, 6064	39
2118	Solvents control over the degree of interpenetration in metal-organic frameworks and their high sensitivities for detecting nitrobenzene at ppm level. 2012 , 22, 15939	169
2117	Synthesis, structures, and magnetic properties of four copper compounds with 2,2'-dinitrophenyl-4,4'-dicarboxylate. 2012 , 41, 12192-9	23
2116	Hydrogen-bonded sodium-organic frameworks from imidazole-4,5-dicarboxylic acid. 2012 , 65, 4177-4184	3
2115	Immobilizing highly catalytically active Pt nanoparticles inside the pores of metal-organic framework: a double solvents approach. 2012 , 134, 13926-9	692
2114	Tuning Fluorescent Molecules by Inclusion in a Metal-Organic Framework: An Experimental and Computational Study. 2012 , 77, 1112-1118	64
2113	New homochiral ferroelectric supramolecular networks of complexes constructed by chiral S-naproxen ligand. 2012 , 14, 3802	26
2112	Synthesis, Characterization, Crystal Structure and Fluorescence Property of Tetramethyl 5,5'-(Terephthaloylbis(azanediyl))-Diisophthalate. 2012 , 42, 1124-1128	1
2111	The oriented and patterned growth of fluorescent metal-organic frameworks onto functionalized surfaces. 2012 , 3, 570-8	35
2110	Terbium(III), europium(III), and mixed terbium(III)-europium(III) mucate frameworks: hydrophilicity and stoichiometry-dependent color tunability. 2012 , 51, 4891-3	47
2109	Cobalt complexes appended with p- and m-carboxylates: two unique {Co(3+)-Cd2+} networks and their regioselective and size-selective heterogeneous catalysis. 2012 , 51, 5497-9	45
2108	Unusual microporous polycatenane-like metal-organic frameworks for the luminescent sensing of Ln ³⁺ cations and rapid adsorption of iodine. 2012 , 48, 5919-21	88
2107	Metal-organic frameworks for analytical chemistry: from sample collection to chromatographic separation. 2012 , 45, 734-45	564
2106	Sequential self-assembly in metal-organic frameworks. 2012 , 41, 3889-94	45

2105	Post-modification of a MOF through a fluorescent-labeling technology for the selective sensing and adsorption of Ag ⁺ in aqueous solution. 2012 , 41, 10153-5	41
2104	Ag(I)/V(V) heterobimetallic frameworks generated from novel-type {Ag ₂ (VO ₂ F ₂) ₂ (triazole) ₄ } secondary building blocks: a new aspect in the design of SVOF hybrids. 2012 , 51, 8025-33	53
2103	Five porphyrin-core-dependent metal-organic frameworks and framework-dependent fluorescent properties. 2012 , 14, 4850	42
2102	Two- and Three-Dimensional Divalent Metal Coordination Polymers Constructed from a New Tricarboxylate Linker and Dipyridyl Ligands. 2012 , 12, 4649-4657	33
2101	Lanthanide Coordination Polymers Constructed from Imidazole-4,5-Dicarboxylate and Sulfate: Syntheses, Structural Diversity, and Photoluminescent Properties. 2012 , 12, 3675-3683	79
2100	Solid-State Thermolysis of Anion Induced Metal-Organic Frameworks to ZnO Microparticles with Predefined Morphologies: Facile Synthesis and Solar Cell Studies. 2012 , 12, 2572-2578	47
2099	Structural Diversity of Four Metal-Organic Frameworks Based on Linear Homo/Heterotrimeric Nodes with Furan-2,5-dicarboxylic Acid: Crystal Structures and Luminescent and Magnetic Properties. 2012 , 12, 2602-2612	56
2098	Photophysical studies of Ru(II)tris(2,2'-bipyridine) confined within a Zn(II)-trimesic acid polyhedral metal-organic framework. 2012 , 116, 7830-5	44
2097	Synthesis and Characterization of Metal Complexes with Mixed 4-Imidazole-Containing Tripodal Ligand and Varied Dicarboxylic Acid. 2012 , 12, 2315-2326	50
2096	Dual-Emission from a Single-Phase Eu/Ag Metal-Organic Framework: An Alternative Way to Get White-Light Phosphor. 2012 , 24, 1954-1960	226
2095	Metal-organic framework materials as chemical sensors. <i>Chemical Reviews</i> , 2012 , 112, 1105-25	68.1 5438
2094	Catalysis by metal nanoparticles embedded on metal-organic frameworks. 2012 , 41, 5262-84	822
2093	Unusual High Thermal Stability within a Series of Novel Lanthanide TATB Frameworks: Synthesis, Structure, and Properties (TATB = 4,4',4''-s-Triazine-2,4,6-triyl-tribenzoate). 2012 , 12, 670-678	72
2092	How can proteins enter the interior of a MOF? Investigation of cytochrome c translocation into a MOF consisting of mesoporous cages with microporous windows. 2012 , 134, 13188-91	270
2091	An unprecedented (4,10)-connected porous metal-organic framework containing two rare large secondary building units (SBUs). 2012 , 14, 1538	14
2090	A pillared metal-organic framework incorporated with 1,2,3-triazole moieties exhibiting remarkable enhancement of CO ₂ uptake. 2012 , 48, 8898-900	73
2089	Solvent-induced controllable synthesis, single-crystal to single-crystal transformation and encapsulation of Alq ₃ for modulated luminescence in (4,8)-connected metal-organic frameworks. 2012 , 51, 7484-91	121
2088	Second-Order Nonlinear Optical Activity Induced by Ordered Dipolar Chromophores Confined in the Pores of an Anionic Metal-Organic Framework. 2012 , 124, 10694-10697	47

2087	Second-order nonlinear optical activity induced by ordered dipolar chromophores confined in the pores of an anionic metal-organic framework. 2012 , 51, 10542-5	255
2086	Charge matching on designing neutral cadmium-lanthanide-organic open frameworks for luminescence sensing. 2012 , 7, 1069-73	89
2085	A robust porous metal-organic framework with a new topology that demonstrates pronounced porosity and high-efficiency sorption/selectivity properties of small molecules. 2012 , 18, 5715-23	43
2084	Thermal cleavage of cyclobutane rings in photodimerized coordination-polymeric sheets. 2012 , 18, 7869-77	47
2083	Exciplex formation and energy transfer in a self-assembled metal-organic hybrid system. 2012 , 18, 5848-52	35
2082	Towards a new family of photoluminescent organozinc 8-hydroxyquinolates with a high propensity to form noncovalent porous materials. 2012 , 18, 5637-45	42
2081	Control of porosity by using isorecticular zeolitic imidazolate frameworks (IRZIFs) as a template for porous carbon synthesis. 2012 , 18, 11399-408	110
2080	Microwave-assisted modular fabrication of nanoscale luminescent metal-organic framework for molecular sensing. 2012 , 13, 2734-8	55
2079	Porous metalloporphyrinic frameworks constructed from metal 5,10,15,20-tetrakis(3,5-biscarboxylphenyl)porphyrin for highly efficient and selective catalytic oxidation of alkylbenzenes. 2012 , 134, 10638-45	244
2078	Homochiral metal-organic frameworks for asymmetric heterogeneous catalysis. <i>Chemical Reviews</i> , 2012 , 112, 1196-231	68.1 2556
2077	Synthesis of diamondoid lanthanide-polyoxometalate solids as tunable photoluminescent materials. 2012 , 41, 10091-6	36
2076	Multifunctional 3-Fold Interpenetrated Porous Metal-Organic Frameworks Composed of Unprecedented Self-Catenated Networks. 2012 , 12, 3392-3396	46
2075	3,5-Bis{4-[(benzimidazol-1-yl)methyl]phenyl}-4H-1,2,4-triazol-4-amine and its one-dimensional polymeric complex with HgCl ₂ . 2012 , 68, m152-5	5
2074	Unusual heterometallic ZnMg(COO) ₃ building blocks for the construction of a homochiral srs-type metal-organic framework. 2012 , 16, 86-88	15
2073	Synthesis, crystal structure, vibrational spectra and theoretical calculation of 1-carboxymethyl-3-methylimidazolium chloride. 2012 , 96, 436-43	23
2072	Preparation, structure and near-infrared luminescent property of Yb(III) complex with 2,4,6-pyridinetricarboxylic acid. 2013 , 23, 7-12	
2071	Syntheses, Crystal Structures, Thermal Stabilities and Luminescent Properties of Two Pillared Layered Alkaline Earth Coordination Polymers. 2013 , 23, 1153-1158	1
2070	Urothermal Synthesis of a Photoluminescent Coordination Polymer with Rutile Topology. 2013 , 23, 1023-1027	5

2069	Characterization and Synthesis of Two New ZnII and CdII-Coordination Polymers Based on 3,3'-Biphenyl Dicarboxylate and N,NEDonor Co-ligands. 2013 , 23, 652-658	1
2068	Reversible ligand exchange in a metal-organic framework (MOF): toward MOF-based dynamic combinatorial chemical systems. 2013 , 117, 3771-6	60
2067	Ratiometric nanothermometer based on an emissive Ln ³⁺ -organic framework. 2013 , 7, 7213-8	280
2066	Syntheses, structures, spectroscopic and electrochemical properties of two 1D organic-inorganic CuII-LnIII heterometallic germanotungstates. 2013 , 114, 360-7	11
2065	Syntheses and characterizations of two-dimensional polymers based on tetraimidazole tetraphenylethylene ligand with aggregation-induced emission property. 2013 , 35, 208-212	7
2064	A microporous hydrogen-bonded organic framework: exceptional stability and highly selective adsorption of gas and liquid. 2013 , 135, 11684-7	246
2063	Chiral microporous Ti(salan)-based metal-organic frameworks for asymmetric sulfoxidation. 2013 , 49, 7120-2	39
2062	Polymorphism in unusual one-dimensional coordination polymers based on cadmium(II) and 2-mercaptopyridine N-oxide. 2013 , 15, 6453	8
2061	Incorporating different secondary building units of {Bi ₂ }, {Bi ₈ } and {Bi ₁₀ } to construct diversity of luminescent bismuth-organic frameworks. 2013 , 42, 1088-93	19
2060	Molecular sensing and discrimination by a luminescent terbium-phosphine oxide coordination material. 2013 , 49, 7156-8	39
2059	Luminescent imidazolium carboxylate supported aggregate and infinite coordination networks of copper and zinc. 2013 , 42, 10838-46	26
2058	A series of 3D lanthanide frameworks constructed from aromatic multi-carboxylate ligand: structural diversity, luminescence and magnetic properties. 2013 , 42, 10292-303	139
2057	A Highly Chemical and Thermal Stable Porous MetalOrganic Framework with Unusual 5-Connected zfy Topology. 2013 , 13, 3271-3274	14
2056	Construction of three-dimensional metalOrganic frameworks in the presence of a tetrahedral ligand and a secondary bidentate linker. 2013 , 15, 6199	9
2055	Solvent controlled assembly of four Mn(II)-2,5-thiophenedicarboxylate frameworks with rod-packing architectures and magnetic properties. 2013 , 15, 6009	39
2054	Multimetal rare earth MOFs for lighting and thermometry: tailoring color and optimal temperature range through enhanced disulfobenzoic triplet phosphorescence. 2013 , 1, 6316	115
2053	A flexible Eu(III)-based metal-organic framework: turn-off luminescent sensor for the detection of Fe(III) and picric acid. 2013 , 42, 12403-9	291
2052	Four New Cd(II) Coordination Polymers with Mixed Multidentate N-Donors and Biphenyl-Based Polycarboxylate Ligands: Syntheses, Structures, and Photoluminescent Properties. 2013 , 13, 377-385	189

2051	Syntheses, Structures, and Properties of a Series of Multidimensional Metal-Organic Polymers Based on 3,3',5,5'-Biphenyltetracarboxylic Acid and N-Donor Ancillary Ligands. 2013 , 13, 792-803	95
2050	From (3,6)-Connected kgd, chiral anh to (3,8)-connected tfz-d Nets in Low Nuclear Metal Cluster-Based Networks with Triangular Pyridinedicarboxylate Ligand. 2013 , 13, 1618-1625	33
2049	A simple and scalable method for preparing low-defect ZIF-8 tubular membranes. 2013 , 1, 10635	116
2048	Eu ³⁺ -doped Tb ³⁺ metal-organic frameworks emitting tunable three primary colors towards white light. 2013 , 1, 4634	125
2047	Three new three-dimensional organic-inorganic hybrid compounds based on PMo ₁₂ O ₄₀ (n-) (n = 3 or 4) polyanions and Cu(I)-pyrazine/Cu(I)-pyrazine-Cl porous coordination polymers. 2013 , 42, 7586-94	38
2046	Synthesis, structure, and characterization of a series of Ag(I), Cu(II) and Ni(II) complexes based on 2,5-dimethyl-1,3,4-thiodiazole. 2013 , 15, 6413	9
2045	A calixarene based metal organic material, calixMOM, that binds potassium cations. 2013 , 49, 8353-5	27
2044	Selective turn-on ammonia sensing enabled by high-temperature fluorescence in metal-organic frameworks with open metal sites. 2013 , 135, 13326-9	368
2043	Crystal structure, thermal decomposition, photoluminescence and magnetic studies of a new two dimensional metal-organic framework constructed from infinite chains of edge-sharing CeO ₆ (H ₂ O) ₂ (NO ₃) polyhedron with bullet shaped channels. 2013 , 35, 140-143	10
2042	Selective, Sensitive, and Reversible Detection of Vapor-Phase High Explosives via Two-Dimensional Mapping: A New Strategy for MOF-Based Sensors. 2013 , 13, 4204-4207	96
2041	The effect of water adsorption on the structure of the carboxylate containing metal-organic frameworks Cu-BTC, Mg-MOF-74, and UiO-66. 2013 , 1, 11922	369
2040	Structural variations and photoluminescent properties of a series of metal-organic frameworks constructed from 5-(4-carboxybenzoylamino)-isophthalic acid. 2013 , 202, 250-256	1
2039	Preparation and thiols sensing of luminescent metal-organic framework films functionalized with lanthanide ions. 2013 , 179, 198-204	35
2038	A Series of Heterometallic Three-Dimensional Frameworks Constructed from Imidazole-Dicarboxylate: Structures, Luminescence, and Magnetic Properties. 2013 , 13, 4469-4479	97
2037	Metal-organic frameworks as a tunable platform for designing functional molecular materials. 2013 , 135, 13222-34	693
2036	Conformational Supramolecular Isomerism in Two-Dimensional Fluorescent Coordination Polymers Based on Flexible Tetracarboxylate Ligand. 2013 , 13, 4092-4099	45
2035	A dual functional MOF as a luminescent sensor for quantitatively detecting the concentration of nitrobenzene and temperature. 2013 , 49, 8964-6	299
2034	Syntheses, structures, luminescent sensor, and magnetism of a series of coordination polymers constructed by 3-carboxy-1-(4'-carboxy-benzyl)-2-oxidopyridinium. 2013 , 15, 7360	19

2033	Two photoluminescent metal-organic frameworks based on a BODIPY-derived bipyridine ligand. 2013 , 15, 7315	34
2032	A Series of Coordination Polymers Constructed from a Multidentate N-Donor Ligand and Varied Carboxylate Anions: Syntheses, Structures, and Luminescent Properties. 2013 , 13, 4338-4348	61
2031	Structural diversity of the encapsulated water clusters in the 3D supramolecular assemblies: a cyclic quasi-planar hexamer of water constructed through strong hydrogen bonding interactions. 2013 , 15, 6652	15
2030	Two cobalt(II) coordination polymers constructed from tetrafluoroterephthalate and hexamethylenetetramine ligands. 2013 , 38, 385-392	10
2029	Two 2D cobalt(II) coordination frameworks with unusual binodal network topology: synthesis, structures, and catalytic properties. 2013 , 38, 143-148	29
2028	Zinc(II) coordination compounds based on in situ generated 3-(5H-tetrazol)benzaldehyde with diverse modes: hydrothermal syntheses, crystal structures and photoluminescent properties. 2013 , 15, 7038	16
2027	Synthesis, structures, fluorescence and magnetism of two lanthanide metal-organic frameworks with CaF ₂ topology based on silicon-centered tetrahedral ligand. 2013 , 29, 611-616	6
2026	A porous metal-organic framework constructed from carboxylate-pyrazolate shared heptanuclear zinc clusters: synthesis, gas adsorption, and guest-dependent luminescent properties. 2013 , 52, 10368-74	75
2025	Tunable visible light emission of self-assembled rhomboidal metallacycles. 2013 , 135, 13676-9	63
2024	Near-infrared emitters based on post-synthetic modified Ln(3+)-IRMOF-3. 2013 , 49, 5019-21	48
2023	Fast response and high sensitivity europium metal organic framework fluorescent probe with chelating terpyridine sites for Fe ²⁺ . 2013 , 5, 1078-83	427
2022	Employing tripodal carboxylate ligand to construct Co(II) coordination networks modulated by N-donor ligands: syntheses, structures and magnetic properties. 2013 , 42, 13231-40	23
2021	An exceptionally stable, porphyrinic Zr metal-organic framework exhibiting pH-dependent fluorescence. 2013 , 135, 13934-8	550
2020	Synthesis, structure and luminescent properties of metal-organic frameworks constructed from unique Zn- and Cd-containing secondary building blocks. 2013 , 55, 179-183	16
2019	Thermodynamic study of sorption processes of gaseous benzene and water on metal-organic framework [Zn ₄ (dmf)(ur) ₂ (ndc) ₄]. 2013 , 67, 128-133	8
2018	A homochiral porous metal-organic framework for enantioselective adsorption of mandelates and photocyclization of tropolone ethers. 2013 , 49, 8253-5	50
2017	Efficient "antenna effect" in the complex of (+) catechin and Tb(III) lodged inside the nano-cavity of β -cyclodextrin. 2013 , 252, 145-151	9
2016	Assembly and tunable luminescence of lanthanide-organic frameworks constructed from 4-(3,5-dicarboxyphenyl)pyridine-2,6-dicarboxylate ligand. 2013 , 551, 616-620	23

2015	Metal ions directed self-assembly based on rigid polycarboxylate ligand 5-tert-butyl isophthalic acid and flexible N-heterocyclic ligand 1,4-bis(2-methylimidazol-1-ylmethyl)-2,3,5,6-tetramethylbenzene. 2013 , 36, 179-183	11
2014	Synthesis, structures and near-infrared luminescence properties of Ho ³⁺ and Yb ³⁺ coordination complexes. 2013 , 74, 1745-1750	6
2013	Structural diversity and properties of four complexes with 4-acyl pyrazolone derivative. 2013 , 55, 209-215	14
2012	Solvent induced structural variation in magnesium carboxylate frameworks. 2013 , 29, 110-113	23
2011	Amine-directed structural studies of four zinc metal-organic frameworks based on a novel phosphonocarboxylate ligand. 2013 , 37, 93-96	9
2010	Metal ion-driven assembly of 3D coordination polymers with 5-oxyacetate isophthalic acid and 4,4'-bis(1-imidazolyl)biphenylene. 2013 , 31, 13-17	19
2009	Two new Cu(II) complexes constructed by mixed-organic tectonics: Structures, magnetic properties and photocatalytic degradation of organic dyes. 2013 , 36, 137-140	18
2008	Three 3d ^{mf} heterometallic coordination polymers based on polydentate ligand and sulfate: Synthesis, crystal structure and photoluminescent properties. 2013 , 28, 1-6	16
2007	Application of Metal-Organic Frameworks in Sample Pretreatment. 2013 , 41, 1297-1300	33
2006	Synthesis, crystal structures and magnetism of two coordination compounds constructed from 2,5-disulfonylterephthalate ligand. 2013 , 405, 222-227	3
2005	Fluorous metal-organic frameworks with enhanced stability and high H ₂ /CO ₂ storage capacities. 2013 , 3, 3312	118
2004	Construction of Ag(I)–Ln(III) Heterometallic Coordination Polymers Based on Binuclear Ag ₂ (DSPT) ₂ (H ₂ DSPT = 4'-(2,4-Disulfophenyl)-2,2':6,6''-terpyridine) Rings and Ln(III) Dimeric Molecular Building Blocks. 2013 , 13, 4428-4434	42
2003	A "strongly" self-catenated metal-organic framework with the highest topological density among 3,4-coordinated nets. 2013 , 52, 10732-4	22
2002	A Series of Coordination Polymers Constructed by Flexible 4-Substituted Bis(1,2,4-triazole) Ligands and Polycarboxylate Anions: Syntheses, Structures, and Photoluminescent Properties. 2013 , 13, 4781-4795	68
2001	Effect of pH/metal ion on the structure of metal-organic frameworks based on novel bifunctionalized ligand 4'-carboxy-4,2':6,4''-terpyridine. 2013 , 15, 1460	59
2000	MIL-53(Fe): a metal-organic framework with intrinsic peroxidase-like catalytic activity for colorimetric biosensing. 2013 , 19, 15105-8	285
1999	Synthesis and gas sorption properties of halogen-doped mesoporous chromium(iii) terephthalate. 2013 , 62, 157-162	6
1998	Gas sorption, second-order nonlinear optics, and luminescence properties of a series of lanthanide-organic frameworks based on nanosized tris((4-carboxyl)phenyl)durylamine ligand. 2013 , 52, 12758-62	94

1997	Two new 2D heterometallic coordination polymers based on 3,5-pyrazoledicarboxylic acid: synthesis, crystal structures and magnetic properties. 2013 , 35, 34-37	8
1996	Application of WU_6 -based secondary building units in functional metal-organic frameworks. 2013 , 15, 9265	9
1995	Assembly of a pcu topological porous Cd-trimesate framework with free carboxylic acid group: Sorption and luminescent property. 2013 , 37, 132-137	10
1994	Vapor phase detection of nitroaromatic and nitroaliphatic explosives by fluorescence active metal-organic frameworks. 2013 , 15, 9745	87
1993	Engineering metal-based luminescence in coordination polymers and metal-organic frameworks. 2013 , 42, 9232-42	797
1992	Efficient and tunable white-light emission of metal-organic frameworks by iridium-complex encapsulation. 2013 , 4, 2717	454
1991	Structure and Photoluminescent Properties of Lanthanide Coordination Polymers Formed by the Interweaving of Bis(triple-stranded) Helical Chains. 2013 , 2013, 5631-5640	10
1990	Synthesis, crystal structures and properties of transition metal coordination polymers based on a rigid triazole dicarboxylic acid. 2013 , 3, 25175	16
1989	A systematic study of fluorescence-based detection of nitroexplosives and other aromatics in the vapor phase by microporous metal-organic frameworks. 2013 , 19, 15964-71	179
1988	A Family of Metal-Organic Frameworks Based on Carboxylates and a Neutral, Long, and Rigid Ligand: Their Structural Revelation, Magnetic, and Luminescent Property Study. 2013 , 13, 5442-5449	45
1987	Construction of ultrastable porphyrin Zr metal-organic frameworks through linker elimination. 2013 , 135, 17105-10	700
1986	New Structural Topologies in a Series of 3d Metal Complexes with Isomeric Phenylenediacetates and 1,3,5-Tris(1-imidazolyl)benzene Ligand: Syntheses, Structures, and Magnetic and Luminescence Properties. 2013 , 13, 5335-5343	61
1985	A tubular europium-organic framework exhibiting selective sensing of Fe^{3+} and Al^{3+} over mixed metal ions. 2013 , 49, 11557-9	259
1984	A Metal-Organic Framework with Open Metal Sites for Enhanced Confinement of Sulfur and Lithium-Sulfur Battery of Long Cycling Life. 2013 , 13, 5116-5120	102
1983	Molecularly designed architectures--the metalloligand way. 2013 , 42, 9403-53	189
1982	Crystal Structure, Multiplex Photoluminescence, and Magnetic Properties of a Series of Lanthanide Coordination Polymers Based on Quinoline Carboxylate Ligand. 2013 , 13, 5420-5432	77
1981	A Highly Symmetric Metal-Organic Framework Based on a Propeller-Like Ru-Organic Metalloligand for Photocatalysis and Explosives Detection. 2013 , 13, 5466-5472	97
1980	A mesoporous lanthanide-organic framework constructed from a dendritic hexacarboxylate with cages of 2.4 nm. 2013 , 15, 9328	33

1979	Additive-mediated size control of MOF nanoparticles. 2013 , 15, 9296	58
1978	LnMOF@PVA nanofiber: energy transfer and multicolor light-emitting devices. 2013 , 1, 7574	30
1977	Three multifunctional three-dimensional metal-organic frameworks based on a flexible N,N'-bis(3-pyridinecarboxamide)-1,6-hexane and 3-nitrophthalate: Syntheses, structures and properties. 2013 , 408, 139-144	16
1976	Tuning metal-carboxylate coordination in crystalline metal-organic frameworks through surfactant media. 2013 , 206, 27-31	115
1975	Two Sets of Metal Organic Frameworks along the Lanthanide Series Constructed by 2,3-Dimethylsuccinate: Structures, Topologies, and Strong Emission without Ligand Sensitization. 2013 , 13, 5249-5260	23
1974	Confinement of pyridinium hemicyanine dye within an anionic metal-organic framework for two-photon-pumped lasing. 2013 , 4, 2719	327
1973	Synthesis, characterization and fluorescence properties of two novel inorganic-organic hybrid gallium/indium borates. 2013 , 404, 219-223	5
1972	White light emission based on a single component Sm(iii) framework and a two component Eu(iii)-doped Gd(iii) framework constructed from 2,2'-diphenyl dicarboxylate and 1H-imidazo[4,5-f][1,10]-phenanthroline. 2013 , 49, 10397-9	98
1971	Structure control and crystal-to-crystal transformation for two series of lanthanide-organic coordination polymers. 2013 , 15, 8522	17
1970	Synthesis, structure and luminescent property of a new europium-based coordination polymer constructed from biphenyl-3,4',5-tricarboxylic acid. 2013 , 36, 188-191	5
1969	Different dimensional and structural variations in coordination polymers of d10 metal ions constructed from a benzimidazole based carboxylate linker. 2013 , 50, 22-30	12
1968	Synthesis and characterization of homo- and heterometallic metal-organic frameworks based on 1,2,4,5-benzenetetracarboxylate ligand. 2013 , 36, 195-198	5
1967	Tuning the Moisture and Thermal Stability of Metal-Organic Frameworks through Incorporation of Pendant Hydrophobic Groups. 2013 , 13, 4760-4768	83
1966	Sparkle/PM7 Lanthanide Parameters for the Modeling of Complexes and Materials. 2013 , 9, 3333-3341	86
1965	Semiconductive and magnetic one-dimensional coordination polymers of Cu(II) with modified nucleobases. 2013 , 52, 11428-37	36
1964	Fluorescent metal-organic framework MIL-53(Al) for highly selective and sensitive detection of Fe ³⁺ in aqueous solution. 2013 , 85, 7441-6	399
1963	Syntheses and Properties of One-Three-Dimensional Coordination Polymers Constructed by Metallohelicates of Purin-Containing Carboxylate. 2013 , 13, 4859-4867	9
1962	The oxamate route, a versatile post-functionalization for metal incorporation in MIL-101(Cr): Catalytic applications of Cu, Pd, and Au. 2013 , 307, 295-304	83

1961	Three-dimensional {Co(3+)-Zn2+} and {Co(3+)-Cd2+} networks originated from carboxylate-rich building blocks: syntheses, structures, and heterogeneous catalysis. 2013 , 52, 10773-87	54
1960	A Chiral Tetrahedral Framework with Tetrahedral Guests for Catalysis and Photoluminescence. 2013 , 13, 4154-4157	17
1959	A series of coordination complexes based on unsymmetrical multicarboxylate ligands: syntheses, structures and properties. 2013 , 15, 6769	10
1958	A new and efficient luminescence enhancement system of Eu-N-(3,5-dibromosalicylidene)-2-aminopyridine-1,10-phenanthroline and its application in the determination of trace amounts of europium. 2013 , 104, 243-9	10
1957	Hydrogen bonding and coordination bonding in the electronically excited states of the MOF Cu ₂ (L) ₂ (L=5-(4-pyridyl)tetrazole) CH ₂ Cl ₂ : A time-dependent density functional theory study. 2013 , 142, 110-115	7
1956	Fabrication of homochiral metal-organic framework membrane for enantioseparation of racemic diols. 2013 , 59, 4364-4372	58
1955	Construction of porous Mn(II)-based metal-organic frameworks by flexible hexacarboxylic acid and rigid coligands. 2013 , 15, 8320	26
1954	Metastable interwoven mesoporous metal-organic frameworks. 2013 , 52, 11580-4	59
1953	Size- and morphology-controlled NH ₂ -MIL-53(Al) prepared in DMF-water mixed solvents. 2013 , 42, 13698-705	165
1952	Hydrothermal synthesis and characterization of a series of luminescent Zn(II) and Cd(II) coordination polymers with the new versatile multidentate ligand 1,3-di-(1,2,4-triazol-4-yl)benzene. 2013 , 15, 8097	30
1951	A 4 + 4 strategy for synthesis of zeolitic metal-organic frameworks: an indium-MOF with SOD topology as a light-harvesting antenna. 2013 , 49, 11155-7	89
1950	Thiadiazole-functional porous metal-organic framework as luminescent probe for Cd ²⁺ . 2013 , 15, 8883	32
1949	A highly sensitive mixed lanthanide metal-organic framework self-calibrated luminescent thermometer. 2013 , 135, 15559-64	536
1948	Zn(II) and Cu(II) complexes generated from 5-(pyridin-4-yl)-3-[2-(pyridin-4-yl)ethyl]-1,3,4-oxadiazole-2(3H)-thione. 2013 , 69, 716-20	3
1947	Low-energy regeneration and high productivity in a lanthanide-hexacarboxylate framework for high-pressure CO ₂ -CH ₄ -H ₂ separation. 2013 , 49, 6773-5	61
1946	Anion-controlled structures and luminescent properties of three Cd(II) complexes assembled by a 2-substituted 8-hydroxyquinoline ligand. 2013 , 15, 7307	23
1945	Three pillared-layer 3D heterometallic frameworks based on tetranuclear lanthanide clusters. 2013 , 15, 9504	13
1944	A surfactant-thermal method to prepare four new three-dimensional heterometal-organic frameworks. 2013 , 42, 11367-70	110

- 1943 One-dimensional channel-structured Eu-MOF for sensing small organic molecules and Cu²⁺ ion. **2013**, 1, 11043 304
- 1942 Two rare indium-based porous metal-metalloporphyrin frameworks exhibiting interesting CO₂ uptake. **2013**, 15, 9320 43
- 1941 Coordination polymers of lanthanide complexes with benzene dicarboxylate ligands. **2013**, 15, 6340 21
- 1940 A rare 4-connected net topological framework based on Zn(II). **2013**, 66, 2843-2851 4
- 1939 Synthesis, structural versatility, luminescent and magnetic properties of a series of coordination polymers constructed from biphenyl-2,4,4'-tricarboxylate and different N-donor ligands. **2013**, 15, 10287 65
- 1938 Supramolecular isomerism, single-crystal to single-crystal transformation induced by release of in situ generated I₂ between two supramolecular frameworks. **2013**, 42, 5619-22 8
- 1937 Luminescent Properties and Applications of Metal-Organic Frameworks. **2013**, 27-88 16
- 1936 Syntheses, Structures, and Properties of Two New Coordination Frameworks Based on 5-(4'-Methylphenyl) Isophthalate and Two N-Donor Coligands. **2013**, 43, 941-946
- 1935 Fabrication of metal-organic hybrid architectures using bridging diphenyl phosphate: syntheses, characterization, magnetic properties and the effect of weak interactions on their crystal packing. **2013**, 42, 2094-106 22
- 1934 Stepwise tuning of the substituent groups from mother BTB ligands to two hexaphenylbenzene based ligands for construction of diverse coordination polymers. **2013**, 15, 8511 8
- 1933 Temperature-controlled synthesis and luminescent properties of two novel coordination polymers modeled by hexa-carboxylate ligand derived from cyclotriphosphazene. **2013**, 42, 2588-93 29
- 1932 A time-dependent density functional theory study on the effect of electronic excited-state hydrogen bonding on luminescent MOFs. **2013**, 42, 3464-70 22
- 1931 In situ growth of luminescent MOF thin films of Sr/Eu(II)-imidazolate on functionalized nanostructured alumina. **2013**, 15, 9382 14
- 1930 Synthesis, characterization, and magnetic studies of a series of metal-ellitate coordination polymers. **2013**, 15, 1225 11
- 1929 Solvent-free synthesis of new manganese phosphate-oxalate hybrid solids. **2013**, 15, 5602 14
- 1928 Eight Zn(II) coordination networks based on flexible 1,4-di(1H-imidazol-1-yl)butane and different dicarboxylates: crystal structures, water clusters, and topologies. **2013**, 42, 12324-33 70
- 1927 The design and construction of a series of metal-organic coordination polymers based on two isomeric semi-rigid bis-pyridyl-bis-amide ligands and three aromatic polycarboxylates. **2013**, 15, 9995 70
- 1926 Phosphonates containing 8-hydroxyquinoline moiety and their metal complexes: structures, fluorescent and magnetic properties. **2013**, 42, 12228-37 12

1925	A unique 3-D (3,18)-connected coordination framework based on a new type of {Zn ₁₈ } double-stranded metallacrown. 2013 , 15, 10171	9
1924	Ancillary ligand-assisted structural diversity of six new MOFs with 5-(4-carboxybenzoylamino)-isophthalic acid: syntheses, crystal structures and photoluminescence properties. 2013 , 15, 7522	13
1923	Two cadmium(II) coordination polymers constructed by carboxylate and pyridine mixed ligands: synthesis, structure and luminescent properties. 2013 , 15, 9738	38
1922	Long range structural and textural changes in [Zn(bdc)(ted) _{0.5}] upon spontaneous dispersion of LiCl and hysteretic adsorption and desorption of carbon dioxide and hydrogen. 2013 , 1, 2343	10
1921	The synthesis, structure and third-order nonlinear optical effect of a new 2D cluster polymer based on a [WS ₄ Cu ₄] ²⁺ SBU and 1,2-di(pyridin-4-yl)ethane. 2013 , 15, 7354	14
1920	"Single nickel source" in situ fabrication of a stable homochiral MOF membrane with chiral resolution properties. 2013 , 49, 10569-71	84
1919	A multifunctional helical Cu(I) coordination polymer with mechanochromic, sensing and photocatalytic properties. 2013 , 49, 5660-2	262
1918	Quest for a highly connected robust porous metal-organic framework on the basis of a bifunctional linear linker and a rare heptanuclear zinc cluster. 2013 , 49, 10516-8	35
1917	Syntheses, structures and characteristics of four metal-organic coordination polymers based on 5-hydroxyisophthalic acid and N-containing auxiliary ligands. 2013 , 15, 9578	28
1916	A photoluminescent microporous metal organic anionic framework for nitroaromatic explosive sensing. 2013 , 1, 4525	113
1915	Difluorodioxophosphate-based hollow hexanuclear lanthanide(III) clusters decorated with tetrathiafulvalene ligands. 2013 , 52, 9711-3	7
1914	Birefringent, emissive coordination polymers incorporating bis(benzimidazole)pyridine as an anisotropic building block. 2013 , 15, 9387	12
1913	A highly photocatalytic polyoxomolybdate compound constructed from novel-type triple helix {Mo ₄ O ₁₂ } _n chains and copper(I)-organic nets. 2013 , 42, 16562-8	38
1912	Fabrication of a PANI/CPs composite material: a feasible method to enhance the photocatalytic activity of coordination polymers. 2013 , 42, 4031-9	20
1911	A new topology constructed from an octamolybdate and metallomacrocyclic coordination complex. 2013 , 15, 249-251	13
1910	Two 2-D layered coordination polymers based on 5-aminoisophthalate and 1,10-phenanthroline. 2013 , 66, 2578-2586	11
1909	Construction of one pH-independent 3-D pillar-layer lead-organic framework containing tetrazole-1-acetic acid. 2013 , 27, 22-25	22
1908	Synthesis and crystal structure of trinuclear zinc coordination polymer based on a triangle flexible carboxylic ligand. 2013 , 27, 88-91	6

1907	Luminescent Li-based metal-organic framework tailored for the selective detection of explosive nitroaromatic compounds: direct observation of interaction sites. 2013 , 52, 589-95	187
1906	Stable Mg-Metal-Organic Framework (MOF) and Unstable Zn-MOF Based on Nanosized Tris((4-carboxyl)phenyl)duryl)amine Ligand. 2013 , 13, 6-9	63
1905	Syntheses, structure diversity and properties of complexes with 4-acyl pyrazolone salicylidene hydrazide derivatives. 2013 , 42, 4248-57	13
1904	A mesoporous aluminium metal-organic framework with 3 nm open pores. 2013 , 1, 324-329	62
1903	Microporous metal-organic frameworks with open metal sites as sorbents for selective gas adsorption and fluorescence sensors for metal ions. 2013 , 1, 495-499	225
1902	A rhombus channel metal-organic framework comprised of Sr ²⁺ and thiophene-2, 5-dicarboxylic acid exhibiting novel dielectric bistability. 2013 , 15, 1264	41
1901	Mechanochemical synthesis of an yttrium based metal-organic framework. 2013 , 49, 972-4	56
1900	Metal-organic framework (MOF): a novel sensing platform for biomolecules. 2013 , 49, 1276-8	292
1899	A unique (4,12)-connected lanthanide metal-organic framework based on tetranuclear building blocks: Topological analysis, fluorescence and magnetism properties. 2013 , 28, 25-30	26
1898	Mechanochemical synthesis of a fluorenone-based metal organic framework with polarized fluorescence: an experimental and computational study. 2013 , 1, 997-1004	52
1897	Hydrothermal syntheses and characterization of a series of luminescent Cd(II) frameworks with pyridine-based and benzene-based bis-triazole ligands. 2013 , 15, 2490	43
1896	Crystalline structural intermediates of a breathing metal-organic framework that functions as a luminescent sensor and gas reservoir. 2013 , 19, 1891-5	73
1895	A rare alb-4,8-Cmce metal-coordination network based on tetrazolate and phosphonate functionalized 1,3,5,7-tetraphenyladamantane. 2013 , 15, 1235	37
1894	Conformational control of ligands to create a finite metal-organic cluster and an extended metal-organic framework. 2013 , 15, 259-264	26
1893	Construction and Properties of Six Metal-Organic Frameworks Based on the Newly Designed 2-(p-Bromophenyl)-Imidazole Dicarboxylate Ligand. 2013 , 13, 367-376	70
1892	Synthesis, Structures and Photoluminescence Properties of a Series of Alkaline Earth Metal-Based Coordination Networks Synthesized Using Thiophene-Based Linkers. 2013 , 13, 326-332	43
1891	Macrocyclic lanthanide(III) complexes of iminophenol Schiff bases and carboxylate anions: Syntheses, structures and luminescence properties. 2013 , 52, 976-985	11
1890	Syntheses, structures, photoluminescence, photocatalysis, and photoelectronic effects of 3D mixed high-connected metal-organic frameworks based on octanuclear and dodecanuclear secondary building units. 2013 , 42, 1567-80	79

1889	Urothermal synthesis of photoluminescent lanthanide-organic frameworks with unusual topologies. 2013 , 15, 315-323	38
1888	Microporous metal organic framework [M ₂ (h ₂ fipbb) ₂ (ted)] (M=Zn, Co; H ₂ h ₂ fipbb=4,4-(hexafluoroisopropylidene)-bis(benzoic acid); ted=triethylenediamine): Synthesis, structure analysis, pore characterization, small gas adsorption and CO ₂ /N ₂ separation properties. 2013 , 200, 1-6	21
1887	Luminescent triarylboron-functionalized zinc carboxylate metal-organic framework. 2013 , 52, 1673-5	46
1886	Nanostructured Zeolitic Imidazolate Frameworks Derived from Nanosized Zinc Oxide Precursors. 2013 , 13, 1002-1005	47
1885	Synthesis, characterization and photoluminescent properties of Zn-based mono- and hetero-MOFs containing the R-isophthalate (R = methyl or tert-butyl) ligands. 2013 , 37, 380-390	25
1884	Luminescence tuning and white-light emission of co-doped Ln-Cd-organic frameworks. 2013 , 8, 95-100	53
1883	Luminescent coordination polymers based on self-assembled cadmium dipyrin complexes. 2013 , 19, 3215-23	35
1882	A high-connected self-penetrating network supported by pentanuclear cobalt(II) secondary building units. 2013 , 38, 92-95	14
1881	Coordination and topology versatility of metal-organic frameworks based on cadmium iodide and 5-azaarylpyrazole-3-carboxylic acids. 2013 , 30, 105-110	5
1880	Substituent groups-driven construction of two different Cd(II) coordination polymers from CdSO ₄ , tetrakis(4-pyridyl)cyclobutane and 5-R-1,3-benzenedicarboxylates. 2013 , 35, 302-306	13
1879	Eu(3+)-induced aggregates of diblock copolymers and their photoluminescent property. 2013 , 394, 630-8	20
1878	Diverse assemblies of the (4,4) grid layers exemplified in Zn(II)/Co(II) coordination polymers with dual linear ligands. 2013 , 203, 106-113	6
1877	Syntheses, structure, and properties of a series of three-dimensional lanthanide-based hybrid frameworks. 2013 , 400, 67-73	13
1876	Sodium templated formation of a unique tetradecanuclear {Zn ₁₂ (β-OH) ₆ Na ₂ (μ-O)} ₁₈₊ hetero-metal cluster core having an auxiliary bithiazole dibenzoate ligand. 2013 , 31, 62-65	5
1875	A new zinc-1,3,5-benzenetricarboxylate framework integrated three distinct subunits (SBUs). 2013 , 202, 116-120	8
1874	Syntheses, structures and characterizations of two Ln(III)-3,5-dichlorobenzoate coordination polymers. 2013 , 35, 231-234	7
1873	Cadmium(II) and zinc(II) coordination polymers built with an ethynyl backbone containing an unsymmetrical amide ligand: Syntheses, crystal structures, and photoluminescent properties. 2013 , 405, 77-82	14
1872	Unique (3,8)-connected lanthanide arenesulfonate metal-organic frameworks containing benzimidazole-5,6-dicarboxylic acid co-ligand: Syntheses, structures and luminescence. 2013 , 206, 85-90	9

- 1871 Assemblies, crystal structures and properties of ZnII, CdII, CuII and AgI supramolecular complexes with trans-1-(2-pyridyl)-2-(4-pyridyl)ethylene and 5-tert-butylisophthalic acid. **2013**, 1047, 324-331 13
- 1870 Supramolecular assembly of a series of new coordination polymers based on 4,4'-(carbonylimino)dibenzoic acid: Syntheses, structures and photoluminescence investigation. **2013**, 55, 249-258 2
- 1869 Syntheses, crystal structures and luminescent investigations of cobalt(II) and zinc(II) complexes with 2-propyl-4,5-dicarboxylate-imidazole (H3PIDC). **2013**, 36, 249-252 3
- 1868 Two novel 3D porous Copper(II) and Zinc(II) frameworks with 1,3-di-(1,2,4-triazole-4-yl)benzene: 4-connected dmp network versus 6-connected H^2Po network based on trinuclear Zinc(II) clusters. **2013**, 37, 166-169 3
- 1867 Spacer length effect on the formation of different zinc coordination polymers of 1,4-benzenedicarboxylate and flexible bipyrazolyl ligands. **2013**, 29, 70-75 14
- 1866 Synthesis, structure and properties of zinc(II) coordination polymers with 9H-carbazole-2,7-dicarboxylic acid. **2013**, 206, 293-299 12
- 1865 A series of Zn(II) and Cd(II) coordination polymers based on flexible bis-[(pyridyl)-benzimidazole] ligand and different carboxylates: syntheses, structures, and photoluminescent properties. **2013**, 15, 2699 24
- 1864 Six new coordination polymers constructed by 3-carboxyl-5-oxycarboxymethylpyridinio-1-carboxylate: Crystal structures, topologies, photoluminescent and magnetic properties. **2013**, 202, 191-199 8
- 1863 A microporous metal-organic framework with butynylene functionality for selective gas sorption. **2013**, 204, 53-58 6
- 1862 A 3-D lanthanide-organic framework based on in situ formed benzene-1,2,3,4-tetracarboxylate ligand. **2013**, 33, 25-28 10
- 1861 Topological evolution and photoluminescent properties of a series of divalent zinc-based metal-organic frameworks tuned via ancillary ligating spacers. **2013**, 200, 265-270 17
- 1860 Synthesis of coordination polymers with d10 metal ions and a new linear ligand: X-ray structural and luminescence studies. **2013**, 52, 1145-1152 22
- 1859 Urothermal synthesis of two photoluminescent cadmium coordination polymers. **2013**, 30, 152-155 6
- 1858 A new quaternary luminescence enhancement system of Eu^{III} -(3-methoxysalicylidene)-2-aminopyridine- H^2 ,10-phenanthroline- Zn^{II} and its application in determining trace amounts of Eu^{3+} and Zn^{2+} . **2013**, 252, 167-173 13
- 1857 Two novel zinc compounds with in situ formation of 3,5-bis(4-pyridyl)-1H-1,2,4-triazole. **2013**, 407, 116-120 8
- 1856 Two stacked 2Dchiral/2Dchiral-@Dachiral sheets based on V-shaped imidazolyl ligand and flexible aliphatic acids. **2013**, 33, 15-18 4
- 1855 Four novel coordination polymers of transition metals built using a semi rigid oxygen donor ligand: Crystal structures, novel topology and emission studies. **2013**, 50, 169-178 20
- 1854 Solvatochromic behavior of chiral mesoporous metal-organic frameworks and their applications for sensing small molecules and separating cationic dyes. **2013**, 19, 3639-45 189

1853	Assembly of framework-isomeric 4d-4f heterometallic metal-organic frameworks with neutral/anionic micropores and guest-tuned luminescence properties. 2013 , 19, 3590-5	94
1852	Highly selective sorption and luminescent sensing of small molecules demonstrated in a multifunctional lanthanide microporous metal-organic framework containing 1D honeycomb-type channels. 2013 , 19, 3358-65	151
1851	Lanthanide-porphyrin hybrids: from layered structures to metal-organic frameworks with photophysical properties. 2013 , 52, 2779-86	61
1850	A novel (3,3,6)-connected luminescent metal-organic framework for sensing of nitroaromatic explosives. 2013 , 42, 5508-13	105
1849	Uranyl bearing hybrid materials: synthesis, speciation, and solid-state structures. <i>Chemical Reviews</i> , 2013 , 113, 1121-36	68.1 336
1848	Mixed-ligand Zn-MOFs for highly luminescent sensing of nitro compounds. 2013 , 8, 982-9	136
1847	Cation sensing by a luminescent metal-organic framework with multiple Lewis basic sites. 2013 , 52, 2799-801	361
1846	Cd(II)-coordination framework: synthesis, anion-induced structural transformation, anion-responsive luminescence, and anion separation. 2013 , 52, 3225-35	74
1845	A dynamic, luminescent and entangled MOF as a qualitative sensor for volatile organic solvents and a quantitative monitor for acetonitrile vapour. 2013 , 4, 1793	276
1844	Au NP honeycomb-patterned films with controllable pore size and their surface-enhanced Raman scattering. 2013 , 29, 4235-41	27
1843	Four metalloporphyrinic frameworks as heterogeneous catalysts for selective oxidation and aldol reaction. 2013 , 52, 3620-6	70
1842	Synthesis, structures, and luminescent properties of uranyl terpyridine aromatic carboxylate coordination polymers. 2013 , 52, 2060-9	67
1841	Tetranuclear homo- (Zn(II) ₄ and Cd(II) ₄) and hetero-metal (Zn(II) ₂ Tb(III) ₂ and Cd(II) ₂ Tb(III) ₂) complexes with a pair of carboxylate ligands in a rare $\mu_2\text{-}\mu_2\text{-}\mu_2$ -bridging mode: syntheses, structures and emission properties. 2013 , 42, 1848-61	16
1840	Four Honeycomb Metal-Organic Frameworks with a Flexible Tripodal Polyaromatic Acid. 2013 , 13, 1429-1437	35
1839	Shape assisted fabrication of fluorescent cages of squarate based metal-organic coordination frameworks. 2013 , 49, 3937-9	16
1838	Energetic performances of the metal-organic framework ZIF-8 obtained using high pressure water intrusion-extrusion experiments. 2013 , 15, 4888-91	65
1837	Synthesis and luminescent properties of color-tunable lanthanide complexes with 5-(pyridin-4-yl)isophthalic acid. 2013 , 555, 22-27	5
1836	Series of 2D heterometallic coordination polymers based on ruthenium(III) oxalate building units: synthesis, structure, and catalytic and magnetic properties. 2013 , 52, 3933-41	21

1835	In(SAr) ₃ As a Building Block for 3D and Helical Coordination Polymers. 2013 , 13, 1252-1259	12
1834	Water Sorption Cycle Measurements on Functionalized MIL-101Cr for Heat Transformation Application. 2013 , 25, 790-798	187
1833	Tuning of "antenna effect" of Eu(III) in ternary systems in aqueous medium through binding with protein. 2013 , 52, 1476-87	29
1832	Reactivity of surface species in heterogeneous catalysts probed by in situ X-ray absorption techniques. <i>Chemical Reviews</i> , 2013 , 113, 1736-850	68.1 481
1831	Covalent bonding of zeolitic imidazolate framework-90 to functionalized silica fibers for solid-phase microextraction. 2013 , 49, 2142-4	146
1830	An inorganic-organic composite framework with an unprecedented 3D heterometallic inorganic connectivity and white-light emission. 2013 , 49, 2231-3	49
1829	Bottom-up assembly of a porous MOF based on nanosized nonanuclear zinc precursors for highly selective gas adsorption. 2013 , 1, 4186	45
1828	Syntheses, crystal structures and luminescent properties of four Zn(II) coordination polymers with pyrazolone derivatives and 4,4'-bipyridine. 2013 , 15, 2873	34
1827	Hydrothermal syntheses, crystal structures and physical properties of a new family of energetic coordination polymers with nitrogen-rich ligand N-[2-(1H-tetrazol-5-yl)ethyl]glycine. 2013 , 15, 2616	32
1826	A multi-metal-cluster MOF with Cu ₄ I ₄ and Cu ₆ S ₆ as functional groups exhibiting dual emission with both thermochromic and near-IR character. 2013 , 4, 1484	178
1825	Absorption of CO ₂ and CS ₂ into the Hofmann-type porous coordination polymer: electrostatic versus dispersion interactions. 2013 , 135, 4840-9	63
1824	Synthesis, Crystal Structure, Luminescence, and Magnetic Properties of a New 4d ⁵ f Heterometallic Architecture Based on Pyridine-3,4-Dicarboxylic Acid. 2013 , 24, 787-798	3
1823	A microporous luminescent europium metal-organic framework for nitro explosive sensing. 2013 , 42, 5718-23	204
1822	Five sra Topological Ln(III)-MOFs Based on Novel Metal-Carboxylate/Cl Chain: Structure, Near-Infrared Luminescence and Magnetic Properties. 2013 , 13, 1570-1576	88
1821	Full-colour fluorescent materials based on mixed-lanthanide(III) metal-organic complexes with high-efficiency white light emission. 2013 , 1, 888-891	132
1820	Luminescent dipyrin based metal complexes. 2013 , 42, 7498-509	116
1819	Highly porous and stable metal-organic frameworks for uranium extraction. 2013 , 4, 2396	413
1818	Four novel isostructural coordination polymers {[M(H ₂ L) ₂ (H ₂ O) ₂] ₂ DMF} [M = Zn(II), Cd(II), Mn(II) and Co(II)] built using a nitrogen and oxygen donor azo ligand: Crystal structures and fluorescence studies. 2013 , 54, 189-195	12

1817	Theoretical studies on how excited state hydrogen and coordination bonds affect luminescent properties of Metal Organic Framework Cu ₄ (L) ₄ EtOH. 2013 , 31, 69-73	5
1816	Pore design of two-dimensional coordination polymers toward selective adsorption. 2013 , 52, 3634-42	83
1815	Stability and degradation mechanisms of metal-organic frameworks containing the Zr ₆ O ₄ (OH) ₄ secondary building unit. 2013 , 1, 5642	469
1814	Auxiliary ligand-assisted structural diversities of three metal-organic frameworks with potassium 1H-1,2,3-triazole-4,5-dicarboxylic acid: syntheses, crystal structures and luminescence properties. 2013 , 15, 2682	39
1813	A nanoporous borocarbonitride (BC ₄ N) with novel properties derived from a boron-imidazolate-based metal-organic framework. 2013 , 19, 6966-70	16
1812	Facile preparation of continuous indium metal-organic framework thin films on indium tin oxide glass. 2013 , 544, 296-300	10
1811	Ancillary Ligands Dependent Structural Diversity of A Series of Metal-Organic Frameworks Based on 3,5-Bis(3-carboxyphenyl)pyridine. 2013 , 13, 2462-2475	120
1810	Structural Diversity and Luminescence Properties of Coordination Polymers Built With a Rigid Linear Dicarboxylate and Zn(II)/Pb(II) Ion. 2013 , 13, 2618-2627	67
1809	3D Rare earth porous coordination frameworks with formamide generated in situ syntheses: Crystal structure and down- and up-conversion luminescence. 2013 , 201, 172-177	18
1808	Synthesis, crystal structure, and luminescence properties of coordination polymers based on cadmium isonicotinate. 2013 , 39, 321-327	4
1807	Luminescence Property and Structure of a 3D Six- and Eight-Coordinative Cd(II) MOF Containing a [Na ₂ (H ₂ O) ₆] Unit. 2013 , 43, 1231-1235	8
1806	Series of Metal-Organic Frameworks Including Novel Architectural Features Based on a Star-like Tri(4-pyridylphenyl)amine Ligand. 2013 , 13, 1961-1969	66
1805	Bimodal Magneto-Luminescent Dysprosium (Dy ^{III})-Potassium (K ^I)-Oxalate Framework: Magnetic Switchability with High Anisotropic Barrier and Solvent Sensing. 2013 , 25, 1673-1679	99
1804	Crystal structure and temperature-dependent fluorescent property of a 2D cadmium (II) complex based on 3,6-dibromobenzene-1,2,4,5-tetracarboxylic acid. 2013 , 1038, 73-77	7
1803	Highly pure solid-state white-light emission from solution-processable soft-hybrids. 2013 , 25, 1713-8	125
1802	Structures, luminescence, and slow magnetic relaxation of eight 3D lanthanide-organic frameworks. 2013 , 42, 6553-63	58
1801	Metal-organic frameworks as platforms for clean energy. 2013 , 6, 1656	768
1800	Two novel MOF-74 analogs exhibiting unique luminescent selectivity. 2013 , 49, 1699-701	125

- 1799 Five polyoxometalate-based inorganic-organic hybrid compounds constructed by a multidentate N-donor ligand: syntheses, structures, electrochemistry, and photocatalysis properties. **2013**, 15, 3843 62
- 1798 A New Strategy of Designing New Crystal Structures Based on Topological Structure: Syntheses and Crystal Structures of Five Coordination Polymers with (4,4) Topology. **2013**, 13, 2642-2649 24
- 1797 Towards polynuclear metal complexes with enhanced bioactivities: Synthesis, crystal structures and DNA cleaving activities of Cu(I), Ni(II), Zn(II), Co(II) and Mn(II) complexes derived from 4-carboxy-1-(4-carboxybenzyl) pyridinium bromide. **2013**, 405, 461-469 21
- 1796 A one-dimensional zinc(II) coordination polymer incorporating [1,1'-biphenyl]-4,4'-dicarboxylate and N,N'-bis(pyridin-3-ylmethyl)-[1,1'-biphenyl]-4,4'-dicarboxamide ligands. **2013**, 69, 486-90 4
- 1795 Convenient detection of Pd(II) by a metal-organic framework with sulfur and olefin functions. **2013**, 135, 7807-10 103
- 1794 Recent advances in multifunctional magnetic nanoparticles and applications to biomedical diagnosis and treatment. **2013**, 3, 10598 80
- 1793 The construction of Cu(I)/Cu(II) coordination polymers based on pyrazine-carboxylate: Structural diversity tuned by in situ hydrolysis reaction. **2013**, 15, 5359 25
- 1792 Versatility of azide in serendipitous assembly of copper(II) magnetic polyclusters. **2013**, 46, 2556-66 112
- 1791 Syntheses and structural characterization of iron(II) coordination polymers with flexible 1,4-bis(imidazol-1-ylmethyl)benzene ligand. **2013**, 408, 214-221 16
- 1790 pH modulated assembly in the mixed-ligand system Cd(II)-pstcphen: structural diversity and luminescent properties. **2013**, 15, 3992 35
- 1789 Selective CO₂ adsorption and proton conductivity in the two-dimensional Zn(II) framework with protruded water molecules and flexible ether linkers. **2013**, 42, 7850-3 17
- 1788 Solvent-modified dynamic porosity in chiral 3D kagome frameworks. **2013**, 42, 7871-9 32
- 1787 Bipyridine-Based Nanosized Metal-Organic Framework with Tunable Luminescence by a Postmodification with Eu(III): An Experimental and Theoretical Study. **2013**, 117, 11302-11310 79
- 1786 Photoluminescent 3D lanthanide-organic frameworks based on 2,5-dioxo-1,4-piperazinylbis(methylphosphonic) acid formed via in situ cyclodehydration of glyphosates. **2013**, 52, 6338-45 21
- 1785 Two high-connected metal-organic frameworks based on d10-metal clusters: syntheses, structural topologies and luminescent properties. **2013**, 42, 8183-7 30
- 1784 Effect of flexible bis-pyridyl-bis-amide ligands and dicarboxylates on the assembly and properties of multifunctional Cu(II) metal-organic coordination polymers. **2013**, 42, 8375-86 85
- 1783 Syntheses, Structures, and Luminescent Properties of Six New Zinc(II) Coordination Polymers Constructed by Flexible Tetracarboxylate and Various Pyridine Ligands. **2013**, 13, 3177-3187 95
- 1782 Enlarging an Isorecticular Family: 3,3',5,5'-Tetramethyl-4,4'-bipyrazolato-Based Porous Coordination Polymers. **2013**, 13, 3087-3097 35

1781	Porous nanosized particles: preparation, properties, and applications. <i>Chemical Reviews</i> , 2013 , 113, 6734-6801	448
1780	A new three-dimensional metal-organic framework constructed from 9,10-anthracene dibenzoate and Cd(II) as a highly active heterogeneous catalyst for oxidation of alkylbenzenes. 2013 , 42, 484-91	33
1779	Thermochemistry of paddle wheel MOFs: Cu-HKUST-1 and Zn-HKUST-1. 2013 , 29, 8140-5	82
1778	A chiral porous metallosalan-organic framework containing titanium-oxo clusters for enantioselective catalytic sulfoxidation. 2013 , 4, 3154	88
1777	Rapid synthesis of nanoscale terbium-based metal-organic frameworks by a combined ultrasound-vapour phase diffusion method for highly selective sensing of picric acid. 2013 , 1, 8745	158
1776	Reactant ratio-modulated entangled Cd(II) coordination polymers based on rigid tripodal imidazole ligand and tetrabromoterephthalic acid: interpenetration, interdigitation and self-penetration. 2013 , 15, 5552	38
1775	Coordination Polymers Built with a Linear Bis-Imidazole and Different Dicarboxylates: Unusual Entanglement and Emission Properties. 2013 , 13, 3722-3733	82
1774	Structural Diversity of Mn(II) Complexes with Acetylene Dicarboxylate and Hexadentate Ancillary Ligands under Ambient Conditions: Effect of Methylene Chain Length on Coordination Architectures. 2013 , 13, 3116-3125	18
1773	A new metal-organic framework with high stability based on zirconium for sensing small molecules. 2013 , 171, 118-124	58
1772	Phosphorescence doping in a flexible ultramicroporous framework for high and tunable oxygen sensing efficiency. 2013 , 49, 6864-6	58
1771	The effect of earth metal ion on the property of peptide-based metal-organic frameworks. 2013 , 15, 5545	12
1770	Two-dimensional copper(I) coordination polymer materials as photocatalysts for the degradation of organic dyes. 2013 , 52, 12-4	205
1769	Structural Diversities and Fluorescent and Photocatalytic Properties of a Series of Cu(I) Coordination Polymers Constructed from Flexible Bis-pyridyl-bis-amide Ligands with Different Spacer Lengths and Different Aromatic Carboxylates. 2013 , 13, 3561-3576	130
1768	Template-free synthesis of hierarchical porous metal-organic frameworks. 2013 , 135, 9572-5	169
1767	A Continuous Stacked Starfish Array of Two-Dimensional Luminescent MOF for Detection of Nitro Explosives. 2013 , 13, 3716-3721	148
1766	Syntheses, structures, and magnetic properties of terephthalato bridged dinuclear copper(II) and manganese(II) complexes with a tetradentate N-donor Schiff base. 2013 , 55, 1-9	25
1765	The 3D porous metal-organic frameworks based on bis(pyrazinyl)triazole: structures, photoluminescence and gas adsorption properties. 2013 , 15, 5673	25
1764	Syntheses, structures, tunable emission and white light emitting Eu ³⁺ and Tb ³⁺ doped lanthanide metal-organic framework materials. 2013 , 42, 10579-86	133

1763	Manganese(II)-promoted ligand oxidation during the formation of a coordination polymer. 2013 , 33, 129-132		4
1762	From discrete molecules to one-dimensional coordination polymers containing Mn(II), Zn(II) or Cd(II) pyridine-2-aldoxime building unit. 2013 , 60, 140-150		23
1761	Template and coordination interactions of 4,4'-bipyridine (Bipy) in nickel(II) complexes of 2-propyl-4,5-dicarboxylate-imidazole. 2013 , 1035, 94-100		5
1760	CHAPTER 7:Strategies for Creating Active Sites in MOFs. 237-267		2
1759	Luminescent 2D bismuth-cadmium-organic frameworks with tunable and white light emission by doping different lanthanide ions. 2013 , 42, 10384-7		30
1758	Color and Brightness Tuning in Heteronuclear Lanthanide Terephthalate Coordination Polymers. 2013 , 2013, 3464-3476		65
1757	Highly selective luminescent sensing of fluoride and organic small-molecule pollutants based on novel lanthanide metal-organic frameworks. 2013 , 52, 8082-90		279
1756	Switch On/Switch Off Signal in an MOF-Guest Crystalline Device. 2013 , 2013, 4459-4465		22
1755	Development of computational methodologies for metal-organic frameworks and their application in gas separations. <i>Chemical Reviews</i> , 2013 , 113, 8261-323	68.1	394
1754	Halogen bonded networks from pyridyl-substituted tetraarylethylenes and diiodotetrafluorobenzenes. 2013 , 15, 4386		18
1753	Two novel 2D lanthanide-cadmium heterometal-organic frameworks based on nanosized heart-like Ln6Cd6O12 wheel-clusters exhibiting luminescence sensing to the polarization and concentration of cations. 2013 , 42, 6314-7		25
1752	Lanthanide coordination polymers assembled from triazine-based flexible polycarboxylate ligands and their luminescent properties. 2013 , 15, 3560		24
1751	An unusual copper(I) halide-based metal-organic framework with a cationic framework exhibiting the release/adsorption of iodine, ion-exchange and luminescent properties. 2013 , 42, 7562-8		61
1750	3D metal-organic frameworks constructed of 2D metal aromatic sulfonate-carboxylate layers and 1,3-di(4-pyridyl)propane pillars: syntheses, structural topologies, and luminescent properties. 2013 , 15, 4930		20
1749	Syntheses, structures, and luminescence of four lanthanide metal-organic frameworks based on lanthanide-oxide chains with C2- or C3-symmetric trigonal-planar polycarboxylate ligands. 2013 , 15, 4910		32
1748	Coordination polymers of tetrazole-yl acylamide with octahedrally coordinated divalent transition metals: the effects of metal centers and side-groups on the structural topologies and symmetries. 2013 , 15, 4830		9
1747	Construction of transition-metal coordination polymers using multifunctional imidazole dicarboxylates as spacers. 2013 , 15, 4885		25
1746	Metal-directed topological diversity of three fluorescent metal-organic frameworks based on a new tetracarboxylate strut. 2013 , 15, 4606		17

1745	Cadmium(II) and zinc(II) complexes with rigid 1-(1H-imidazol-4-yl)-3-(4H-tetrazol-5-yl)benzene and varied carboxylate ligands. 2013 , 15, 5713	33
1744	Positional isomeric and substituent effect on the assemblies of a series of d10 coordination polymers based upon unsymmetric tricarboxylate acids and nitrogen-containing ligands. 2013 , 15, 5476	46
1743	Construction of Six Coordination Polymers Based on a 5,5'-(1,2-Ethynyl)bis-1,3-benzenedicarboxylic Ligand: Synthesis, Structure, Gas Sorption, and Magnetic Properties. 2013 , 13, 1033-1044	57
1742	High-Yield Synthesis of the Novel E,E-2,5-Dimethoxy-1,4-bis[2-(4-ethylcarboxylatestyryl)]benzene by the Heck Reaction. 2013 , 43, 2280-2285	4
1741	Mellitate-based coordination polymers with a recurring motif: controlling dimensionality with secondary ligands. 2013 , 15, 5107	8
1740	Crystal structure and photoluminescent properties of a Ag(I)-carboxylate coordination compound: Luminescence modulation by a π -conjugated ancillary ligand. 2013 , 35, 76-78	6
1739	Synthesis, structure, and magnetic properties of manganese-organic frameworks of 2-methyl-4,4'-biphenyldicarboxylate with different auxiliary ligands. 2013 , 1040, 25-32	10
1738	Microwave-assisted synthesis of lanthanide 2,6-naphthalenedicarboxylates: Thermal, luminescent and sorption characterization. 2013 , 168, 81-91	20
1737	Hydrothermal syntheses, crystal structures and luminescence properties of zinc(II) coordination polymers constructed by bifunctional 4'-(4-carboxyphenyl)-3,2':6',3'-terpyridine. 2013 , 49, 207-215	27
1736	Two novel lead(II) complexes of 2-(hydroxymethyl)pyridine: a threefold diamondoid supramolecular network based on Pb4O4 cores and a two-dimensional (4,4) network based on Pb2O2 units. 2013 , 69, 394-9	3
1735	A novel two-dimensional CuSCN network templated by 2,2'-dimethyl-1,1'-(butane-1,4-diyl)bis(1H-imidazol-3-ium) cations. 2013 , 69, 610-2	1
1734	Luminescent metal-organic frameworks (MOFs) as a chemopalette: tuning the thermochromic behavior of dual-emissive phosphorescence by adjusting the supramolecular microenvironments. 2013 , 19, 10217-25	107
1733	Self-assembly versus stepwise synthesis: heterometal-organic frameworks based on metalloligands with tunable luminescence properties. 2013 , 19, 11279-86	53
1732	Encapsulated recyclable porous materials: an effective moisture-triggered fragrance release system. 2013 , 49, 5724-6	35
1731	A Non-Centrosymmetric Dual-Emissive Metal-Organic Framework with Distinct Nonlinear Optical and Tunable Photoluminescence Properties. 2013 , 13, 106-110	66
1730	Syntheses, Structures, and Properties of Two New Co(II) Coordination Frameworks Based on R-Isophthalate (R = -NH_3 or -OCH_3) and Two Flexible Bis(imidazol) Coligands. 2013 , 43, 952-956	1
1729	Multi-functional d10 metal-organic materials based on bis-pyrazole/pyridine ligands supported by a 2,6-di(3-pyrazolyl)pyridine with different spanning flexible dicarboxylate ligands: synthesis, structure, photoluminescent and catalytic properties. 2013 , 15, 9135	20
1728	Structural modulation and properties of four cadmium(II) coordination architectures based on 3-(pyridin-4-yl)-5-(pyrazin-2-yl)-1H-1,2,4-triazole and aromatic polycarboxylate ligands. 2013 , 15, 9980	29

- 1727 Assembly of Dimeric and Tetrameric Complexes of Polyoxomolybdobisphosphonates Built from $[(Mo_3O_8)\{O_3PC(O)(CH_2-3-C_5NH_5)PO_3\}]_2$ Subunits. **2013**, 13, 2540-2547 25
- 1726 Synthesis, structure and properties of a 3-D Yb(III) metal-organic framework constructed from rod-shaped molecular building blocks. **2013**, 32, 51-54 5
- 1725 A multifunctional proton-conducting and sensing pillar-layer framework based on [24-MC-6] heterometallic crown clusters. **2013**, 49, 8483-5 61
- 1724 Bismuth tri- and tetraarylcarboxylates: crystal structures, in situ X-ray diffraction, intermediates and luminescence. **2013**, 19, 12537-46 58
- 1723 Spatial Control of Zeolitic Imidazolate Framework Growth on Flexible Substrates. **2013**, 13, 4411-4417 15
- 1722 Water-soluble conjugated polyelectrolyte brush encapsulated rare-earth ion doped nanoparticles with dual-upconversion properties for multicolor cell imaging. **2013**, 49, 9012-4 29
- 1721 1-Carboxymethyl-3-methyl-1H-imidazol-3-ium chloride 2-(3-methyl-1H-imidazol-3-ium-1-yl)acetate monohydrate: a crystal stabilized by imidazolium zwitterions. **2013**, 69, 1173-6 2
- 1720 Synthesis and properties of four coordination polymers built from a semi-rigid tripod carboxylic acid. **2013**, 15, 8989 25
- 1719 Hydrothermal Synthesis, Structure, Magnetic, and Photoluminescent Properties of a Heterometallic Cobalt(II)/Cerium(III) Coordination Compound with the Ligand Pyrazine 2, 3-dicarboxylic Acid. **2013**, 639, 142-147 14
- 1718 Site-selective cyclometalation of a metal-organic framework. **2013**, 4, 601-605 47
- 1717 A noble-metal-free porous coordination framework with exceptional sensing efficiency for oxygen. **2013**, 52, 13429-33 152
- 1716 Porous ctn-type boron imidazolate framework for gas storage and separation. **2013**, 19, 11527-30 45
- 1715 A three-dimensional chiral crystal structure constructed from a chiral triazolite ligand showing an $SrSi_2$ topology: poly[bis(β -3,5-diethyl-1,2,4-triazolato- β)N(1):N(2):N(4))trisilver nitrate]. **2013**, 69, 1485-7 3
- 1714 (4,6-Dimethyl-2-sulfanylidene-pyrimidin-1-ium) trichlorido(thiourea- β)zinc(II). **2013**, 69, 384-7
- 1713 A one-dimensional cadmium metal-organic chain based on a $[Cd_4(COO)_4]$ secondary building unit and a flexible dicarboxylic acid ligand. **2013**, 69, 1147-51
- 1712 Crystal structure and characterization of two cadmium(II) coordination polymers with a multidentate N-donor tecton 3-(pyridin-4-yl)-5-(pyrazin-2-yl)-1H-1,2,4-triazole. **2013**, 66, 501-508 2
- 1711 A Series of Exceptionally Robust Luminescent Coordination Polymers Based on a Bipyridyldicarboxylate Ligand and Rare-Earth-Metal Ions. **2013**, 2013, 6111-6118 15
- 1710 Syntheses, crystal structures, and photoluminescent properties of two new Cd(II) coordination polymers based on biphenyl-2,2',4,4'-tetracarboxylate and dipyriddy-containing ligands. **2013**, 66, 3979-3988 20

1709	Effect of substituents and conjugated chain length on the UV spectra of μ -di-substituted phenyl polyenes. 2013 , 26, 834-839	15
1708	Four Coordination Polymers Containing 2, 6-Naphthalenedi-carboxylic Acid and 1, 10-Phenanthroline: Synthesis, Structure, and Magnetic Properties. 2013 , 639, 626-632	12
1707	Metal-Organic Frameworks: From Design to Materials. 2013 , 1-26	3
1706	Simultaneous presence of both open metal sites and free functional organic sites in a noncentrosymmetric dynamic metal-organic framework with bimodal catalytic and sensing activities. 2013 , 19, 16607-14	44
1705	Expanded organic building units for the construction of highly porous metal-organic frameworks. 2013 , 19, 14886-94	60
1704	Flexibility of zeolitic imidazolate framework structures studied by neutron total scattering and the reverse Monte Carlo method. 2013 , 25, 395403	22
1703	Host-Guest Metal-Organic Frameworks for Photonics. 2013 , 167-186	5
1702	Synthesis, Structures and Luminescent Properties of Two Coordination Polymers Based on 5-(4-Carboxyphenyl)-2, 6-Pyridinedicarboxylic Acid. 2013 , 639, 430-434	5
1701	Lanthanide metal-organic frameworks showing luminescence in the visible and near-infrared regions with potential for acetone sensing. 2013 , 19, 17172-9	122
1700	Four Coordination Polymers Constructed from 3, 5-Bis-oxy-acetate-benzoic Acid and N-donor Ligands. 2013 , 639, 600-605	6
1699	Synthesis, Structure and Photoluminescence of Lanthanide Metal-Organic Frameworks, $\text{Ln}_4(\text{TDC})_6(\text{DMF})_4(\text{H}_2\text{O})_2$, where TDC = thiophene-2,5-dicarboxylate, DMF = N,N-dimethylformamide. 2013 , 60, 755-761	4
1698	Syntheses, Structures, and Properties of Three Metal-Organic Complexes with Different Dimensionality Based on Dipyrido[3,2-d:2'3'-f]quinoxaline and Different Dicarboxylates. 2013 , 639, 1261-1268 ²	
1697	A Noble-Metal-Free Porous Coordination Framework with Exceptional Sensing Efficiency for Oxygen. 2013 , 125, 13671-13675	20
1696	Three novel lanthanide metal-organic frameworks (Ln-MOFs) constructed by unsymmetrical aromatic dicarboxylate tectonics: synthesis, crystal structures and luminescent properties. 2014 , 19, 14352-65	5
1695	Studies on oligomeric metal complexes derived from 2,5-bis((1H-1,2,4-triazol-3-yl)carbonyl)terephthalic acid. 2014 , 17, 775-783	
1694	Self assembly of sandwich-layered 2D silver(I) coordination polymers stabilized by argentophilic interactions: Synthesis, crystal structures and ab initio intramolecular energetics. 2014 , 1076, 629-638	6
1693	Synthesis, crystal structure, and physicochemical properties of the new metal-organic framework of the iron(III) complex with benzene-1,3,5-tricarboxylate. 2014 , 63, 862-869	6
1692	Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl)pyridine: Solvent effect and spontaneous resolution. 2014 , 126, 1423-1431	19

1691	Metal-Organic Frameworks: Adsorption of Hydrocarbons and Alcohols. 2014 , 1-21	1
1690	Luminescence Bioimaging with Lanthanide Complexes. 2014 , 125-196	9
1689	Porous Lanthanide Metal-Organic Frameworks for Gas Storage and Separation. 2014 , 75-107	13
1688	Anhydrous lanthanide MOFs and direct photoluminescent sensing for polyoxometalates in aqueous solution. 2014 , 20, 3712-23	63
1687	Rational design and synthesis of a series of 3D lanthanide metal-organic frameworks with different structures driven by reaction conditions. 2014 , 16, 10181-10188	10
1686	Highly luminescent thin films of the dense framework [B][EuIm ₂] with switchable transparency formed by scanning femtosecond-pulse laser deposition. 2014 , 53, 706-10	20
1685	A new carboxyl-copper-organic framework and its excellent selective absorbability for proteins. 2014 , 218, 64-70	14
1684	Crystal structure and fluorescent properties of a 2D cadmium coordination polymer. 2014 , 55, 739-743	1
1683	Tuning Structural Topologies of Two Cadmium(II) Coordination Polymers via Isomeric Dipyridyl Ligands: Syntheses, Crystal Structures, and Luminescent Properties. 2014 , 640, 168-172	4
1682	Three new mononuclear group 12 complexes with benzimidazole. 2014 , 67, 1380-1391	6
1681	Two nanocage anionic metal-organic frameworks with rhf topology and {[M(H ₂ O) ₆] ₆ }(12+) charge aggregation for rapid and selective adsorption of cationic dyes. 2014 , 50, 14674-7	102
1680	Well-Defined Metal-Organic Framework Hollow Nanocages. 2014 , 126, 439-443	57
1679	Syntheses, supramolecular structures, magnetic and photochromic properties of six lanthanide complexes based on the 5-azotetrazolyl salicylic acid ligand. 2014 , 4, 61104-61113	15
1678	Synthesis, Structures, and Photoluminescent Properties of Three Coordination Polymers based on an Asymmetric Semi-rigid V-shaped Tricarboxylate Ligand. 2014 , 640, 2477-2483	6
1677	Four Cobalt(II)-Containing Coordination Polymers: Effects of pH Value and Temperature on Synthesis, Gas-Sorption, and Magnetic Properties. 2014 , 2014, 6205-6211	16
1676	A three-dimensional metal-organic framework for selective sensing of nitroaromatic compounds. 2014 , 2, 124111	42
1675	Metal(II)-Organic Coordination Polymers Modulated by Two Isomeric Semirigid Bis-Pyridyl-Bis-Amide Ligands: Structures, Fluorescent Sensing Behavior, and Selective Photocatalysis. 2014 , 79, n/a-n/a	4
1674	Metal-Organic Frameworks Based on Lanthanide Clusters. 2014 , 145-183	8

- 1673 Assembly of 3D coordination polymers from 2D sheets by [2+2] cycloaddition reaction. **2014**, 20, 1231-6 27
- 1672 Crystal-to-crystal transformations and photoluminescence changes in the Cu(I) coordination networks based on a formamidinate ligand. **2014**, 16, 10640-10648 11
- 1671 Controllable synthesis of zinc tetraphenylporphyrin microcrystals by a facile, fast and surfactant-free process. **2014**, 9, 797-799
- 1670 Two novel indium coordination polymers derived from 2,6-pyridinedicarboxylate ligand: Syntheses, structures and photoluminescent properties. **2014**, 1075, 279-285 3
- 1669 Metal-Organic Frameworks for Oxygen Storage. **2014**, 126, 14316-14319 12
- 1668 Hydrothermal Synthesis and Characterization of a Novel 1D Luminescent Zn(II) Framework With 1,4-di-(1,2,4-triazole-4-yl) Benzene. **2014**, 44, 1531-1534
- 1667 Magnetism of linear [Ln₃](9+) oxo-bridged clusters (Ln = Pr, Nd) supported inside a [R₃PR'](+) phosphonium coordination material. **2014**, 53, 12674-6 15
- 1666 Metal-Organic Frameworks: Application to Analytical Chemistry. **2014**, 1-14 1
- 1665 Eu-MOFs with 2-(4-carboxyphenyl)imidazo[4,5-f]-1,10-phenanthroline and ditopic carboxylates as coligands: synthesis, structure, high thermostability, and luminescence properties. **2014**, 53, 10952-63 55
- 1664 Electrochemical Synthesis of a Microporous Conductive Polymer Based on a Metal-Organic Framework Thin Film. **2014**, 126, 6572-6576 18
- 1663 Simultaneous Arrangement of up to Three Different Molecules on the Pore Surface of a Metal-Macrocycle Framework: Cooperation and Competition. **2014**, 126, 8450-8455 5
- 1662 An independent 1D single-walled metal-organic nanotube transformed from a 2D layer exhibits highly selective and reversible sensing of nitroaromatic compounds. **2014**, 20, 4885-90 79
- 1661 Amine-Responsive Adaptable Nanospaces: Fluorescent Porous Coordination Polymer for Molecular Recognition. **2014**, 126, 11966-11971 26
- 1660 A resistance-switchable and ferroelectric metal-organic framework. **2014**, 136, 17477-83 85
- 1659 Architectures in Copper Metal-Organic Frameworks from 4-Substituted Anionic 1,2,4-Triazoles. **2014**, 2014, 3125-3132 5
- 1658 Aromatic N-Arylations Catalyzed by Copper-Anchored Porous Zinc-Based Metal-Organic Framework under Heterogeneous Conditions. **2014**, 6, 2373-2383 36
- 1657 Mechanical grinding of a single-crystalline metal-organic framework triggered emission with tunable violet-to-orange luminescence. **2014**, 50, 15956-9 42
- 1656 Syntheses, Crystal Structures, and Properties of Two 2-Fold Interpenetrating Metal-Organic Frameworks Based on a Trigonal Rigid Ligand. **2014**, 14, 6521-6527 11

- 1655 Zinc(II) and Cadmium(II) Complexes Based on 4,5-Di(4?-carboxylphenyl)phthalic Acid Ligand: Synthesis, Crystal Structure, and Luminescent Properties. **2014**, 640, 1782-1788 3
- 1654 Zirconium Materials from Mixed Dicarboxylate Linkers: Enhancing the Stability for Catalytic Applications. **2014**, 6, 3426-3433 17
- 1653 Cobalt(II)/Lanthanide(III) Heterometallic Metal-Organic Frameworks with Unique (6,6)-Connected Nia Topologies with 1H-1,2,3-Triazole-4,5-dicarboxylic Acid: Syntheses, Structures and Magnetic Properties. **2014**, 2014, 407-412 21
- 1652 A Discrete Cobalt Complex Obtained from a 1 D Coordination Polymer for Highly Selective Sensing of the Mercury(II) Ion. **2014**, 79, 925-928 10
- 1651 Metal complexes of indole-3-acetic acid: synthesis, crystal structures, and Pb²⁺ chemosensing by cation-exchange reaction. **2014**, 67, 3188-3201 5
- 1650 Exploring supramolecular assembly and luminescent behavior in a series of RE-p-chlorobenzoic acid-1,10-phenanthroline complexes. **2014**, 16, 10189-10202 43
- 1649 A stable porous anionic metal-organic framework for luminescence sensing of Ln(3+) ions and detection of nitrobenzene. **2014**, 9, 749-53 73
- 1648 N-donor co-ligand-driven zinc coordination polymers based upon a bithiophene dicarboxylate: syntheses, structures, and luminescent properties. **2014**, 67, 1948-1961 6
- 1647 Structures and third-order nonlinear optical properties of two cobalt(II) coordination polymers constructed from bis(imidazol-1-yl-methyl)benzene and aromatic dicarboxylic ligands. **2014**, 50, 97-100 8
- 1646 Effect of Spacer Atoms in the Dicarboxylate Linkers on the Formation of Coordination Architectures: Molecular Rectangles vs 1D Coordination Polymers: Synthesis, Crystal Structures, Vapor/Gas Adsorption Studies, and Magnetic Properties. **2014**, 14, 6433-6444 23
- 1645 Solution processable MOF yellow phosphor with exceptionally high quantum efficiency. **2014**, 136, 16724-7 216
- 1644 A highly stable porphyrinic zirconium metal-organic framework with shp-a topology. **2014**, 136, 17714-7 286
- 1643 Spatial nonuniformity in heat transport across hybrid material interfaces. **2014**, 90, 12 12
- 1642 Two 3-D metal organic frameworks containing 2,2?-bipyridine-5,5?-dicarboxylic acid: synthesis, structure, and magnetic properties. **2014**, 67, 2280-2286 1
- 1641 Tunable Nonlinear Optical Property and Photocatalytic Activity on Luminescent Chiral Lanthanide Chains. **2014**, 32, 1259-1266 3
- 1640 Synthesis and Characterization of the Cerium(III) UV-Emitting 2D-Coordination Polymer 2[Ce2Cl6(4, 4?-bipyridine)4]·4py. **2014**, 640, 2847-2851 13
- 1639 Syntheses, Crystal Structure, and Fluorescent Property of a New Cd(II) Complex Constructed from 1,2,4,5-Benzenetetracarboxylate. **2014**, 44, 203-207 9
- 1638 Distortional Supramolecular Isomers of Polyrotaxane Coordination Polymers: Photoreactivity and Sensing of Nitro Compounds. **2014**, 126, 5697-5701 26

1637	A new 3D lanthanide metal-organic framework based on fluorescent whitener: Synthesis, structures, and luminescent properties. 2014 , 40, 854-859	0
1636	Anion Effect on the Structural Diversity of 1-D and 2-D Zinc(II) Coordination Polymers with a Flexible Fluorinated Bis(imidazole) Ligand. 2014 , 69, 878-884	2
1635	A New 2D Zinc(II)-Organic Framework with Dinuclear Units Based on Iodinated Terephthalate: Synthesis, Crystal Structure and Luminescence Behavior. 2014 , 69, 859-863	2
1634	A Eu/Tb-codoped coordination polymer luminescent thermometer. 2014 , 1, 757-760	53
1633	Crystal structure, thermal and fluorescent properties of a 1D Cd(II) coordination polymer based on the bis(benzimidazole) ligand. 2014 , 55, 734-738	5
1632	A three-dimensional zinc-based coordination polymer built from 5-carboxylato-1-carboxylatomethyl-2-oxidopyridinium with a 4-connected sra topology. 2014 , 70, 801-4	
1631	A three-dimensional Zn(II) coordination framework: poly[[μ -(E)-1,2-bis(pyridin-4-yl)ethene][μ -(E)-2,2'-(diazene-1,2-diyl)dibenzoato]][μ -(E)-2,2'-(diazene-1,2-diyl)dibenzoato]dizinc(II) 2014 , 70, 277-80	
1630	A one-dimensional silver(I) coordination polymer based on an asymmetric flexible N-donor carboxylate ligand: catena-poly[[μ -4-[[1-phenyl-1H-tetrazol-5-yl)sulfanyl]methyl]benzoato- μ -(O:O':N(4))silver(I)]. 2014 , 70, 292-6	
1629	A thermally stable pcu network based on ferromagnetic dinuclear Ni(II) units. 2014 , 1058, 272-276	
1628	A trinuclear magnesium based metal-organic framework with self-penetrated rob topology. 2014 , 412, 15-19	1
1627	ZIF-78 membrane derived from amorphous precursors with permselectivity for cyclohexanone/cyclohexanol mixture. 2014 , 192, 29-34	21
1626	Self-assembled microporous lanthanide coordination polymers built by 2-hydroxynicotinic acid and oxalate ligands. 2014 , 44, 198-201	
1625	Two zinc coordination polymers showing five-fold interpenetrated diamondoid network and 2D -g 3D inclined polycatenation motif. 2014 , 44, 41-45	15
1624	Structural versatility and luminescent properties in d(10) metal ion polymers with 1,4-naphthalenedicarboxylate acid and 4,4'-dipyridyl N,N'-dioxide. 2014 , 122, 392-9	14
1623	Four metal-organic frameworks built from distinct secondary building blocks: Syntheses, structures, photoluminescence and photocatalytical properties. 2014 , 70, 180-187	19
1622	A Novel Coordination Polymer Based on Cd ₂ O ₂ Clusters: Synthesis, Structure and Physical Property. 2014 , 25, 349-356	3
1621	Synthesis, structures, characterization and antimicrobial activity of two novel coordination complexes derived from 2-naphthoxyacetic acid. 2014 , 11, 1321-1328	1
1620	Bioconjugation of MOF-5 for molecular sensing. 2014 , 21, 99-104	29

1619	A 3D Porous Coordination Polymer from Tetrazole Ligand and Cd(II): Crystal Structure, Luminescent Property and Adsorption of Methanol and Water. 2014 , 24, 525-530	3
1618	Optical chemosensor properties of europium(III) tris(β -diketonates). 2014 , 88, 158-162	4
1617	Metal-organic framework composites. 2014 , 43, 5468-512	1539
1616	Sulfur encapsulated ZIF-8 as cathode material for lithium-sulfur battery with improved cyclability. 2014 , 185, 92-96	68
1615	A direct white-light-emitting coordination polymers with tunable green/white photoluminescence by variation of counterion. 2014 , 39, 14-20	7
1614	Tunable colors and white-light emission based on a microporous luminescent Zn(II)-MOF. 2014 , 43, 3716-21	107
1613	Lanthanide metal-organic frameworks for luminescent sensing and light-emitting applications. 2014 , 273-274, 76-86	800
1612	A p-type Ti(IV)-based metal-organic framework with visible-light photo-response. 2014 , 50, 3786-8	375
1611	Energy and charge transfer by donor-acceptor pairs confined in a metal-organic framework: a spectroscopic and computational investigation. 2014 , 2, 3389-3398	79
1610	Two luminescent metal-organic frameworks constructed by unsymmetric tricarboxylate. 2014 , 40, 62-65	11
1609	New Three-Dimensional Lanthanide-Alkali-Heterometallic Frameworks Constructed from Isonicotinic Acid: Synthesis, Structures and Properties. 2014 , 25, 581-590	
1608	Topological Diversities and Luminescent Properties of Lanthanide Metal-Organic Frameworks Based on a Tetracarboxylate Ligand. 2014 , 14, 2394-2400	49
1607	Three 3D lanthanide-organic frameworks with sra topology: syntheses, structures, luminescence and magnetic properties. 2014 , 16, 2779	21
1606	Construction of terpyridine- Ln(III) coordination polymers: structural diversity, visible and NIR luminescence properties and response to nerve-agent mimics. 2014 , 16, 2898	37
1605	A series of interdigitated Cd(II) coordination polymers based on 4,6-dibenzoylisophthalic acid and flexible triazole ligands. 2014 , 4, 15816-15819	13
1604	Thermal expansion behaviors of Mn(II)-pyridylbenzoate frameworks based on metal-carboxylate chains. 2014 , 57, 365-370	18
1603	Syntheses, Crystal Structures and Physical Properties of Four Zinc/Cadmium Coordination Polymers Based on 4-Nitrophthalic Acid and N-donor Auxiliary Ligands. 2014 , 24, 608-616	6
1602	Construction of a New 2D Cadmium(II) Coordination Polymer Based on N- and O-Donor Ligands: Synthesis, Luminescence and Biological Activities. 2014 , 44, 63-69	10

1601	Solvothermal synthesis, crystal structure and photoluminescent property of a novel 3D [Ca ₂ (HCOO) ₂ (nds)(H ₂ O) ₂] n. 2014 , 30, 9-12	8
1600	Luminescent metal-organic frameworks for chemical sensing and explosive detection. 2014 , 43, 5815-40	3218
1599	Supramolecular assemblies of multi-nuclear transition metal complexes: Synthesis and redox properties. 2014 , 265, 38-51	31
1598	MOF catalysis in relation to their homogeneous counterparts and conventional solid catalysts. 2014 , 5, 2979	264
1597	Fabrication of metal-organic framework MIL-88B films on stainless steel fibers for solid-phase microextraction of polychlorinated biphenyls. 2014 , 1334, 1-8	137
1596	Pore size dynamics in interpenetrated metal organic frameworks for selective sensing of aromatic compounds. 2014 , 819, 78-81	16
1595	[M ₃ (B-O)(O ₂ CR) ₆] and related trigonal prisms: versatile molecular building blocks for crystal engineering of metal-organic material platforms. 2014 , 5, 1269-1282	114
1594	Luminescent heteroleptic tris(dipyrrinato)indium(III) complexes. 2014 , 53, 3275-7	27
1593	Two-in-one: inherent anhydrous and water-assisted high proton conduction in a 3D metal-organic framework. 2014 , 53, 2638-42	313
1592	Syntheses, structures, and properties of six new coordination polymers constructed from N-heterocyclic multicarboxylic acids. 2014 , 4, 10424	9
1591	Influence of the counter anion and steric hindrance of pyrazolyl and imidazolyl flexible ligands on the structure of zinc-based coordination polymers. 2014 , 414, 217-225	19
1590	3-D silver(I)-lanthanide(III) heterometallic-organic frameworks constructed from 2,2'-bipyridine-3,3'-dicarboxylic acid: synthesis, structure, photoluminescence, and their remarkable thermostability. 2014 , 53, 3362-70	47
1589	Syntheses, Structures, and Luminescence Properties of Lanthanide Coordination Polymers with a Polycarboxylic Terpyridyl Derivative Ligand. 2014 , 79, 985-994	11
1588	Self-assembly of three-dimensional supramolecular polymers through cooperative tetrathiafulvalene radical cation dimerization. 2014 , 20, 575-84	40
1587	MOFs as proton conductors—challenges and opportunities. 2014 , 43, 5913-32	1017
1586	Porous Materials for Carbon Dioxide Capture. 2014 ,	16
1585	Incorporating polyoxometalates into a porous MOF greatly improves its selective adsorption of cationic dyes. 2014 , 20, 6927-33	207
1584	A MOF-supported chromium catalyst for ethylene polymerization through post-synthetic modification. 2014 , 387, 63-68	27

1583	Periodic DFT+D Molecular Modeling of the Zn-MOF-5(100)/(110)TiO ₂ Interface: Electronic Structure, Chemical Bonding, Adhesion, and Strain. 2014 , 118, 8971-8981	11
1582	A series of coordination polymers constructed by a flexible tetracarboxylic acid: synthesis, structural diversity and luminescent properties. 2014 , 16, 2508	11
1581	A new 3D Co(II) organic framework with acylamide-containing tetracarboxylate ligand: Solvothermal synthesis, crystal structure, gas adsorption and magnetic property. 2014 , 212, 141-146	3
1580	Two pillared-layer coordination polymers based on different cadmium/carboxylate units and 2-amine-4,4'-bis(1-imidazolyl)-bibenzene. 2014 , 40, 138-142	8
1579	Lanthanide organic frameworks for gas storage and as magneto-luminescent materials. 2014 , 273-274, 139-164	214
1578	Photoswitching CO ₂ capture and release in a photochromic diarylethene metal-organic framework. 2014 , 53, 9298-301	206
1577	Design, structure and luminescent properties of a novel two-dimensional Cd(II) coordination polymer constructed from in situ generated 1-methyl-2-(3H-[1 <i>B</i>]triazol-4-yl)-1H-benzimidazole. 2014 , 43, 78-80	5
1576	Distortional supramolecular isomers of polyrotaxane coordination polymers: photoreactivity and sensing of nitro compounds. 2014 , 53, 5591-5	158
1575	Modification of extended open frameworks with fluorescent tags for sensing explosives: competition between size selectivity and electron deficiency. 2014 , 20, 2276-91	289
1574	A luminescent dye@MOF platform: emission fingerprint relationships of volatile organic molecules. 2014 , 53, 1575-9	270
1573	Chiral and achiral imidazole-linked tetrahedral zinc phosphonate frameworks with photoluminescent properties. 2014 , 43, 285-9	25
1572	Single crystal coordinating solvent exchange as a general method for the enhancement of the photoluminescence properties of lanthanide MOFs. 2014 , 2, 5258	41
1571	Photoswitching CO ₂ Capture and Release in a Photochromic Diarylethene Metal Organic Framework. 2014 , 126, 9452-9455	33
1570	Guest inducing fluorescence switching in lanthanide tris((4-carboxyl)phenyl)duryl)amine frameworks integrating porosity and flexibility. 2014 , 2, 4436	56
1569	Electrochemical synthesis of a microporous conductive polymer based on a metal-organic framework thin film. 2014 , 53, 6454-8	105
1568	N-Heterocyclic carbene metal complexes: photoluminescence and applications. 2014 , 43, 3551-74	478
1567	Direct X-ray observation of trapped CO ₂ in a predesigned porphyrinic metal-organic framework. 2014 , 20, 7632-7	37
1566	Luminescent metal-organic frameworks as explosive sensors. 2014 , 43, 10668-85	302

1565	White light emission by a lanthanide doped Sm(III) framework constructed from 4-sulfobenzoate and 1H-imidazo[4,5-f][1,10]-phenanthroline. 2014 , 43, 5974-7	21
1564	A lanthanum chelate possessing an open-channel framework with water nanotubes: properties and desalination. 2014 , 43, 6026-31	15
1563	From 1D chain to 2D layer and 3D network: Solvent-free syntheses of new metal oxalates. 2014 , 41, 54-57	2
1562	Different dimensional coordination polymers with 4,4'-oxybis(benzoate): Syntheses, structures and properties. 2014 , 215, 277-283	16
1561	Sensitive chemosensing of nitro group containing organophosphate pesticides with MOF-5. 2014 , 195, 60-66	60
1560	Photoluminescent 3D lanthanide MOFs with a rare (10,3)-d net based on a new tripodal organic linker. 2014 , 16, 6469-6475	32
1559	Rational design of metal-organic frameworks with anticipated porosities and functionalities. 2014 , 16, 4069-4083	102
1558	A AgLa coordination polymer with metatungstate and 2-pyrazinecarboxylic acid. Synthesis, structure and luminescence. 2014 , 45, 33-35	3
1557	Blue emission of a 2D non-interpenetrated zinc coordination polymer constructed through saturated fatty acid ligand. 2014 , 45, 108-111	5
1556	Synthesis, structure and luminescence property of Eu(III) metal-organic framework based on 2,2'-bipyridine-5,5'-dicarboxylic acid. 2014 , 46, 39-42	7
1555	Metal-organic frameworks for air purification of toxic chemicals. <i>Chemical Reviews</i> , 2014 , 114, 5695-727	68.1 707
1554	Rigidifying fluorescent linkers by metal-organic framework formation for fluorescence blue shift and quantum yield enhancement. 2014 , 136, 8269-76	422
1553	Two Series of Solvent-Dependent Lanthanide Coordination Polymers Demonstrating Tunable Luminescence and Catalysis Properties. 2014 , 14, 3002-3009	91
1552	Two-dimensional metal-organic framework with wide channels and responsive turn-on fluorescence for the chemical sensing of volatile organic compounds. 2014 , 136, 7241-4	527
1551	A stable microporous mixed-metal metal-organic framework with highly active Cu ²⁺ sites for efficient cross-dehydrogenative coupling reactions. 2014 , 20, 1447-52	49
1550	Synthesis and Structural Characterization of 1D and 2D Coordination Polymers based on Flexible 1,3-Adamantanediactic Acid and Exo-bidentate Organic Linkers. 2014 , 640, 1102-1108	7
1549	Synthesis, structure, luminescence and catalytic properties of cadmium(ii) coordination polymers with 9H-carbazole-2,7-dicarboxylic acid. 2014 , 43, 3691-7	46
1548	A highly porous NbO type metal-organic framework constructed from an expanded tetracarboxylate. 2014 , 50, 1552-4	42

1547	A new type of double-chain based 3D lanthanide(III) metal-organic framework demonstrating proton conduction and tunable emission. 2014 , 50, 1912-4	108
1546	A porous sodalite-type MOF based on tetrazolcarboxylate ligands and [Cu ₄ Cl] ⁷⁺ squares with open metal sites for gas sorption. 2014 , 43, 2365-8	26
1545	Three Zinc(II) Coordination Polymers Based on Tetrakis(4-pyridyl)cyclobutane and Naphthalenedicarboxylate Linkers: Solvothermal Syntheses, Structures, and Photocatalytic Properties. 2014 , 14, 240-248	124
1544	Anionic porous metal-organic framework with novel 5-connected vbk topology for rapid adsorption of dyes and tunable white light emission. 2014 , 2, 1085-1093	112
1543	A series of coordination polymers constructed by the semi-rigid bifunctional ligand 5-((1H-1,2,4-triazol-1-yl)methoxy) isophthalic acid: syntheses, structures and the role of solvents. 2014 , 16, 1136-1148	31
1542	Recent advances in lanthanide luminescence with metal-organic chromophores as sensitizers. 2014 , 273-274, 47-62	136
1541	Co ₆ (β-OH) ₆ cluster based coordination polymer as an effective heterogeneous catalyst for aerobic epoxidation of alkenes. 2014 , 43, 2559-65	51
1540	Using functional nano- and microparticles for the preparation of metal-organic framework composites with novel properties. 2014 , 47, 396-405	230
1539	Structure, photoluminescent properties and photocatalytic activities of a new Cd(II) metal-organic framework. 2014 , 118, 657-62	18
1538	A europium(III) based metal-organic framework: bifunctional properties related to sensing and electronic conductivity. 2014 , 2, 237-244	131
1537	Thermally/hydrolytically stable covalent organic frameworks from a rigid macrocyclic host. 2014 , 50, 788-91	59
1536	A pyridyl-carboxylate type linking ligand containing an intervening amide group and its cadmium and nickel coordination polymers: (3-py) ₄ (O)NH ₄ H ₄ H ₂ O ₂ OOH (HL), {[CdL ₂](H ₂ O)} _n and {[NiL ₂ (H ₂ O) ₂](H ₂ O)} _n 2014 , 69, 197-204	5
1535	Influence of photoinduced electron transfer on lanthanide-based coordination polymer luminescence: a comparison between two pseudoisorecticular molecular networks. 2014 , 53, 1217-28	52
1534	A novel lead(II) porous metal-organic framework constructed from a flexible bifunctional macrocyclic polyamine ligand. 2014 , 40, 116-119	6
1533	Four new metal-organic coordination polymers with non-coordinating biphenyl groups: Synthesis, characterization, magnetic and luminescent properties. 2014 , 411, 30-34	4
1532	Two luminescent metal-organic frameworks for the sensing of nitroaromatic explosives and DNA strands. 2014 , 2, 2213-2220	227
1531	Four chiral Ag(I) complexes with dual chiral components: Effect of positional isomerism, luminescence and SHG response. 2014 , 40, 97-102	10
1530	Metal-cation-directed de novo assembly of a functionalized guest molecule in the nanospace of a metal-organic framework. 2014 , 136, 1202-5	148

1529	Extension of the Universal Force Field to Metal-Organic Frameworks. 2014 , 10, 880-91	130
1528	A homochiral metal-organic framework as an effective asymmetric catalyst for cyanohydrin synthesis. 2014 , 136, 1746-9	228
1527	Three coordination polymers constructed from various polynuclear clusters spaced by 2,2'-azodibenzoic acid: syntheses and fluorescent properties. 2014 , 43, 2915-24	38
1526	Homo- and heterometallic luminescent 2-D stilbene metal-organic frameworks. 2014 , 43, 2925-35	25
1525	A new metal-organic framework with potential for adsorptive separation of methane from carbon dioxide, acetylene, ethylene, and ethane established by simulated breakthrough experiments. 2014 , 2, 2628	74
1524	Three Cd(II) coordination polymers assembled by flexible 2,2'-azodibenzoic acid and N-donor auxiliary ligand: Structural diversities and luminescent properties. 2014 , 40, 194-199	17
1523	Construction of two microporous metal-organic frameworks with flu and pyr topologies based on Zn ₄ (B-OH) ₂ (CO ₂) ₆ and Zn ₆ (B-O)(CO ₂) ₆ secondary building units. 2014 , 53, 1032-8	46
1522	Color tuning and white light emission via in situ doping of luminescent lanthanide metal-organic frameworks. 2014 , 53, 289-93	178
1521	Heterometallic trinuclear 3d ⁴ f ³ d compounds based on a hexadentate Schiff base ligand. 2014 , 68, 180-190	20
1520	Metal-Organic Frameworks as Biomimetic Catalysts. 2014 , 6, 67-75	233
1519	Rational Assembly of Co/Cd-MOFs Featuring Topological Variation. 2014 , 14, 147-156	32
1518	From hydrated Ni ₃ (OH) ₂ (C ₈ H ₄ O ₄) ₂ (H ₂ O) ₄ to anhydrous Ni ₂ (OH) ₂ (C ₈ H ₄ O ₄): impact of structural transformations on magnetic properties. 2014 , 53, 872-81	133
1517	Cu(I)-MOF: naked-eye colorimetric sensor for humidity and formaldehyde in single-crystal-to-single-crystal fashion. 2014 , 50, 1444-6	173
1516	A ratiometric and colorimetric luminescent thermometer over a wide temperature range based on a lanthanide coordination polymer. 2014 , 50, 719-21	173
1515	Synthesis, structure and property of one porous Zn(salen)-based metal-metallosalen framework. 2014 , 57, 107-113	4
1514	Dichotomous adsorption behaviour of dyes on an amino-functionalised metal-organic framework, amino-MIL-101(Al). 2014 , 2, 193-203	295
1513	Assembly of a series of d ¹⁰ coordination polymers of pamoic acid through a mixed-ligand synthetic strategy: syntheses, structures and fluorescence properties. 2014 , 16, 10658-10673	60
1512	Two-in-One: Inherent Anhydrous and Water-Assisted High Proton Conduction in a 3D Metal-Organic Framework. 2014 , 126, 2676-2680	56

1511	Isomer dependence in the assembly and lability of silver(I) trifluoromethanesulfonate complexes of the heteroditopic ligands, 2-, 3-, and 4-[di(1H-pyrazolyl)methyl]phenyl(di-p-tolyl)phosphine. 2014 , 53, 12108-21	11
1510	Rational construction of metal-organic frameworks for heterogeneous catalysis. 2014 , 1, 721-734	56
1509	Two 3D photoluminescent Zn(II) complexes constructed from 5-amino-1-H-tetrazole with aromatic polycarboxylate ligands. 2014 , 4, 56434-56439	7
1508	Two 3D Coordination Frameworks Based on Benzobisimidazole Linkers Generated under Similar Conditions: Synthesis, Structures and Thermal Properties. 2014 , 2014, 5362-5369	3
1507	How Structure-Directing Cations Tune the Fluorescence of Metal-Organic Frameworks. 2014 , 14, 5452-5465	22
1506	Bismuth tungstate incorporated zirconium metal-organic framework composite with enhanced visible-light photocatalytic performance. 2014 , 4, 64977-64984	63
1505	Hetero-metallic Lanthanide CPs Involving Sodium: Synthesis, Crystal Structure, and Luminescence Properties. 2014 , 640, 2255-2260	7
1504	Lanthanide Metal-Organic Frameworks: Syntheses, Properties, and Potential Applications. 2014 , 1-27	15
1503	Effect of Polycarboxylate Coligands from Linear to V-shaped Cu(I) Coordination Polymers Based on a Rigid Tripodal Ligand. 2014 , 640, 2247-2254	3
1502	General incorporation of diverse components inside metal-organic framework thin films at room temperature. 2014 , 5, 5532	139
1501	Tuning Two-Dimensional Layer to Three-Dimensional Pillar-Layered Metal-Organic Frameworks: Polycatenation and Interpenetration Behaviors. 2014 , 14, 6261-6268	50
1500	Nanostructured and/or Nanoscale Lanthanide Metal-Organic Frameworks. 2014 , 297-367	7
1499	Hydrothermal syntheses and crystal structure of a novel one-dimensional Pb(II) coordination polymer with chenodeoxycholic acid ligand. 2014 , 40, 831-836	1
1498	A new MOF-5 homologue for selective separation of methane from C2 hydrocarbons at room temperature. 2014 , 2, 124102	27
1497	Synthesis, Characterization and Photoluminescence of Lanthanide Metal-organic Frameworks, Constructed from Triangular 4,4',4''-s-triazine-1,3,5-triyl-p-aminobenzoate Ligands. 2014 , 61, 1115-1120	10
1496	Structural diversity and photoluminescence properties of zinc coordination polymers constructed from 1,4-bis[2-(4-pyridyl)ethenyl]-2,3,5,6-tetramethylbenzene and para-dicarboxylates. 2014 , 16, 10949-10958	28
1495	Modulating the polyoxometalate-based inorganic-organic hybrids from simple chains to complicated frameworks via changing POM clusters. 2014 , 4, 61210-61218	9
1494	Designing Near-Infrared and Visible Light Emitters by Postsynthetic Modification of Ln ³⁺ IRMOF-3. 2014 , 2014, 5285-5295	38

- 1493 Synthesis, structures, sorption and magnetic properties of coordination polymers based on 3d metal pivalates and polydentate pyridine-type ligands. **2014**, 63, 252-266 7
- 1492 Two novel four-coordinated zinc(II) polymers: Synthesis, structures, and properties. **2014**, 40, 539-546
- 1491 Two Homochiral Bimetallic Metal-Organic Frameworks Composed of a Paramagnetic Metalloligand and Chiral Camphorates: Multifunctional Properties of Sorption, Magnetism, and Enantioselective Separation. **2014**, 14, 6472-6477 38
- 1490 Lanthanide organic-inorganic hybrids based on functionalized metal-organic frameworks (MOFs) for a near-UV white LED. **2014**, 50, 15443-6 83
- 1489 The various architectures and properties of a series of coordination polymers tuned by the central metals and auxiliary N-donor ligands. **2014**, 16, 11088-11095 16
- 1488 A 3D MOF showing unprecedented solvent-induced single-crystal-to-single-crystal transformation and excellent CO₂ adsorption selectivity at room temperature. **2014**, 50, 15886-9 41
- 1487 A Series of Cu(II)/Ni(II) Metal-Organic Frameworks Based on 2,2'-Bipyridine-3,3'-dicarboxylic Acid: Syntheses, Structures, and Magnetic Properties. **2014**, 14, 6409-6420 18
- 1486 Two novel 3D lanthanide supramolecular coordination polymers constructed from paddle wheel SBUs and hydrogen bonding: synthesis, structures and properties. **2014**, 4, 30963-30967 13
- 1485 Luminescent materials of zeolite functionalized with lanthanides. **2014**, 16, 9764-9778 43
- 1484 Structural diversity of four new metal-organic frameworks with a curved tetracarboxydiimide dicarboxylic acid. **2014**, 16, 834-841 21
- 1483 A highly stable multifunctional three-dimensional microporous framework: excellent selective sorption and visible photoluminescence. **2014**, 43, 6811-8 13
- 1482 Coordination polymers derived from pyridyl carboxylate ligands having an amide backbone: an attempt towards the selective separation of Cu(II) cation following in situ crystallization under competitive conditions. **2014**, 16, 7815-7829 6
- 1481 A series of metal-organic frameworks containing diverse secondary building units derived from a flexible triazine-based tetracarboxylic ligand. **2014**, 16, 2188-2195 12
- 1480 Syntheses, structures, luminescence and molecular recognition properties of four new cadmium carboxyphosphonates with 2D layered and 3D supramolecular structures. **2014**, 16, 5050-5061 28
- 1479 Luminescent group 12 metal tetracarboxylate networks as probe for metal ions. **2014**, 4, 49090-49097 20
- 1478 The photoluminescence and gas sorption properties of three Cd(II) MOFs based on 1,3,5-benzenetricarboxylate with -NH₂ or -OH groups. **2014**, 43, 4668-73 41
- 1477 Metal-ion controlled solid-state reactivity and photoluminescence in two isomorphous coordination polymers. **2014**, 1, 172 15
- 1476 An electroactive porous network from covalent metal-dithiolene links. **2014**, 50, 3986-8 139

- 1475 Metal ions and solvents ratio co-regulate four new magnetic coordination polymers based upon an unsymmetric tricarboxylate acid ligand. **2014**, 43, 10947-55 18
- 1474 An amino group functionalized metal-organic framework as a luminescent probe for highly selective sensing of Fe³⁺ ions. **2014**, 2, 7662 280
- 1473 A bimodal anionic MOF: turn-off sensing of Cu(II) and specific sensitization of Eu(III.). **2014**, 50, 13567-70 102
- 1472 Tuning the formation of dicarboxylate linker-assisted supramolecular 1D chains and squares of Ni(II) using coordination and hydrogen bonds. **2014**, 16, 5705-5715 12
- 1471 Microporous metal-organic layer built from pentanuclear tetrahedral units: gas sorption and magnetism. **2014**, 38, 5272-5275 7
- 1470 A series of Ln-p-chlorobenzoic acid-terpyridine complexes: lanthanide contraction effects, supramolecular interactions and luminescent behavior. **2014**, 16, 1873 71
- 1469 Coordination polymers built with transition metal sulphates and angular 2,5-bis(imidazol-1-yl)thiophene (thim2): synthesis, structure and photoluminescent properties. **2014**, 16, 6203-6212 9
- 1468 Non-hydrothermal synthesis, structural characterization and thermochemistry of water soluble and neutral coordination polymers of Zn(II) and Cd(II): precursors for the submicron-sized crystalline ZnO/CdO. **2014**, 4, 39204-39213 22
- 1467 A novel Eu(III) Ag(I) heterometallic coordination polymer based on planar hexanuclear heterometallic second building unit. **2014**, 50, 75-78 6
- 1466 A luminescent terbium coordination polymer for sensing methanol. **2014**, 4, 14035-14041 25
- 1465 Structural diversity and magnetic properties of six metal-organic polymers based on semirigid tricarboxylate ligand of 3,5-bi(4-carboxyphenoxy)benzoic acid. **2014**, 43, 15979-89 38
- 1464 Synthesis, structure and properties of 2D lanthanide coordination polymers based on N-heterocyclic arylpolycarboxylate ligands. **2014**, 43, 17385-94 30
- 1463 A family of three magnetic metal organic frameworks: their synthesis, structural, magnetic and vapour adsorption study. **2014**, 16, 4742-4752 19
- 1462 Zinc hydroxide nanostrands: unique precursors for synthesis of ZIF-8 thin membranes exhibiting high size-sieving ability for gas separation. **2014**, 16, 9788-9791 26
- 1461 A series of metal-organic frameworks based on a semi-rigid bifunctional ligand 5-[(1H-1,2,4-triazol-1-yl)methoxy] isophthalic acid and flexible N-donor bridging ligands. **2014**, 16, 6380 21
- 1460 Highly dispersed NiS nanoparticles in porous carbon matrices by a template metal-organic framework method for lithium-ion cathode. **2014**, 2, 7912 80
- 1459 A series of mononuclear lanthanide complexes featuring 3-D supramolecular networks: synthesis, characterization and luminescent properties for sensing guest molecules. **2014**, 13, 660-70 16
- 1458 Tuning electronic and optical properties of a new class of covalent organic frameworks. **2014**, 2, 2404 31

1457	Syntheses, structures, and properties of a series of 2D and 3D coordination polymers based on trifunctional pyridinedicarboxylate and different (bis)imidazole bridging ligands. 2014 , 16, 2144-2157	44
1456	Tuning of net architectures of Ni(II) and Zn(II) coordination polymers using isomeric organic linkers. 2014 , 16, 8874-8884	14
1455	Selective pyridine recognition by an imidazole dicarboxylate-based 3D cadmium(II) MOF. 2014 , 4, 33537-33540	18
1454	Organic/organic light-harvesting scaffolds for luminescent hybrids. 2014 , 2, 3055-3064	52
1453	Variation of CO ₂ adsorption in isostructural Cd(II)/Co(II) based MOFs by anion modulation. 2014 , 16, 5012	29
1452	Structures and properties of four coordination polymers constructed from 1,3-bis-(4-pyridyl)-propane and aromatic dicarboxylic acids. 2014 , 4, 13919	7
1451	Hydrothermal Synthesis and Characterization of a Novel 1D Zn(II)-Triazole Framework Containing Infinite Zn-O-Zn Connectivity. 2014 , 44, 1473-1476	1
1450	Tuning the luminescence of metal-organic frameworks for detection of energetic heterocyclic compounds. 2014 , 136, 15485-8	341
1449	A series of three-dimensional 3D of cyanide heterometallic coordination polymers: synthesis, crystal structure, photoluminescent and magnetic properties. 2014 , 16, 667-683	25
1448	Interplay between hydrogen bonding and metal coordination in alkali metal tartrates and hydrogen tartrates. 2014 , 16, 6159-6169	4
1447	Syntheses, structures, and photoluminescent properties of a series of metal-organic frameworks constructed by 5,5'-bis(1H-imidazol-1-yl)-2,2'-bithiophene and various carboxylate ligands. 2014 , 16, 900-909	21
1446	Three Mn(II) coordination polymers with a bispyridyl-based quinolate ligand: the anion-controlled tunable structural and magnetic properties. 2014 , 43, 9777-85	16
1445	Solvent-mediated assembly of chiral/achiral hydrophilic Ca(II)-tetrafluoroterephthalate coordination frameworks: 3D chiral water aggregation, structural transformation and selective CO ₂ adsorption. 2014 , 16, 7673-7680	26
1444	Oxygen and methanol mediated irreversible coordination polymer structural transformation from a 3D Cu(I)-framework to a 1D Cu(II)-chain. 2014 , 50, 4434-7	19
1443	A stable, pillar-layer metal-organic framework containing uncoordinated carboxyl groups for separation of transition metal ions. 2014 , 50, 6406-8	68
1442	Luminescent lanthanide barcodes based on postsynthetic modified nanoscale metal-organic frameworks. 2014 , 2, 7411-7416	72
1441	Self-assembled metal-organic frameworks crystals for chemical vapor sensing. 2014 , 10, 3672-6	65
1440	Amine-responsive adaptable nanospaces: fluorescent porous coordination polymer for molecular recognition. 2014 , 53, 11772-7	153

- 1439 Pure white-light and yellow-to-blue emission tuning in single crystals of Dy(III) metal-organic frameworks. **2014**, 50, 7702-4 133
- 1438 A luminescent mixed-lanthanide-organic framework sensor for decoding different volatile organic molecules. **2014**, 86, 6648-53 77
- 1437 Structural and functional studies on ternary coordination polymers from 5-bromoisophthalate and imidazole based flexible linker. **2014**, 4, 7352 18
- 1436 A series of lanthanide-organic frameworks possessing arrays of 2D intersecting channels within a 3D pillar-supported packed double-decker network and Co²⁺-induced luminescence modulation. **2014**, 16, 8852-8862 10
- 1435 Three novel zinc(II) metal-organic frameworks based on three tetrazolate ligands: synthesis, structures and photoluminescence. **2014**, 4, 21535-21540 27
- 1434 Towards full-color-tunable emission of two component Eu(III)-doped Gd(III) coordination frameworks by the variation of excitation light. **2014**, 43, 12574-81 28
- 1433 Structures and properties of coordination polymers involving asymmetric biphenyl-3,2',5'-tricarboxylate. **2014**, 16, 10006-10016 15
- 1432 Four coordination polymers constructed by a novel octacarboxylate functionalized calix[4]arene ligand: syntheses, structures, and photoluminescence property. **2014**, 16, 9939-9946 29
- 1431 A novel luminescent monolayer thin film based on postsynthetic method and functional linker. **2014**, 2, 5526-5532 39
- 1430 A series of metal-organic frameworks based on 5-(4-pyridyl)-isophthalic acid: selective sorption and fluorescence sensing. **2014**, 2, 12413 77
- 1429 A microporous Zn(II)-MOF with open metal sites: structure and selective adsorption properties. **2014**, 43, 8311-7 24
- 1428 Hollow metal-organic framework nanospheres via emulsion-based interfacial synthesis and their application in size-selective catalysis. **2014**, 6, 18163-71 128
- 1427 Seven dicarboxylate-based coordination polymers with structural varieties and different solvent resistance properties derived from the introduction of small organic linkers. **2014**, 16, 2615-2625 17
- 1426 A cytochrome C encapsulated metal organic framework as a bio-material for sulfate ion recognition. **2014**, 2, 8628-8631 26
- 1425 Synthesis, characterization and selective hysteretic sorption property of metal-organic frameworks with 3,5-di(pyridine-4-yl)benzoate. **2014**, 16, 6300 22
- 1424 Fast response and highly selective sensing of amine vapors using a luminescent coordination polymer. **2014**, 50, 10506-9 105
- 1423 A highly luminescent chameleon: fine-tuned emission trajectory and controllable energy transfer. **2014**, 2, 1367 85
- 1422 Eu(III) and Tb(III) complexes with the nonsteroidal anti-inflammatory drug carprofen: synthesis, crystal structure, and photophysical properties. **2014**, 53, 12275-82 46

1421	Syntheses, crystal structures, photoluminescent/magnetic properties of four new coordination polymers based on 2,3,4,5-tetrakis(phenyl)benzoic acid. 2014 , 4, 62285-62294	24
1420	Novel photofunctional hybrid materials (alumina and titania) functionalized with both MOF and lanthanide complexes through coordination bonds. 2014 , 4, 38761-38768	11
1419	Recent advances on porous homochiral coordination polymers containing amino acid synthons. 2014 , 16, 4907-4918	44
1418	Five Cd(II) coordination polymers based on 2,3,5,5'-biphenyltetracarboxylic acid and N-donor coligands: syntheses, structures and fluorescent properties. 2014 , 16, 6417-6424	57
1417	Two pairs of isomorphism and two 3D metal-organic frameworks based on a star-like ligand tri(4-pyridylphenyl)amine. 2014 , 16, 698-706	23
1416	Ligand effects on the structural dimensionality and antibacterial activities of silver-based coordination polymers. 2014 , 43, 10104-13	56
1415	Functionalized lanthanide coordination polymer nanoparticles for selective sensing of hydrogen peroxide in biological fluids. 2014 , 139, 5516-22	31
1414	Positional isomeric tunable two Co(II) 6-connected 3-D frameworks with pentanuclear to binuclear units: structures, ion-exchange and magnetic properties. 2014 , 43, 15450-6	44
1413	Organic linker geometry controlled synthesis of coordination polymer spheres and their thermal transformation to yolk-shell metal oxides. 2014 , 2, 15480-15487	9
1412	Synthesis, characterization, and luminescence modulation of a rare barium-tetracarboxylate framework with 12O1 connectivity. 2014 , 16, 8706-8709	14
1411	Two porous Co(II) bithiophenedicarboxylate metal-organic frameworks: from a self-interpenetrating framework to a two-fold interpenetrating β -Po topological network. 2014 , 4, 5740	8
1410	An electrodeposited lanthanide MOF thin film as a luminescent sensor for carbonate detection in aqueous solution. 2014 , 2, 8683-8690	102
1409	Host-guest interaction dictated selective adsorption and fluorescence quenching of a luminescent lightweight metal-organic framework toward liquid explosives. 2014 , 43, 15237-44	22
1408	Four 2D Ln(III) heterometal-organic coordination polymers based on tetranuclear Ln(III) oxo-cluster with highly selective luminescent sensing of organic molecules and metal cations. 2014 , 4, 27013-27021	17
1407	A water-stable zeolite-like metal-organic framework for selective separation of organic dyes. 2014 , 4, 1480-1483	44
1406	Two coordination polymers with enhanced ligand-centered luminescence and assembly imparted sensing ability for acetone. 2014 , 2, 9469	63
1405	Two 3D metal-organic frameworks of Cd(II): modulation of structures and porous properties based on linker functionalities. 2014 , 16, 4877-4885	16
1404	Tunable luminescence from rare 2D Ga(III)/In(III) coordination polymers coexisting with three different conjugated system aromatic ligands. 2014 , 50, 5023-6	21

1403	Unprecedented metal-ion metathesis in a metal-carboxylate chain-based metal-organic framework. 2014 , 16, 2344	17
1402	Copper(I) Halides (X = Br, I) Coordinated to Bis(arythio)methane Ligands: Aryl Substitution and Halide Effects on the Dimensionality, Cluster Size, and Luminescence Properties of the Coordination Polymers. 2014 , 14, 5373-5387	44
1401	Manganese(II), nickel(II), and cadmium(II) coordination polymers with tetrafluoroterephthalate: syntheses, crystal structures, and luminescence properties. 2014 , 39, 867-874	2
1400	Four cluster-containing highly connected coordination networks: syntheses, structures, and properties. 2014 , 16, 6372	19
1399	Tunable photoluminescence of europium-doped layered double hydroxides intercalated by coumarin-3-carboxylate. 2014 , 4, 7991	34
1398	Syntheses, crystal structures, surface photovoltage, luminescence and molecular recognition properties of zinc(II) and iron(II) carboxyphosphonates with 2D and 3D supramolecular structures. 2014 , 16, 1174	13
1397	Controlling the energy transfer in lanthanide-organic frameworks for the production of white-light emitting materials. 2014 , 16, 6914-6918	42
1396	A metal-organic framework with a 9-phenylcarbazole moiety as a fluorescent tag for picric acid explosive detection: collaboration of electron transfer, hydrogen bonding and size matching. 2014 , 4, 47357-47360	35
1395	Two luminescent Cu(I) coordination polymers based on the 1-(4-tetrazolephenyl)imidazole ligand for sensing of nitrobenzene. 2014 , 1, 389	42
1394	Lanthanide CPs: the guest-tunable drastic changes of luminescent quantum yields, and two photon luminescence. 2014 , 2, 2235-2242	42
1393	Syntheses, crystal structures and UV-visible absorption properties of five metal-organic frameworks constructed from terphenyl-2,5,2',5'-tetracarboxylic acid and bis(imidazole) bridging ligands. 2014 , 43, 6701-10	60
1392	A nitro-decorated NbO-type metal-organic framework with a highly selective CO ₂ uptake and CH ₄ storage capacity. 2014 , 16, 6287-6290	54
1391	Syntheses, structures, and luminescence properties of four metal-organic polymers with undocumented topologies constructed from 3,5-bis((4'-carboxylbenzyl)oxy)benzoate ligand. 2014 , 4, 30274-30281	23
1390	Three metal-organic frameworks based on the semirigid V-shaped 5-(3-amino-tetrazole-5-phenoxy)-isophthalic acid ligand: syntheses, topological structures and properties. 2014 , 16, 4382	20
1389	Highly chemical and thermally stable luminescent EuxTb1-x MOF materials for broad-range pH and temperature sensors. 2014 , 2, 8065-8070	129
1388	Covalent lanthanide(III) macrocyclic complexes: the bonding nature and optical properties of a promising single antenna molecule. 2014 , 16, 25978-88	9
1387	Investigation of the effect of pore size on gas uptake in two metal-organic frameworks. 2014 , 50, 4911-4	25
1386	Metal-organic coordination polymers of Tb ₂ Eux(BDC) ₃ (H ₂ O) _n with tunable fluorescence and smart response toward aldehydes (0 ≤ x ≤ 1, BDC = 1,4-benzenedicarboxylate). 2014 , 4, 2573-2576	15

1385	From 1D zigzag chains to 3D chiral frameworks: synthesis and properties of praseodymium(III) and neodymium(III) coordination polymers. 2014 , 4, 40643-40650	20
1384	A white-light-emitting LnMOF with color properties improved via Eu ³⁺ doping: an alternative approach to a rational design for solid-state lighting. 2014 , 50, 1820-3	67
1383	A high-efficiency white light-emitting lanthanide-organic framework assembled from 4,4'-oxybis(benzoic acid), 1,10-phenanthroline and oxalate. 2014 , 2, 9073-9076	40
1382	A series of coordination polymers based on a new 2,2',5,5'-dimethyl-1,1':4,1''-terphenyl-3,3''-dicarboxylic acid ligand: structures, luminescence, and magnetic properties. 2014 , 16, 406-414	20
1381	Structural diversity of 5-methylnicotinate coordination assemblies regulated by metal-ligating tendency and metal-dependent anion effect. 2014 , 16, 6433	17
1380	Polymorphic Ln(III) and BPTC-based porous metal-organic frameworks with visible, NIR photoluminescent and magnetic properties. 2014 , 16, 2440	17
1379	Syntheses, structures, and magnetic properties of five coordination polymers constructed from biphenyl-3,4',5-tricarboxylic acid and (bis)imidazole linkers. 2014 , 16, 3203-3213	46
1378	Effects of substituent groups on the structures and luminescence properties of 2D/3D CdII complexes with mixed rigid and flexible carboxylate ligands. 2014 , 4, 24183-24188	18
1377	Tuning cadmium coordination architectures using 1,4-bis(1,2,4-triazol-1-ylmethyl)benzene and sulfoisophthalate. 2014 , 4, 24594	12
1376	Temperature and pH driven self-assembly of Zn(II) coordination polymers: crystal structures, supramolecular isomerism, and photoluminescence. 2014 , 16, 1687	102
1375	Four-connected metal-organic frameworks constructed by tetracarboxylate acid-based ligands. 2014 , 1, 478	10
1374	The various architectures and properties of a series of coordination polymers tuned by the central metals. 2014 , 43, 8072-82	32
1373	Core-shell structured GdO:Ln@mSiO hollow nanospheres: synthesis, photoluminescence and drug release properties. 2014 , 2, 2127-2135	38
1372	Experimental Studies and Mechanism Analysis of High-Sensitivity Luminescent Sensing of Pollutational Small Molecules and Ions in Ln ₄ O ₄ Cluster Based Microporous Metal-Organic Frameworks. 2014 , 118, 416-426	276
1371	Lanthanide based tuning of luminescence in MOFs and dense frameworks--from mono- and multimetal systems to sensors and films. 2014 , 50, 8093-108	286
1370	An unusual lamellar framework constructed from a tetracarboxylatocalix[4]arene with highly efficient metal-ion exchange. 2014 , 16, 9520-9527	12
1369	Efficient Photoluminescence via Metal-Ligand Alteration in a New MOFs Family. 2014 , 26, 2943-2951	79
1368	Sorption comparison of two indium-organic framework isomers with syn-anti configurations. 2014 , 16, 7434	11

- 1367 Luminescent terbium-containing metal-organic framework films: new approaches for the electrochemical synthesis and application as detectors for explosives. **2014**, 50, 12545-7 102
- 1366 Cadmium coordination polymers based on flexible bis(imidazole) ligands: A rare example for doublet of doublet cadmium polyhedron arrangements. **2014**, 1075, 147-153 4
- 1365 Tuning of valence States, bonding types, hierarchical structures, and physical properties in copper/halide/isonicotinate system. **2014**, 53, 4130-43 33
- 1364 Multifunctional metal-organic frameworks constructed from meta-benzenedicarboxylate units. **2014**, 43, 5618-56 431
- 1363 Catalytic Performance of Vanadium MIL-47 and Linker-Substituted Variants in the Oxidation of Cyclohexene: A Combined Theoretical and Experimental Approach. **2014**, 79, 1183-1197 18
- 1362 Luminescent Response of One Anionic Metal-Organic Framework Based on Novel Octa-nuclear Zinc Cluster to Exchanged Cations. **2014**, 14, 410-413 31
- 1361 2D Cd(II)-lanthanide(III) heterometallic-organic frameworks based on metalloligands for tunable luminescence and highly selective, sensitive, and recyclable detection of nitrobenzene. **2014**, 53, 8105-13 94
- 1360 Enhanced separation of potassium ions by spontaneous K⁺-induced self-assembly of a novel metal-organic framework and excess specific cation-π interactions. **2014**, 53, 10649-53 26
- 1359 Metal-directed assembly of coordination polymers with the versatile ligand 2-(1H-benzotriazol-1-yl)acetic acid: from discrete structures to two-dimensional networks. **2014**, 16, 2660 44
- 1358 Solvent-Induced Structural Diversity of Partially Fluorinated, Stable Pb(II) Metal-Organic Frameworks and Their Luminescence Properties. **2014**, 14, 1476-1485 67
- 1357 Fluorescent Dodecapus in 3D Framework. **2014**, 14, 4258-4261 41
- 1356 Brønsted instead of Lewis acidity in functionalized MIL-101Cr MOFs for efficient heterogeneous (nano-MOF) catalysis in the condensation reaction of aldehydes with alcohols. **2014**, 53, 7319-33 127
- 1355 Hydrothermal Synthesis and Characterization of a Novel 3D Chiral Inorganic-Organic Hybrid Cadmium(II) Framework With Achiral 1,4-Naphthalenedicarboxylic Acid Ligand. **2014**, 44, 371-375 5
- 1354 Studies on Coordination Polymers Derived from 2,5-Bis(naphthalen-1-ylcarbonyl)terephthalic acid. **2014**, 51, 134-143 2
- 1353 An amine-functionalized metal-organic framework as a sensing platform for DNA detection. **2014**, 50, 12069-72 146
- 1352 Solvothermal Growth and Photophysical Characterization of a Ruthenium(II) Tris(2,2'-Bipyridine)-Doped Zirconium UiO-67 Metal Organic Framework Thin Film. **2014**, 118, 14200-14210 55
- 1351 Structural diversity and luminescence properties of coordination polymers based on mixed ligands, 2,5-bis(imidazol-1-yl)thiophene (thim2) and aromatic multicarboxylates. **2014**, 16, 7914-7925 13
- 1350 Synthesis of a series of coordination polymers based on mixed ligands to tune the structural dimension. **2014**, 16, 5093-5102 20

- 1349 A luminescent metal-organic framework demonstrating ideal detection ability for nitroaromatic explosives. **2014**, 2, 1465-1470 365
- 1348 Four uncommon nanocage-based Ln-MOFs: highly selective luminescent sensing for Cu²⁺ ions and selective CO₂ capture. **2014**, 50, 8731-4 227
- 1347 An unprecedented seven-connected coordination network based on octanuclear supertetrahedral lead(II) cluster as a secondary building unit. **2014**, 46, 244-247 7
- 1346 Effective sensing of RDX via instant and selective detection of ketone vapors. **2014**, 5, 4873-4877 96
- 1345 Syntheses, crystal structures, and optical properties of five metal complexes constructed from a V-shaped thiophene-containing ligand and different dicarboxylate ligands. **2014**, 43, 13250-8 14
- 1344 Beyond post-synthesis modification: evolution of metal-organic frameworks via building block replacement. **2014**, 43, 5896-912 621
- 1343 Construction of several new s/p-block complexes containing binuclear metal-terpyridine building blocks: dependence of structural diversity on the number of coordinated water molecules. **2014**, 16, 4029 15
- 1342 Synthesis of two triarylboron-functionalized metal-organic frameworks: in situ decarboxylic reaction, structure, photoluminescence, and gas adsorption properties. **2014**, 53, 11206-12 27
- 1341 Two highly connected frameworks and one polythreading architecture based on multidentate N-donor ligands: Syntheses, structures, characterizations and photoluminescent properties. **2014**, 49, 155-158 9
- 1340 Size-selective crystallization of homochiral camphorate metal-organic frameworks for lanthanide separation. **2014**, 136, 12572-5 121
- 1339 Enhancing Metal-Organic Framework Net Robustness by Successive Linker Coordination Increase: From a Hydrogen-Bonded Two-Dimensional Supramolecular Net to a Covalent One Keeping the Topology. **2014**, 14, 5227-5233 32
- 1338 Digital controlled luminescent emission via patterned deposition of lanthanide coordination compounds. **2014**, 6, 12594-9 11
- 1337 Lanthanide coordination polymers with "fsy-type" topology based on 4,4'-azobenzoic acid: syntheses, crystal structures, and magnetic properties. **2014**, 53, 10340-6 91
- 1336 Zinc Metal-Organic Frameworks Based on a Flexible Benzylaminetetra-carboxylic Acid and Bipyridine Colinkers. **2014**, 2014, 3133-3139 3
- 1335 Synthesis, Characterization, and Photoluminescence of Lanthanide-containing Coordination Polymers Constructed from 4,4'-Biphenyldicarboxylate and 2,4,6-Tris(2-pyridyl)-1,3,5-triazine Ligands. **2014**, 640, 1793-1798 5
- 1334 Intriguing Architectures Generated from 1,4-Bis(3- or 4-pyridyl)-2,3-diaza-1,3-butadiene with Aromatic Dicarboxylates: Syntheses, Crystal Structures, and Properties. **2014**, 14, 1175-1183 46
- 1333 Organic Cation Templated Synthesis of Three Zinc₃,5-Thiophenedicarboxylate Frameworks for Selective Gas Sorption. **2014**, 14, 3493-3498 17
- 1332 Porous anatase TiO₂ constructed from a metal-organic framework for advanced lithium-ion battery anodes. **2014**, 2, 12571 128

- 1331 2D LnIII(Nd/La)-AgI Heterometallic and TmIII Homometallic Coordination Polymers Based on Pyridine Dicarboxylate Ligands. **2014**, 640, 147-152 3
- 1330 Construction of Three Novel Coordination Complexes by 3-Nitrophthalic Acid Plus N-Donor Ligands: Synthesis, Structure, and Properties. **2014**, 593, 214-231
- 1329 A polyrotaxane-like metal-organic framework exhibiting luminescent sensing of Eu³⁺ cations and proton conductivity. **2014**, 16, 6882-6888 24
- 1328 A 3-fold interpenetrating 3D Cu(II) coordination polymer based on a semi-rigid naphthalene-based bis-pyridyl-bis-amide and thiophene-2,5-dicarboxylate. **2014**, 49, 19-23 7
- 1327 Photoluminescent europium(III) complex intercalated in natural and synthetic clay minerals for enhanced latent fingerprint detection. **2014**, 101, 52-59 29
- 1326 Syntheses and Structural Characterization of Lithium Carboxylate Frameworks and Guest-Dependent Photoluminescence Study. **2014**, 14, 4355-4363 29
- 1325 Controllable Self-Assembly of Two Luminescent Silver(I) Metal-Organic Frameworks Bearing a Tetradentate Ligand. **2014**, 14, 4674-4680 16
- 1324 Synthesis, structure, and characterization of two Zn(II) complex containing two-dimensional bilayer structure. **2014**, 1075, 7-11 4
- 1323 Synthesis and characterization of three novel 3D metal-organic frameworks constructed from semi-rigid V-shaped ligands. **2014**, 46, 329-334 7
- 1322 Luminescent and porous zinc complex with 2D-3D parallel polycatenation based on a new rigid V-shaped pyridyl ligand. **2014**, 46, 285-288 5
- 1321 Two three-dimensional cadmium(II) coordination polymers based on 5-amino-tetrazolate and 1,2,4,5-benzenetetracarboxylate: the pH value controlled syntheses, crystal structures and luminescent properties. **2014**, 16, 4633-4640 26
- 1320 Synthesis, structure and luminescence properties of a cadmium(II)-based coordination polymer with (S)-4,4'-bis(4-carboxyphenyl)-2,2'-bis(diphenylphosphinoyl)-1,1'-binaphthyl as chiral linker. **2014**, 43, 8188-95 25
- 1319 Construction of three new mixed-ligand Zn(II) coordination polymers based on nitrogen-containing heterotopic ligands and carboxylate co-ligands. **2014**, 47, 112-118 12
- 1318 A set of alkali and alkaline-earth coordination polymers based on the ligand 2-(1H-benzotriazol-1-yl) acetic acid: Effects the radius of metal ions on structures and properties. **2014**, 219, 55-66 18
- 1317 Synthesis, crystal structure, and photophysical properties of a double open cubane-like Cd(II) complex based on 2-substituted-8-hydroxyquinoline. **2014**, 67, 1141-1155 4
- 1316 Structural diversity and photoluminescent properties of zinc benzotriazole-5-carboxylate coordination polymers. **2014**, 53, 1500-6 51
- 1315 Encapsulation of strongly fluorescent carbon quantum dots in metal-organic frameworks for enhancing chemical sensing. **2014**, 86, 1223-8 252
- 1314 Imparting tunable and white-light luminescence to a nanosized metal-organic framework by controlled encapsulation of lanthanide cations. **2014**, 53, 3456-63 106

1313	Methane storage in metal-organic frameworks. 2014 , 43, 5657-78	1246
1312	Secondary Building Unit (SBU) Controlled Formation of a Catalytically Active Metal-Organic Polyhedron (MOP) Derived from a Flexible Tripodal Ligand. 2014 , 14, 1331-1337	39
1311	Enhanced Separation of Potassium Ions by Spontaneous K ⁺ -Induced Self-Assembly of a Novel Metal-Organic Framework and Excess Specific Cation-Interactions. 2014 , 126, 10825-10829	6
1310	Synthesis and properties of three coordination compounds with a monodentate Schiff-base ligand. 2014 , 81, 646-652	4
1309	One-step synthesis of nitrogen-doped microporous carbon materials as metal-free electrocatalysts for oxygen reduction reaction. 2014 , 2, 11666-11671	70
1308	A combinatorial approach towards water-stable metal-organic frameworks for highly efficient carbon dioxide separation. 2014 , 7, 2791-5	68
1307	A chiral two-dimensional coordination polymer based on Cu II and (S)-4,4'-bis(4-carboxyphenyl)-2,2'-bis(diphenylphosphinoyl)-1,1'-binaphthyl: Synthesis, structure, and magnetic and optical properties. 2014 , 421, 392-398	28
1306	A new Co-based metal-organic framework constructed from infinite sinusoidal-like rod-shaped secondary building units. 2014 , 47, 67-70	4
1305	Alkaline cation directed structural diversity of cubic-cage-based cobalt(II) metal-organic frameworks: from pcu to bct net. 2014 , 16, 7133	13
1304	Multi-wall carbon nanotube@zeolite imidazolate framework composite from a nanoscale zinc oxide precursor. 2014 , 198, 139-143	39
1303	Spectroscopic, luminescence and in vitro biological studies of solid ketoprofen of heavier trivalent lanthanides and yttrium(III). 2014 , 140, 160-6	21
1302	Surfactant media to grow new crystalline cobalt 1,3,5-benzenetricarboxylate metal-organic frameworks. 2014 , 53, 8529-37	131
1301	Assembly, structures and properties of four Cu(II) coordination polymers based on a semi-rigid bis-pyridyl-bis-amide ligand and different polycarboxylates. 2014 , 1074, 441-448	12
1300	3-D metal-organic frameworks based on s -block metal ions. 2014 , 421, 544-548	6
1299	o-Phenylenedioxydiacetate complexes of Gd(III) and Ce(III): syntheses, crystal structures, and magnetic properties. 2014 , 67, 1046-1060	5
1298	Substitution reactions in metal-organic frameworks and metal-organic polyhedra. 2014 , 43, 5952-81	184
1297	Porous Cu(I) Triazolate Framework and Derived Hybrid Membrane with Exceptionally High Sensing Efficiency for Gaseous Oxygen. 2014 , 24, 5866-5872	72
1296	Tunable white-light emission from mixed lanthanide (Eu ³⁺ , Gd ³⁺ , Tb ³⁺) coordination polymers derived from 4-(dipyridin-2-yl)aminobenzoate. 2014 , 43, 10940-6	65

1295	Synthesis, structures and luminescent properties of lanthanide coordination polymers involving biphenyl-3,4,5-tricarboxylate. 2014 , 16, 6425-6432	12
1294	Unusual preservation of polyhedral molecular building units in a metal-organic framework with evident desymmetrization in ligand design. 2014 , 50, 563-5	76
1293	Syntheses, topologies, and luminescence of four Ln-organic polymers constructed from aromatic tetracarboxylic acids. 2014 , 16, 9191-9197	22
1292	Engineering chiral Fe(salen)-based metal-organic frameworks for asymmetric sulfide oxidation. 2014 , 50, 8775-8	63
1291	Unprecedented second-timescale blue/green emissions and iodine-uptake-induced single-crystal-to-single-crystal transformation in Zn(II)/Cd(II) metal-organic frameworks. 2014 , 20, 10093-8	139
1290	Tuning Photoluminescence Emission of a Cadmium-Organic Framework by Excitation. 2014 , 79, 1080-1082	6
1289	Mechanism of Nonlinear Optical Enhancement and Supramolecular Isomerism in 1D Polymeric Zn(II) and Cd(II) Sulfates with Pyridine-4-aldoxime Ligands. 2014 , 118, 9217-9227	23
1288	Nanoscale metal-organic frameworks as highly sensitive luminescent sensors for Fe ³⁺ in aqueous solution and living cells. 2014 , 50, 9969-72	114
1287	pH-Dependent Proton Conducting Behavior in a Metal-Organic Framework Material. 2014 , 126, 8523-8527	43
1286	Luminescent europium(III)- β -diketonate complexes hosted in nanozeolite L as turn-on sensors for detecting basic molecules. 2014 , 50, 13680-2	57
1285	Improving the porosity and catalytic capacity of a zinc paddlewheel metal-organic framework (MOF) through metal-ion metathesis in a single-crystal-to-single-crystal fashion. 2014 , 53, 10649-53	56
1284	A porous metal-organic framework with -COOH groups for highly efficient pollutant removal. 2014 , 50, 14455-8	131
1283	Metal-organic frameworks for oxygen storage. 2014 , 53, 14092-5	82
1282	New Metal-Organic Frameworks Constructed from the 4-Imidazole-Carboxylate Ligand: Structural Diversities, Luminescence, and Gas Adsorption Properties. 2014 , 14, 3727-3741	57
1281	Porous Metal-Organic Frameworks for Gas Storage and Separation: What, How, and Why?. 2014 , 5, 3468-79	403
1280	pH-dependent proton conducting behavior in a metal-organic framework material. 2014 , 53, 8383-7	149
1279	Ten Coordination Polymers Constructed Using an Unprecedented Azamacrocyclic Octacarboxylate Ligand 1,4,8,11-Tetrazacyclododecane-N,N',N',N'-Tetra-Methylene-Isophthalic Acid: Syntheses, Structures, and Photoluminescent Properties. 2014 , 14, 2307-2317	58
1278	A series of highly stable mesoporous metalloporphyrin Fe-MOFs. 2014 , 136, 13983-6	274

1277	Single-crystal X-ray diffraction studies on structural transformations of porous coordination polymers. 2014 , 43, 5789-814	353
1276	Structures, photoluminescence and photocatalytic properties of two novel metal-organic frameworks based on tetrazole derivatives. 2014 , 16, 10485-10491	23
1275	AIE macromolecules: syntheses, structures and functionalities. 2014 , 43, 4494-562	1025
1274	Synthesis, Crystal Structure and Theoretical Calculations of a Copper(II) Coordination Polymer Assembled by 4,4'-Oxydibenzoic Acid and 1,4-Bis(imidazol-1-ylmethyl)-Benzene Ligands. 2014 , 24, 836-841	5
1273	Vibrational properties and DFT calculations of formamidine-templated Co and Fe formates. 2014 , 75, 45-50	22
1272	Magnetic property and thermal analysis of a Mn(II) complex with [Mn(CO ₂) _n] chains based on 4,4'-bis(1H-imidazol-1-yl-methyl)biphenyl. 2014 , 1076, 496-500	5
1271	Series of Cd(II) and Pb(II) Coordination Polymers Based on a Multilinker (R,S)-2,2'-Bipyridine-3,3'-dicarboxylate-1,1'-dioxide. 2014 , 14, 5466-5476	43
1270	From metal-organic framework to carbon: toward controlled hierarchical pore structures via a double-template approach. 2014 , 50, 13502-5	44
1269	Structuring of metal-organic frameworks at the mesoscopic/macroscopic scale. 2014 , 43, 5700-34	634
1268	Terbium(III) based coordination polymer microparticles as a luminescent probe for ascorbic acid. 2014 , 181, 1431-1437	17
1267	Structures and Luminescent Properties of Two 2D Coordination Polymers Containing Tb(III) or Dy(III) Ions. 2014 , 24, 425-9	4
1266	Supramolecular approach to metal-organic gels using excess organic ligand as building units. 2014 , 21, 691-697	1
1265	Hydrothermal syntheses of a series of cluster-based micro-porous luminescent cadmium(II) metal-organic frameworks with 4-amino-benzene-1,2,4-triazole: topological diversity, gas absorption and photo-luminescent characterization. 2014 , 4, 25172	23
1264	A fluorescent metal-organic framework for highly selective detection of nitro explosives in the aqueous phase. 2014 , 50, 8915-8	411
1263	Luminescent metal-organic framework films as highly sensitive and fast-response oxygen sensors. 2014 , 136, 5527-30	279
1262	A Kagome dual-layer sheet based on triangular rigid ligand: Synthesis, structure, photoluminescence and anion exchange properties. 2014 , 416, 195-199	10
1261	Imidazole-based zinc(II) complexes: Highly selective fluorescent probes for acetone detection. 2014 , 416, 63-68	15
1260	Varied dicarboxylate bridges in dinuclear trigonal prismatic manganese(II) and octahedral nickel(II) compounds containing tetradentate N-donor Schiff bases: Syntheses, structures and magnetic behaviors. 2014 , 74, 134-143	11

- 1259 Syntheses, structures and properties of 5-azotetrazolyl salicylic acid and its dilanthanide complexes. **2014**, 43, 9090-7 15
- 1258 Copper Conversion into Cu(OH)₂ Nanotubes for Positioning Cu₃(BTC)₂ MOF Crystals: Controlling the Growth on Flat Plates, 3D Architectures, and as Patterns. **2014**, 24, 1969-1977 117
- 1257 Luminescent pillared LnIII-ZnII heterometallic coordination frameworks with two kinds of N-heterocyclic carboxylate ligands. **2014**, 212, 58-63 15
- 1256 Structural and property studies on metal-organic compounds with 3-D supramolecular network. **2014**, 215, 80-84 2
- 1255 Two sensitizers of Tb(III) constructed from alkaline earth metals and semi-rigid tripodal ligand. **2014**, 416, 207-214 2
- 1254 Synthesis and properties of a new (3,8)-connected pillar-layered Co(II)-based coordination polymer supported by tetranuclear secondary building units (SBUs). **2014**, 43, 81-85 6
- 1253 Assembly of a series of zinc coordination polymers based on 1,4-bis[2-(4-pyridyl)ethenyl]-2,3,5,6-tetramethylbenzene and 1,3-benzenedicarboxylate derivatives. **2014**, 16, 6621 28
- 1252 Well-defined metal-organic framework hollow nanocages. **2014**, 53, 429-33 255
- 1251 Unusual photoluminescence properties of the 3D mixed-lanthanide-organic frameworks induced by dimeric structures: a theoretical and experimental approach. **2014**, 16, 14858-66 26
- 1250 Two Copper(II) Metal-Organic Frameworks with Nanoporous Channels and Vacant Coordination Sites. **2014**, 14, 2866-2872 18
- 1249 Solvent Dependent Structures of Hydrogen-Bonded Organic Frameworks of 2,6-Diaminopurine. **2014**, 14, 3634-3638 17
- 1248 MOF-based electronic and opto-electronic devices. **2014**, 43, 5994-6010 952
- 1247 Liquid phase stepwise growth of surface mounted metal-organic frameworks for exploratory research and development of applications. **2014**, 1, 442 43
- 1246 Doping cobalt into a [Zn] cluster-based MOF to tune magnetic behaviour and induce fluorescence signal mutation. **2014**, 43, 11470-3 24
- 1245 Hydrothermal synthesis, crystal structure and properties of a 3D inorganic-organic hybrid based on Keggin-type polyanion and silver-pyrazine circles. **2014**, 47, 48-51 5
- 1244 Cobalt(II) and silver(I) coordination polymers constructed from flexible bis(5,6-dimethylbenzimidazole) and substituted isophthalate co-ligands. **2014**, 39, 535-541 16
- 1243 Three transition metal complexes with uncoordinated carboxyl groups: synthesis, structures, and luminescence properties. **2014**, 39, 559-566 7
- 1242 Water-induced reversible dissolution/reorganization transformations of Cu(II)-K(I) heterometallic coordination polymers. **2014**, 57, 1225-1234

1241	Synthesis, structure, terahertz spectroscopy and luminescent properties of copper(I) complexes with mercaptan ligands and triphenylphosphine. 2014 , 1062, 125-132	21
1240	2[$\text{Bi}_2\text{Cl}_6(\text{pyz})_4$]: a 2D-pyrazine coordination polymer as soft host lattice for the luminescence of the lanthanide ions Sm^{3+} , Eu^{3+} , Tb^{3+} , and Dy^{3+} . 2014 , 53, 7197-203	26
1239	A Rare L1D + R1D- β D Luminescent Dense Polymer as Multifunctional Sensor to Nitro Aromatic Compounds, Cu^{2+} , and Bases. 2014 , 14, 2954-2961	52
1238	Synthesis, Structure and Luminescence Properties of a Three-Dimensional Heterobimetallic Chiral Metal-Organic Framework Based on Sodium(I), Lead(II) and (S)-5,5'-Bis(4-carboxyphenyl)-2,2'-bis(diphenylphosphinoyl)-1,1'-binaphthyl as Linker. 2014 , 2014, 1775-1782	18
1237	Role of Triplet States of Two Different Ligands in the Sensitized Emission of Ln(III) (Eu(III), Tb(III)) in d π Hybrid Tetranuclear Heterometal ($\text{Zn}(\text{II})_2\text{Ln}(\text{III})_2$, $\text{Cd}(\text{II})_2\text{Ln}(\text{III})_2$) Complexes. 2014 , 2014, 3101-3113	10
1236	A super water-stable europium-organic framework: guests inducing low-humidity proton conduction and sensing of metal ions. 2014 , 50, 9153-6	156
1235	Heteronuclear lanthanide-based coordination polymers exhibiting tunable multiple emission spectra. 2014 , 2, 5510	43
1234	Nanoporous metal organic framework materials for smart applications. 2014 , 30, 1598-1612	81
1233	Solution-dispersed porous hyperbranched conjugated polymer nanoparticles for fluorescent sensing of TNT with enhanced sensitivity. 2014 , 5, 4521	67
1232	A co-ligand firstly introduced to 9-fluorenone-2,7-dicarboxylate-based MOF: synthesis, structure and photoluminescent property. 2014 , 46, 259-262	9
1231	MOF positioning technology and device fabrication. 2014 , 43, 5513-60	516
1230	A ratiometric fluorescent pH sensor based on nanoscale metal-organic frameworks (MOFs) modified by europium(III) complexes. 2014 , 50, 13323-6	167
1229	Unusual solvent influence of formamide on the structural variations of chiral and achiral Mn(II) complexes based on tetrachlorophthalate. 2014 , 423, 168-175	27
1228	Silver(I)/Bipyrazole/Dicarboxylate Interpenetrated Coordination Networks: Spontaneous Chiral Resolution, Modulation of Topologies, Water Clusters, and Photoluminescences. 2014 , 14, 2230-2239	43
1227	A Partially Fluorinated Three-fold Interpenetrated Stable Metal-Organic Framework with Selective CO_2 Uptake. 2014 , 640, 1134-1140	8
1226	Self-assembly and magnetic properties of Ni(II)/Co(II) coordination polymers based on 1,4-bis(imidazol-1-yl)benzene and varying biphenyltetracarboxylates. 2014 , 16, 7990-7999	32
1225	Simultaneous arrangement of up to three different molecules on the pore surface of a metal-macrocycle framework: cooperation and competition. 2014 , 53, 8310-5	27
1224	Structural modulation in two Cu(II)-based MOFs by synergistic assembly involving the mixed-ligand synthetic strategy and the solvent effect. 2014 , 43, 15708-12	29

1223	Cu ₃ I ₇ trimer and Cu ₄ I ₈ tetramer based cuprous iodide polymorphs for efficient photocatalysis and luminescent sensing: unveiling possible hierarchical assembly mechanism. 2014 , 53, 8376-83	82
1222	Structure and characterization of A 2D cobalt(II) complex [Co(L) ₂] _n (L = 3-nitro-5-(pyridine-4-yl)benzoate). 2014 , 55, 717-721	
1221	Syntheses, structures, molecular and cationic recognitions and catalytic properties of two lanthanide coordination polymers based on a flexible tricarboxylate. 2014 , 219, 259-264	20
1220	Experimental, DFT and quantum Monte Carlo studies of a series of peptide-based metal-organic frameworks: synthesis, structures and properties. 2014 , 1, 526-533	10
1219	Morphology Design of IRMOF-3 Crystal by Coordination Modulation. 2014 , 14, 5856-5864	40
1218	Two Metal-Organic Frameworks with a Tetratopic Linker: Solvent-Dependent Polymorphism and Postsynthetic Bromination. 2014 , 14, 1719-1725	45
1217	Four polyoxometalate-based semiconductive coordination polymers: Syntheses, structures, photoluminescent and photocatalytic properties. 2014 , 198, 51-58	16
1216	Energy transfer on demand: photoswitch-directed behavior of metal-porphyrin frameworks. 2014 , 136, 11886-9	156
1215	Exploring and exploiting dynamic noncovalent chemistry for effective surface modification of nanoscale metal-organic frameworks. 2014 , 6, 5404-12	12
1214	Assembling supramolecular networks by halogen bonding in coordination polymers driven by 5-bromonicotinic acid. 2014 , 213, 256-267	17
1213	Zinc(II) coordination polymers with substituted benzenedicarboxylate and tripodal imidazole ligands: syntheses, structures and properties. 2014 , 16, 7536	56
1212	Zeolitic imidazolate framework as formaldehyde gas sensor. 2014 , 53, 5411-3	183
1211	Syntheses, structures, and magnetic properties of six coordination polymers based on 4,5-di(4'-carboxylphenyl)phthalic acid and different bis(imidazole) bridging linkers. 2014 , 16, 7649-7659	37
1210	Lanthanide metal-organic framework strategy toward d-f heterometallic metal-organic frameworks: magnetism and symmetric-dependent luminescent properties. 2014 , 53, 5922-30	43
1209	Solvent-Induced Carboxylate Shift and Movement of an Anthryl Side-Group in Single-Crystal to Single-Crystal Structural Dynamics in a Gadolinium Coordination Polymer. 2014 , 14, 3623-3633	24
1208	Nanoscaled lanthanide/nucleotide coordination polymer for detection of an anthrax biomarker. 2014 , 190, 621-626	72
1207	Room temperature fabrication of post-modified zeolitic imidazolate framework-90 as stationary phase for open-tubular capillary electrochromatography. 2014 , 1343, 188-94	51
1206	Two structurally different praseodymium-organic frameworks with permanent porosity. 2014 , 45, 89-92	0

1205	Four cobalt(II) coordination polymers based on a flexible N,N'-bis(3-pyridinecarboxamide)-1,6-hexane ligand: Modulation of crystal architectures through the substituent groups of isophthalates. 2014 , 71, 111-118	6
1204	A photoluminescent metal-organic framework with threefold interpenetrated diamond topological net. 2014 , 1072, 228-231	5
1203	A series of 3D isomorphous lanthanide coordination polymers based on flexible dicarboxylate ligand: Synthesis, structure, characterization, and properties. 2014 , 105, 180-191	13
1202	Three new coordination polymers based on tripodal flexible ligand: Synthesis, structures and luminescent properties. 2014 , 412, 46-51	3
1201	Reversible Structural Flexibility and Sensing Properties of a Zn(II) Metal-Organic Framework: Phase Transformation between Interpenetrating 3D Net and 2D Sheet. 2014 , 14, 1933-1937	38
1200	Microporous metal-organic frameworks for gas separation. 2014 , 9, 1474-98	157
1199	Metalloporphyrinic framework containing multiple pores for highly efficient and selective epoxidation. 2014 , 53, 4797-9	45
1198	Pt Nanoclusters Confined within Metal-Organic Framework Cavities for Chemoselective Cinnamaldehyde Hydrogenation. 2014 , 4, 1340-1348	306
1197	Synthesis, structural characterization, reactivity, and catalytic properties of copper(I) complexes with a series of tetradentate tripodal tris(pyrazolylmethyl)amine ligands. 2014 , 53, 4192-201	30
1196	Engineering of Band Gap in Metal-Organic Frameworks by Functionalizing Organic Linker: A Systematic Density Functional Theory Investigation. 2014 , 118, 4567-4577	77
1195	Metal-Organic Frameworks for Photonics Applications. 2014 ,	19
1194	Synthesis, crystal structures, and luminescence properties of seven tripodal imidazole-based Zn/Cd(II) coordination polymers induced by tricarboxylates. 2014 , 16, 4554-4561	34
1193	Syntheses, X-ray structures, gas adsorption and luminescent properties of three coordination polymers of Zn(II) dicarboxylates mixed with a linear, neutral, and rigid N,N'-donor ligand. 2014 , 16, 4783-4795 ³⁵	35
1192	Porous metal-organic frameworks for heterogeneous biomimetic catalysis. 2014 , 47, 1199-207	589
1191	Luminescent Anionic Metal-Organic Framework with Potential Nitrobenzene Sensing. 2014 , 14, 3174-3178	120
1190	A series of two-dimensional coordination polymer crystal materials based on two flexible bis-pyridyl-bis-amide ligands with fluorescent sensing activities and photocatalytic properties. 2014 , 83, 108-115	9
1189	Three coordination polymers of transition metals built using HPPC ligand: Crystal structures and novel topology. 2014 , 83, 143-149	8
1188	Luminescent mechanochromic porous coordination polymers. 2014 , 20, 644-8	56

- 1187 2-D lanthanide-organic complexes constructed from 6,7-dihydropyrido(2,3-d)pyridazine-5,8-dione: synthesis, characterization and photoluminescence for sensing small molecules. **2014**, 16, 3521-3531 29
- 1186 Crystal Structures and Properties of Cd(II) Coordination Polymers Supported by a New Chiral Aromatic Polycarboxylate Ligand. **2014**, 14, 1827-1838 66
- 1185 Self-assembly and characterization of Ca₂Zn heterometallic MOFs with 4,5-imidazoledicarboxylate. **2014**, 83, 122-129 8
- 1184 Synthesis, structure and luminescence properties of lanthanide coordination polymers using in situ decarboxylation of a H₃cppdc ligand. **2014**, 46, 340-343 4
- 1183 Coordination polymers with nucleobases: From structural aspects to potential applications. **2014**, 276, 34-58 91
- 1182 Synthesis, characterization and magnetic behavior of four new Co(II) coordination polymers structurally modulated by substituents. **2014**, 46, 140-144 2
- 1181 A series of lanthanide organic-inorganic hybrid frameworks with unusual trinodal topology: Syntheses, structures and magnetic properties. **2014**, 46, 122-126 4
- 1180 Two kinds of 3D coordination frameworks from monometallic to 4d₂f heterometallic: Synthesis, crystal structures, photoluminescence and magnetic properties. **2014**, 46, 163-171 6
- 1179 Synthesis, structure and properties of three isostructure polymer networks based on mixed ligands. **2014**, 418, 93-98 3
- 1178 Syntheses, structures and fluorescence properties of two novel polymers based on a flexible tripodal ligand 1,3,5-tris((1H-1,2,4-triazol-1-yl)methyl)benzene. **2014**, 1074, 134-139 1
- 1177 Syntheses, crystal structures, and characterization of three 1D, 2D and 3D complexes based on mixed multidentate N- and O-donor ligands. **2014**, 218, 23-31 19
- 1176 Metal-organic frameworks based on pyridyl-tetrazole ligands containing ester or carboxylate pendant arms. **2014**, 421, 200-209 12
- 1175 A versatile metal-organic framework for carbon dioxide capture and modulating fluorescence properties of Alq₃. **2014**, 46, 248-250 3
- 1174 Two cadmium coordination polymers showing three-fold interpenetrated and self-catenated three-dimensional networks. **2014**, 46, 24-28 5
- 1173 '0'- and '8'-shaped complexes generated from a nano-sized oxadiazole-containing organic ligand with CdI₂ and CuI. **2014**, 70, 31-6 2
- 1172 Schaltbare Transparenz in hochgradig lumineszierenden dünnen Filmen der Raumnetzverbindung 3[Eulm₂] abgeschieden durch Femto-Laserablation. **2014**, 126, 723-728 3
- 1171 Co-crystals based on 1,2,4,5-Benzenetetracarboxylic Acid: Synthesis, Supramolecular Frameworks and Optical Properties. **2014**, 640, 497-503 2
- 1170 Syntheses, Crystal Structures, and Luminescent Properties of Two Cadmium(II) Complexes with CdS Network and (3,4)-Connected Topology. **2014**, 640, 2520-2524 4

1169	A Luminescent Dye@MOF Platform: Emission Fingerprint Relationships of Volatile Organic Molecules. 2014 , 126, 1601-1605	43
1168	From 0D to 3D transition based on pH-dependent assembly of supramolecular architectures: Structures and properties. 2015 , 59, 28-31	4
1167	Structural diversity and luminescent properties of cyanoacetato zinc/cadmium coordination polymers with N,N'-ditopic auxiliary ligands. 2015 , 102, 693-698	4
1166	M(II)(H ₂ O) ₂ (5,5'-dimethyl-2,2'-bipyridine)(fumarato) [M = Co and Zn] complexes bearing a unique distorted trigonal-prismatic geometry and displaying 2D supramolecular structures. 2015 , 100, 373-381	9
1165	Defektmanipulierte Metall-organische Gerete. 2015 , 127, 7340-7362	85
1164	Sol-Gel for Metal Organic Frameworks (MOFs). 2015 , 471-486	
1163	Synthesis, crystal structure, thermal stability, and luminescent properties of lithium trimesate coordination polymer. 2015 , 64, 2903-2907	2
1162	Construction of diverse dimensionality in eight coordination polymers of bivalent metal ions using 5-nitroisophthalate and different linear N,N'-donor linkers. 2015 , 102, 634-642	13
1161	Large Tripodal Spacer Ligands for the Construction of Microporous Metal-Organic Frameworks with Diverse Structures and Photocatalytic Activities. 2015 , 80, 1007-1013	4
1160	Three Distinct Silver(I) Coordination Polymers: Bridging-Ligand Directed Syntheses, Crystal Structures, Luminescence, and Nitrobenzene Sensing Properties. 2015 , 641, 1366-1373	8
1159	Three Coordination Polymers Constructed with Zinc(II), 3,3'-Thiodipropionic Acid, and Bipyridyl Ligands: Syntheses, Crystal Structures and Luminescent Properties. 2015 , 641, 1575-1580	5
1158	Syntheses, Crystal Structures, and Magnetic Properties of Two Cobalt Coordination Polymers Constructed From 1,3-Bis(2,4-dicarboxyphenyl) Benzene and Bis(imidazole) Linkers. 2015 , 641, 1808-1812	5
1157	Photochromic Metal-Organic Frameworks: Reversible Control of Singlet Oxygen Generation. 2015 , 127, 440-445	74
1156	Tenside als Reaktionsmedien zur Synthese von kristallinen anorganischen Materialien. 2015 , 127, 11780-11788	14
1155	Surface-Specific Functionalization of Nanoscale Metal-Organic Frameworks. 2015 , 127, 14951-14955	21
1154	A Bimetallic Lanthanide Metal-Organic Material as a Self-Calibrating Color-Gradient Luminescent Sensor. 2015 , 27, 7072-7	246
1153	A Ratiometric Luminescent Thermometer Co-doped with Lanthanide and Transition Metals. 2015 , 10, 2720-4	28
1152	Tetrazine chromophore-based metal-organic frameworks with unusual configurations: synthetic, structural, theoretical, fluorescent, and nonlinear optical studies. 2015 , 21, 7914-26	37

1151	Encapsulation of Ln(III) Ions/Dyes within a Microporous Anionic MOF by Post-synthetic Ionic Exchange Serving as a Ln(III) Ion Probe and Two-Color Luminescent Sensors. 2015 , 21, 9748-52	111
1150	Surface and Structural Investigation of a MnOx Birnessite-Type Water Oxidation Catalyst Formed under Photocatalytic Conditions. 2015 , 21, 14218-28	21
1149	Significant Gas Adsorption and Catalytic Performance by a Robust Cu(II) -MOF Derived through Single-Crystal to Single-Crystal Transmetalation of a Thermally Less-Stable Zn(II) -MOF. 2015 , 21, 19064-70	61
1148	Green Synthesis of a Microporous, Partially Fluorinated ZnII Paddlewheel Metal-Organic Framework: H ₂ /CO ₂ Adsorption Behavior and Solid-State Conversion to a ZnO Nanocomposite. 2015 , 2015, 5669-5676	28
1147	Three Isostructural 4-Sulfophthalate-Based Lanthanide Complexes: Syntheses, Crystal Structures, and Luminescent Properties. 2015 , 641, 2515-2519	6
1146	Effect of Dicarboxylate Ligands on the Self-Assembly of Two Cadmium(II) Coordination Polymers Containing Multidentate N-donor Ligands. 2015 , 641, 1135-1140	3
1145	Phenyl Groups Result in the Highest Benzene Storage and Most Efficient Desulfurization in a Series of Isostructural Metal-Organic Frameworks. 2015 , 21, 9784-9	34
1144	Theoretical Insights into the Tuning of Metal Binding Sites of Paddlewheels in rht-Metal-Organic Frameworks. 2015 , 16, 3170-9	14
1143	Hydrothermal Assembly of Two New 3D Zinc(II) pcu Nets: Coordination Chemistry, Crystal Structures, and Fluorescence Properties. 2015 , 641, 699-703	8
1142	Dye Encapsulated Metal-Organic Framework for Warm-White LED with High Color-Rendering Index. 2015 , 25, 4796-4802	232
1141	Biomimetic Replication of Microscopic Metal-Organic Framework Patterns Using Printed Protein Patterns. 2015 , 27, 7293-8	85
1140	Surface-Specific Functionalization of Nanoscale Metal-Organic Frameworks. 2015 , 54, 14738-42	113
1139	Enhanced CO ₂ Adsorption Affinity in a NbO-type MOF Constructed from a Low-Cost Diisophthalate Ligand with a Piperazine-Ring Bridge. 2015 , 10, 1864-9	22
1138	Highly Luminescent Microporous Organic Polymer with Lewis Acidic Boron Sites on the Pore Surface: Ratiometric Sensing and Capture of F ⁻ Ions. 2015 , 21, 10799-804	47
1137	Selective Sensing of Fe(3+) and Al(3+) Ions and Detection of 2,4,6-Trinitrophenol by a Water-Stable Terbium-Based Metal-Organic Framework. 2015 , 21, 15705-12	266
1136	Redox-Active Metal-Organic Frameworks: Highly Stable Charge-Separated States through Strut/Guest-to-Strut Electron Transfer. 2015 , 21, 11701-6	50
1135	Systematic Investigation of High-Sensitivity Luminescent Sensing for Polyoxometalates and Iron(III) by MOFs Assembled with a New Resorcin[4]arene-Functionalized Tetracarboxylate. 2015 , 21, 15806-19	93
1134	An Ideal Detector Composed of Two-Dimensional Cd(II)-Triazole Frameworks for Nitro-Compound Explosives and Potassium Dichromate. 2015 , 21, 14171-8	34

1133	Systematic Investigation of Reaction-Time Dependence of Three Series of Copper-Lanthanide/Lanthanide Coordination Polymers: Syntheses, Structures, Photoluminescence, and Magnetism. 2015 , 21, 16219-28	35
1132	Assembly of Mesoporous Metal-Organic Framework Templated by an Ionic Liquid/Ethylene Glycol Interface. 2015 , 16, 2317-21	13
1131	Structural Influencing Factors on ZnII/CdII Coordination Polymers Based on Tri-pyridyl-bis-amide: Assembly, Structures, Fluorescent Sensing and Selective Photocatalysis. 2015 , 2015, 1924-1940	15
1130	A Series of Multifunctional Metal-Organic Frameworks Showing Excellent Luminescent Sensing, Sensitization, and Adsorbent Abilities. 2015 , 21, 11475-82	210
1129	A Nitro-Functionalized Metal-Organic Framework as a Reaction-Based Fluorescence Turn-On Probe for Rapid and Selective H ₂ S Detection. 2015 , 21, 9994-7	68
1128	Interpreted Recognition Process: A Highly Sensitive and Selective Luminescence Chemosensor. 2015 , 21, 11767-72	18
1127	Rational Design and Synthesis of a Highly Porous Copper-Based Interpenetrated Metal-Organic Framework for High CO and H ₂ Adsorption. 2015 , 80, 1259-1266	7
1126	Assembly, Structures, and Properties of a Series of Metal-Organic Coordination Polymers Derived from a Semi-rigid Bis-pyridyl-bis-amide Ligand. 2015 , 641, 1274-1281	2
1125	Syntheses and Crystal Structures of Three Metal-Organic Frameworks Constructed from a C ₃ -Symmetrical Tricarboxylic Acid. 2015 , 641, 1571-1574	
1124	Syntheses, Structures and Luminescent Properties of 2D and 3D Cadmium(II) Coordination Polymers Derived from Two Isomeric Perchlorinated Benzenedicarboxylates. 2015 , 641, 2440-2445	
1123	Syntheses, Structures, and Luminescent Properties of d10 Coordination Polymers with 2-(4-Carboxyphenyl)-imidazo[4, 5-f]-1, 10-phenanthroline and 1, 3-Benzenedicarboxylate Derivatives. 2015 , 641, 2657-2663	1
1122	The Tunable White-Light and Multicolor Emission in An Electrodeposited Thin Film of Mixed Lanthanide Coordination Polymers. 2015 , 3, 1545-1550	25
1121	Formation of a Syndiotactic Organic Polymer Inside a MOF by a [2+2] Photo-Polymerization Reaction. 2015 , 127, 7421-7425	20
1120	A Bio-inspired Approach for Chromophore Communication: Ligand-to-Ligand and Host-to-Guest Energy Transfer in Hybrid Crystalline Scaffolds. 2015 , 127, 13843-13847	9
1119	Surfactants as Promising Media for the Preparation of Crystalline Inorganic Materials. 2015 , 54, 11616-23	248
1118	A Bio-inspired Approach for Chromophore Communication: Ligand-to-Ligand and Host-to-Guest Energy Transfer in Hybrid Crystalline Scaffolds. 2015 , 54, 13639-43	49
1117	Metal-Ion Metathesis and Properties of Triarylboron-Functionalized Metal-Organic Frameworks. 2015 , 10, 1535-40	10
1116	Cooperation of Coordinative and π - π Interaction in Directing Two-fold Interpenetrated Architecture of Two Eu/Dy(III) 2-Sulfoterephthalate Complexes with 4,4'-Bipyridine. 2015 , 641, 525-528	11

- 1115 The influence of alkali-metal ions on the molecular and supramolecular structure of manganese(II) complexes with tetrachlorophthalate ligands. **2015**, 70, 39-45
- 1114 Luminescent Lanthanide Metal Organic Frameworks for cis-Selective Isoprene Polymerization Catalysis. **2015**, 3, 467-481 8
- 1113 Coordination and crystallization molecules: their interactions affecting the dimensionality of metalloporphyrinic SCFs. **2015**, 20, 6683-99 13
- 1112 ((1H-tetrazol-5-yl) methyl) pyridine-based metal coordination complexes: in situ tetrazole synthesis, crystal structures, luminescence properties. **2015**, 17, 1305-1317 10
- 1111 Four new lead(II)Iridium(III) heterobimetallic coordination frameworks: synthesis, structures, luminescence and oxygen-sensing properties. **2015**, 17, 2129-2140 34
- 1110 Two series of reactant's ratio-dependent lanthanide organic frameworks derived from nicotinic acid N-oxide and oxalate: synthesis, crystal structures and luminescence properties. **2015**, 44, 4601-12 23
- 1109 An ultrastable porous metalorganic framework luminescent switch towards aromatic compounds. **2015**, 2, 245-251 87
- 1108 Solvent-free heterogeneous catalysis for cyanosilylation in a modified sodalite-type Cu(II)-MOF. **2015**, 5, 24293-24298 26
- 1107 An ionothermally synthesized Mg-based coordination polymer as a precursor for preparing porous carbons. **2015**, 17, 4288-4292 15
- 1106 Three luminescent metalorganic frameworks constructed from trinuclear zinc(II) clusters and furan-2,5-dicarboxylate. **2015**, 17, 5101-5109 30
- 1105 Solvent-dependent zinc(II) coordination polymers with mixed ligands: selective sorption and fluorescence sensing. **2015**, 44, 11524-32 81
- 1104 Magnetic iron/carbon nanorods derived from a metal organic framework as an efficient heterogeneous catalyst for the chemical oxidation process in water. **2015**, 5, 50790-50800 51
- 1103 A pillar-layer MOF for detection of small molecule acetone and metal ions in dilute solution. **2015**, 5, 48881-48884 27
- 1102 Aqueous- and vapor-phase detection of nitroaromatic explosives by a water-stable fluorescent microporous MOF directed by an ionic liquid. **2015**, 3, 12690-12697 138
- 1101 Auxiliary Ligand-Assisted Structural Variation of Cd(II) MetalOrganic Frameworks Showing 2D-3D Polycatenation and Interpenetration: Synthesis, Structure, Luminescence Properties, and Selective Sensing of Trinitrophenol. **2015**, 15, 3356-3365 113
- 1100 Two new three-dimensional (3,4)-connected lanthanide (III) coordination polymers based on 2-(3-Pyridyl)-1H-imidazole-4, 5-dicarboxylate: Structures and luminescent properties. **2015**, 55, 165-168 5
- 1099 A luminescent cadmium(II) metalorganic framework based on a triazolatecarboxylate ligand exhibiting selective gas adsorption and guest-dependent photoluminescence properties. **2015**, 17, 4787-4792 29
- 1098 Metal-Organic Frameworks as Platforms for Hydrogen Generation from Chemical Hydrides. **2015**, 421-467

1097	Cd(II) and Cu(II) coordination polymers based on a multidentate N-donor ligand: syntheses, crystal structures, optical band gaps, and photoluminescence. 2015 , 68, 2492-2506	9
1096	Microwave-assisted large scale synthesis of lanthanide metal-organic frameworks (Ln-MOFs), having a preferred conformation and photoluminescence properties. 2015 , 44, 11954-62	53
1095	Structure and spectroscopic properties of a three-dimensional Pb(II) coordination polymer constructed from 1,1'-biphenyl-2,2',4,4'-tetracarboxylate. 2015 , 1096, 38-42	12
1094	A terbium metal-organic framework with stable luminescent emission in a wide pH range that acts as a quantitative detection material for nitroaromatics. 2015 , 5, 48574-48579	33
1093	Gas sensing using porous materials for automotive applications. 2015 , 44, 4290-321	325
1092	Role of N-Donor Sterics on the Coordination Environment and Dimensionality of Uranyl Thiophenedicarboxylate Coordination Polymers. 2015 , 15, 3481-3492	35
1091	A microporous lanthanum metal-organic framework as a bi-functional chemosensor for the detection of picric acid and Fe(3+) ions. 2015 , 44, 13340-6	103
1090	Metal-organic frameworks assembled from lanthanide and 2,5-pyridinedicarboxylate with cubane-like [Ln ₄ (OH) ₄] building units. 2015 , 229, 197-207	10
1089	Controllable assemblies of Cd(II) supramolecular coordination complexes based on a versatile tripyridyltriazole ligand and halide/pseudo-halide anions. 2015 , 1096, 136-141	5
1088	Assembly, structures, photophysical properties and photocatalytic activities of a series of coordination polymers constructed from semi-rigid bis-pyridyl-bis-amide and benzenetricarboxylic acid. 2015 , 2, 373-387	20
1087	Organometallics and Related Molecules for Energy Conversion. 2015 ,	3
1086	Influence of noncovalent interactions on the structures of metal-organic hybrids based on a [VO ₂ (2,6-pydc)] _n tecton with cations of imidazole, pyridine and its derivatives. 2015 , 39, 4265-4277	12
1085	A sensor for formaldehyde detection: luminescent metal-organic framework [Zn ₂ (H ₂ L)(2,2'-bpy) ₂ (H ₂ O)] _n . 2015 , 5, 49752-49758	20
1084	A novel fluorescence probe for sensing organic amine vapors from a Eu ³⁺ -diketonate functionalized bio-MOF-1 hybrid system. 2015 , 3, 7038-7044	70
1083	Syntheses, structures and luminescence of two cadmium entangled coordination polymers based on bis(imidazole) and biscarboxylate ligands. 2015 , 57, 84-88	8
1082	Modulating structural dimensionality of cadmium(II) coordination polymers by means of pyrazole, tetrazole and pyrimidine derivative ligands. 2015 , 1089, 135-145	8
1081	Four super water-stable lanthanide-organic frameworks with active uncoordinated carboxylic and pyridyl groups for selective luminescence sensing of Fe(3+). 2015 , 44, 13325-30	149
1080	A visual and organic vapor sensitive photonic crystal sensor consisting of polymer-infiltrated SiO ₂ inverse opal. 2015 , 17, 9651-8	48

1079	Multi-component luminescent lanthanide hybrids of both functionalized IRMOF-3 and SBA-15. 2015 , 39, 5898-5901	16
1078	Exceptional sensitivity to the synthetic approach and halogen substituent for Zn(II) coordination assemblies with 5-halonicotinic acids. 2015 , 44, 11109-18	18
1077	Lanthanide metal-organic frameworks containing a novel flexible ligand for luminescence sensing of small organic molecules and selective adsorption. 2015 , 3, 12777-12785	154
1076	An unusual bifunctional Tb-MOF for highly sensitive sensing of Ba ²⁺ ions and with remarkable selectivities for CO ₂ and CO. 2015 , 3, 13526-13532	80
1075	Design and construction of six coordination polymers with imidazole-4,5-dicarboxylate ligand. 2015 , 434, 14-23	11
1074	Metal organic frameworks for photo-catalytic water splitting. 2015 , 8, 1923-1937	228
1073	Carbonization and oxidation of metal-organic frameworks based on 1,4-naphthalene dicarboxylates. 2015 , 16, 054203	11
1072	Syntheses, structures and luminescence of a series of coordination polymers constructed with 4-substituted 1,2,4-triazole and biscarboxylate co-ligands. 2015 , 5, 107166-107178	9
1071	Coordination Polymer Nanoarchitecture for Nitroaromatic Sensing by Static Quenching Mechanism. 2015 , 119, 28544-28550	49
1070	3D lanthanide metal-organic frameworks constructed from lanthanide formate skeletons and 3,5-bis(4'-carboxy-phenyl)-1,2,4-triazole connectors: synthesis, structure and luminescence. 2015 , 5, 106107-106112	8
1069	N-donor ligands enhancing luminescence properties of seven Zn/Cd(II) MOFs based on a large rigid π -conjugated carboxylate ligand. 2015 , 17, 9155-9166	51
1068	Regulation of the pore size by shifting the coordination sites of ligands in two MOFs: enhancement of CO ₂ uptake and selective sensing of nitrobenzene. 2015 , 44, 20926-35	18
1067	Copper(I) Metal-Organic Framework: Visual Sensor for Detecting Small Polar Aliphatic Volatile Organic Compounds. 2015 , 54, 11590-2	62
1066	Liquid-Phase Epitaxy Effective Encapsulation of Lanthanide Coordination Compounds into MOF Film with Homogeneous and Tunable White-Light Emission. 2015 , 7, 28585-90	37
1065	Design and Synthesis of an MOF Thermometer with High Sensitivity in the Physiological Temperature Range. 2015 , 54, 11193-9	109
1064	Solvent induced synthesis, structure and properties of coordination polymers based on 5-hydroxyisophthalic acid as linker and 1,10-phenanthroline as auxiliary ligand. 2015 , 231, 239-247	8
1063	Amine-grafted on lanthanide metal-organic frameworks: Three solid base catalysts for Knoevenagel condensation reaction. 2015 , 36, 1949-1956	15
1062	A Series of Homochiral Helical Metal-Organic Frameworks Based on Proline Derivatives. 2015 , 15, 5901-5909	26

1061	An acentric 3-D metal-organic framework with threefold interpenetrated diamondoid network: second-harmonic-generation response, potential ferroelectric property and photoluminescence. 2015 , 5, 100956-100959	8
1060	Luminescent MOFs and Frameworks. 2015 ,	2
1059	Metal-Organic Frameworks for Methane Storage. 2015 , 173-191	2
1058	Positional isomerism in triarylmethyl carbocation radical salts: positional isomeric effects, crystal structures and properties. 2015 , 17, 6338-6345	9
1057	Metal-Cation-Independent Dynamics of Phenylene Ring in Microporous MOFs: A 2H Solid-State NMR Study. 2015 , 119, 28038-28045	27
1056	Morphology and Luminescent Properties of Solid Micelles based on Europium(III) Complexes with Diblock Copolymers of Methyl Methacrylate and Acrylic Acid. 2015 , 486, 91-105	2
1055	Recent progress in the synthesis of metal-organic frameworks. 2015 , 16, 054202	142
1054	Carboxylate ligands induced structural diversity of zinc(II) coordination polymers based on 3,6-bis(imidazol-1-yl)carbazole: Syntheses, structures and photocatalytic properties. 2015 , 232, 200-206	31
1053	The role of solvents in framework dimensionality and their effect on band gap energy. 2015 , 44, 1009-16	16
1052	A phytochemical-containing metal-organic framework: Synthesis, characterization and molecular simulations for hydrogen adsorption. 2015 , 427, 138-143	19
1051	Highly stable and sensitive LnMOF ratiometric thermometers constructed with mixed ligands. 2015 , 44, 3067-74	73
1050	Layered exfoliable crystalline materials based on Sm-, Eu- and Eu/Gd-2-phenylsuccinate frameworks. Crystal structure, topology and luminescence properties. 2015 , 44, 3417-29	31
1049	Heterometal-organic frameworks as highly sensitive and highly selective luminescent probes to detect I ⁻ ions in aqueous solutions. 2015 , 51, 3985-8	148
1048	Two novel coordination polymers in the family of lanthanide complexes with o-phenylenedioxydiacetato as ligand. 2015 , 88, 149-155	5
1047	3D lanthanide coordination polymers constructed from polynuclear clusters and V-shaped organic connectors: Syntheses, structures and properties. 2015 , 427, 118-123	2
1046	Single crystal-to-single crystal site-selective postsynthetic metal exchange in a Zn-MOF based on semi-rigid tricarboxylic acid and access to bimetallic MOFs. 2015 , 21, 2759-65	27
1045	A new class of cuprous bromide cluster-based hybrid materials: direct observation of the stepwise replacement of hydrogen bonds by coordination bonds. 2015 , 54, 554-9	16
1044	Metal cluster-based functional porous coordination polymers. 2015 , 293-294, 263-278	215

- 1043 A porous metal-organic framework containing multiple active Cu(2+) sites for highly efficient cross dehydrogenative coupling reaction. **2015**, 44, 2038-41 20
- 1042 The vapour phase detection of explosive markers and derivatives using two fluorescent metal-organic frameworks. **2015**, 3, 6351-6359 63
- 1041 Synthesis, structures and luminescent studies of five metal coordination compounds with a pyridine-containing tripodal ligand. **2015**, 87, 369-376 5
- 1040 Diverse architectures and luminescence properties of two novel copper(I) coordination polymers assembled from 2,6-bis[3-(pyrid-4-yl)-1,2,4-triazolyl]pyridine ligands. **2015**, 17, 1541-1548 19
- 1039 Guest-induced single-crystal-to-single-crystal transformations of a new 4-connected 3D cadmium(II) metal-organic framework. **2015**, 5, 17588-17591 41
- 1038 Proton conduction and long-range ferrimagnetic ordering in two isostructural Copper(II) mesoxalate metal-organic frameworks. **2015**, 54, 1597-605 42
- 1037 Two New 3D Zn(II)/Cu(II) Coordination Polymers Based on N,N'-Di(3-pyridyl)succinamide and Two Different Aromatic Dicarboxylates: Syntheses, Crystal Structures and Properties. **2015**, 45, 94-102 4
- 1036 Luminescent MOF material based on cadmium(II) and mixed ligands: application for sensing volatile organic solvent molecules. **2015**, 5, 18087-18091 42
- 1035 Iridium(III) N-heterocyclic carbene complexes: an experimental and theoretical study of structural, spectroscopic, electrochemical and electrogenerated chemiluminescence properties. **2015**, 44, 8564-76 44
- 1034 MOF functionalization via solvent-assisted ligand incorporation: phosphonates vs carboxylates. **2015**, 54, 2185-92 140
- 1033 Plasmonics-enhanced metal-organic framework nanoporous films for highly sensitive near-infrared absorption. **2015**, 3, 2763-2767 33
- 1032 Investigation of prototypal MOFs consisting of polyhedral cages with accessible Lewis-acid sites for quinoline synthesis. **2015**, 51, 4827-9 26
- 1031 Luminescent lanthanide MOFs based on conjugated 1,1'-ethynebenzene-3,3',5,5'-tetracarboxylate ligand: syntheses, structures and photoluminescent properties. **2015**, 44, 5746-54 25
- 1030 Solid state organic amine detection in a photochromic porous metal organic framework. **2015**, 6, 1420-1425 261
- 1029 Chiral crystallization and optical properties of three metal complexes based on two non-centrosymmetric tripodal ligands. **2015**, 44, 5818-25 12
- 1028 Responsive Metal-Organic Frameworks and Framework Materials: Under Pressure, Taking the Heat, in the Spotlight, with Friends. **2015**, 27, 1905-1916 370
- 1027 A series of novel Zn(II) and Mn(II) metal-organic frameworks constructed by 2,4-bis-oxyacetate-benzoic acid: syntheses, structures and photoluminescence. **2015**, 58, 448-456 11
- 1026 A blue luminescent MOF as a rapid turn-off/turn-on detector for H₂O, O₂ and CH₂Cl₂, MeCN: [Ce(Im)₃(mH)]_nmH. **2015**, 44, 4070-9 43

1025	Color-tunable and white-light emission of one-dimensional L-di-2-thenoyltartaric acid mixed-lanthanide coordination polymers. 2015 , 44, 4640-7	37
1024	Silver-based hybrid materials from meta- or para-phosphonobenzoic acid: influence of the topology on silver release in water. 2015 , 54, 2152-9	38
1023	A series of d10 metal coordination polymers based on a flexible bis(2-methylbenzimidazole) ligand and different carboxylates: synthesis, structures, photoluminescence and catalytic properties. 2015 , 17, 2279-2293	170
1022	Hysteretic Gas and Vapor Sorption in Flexible Interpenetrated Lanthanide-Based Metal-Organic Frameworks with Coordinated Molecular Gating via Reversible Single-Crystal-to-Single-Crystal Transformation for Enhanced Selectivity. 2015 , 27, 1502-1516	66
1021	Metal-ion exchange, small-molecule sensing, selective dye adsorption, and reversible iodine uptake of three coordination polymers constructed by a new resorcin[4]arene-based tetracarboxylate. 2015 , 54, 1744-55	98
1020	Effect of anions on the self-assembly of two Cd-organic frameworks: syntheses, structural diversity and photoluminescence properties. 2015 , 17, 598-603	30
1019	Luminescent properties, internal hydrogen bonds and π -interactions of Cd(II), Zn(II), Co(II) complexes based on 2,8-di(pyridin-4-yl)dibenzothiophene and dicarboxylate ligands. 2015 , 1086, 118-124	8
1018	Hydrothermal syntheses and characterization of two novel luminescent Cadmium(II) frameworks: From 1D infinite triple Cd-(trz)-Cd bridges to a rare 1200 network with 2D CdBr ₂ inorganic connectivity. 2015 , 1087, 97-103	3
1017	Raman Detected Sensing of Volatile Organic Compounds by Vapochromic Cu[AuX ₂ (CN) ₂] ₂ (X = Cl, Br) Coordination Polymer Materials. 2015 , 27, 1465-1478	34
1016	First neutral dinuclear cobalt complex formed by bridging [EO ₂ P(H)R] ligands: synthesis, X-ray crystal structure and quantum-chemical study. 2015 , 25, 27-28	4
1015	The copper(I) metal azolate framework showing unusual coordination mode for the 1,2,4-triazole derivative and photocatalytic activity. 2015 , 44, 3954-8	11
1014	Open metal sites dangled on cobalt trigonal prismatic clusters within porous MOF for CO ₂ capture. 2015 , 2, 369-372	17
1013	High anhydrous proton conductivity of imidazole-loaded mesoporous polyimides over a wide range from subzero to moderate temperature. 2015 , 137, 913-8	185
1012	Predicting and creating 7-connected Zn ₄ O vertices for the construction of an exceptional metal-organic framework with nanoscale cages. 2015 , 17, 1923-1926	6
1011	Lanthanides post-functionalized nanocrystalline metal-organic frameworks for tunable white-light emission and orthogonal multi-readout thermometry. 2015 , 7, 4063-9	110
1010	Coordination polymers: Opportunities and challenges for monitoring volatile organic compounds. 2015 , 45, 102-118	68
1009	Phase Formation Study of Ca-Terephthalate MOF-Type Materials. 2015 , 15, 617-624	10
1008	Crystal engineering towards the luminescence property trimming of hybrid coordination polymers. 2015 , 17, 1686-1692	7

1007	Metal-organic frameworks constructed from d-camphor acid: bifunctional properties related to luminescence sensing and liquid-phase separation. 2015 , 7, 4449-55	47
1006	Fluorescence of A100 MOF and Adsorption of Water, Indole, and Naphthalene on A100 by the Spectroscopic, Kinetic, and DFT Studies. 2015 , 150127074136000	19
1005	In situ spectroscopy studies of CO ₂ adsorption in a dually functionalized microporous metal-organic framework. 2015 , 3, 4945-4953	38
1004	Highly thermostable lanthanide metal-organic frameworks exhibiting unique selectivity for nitro explosives. 2015 , 5, 93-98	45
1003	Toward understanding the structure-catalyst activity relationship of new indium MOFs as catalysts for solvent-free ketone cyanosilylation. 2015 , 5, 7058-7065	27
1002	New insights into the nitroaromatics-detection mechanism of the luminescent metal-organic framework sensor. 2015 , 44, 2897-906	47
1001	A dual-functional Cd(II)-organic-framework demonstrating selective sensing of Zn ²⁺ and Fe ³⁺ ions exclusively and size-selective catalysis towards cyanosilylation. 2015 , 5, 10119-10124	25
1000	A new photoactive Ru(II)tris(2,2'-bipyridine) templated Zn(II) benzene-1,4-dicarboxylate metal organic framework: structure and photophysical properties. 2015 , 44, 5331-7	24
999	The concept of mixed organic ligands in metal-organic frameworks: design, tuning and functions. 2015 , 44, 5258-75	189
998	A series of d ¹⁰ coordination polymers constructed with a rigid tripodal imidazole ligand and varied polycarboxylates: syntheses, structures and luminescence properties. 2015 , 17, 2004-2012	33
997	Extraction of palladium from nuclear waste-like acidic solutions by a metal-organic framework with sulfur and alkene functions. 2015 , 3, 3928-3934	58
996	Guest-induced reversible structural transitions and concomitant on/off luminescence switching of an Eu(III) metal-organic framework and its application in detecting picric acid. 2015 , 39, 2289-2295	42
995	Functionalization of Metal-Organic Framework via Mixed-Ligand Strategy for Selective CO ₂ Sorption at Ambient Conditions. 2015 , 15, 961-965	72
994	Additive Effects in the Formation of Fluorescent Zinc Metal-Organic Frameworks with 5-Hydroxyisophthalate. 2015 , 15, 1452-1459	16
993	Two series of novel 3D potentially porous heterometallic Cu _n coordination frameworks assembled by 3,4-pyridinedicarboxylic acid with different topologies and channels: syntheses, structures, luminescence and magnetic properties. 2015 , 5, 15059-15068	20
992	Solvatochromic and application in dye-sensitized solar cells of sandwich-like Cd(II) complexes: supramolecular architectures based on N(1),N(3)-bis[(6-methoxypyridin-2-yl)methylene]benzene-1,3-diamine. 2015 , 44, 5179-90	8
991	Two dimethylphenyl imidazole dicarboxylate-based lanthanide metal-organic frameworks for luminescence sensing of benzaldehyde. 2015 , 44, 4362-9	86
990	Metal-organic framework MIL-53(Fe): facile microwave-assisted synthesis and use as a highly active peroxidase mimetic for glucose biosensing. 2015 , 5, 17451-17457	91

989	A series of MOFs based on a triangular tri(4-pyridylphenyl)amine ligand combined with carboxylate or nitrate auxiliary ligands. 2015 , 44, 1412-9	24
988	A robust microporous metal-organic framework as a highly selective and sensitive, instantaneous and colorimetric sensor for Eu ³⁺ ions. 2015 , 44, 1845-9	32
987	Insight into luminescence enhancement of coordinated water-containing lanthanide metal-organic frameworks by guest molecules. 2015 , 44, 2217-22	14
986	Spectroscopic and crystallographic investigations of novel BODIPY-derived metal-organic frameworks. 2015 , 54, 1346-53	39
985	A robust luminescent Ba (II) metal-organic framework based on pyridine carboxylate ligand for sensing of small molecules. 2015 , 53, 42-45	19
984	Selective recognition of 6-mercaptopurine based on luminescent metal-organic frameworks Fe-MIL-88NH ₂ . 2015 , 139, 296-301	22
983	Structural and magnetic properties of oxyquinolate clusters of cobalt(II) and manganese(II) and serendipitous intake of carbonate during synthesis. 2015 , 44, 2964-9	10
982	A UiO-66 analogue with uncoordinated carboxylic acids for the broad-spectrum removal of toxic chemicals. 2015 , 39, 2396-2399	103
981	Six Zn(II) and Cd(II) coordination polymers assembled from a similar binuclear building unit: tunable structures and luminescence properties. 2015 , 44, 6731-9	18
980	Lanthanide Metal-Organic Frameworks. 2015 ,	20
979	Effect of solvent and temperature on the photoluminescent properties of Ag(I) complexes base on two different flexibility imidazole functionalized benzoic acid linkers. 2015 , 53, 34-41	21
978	A binodal t _{fz} -d network constructed from trinuclear Cobalt(II) clusters. 2015 , 53, 4-6	8
977	Syntheses, structures and photocatalytic properties of two coordination polymers based on bis(1,2,4-triazol-4-ylmethyl)benzene and multicarboxylates. 2015 , 52, 34-37	15
976	Tunable photoluminescence of a dual-emissive zinc(II) coordination polymer with an in-situ generated tetrazole derivative and benzenetetracarboxyli. 2015 , 53, 20-22	5
975	Dual-emitting MOF-dye composite for ratiometric temperature sensing. 2015 , 27, 1420-5	501
974	A perfectly aligned 63 helical tubular cuprous bromide single crystal for selective photo-catalysis, luminescence and sensing of nitro-explosives. 2015 , 44, 3410-6	11
973	Highly selective luminescence sensing for Cu ²⁺ ions and selective CO ₂ capture in a doubly interpenetrated MOF with Lewis basic pyridyl sites. 2015 , 44, 4423-7	61
972	Highly selective detection of 2,4,6-trinitrophenol and Cu(2+) ions based on a fluorescent cadmium-pamoate metal-organic framework. 2015 , 21, 2029-37	196

- 971 Cage-like pores of a metal-organic framework for separations and encapsulation of Pd nanoparticles for efficient catalysis. **2015**, 39, 2669-2674 12
- 970 Crystal structures, topologies and luminescent properties of three Zn(II)/Cd(II) coordination networks based on naphthalene-2,6-dicarboxylic acid and different bis(imidazole) linkers. **2015**, 5, 16190-16198²²
- 969 Preparation, characterization, and properties of PMMA-doped polymer film materials: a study on the effect of terbium ions on luminescence and lifetime enhancement. **2015**, 44, 2871-9 16
- 968 Carbon dot hybrids with oligomeric silsesquioxane: solid-state luminophores with high photoluminescence quantum yield and applicability in white light emitting devices. **2015**, 51, 2950-3 117
- 967 Metal-organic framework materials for light-harvesting and energy transfer. **2015**, 51, 3501-10 342
- 966 A sensitive biosensor for dopamine determination based on the unique catalytic chemiluminescence of metal-organic framework HKUST-1. **2015**, 210, 500-507 94
- 965 Structural studies and detection of nitroaromatics by luminescent 2D coordination polymers with angular dicarboxylate ligands. **2015**, 2, 228-236 29
- 964 Assembly of two Cu-based coordination polymers from 2-(pyridine-3-yl)-1H-4,5-imidazolecarboxylate ligand. **2015**, 52, 69-72 6
- 963 Organic melt, electrode, and CVD induced in situ deposition of luminescent lanthanide imidazolate MOFs on nanostructured alumina. **2015**, 2, 237-245 11
- 962 Lanthanide Terpyridine-Based Assemblies: Towards Dual Luminescent Probes. **2015**, 4, 251-255 3
- 961 Photoluminescent One-Dimensional Coordination Polymers from Suitable Pyridine Antenna and LnCl₃ for Visible and Near-IR Emission. **2015**, 2015, 826-836 17
- 960 Magnetic cobalt-graphene nanocomposite derived from self-assembly of MOFs with graphene oxide as an activator for peroxymonosulfate. **2015**, 3, 9480-9490 202
- 959 Construction of Cu(II), Zn(II) and Cd(II) metal-organic frameworks of bis(1,2,4-triazol-4-yl)ethane and benzenetricarboxylate: syntheses, structures and photocatalytic properties. **2015**, 17, 2544-2552 72
- 958 A photoactive porous metal-organic complex: synthesis, crystal morphology and the influence of photocycloaddition on fluorescence properties and adsorption behavior. **2015**, 17, 2353-2358 15
- 957 Acid-induced Zn(II)-based metal-organic frameworks for encapsulation and sensitization of lanthanide cations. **2015**, 17, 2294-2300 9
- 956 Aqueous phase nitric oxide detection by an amine-decorated metal-organic framework. **2015**, 51, 6111-4 69
- 955 Structural transformation and hysteretic sorption of light hydrocarbons in a flexible Zn-pyrazole-adenine framework. **2015**, 21, 5700-3 38
- 954 Syntheses, crystal structures, and luminescent properties of three zinc carboxyphosphonates with 2D layered and 3D pillared-layer structures. **2015**, 429, 252-256 4

- 953 Lanthanide Ion Codoped Emitters for Tailoring Emission Trajectory and Temperature Sensing. **2015**, 25, 1463-1469 226
- 952 A New Pb(II)-Coordination Polymer With 1,3-Phenylenediacetic Acid Featuring Different Polymeric Chain Units: Synthesis, Crystal Structure, and Luminescent Property. **2015**, 45, 974-978
- 951 Synthesis, Crystal Structure and Theoretical Calculations of a Zinc(II) Coordination Polymer Assembled by 4,4'-Oxydibenzoic acid and 1,3-Bis(imidazol-1-ylmethyl)-benzene Ligands. **2015**, 25, 576-582 2
- 950 Highly selective detection of palladium and picric acid by a luminescent MOF: a dual functional fluorescent sensor. **2015**, 51, 6576-9 198
- 949 Engineering lanthanide-optical centres in IRMOF-3 by post-synthetic modification. **2015**, 39, 4249-4258 34
- 948 Synthesis and characterization of $[(CH_3)_2NH_2][Na_{0.5}Cr_{0.5}(HCOO)_3]$: a rare example of luminescent metal-organic frameworks based on Cr(III) ions. **2015**, 44, 6871-9 61
- 947 Two series of pH-dependent lanthanide complexes showing solvent-induced single crystal to single crystal transformation, sorption and luminescence properties. **2015**, 17, 2837-2846 26
- 946 Luminescent silver(I) coordination architectures containing 2-aminopyrimidyl ligands. **2015**, 17, 3393-3417 27
- 945 Enhanced gas sorption properties of a new sulfone functionalized aluminum metal-organic framework: Synthesis, characterization, and DFT studies. **2015**, 216, 20-26 15
- 944 A Microporous Porphyrin-Based Hydrogen-Bonded Organic Framework for Gas Separation. **2015**, 15, 2000-2004 80
- 943 Metal-organic frameworks for luminescence thermometry. **2015**, 51, 7420-31 288
- 942 Superprotonic Conductivity of a UiO-66 Framework Functionalized with Sulfonic Acid Groups by Facile Postsynthetic Oxidation. **2015**, 127, 5231-5235 63
- 941 Copper(I) 2-Isopropylimidazolate: Supramolecular Isomerism, Isomerization, and Luminescent Properties. **2015**, 15, 1735-1739 22
- 940 Interpretation of europium(III) spectra. **2015**, 295, 1-45 1492
- 939 p-Benzoquinone adsorption-separation, sensing and its photoinduced transformation within a robust Cd(II)-MOF in a SC-SC fashion. **2015**, 51, 7443-6 15
- 938 Remote Stabilization of Copper Paddlewheel Based Molecular Building Blocks in Metal-Organic Frameworks. **2015**, 27, 2144-2151 64
- 937 Aqueous phase selective detection of 2,4,6-trinitrophenol using a fluorescent metal-organic framework with a pendant recognition site. **2015**, 44, 15175-80 134
- 936 Homochiral Metal-Organic Framework with Intrinsic Chiral Topology and Helical Channels. **2015**, 15, 1568-1571 29

935	Sorption Properties and Nitroaromatic Explosives Sensing Based on Two Isostructural Metal-Organic Frameworks. 2015 , 15, 2033-2038	98
934	Temperature-dependent studies of $[(CH_3)_2NH_2][Fe(III)M(II)(HCOO)_6]$ frameworks (M(II) = Fe and Mg): structural, magnetic, dielectric and phonon properties. 2015 , 44, 8846-54	54
933	A stable luminescent anionic porous metal-organic framework for moderate adsorption of CO ₂ and selective detection of nitro explosives. 2015 , 3, 7224-7228	74
932	Coordination assemblies of seven metal-organic frameworks based on a bent connector: structural diversity and properties. 2015 , 17, 3129-3138	21
931	A family of 3D lanthanide organic frameworks with tunable luminescence and slow magnetic relaxation. 2015 , 5, 9898-9903	22
930	Syntheses, Structures and Third-Order Nonlinear Optical Properties of Two-Dimensional Rhombohedral Grid Coordination Polymers: $[Cd(imz)_3]_2(BTC) \cdot 0.5H_2O$ and $[Cu_4(H_2O)_2(imz)_8](BTC)_2 \cdot 7H_2O$ (BTC = 1, 2, 4, 5-benzenetetracarboxylate anion, imz = imidazole). 2015 , 21, 888-898	12
929	Solvent-induced synthesis of cobalt(II) coordination polymers based on a rigid ligand and flexible carboxylic acid ligands: syntheses, structures and magnetic properties. 2015 , 44, 6926-35	31
928	Functionalities and architectures of coordination polymers with multi-dimensionality via transition metal-dicarboxylate ligands. 2015 , 17, 2398-2405	8
927	MOF-directed templating synthesis of a porous multicomponent dodecahedron with hollow interiors for enhanced lithium-ion battery anodes. 2015 , 3, 8483-8488	155
926	Syntheses, crystal structure, and characterization of two Mn(II) CPs based on 4,4'-sulfonyldicarboxylic acid and length modulated bisimidazole ligands. 2015 , 68, 1655-1663	1
925	Structural Induction Effect of a Zwitterion Pyridiniumolate for Metal-Organic Frameworks. 2015 , 54, 6169-75	28
924	Protonation effect on ligands in EuL: a luminescent switcher for fast naked-eye detection of HCl. 2015 , 44, 13586-91	16
923	Ag ₂ CO ₃ /UiO-66(Zr) composite with enhanced visible-light promoted photocatalytic activity for dye degradation. 2015 , 299, 132-40	107
922	Synthesis, structure, and magnetic property of a 3D supramolecular Gd(III) coordination polymer with 4,4'-sulfonyldibenzoic acid ligands. 2015 , 41, 334-338	
921	Transient absorption spectroscopy and photochemical reactivity of CAU-8. 2015 , 3, 3607-3613	8
920	An unprecedented stable self-penetrating metal-organic framework with solvent-dependent luminescence properties. 2015 , 59, 32-35	6
919	Three Metal Coordination Complexes Based on 2-(1H-benzotriazol-1-yl) Acetic Acid with Bioactivities. 2015 , 39, 233-237	2
918	A Flexible Microporous Hydrogen-Bonded Organic Framework for Gas Sorption and Separation. 2015 , 137, 9963-70	254

917	Color tunable porous organic polymer luminescent probes for selective sensing of metal ions and nitroaromatic explosives. 2015 , 3, 8490-8494	89
916	Piezofluorochromic Metal-Organic Framework: A Microscissor Lift. 2015 , 137, 10064-7	184
915	A fluorescence chemosensor for benzonitrile derived from in - situ synthesis of azolate-carboxylic acid and zinc(II) ions. 2015 , 60, 111-114	5
914	White-light emission by selectively encapsulating single lanthanide metal ions into alkaline earth metal-organic coordination polymers. 2015 , 122, 317-323	20
913	Syntheses, Crystal Structures, and Properties of Four Metal-Organic Complexes Based on 1,4,5,6,7,7-Hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic Acid. 2015 , 15, 4198-4205	10
912	Syntheses, structures and tunable luminescence of lanthanide metal-organic frameworks based onazole-containing carboxylic acid ligand. 2015 , 230, 287-292	19
911	Hydrothermal syntheses, coordination isomerism and UV-VIS absorption of CoII and NiII complexes with mixed ligands. 2015 , 25, 296-298	2
910	A combination of tri-modal cancer imaging and in vivo drug delivery by metal-organic framework based composite nanoparticles. 2015 , 3, 1270-8	105
909	Tuning the growth of metal-organic framework nanocrystals by using polyoxometalates as coordination modulators. 2015 , 58, 370-377	56
908	Porous barium-organic frameworks with highly efficient catalytic capacity and fluorescence sensing ability. 2015 , 3, 21545-21552	39
907	Controlling dimensionality via a dual ligand strategy in Ln-thiophene-2,5-dicarboxylic acid-terpyridine coordination polymers. 2015 , 44, 15843-54	27
906	Fluorescent polymeric aggregates induced by Eu ³⁺ ions and their surface morphologies. 2015 , 46, 28-33	5
905	A new room-temperature ultraviolet emission material: K ₂ [Ni(C ₂ O ₄) ₂ (H ₂ O) ₂]·4H ₂ O. 2015 , 472, 45-48	6
904	Coordination polymers with varying dimensionality constructed from 2,5-bis(imidazol-1-yl)thiophene (thim ₂) and divalent metal (Mn ²⁺ , Cd ²⁺ , Co ²⁺) salts. 2015 , 90, 202-213	2
903	Multiphoton harvesting metal-organic frameworks. 2015 , 6, 7954	122
902	Assembly of Zn-metal organic frameworks based on a N-rich ligand: selective sorption for CO ₂ and luminescence sensing of nitro explosives. 2015 , 5, 49606-49613	28
901	Fast and Reversible Detection of Nitrobenzene Vapour by a Fluorescent Metal-Organic Framework Templated by Ionic Liquid. 2015 , 25, 1320-1326	1
900	Ligands effect on the structures of A series of coordination polymers: Syntheses, structures, luminescence and magnetism. 2015 , 427, 285-292	13

- 899 Utilization of mixed ligands to construct two new coordination polymers: Syntheses, structures and properties. **2015**, 228, 117-123 9
- 898 Metal-Organic Frameworks Built from a Linear Rigid Dicarboxylate and Different Colinkers: Trap of the Keto Form of Ethylacetoacetate, Luminescence and Ferroelectric Studies. **2015**, 15, 4526-4535 22
- 897 Recyclable lanthanide-functionalized MOF hybrids to determine hippuric acid in urine as a biological index of toluene exposure. **2015**, 51, 14509-12 85
- 896 Reversible stimulus-responsive Cu(I) iodide pyridine coordination polymer. **2015**, 51, 14306-9 32
- 895 Metallogels and Silver Nanoparticles Generated from a Series of Transition Metal-Based Coordination Polymers Derived from a New Bis-pyridyl-bis-amide Ligand and Various Carboxylates. **2015**, 15, 4635-4645 24
- 894 A 3D-diamond-like metal-organic framework: Crystal structure, nonlinear optical effect and high thermal stability. **2015**, 60, 19-22 8
- 893 Porphyrin-Metalation-Mediated Tuning of Photoredox Catalytic Properties in Metal-Organic Frameworks. **2015**, 5, 5283-5291 161
- 892 MOFs-Templated [email-protected] Core-Shell NPs Embedded in N-Doped Carbon Matrix with Superior Hydrogenation Activities. **2015**, 5, 5264-5271 169
- 891 The pH-controlled synthesis of three zinc-based complexes modeled by 5-carboxyl-1-carboxymethyl-2-oxidopyridinium with luminescence studies. **2015**, 199, 413-419 3
- 890 A Family of Capsule-Based Coordination Polymers Constructed from a New Tetrakis(1,2,4-triazol-ylmethyl)resorcin[4]arene Cavitand and Varied Dicarboxylates for Selective Metal-Ion Exchange and Luminescent Properties. **2015**, 15, 3822-3831 40
- 889 Synthesis, structures and luminescence properties of two mixed nickel(II) coordination polymers bearing a rigid bis-triazole linker. **2015**, 40, 565-571 5
- 888 Ionic liquid directed syntheses of water-stable Eu- and Tb-organic-frameworks for aqueous-phase detection of nitroaromatic explosives. **2015**, 44, 14594-603 95
- 887 Ratiometric fluorescent detection of biomarkers for biological warfare agents with carbon dots chelated europium-based nanoscale coordination polymers. **2015**, 221, 586-592 62
- 886 Hydrostable and Nitryl/Methyl-Functionalized Metal-Organic Framework for Drug Delivery and Highly Selective CO₂ Adsorption. **2015**, 54, 6719-26 70
- 885 Removal of chlorine gas by an amine functionalized metal-organic framework via electrophilic aromatic substitution. **2015**, 51, 12474-7 56
- 884 Stable Multiresponsive Luminescent MOF for Colorimetric Detection of Small Molecules in Selective and Reversible Manner. **2015**, 27, 5349-5360 191
- 883 Light-Emitting Self-Assembled Materials Based on d(8) and d(10) Transition Metal Complexes. *Chemical Reviews*, **2015**, 115, 7589-728 68.1 988
- 882 Magneto-structural variety of new 3d-4f-4(5)d heterotrimetallic complexes. **2015**, 44, 16713-27 45

- 881 Multifunctional metal-organic frameworks: from academia to industrial applications. **2015**, 44, 6774-803 618
- 880 Time controlled structural/packing transformation and tunable luminescence of Cd(II)-chloride-triBZ-ntb coordination assemblies: an experimental and theoretical exploration. **2015**, 17, 546-552 17
- 879 Lanthanide coordination polymers constructed from 5-(1H-tetrazol-5-yl)isophthalic acid ligand: white light emission and color tuning. **2015**, 17, 6030-6036 24
- 878 Approaching the limit of Cu(II)/Cu(I) mixed valency in a Cu(I)Br₂-N-methylquinoxalinium hybrid compound. **2015**, 51, 12740-3 4
- 877 Chiral porous metal-organic frameworks containing β -exo-bis[Ti(salan)] units for asymmetric cyanation of aldehydes. **2015**, 44, 12999-3002 17
- 876 Synthesis, structure, and magnetic property of a 3D Mn(II) coordination polymer based on 2,3,5,5'-biphenyl tetracarboxylic acid. **2015**, 41, 481-485
- 875 Two Amino-Decorated Metal-Organic Frameworks for Highly Selective and Quantitatively Sensing of Hg(II) and Cr(VI) in Aqueous Solution. **2015**, 54, 7133-5 168
- 874 Chemical stability and tunable luminescence of Ln(III)@I coordination polymers featuring a tracery-like architecture. **2015**, 5, 49110-49114 10
- 873 Fluorescent selectivity for small molecules of three Zn-MOFs with different topologies based on a tetracarboxylate ligand. **2015**, 5, 62982-62988 19
- 872 Ten coordination compounds constructed by 4'-((2-carboxyphenoxy)methyl)biphenyl-2-carboxylic acid and various N-donor ligands: Syntheses, structures and luminescent properties. **2015**, 99, 156-169 17
- 871 Anion triggered and solvent assisted structural diversity and reversible single-crystal-to-single-crystal (SCSC) transformation between 1D and 2D coordination polymers. **2015**, 17, 8876-8887 19
- 870 Crystal structures, in situ synthesis in aqua conditions and luminescent properties of benzimidazole ligands and cadmium coordination complexes. **2015**, 435, 215-222 4
- 869 Synthesis, Structure and Property of a 3D Heterometallic Complex Constructed by Trinuclear [In₂Co(OH)₂(COO)₄] Cluster and BTC Ligand. **2015**, 26, 1959-1970 3
- 868 Construction, crystal structures, and luminescence properties of three coordination polymers from the same precursor, 4-(1H-benzimidazol-1-yl)benzotrile. **2015**, 40, 699-706 2
- 867 Magnetic and luminescent properties of lanthanide coordination polymers with asymmetric biphenyl-3,2',5'-tricarboxylate. **2015**, 44, 14424-35 37
- 866 Syntheses, characterization, and magnetic properties of novel divalent Co/Ni coordination polymers based on a V-shaped pyridine ligand and dicarboxylate acids. **2015**, 5, 64514-64519 9
- 865 Ion template effects of 4,5-dicyanoimidazole in the assembly of a series of 3D bimetallic coordination networks. **2015**, 17, 6103-6106 5
- 864 Recent developments in metal-metalloporphyrin frameworks. **2015**, 44, 14574-83 44

- 863 Ratiometric multiplexed barcodes based on luminescent metal-organic framework films. **2015**, 3, 8413-8418 37
- 862 Serrated single-wall metal-organic nanotubes (SWMONTs) for benzene adsorption. **2015**, 17, 5625-5628 9
- 861 Ln-Ag heterometallic coordination polymers. **2015**, 35, 81-113 6
- 860 Series of Highly Stable Isorecticular Lanthanide Metal-Organic Frameworks with Expanding Pore Size and Tunable Luminescent Properties. **2015**, 27, 5332-5339 112
- 859 A metal-organic framework based on cyclotriphosphazene-functionalized hexacarboxylate for selective adsorption of CO₂ and C₂H₆ over CH₄ at room temperature. **2015**, 17, 6314-6319 18
- 858 Synthesis, crystal structure, and porosity of 1D coordination polymer of neodymium(III) with isonicotinic acid and dimeric complex of neodymium(III) with nicotinic acid. **2015**, 41, 469-480 3
- 857 Understanding of the low temperature auto-oxidation scheme of sec-alcohols based on a Cu(II)-MOF with open metal sites. **2015**, 51, 14586-9 5
- 856 Construction of a series of metal-organic frameworks based on novel flexible ligand 4-carboxy-1-(3,5-dicarboxy-benzyl)-pyridinium chloride and selective d-block metal ions: crystal structures and photoluminescence. **2015**, 17, 6297-6307 20
- 855 Tuning the Dimensionality of Interpenetration in a Pair of Framework-Catenation Isomers To Achieve Selective Adsorption of CO₂ and Fluorescent Sensing of Metal Ions. **2015**, 54, 6084-6 21
- 854 Three Ln(III)-2,3,5-trichlorobenzoate coordination polymers (Ln = Tb, Ho and Er): Syntheses, structures and magnetic properties. **2015**, 59, 21-24 10
- 853 Transition metal coordination polymers based on tetrabromoterephthalic and bis(imidazole) ligands: Syntheses, structures, topological analysis and photoluminescence properties. **2015**, 229, 49-61 7
- 852 Observation of divergent La³⁺ ion dilute effect in two series of 3-D fluorescent lanthanide-MOFs-based molecular alloys RELa₁BTC (RE³⁺=Eu³⁺ or Tb³⁺; EBTC₄1,1'-ethynebenzene-3,3',5,5'-etracarboxylate). **2015**, 230, 14-18 6
- 851 Syntheses, structures and catalytic coupling reactions of two tetrazolate-based coordination polymers. **2015**, 95, 69-74 2
- 850 A luminescent Terbium-Succinate MOF thin film fabricated by electrodeposition for sensing of Cu²⁺ in aqueous environment. **2015**, 220, 779-787 65
- 849 Solvent-Free Synthesis of Luminescent Copper(I) Coordination Polymers with Thiourea Derivatives. **2015**, 15, 2929-2939 25
- 848 Role of Crystal Packing and Weak Intermolecular Interactions in the Solid State Fluorescence of N-Methylpyrazoline Derivatives. **2015**, 15, 3893-3904 34
- 847 Syntheses, structures, and properties of nine d¹⁰ or p-block coordination polymers based on a ligand containing both terpyridyl and sulfo groups. **2015**, 17, 5538-5550 10
- 846 Syntheses, structures, luminescence and magnetic properties of eleven coordination polymers constructed by a N,N'-sulfuryldiimidazole ligand. **2015**, 17, 5054-5065 17

845	Assembly and Properties of Four New Metal-Organic Complexes Based on 1,4-Naphthalenedicarboxylate: Effect of Four Bis-pyridyl-bis-amide Ligands with Diverse Spacers in the Structures. 2015 , 68, 1550	7
844	A three-dimensional coordination polymer based on 3,5-pyrazoledicarboxylic acid (H3Pdc): [Cd2(HPdc)1.5Cl(H2O)2] n. 2015 , 41, 368-371	
843	Gas Sorption, Second-Order Nonlinear Optics, and Luminescence Properties of a Multifunctional srs-Type Metal-Organic Framework Built by Tris(4-carboxylphenyl)amine. 2015 , 54, 6653-6	46
842	Synthesis, crystal structure and gas uptake properties of a urea-functionalized rht-type metal-organic framework. 2015 , 99, 1-6	17
841	Structural diversification and photocatalytic properties of zinc(II) polymers modified by auxiliary N-containing ligands. 2015 , 39, 7130-7139	31
840	Water stabilization of Zr-based metal-organic frameworks solvent-assisted ligand incorporation. 2015 , 6, 5172-5176	75
839	Microporous Metal-Organic Framework with Lantern-like Dodecanuclear Metal Coordination Cages as Nodes for Selective Adsorption of C2/C1 Mixtures and Sensing of Nitrobenzene. 2015 , 15, 3847-3852	36
838	Syntheses, Structures, and Properties of Two New Isostructural Complexes Based on 1-((Benzotriazol-1-yl)methyl)-1H-1,3-Imidazole and 1,4-Benzenedicarboxylate. 2015 , 45, 1518-1524	4
837	A three-dimensional coordination polymer based on the Zn(OH) unit: poly[[[1,4-benzenedicarboxylato]bis(1,4-benzenedicarboxylato)bis(hydroxido)bis(1,10-phenanthroline-5,6-dione)tetrahydrate]. 2015 , 71, 136-9	
836	Ligand concentration-dependent supramolecular complexes with uncoordinated carbonyl groups based on a new pyrazole carboxylic acid ligand. 2015 , 68, 1688-1704	7
835	Immobilization of Protein on Nanoporous Metal-Organic Framework Materials. 2015 , 35, 331-349	39
834	Flowerlike Copper(II)-Based Coordination Polymers Particles: Rapid Room-Temperature Fabrication, Influencing Factors, and Transformation toward CuO Microstructures with Good Catalytic Activity for the Reduction of 4-Nitrophenol. 2015 , 15, 2243-2252	30
833	Zinc complexes of pyridyl-tetrazole derivatives [Highly fluorescent materials]. 2015 , 432, 50-55	11
832	External-Template-Assisted Formation of Octacyanometalate-Based MVnII (M = W, Mo) Bimetallic Coordination Polymers with Magnetic Properties. 2015 , 2015, 2110-2119	7
831	Effect of central metals and N-donor ligands on the architectures of a series of coordination polymers based on a bis(sulfanediyl) thiadiazole diacetate. 2015 , 92, 147-155	1
830	MOF based luminescence tuning and chemical/physical sensing. 2015 , 216, 171-199	249
829	Size-controlled silver nanoparticles stabilized on thiol-functionalized MIL-53(Al) frameworks. 2015 , 7, 9738-45	35
828	Semidirected versus holodirected coordination and single-component white light luminescence in Pb(II) complexes. 2015 , 39, 5287-5292	32

827	A Eu-Doped Y-Based Luminescent Metal-Organic Framework as a Highly Efficient Sensor for Nitroaromatic Explosives. 2015 , 2015, 1390-1397	42
826	AIE luminogens: emission brightened by aggregation. 2015 , 18, 365-377	291
825	Structural diversity of two novel Dy(III) metal-organic frameworks based on binuclear nodes with furan-2,5-dicarboxylic acid: Crystal structures and luminescent properties. 2015 , 55, 103-107	13
824	A series of chiral coordination polymers constructed by (S)-(-)-1,1'-binaphtho-2,2'-diacetic acid: Syntheses, structures and optical properties. 2015 , 120, 136-146	14
823	Bidimensional cadmium metal-organic frameworks based on 1,3-bis(4-pyridyl)propane displaying long lifetime photoluminescence emission. 2015 , 91, 47-51	6
822	Photofunctional hybrids of lanthanide functionalized bio-MOF-1 for fluorescence tuning and sensing. 2015 , 451, 63-8	38
821	Ancillary ligand-assisted assembly of C ₃ -symmetric 4,4',4'-nitritotribenzoic acid with divalent Zn ²⁺ ions: Syntheses, topological structures, and photoluminescence properties. 2015 , 227, 155-164	12
820	A series of Cd(II)/Zn(II) coordination polymers containing helical chains constructed from a β -like bis-pyridyl-bis-amide and various dicarboxylates: Assembly, structures, photoluminescent and selective photocatalysis. 2015 , 432, 128-135	20
819	Synthesis, structural features and luminescence properties of a 1-D poly(azolato)-based coordination polymer. 2015 , 92, 130-136	5
818	Novel microporous metal-organic framework exhibiting high acetylene and methane storage capacities. 2015 , 54, 4377-81	30
817	Quantum-Chemical Characterization of the Properties and Reactivities of Metal-Organic Frameworks. <i>Chemical Reviews</i> , 2015 , 115, 6051-111	68.1 197
816	Structural variability, unusual thermochromic luminescence and nitrobenzene sensing properties of five Zn(II) coordination polymers assembled from a terphenyl-hexacarboxylate ligand. 2015 , 17, 3829-3837	41
815	Recent advances in the construction of lanthanide-copper heterometallic metal-organic frameworks. 2015 , 17, 4250-4271	43
814	Multifunctional luminescence properties of co-doped lanthanide metal organic frameworks. 2015 , 44, 9588-95	22
813	Designing hydrophobic sheet protected Eu(III)-tetracycline complex using long chain unsaturated fatty acid: Efficient "antenna effect" in aqueous medium. 2015 , 160, 262-270	6
812	Three new luminescent Cd(II)-MOFs by regulating the tetracarboxylate and auxiliary co-ligands, displaying high sensitivity for Fe(3+) in aqueous solution. 2015 , 44, 10385-91	117
811	A new zinc(II) coordination compound of meta-aminobenzoate and 4,4'-bipyridine with broad-band photoluminescence emission. 2015 , 432, 46-49	4
810	The properties of the bonding between CO and ZIF-8 structures: a density functional theory study. 2015 , 134, 1	6

809	A Non-interpenetrated Microporous Bi-pillared-Layer Framework: Synthesis, Structure and Photoluminescence Properties. 2015 , 25, 936-941	0
808	Synthesis, Crystal Structure and Theoretical Calculations of a Cadmium(II) Coordination Polymer Assembled by 5-Nitroisophthalic Acid and 1,3-Bis(imidazol-1-ylmethyl)-benzene Ligands. 2015 , 25, 1069-1076	1
807	Microwave-assisted synthesis of nanoscale Eu(BTC)(H ₂ O)DMF with tunable luminescence. 2015 , 58, 973-978	8
806	Studies on cluster, salt and molecular complex of zinc-quinolate. 2015 , 127, 215-223	6
805	Postsynthetic Metal and Ligand Exchange in MFU-4l: A Screening Approach toward Functional Metal-Organic Frameworks Comprising Single-Site Active Centers. 2015 , 21, 8188-99	56
804	Lanthanide coordination frameworks constructed from 1,3-benzenedicarboxylate, oxalate and 1,10-phenanthroline: crystal structure, multicolor luminescence and high-efficiency white light emission. 2015 , 17, 3838-3844	18
803	Luminescent Two-Dimensional Coordination Polymer for Selective and Recyclable Sensing of Nitroaromatic Compounds with High Sensitivity in Water. 2015 , 15, 2753-2760	117
802	A series of two-dimensional microporous triazole-functionalized metal-organic frameworks with the new multi-dentate ligand 1-(4-aminobenzyl)-1,2,4-triazole: single-crystal-to-single-crystal transformation, structural diversity and luminescent sensing. 2015 , 5, 35238-35251	24
801	A luminescent europium metal-organic framework with free phenanthroline sites for highly selective and sensitive sensing of Cu ²⁺ in aqueous solution. 2015 , 56, 137-140	38
800	A new stable Cd(II)-framework for sensitive and selective detection of Cu ²⁺ ions. 2015 , 57, 4-7	5
799	Multifunctional lanthanide coordination polymers. 2015 , 48, 40-84	151
798	Cu(II)-Metal-Organic Framework with Open Coordination Metal Sites for Low Temperature Thermochemical Water Oxidation. 2015 , 27, 3805-3808	26
797	1,4-Naphthalenedicarboxylic acid functionalized phosphomolybdate: Synthesis, crystal structure and optical properties. 2015 , 155, 48-50	10
796	A 3-D metal-organic framework with a rutile topology network, right- or left- handed helical chains and tunable UV-to-visible photoluminescence. 2015 , 5, 42616-42620	10
795	Enhanced Synthesis of Metal-Organic Frameworks on the Surface of Electrospun Cellulose Nanofibers. 2015 , 17, 1282-1286	42
794	3D Heterometallic 3d ^{mf} coordination polymers based on organodisulfonate ligand with isonicotinic acid as a co-ligand: synthesis, crystal structures, photoluminescent and magnetic properties. 2015 , 68, 1776-1787	3
793	A family of lanthanide-based coordination polymers with boronic Acid as ligand. 2015 , 54, 5534-46	42
792	Luminescent Terbium-Organic Framework Exhibiting Selective Sensing of Nitroaromatic Compounds (NACs). 2015 , 15, 2589-2592	100

791	Synthesis, structures, and properties of seven transition metal coordination polymers based on a long semirigid dicarboxylic acid ligand. 2015 , 5, 47216-47224	7
790	A New Metal-Organic Framework Constructed from Trinuclear {Cd ₃ } Clusters as Secondary Building Units. 2015 , 26, 1403-1411	3
789	Metal-organic frameworks with inherent recognition sites for selective phosphate sensing through their coordination-induced fluorescence enhancement effect. 2015 , 3, 7445-7452	225
788	Iron-based metal organic framework, MIL-88A, as a heterogeneous persulfate catalyst for decolorization of Rhodamine B in water. 2015 , 5, 32520-32530	109
787	One novel 3D tetranuclear cadmium coordination polymer based on 2,3,4,5'-biphenyltetracarboxylic acid: Synthesis, crystal structure and luminescence. 2015 , 55, 157-160	2
786	Ammonia detection by using flexible Lewis acidic sites in luminescent porous frameworks constructed from a bipyridinium derivative. 2015 , 51, 8189-92	52
785	Stable luminescent metal-organic frameworks as dual-functional materials to encapsulate Ln(3+) ions for white-light emission and to detect nitroaromatic explosives. 2015 , 54, 3290-6	178
784	White light emission of IFP-1 by in situ co-doping of the MOF pore system with Eu ³⁺ and Tb ³⁺ . 2015 , 3, 4623-4631	34
783	Metal-organic framework composites: from fundamentals to applications. 2015 , 7, 7482-501	327
782	Self-assembly, crystal structures and properties of metal-4,5-tris(carboxymethoxy)benzoic acid frameworks based on polynuclear metal-hydroxyl clusters (M = Zn, Co). 2015 , 5, 29362-29369	7
781	Coordination polymers constructed from a tripodal phosphoryl carboxylate ligand: synthesis, structures and physical properties. 2015 , 17, 4547-4553	6
780	Metal organic frameworks for sensing applications. 2015 , 73, 39-53	319
779	Synthesis, structures and photoluminescence of a series of 3D lanthanide-organic coordination polymers constructed from versatile 2,2'-bipyridine-3,3'-dicarboxylic acid 1,1'-dioxide and oxalic acid. 2015 , 17, 4150-4160	18
778	Adsorptive Removal of Pb(II) Ions from Aqueous Samples with Amino-Functionalization of Metal-Organic Frameworks MIL-101(Cr). 2015 , 60, 1732-1743	125
777	Zeolitic Imidazole Framework-67 (ZIF-67) as a heterogeneous catalyst to activate peroxymonosulfate for degradation of Rhodamine B in water. 2015 , 53, 40-45	172
776	New approaches to the degradation of organic dyes, and nitro- and chloroaromatics using coordination polymers as photocatalysts. 2015 , 17, 4741-4753	69
775	Enhanced visible-light photocatalytic performance of BiOBr/Uio-66(Zr) composite for dye degradation with the assistance of Uio-66. 2015 , 5, 39592-39600	86
774	Formation of a Syndiotactic Organic Polymer Inside a MOF by a [2+2] Photo-Polymerization Reaction. 2015 , 54, 7313-7	94

773	Switching a 2D Co(II) layer to a 3D Co ₇ -cluster-based metal-organic framework: syntheses, crystal structures, and magnetic properties. 2015 , 54, 2976-82	84
772	Solvent Dependent Structures of Melamine: Porous or Nonporous?. 2015 , 15, 1871-1875	27
771	A tetranuclear copper cluster-based MOF with sulfonate-carboxylate ligands exhibiting high proton conduction properties. 2015 , 51, 8150-2	79
770	Solvent-induced secondary building unit (SBU) variations in a series of Cu(II) metal-organic frameworks derived from a bifunctional ligand. 2015 , 44, 8926-31	24
769	Superprotonic conductivity of a UiO-66 framework functionalized with sulfonic acid groups by facile postsynthetic oxidation. 2015 , 54, 5142-6	343
768	Designed synthesis of a series of zwitterion-polyoxometalate hybrid materials for selective scavenging and photolysis of dyes. 2015 , 44, 7862-9	25
767	Solvent-dependent luminescence behavior of a new charge-transfer Cu(I)-MOF: An experimental and theoretical investigation. 2015 , 56, 41-44	4
766	Intrinsic self-trapped broadband emission from zinc halide-based metal-organic frameworks. 2021 , 57, 1396-1399	0
765	Recent progress in lanthanide metal-organic frameworks and their derivatives in catalytic applications. 2021 , 8, 590-619	26
764	Supramolecular isomerism in two nickel(II) coordination polymers constructed with the flexible 2-carboxyphenoxyacetate linker: Syntheses, structure analyses and magnetic properties. 2021 , 293, 121799	89
763	Chemistry and applications of s-block metal-organic frameworks. 2021 , 9, 3828-3854	16
762	Encoding Multilayer Complexity in Anti-Counterfeiting Heterometallic MOF-Based Optical Tags. 2021 , 133, 1223-1231	3
761	MOFs assembled from symmetric ligands: structure, iodine capture and role as bifunctional catalysts towards the oxidation-Knoevenagel cascade reaction. 2021 , 50, 647-659	1
760	Specific fluorescence sensing of hydrogen sulphide by an azide functionalized Zr(IV) MOF with DUT-52 topology. 2021 , 311, 110725	11
759	Luminescence response mode and chemical sensing mechanism for lanthanide-functionalized metal-organic framework hybrids. 2021 , 8, 201-233	54
758	An ultralight charged MOF as fluoro-switchable monitor for assorted organo-toxins: size-exclusive dye scrubbing and anticounterfeiting applications via Tb ³⁺ sensitization. 2021 , 8, 296-310	15
757	Encoding Multilayer Complexity in Anti-Counterfeiting Heterometallic MOF-Based Optical Tags. 2021 , 60, 1203-1211	10
756	Selective and recyclable tandem sensing of PO and Al by a water-stable terbium-based metal-organic framework. 2021 , 247, 119084	7

- 755 Recent Advances in Nanocomposite Luminescent Metal-Organic Framework Sensors for Detecting Metal Ions. **2021**, 41, 1-66 13
- 754 A novel ultrasonic reverse micelle-assisted electrospun efficient route for Eu-MOF and Eu-MOF/CA composite nanofibers: a high performance photocatalytic treatment for removal of BG pollutant. **2021**, 28, 4317-4328 4
- 753 Supramolecular Fluorescent Sensors: An Historical Overview and Update. **2021**, 427, 36
- 752 Reticular materials for electrochemical reduction of CO₂. **2021**, 427, 213564 13
- 751 Metal-to-Ligand Ratio Controlled Assembly of Two Ni(II) Complexes: Structures, Luminescent and Electrochemical Properties. **2021**, 51, 265-272
- 750 Let the light be a guide: Chromophore communication in metal-organic frameworks. **2021**, 14, 338-354 18
- 749 Metal-Ligand Ratio Controlled Assembly Of Two Heterometallic CuEr Cluster Complexes: Syntheses, Structures and Magnetism. **2021**, 32, 45-54
- 748 Chemiresistive Sensor Based on Redox-Active Porous Coordination Networks. **2021**, 43-60
- 747 Syntheses and structures of three macrocyclic supramolecular complexes and one Zn-containing coordination polymer generated from a semi-rigid multidentate N-containing ligand. **2021**, 77, 29-39
- 746 Tuning the excited-state intramolecular proton transfer (ESIPT)-based luminescence of metal-organic frameworks by metal nodes toward versatile photoluminescent applications. **2021**, 50, 6901-6912 7
- 745 Lanthanide Materials for Sensing. **2021**,
- 744 AIEgen modulated per-functionalized flower-like IRMOF-3 frameworks with tunable light emission and excellent sensing properties. **2021**, 57, 2392-2395 8
- 743 pH assists simultaneous determination of folic acid and vitamin D in biological fluids using a novel Tb-acyclovir optical biosensor.. **2021**, 11, 20865-20873 1
- 742 Achieving colour tuneable and white-light luminescence in a large family of dual-emission lanthanide coordination polymers. **2021**, 50, 14325-14331 1
- 741 Two Ag(I)-Containing Supramolecular Coordination Polymers Constructed from the Multidentate N-donor Ligand 1-((1H-1,2,4-triazol-1-yl)methyl)-3,5-bis(3-pyridyl)-1,2,4-triazole Based on Hydrogen-Bonding and π -Interactions: Syntheses, Crystal Structures, Optical Band Gaps and Luminescent Properties. 1
- 740 Long afterglow MOFs: a frontier study on synthesis and applications. **2021**, 5, 6824-6849 5
- 739 Two cluster-based metal-organic frameworks with selective detection of Hg²⁺ ion and magnetic properties. **2021**, 23, 6053-6058
- 738 Zn(II) and Cd(II) coordination polymers with a new angular bis-pyridyl-bis-amide: synthesis, structures and sensing properties. **2021**, 23, 4486-4493 2

- 737 A newly-constructed hydrolytically stable Co(II) coordination polymer showing dual responsive fluorescence sensing of pH and Cu²⁺. **2021**, 23, 4370-4381 4
- 736 Homochiral metal-organic frameworks for enantioseparation. **2021**, 50, 5706-5745 33
- 735 A luminescent metal-organic framework with mixed-linker strategy for white-light-emitting by iridium-complex encapsulation. **2021**, 123, 108359 5
- 734 Supramolecular cancer nanotheranostics. **2021**, 50, 2839-2891 88
- 733 Pyrene-based metal organic frameworks: from synthesis to applications. **2021**, 50, 3143-3177 28
- 732 Amino and triazole-containing metal-organic frameworks for highly efficient CO fixation. **2021**, 57, 10803-10806
- 731 1D ladder and 2D bilayer coordination polymers constructed from a new T-shaped ligand: luminescence, magnetic and CO₂ gas adsorption properties. **2021**, 23, 3196-3203 7
- 730 Water-Stable Europium(III) and Terbium(III) Metal Organic Frameworks as Fluorescent Sensors to Detect Inorganic Ions, Antibiotics and Pesticides in Aqueous Solutions. 1
- 729 Photo-accelerated Hydrolysis of Metal Organic Framework ZIF-8. **2021**, 3, 255-260 9
- 728 General Introduction. **2021**, 1-19
- 727 A Simple Synthesis Method for Growing Single Crystals of a Copper Coordination Polymer [Cu(C₂O₄)(4-aminopyridine)2(H₂O)]_n, and its Theoretical and Physical Properties Studies. **2021**, 56, 2000124
- 726 An anionic-ligand installed pyrene-based MOF for the fluorescence detection of paraquat. **2021**, 45, 4401-4407 1
- 725 A family of luminescent metal-organic frameworks: synthesis, structure, and sensing studies. **2021**, 2, 2667-2675 0
- 724 Spontaneously Self-Regenerative Hybrid Luminescent Hydrogel. **2021**, 3, 604-609 5
- 723 Introducing reticular chemistry into agrochemistry. **2021**, 50, 1070-1110 36
- 722 Raman spectroscopy-based sensitive, fast and reversible vapour phase detection of explosives adsorbed on metal-organic frameworks UiO-67. **2021**, 45, 7145-7153 5
- 721 Fluorogenic naked eye turn-on sensing of hypochlorous acid by a Zr-based metal organic framework. **2021**, 45, 14211-14217 0
- 720 Bent-bis(triazolyl)-based coordination polymers tuned by dicarboxylate ligands: syntheses, structures and properties. **2021**, 23, 5293-5305

719	Metal-organic architectures designed from a triphenyl-pentacarboxylate linker: hydrothermal assembly, structural multiplicity, and catalytic Knoevenagel condensation. 2021 , 8, 4209-4221	1
718	A combined bottom-up and top-down strategy to fabricate lanthanide hydrate@2D MOF composite nanosheets for direct white light emission.	4
717	Cu-MOF Material Constructed with a Triazine Polycarboxylate Skeleton: Multifunctional Identify and Microdetecting of the Aromatic Diamine Family (,-Phenylenediamine) Based on the Luminescent Response. 2021 , 60, 2829-2838	8
716	Luminescent metal-organic frameworks as chemical sensors based on "mechanism-response": a review. 2021 , 50, 3429-3449	22
715	Intense multi-colored luminescence in a series of rare-earth metal-organic frameworks with aliphatic linkers. 2021 , 50, 11899-11908	6
714	Permeable metal-organic frameworks for fuel (gas) storage applications. 2021 , 111-126	
713	Synthesis, structure, and fluorescence properties of coordination polymers of 3,5-bis(1 π ,2 π ,4 π -triazol-1 π -yl) pyridine. 2021 , 23, 1744-1755	3
712	Alkali and alkaline earth coordination polymers constructed from benzene-1,2,4,5-tetracarboxylic acid and flexible dicarboxylate acid ligands: syntheses, structures and spectroscopic and thermal properties. 2021 , 77, 90-99	0
711	A selective detection of nanomolar-range noxious anions in water by a luminescent metal-organic framework. 2021 , 2, 985-995	5
710	The influence of linker substitution on the fluorescence responsive sensing of isostructural coordination polymers: visual turn-on, ratiometric, and turn-off sensing in water. 2021 , 23, 2222-2234	4
709	Concluding remarks: current and next generation MOFs. 2021 , 231, 397-417	5
708	Metal-Organic Frameworks for Catalytic Applications. 2021 , 228-259	0
707	Response of a Zn(II)-based metal-organic coordination polymer towards trivalent metal ions (Al, Fe and Cr) probed by spectroscopic methods. 2021 , 50, 7388-7399	3
706	Two viologen-based photoluminescent compounds: excitation-wavelength-dependent and photoirradiation-time-dependent photoluminescent switches. 2021 , 23, 3856-3860	2
705	Advancement in functionalized luminescent frameworks and their prospective applications as inkjet-printed sensors and anti-counterfeit materials. 2021 , 50, 8657-8670	4
704	Host-guest modes and supramolecular frameworks of complexes of tetramethyl cucurbit[6]uril with 4-chloroaniline and 4,4'-diaminostilbene.. 2021 , 11, 3470-3475	5
703	Regulating the near-infrared region to visible-light emission by adjusting cuprophilic interactions for blue light-excited phosphors. 2021 , 9, 8589-8595	2
702	Dual-functional porous MOFs with hierarchical guest encapsulation for room-temperature phosphorescence and white-light-emission. 2021 , 13, 12466-12474	3

701	Water-Robust Zinc-Organic Framework with Mixed Nodes and Its Handy Mixed-Matrix Membrane for Highly Effective Luminescent Detection of Fe, CrO, and CrO in Aqueous Solution. 2021 , 60, 1716-1725	28
700	An excellent thermostable dual-functionalized 3D fsx-type Cd(II) MOF for the highly selective detection of Fe ³⁺ ions and ten nitroaromatic explosives. 2021 , 23, 6171-6179	1
699	A study of GUPT-2, a water-stable zinc-based metal-organic framework as a highly selective and sensitive fluorescent sensor in the detection of Al ³⁺ and Fe ³⁺ ions. 2021 , 23, 4059-4068	10
698	A luminescent cationic MOF for bimodal recognition of chromium and arsenic based oxo-anions in water. 2021 , 50, 10133-10141	5
697	Optical chemosensors for the gas phase detection of aldehydes: mechanism, material design, and application.	4
696	An enantiomeric pair of alkaline-earth metal based coordination polymers showing room temperature phosphorescence and circularly polarized luminescence. 2021 , 9, 5544-5553	3
695	Photoluminescence of Lal switched on and off by association and dissociation of non-luminescent tetrahydrofuran. 2021 , 50, 3797-3800	0
694	Construction of a zeolite A-type multivariate metal-organic framework for selective sensing of Fe ³⁺ and Cr ₂ O ₇ ²⁻ 2021 , 23, 4923-4929	1
693	Distinct solvent-dependent luminescence sensing property of a newly constructed Cu(II)-organic framework. 2021 , 23, 1929-1941	3
692	Quinoline-tagged fluorescent organic probes for sensing of nitro-phenolic compounds and Zn ²⁺ ions at the ppb level. 2021 , 2, 2334-2346	4
691	Seven Modern Trends in the DeNO _x Catalyst Development. 2021 , 62, 1-32	1
690	Synthesis of Three Dimensional Cs-CD-MOFs and the Adsorption of Myricetin. 2021 ,	
689	AIE-based donor-acceptor-donor fluorenone compound as multi-functional luminescence materials.	0
688	Recent advances in simulating gas permeation through MOF membranes. 2021 , 2, 5300-5317	3
687	A new series of 3D lanthanide phenoxycarboxylates: synthesis, crystal structure, magnetism and photoluminescence studies. 2021 , 23, 4143-4151	4
686	A dual-response regenerable luminescent 2D-MOF for nitroaromatic sensing via target-modulation of active interaction sites. 2021 , 9, 12849-12858	2
685	Four 3D Co(ii) MOFs based on 2,4,6-tris(4-pyridyl)-1,3,5-triazine and polycarboxylic acid ligands and their derivatives as efficient electrocatalysts for oxygen reduction reaction. 2021 , 50, 4904-4913	1
684	Highly Specific Coordination-Driven Self-Assembly of 2D Heterometallic Metal-Organic Frameworks with Unprecedented Johnson-type () Nonanuclear Zr-Oxocarboxylate Clusters. 2021 , 143, 657-663	8

- 683 Adhesion enhancement via the synergistic effect of metal-ligand coordination and supramolecular host-guest interactions in luminescent hydrogels. **2021**, 8, 1482-1488 3
- 682 Colloidal suspensions of highly luminescent lanthanide-based coordination polymer molecular alloys for ink-jet printing and tagging of technical liquids. **2021**, 8, 2125-2135 5
- 681 Three cadmium-5,7-disulfonate-1,4-naphthalenedicarboxylate coordination polymers: syntheses, structures and photoluminescence. **2021**, 74, 637-648
- 680 Topological-Distortion-Driven Amorphous Spherical Metal-Organic Frameworks for High-Quality Single-Mode Microlasers. **2021**, 133, 6432-6436 0
- 679 Applications of MOFs as Luminescent Sensors for Environmental Pollutants. **2021**, 17, e2005327 52
- 678 Two-Dimensional Metal-Organic Framework Materials: Synthesis, Structures, Properties and Applications. *Chemical Reviews*, **2021**, 121, 3751-3891 68.1 131
- 677 Dual-Ligand Lanthanide Metal-Organic Framework for Sensitive Ratiometric Fluorescence Detection of Hypochlorous Acid. **2021**, 93, 3559-3566 30
- 676 Metal(II) Coordination Polymers from Tetracarboxylate Linkers: Synthesis, Structures, and Catalytic Cyanosilylation of Benzaldehydes. **2021**, 11, 204 1
- 675 Encapsulation of Luminescent Guests to Construct Luminescent Metal-Organic Frameworks for Chemical Sensing. **2021**, 6, 641-658 49
- 674 Ternary Cocrystals with Large Soft Cavities: A 1,4-diiodotetrafluorobenzene (DITFB)-4-Biphenylpyridine N-oxide (BPNO) Host Assembled by Inclusion of Planar Aromatic Guests. **2021**, 86, 252-258 1
- 673 The influence of amine templates on the structures and properties of uranyl oxalate complex. **2021**, 327, 1375-1385 1
- 672 Two Cd-Based Luminescent Coordination Polymers Constructed from a Truncated Linker. **2021**, 60, 2503-2513 6
- 671 Electromagnetic Resonance-Modulated Magnetic Emission in Europium-Doped Sub-Micrometer Zirconia Spheres. **2021**, 9, 2002212 5
- 670 Clusteroluminescence from Cluster Excitons in Small Heterocyclics Free of Aromatic Rings. **2021**, 8, 2004299 21
- 669 Effect of pulsed laser annealing on optical and structural properties of ZnO:Eu thin film. **2021**, 56, 11414-11425 1
- 668 Recent Advances in Catalytic Confinement Effect within Micro/Meso-Porous Crystalline Materials. **2021**, 17, e2005334 14
- 667 Preparation of two metal organic frameworks (K- β -CD-MOFs and Cs- β -CD-MOFs) and the adsorption research of myricetin. **2021**, 196, 114983 4
- 666 Three-Dimensional Electron Diffraction for Structural Analysis of Beam-Sensitive Metal-Organic Frameworks. **2021**, 11, 263 3

- 665 Photoresponsive supramolecular coordination polyelectrolyte as smart anticounterfeiting inks. **2021**, 12, 1363 47
- 664 Syntheses, structures and properties of uranyl oxalate complexes templated by amines. **2021**, 74, 1146-1158 2
- 663 Isostructural Single- And Dual-Lanthanide Metal-Organic Frameworks Based On Substituent-Group-Modifying Tetracarboxylate Ligands for Ratiometric Temperature Sensing. **2021**, 60, 4133-4143 12
- 662 A new porous heterometallic metal-organic framework for gas adsorption and luminescence sensing. **2021**, 647, 1077-1082 2
- 661 Four metal(II) ions induced complexes based on semi-rigid imidazolium carboxylate ligand: Syntheses, structures and properties. **2021**, 196, 114922 2
- 660 A novel sodium-fluorescent crystal. **2021**, 8, 201987
- 659 In Vitro renal toxicity evaluation of copper-based metal-organic framework HKUST-1 on human embryonic kidney cells. **2021**, 273, 116528 5
- 658 Four new coordination polymers with a Y-shaped tricarboxylic acid ligand: Structural diversities, luminescence sensing and magnetic properties. **2021**, 1228, 129453 6
- 657 A One-Dimensional Cadmium Coordination Polymer: Synthesis, Structure, and Application as Luminescent Sensor for Cu²⁺ and CrO₄²⁻/Cr₂O₇²⁻ Ions. **2021**, 2021, 1349-1357 7
- 656 Accessing Lanthanide-to-Lanthanide Energy Transfer in a Family of Site-Resolved [Ln Ln'] Heterodimetallic Complexes. **2021**, 27, 7288-7299 2
- 655 A Photoluminescent Cd(II) Coordination Polymer with Potential Active Sites Exhibiting Multiresponsive Fluorescence Sensing for Trace Amounts of NACs and Fe and Al Ions. **2021**, 60, 4945-4956 21
- 654 A novel water-stable luminescent metal complex exhibiting high sensitive and selective detection to Fe³⁺ and Al³⁺. **2021**, 197, 115056 0
- 653 Fluorescent Detection of Carbon Disulfide by a Highly Emissive and Robust Isorecticular Series of Zr-Based Luminescent Metal Organic Frameworks (LMOFs). **2021**, 3, 327-337 4
- 652 A Fluorescent Metal-Organic Framework for Food Real-Time Visual Monitoring. **2021**, 33, e2008020 31
- 651 Composite fast scintillators based on high-Z fluorescent metal-organic framework nanocrystals. **2021**, 15, 393-400 24
- 650 Chiral Coordination Polymers from a New 2-Deoxy-d-ribose Derivative Linker: Syntheses, Structures, and Fe³⁺ Fluorescent Probe Functions. **2021**, 21, 2233-2242 3
- 649 Metal-organic frameworks from pre-synthesized heterometallic (d-f) complexes: Synthesis, structure and luminescent properties. **2021**, 517, 120216 5
- 648 A porous Cd-based metal-organic framework for sensitive and selective detection of aspartic acid/Ag⁺ in aqueous medium. **2021**, 231, 117798 6

- 647 Fibre-based composites from the integration of metal-organic frameworks and polymers. **2021**, 6, 605-621 37
- 646 A Facile One-Pot Approach to the Synthesis of Gd-Eu Based Metal-Organic Frameworks and Applications to Sensing of Fe and CrO Ions. **2021**, 21, 1
- 645 The Structures of Metal-Organic Frameworks. **2021**, 283-309
- 644 Recent Advances on the Applications of Luminescent Pb-Containing Metal-Organic Frameworks in White-Light Emission and Sensing. **2021**, 9, 636431 3
- 643 N-donor-induced Two Co(II) Coordination Polymers Derived from the Flexible Citraconic Acid as Photocatalysts for the Decomposition of Organic Dyes. 2
- 642 The Structures of Metal-Organic Frameworks. **2021**, 342-389
- 641 The Structures of Metal-Organic Frameworks. **2021**, 309-389
- 640 Enhanced photoluminescence quantum yield of terbium nano-MOFs synthesized by microwave assisted solvothermal method. **2021**, 26, 100736 2
- 639 Doped Luminescent Lanthanide Coordination Polymers Exhibiting both White-Light Emission and Thermal Sensitivity. **2021**, 60, 6986-6990 4
- 638 Photochromism- and Photoluminescence-Tunable Heterobimetallic Supramolecular Hybrid Isomers. **2021**, 21, 2856-2867 3
- 637 What Lies beneath a Metal-Organic Framework Crystal Structure? New Design Principles from Unexpected Behaviors. **2021**, 143, 6705-6723 16
- 636 Synthesis and Applications of Stable Iron-Based Metal-Organic Framework Materials. **2021**, 21, 3100-3122 9
- 635 From zero-dimensional complexes to one-dimensional coordination polymers adjusted by the solvents or ligand substituent groups. **2021**, 26, 100690 2
- 634 A Reliable Fluorescence-enhanced Chemical Sensor (Eu@mil-61) for the Directed Detection of 2-Naphthol. **2021**, 6, 3155-3161
- 633 Detailed total scattering analysis of disorder in ZIF-8. **2021**, 54, 759-767 2
- 632 Conditional controlled nano coordination polymers with tunable full color light emitting. **2021**, 188, 109169 1
- 631 The Effect of Metal Salts on The Structures of 2,2-Dimethylglutarate Complexes with a Flexible 1,4-bis(imidazol-1-ylmethyl)-2,3,5,6-tetramethylbenzene. **2021**, 1229, 129499 1
- 630 Metal-organic frameworks as functional materials for implantable flexible biochemical sensors. **2021**, 14, 2981-3009 8

629	Detection and Removal of Arsenite from Water Using Bis-Urea Supramolecular Polymer and Dipeptide Adsorbent. 2021 , 6, 4448-4455	0
628	Reversible Vapochromic Luminescence Accompanied by Planar Half-Chair Conformational Change of a Propeller-Shaped Boron π -Diketiminato Complex. 2021 , 27, 9302-9312	2
627	Two W/S/Cu-Cluster-Containing Metal-Organic Frameworks Fabricated by Multidentate Organic Ligands: New Topologies, Strong NLO Properties, and Efficient Luminescent Detection. 2021 , 21, 3225-3233	6
626	Hydrolytically Stable and Trifunctional Zirconium-Based Organic Frameworks toward CrO Detection, Capture, and Photoreduction. 2021 , 60, 8143-8153	12
625	Catalytic C-H Bond Activation and Knoevenagel Condensation Using Pyridine-2,3-Dicarboxylate-Based Metal-Organic Frameworks. 2021 , 6, 13240-13259	6
624	MOF@MnO _n nanocomposites prepared using method and recyclable cholesterol oxidase-inorganic hybrid nanoflowers for cholesterol determination. 2021 , 32,	3
623	Na-Ln Heterometallic Coordination Polymers: Structure Modulation by Na Concentration and Efficient Detection to Tetracycline Antibiotics and 4-(Phenylazo)aniline. 2021 , 60, 7937-7951	3
622	Facile syntheses of tetrahedral imidazolate framework for CO ₂ separation. 2021 , 297, 122100	2
621	Proton conduction and luminescent sensing property of two newly constructed positional isomer-dependent redox-active Mn(II)-organic frameworks. 2021 , 200, 115139	1
620	Devising Mixed-Ligand Based Robust Cd(II)-Framework From Bi-Functional Ligand for Fast Responsive Luminescent Detection of Fe and Cr(VI) Oxo-Anions in Water With High Selectivity and Recyclability. 2021 , 9, 651866	3
619	Ultra-high adsorption selectivity and affinity for CO ₂ over CH ₄ , and luminescent properties of three new solvents induced Zn(II)-based metal-organic frameworks (MOFs). 2021 , 297, 122054	4
618	Review CO ₂ Attenuation: Electrochemical Methods and Perspectives. 2021 , 168, 056515	1
617	Multifunctional Properties of a Zn(II) Coordination Complex. 2021 , 21, 3401-3408	4
616	Metal-Organic frameworks of lanthanide iminodiacetates and tartrates: Synthesis, structural characterization and luminescence properties π Commemorating the 100th anniversary of the birth of Academician Guangxian Xu. 2021 , 39, 487-494	0
615	Inter-MOF hybrid (IMOFH): A concise analysis on emerging core-shell based hierarchical and multifunctional nanoporous materials. 2021 , 434, 213786	15
614	Luminescence-Color-Changing Sensing toward Melamine Based on a White-Light-Emitting Film. 2021 , 3, 2998-3008	2
613	An Olefin Copolymer with Aggregation-Induced Emission Characteristics Synthesized by Using Metallocene Catalyst. 2021 , 306, 2100011	
612	Synthetic methods, properties and controlling roles of synthetic parameters of zeolite imidazole framework-8: A review. 2021 , 297, 122040	17

611	Visual Detection of Triethylamine and a Dual Input/Output Logic Gate Based on a Eu-Complex. 2021 , 26,	2
610	Circularly polarized luminescence of agglomerate emitters. e48	22
609	Polypyrrole Coated Al-TDC Composite Structure as Lithium-Sulfur Batteries Cathode. 2021 , 16, 2150060	
608	Low temperature heat capacity study of $\text{Co}_3(\text{BTC})_2 \cdot 2\text{H}_2\text{O}$ and $\text{Ni}_3(\text{BTC})_2 \cdot 2\text{H}_2\text{O}$. 2021 , 699, 178909	2
607	1-(4-Carboxyphenyl)-5-methyl-1H-1,2,3-triazole-4-carboxylic acid: A versatile ligand for the preparation of coordination polymers and mononuclear complexes. 2021 , 200, 115115	0
606	Recent Progress in Luminous Particle-Encapsulated Host-Guest Metal-Organic Frameworks for Optical Applications. 2100283	13
605	Significantly Red-Shifted Emissions of Nonconventional AIE Polymers Containing Zwitterionic Components. 2021 , 42, e2100174	7
604	Luminescent metal-organic frameworks (LMOFs): An emerging sensing platform for food quality and safety control. 2021 , 111, 716-730	8
603	A Europium-Organic Framework Sensing Material for 2-Aminoacetophenone, a Bacterial Biomarker in Water. 2021 , 60, 9192-9198	8
602	Through-Space Charge Transfer in Copper Coordination Networks with Copper-Halide Guest Anions. 2021 , 60, 9273-9277	1
601	Solvent induced two Cd-MOFs as luminescent sensors for picric acid, Fe^{3+} and $\text{Cr}_2\text{O}_7^{2-}$. 2021 , 298, 122128	2
600	Effect of <i>ms</i> -substitution on aggregation behavior and spectroscopic properties of BODIPY dyes in aqueous solution, Langmuir-Schaefer and poly(methyl methacrylate) thin films. 2021 , 618, 126449	3
599	A stable 3-D Cd(II) metal-organic framework formed by aromatic carboxylate and flexible imidazole ligand for sensing of nitroaromatic explosives. 2021 , 74, 1856-1865	0
598	HOFs under light: Relevance to photon-based science and applications. 2021 , 47, 100418	9
597	Evolution of 14-Connected Zr Secondary Building Units through Postsynthetic Linker Incorporation. 2021 ,	5
596	Luminescent, Helical and Highly Stable Zn(II) and Cd(II) Coordination Polymers: Structural Diversity and Selective Sensing of 4-Nitroaniline in Water. 2021 , 2021, 2595-2605	1
595	Thermal, Spectroscopy and Luminescent Characterization of Hybrid PMMA/Lanthanide Complex Materials. 2021 , 14,	1
594	A free nitrogen-containing Sm-MOF for selective detection and facile removal of mercury(II). 2021 , 618, 126484	1

593	Differently luminescent sensing abilities for Cu ²⁺ ion of two metal phosphonates with or without the free Lewis basic pyridyl sites. 2021 , 1234, 130175	3
592	Photoactive Metal-Organic Frameworks for the Selective Synthesis of Thioethers: Coupled with Phosphine to Modulate Thiyl Radical Generation. 2021 , 60, 8672-8681	4
591	Highly sensitive and visualized sensing of nitrofurazone on 2D Tb ³⁺ @Zn-AIP ultrathin nanosheets. 2021 , 190, 109309	6
590	Naphthalene/anthracene chromophore-based W/S/Cu cluster-organic frameworks with adjustable Fe ³⁺ sensing properties. 2021 , 298, 122123	4
589	Recent advances in nanostructured electrocatalysts for hydrogen evolution reaction. 2021 , 40, 3375-3405	18
588	An Azobenzene-Modified Photoresponsive Thorium-Organic Framework: Monitoring and Quantitative Analysis of Reversible Photoisomerization. 2021 , 60, 8519-8529	4
587	Tuning Chromophore-Based LMOF Dimensionality to Enhance Detection Sensitivity for Fe Ions. 2021 , 6, 16498-16506	1
586	Progress in Multifunctional Metal-Organic Frameworks/Polymer Hybrid Membranes. 2021 , 27, 12940-12952	3
585	Porous Anionic Co(II) Metal-Organic Framework, with a High Density of Amino Groups, as a Superior Luminescent Sensor for Turn-on Al(III) Detection. 2021 , 27, 11804-11810	13
584	Sandwich heterometallic coordination polymers consisting of copper-cluster pillars and layered networks of {Ln ₆ } wheels: synthesis, structures, spectroscopic properties and Judd-Olfelt analysis. 2021 , 46, 555-564	1
583	Linker Engineering toward Full-Color Emission of UiO-68 Type Metal-Organic Frameworks. 2021 , 143, 10547-10552	14
582	Organic composite materials: Understanding and manipulating excited states toward higher light-emitting performance. 2021 , 2, e103	2
581	High-Performance Water Harvester Framework for Triphasic and Synchronous Detection of Assorted Organotoxins with Site-Memory-Reliant Security Encryption via pH-Triggered Fluoroswitching. 2021 , 13, 34012-34026	13
580	Crystal structure of catena-poly[bis(μ ² -3,5-bis(1-imidazolyl)pyridine-μ ² -N:N')-(μ ² -3-nitrophthalato-k ³ O,O':O')cadmium(II)] dihydrate, C ₃₀ H ₂₅ N ₁₁ O ₈ Cd. 2021 ,	1
579	Dual-Function Lanthanide-Organic Frameworks Based on a Zwitterionic Ligand as a Ratiometric Thermometer and a Selective Sensor for Nitroaromatic Explosives. 2021 , 60, 11760-11767	3
578	Elucidating the Relationship between ROS and Protein Phosphorylation through Fluorescence Imaging in the Pneumonia Mice. 2021 , 93, 10907-10915	2
577	Self-Assembly of 1D Double-Chain and 3D Diamondoid Networks of Lanthanide Coordination Polymers through In Situ-Generated Ligands: High-Pressure CO Adsorption and Photoluminescence Properties. 2021 , 26,	1
576	An ultrathin amino-acid based copper(II) coordination polymer nanosheet for efficient epoxidation of α-caryophyllene. 2021 , 511, 111754	

575	Review Application of Photoluminescent and Electroluminescent Metal-Organic Frameworks in White Light-Emitting Diodes. 2021 , 10, 086009	1
574	Organotin(IV) derivatives containing heteroditopic pyridyl-quinolin-8-olate ligands: Synthesis and structures. 2021 , 946-947, 121898	1
573	The influence of piperazine diamine templates on the synthesis, structures and properties of uranyl oxalate complex. 2021 , 109, 661-671	0
572	Function-Targeted Lanthanide-Anchored Polyoxometalate Cyclodextrin Assembly: Discriminative Sensing of Inorganic Phosphate and Organophosphate. 2021 , 31, 2104572	4
571	Cinnamal Sensing and Luminescence Color Tuning in a Series of Rare-Earth Metal-Organic Frameworks with Trans-1,4-cyclohexanedicarboxylate. 2021 , 26,	5
570	Synthesis, DFT Calculations, Antiproliferative, Bactericidal Activity and Molecular Docking of Novel Mixed-Ligand Salen/8-Hydroxyquinoline Metal Complexes. 2021 , 26,	8
569	Water-Driven Structural Transformation in Cobalt Trimesate Metal-Organic Frameworks. 2021 , 14, 4751	2
568	Metal-organic frameworks for diagnosis and therapy of infectious diseases. 2021 , 1-36	3
567	Laterally Engineering Lanthanide-MOFs Epitaxial Heterostructures for Spatially Resolved Planar 2D Photonic Barcoding. 2021 , 60, 24519-24525	8
566	Recent development on the alkaline earth MOFs (AEMOFs). 2021 , 440, 213955	9
565	(4,5,8)-Connected Cationic Coordination Polymer Material as Explosive Chemosensor Based on the in Situ Generated AIE Tetrazolyl-Tetraphenylethylene Derivative. 2021 , 60, 13359-13365	0
564	Coordination Polymers Driven by Carboxy Functionalized Picolinate Linkers: Hydrothermal Assembly, Structural Multiplicity, and Catalytic Features. 2021 , 21, 5145-5157	1
563	Organic Light-Emitting Diodes Based on Luminescent Self-Assembled Materials of Copper(I).	9
562	Water-Stable Two-Dimensional Metal-Organic Framework Nanostructures for Fe ³⁺ Ions Detection. 2021 , 21, 5275-5282	7
561	2D Metal-Organic Complex Luminescent Crystals. 2021 , 31, 2106160	3
560	Hexanuclear Co Dy , Zn Dy , and Co Y Complexes with Defect Tetracubane Cores: Syntheses, Structures, and Magnetic Properties. 2021 , 16, 2545-2551	
559	Series of new coordination polymers based flexible tricarboxylate as photocatalysts for Rh B dye degradation. 2021 , 300, 122233	1
558	Development of Eu-based metal-organic frameworks (MOFs) for luminescence sensing and entrapping of arsenate ion. 2021 , 236, 118102	5

557	Novel Enhanced Lanthanide Electrochemiluminescence Luminophores: Ce-Doped TbPO Facile Synthesis and Detection for Mucin1. 2021 , 93, 12289-12295	2
556	A cobalt-based coordination polymer with a tripodal carboxylate ligand: synthesis, structure and properties. 2021 , 76, 447-452	
555	Laterally Engineering Lanthanide-MOFs Epitaxial Heterostructures for Spatially Resolved Planar 2D Photonic Barcoding. 2021 , 133, 24724	2
554	Isostructural Hg(II) halide coordination polymers: A comparison of powder XRD, IR, emission and Hirshfeld Surface Analysis. 2021 , 1239, 130543	0
553	Smart Metal-Organic Frameworks with Reversible Luminescence/Magnetic Switch Behavior for HCl Vapor Detection. 2106925	6
552	Second-Sphere Interaction Promoted Turn-On Fluorescence for Selective Sensing of Organic Amines in a TbIII-based Macrocyclic Framework. 2021 , 133, 23898	1
551	Preparation and photoluminescence of functionalized cotton fabric by double luminescent guests-encapsulated ZnBDC metal-organic framework. 2021 , 109835	0
550	Electrospun rhodamine@MOF/polymer luminescent fibers with a quantum yield of over 90. 2021 , 24, 103035	6
549	Second-Sphere Interaction Promoted Turn-On Fluorescence for Selective Sensing of Organic Amines in a Tb -based Macrocyclic Framework. 2021 , 60, 23705-23712	12
548	Luminescent Metal-Phenolic Networks for Multicolor Particle Labeling. 2021 , 60, 24968-24975	5
547	Tuning and Directing Energy Transfer in the Whole Visible Spectrum through Linker Installation in Metal-Organic Frameworks.	1
546	Photophysics of Azobenzene Constrained in a UiO Metal-Organic Framework: Effects of Pressure, Solvation and Dynamic Disorder. 2021 , 27, 14871-14875	3
545	Dual mode in a metal-organic framework based mixed matrix membrane for discriminative detection of amines: Vapoluminescent and vapochromic response. 2021 , 343, 130066	7
544	A Dual-emitting Two-dimensional Nickel-based Metal-organic Framework Nanosheets: Eu/Ag Functionalization Synthesis and Ratiometric Sensing in Aqueous Solution. 2021 , 31, 1947-1957	3
543	A novel luminescent sensor based on Tb@UiO-66 for highly detecting Sm ³⁺ and teflubenzuron. 2021 , 126, 173-181	6
542	Magnetically separable Fe ₃ O ₄ NPs/MIL-53(Al) nanocomposite catalyst for intrinsic OPD oxidation and colorimetric hydrogen peroxide detection. 2021 , 624, 126830	4
541	Multi-functional lanthanide coordination polymers for multi-modal detection of nitroaromatics and trace water in organic solvents. 2021 , 598, 474-482	7
540	Metal-Organic frameworks based on a benzimidazole flexible tetracarboxylic acid: Selective luminescence sensing Fe ³⁺ , magnetic behaviors, DFT calculations, and Hirshfeld surface analyses. e6431	2

539	Diverse Coordination Numbers and Geometries in Pyridyl Adducts of Lanthanide(III) Complexes Based on β -Diketonate. 2021 , 9, 74	1
538	Strong Coupling Between Plasmons and Molecular Excitons in Metal-Organic Frameworks. 2021 , 21, 7775-7780	3
537	Turning Flexibility into Rigidity: Stepwise Locking of Interpenetrating Networks in a MOF Crystal through Click Reaction. 2021 , 33, 7509-7517	3
536	Chiral Fluorescent Metal-Organic Framework with a Pentanuclear Copper Cluster as an Efficient Luminescent Probe for Dy Ion and Cyano Compounds. 2021 , 60, 15085-15090	2
535	Insights on Luminescent Micro- and Nanospheres of Infinite Coordination Polymers. 2021 ,	0
534	Bilanthanide Metal-Organic Frameworks for Instant Detection of 17β -Estradiol, a Vital Physiological Index. 2100113	0
533	Luminescent Metal-Phenolic Networks for Multicolor Particle Labeling.	2
532	Tuning and Directing Energy Transfer in the Whole Visible Spectrum through Linker Installation in Metal-Organic Frameworks. 2021 , 60, 25048-25054	9
531	A novel core-shell nanomaterial ratiometric fluorescent probe for detecting urinary TDGA as a biomarker for VCM exposure. 2021 , 345, 130402	0
530	Application of metal-organic framework for the adsorption and detection of food contamination. 2021 , 143, 116384	6
529	Controlled preparation of a Cd(II) coordination polymer via green sonochemical synthesis: new precursors for the preparation of cadmium(II) oxide. 1-11	
528	Crystal structure and optical property of a Cadmium(II) complex based on triphenylamine derivative—theoretical and experimental investigation. 2021 , 238, 118270	0
527	Two fluorescent cerium metal-organic frameworks for the turn-on sensing of AA with high sensitivity as well as biological and electrochemical properties. 2021 , 302, 122376	7
526	Metal organic framework based fluorescence sensor for detection of antibiotics. 2021 , 116, 1002-1028	7
525	Review on the utilisation of sensing materials for intrinsic optical NH ₃ gas sensors. 2021 , 280, 116860	2
524	Post-modification preparation of dual-emission Eu ³⁺ @ZnII MOFs-based hybrid material and its application in highly sensitive ratiometric sensing for asthma wonder drug-procaterol enhanced by HCO ₃ ⁻ and temperature. 2021 , 344, 130199	4
523	Enhanced efficiency of polyamide membranes by incorporating cyclodextrin-graphene oxide for water purification. 2021 , 340, 116991	11
522	The effect of pH on the coordination sphere of Pb(II) ions and structural diversity of Pb(II) coordination polymers. 2021 , 303, 122475	1

521	Experimental spectroscopic, Quantum computational, Hirshfeld surface and molecular docking studies on 3-Pyridinepropionic acid. 2021 , 1243, 130932	5
520	Construction of a stable Zn(II)-MOF based on mixed ligand strategy for fluorescence detection of antibiotics and Fe ³⁺ ions. 2021 , 527, 120583	4
519	A new 3D 3-fold interpenetrated framework from flexible tricarboxylate: Photocatalytic and sensing performances. 2021 , 209, 115454	3
518	Synthesis, structure and fluorescence property of a new Zn-MOF based on a tetraphenylethane (TPE) ligand. 2021 , 1244, 130975	1
517	Dye encapsulation engineering in a tetraphenylethylene-based MOF for tunable white-light emission. 2021 , 604, 568-574	5
516	Reversed C ₂ H ₆ /C ₂ H ₄ separation in interpenetrated diamondoid coordination networks with enhanced host-guest interaction. 2021 , 276, 119385	3
515	A dual-responsive Ni(II) coordination polymer fluorescent sensor: Rare turn-on detection of ascorbic acid and turn-off sensing acetylacetone. 2021 , 304, 122561	4
514	Post-synthetic modification of luminescent metal-organic frameworks using schiff base complexes for biological and chemical sensing. 2021 , 449, 214214	13
513	Structure engineering of lanthanide functionalized metal-organic frameworks: A versatile tool for the early diagnosis of pheochromocytomas and paragangliomas. 2022 , 264, 120263	2
512	Facile synthesis of binary two-dimensional lanthanide metal-organic framework nanosheets for ratiometric fluorescence detection of mercury ions. 2022 , 423, 126978	10
511	Two three-dimensional mixed-ligated cobalt phosphonate coordination polymers: Syntheses, crystal structures and magnetic properties. 2022 , 1248, 131456	1
510	Selective adsorption and detection of p-arsanilic acid on MOF-on-MOF heterostructure induced by nitrogen-rich self-assembly template. 2022 , 427, 131483	6
509	Continuous-flow rapid synthesis of wavelength-tunable luminescent lanthanide metal-organic framework nanorods by a microfluidic reactor. 2022 , 890, 161860	0
508	Statistic Replacement of Lanthanide Ions in Bis-salicylatoborate Coordination Polymers for the Deliberate Control of the Luminescence Chromaticity. 2021 , 10, 164-170	
507	Single molecule magnet behavior and magnetic refrigeration of carbonyl oxygen-bridged tetranuclear lanthanide complexes. 2021 , 45, 14103-14110	0
506	Multimetal lanthanide phosphonocarboxylate frameworks: structures, colour tuning and near-infrared emission. 2021 , 50, 7380-7387	2
505	Metal-organic frameworks as catalytic selectivity regulators for organic transformations. 2021 , 50, 5366-5396	32
504	Synthesis of a bimetallic metal-organic framework catalyst via selective detection and adsorption of Fe ³⁺ for enhanced bio-based catalysis.	1

- 503 Flexible luminescent non-lanthanide metal-organic frameworks as small molecules sensors. **2021**, 50, 14513-14531 6
- 502 Iron(II) Metal-Organic Framework with unh Topology and Tetrazole-Padded Helical Channels. **2021**, 60, 565-569 2
- 501 White-light emission from the quadruple-stranded dinuclear Eu(III) helicate decorated with pendent tetraphenylethylene (TPE). **2021**, 45, 7196-7203 5
- 500 Metal oxide-metalorganic framework nanocomposite-modified electrochemical sensors for toxic chemicals. **2021**, 313-343
- 499 The inspiration and challenge for through-space charge transfer architecture: from thermally activated delayed fluorescence to non-linear optical properties. **2021**, 23, 15881-15898 5
- 498 Single-Ion Magnet and Photoluminescence Properties of Lanthanide(III) Coordination Polymers Based on Pyrimidine-4,6-Dicarboxylate. **2021**, 7, 8 1
- 497 A single-crystal to single-crystal transition from a 7-fold interpenetrated coordination polymer to a non-interpenetrated one by photochemical [2 + 2] polymerization and their sensing properties. **2021**, 50, 4408-4414 3
- 496 Mechanoluminescence and aggregation-enhanced emission (AEE) of an In-MOF based on a 9,9'-diphenyl-9-fluorene tetraacid linker. **2021**, 13, 9668-9677 3
- 495 Crystal engineering of coordination networks: then and now. **2021**, 17-60
- 494 Photo-modulated wide-spectrum chromism in Eu and Eu/Tb photochromic coordination polymer gels: application in decoding secret information. **2020**, 12, 2674-2682 14
- 493 Towards correlating dimensionality and topology in luminescent MOFs based on terephthalato and bispyridyl-like ligands. **2021**, 50, 9269-9282 0
- 492 Regulation of π -stacking interactions between triimidazole luminophores and comprehensive emission quenching by coordination to Cu(II). **2021**, 45, 9040-9052 3
- 491 Porphyrin-Based Metal-Organic Framework Probe: Highly Selective and Sensitive Fluorescent Turn-On Sensor for M (Al, Cr, and Fe) Ions. **2021**, 60, 1116-1123 25
- 490 Nanoscale Metal-Organic Layers Detect Mitochondrial Dysregulation and Chemoresistance via Ratiometric Sensing of Glutathione and pH. **2021**, 143, 1284-1289 8
- 489 Stimuli -triggered fluoro-switching in metal-organic frameworks: applications and outlook. **2021**, 50, 4067-4090 5
- 488 Structural diversity of four lanthanide metalorganic frameworks based on 2,6-naphthalenedicarboxylate: synthesis, structures and photoluminescent properties. **2021**, 23, 1388-1397 5
- 487 Water-Stable Zn(II) Coordination Polymers Regulated by Polysubstituted Benzenes and Their Photocatalytic Performance toward Methylene Blue Degradation Dominated by Ligand-Field Effects. **2021**, 21, 1218-1232 5
- 486 Fluorescent sensors for aldehydes based on luminescent metal-organic frameworks. **2021**, 50, 7166-7175 8

485	Metal-organic framework structure-property relationships for high-performance multifunctional polymer nanocomposite applications. 2021 , 9, 4348-4378	11
484	Isonicotinic acid-templated metal phosphate-oxalates: solvent-free synthesis, luminescence, and proton conduction.	3
483	A Double-Stimuli-Responsive Fluorescent Center for Monitoring of Food Spoilage based on Dye Covalently Modified EuMOFs: From Sensory Hydrogels to Logic Devices. 2017 , 29, 1702298	154
482	Mehr als nur ein Netzwerk: Strukturierung retikulärer Materialien im Nano-, Meso- und Volumenbereich. 2020 , 132, 22534-22556	5
481	Emergence of a Radical-Stabilizing Metal-Organic Framework as a Radio-photoluminescence Dosimeter. 2020 , 132, 15321-15326	4
480	Electrically Activated Conductivity and White Light Emission of a Hydrocarbon Nanoring-Iodine Assembly. 2017 , 56, 11196-11202	49
479	Beyond Frameworks: Structuring Reticular Materials across Nano-, Meso-, and Bulk Regimes. 2020 , 59, 22350-22370	27
478	BSA-AuNPs@Tb-AMP metal-organic frameworks for ratiometric fluorescence detection of DPA and Hg. 2017 , 32, 1277-1282	25
477	Two Pairs of Homochiral Coordination Polymers with Helices Based on Semi-rigid Lactic Acid Ligands. 2017 , 643, 373-378	4
476	Metal-Organic Frameworks (MOFs) for CO ₂ Capture. 2014 , 79-113	1
475	Assembling latter d-block heterometal coordination polymers: Synthetic strategies and structural outcomes. 2017 , 348, 121-170	11
474	Highly sensitive luminescent detection toward polytypic antibiotics by a water-stable and white-light-emitting MOF-76 derivative. 2020 , 180, 108444	24
473	MOF-based materials for photo- and electrocatalytic CO ₂ reduction. 2020 , 2, 100033	96
472	A dual linker metal-organic framework demonstrating ligand-based emission for the selective detection of carbon tetrachloride. 2018 , 470, 312-317	7
471	Hydrothermal synthesis of six new lanthanides coordination polymers based on 1-H-benzimidazole-5-carboxylic acid: Structure, Hirshfeld analysis, thermal and spectroscopic properties. 2020 , 510, 119740	2
470	Multi-component hybrid soft ionogels for photoluminescence tuning and sensing organic solvent vapors. 2018 , 513, 133-140	19
469	An amino-decorated porous metal-organic framework for efficient C ₂ hydrocarbon/CH ₄ separation and high iodine adsorption. 2020 , 305, 110306	8
468	Dual functional three-dimensional LnMOFs for luminescence sensing of nitrobenzene and Fe ³⁺ ions. 2017 , 133, 238-244	18

- 467 Metal-Organic Frameworks with Multiple Luminescence Emissions: Designs and Applications. **2020**, 53, 485-495 171
- 466 Vibrational Paddlewheel Cu₂ Node in Metal-Organic Frameworks: Probe of Nonradiative Relaxation. **2020**, 124, 13187-13195 4
- 465 CHAPTER 7: Metal-Organic Frameworks as Chemical Sensors. **2015**, 192-245 2
- 464 CHAPTER 11: Metallosupramolecular Materials for Energy Applications: Light Harvesting. **2015**, 318-344 6
- 463 Syntheses, structural diversity, magnetic properties and dye absorption of various Co(II) MOFs based on a semi-flexible 4-(3,5-dicarboxylatobenzyloxy)benzoic acid. **2017**, 19, 6630-6643 23
- 462 A rare Pb₉ cluster-organic framework constructed from a flexible cyclotriphosphazene-functionalized hexacarboxylate exhibiting selective gas separation. **2017**, 4, 1501-1508 27
- 461 MOFs-Derived Co@CN bi-functional catalysts for selective transfer hydrogenation of α -unsaturated aldehydes without use of base additives. **2017**, 1, 2005-2012 41
- 460 Coordination polymers built up from an s-tetrazine derived ligand and rare-earth ions: from a sequential dimensional expansion to organic-inorganic energy transfer. **2018**, 47, 10715-10720 2
- 459 Vapochromic crystals: understanding vapochromism from the perspective of crystal engineering. **2020**, 49, 1517-1544 91
- 458 Two d luminescent metal-organic frameworks as dual functional luminescent sensors for (Fe,Cu) and 2,4,6-trinitrophenol (TNP) with high selectivity and sensitivity.. **2020**, 10, 4817-4824 9
- 457 Aqueous-phase detection of antibiotics and nitroaromatic explosives by an alkali-resistant Zn-MOF directed by an ionic liquid.. **2020**, 10, 1439-1446 57
- 456 Anionic LnMOF with tunable emission for heavy metal ion capture and L-cysteine sensing in serum. **2020**, 8, 5587-5594 35
- 455 Recent advances in metal-organic frameworks for pesticide detection and adsorption. **2020**, 49, 14361-14372 27
- 454 From isolated Ti-oxo clusters to infinite Ti-oxo chains and sheets: recent advances in photoactive Ti-based MOFs. **2020**, 8, 15245-15270 143
- 453 Synthesis, structural characterization, antibiotics sensing and coordination chemistry of a fluorescent 4-amino-1,8-naphthalimide Tröger's base supramolecular scaffold. **2020**, 32, 620-633 4
- 452 Cu based Metal Organic Framework (Cu-MOF) for electrocatalytic hydrogen evolution reaction. **2020**, 7, 114001 21
- 451 Extraordinary anisotropic thermal expansion in photosalient crystals. **2020**, 7, 83-89 23
- 450 Seven new metal-organic frameworks assembled from semi-rigid polycarboxylate and auxiliary N-donor ligands: syntheses, structures and properties. **2020**, 76, 1001-1017 6

- 449 A twofold interpenetrating two-dimensional zinc(II) coordination polymer: synthesis, crystal structure and physical properties. **2020**, 76, 850-855 1
- 448 Crystal structure of tetra-kis-[β -carboxy-1-(1,2,4-triazol-4-yl)adamantane- β]tetra-fluoridodi- β xido-dioxidodisilver(I)divanadium(V) tetra-hydrate. **2019**, 75, 808-811 2
- 447 Zirconium-based Metal-Organic Frameworks with N-Confused Porphyrins: Synthesis, Structures, and Optical Properties. **2017**, 46, 1230-1232 3
- 446 An Overview on the Development of Electrochemical Capacitors and Batteries - part II. **2020**, 92, e20200800 3
- 445 Solar photovoltaics: current state and trends. **2016**, 186, 801-852 21
- 444 Dual-Mode Induction of Tunable Circularly Polarized Luminescence from Chiral Metal-Organic Frameworks. **2020**, 2020, 6452123 20
- 443 Synthesis and Structure of a 3-D Metal-Organic Framework, [Cd(1,4-cyclohexanedicarboxylate) $_2$ DMF], Comprising Unusual Two Different Ligand Conformations. **2012**, 33, 3111-3114 9
- 442 Synthesis, Crystal Structure and Photoluminescent Property of Cadmium(II) Metal-organic Framework with Mixed Carboxylate and Bis(imidazole) Ligand. **2013**, 34, 2800-2802 1
- 441 A Series of Transition-metal Coordination Complexes Assembled from 3-Nitrophthalic Acid and Thiabendazole: Synthesis, Structure and Properties. **2014**, 35, 218-224 2
- 440 Construction of a 2D Co(II) Coordination Polymer with (4,4)-Connected Topology: Synthesis, Crystal Structure, and Surface Photo-electric Property. **2014**, 35, 1177-1181 2
- 439 A Two-Dimensional Zinc Coordination Polymer Based on a Pyridyl-Carboxylate Linking Ligand Containing an Intervening Amide Group: [ZnCl(L)] $_n$ HL = 6-(nicotinamido)-2-naphthoic acid). **2014**, 35, 2179-2182 1
- 438 Counter Anion Directing Structure Control: An Anionic 3D Open Framework with a Diamond Network Structure Comprising of 1,4-Cyclohexanedicarboxylic Acid. **2014**, 35, 2847-2850 2
- 437 An europium(III) metal-organic framework as a multi-responsive luminescent sensor for highly sensitive and selective detection of 4-nitrophenol and I and Fe ions in water. **2021**, 50, 15593-15601 3
- 436 A cationic thorium-organic framework with triple single-crystal-to-single-crystal transformation peculiarities for ultrasensitive anion recognition.. **2021**, 12, 15833-15842 4
- 435 Luminescent 1D heterometallic (Ir,Cd) coordination polymers based on bis-cyclometalated Ir(III) metallatectons and trinuclear Cd(II) dianionic nodes. **2021**, 50, 15924-15934
- 434 A green and sustainable approach for the synthesis of 1,5-benzodiazepines and spirooxindoles in one-pot using a MIL-101(Cr) metal-organic framework as a reusable catalyst. **2021**, 45, 19553-19564 2
- 433 A metal-organic framework featuring highly sensitive fluorescence sensing for Al $^{3+}$ ions. **2021**, 23, 8087-8092 2
- 432 Variable Luminescence and Chromaticity of Homoleptic Frameworks of the Lanthanides together with Pyridylpyrazolates. **2021**, 27, 16634-16641 3

431	Integration of Fluorescent Functionality into Pressure-Amplifying Metal-Organic Frameworks. 2021 , 33, 7964-7971	0
430	Surface-Coordinated Metal-Organic Framework Thin Films (SURMOFs): From Fabrication to Energy Applications. 2021 , 3, 100065	2
429	Encapsulation of Dyes in Luminescent Metal-Organic Frameworks for White Light Emitting Diodes. 2021 , 11,	7
428	A Two-Fold Interpenetrated Dual-Emitting Luminescent Metal-Organic Framework as a Ratiometric Sensor for Chromium(III). 2021 , 60, 16803-16809	3
427	A Configurationally Tunable Perylene Bisimide Derivative-based Fluorescent Film Sensor for the Reliable Detection of Volatile Basic Nitrogen towards Fish Freshness Evaluation. 2022 , 40, 201	1
426	Syntheses, Structures, and Ratiometric Fluorescent Sensing Properties of a Series of Lanthanide Coordination Polymers.	0
425	A new three-dimensional twofold interpenetrated cadmium(II) metal-organic framework: synthesis, structure and photoluminescence properties. 2021 , 77, 691-697	0
424	Bottom-Up Approach for the Rational Loading of Linear Oligomers and Polymers with Lanthanides. 2021 , 60, 15529-15542	0
423	Design, Synthesis and Photoluminescence Sensing Property of a Ni-Organic Material Achieved from 2,6-Di(1H-imidazol-1-yl) Naphthalene and Carboxylic Acid Ligands. 2021 , 6, 11115-11120	1
422	A Three-Dimensional Cd(II)-Coordination Polymer: Crystal Structure, Electrochemiluminescent Property and Novel Topology. 1	
421	Fast Detection of Entacapone by a Lanthanide-Organic Framework with Rhombic Channels. 2021 , 27, 17459-17464	1
420	RECENT PROGRESS IN BIOMIMETIC LIGHT-HARVESTING MATERIALS. 2012 , 012, 1108-1117	1
419	Synthesis and magnetic properties of three-dimensional self-assembly Eu ³⁺ -graphene composite material. 2013 , 62, 188102	
418	Structural Isomers of a Potential Linking Ligand Containing a Pyridyl and a Carboxylate Terminals: (n-py)-CH=N-C ₆ H ₄ -CH ₂ -COOH} (n = 3, 4). 2014 , 35, 647-650	1
417	Structural Diversity of Five New Lanthanide Coordination Polymers Tuned by Different Salt Anions. 2014 , 35, 1417-1421	
416	Macrocyclic Zinc(II) Coordination Polymers Constructed from Aromatic and Cyclohexane Dicarboxylate Ligands. 2015 , 59, 336-340	
415	First-principle studies of mechanical, electronic properties and strain engineering of metal-organic framework. 2016 , 65, 178105	
414	(E)-4-[4-(Dimethylamino)styryl]-1-methylpyridin-1-ium tetrakis[(Z)-4,4,4-trifluoro-3-oxo-1-(thiophen-2-yl)but-1-en-1-olato]gadolinate(III) with an unknown amount of water as solvate. 2016 , 1,	

- 413 Synthesis, Structure and Fluorescence of Two Coordination Polymers Based on 1-Triazole-4-Tetrazole Benzene. **2017**, 06, 17-25
- 412 Synthesis, crystal structure, and magnetic properties of a novel one-dimensional chain polymer based on 1-(4-nitrophenyl)-1,2,4-triazole. **2017**, 47, 1741-1745
- 411 In Situ Crystalline of Terbium Terephthalate Metal-Organic Framework Induced by Femtosecond Laser. **2019**,
- 410 A New Polyoxovanadate Based Hybrid Materials: A Promising Sensor for Picric Acid and Pd²⁺ Found in the Aqueous Environment. **2020**, 149-193
- 409 Achieving near-infrared deep tissue imaging via metal organic complex nanoparticles. **2019**,
- 408 Crystallographic Visualization of a Guest-Induced Solar-Driven Cycloaddition Reaction Based on a Recyclable Nonporous Coordination Polymer. **2021**, 60, 17173-17177 3
- 407 Detection of Sub-Terahertz Raman Response and Nonlinear Optical Effects for Luminescent Yb(III) Complexes. 2101721 4
- 406 Introduction to Functional Metal-Organic Frameworks. **2020**, 1-14 0
- 405 Syntheses, Structure, and Properties of a Novel Cobalt Metal-Organic Framework. **2020**, 90, 2365-2370 0
- 404 Assembly, photocatalytic and fluorescence properties of three new coordination complexes of zinc(II) and nickel(II) with two kinds of flexible bis(pyridyl)-bis(amide) ligands. **2021**, 76, 55-63
- 403 Three-dimensional homochiral coordination polymers of Eu(III) and Tb(III): Synthesis, structure determination, and optical properties. **2020**, 292, 121702 3
- 402 Semiconductivity and superhydrophobicity in an oligo-(p-phenyleneethynylene) (OPE)-based luminescent MOF. **2020**, 43, 1 0
- 401 Femtosecond laser induced in-situ crystallization of Tb-based luminescent metal organic framework. **2021**, 29, 39304-39311
- 400 Luminescent Metal-Organic Frameworks for Nitroaromatic Compounds Detection. **2021**, 41, 100-132 1
- 399 Logic operation for differentiation and speciation of Fe³⁺ and Fe²⁺ based on two-dimensional metal-organic frameworks with tunable emissions. **2021**, 35, 1
- 398 Structural variability of rare earth carboxylates based on polydentate carboxylate ligand containing pyridine group. **2020**, 292, 121708 2
- 397 Zn(II) complexes based on functional organic ligands: Two-photon activity, theoretical calculation and bioimaging. **2022**, 197, 109878 0
- 396 Luminescent self-healing materials constructed via coordination between lanthanide ions and phenanthroline-tethered to polymer chain. **2022**, 197, 109864 3

395	Photocatalytic performance and mechanism of Rhodamine B with two new Zn(II)-based coordination polymers under UV-light. 2022 , 1249, 131681	1
394	Biofunctionalized Nanostructured Materials for Sensing of Pesticides. 2020 , 29-86	1
393	Engineering structural defects into a covalent organic framework for enhanced photocatalytic activity.	1
392	A Substrate-Binding Metal-Organic Layer Selectively Catalyzes Photoredox Ene-Carbonyl Reductive Coupling Reactions. 2021 , 143, 18871-18876	1
391	Sensing Intra- and Extra-Cellular Ca ²⁺ in the Islet of Langerhans. 2106020	
390	The lamellar MOFs@polymer networks hybrids fabricated in reversed microemulsion for efficient CO ₂ capture.	0
389	Framework Materials Based on Naphthalenediimide Derivatives Supported by Aromatic Carboxylic Acids for Application as Multifunctional Fluorescence Sensors.	
388	A novel core-shell coordination assembled hybrid via postsynthetic metal exchange for simultaneous detection and removal of tetracycline. 2022 , 1190, 339247	1
387	One amino-functionalized luminescence sensor demonstrating high sensitivity and selectivity for detecting Al ³⁺ and Cu ²⁺ as well as its luminescent mixed matrix membranes and test papers. 2021 , 122705	1
386	Sensitization of Yb(III), Er(III), and Nd(III) Luminescence by Ligands Based on 3-Formyl-4-Hydroxybenzoic Acid and Transition Metals. 2021 , 88, 945	
385	Theoretical Study on the Sensing Mechanism of Luminescent Metal-Organic Framework [Zn(3-tzba)(2,2'-bipy)(H ₂ O)] · 3H ₂ O for Formaldehyde Detection. 2020 , 17, 2890-2896	1
384	Progress of nanotechnology for lithium-sulfur batteries. 2021 , 19, 137-164	
383	Bis-isonicotinoyl linkers containing polyaromatic scaffolds: synthesis, structure and spectroscopic properties.. 2021 ,	1
382	Porous porphyrin-based metal-organic frameworks: synthesis, structure, sorption properties and application prospects. 2022 , 91,	0
381	Room temperature synthesis of a luminescent crystalline Cu-BTC coordination polymer and metal-organic framework.. 2022 , 3, 224-231	0
380	Ligand mediated structural diversity of copper(II)-azido moiety: Synthesis, structure and magnetic study. 2022 , 531, 120713	3
379	Catalytic nanofiber composite membrane by combining electrospinning precursor seeding and flowing synthesis for immobilizing ZIF-8 derived Ag nanoparticles. 2022 , 643, 120045	8
378	SYNTHESIS, CRYSTAL STRUCTURES, AND LUMINESCENT PROPERTIES OF Zn(II)/Cd(II) COMPLEXES ASSEMBLED BY 4-AMINOPHENYLHYDROXAMIC ACID. 2021 , 62, 1588-1598	

377	Viologen-Based Uranyl Coordination Polymers: Anion-Induced Structural Diversity and the Potential as a Fluorescent Probe.	1
376	Synthesis and Characterization of White-Light Luminescent End-Capped Polyimides Based on FRET and Excited State Intramolecular Proton Transfer. 2021 , 13,	1
375	Polarized Emission of Lanthanide Metal-Organic Framework (Ln-MOF) Crystals for High-Capacity Photonic Barcodes. 2102143	3
374	Combined Experimental/Theoretical Study on the Luminescent Properties of Homoleptic/Heteroleptic Erbium(III) Anilate-Based 2D Coordination Polymers. 2021 , 60, 17765-17774	2
373	High-Efficiency Wideband Excitable Mechanoluminescence from a Yellow MOF Phosphor as White LED and Multicolor Thin Films. 2101461	2
372	Metal-Organic Framework Based Thermally Activated Delayed Fluorescence Emitter with Oxygen-Insensitivity for Cell Imaging. 2101992	0
371	Water-Stable Europium(III) and Terbium(III) Metal Organic Frameworks as Fluorescent Sensors to Detect Ions, Antibiotics and Pesticides in Aqueous Solutions. 2021 , 132009	3
370	The multifunctional BODIPY@Eu-MOF nanosheets as bioimaging platform: a ratiometric fluorescent sensor for highly efficient detection of F ⁻ , H ₂ O ₂ and glucose. 2021 , 131140	3
369	Synchrotron-based infrared microspectroscopy under high pressure: An introduction. 2021 , 6, 068202	6
368	A two-dimensional framework with U-shaped Cu ₄ L ₄ Cluster linked by semi-rigid ligand: Synthesis, crystal structure and Luminescent Properties. 2021 , 131958	
367	Coordination Polymers as a Functional Material for the Selective Molecular Recognition of Nitroaromatics and ipso-Hydroxylation of Arylboronic Acids. 2021 ,	1
366	Recent progress on organic exciplex materials with different donor-acceptor contacting modes for luminescent applications. 2021 , 9, 16843-16858	6
365	Recent advances in luminescent metal-organic frameworks and their photonic applications. 2021 ,	2
364	Porphyrin based metal-organic frameworks: highly sensitive materials for optical sensing of oxygen in gas phase. 2021 , 9, 17099-17112	6
363	Photochromism and photoswitchable luminescence in a Zn cluster-based metal-organic framework with an organic guest. 2021 , 50, 17023-17028	1
362	Anion-controlled Zn(II) coordination polymers with 1-(tetrazo-5-yl)-3-(triazolo-1-yl) benzene as an assembling ligand: synthesis, characterization, and efficient detection of tryptophan in water. 2021 ,	2
361	Covalent organic frameworks as multifunctional materials for chemical detection. 2021 ,	13
360	Recent advances in structures and applications of coordination polymers based on cyclohexanepolycarboxylate ligands.. 2022 ,	3

- 359 Application of solid-state NMR techniques for structural characterization of metal-organic frameworks.. **2022**, 117, 101772 2
- 358 Information encryption, highly sensitive detection of nitrobenzene, tetracycline based on a stable luminescent Cd-MOF.. **2021**, 269, 120752 1
- 357 Taming structure and modulating carbon dioxide (CO) adsorption isosteric heat of nickel-based metal organic framework (MOF-74(Ni)) for remarkable CO capture.. **2021**, 612, 132-145 3
- 356 A hybrid hydrochromic molecular crystal applicable to invisible ink with high reversibility. **2021**, 45, 21006-21010
- 355 Post-synthesis metal-organic framework for turn-on ratiometric fluorescence sensing of UO₂²⁺. 1
- 354 Two transition complexes based on 1H-benzimidazole-5,6-dicarboxylic acid: Synthesis, structure and photocatalytic degradation of dyes. **2021**, 1-15
- 353 Mechanistic investigation of zwitterionic MOF-catalyzed enyne annulation using UNLPF-14-MnIII as catalyst. **2022**, 0
- 352 Structural Elucidation and Electrochemiluminescence on a 3D Cadmium(II) MOF with 5-c Topology. 1 0
- 351 A ratiometric fluorescent sensor made of a terbium coordination polymer for the anthrax biomarker 2,6-dipicolinic acid with on-site detection assisted by a smartphone app. **2021**, 24, 132-142 2
- 350 Luminescent Eu(III)-based Coordination Polymers for Photonic Materials. 0
- 349 Metal-Organic Frameworks-Based Sensors for Food Safety.. **2022**, 11, 2
- 348 AIE-active macromolecules: designs, performances, and applications. **2021**, 13, 8-43 1
- 347 Recent advances in nanostructured nonoxide materials Borides, borates, chalcogenides, phosphides, phosphates, nitrides, carbides, alloys, and metal-organic frameworks. **2022**, 329-368 1
- 346 Two series of luminescent phosphonate coordination polymers of lanthanides for sensing ketones and Fe³⁺ in water. **2022**, 216, 115694 1
- 345 Lanthanide Complexes with 4,4'-Bis(2-sulfonatostyryl)-biphenyl: Crystal Structures and Luminescence Properties. **2022**, 2022, 0
- 344 Chemosensing technology for rapid detection of emerging contaminants. **2022**, 407-464
- 343 Time-resolved color-changing long-afterglow for security systems based on metal-organic hybrids. **2022**, 9, 584-591 3
- 342 A three-dimensional gadolinium organic framework based on a pyridinedicarboxylic acid organic linker with a paddle-wheel-type network structure.. **2022**, 78, 116-122

341	Supported metals on porous solids as heterogeneous catalysts for the synthesis of propargylamines. 2022 , 46, 1469-1482	0
340	Recent progress on porous MOFs for process-efficient hydrocarbon separation, luminescent sensing, and information encryption.. 2022 ,	11
339	Rare-Earth Doping in Nanostructured Inorganic Materials.. <i>Chemical Reviews</i> , 2022 ,	68.1 24
338	Luminescent Mn-based metal-organic framework as an unusual detector to OH ⁻ and a multi-responsive sensor for Fe ³⁺ , CrO ₄ ²⁻ and CrO ₄ ²⁻ in aqueous media. 2022 , 1257, 132485	0
337	Manganese(II)-based coordination polymer as a bi-responsive luminescent sensor for highly selective detection of picric acid and CrO ₄ ²⁻ ion. 1	0
336	Rational design of carborane-based Cu-paddle wheel coordination polymers for increased hydrolytic stability.. 2021 ,	2
335	Binary Solvent System Composed of Polar Protic and Polar Aprotic Solvents for Controlling the Dimensionality of MOFs in the Solvothermal Synthesis. 2022 , 22, 1276-1282	3
334	An aqueous room-temperature phosphorescent probe for Gd.. 2022 ,	1
333	Zn-diarylethene organic framework for anticounterfeiting: Crystal structure, photochromism and fluorescence switch. 2022 , 309, 122950	1
332	Lanthanide-based metal-organic frameworks solidified by gelatin-methacryloyl hydrogels for improving the accuracy of localization and excision of small pulmonary nodules.. 2022 , 20, 60	1
331	Dual-emitting metal-organic frameworks for ratiometric fluorescence detection of fluoride and Al in sequence.. 2022 , 271, 120896	2
330	Cu-MOF for effectively organic pollutants degradation and E. coli inactivation via catalytic activation of peroxymonosulfate. 2022 , 132, 104154	2
329	Luminescent lanthanide coordination polymers with transformative energy transfer processes for physical and chemical sensing applications. 2022 , 51, 100485	5
328	Interpenetrated metal-organic frameworks with enhanced photoluminescence for selective recognition of -xylene from xylene isomers.. 2022 ,	4
327	Efficient Detection of Fe ³⁺ and CrO ₄ ²⁻ Ions in Water by Zn-Tetrazolate-Based Two-Dimensional Metal-Organic Framework: A Comparative Study. 2021 , 12, 95	
326	Magnetic and Luminescence Properties of 8-Coordinate Holmium(III) Complexes Containing 4,4,4-Trifluoro-1-Phenyl- and 1-(Naphthalen-2-yl)-1,3-Butanedionates.. 2022 , 27,	0
325	Therapeutic Application of Metal-Organic Frameworks Composed of Copper, Cobalt, and Zinc: Their Anticancer Activity and Mechanism.. 2022 , 14,	0
324	Magneto-optical Properties of Lanthanide(III) Metal-Organic Frameworks Based on an Iridium(III) Metalloligand.. 2022 , 61, 3097-3102	1

- 323 A series of carbonate-bridged Ln (Ln = Eu, Tb, Gd) frameworks: Colour tunability for barcode applications and selective luminescence sensing towards nitroimidazole antibiotics. **2022**, 137, 109173 0
- 322 A fluorescence zinc metal-organic framework for the effective detection of Fe³⁺ and Fe²⁺ in water. **2022**, 138, 109282 1
- 321 Two luminescent metal-organic frameworks with temperature-dependent emission. **2022**, 309, 122967
- 320 Two supramolecular architectures of Ni-based complexes for magnetic properties and the luminescent sensitive detection of Fe³⁺ and Cr⁶⁺. **2022**, 309, 122949 0
- 319 Scalable robust nano-porous Zr-based MOF adsorbent with high-capacity for sustainable water purification. **2022**, 288, 120620 3
- 318 Quaternary Ammonium-Mediated Delamination of Europium-Based Metal-Organic Framework into Ultrathin Nanosheets for the Selective Photoelectrochemical Sensing of Fe. **2021**, 3 3
- 317 Fluorescence detection of malachite green and cations (Cr, Fe and Cu) by a europium-based coordination polymer.. **2022**, 12, 8435-8442 1
- 316 An Excited-State Intramolecular Proton-Transfer Responsive Nanoscale MOF for the Dual Sensing of Water and Chromate Ions. 4
- 315 1,2,4-Triazolyl-4-acetate: a ditopic ligand combining soft and hard donor sites in homometallic (AgI) and heterometallic (AgI/UVI) coordination polymers. **2022**, 24, 2241-2250 0
- 314 Naphthalene-tagged highly stable and reusable luminescent metal-organic probes for selective and fast detection of 4-nitroaniline in water. **2022**, 46, 6068-6077 0
- 313 Metal-Organic Frameworks for Pesticide Sensing: Trend in the Recent Years. **2022**, 411-427
- 312 Regulating the proton conductivity of metal organic framework materials through solvent control. **2022**, 46, 6657-6662 1
- 311 Preparation and Characterization of a Newly Constructed Multifunctional Co(II)-organic Framework: Proton Conduction and Adsorption of Congo Red in Aqueous Medium. 0
- 310 Self-assembled organic and hybrid materials derived from oligo-(*p*-phenyleneethynyls).. **2022**, 0
- 309 A COPPER(I) COORDINATION COMPOUND WITH RED PHOTOLUMINESCENCE. **2022**, 63, 1-8 0
- 308 Metal-Organic Frameworks (MOFs) as Sensors for Environmental Monitoring. **2022**, 393-409
- 307 Introduction to Metal-Organic Frameworks (MOFs). **2022**, 3-42
- 306 A water-stable luminescent Zn-MOF based on a conjugated π -electron ligand as an efficient sensor for atorvastatin and its application in pharmaceutical samples. 1

305	Pyrazine functionalization to boost the antenna effect in rare-earth metal-organic frameworks for tetracycline detection.	6
304	Turn-on Fluorescence Detection of Acetic Acid in Wine Using a Uranyl-Organic Framework. 2022 , 22, 1984-1990	0
303	A Chemosensor with Switched-on Luminescence for the Detection of Ammonia Vapor. 2022 , 56, 17-21	
302	Synergistic checkpoint-blockade and radiotherapy-radiodynamic therapy via an immunomodulatory nanoscale metal-organic framework.. 2022 ,	5
301	Dynamic Full-Color Tuning of Organic Chromophore in a Multi-Stimuli-Responsive 2D Flexible MOF.. 2022 ,	8
300	Synthetic nanoprobe for biological hydrogen sulfide detection and imaging. 20210008	3
299	Cu Ion Doping Enhances the Water Stability of Luminescent Metal-Organic Framework, Realizing the Detection of Fe and Antibiotics in Aqueous Solutions.. 2022 , 10, 860232	0
298	Dynamic Full-Color Tuning of Organic Chromophore in a Multi-Stimuli-Responsive 2D Flexible MOF. 2022 , 134,	0
297	Heterobimetallic Ln(III)-Containing Materials Based on One-Dimensional Aurophilic Chains of Gold(I) Dithiolate Dimers and Their Vapochromic Response to DMF.	
296	Unfolding the Role of Building Units of MOFs with Mechanistic Insight Towards Selective Metal Ions Detection in Water.. 2022 ,	1
295	Design of Dinuclear Lanthanide Complexes from N ₂ O ₂ Donor Ligand for Single Molecule Magnets: Crystalline Architecture and Slow Magnetic Relaxation Studies. 2022 , 7,	
294	Chiral Metal-Organic Frameworks.. <i>Chemical Reviews</i> , 2022 ,	68.1 15
293	The Versatile and Tunable Metal-Organic Framework MOF for Condensate Decontamination. 2022 ,	
292	Subtle Ligand Spacer Change in 2D Metal-Organic Framework Sheets for Dual Turn-On/Turn-Off Sensing of Acetylacetone and Turn-On Sensing of Water in Organic Solvents.. 2022 ,	0
291	Advances and Applications of Metal-Organic Framework Nanomaterials as Oral Delivery Carriers: A Review.. 2022 ,	0
290	Two Coordination Polymers Synthesized from Various -Donor Clusters Spaced by Terephthalic Acid for Efficient Photocatalytic Degradation of Ibuprofen in Water under Solar and Artificial Irradiation.. 2022 , 7, 9276-9290	1
289	Bifunctionalized Metal-Organic Frameworks for Pore-Size-Dependent Enantioselective Sensing.. 2022 ,	3
288	ZnO@MOF-5 as a Fluorescence "Turn-Off" Sensor for Ultrasensitive Detection as well as Probing of Copper(II) Ions.. 2022 , 7, 13031-13041	1

- 287 Chiral membranes for enantiomer separation: a comprehensive review. **2022**, 121034 1
- 286 Heterometallic Dual-Liganded AE-Ln-CPs Luminescent Probes for Efficient Sensing of Fe(III) Ions.. **2022**, 10, 865447
- 285 Colorless Magnetic Colloidal Particles Based on an Amorphous Metal-Organic Framework Using Holmium as the Metal Species..
- 284 Synthesis, characterization, and fluorescence of a highly stable two-dimensional zinc coordination polymer.
- 283 Construction and Photoluminescence Properties of a Three-Dimensional Cd II Coordination Polymer Based on 2,5-Di(4-carboxy-phenylthio) Terephthalic acid, 1,2-Di(pyridin-4-yl)diazene. **2022**, 7,
- 282 Bifunctionalized Metal-Organic Frameworks for Pore-Size-Dependent Enantioselective Sensing.
- 281 Metal-organic frameworks for white light emission: From synthesis to device fabrication. **2022**, 459, 214441 6
- 280 Miscellaneous dimensional coordination polymers and luminescence emission properties of cadmium(II)-pseudohalide complexes. **2022**, 535, 120871
- 279 Amine-Functionalized Metal-Organic Frameworks: from Synthetic Design to Scrutiny in Application. **2022**, 459, 214445 1
- 278 Fluorescent oligonucleotide indicators for ratiometric microRNA sensing on metal-organic frameworks. **2022**, 437, 135296 1
- 277 Synthesis of chiral boron imidazolate frameworks with second-order nonlinear optics. **2022**, 310, 123001 1
- 276 A multiemissive lanthanide metal-organic framework for selective detection of l-tryptophan. **2022**, 537, 120928 0
- 275 Synthesis, photophysical characteristics and geometry optimization of Tris(2-benzoylacetophenonate)europium complexes with 2, 2'-Bipyridine derivatives. **2022**, 247, 118873 9
- 274 AIE based luminescent porous materials as cutting-edge tool for environmental monitoring: State of the art advances and perspectives. **2022**, 463, 214539 9
- 273 Structural diversities in the Zn(II), Mn(II) and Cd(II) coordination polymers induced by metal ions and/or anions. **2022**, 220, 115829 1
- 272 Tailoring a luminescent metal-organic framework precise inclusion of Pt-Aptamer nanoparticle for noninvasive monitoring Parkinson's disease. **2022**, 441, 136009 1
- 271 A NOVEL MERCURY COORDINATION COMPOUND WITH YELLOW PHOTOLUMINESCENCE. **2021**, 62, 1810-1817
- 270 Stoichiometrically Controlled Assembly of Lanthanide Molecular Complexes of the Heteroditopic Divergent Ligand 4'-(4-Pyridyl)-2,2':6',2'-terpyridine -Oxide in Hypodentate or Bridging Coordination Modes. Structural, Magnetic, and Photoluminescence Studies.. **2021**, 2

269	Full-Color Emission in Multicomponent Metal-Organic Frameworks via Linker Installation.. 2021 ,	2
268	Self-assembly of 3p-Block Metal-based Metal-Organic Frameworks from Structural Perspective. 2022 , 38, 31-44	0
267	Impact of the Structural Modification of Diamondoid Cd(II) MOFs on the Nonlinear Optical Properties. 2021 ,	5
266	Cyclic Trinuclear Copper(I) Complex Exhibiting Aggregation-Induced Emission: A Novel Fluorescent Probe for the Selective Detection of Gold(III) Ions.. 2021 ,	3
265	References. 2021 , 317-358	
264	From a Well-Defined Organozinc Precursor to Diverse Luminescent Coordination Polymers Based on Zn(II)-Quinolate Building Units Interconnected by Mixed Ligand Systems. 2021 , 26,	
263	TWO Zn(II)/Cu(II) COMPLEXES BASED ON FLEXIBLE MIXED LIGANDS: SYNTHESSES, STRUCTURAL CHARACTERIZATION, AND LUMINESCENCE SENSING OF NITROBENZENE. 2021 , 62, 1955-1961	
262	Luminescent Two-Dimensional Metal-Organic Framework Nanosheets with Large π -Conjugated System: Design, Synthesis, and Detection of Anti-Inflammatory Drugs and Pesticides.. 2021 ,	1
261	Smart Mn Sensing via Quenching on Dual Fluorescence of Eu Complex-Modified TiO Nanoparticles.. 2021 , 11,	0
260	Metal-Organic Framework and Its Nanocomposites as Chemical Sensors. 83-124	1
259	Luminescent Uranium-Thiophene Dicarboxylate Frameworks Supported by Transition-Metal-Organic Cations: Dimensionality and Luminescence Control in Uranyl Speciation.	1
258	Zr-MOF Nanoflower Sensor and Its Mixed-Matrix Membrane for Highly Sensitive Nitroaromatics Detection.	12
257	Functionalization of Luminescent Lanthanide Complexes for Biomedical Applications.	
256	Functionalization of Luminescent Lanthanide Complexes for Biomedical Applications.	
255	Capacitance Enhancement of Metal-Organic Framework (MOF) Materials by Their Morphology and Structural Formation.	0
254	Metal organic framework based sensors for the detection of food contaminants. 2022 , 116642	3
253	Three Compounds Constructed from 2-Chloro-4-ferrocenylbenzoate and N-Containing Ligands: Synthesis, Crystal Structures, and Microbiological Studies. 2022 , 48, 250-259	0
252	2D Cd(II)-MOF of Pyridyl-Imidazoquinazoline: Structure, Luminescence, and Selective Detection of TNP and Fabrication of Semiconducting Devices.	1

- 251 Room temperature synthesis of new isorecticular 2D metal-organic frameworks of Co(II) and Ni(II) comprised of dual semiflexible neutral and anionic linkers, and their conversion to metal oxide nanomaterials. **2022**, 120966
- 250 Metal-Organic Framework-Based Materials for Adsorption and Detection of Uranium(VI) from Aqueous Solution.. **2022**, 7, 14430-14456 2
- 249 Synthesis, structures and magnetism of three AE-Dy(III)-CPs. **2022**, 220, 115836
- 248 Data_Sheet_1.docx. **2019**,
- 247 Data_Sheet_1.pdf. **2019**,
- 246 Strategies for induced defects in metal-organic frameworks for enhancing adsorption and catalytic performance.. **2022**, 2
- 245 MOF-based materials as soil amendments. **2022**, 105-155
- 244 Multicriteria decision making in organic-metal frameworks for fuel storage. **2022**, 609-630
- 243 Phase Transition of Metal-Organic Framework for the Encapsulation of Enzymes. 2
- 242 The pioneering role of metal-organic framework-5 in ever-growing contemporary applications: A review. **2022**, 12, 14282-14298 0
- 241 Formaldehyde recognition through aminal formation in a luminescent metal-organic framework.. **2022**,
- 240 Modulating Photo- and Radioluminescence in Tb(III) Cluster-Based Metal-Organic Frameworks. 1025-1031 5
- 239 Water-Stable Carborane-Based Eu³⁺/Tb³⁺ Metal-Organic Frameworks for Tunable Time-Dependent Emission Color and Their Application in Anticounterfeiting Bar-Coding. 1
- 238 Aggregation-Induced Luminescence Based UiO-66: Highly Selective Fast-Response Styrene Detection.. **2022**, 0
- 237 A smartphone-integrated light-up lanthanide fluorescent probe for the visual and ratiometric detection of total phosphorus in human urine and environmental water samples. **2022**, 121360 1
- 236 Detection and Sorption of Heavy Metal Ions in Aqueous Media by a Fluorescent Zr(IV) Metal-Organic Framework Functionalized with 2-Picolylamine Receptor Groups.. **2022**, 1
- 235 Customized Synthesis: Solvent- and Acid-Assisted Topology Evolution in Zirconium-Tetracarboxylate Frameworks.. **2022**, 0
- 234 Film-based fluorescent sensor for visual monitoring and efficient removal of aniline in solutions and gas phase.. **2022**, 435, 129016 0

233	Coordination chemistry of metal-organic frameworks: Detection, adsorption, and photodegradation of tetracycline antibiotics and beyond. 2022 , 464, 214562	3
232	Lanthanide coordination polymers functionalized by 5-nitroisophthalic acid: Synthesis, structure-DFT correlation and photoluminescent sensor of Cd ²⁺ ion. 2022 , 123229	1
231	Two isomeric metal-organic frameworks bearing stilbene moieties for high volatile iodine uptake.	1
230	Excitation wavelength-dependent continuous color-tunable luminescence of fluorescent dyes encapsulated into lanthanide metal-organic framework for anti-counterfeiting. 2022 , 204, 110438	0
229	Upgrading the pore-size scale of MIL-53 from microporous to macroporous for adsorbing triethyl phosphate and reducing the fire risk of polystyrene. 2022 , 159, 107003	1
228	Metal organic frameworks as a versatile platform for the radioactive iodine capture: State of the art developments and future prospects. 2022 , 539, 121026	0
227	A double emission turn-on Eu-MOF-based luminescent sensor towards an anthrax biomarker. 2022 , 180, 107618	0
226	A 2-in-1 multi-functionalized sensor for efficient epinephrine detection based on cucurbit[7]uril functionalized lanthanide metal-organic framework and its intelligent application on molecular robot.	2
225	Construction of metal-organic frameworks-nucleic acids composites and their application in fluorescent biomedical sensing. 2022 ,	
224	Luminescence modulation by twisting the branches of organic building blocks in uranyl-organic frameworks. 2022 , 100913	1
223	Synthesis of Mixed Ligand 3D Cobalt MOF: Smart Responsiveness towards Photocatalytic Dye Degradation in Environmental Contaminants. 2022 , 1265, 133399	3
222	Postsynthetic Modification (PSM) in Metal-Organic Frameworks (MOFs): Icing on the Cake. 83-115	0
221	Metal-Organic Frameworks as Sensors. 125-154	
220	Stabilization of CO ₂ as Zwitterionic Carbamate within a Coordination Polymer (CP): Synthesis, Structure and Anions Sensing Behaviour of Tb-CP composite.	
219	Reinforced Optical Properties of Sm ³⁺ Complexes with β -Hydroxyketone Ligand by Using Methylated Auxiliary Ligands. 2022 , 34, 1749-1754	
218	Tunable fluorescence emission based on multi-layered MOF-on-MOF. 2022 , 51, 9397-9403	2
217	Multifunctional Lanthanide MOF luminescent sensor built by structural design and energy level regulation of ligand.	2
216	Building an Emission Library of Donor-Acceptor-Donor Type Linker-Based Luminescent Metal-Organic Frameworks.	3

- 215 A cucurbit[6]uril based supramolecular assembly for the detection and removal of dyes and antibiotics from water. 0
- 214 Water-triggered synergistic fluorescence variation and shape deformation in Zn-TCPP metal-organic frameworks gel.
- 213 METAL-ORGANIC FRAMEWORKS IN RUSSIA: FROM THE SYNTHESIS AND STRUCTURE TO FUNCTIONAL PROPERTIES AND MATERIALS. **2022**, 63, 671-843 1
- 212 Substituent Dependence on Series of Cationic Gyroidal MOFs in utc-c Topology with High CO₂ Affinity and Ultrahigh Anionic Dye Adsorption Capacity. 1
- 211 Detection of the UV-vis silent biomarker trimethylamine-N-oxide via outer-sphere interactions in a lanthanide metal-organic framework. **2022**, 5, 2
- 210 Syntheses, crystal structures, and properties of Zn(II), Cd(II), and Co(II) complexes based on 2-methyl-4-chlorophenoxyacetic acid and various N-donor ligands. 1-17
- 209 Effect of Hydrogen Bonding on the Luminescence Lifetime and Device Resistance: A Case Study Based on Two New Related Cd-Based Coordination Polymers. 0
- 208 Crystal Prediction and Design of Tunable Light Emission in BTB-Based Metal-Organic Frameworks. 2200058
- 207 Europium-cadmium organic framework with zwitterionic ligand exhibiting tunable luminescence, CO₂ adsorption and dye degradation. **2022**, 313, 123346
- 206 Exposed carboxyl functionalized MIL-101 derivatives for rapid and efficient extraction of heavy metals from aqueous solution. **2022**, 649, 129517 0
- 205 The chemistry of metal-organic frameworks with face-centered cubic topology. **2022**, 468, 214644 1
- 204 In situ grown CdS on 2D Cd-based porphyrin MOFs enhances the significant separation and transfer of charge carriers with an appropriate heterojunction during photocatalytic hydrogen evolution. 0
- 203 Post-synthetic modification of Prussian blue type nanoparticles: tailoring the chemical and physical properties.
- 202 Zn(ii) metal-organic architectures from ether-bridged tetracarboxylate linkers: assembly, structural variety and catalytic features. 0
- 201 Selective Detection of Sulfasalazine Antibiotic and Controllable Photodegradation of Its into 5-Aminosalicylic acid by Visible-Light-Responsive Metal-Organic Framework.
- 200 Luminescence responsive sensing mechanism in rare earth metal-organic framework hybrid materials. **2022**, 145-175
- 199 Rare earth luminescence, MOFs luminescence, rare earth MOFs hybrid materials luminescence, luminescence response, and chemical sensing. **2022**, 41-71
- 198 Recent advances in bimetallic metal-organic frameworks (BMOFs): synthesis, applications and challenges. 5

- 197 Two Coordination Polymers Based on Co(II) Ions: Application Value in the Treatment of Diabetic Retinopathy via the Regulation of Vascular Endothelial Growth Factor Release. **2022**, 14, 492-498
- 196 Crystal Structure of Trimetallic 3D-dimensional Coordination Polymer from Cadmium, Magnesium and Sodium with Benzene-1,2,4,5-tetracarboxylic Acid. **2022**, 30, 337-342
- 195 Designing of robust and sensitive assay via encapsulation of highly emissive and stable blue copper nanocluster into zeolitic imidazole framework (ZIF-8) with quantitative detection of tetracycline. **2022**, 13, 2
- 194 Lead(II)-Azido Metal-Organic Coordination Polymers: Synthesis, Structure and Application in PbO Nanomaterials Preparation. **2022**, 12, 2257
- 193 Halogen Bond Mediated Self-Assembly of Mononuclear Lanthanide Complexes: Perception of Supramolecular Interactions, Slow Magnetic Relaxation, and Photoluminescence Properties.
- 192 Photoluminescence Quenching in Recyclable Water-Soluble Zn-Based Metal-Organic Framework Nanoflakes for Dichromate Sensing. 1
- 191 Tailoring Hybrid Aluminoborate Frameworks by Incorporating Multicomponent Cadmium-Amine Complexes with Various Conformations. 1
- 190 Spin-State Modulation in Fe II -Based Hofmann-Type Coordination Polymers: From Molecules to Materials. 0
- 189 Magnetic and Luminescence Properties of 8-Coordinated Pyridyl Adducts of Samarium(III) Complexes Containing 4,4,4-Trifluoro-1-(naphthalen-2-yl)-1,3-butanedionate. **2022**, 8, 72 0
- 188 Hydrothermal Synthesis and Symmetrical Supercapacitor Study of 1D Ln-H₂PDA (Ln=La and Sm) Metal-Organic Frameworks. **2022**, 7, 1
- 187 Imaging moiety-directed co-assembly for biodegradation control with synchronous four-modal biotracking. **2022**, 287, 121665 1
- 186 Achieving tunable luminescence in rare earth free IRMOF-3 through post synthetic modifications by judicious choice of organic linker. **2022**, 131, 112660 1
- 185 An unusual F-bridged dual-trinuclear Mg-organic framework as luminescent thermometer for highly efficient low-temperature detection. 0
- 184 Ultrasensitive point-of-care biochemical sensor based on metal-AIEgen frameworks. **2022**, 8, 1
- 183 Investigation of optical, thermal and mechanical studies on semi organic nonlinear optical diaquabis(L-lactato)magnesium (DLLM) single crystal for optoelectronic devices applications. 0
- 182 2D Windmill-like Ln-Containing Organophosphonate-Based Polyoxomolybdates: Synthesis, Characterization, Fluorescence, and Magnetism. **2022**, 61, 12678-12684
- 181 Coordination-Guided Conformational Locking of 1D Metal-Organic Frameworks for a Tunable Stimuli-Responsive Luminescence Region. **2022**, 14, 38098-38104 1
- 180 Modulator-directed assembly of hybrid composites based on metal-organic frameworks and upconversion nanoparticles.

- 179 Amino-Functionalized Single-Lanthanide Metal-Organic Framework as a Ratiometric Fluorescent Sensor for Quantitative Visual Detection of Fluoride Ions. 4
- 178 One Luminescent Cadmium Iodide with Free Bifunctional Azole Sites as a Triple Sensor for Cu²⁺, Fe³⁺, and Cr^{2O7}²⁻ Ions. 0
- 177 Multifunctional Lanthanide-Based Metal-Organic Frameworks Derived from 3-Amino-4-hydroxybenzoate: Single-Molecule Magnet Behavior, Luminescent Properties for Thermometry, and CO₂ Adsorptive Capacity. **2022**, 61, 12977-12990 1
- 176 Enhanced Rashba Splitting of Au(111) Surface States with Hydrogen-Bonded Melamine-Based Organic Framework. 2201102 0
- 175 Biomimetic Assembly of Spore@ZIF-8 Microspheres for Vaccination. 2204011 0
- 174 Coordination Polymers from Biphenyl-Dicarboxylate Linkers: Synthesis, Structural Diversity, Interpenetration, and Catalytic Properties. **2022**, 61, 12577-12590 0
- 173 Survey on Adsorption of Low Molecular Weight Compounds in Cu-BTC Metal-Organic Framework: Experimental Results and Thermodynamic Modeling. **2022**, 23, 9406 0
- 172 Linear, nonlinear optical properties and structure-property relationships in ES IPT-rhodols. **2022**, 1215, 113806 0
- 171 Lanthanide coordination polymers used for fluorescent ratiometric sensing of H₂O₂ and glucose. **2022**, 144, 109849 0
- 170 Metal-organic frameworks constructed from tetradentate carboxylic acids: Structural diversity, Fluorescence (Fe³⁺ detection) and Dye adsorption properties. **2022**, 1270, 133925 0
- 169 Caught in the Act!@ disruption of A-ET-E process in the recognition of F⁻ by a lamellar Eu^{III}-MOF in heterogeneous manner with logic gate construction: From protagonist idea to implementation world. **2022**, 283, 121764 0
- 168 Luminescence properties of europium (III)-based metal-organic frameworks: Influence of varied organic linkers. **2022**, 1269, 133767 0
- 167 Heterometallic Europium(III)-Lutetium(III) Terephthalates as Bright Luminescent Antenna MOFs. **2022**, 27, 5763 1
- 166 Bright green emitting Terbium-MOF with high quantum yield achieved through post synthetic modifications. **2022**, 133, 112944 0
- 165 Formaldehyde-modified NH₂-UiO-66 for specific sensing and simultaneous removal of mercury ions. **2022**, 4, 100120 0
- 164 Structural diversity and luminescent sensing of metal-organic frameworks with 2,6-Di(1H-imidazol-1-yl) naphthalene ligands. **2022**, 145, 109972 0
- 163 Ratiometric fluorescence detection of tetracycline for tetracycline adjuvant screening in bacteria. **2022**, 372, 132687 0
- 162 New method for morphological identification and simultaneous quantification of multiple tetracyclines by a white fluorescent probe. **2023**, 441, 129956 0

161	Lanthanoid hydrogen-bonded organic frameworks: Enhancement of luminescence by the coordination-promoted antenna effect and applications in heavy-metal ion sensing and sterilization. 2023 , 451, 138880	4
160	UiO-66-NH ₂ based fluorescent sensing for detection of tetracyclines in milk. 2022 , 12, 23427-23436	0
159	Three-dimensional cage zinc triazine framework compound: Fluorescence sensing of aromatic compounds containing NO ₂ /OH groups. 2022 , 10, 11676-11685	2
158	Porous metal-organic frameworks for hydrogen storage. 2022 , 58, 11059-11078	6
157	A 3,8-connected Cd(ii)-based metal-organic framework as an appropriate luminescent sensor for the antibiotic sulfasalazine.	5
156	Stable lanthanide metal-organic frameworks as ratiometric fluorescent probes for the efficient detection of riboflavin.	1
155	MOF and its application in electrochemistry. 2022 , 219-253	0
154	A series of bis-pyridyl-bis-amide-modulated metal-organic frameworks: formation, transformation and selectivity for the efficient detection of multiple analytes. 2022 , 24, 5767-5782	0
153	Facile supramolecular strategy to construct solid fluorophore@metal-organic framework composites. 2022 , 3, 6597-6608	0
152	A 2-fold interpenetrated zinc-organic framework with Lewis basic triazole sites: luminescence sensing of Fe ³⁺ and Cr ^{2O7} and warm white-light emission by encapsulated Ln ³⁺ ions.	0
151	Current status and future prospects of nanoscale metal-organic frameworks in bioimaging.	1
150	The pentagram-typed Ln ₁₅ (Ln=Dy, Tb, Eu, Sm, Ho) clusters with different anion templates: magnetic and luminescent properties.	0
149	Versatile Cl-decorated CPM-5 as a blue LED and luminescent sensor for selective Fe ³⁺ sensing and temperature detection.	0
148	Sensing and photocatalytic properties of a new 3D Co(ii) coordination polymer based on 1,1'-di(p-carboxybenzyl)-2,2'-biimidazole.	0
147	Biomimetic control of charge transfer in MOFs by solvent coordination for boosting photocatalysis. 2022 , 58, 9830-9833	0
146	Luminescent MOFs (LMOFs): recent advancement towards a greener WLED technology. 2022 , 58, 10768-10788	0
145	Dual-mode multi-color circularly polarized luminescent MOFs from a facile approach of chiral induction. 2022 , 10, 13084-13092	1
144	Rational synthesis of a pyridyl-imidazoquinazoline based multifunctional 3D Zn(ii)-MOF: structure, luminescence, selective and sensitive detection of Al ³⁺ and TNP, and its semiconducting device application. 2022 , 51, 13749-13761	1

- 143 Robust Carbazole-Based Rare-Earth MOFs: Tunable White-Light Emission for Temperature and DMF Sensing. **2022**, 14, 41178-41185 0
- 142 Analytical Chemistry: Tasks, Resolutions and Future Standpoints of the Quantitative Analyses of Environmental Complex Sample Matrices. **2022**, 3, 312-324 0
- 141 Dual Emission in the Near-Infrared and Visible Regions from a Mixed Cyanido-Bridged Eu(III)/Nd(III)(4-OHpy)-Co(III) Layered Material. 0
- 140 Structures and Luminescent Properties of Rare-Earth Metal-Organic Framework Series with Thieno[3,2b]thiophene-2,5-dicarboxylate. **2022**, 12, 1374 0
- 139 Two Cu(III) Coordination Polymers for Photocatalytic Degradation of Organic Dyes and Efficient Detection of Fe³⁺ Ions. 0
- 138 Ratiometric Raman and Luminescent Thermometers Constructed from Dysprosium Thiocyanidometallate Molecular Magnets. 2201675 2
- 137 Mixed-Ligand-Regulated Self-Enhanced Luminous Eu-MOF as an ECL Signal Probe for an Oriented Antibody-Decorated Biosensing Platform. **2022**, 94, 12852-12859 1
- 136 Four metal-organic architectures from a triphenyl-tricarboxylic acid: synthesis, crystal structures, and catalytic features. 0
- 135 Metal-Organic Framework@Metal Oxide Heterostructures Induced by Electron-Beam Radiation. 3
- 134 Unique Fluorescence Turn-On and Turn-Off Responses to Acids by a Carbazole-Based Metal-Organic Framework and Theoretical Studies. **2022**, 144, 17054-17063 2
- 133 Metal-Organic Framework@Metal Oxide Heterostructures Induced by Electron-Beam Radiation. 1
- 132 Recent Progress in Aptamer-Functionalized Metal-Organic Frameworks-Based Optical and Electrochemical Sensors for Detection of Mycotoxins. 1-22 2
- 131 Structural Adjustments of Zn(II)-Terpyridine Analogues by Pendant of Coligand: Solvothermal Syntheses, Crystal Structure, and Photophysical Behavior. 0
- 130 Selective and Sensitive Detection of Hydrogen Sulphide Using Hydrolytically Stable Cu-MOF. **2022**, 134277 0
- 129 Topological structural transformation of a two-dimensional coordination polymer via single-crystal to single-crystal photoreaction. 0
- 128 Mechano-thermochemical synthesis of rare-earth metal-organic frameworks with solvent-free coordination for visible and near-infrared emission. 0
- 127 Construction strategies to modulate the photocatalytic efficiency of Cd(II) MOFs to photodegrade organic dyes. 1
- 126 Research progress of near-infrared long persistent phosphors materials in biomedical applications. 0

125	Thermally responsive morphological change of layered coordination polymer induced by disordering/ordering of flexible alkyl chains.	0
124	A Reversible Fluorescent Probe Based on a Redox-Switchable Excited-State Intramolecular Proton-Transfer Active Metal-Organic Framework for Detection and Imaging of Highly Reactive Oxygen Species in Live Cells.	0
123	Polariton Formation from Soret Band Excitons in Metal-Organic Frameworks and Plasmonic Lattices.	0
122	Limitation of room temperature phosphorescence efficiency in metal organic frameworks due to triplet-triplet annihilation. 10,	0
121	Recent Advances of Anticancer Studies Based on Nano-Fluorescent Metal-Organic Frameworks.	0
120	Coordination Polymers Constructed from an Adaptable Pyridine-Dicarboxylic Acid Linker: Assembly, Diversity of Structures, and Catalysis.	0
119	Mechanism, structural design, modulation and applications of Aggregation-induced emission-based Metal-organic framework. 2022 , 146, 110038	0
118	Multitopic metal-organic carboxylates available as supramolecular building units. 2023 , 474, 214850	1
117	Mechanochemical synthesis and theoretical investigations of Fe (II) based MOF containing 4,4'-bipyridine with ordered intercalated p-aminobenzoic acid: Application as fluoroprobe for detection of carbonyl group. 2023 , 545, 121248	0
116	Metal organic frameworks and their composites as effective tools for sensing environmental hazards: An up to date tale of mechanism, current trends and future prospects. 2023 , 474, 214859	2
115	Mechanism, design and application of fluorescent recognition based on metal organic frameworks in pollutant detection. 2023 , 454, 139931	4
114	Ultra-trace detection and efficient adsorption removal of multiple water-soluble volatile organic compounds by fluorescent sensor array. 2023 , 443, 130182	1
113	A Photofunctional Platform of Bis-terpyridine Ruthenium Complex-Linked Coordination Polymers with Structural Diversity.	0
112	Effect of temperature on metal-organic frameworks chemical sensors detection properties. 2023 , 184, 108156	0
111	Recent advances in metal-organic frameworks for X-ray detection.	0
110	Conformational Control of Organocatalyst in Strongly Brønsted-Acidic Metal-Organic Frameworks for Enantioselective Catalysis.	0
109	Collaboration of two-star nanomaterials: The applications of nanocellulose-based metal organic frameworks composites. 2022 , 120359	0
108	Conformational Control of Organocatalyst in Strongly Brønsted-Acidic Metal-Organic Frameworks for Enantioselective Catalysis.	0

- 107 Reversible Single-Crystal-to-Single-Crystal Transformation of a Coordination Polymer through Solar-Switchable Cycloaddition and Cycloreversion Reaction. ○
- 106 Novel Strategies for the Formulation and Processing of Aluminum Metal-organic Framework-based Sensing Systems Toward Environmental Monitoring of Metal Ions. **2022**, 130422 ○
- 105 A new mode of luminescence in lanthanide oxalates metal-organic frameworks. **2022**, 12, ○
- 104 Lanthanide(III)-Modified MIL-125(Ti-Ln) (Ln = Eu or Tb) for the Detection of Cu(II) and Fe(III) Ions. ○
- 103 MOF-Based Mycotoxin Nanosensors for Food Quality and Safety Assessment through Electrochemical and Optical Methods. **2022**, 27, 7511 1
- 102 Hydration-Facilitated Coordination Tuning of Metal-Organic Frameworks toward Water-Responsive Fluorescence and Proton Conduction. ○
- 101 Adapting UFF4MOF for Heterometallic Rare-Earth Metal-Organic Frameworks. ○
- 100 New enzymatic reactor designs: From enzymatic batch to 3D microreactors and monoliths. **2023**, 291-315 ○
- 99 High proton conductivity modulated by active protons in 1D ultra-stable metal-organic coordination polymers: a new insight into coordination interaction/ability of metal ion. ○
- 98 From two-dimensional networks to three-dimensional metal-organic frameworks mediated by solvent ratio: luminescence and gas adsorption properties. ○
- 97 Terbium-modified two-dimensional zirconium-based metal-organic frameworks for photoluminescence detection of nitrite. ○
- 96 Slow magnetic relaxation in Nd(III) and Sm(III) complexes formed in three-dimensional lanthanide-dicyanidometallate(I) frameworks exhibiting luminescent properties. ○
- 95 Reticular chemistry of uranyl phosphonates: synthesis, design, and beyond. ○
- 94 Identification of folic acid and sulfaquinoxaline using a heterometallic Zn/Eu MOF as a sensor. ○
- 93 A review on the recent advances in composite membranes for CO₂ capture processes. **2023**, 307, 122752 ○
- 92 Functionalized fluorescent Zr-MOF based on photoinduced electron transfer for highly sensitive detection of nitroaromatic explosives. **2023**, 210, 111035 ○
- 91 Exploring the pH reliant high photocatalytic degradation of organic dyes using H-bonded Ni(II) coordination network. **2023**, 1276, 134784 ○
- 90 Chiral Dy(III) Fluorescent Single-Molecule Magnet Based on an Achiral Flexible Ligand. **2022**, 8, 166 ○

- 89 Cd-Based Coordination Polymer Using a Bioinspired Ligand: Studies Toward Turn-On Luminescence-Based Sensing and Schottky Diode Behavior through Device Fabrication. **2022**, 22, 7050-7061 ○
- 88 Synthesis and Characterization of a Cd(II) complex: Anion interaction and Fabrication of Cadmium oxide nanoparticles. **2022**, ○
- 87 Ln Based Meta-organic Framework for Fluorescence Turn Off On Sensing of Hg²⁺. ○
- 86 Real-Time In Situ Volatile Organic Compound Sensing by a Dual-Emissive Polynuclear Ln-MOF with the Pronounced Ln(III) Luminescence Response. ○
- 85 Glyco-conjugated metal-organic framework biosensor for fluorescent detection of bacteria. ○
- 84 Optimizing iodine capture performance by metal-organic framework containing with bipyridine units. 1
- 83 Easy Handling and Cost-Efficient Processing of a Tb³⁺-MOF: The Emissive Capacity of the Membrane-Immobilized Material, Water Vapour Adsorption and Proton Conductivity. **2022**, 12, 4380 ○
- 82 Tunable and Thermally Stable Luminescence from Polycyclic Aromatic Hydrocarbons Confined in a Zeolitic Imidazolate Framework. 2201856 ○
- 81 MOF-Based Materials with Sensing Potential: Pyrrolidine-Fused Chlorin at UiO-66(Hf) for Enhanced NO₂ Detection. **2022**, 10, 511 ○
- 80 Synthesis, crystal structures, electrochemistry and thermal stabilities of two copper complexes built by 3,7-di(3-pyridyl)-1,5-dioxo-3,7-diazacyclooctane. **2022**, 116268 ○
- 79 Metal-organic Frameworks for Natural Gas Storage. 21, 57-63 ○
- 78 High-Performance Electrochemiluminescence of a Coordination-Driven J-Aggregate K-PTC MOF Regulated by Metal Phenolic Nanoparticles for Biomarker Analysis. ○
- 77 Tunable Full-Color Room Temperature Phosphorescence of Two Single-Component Zinc(II)-Based Coordination Polymers. 2202402 ○
- 76 Fine-Tuning Tridentate Ligands for the Construction of Nanotube-Based Boron Imidazolate Frameworks with High Chemical Stability. ○
- 75 Two novel coordination polymers based on U-shaped carboxylic acid: synthesis, crystal structure and properties. **2022**, 134873 ○
- 74 Guest-adaptive molecular sensing in a dynamic 3D covalent organic framework. **2022**, 13, ○
- 73 Real-Time In Situ Volatile Organic Compound Sensing by a Dual-Emissive Polynuclear Ln-MOF with the Pronounced Ln(III) Luminescence Response. ○
- 72 Recent advances in luminescent metal-organic frameworks for detection of gas and volatile organic molecules. **2023**, 1-1 ○

- 71 Rare earth-based MOF for photo/electrocatalysis. ○
- 70 Structural Diversity, XAS and Magnetism of Copper(II)-Nickel(II) Heterometallic Complexes Based on the $[\text{Ni}(\text{NCS})_6]_4$ Unit. **2023**, 16, 731 ○
- 69 Recent advances in fluorescent chemosensors for ammonia sensing in the solution and vapor phases. ○
- 68 Recent progress of metal-organic frameworks as sensors in (bio)analytical fields: towards real-world applications. ○
- 67 Solvent induced reversible single-crystal-to-single-crystal structural transformation in dynamic metal organic frameworks: A case of enhanced hydrogen sorption in polycatenated framework. ○
- 66 Metal-Organic Frameworks-Based Optical Nanosensors for Analytical and Bioanalytical Applications. **2023**, 13, 128 ○
- 65 A Robust Strontium Coordination Polymer with Selective and Sensitive Fluorescence Sensing Ability for Fe^{3+} Ions. **2023**, 16, 577 ○
- 64 Ultraviolet and infrared excitable inorganic-organic hybrid materials: synthesis, characterization and anti-counterfeiting applications. **2023**, 100970 ○
- 63 2D Metal-Organic Frameworks: Properties, Synthesis, and Applications in Electrochemical and Optical Biosensors. **2023**, 13, 123 ○
- 62 Fluorescence turn-off sensing strategy based on Al-based MOF for selective detection of tricresyl phosphate. **2023**, 1243, 340809 ○
- 61 Boosting hydrogen production of uniform CuCo-ZIF nanododecahedrons by bimetal node and glycerol. **2023**, 28, 101359 ○
- 60 Bovine serum albumin-derived poly-L-glutamic acid-functionalized graphene quantum dots embedded UiO-66-NH₂ MOFs as a fluorescence On-Off-On magic gate for para-aminohippuric acid sensing. **2023**, 438, 114532 ○
- 59 Advances in Biosensing of Chemical Food Contaminants Based on the MOFs-Graphene Nanohybrids. 1-17 ○
- 58 From isostructural to hetero-structural one-dimensional coordination polymers adjusted by changing the ligand substituent group from pyrazine to furan. 1-13 ○
- 57 Nano-inks in security and defense applications. **2023**, 623-657 ○
- 56 In Situ Interfacial Super-Assembly of Nanobiohybrids through Plant for Food-Grade Oral Medicine. **2023**, 15, 7282-7293 ○
- 55 MOFs-based advanced materials for gaseous adsorption: Sustainable environmental remediation. **2023**, 185-205 ○
- 54 Dual stimuli-responsive phosphorescence of a Pb(II) coordination polymer to acidic vapors and thermal treatment. ○

- 53 A Dual-function [Ru(bpy)₃]²⁺ Encapsulated Metal-Organic Framework for Ratiometric Al³⁺ detection and anticounterfeiting application. ○
- 52 An imidazole based luminescent Zn (II) metal-organic framework for sensing of nitroaromatic explosives. **2023**, 549, 121409 ○
- 51 Cu(II)-based coordination polymer encapsulated formate: Unveiling efficient photocatalytic degradation of Rose Bengal dye and remarkable sensing of DMF, acetone and acetonitrile. **2023**, 1280, 135055 ○
- 50 Extracting Metal-Organic Frameworks Data from the Cambridge Structural Database. **2023**, 201-232 ○
- 49 Fabrication of a novel cadmium-organic framework for detecting multiple analytes with outstanding sensitivities and selectivities. **2023**, 139, 107184 ○
- 48 Enhancement of the sensing performance and stability of a MOF based-molecularly imprinted polymer by utilizing dual-ligands and triethanolamine catalysis. **2023**, 258, 124459 ○
- 47 Paper-based fluorometric sensing of malachite green using synergistic recognition of aptamer-molecularly imprinted polymers and luminescent metal-organic frameworks. **2023**, 384, 133665 ○
- 46 Chiral metal-organic frameworks materials for racemate resolution. **2023**, 484, 215120 ○
- 45 A multifunctional probe based on a heterometallic-organic framework: highly selective detection of 1,3-dinitrobenzene, tryptophan, and visual recognition of pentavalent vanadate ions. **2023**, 30, 101518 ○
- 44 Ultra-low limit of luminescent detection of gossypol by terbium(III)-based metal-organic framework. **2023**, 452, 131289 ○
- 43 Influence of solvent coordination on crystal structure and luminescent property in lanthanide MOFs. **2023**, 237, 116386 ○
- 42 Hydrolytically stabilized 5-hydroxyisophthalate appended Tb-MOF as a twofold chemosensor for discerning detection of 2,4,6-trinitrophenol and ferric ion: Structural, topological and mechanistic sensing exploration via experimental and computational studies. **2023**, 552, 121488 ○
- 41 Self-strengthen luminescent hydrogel. **2023**, 294, 122569 ○
- 40 An insight into the controllable synthesis of Cd(II) coordination polymers with packing-assistant luminescent property. **2023**, 116428 ○
- 39 A novel fluorescent biomimetic sensor based on cerium, nitrogen co-doped carbon quantum dots embedded in cobalt-based metal organic framework@molecularly imprinted polymer for selective and sensitive detection of oxytetracycline. **2023**, 190, 108606 ○
- 38 Two-in-one Dual-function luminescent MOF hydrogel for onsite ultra-sensitive detection and efficient enrichment of radioactive uranium in water. **2023**, 448, 130864 ○
- 37 High-performance assaying phosphatidylinositol proteoglycan 3 based on a dual-mode biosensor coupling near-infrared photoelectrochemical with ratiometric electrochemical sensing. **2023**, 381, 133419 ○
- 36 Copper(II) and zinc(II) complexes bridged by benzenoid aromatic oxocarbon and dicarboxylate dianions. **2023**, 234, 116327 1

- 35 A rapid self-healing glassy polymer/metal-organic-framework hybrid membrane at room temperature. **2023**, 52, 3148-3157 ○
- 34 Exploiting a Multi-Responsive Oxadiazole Moiety in One Three-Dimensional Metal-Organic Framework for Remedies to Three Environmental Issues. **2023**, 15, 8241-8252 ○
- 33 Explosive and pollutant nitroaromatic sensing through a Cd(II) based ladder shaped 1D coordination polymer. **2023**, 9, e13504 ○
- 32 Luminescent Lanthanide Complexes for Effective Oxygen-Sensing and Singlet Oxygen Generation. ○
- 31 Self-Assembly of a Two-Dimensional Coordination Polymer Based on Silver and Lanthanide Tetrakis-Acylpyrazolonates: An Efficient New Strategy for Suppressing Ligand-to-Metal Charge Transfer Quenching of Europium Luminescence. **2023**, 15, 867 ○
- 30 The Methylene Spacer Matters: The Structural and Luminescent Effects of Positional Isomerism of n-Methylpyridyltriazole Carboxylate Semi-Rigid Ligands in the Structure of Zn(II) Based Coordination Polymers. **2023**, 15, 888 ○
- 29 Multicolor Fluorescent Lead-MOFs for White-Light-Emitting and Anticounterfeiting Applications. **2023**, 11, ○
- 28 Fluorescence properties of stable porous Zr(IV)-metal-organic framework based on fluorescent imidazolate-ligand. **2023**, 150, 110522 1
- 27 Self-assembled, Porous and Molecularly Imprinted Supramolecular Structures in Sensing. **2023**, 165-208 ○
- 26 Fluorescence Sensing of Physical Parameters and Chemical Composition in Gases and Condensed Media. **2023**, 237-294 ○
- 25 Slow Magnetic Relaxation and Modulated Photoluminescent Emission of Coordination Polymer Based on 3-Amino-4-hydroxybenzoate Zn and Co Metal Ions. **2023**, 28, 1846 ○
- 24 Introduction of Multicomponent Dyes into 2D MOFs: A Strategy to Fabricate White Light-Emitting MOF Composite Nanosheets. **2023**, 15, 11131-11140 ○
- 23 A Cerium Organic Framework with {Cu₂I₂} Cluster and {Cu₂I₂}_n Chain Modules: Structure and Fluorescence Sensing Properties. **2023**, 23, 2420 ○
- 22 Morphology control through the synthesis of metal-organic frameworks. **2023**, 314, 102864 ○
- 21 Enhanced Luminescence of Dye-Decorated ZIF-8 Composite Films via Controllable D_A Interactions for White Light Emission. **2023**, 39, 3656-3667 ○
- 20 Solvothermal synthesis and device fabrication of a Eu³⁺-based metal-organic framework as a turn-on and blue-shift fluorescence sensor toward Cr³⁺, Al³⁺ and Ga³⁺. **2023**, 52, 4167-4175 ○
- 19 Boosting the optical properties of polylactic acid/ lanthanide-based metal-organic framework composites. **2023**, 29, 101436 ○
- 18 Computational Studies. **2023**, 327-331 ○

- 17 A Zn (II)-viologen MOF material: Photochromic, photoswitchable luminescent properties and UV sensing. **2023**, 1283, 135297
- 16 Unprecedented highly efficient photoluminescence in a phosphorescent Ag(i) coordination polymer. **2023**, 59, 4616-4619
- 15 Brightly Luminescent (TbxLu1-x)2bdc3H2O MOFs: Effect of Synthesis Conditions on Structure and Luminescent Properties. **2023**, 28, 2378
- 14 Regulating the luminescence of tetraphenylethene (TPE)-based lanthanide nanoparticles in the presence of organic amines/acids. **2023**, 11, 4645-4653
- 13 A Zn-coordination polymer as a multifunctional fluorescent probe for the detection of V2O74- Fe3+, and p-nitrotoluene. **2023**, 25, 10090-10096
- 12 Fluorescence Ratiometric Antibiotic Detection with a Single Lanthanide Metal-Organic Framework.
- 11 Activating photocatalytic hydrogen evolution by constructing Ni-based organic layers and tailoring its crystal facets.
- 10 Methods for Detecting Picric Acid: A Review of Recent Progress. **2023**, 13, 3991
- 9 Cage-Like Sodalite-Type Porous Organic Salts Enabling Luminescent Molecule's Incorporation and Room-temperature Phosphorescence Induction in Air.
- 8 Rational Design and Assembly of Two-Dimensional Layered Metal-Organic Frameworks: Structure, Morphology, Fluorescence Regulation, and High Iodine Adsorption.
- 7 Bismuth-Polyoxocation Coordination Networks: Controlling Nuclearity and Dimension-Dependent Photocatalysis. **2023**, 15, 18087-18100
- 6 Cd(II)/Mn(II)/Co(II)/Ni(II)/Zn(II) Coordination Polymers Built from Dicarboxylic Acid/Tetracarboxylic Acid Ligands: Their Structural Diversity and Fluorescence Properties. **2023**, 15, 1803
- 5 Visual and Real-Time Monitoring of Cd2+ in Water, Rice, and Rice Soil with Test Paper Based on [2 + 2] Lanthanide Clusters.
- 4 Solid-State Luminescence Turn-On Sensing Using MOF-Confined Reporter-Spacer-Receptor Architectures Facilitated by Quencher Displacement.
- 3 Improved quantum yield in geometrically constrained tetraphenylethylene-based metal-organic frameworks.
- 2 Room-Temperature Self-Healing Glassy Luminescent Hybrid Film.
- 1 Fluorescent metal-organic frameworks for analytical applications. **2023**, 339-374