

# CITATION REPORT

List of articles citing

Late-life depression as a risk factor for mild cognitive impairment or Alzheimer's disease in 30 US Alzheimer's disease centers

DOI: 10.3233/jad-2012-111922

Journal of Alzheimer's Disease, 2012, 31, 265-75.

**Source:** <https://exaly.com/paper-pdf/54316918/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 124 | The association between late-life depression, mild cognitive impairment and dementia: is inflammation the missing link?. <b>2012</b> , 12, 1339-50   |     | 57        |
| 123 | Efficacy of cognitive rehabilitation therapies for mild cognitive impairment (MCI) in older adults: working toward a theoretical model and evidence-based interventions. <b>2013</b> , 23, 63-80 |     | 111       |
| 122 | Organic bases of late-life depression: a critical update. <b>2013</b> , 120, 1109-25   |     | 16        |
| 121 | Cognitive rehabilitation therapies for Alzheimer's disease: a review of methods to improve treatment engagement and self-efficacy. <b>2013</b> , 23, 48-62                                       |     | 101       |
| 120 | Mild cognitive impairment and mood: a systematic review. <b>2013</b> , 23, 317-356   |     | 26        |
| 119 | Response letter to Savikko et al. <b>2013</b> , 61, 851-2  |     |           |
| 118 | Depressive symptoms in healthy apolipoprotein E $\epsilon$ carriers and noncarriers: a longitudinal study. <b>2013</b> , 74, 1256-61   |     | 19        |
| 117 | The default mode network may be the key substrate of depressive symptom-related cognitive changes. <i>Journal of Alzheimer's Disease</i> , <b>2013</b> , 34, 547-59                              | 4.3 | 18        |
| 116 | Perspectives in molecular imaging using staging biomarkers and immunotherapies in Alzheimer's disease. <b>2013</b> , 2013, 589308  |     | 7         |
| 115 | Depression in mild cognitive impairment is associated with progression to Alzheimer's disease: a longitudinal study. <i>Journal of Alzheimer's Disease</i> , <b>2014</b> , 42, 1239-50           | 4.3 | 82        |
| 114 | Associations between depressive symptoms and memory deficits vary as a function of insulin-like growth factor (IGF-1) levels in healthy older adults. <b>2014</b> , 42, 118-23                   |     | 21        |
| 113 | Depression versus dementia: is this construct still relevant?. <b>2014</b> , 4, 119-26   |     | 19        |
| 112 | Subjective cognitive concerns and neuropsychiatric predictors of progression to the early clinical stages of Alzheimer disease. <b>2014</b> , 22, 1642-51  |     | 133       |
| 111 | Alzheimer's disease and vascular dementia: one potentially preventable and modifiable disease? Part II: Management, prevention and future perspective. <b>2014</b> , 4, 261-70                   |     | 13        |
| 110 | Melancholia in later life: late and early onset differences in presentation, course, and dementia risk. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 943-51          | 3.9 | 12        |
| 109 | [Depression in the elderly: prodroma or risk factor for dementia? A critical review of the literature]. <b>2014</b> , 12, 289-97   |     | 5         |
| 108 | Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 46, 63-73                                    | 4.3 | 65        |

|     |   |     |     |
|-----|---|-----|-----|
| 107 | Depressive symptoms in neurodegenerative diseases. <b>2015</b> , 3, 682-93  |     | 76  |
| 106 | Association of vascular factors and amnesic mild cognitive impairment: a comprehensive approach. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 44, 695-704  | 4.3 | 14  |
| 105 | Depression and cognition in the elderly. <b>2015</b> , 11, 331-60   |     | 81  |
| 104 | Depression and mild cognitive impairment in the general population: results of the Heinz Nixdorf recall study. <i>Journal of Alzheimer's Disease</i> , <b>2015</b> , 45, 159-74   | 4.3 | 8   |
| 103 | Depressive symptoms accelerate cognitive decline in amyloid-positive MCI patients. <b>2015</b> , 42, 716-24   |     | 47  |
| 102 | Progression of mild cognitive impairment to dementia due to AD in clinical settings. <b>2015</b> , 85, 331-8  |     | 50  |
| 101 | Cumulative use of strong anticholinergics and incident dementia: a prospective cohort study. <b>2015</b> , 175, 401-7   |     | 612 |
| 100 | Mild Cognitive Impairment. <b>2016</b> ,  |     |     |
| 99  | Application and Revision of Montreal Cognitive Assessment in China's Military Retirees with Mild Cognitive Impairment. <b>2016</b> , 11, e0145547   |     | 4   |
| 98  | Clinicopathological correlates of depression in early Alzheimer's disease in the NACC. <i>International Journal of Geriatric Psychiatry</i> , <b>2016</b> , 31, 1301-1311   | 3.9 | 15  |
| 97  | Depressive symptoms increase the risk of progression to dementia in subjects with mild cognitive impairment: systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , <b>2016</b> , 31, 905-11 | 3.9 | 117 |
| 96  | Risk of progression to dementia from MCI, how significant is the impact of depression? A sensitivity report. <i>International Journal of Geriatric Psychiatry</i> , <b>2016</b> , 31, 1255-1257                                   | 3.9 | 2   |
| 95  | Impact of Depressive Symptoms on Conversion from Mild Cognitive Impairment Subtypes to Alzheimer's Disease: A Community-Based Longitudinal Study. <i>Journal of Alzheimer's Disease</i> , <b>2016</b> , 51, 405-15                | 4.3 | 22  |
| 94  | Group- and Home-Based Cognitive Intervention for Patients with Mild Cognitive Impairment: A Randomized Controlled Trial. <b>2016</b> , 85, 198-207  |     | 45  |
| 93  | Loneliness as a Marker of Brain Amyloid Burden and Preclinical Alzheimer Disease. <b>2016</b> , 73, 1237-1238   |     | 6   |
| 92  | A Longitudinal Analysis of General Practitioner Service Use by Patients with Mild Cognitive Disorders in Australia. <b>2016</b> , 41, 324-33  |     | 4   |
| 91  | Depression and postoperative complications: an overview. <b>2016</b> , 16, 5  |     | 172 |
| 90  | Amyloid negativity in patients with clinically diagnosed Alzheimer disease and MCI. <b>2016</b> , 86, 1377-1385   |     | 80  |

|    |  |     |     |
|----|--|-----|-----|
| 89 | [Depression: A predictor of dementia]. <b>2016</b> , 51, 112-8   |     | 5   |
| 88 | Trajectories of Neuropsychiatric Symptoms and Cognitive Decline in Mild Cognitive Impairment. <b>2016</b> , 24, 70-80  |     | 27  |
| 87 | Loneliness, depression and cognitive function in older U.S. adults. <i>International Journal of Geriatric Psychiatry</i> , <b>2017</b> , 32, 564-573   | 3.9 | 159 |
| 86 | The Impact of Depression on the Development of Mild Cognitive Impairment over 3 Years of Follow-Up: A Population-Based Study. <b>2017</b> , 43, 155-169  |     | 24  |
| 85 | Cognitive behavioral therapy (CBT) for preventing Alzheimer's disease. <b>2017</b> , 334, 163-177  |     | 7   |
| 84 | Mild cognitive impairment and risk of depression and anxiety: A population-based study. <i>Alzheimer's and Dementia</i> , <b>2017</b> , 13, 130-139  | 1.2 | 47  |
| 83 | Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , <b>2017</b> , 59, 975-985  | 4.3 | 42  |
| 82 | ER and ApoE isoforms interact to regulate BDNF-5-HT signaling and synaptic function in the female brain. <b>2017</b> , 9, 79   |     | 6   |
| 81 | Long Road to Ruin: Noradrenergic Dysfunction in Neurodegenerative Disease. <b>2018</b> , 41, 211-223   |     | 102 |
| 80 | Neuropsychiatric Symptoms and the Diagnostic Stability of Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 62, 1841-1855   | 4.3 | 27  |
| 79 | Risk factors of geriatric depression in rural China based on a generalized estimating equation. <b>2018</b> , 30, 1489-1497  |     | 15  |
| 78 | Neurologic Changes and Depression. <b>2018</b> , 41, 111-126   |     | 1   |
| 77 | Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <b>2018</b> , 175, 530-537  |     | 106 |
| 76 | Affective and emotional dysregulation as pre-dementia risk markers: exploring the mild behavioral impairment symptoms of depression, anxiety, irritability, and euphoria. <b>2018</b> , 30, 185-196  |     | 86  |
| 75 | Reversible Dementias. <b>2018</b> , 34, 537-562  |     | 11  |
| 74 | Poor sleep quality and late-life depression among the elderly in urban communities in liaoning, China: A moderated mediation analysis. <b>2018</b> , 79, 158-163   |     | 6   |
| 73 | Serotonin Selective Reuptake Inhibitor Treatment Improves Cognition and Grey Matter Atrophy but not Amyloid Burden During Two-Year Follow-Up in Mild Cognitive Impairment and Alzheimer's Disease Patients with Depressive Symptoms. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 65, 793-806 | 4.3 | 12  |
| 72 | Depression and Risk of Alzheimer Dementia: A Longitudinal Analysis to Determine Predictors of Increased Risk among Older Adults with Depression. <b>2018</b> , 26, 819-827   |     | 61  |

|    |   |     |     |
|----|---|-----|-----|
| 71 | A 'Framingham-like' Algorithm for Predicting 4-Year Risk of Progression to Amnestic Mild Cognitive Impairment or Alzheimer's Disease Using Multidomain Information. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 63, 1383-1393   | 4.3 | 8   |
| 70 | The mediating role of depression on the relationship between housebound status and cognitive function among the elderly in rural communities: A cross-sectional study. <b>2018</b> , 78, 58-63  |     | 7   |
| 69 | Is there a link between air pollution and mental disorders?. <b>2018</b> , 118, 154-168   |     | 118 |
| 68 | Depressive Symptoms and Cognitive Functioning of Elderly from the Family Health Strategy. <b>2019</b> , 44, 24-40   |     |     |
| 67 | Modifiable Risk Factors for Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , <b>2019</b> , 11, 146   | 5.3 | 73  |
| 66 | Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , <b>2019</b> , 34, 1907-1915         | 3.9 | 8   |
| 65 | Clinical Characteristics in Subjective Cognitive Decline with and without Worry: Baseline Investigation of the SILCODE Study. <i>Journal of Alzheimer's Disease</i> , <b>2019</b> , 72, 443-454   | 4.3 | 13  |
| 64 | Stability of clinically relevant depression symptoms in old-age across 11 cohorts: a multi-state study. <b>2019</b> , 140, 541-551  |     | 12  |
| 63 | Dysexecutive Syndromes. <b>2019</b> ,   |     | 2   |
| 62 | Association of Nutritional Status with Cognitive Stage in the Elderly Korean Population: The Korean Brain Aging Study for the Early Diagnosis and Prediction of Alzheimer's Disease. <b>2019</b> , 15, 292-300                            |     | 5   |
| 61 | Depressive Symptoms in Mild Cognitive Impairment and the Risk of Dementia: A Systematic Review and Comparative Meta-Analysis of Clinical and Community-Based Studies. <i>Journal of Alzheimer's Disease</i> , <b>2019</b> , 67, 1319-1329 | 4.3 | 19  |
| 60 | The optimal treatment for improving cognitive function in elder people with mild cognitive impairment incorporating Bayesian network meta-analysis and systematic review. <i>Ageing Research Reviews</i> , <b>2019</b> , 51, 85-96        | 12  | 14  |
| 59 | A cross-sectional study to assess prevalence and factors associated with mild cognitive impairment among older adults in an urban area of Kerala, South India. <b>2019</b> , 9, e025473   |     | 19  |
| 58 | Anxiety and Depression as Risk Factors in Frontotemporal Dementia and Alzheimer's Disease: The HUNT Study. <b>2019</b> , 8, 414-425   |     | 8   |
| 57 | Early Cognitive and Behavioral Deficits in Mouse Models for Tauopathy and Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , <b>2019</b> , 11, 335   | 5.3 | 14  |
| 56 | Impact of Antidepressant Use on the Trajectory of Alzheimer's Disease: Evidence, Mechanisms, and Therapeutic Implications. <b>2019</b> , 33, 17-29  |     | 6   |
| 55 | Depressive symptoms in relation to clinical symptom onset of mild cognitive impairment. <b>2019</b> , 31, 561-569   |     | 11  |
| 54 | Moderating Effects of Community Social Capital on Depression in Later Years of Life: A Latent Interaction Model. <b>2019</b> , 42, 70-79  |     | 6   |

|    |  |     |    |
|----|--|-----|----|
| 53 | Late life depressive symptoms and cognitive function among older Mexican adults: the past and the present. <b>2020</b> , 24, 413-422   |     | 10 |
| 52 | Neurological Changes and Depression: 2020 Update. <b>2020</b> , 36, 297-313  |     | 2  |
| 51 | Depressive symptoms and CSF Alzheimer's disease biomarkers in relation to clinical symptom onset of mild cognitive impairment. <b>2020</b> , 12, e12106  |     | 2  |
| 50 | Association between poor sleep quality and depression symptoms among the elderly in nursing homes in Hunan province, China: a cross-sectional study. <b>2020</b> , 10, e036401   |     | 8  |
| 49 | Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <b>2020</b> , 21, 695 |     | 2  |
| 48 | The course of depression in late life: a longitudinal perspective. <b>2020</b> , 29, e147  |     | 2  |
| 47 | Interactive effects of elevated homocysteine and late-life depression on cognitive impairment. <b>2020</b> , 277, 212-217  |     | 5  |
| 46 | Behavioral and Psychological Symptoms that Predict Cognitive Decline or Impairment in Cognitively Normal Middle-Aged or Older Adults: a Meta-Analysis. <b>2020</b> , 30, 558-579   |     | 10 |
| 45 | Can Pharmacological Augmentation of Cognitive Training Remediate Age-Related Cognitive Decline?. <b>2020</b> , 177, 485-487  |     | 0  |
| 44 | Depression-an underrecognized target for prevention of dementia in Alzheimer's disease. <b>2020</b> , 10, 160  |     | 47 |
| 43 | Depression, Anxiety, and Apathy in Mild Cognitive Impairment: Current Perspectives. <i>Frontiers in Aging Neuroscience</i> , <b>2020</b> , 12, 9   | 5:3 | 61 |
| 42 | A Narrative Review of Handgrip Strength and Cognitive Functioning: Bringing a New Characteristic to Muscle Memory. <i>Journal of Alzheimer's Disease</i> , <b>2020</b> , 73, 1265-1278   | 4:3 | 16 |
| 41 | Neuropsychiatric symptoms as prognostic makers for the elderly with mild cognitive impairment: a meta-analysis. <b>2020</b> , 271, 185-192   |     | 6  |
| 40 | Brain Regional Glucose Metabolism, Neuropsychiatric Symptoms, and the Risk of Incident Mild Cognitive Impairment: The Mayo Clinic Study of Aging. <b>2021</b> , 29, 179-191  |     | 6  |
| 39 | Associations of the Rate of Change in Geriatric Depression Scale with Amyloid and Cerebral Glucose Metabolism in Cognitively Normal Older Adults: A Longitudinal Study. <b>2021</b> , 280, 77-84                                       |     | 1  |
| 38 | Depression and Increased Risk of Alzheimer's Dementia: Longitudinal Analyses of Modifiable Risk and Sex-Related Factors. <b>2021</b> , 29, 917-926   |     | 2  |
| 37 | Age-Related Hearing Loss, Late-Life Depression, and Risk for Incident Dementia in Older Adults. <b>2021</b> , 76, 827-834  |     | 11 |
| 36 | Depression and the Diagnosis of MCI in a Culturally Diverse Sample in the United States. <b>2021</b> , 36, 214-230   |     | 3  |

|    |   |       |
|----|---|-------|
| 35 | Grief and loss in old age: Exploration of the association between grief and depression. <b>2021</b> , 283, 285-292  | 2     |
| 34 | The Impact of Hypertension and Atrial Fibrillation on Cognitive Decline and Subclinical Atherosclerosis. <b>2021</b> , 11,  | 0     |
| 33 | Developing Music-based Emotion Regulation (MBER): A theoretical model for age-related depression prevention. <b>2021</b> , 74, 101769   | 3     |
| 32 | Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 82, 1745-1754                             | 4.3 0 |
| 31 | Mild Cognitive Impairment and modifiable risk factors among Lebanese older adults in primary care. <b>2021</b> , 65, 102828   | 1     |
| 30 | Brain amyloid accumulation possibly exacerbates concurrent mild cognitive impairment with subthreshold depression in older adults: A 1-year follow-up study. <b>2021</b> , 295, 93-100              |       |
| 29 | Depressive symptoms and cognitive impairment: A 10-year follow-up study from the Survey of Health, Ageing and Retirement in Europe. <b>2021</b> , 64, e55   | 1     |
| 28 | Executive Dysfunction in Depressive Disorders. <b>2019</b> , 241-259  | 1     |
| 27 | Four-Week, Home-Based, Robot Cognitive Intervention for Patients with Mild Cognitive Impairment: a Pilot Randomized Controlled Trial. <b>2020</b> , 19, 96-107                                      | 4     |
| 26 | Relationship between depressive symptomatology and cognitive performance in older people. <b>2018</b> , 11, 35-45   | 1     |
| 25 | Toward Prevention of Mild Cognitive Impairment in Older Adults With Depression: An Observational Study of Potentially Modifiable Risk Factors. <b>2018</b> , 80,                                    | 14    |
| 24 | Trajectories and Prediction Factors of Depression in Elderly Cancer Survivors: Using the Korean Longitudinal Study of Ageing. <i>Asian Oncology Nursing</i> , <b>2021</b> , 21, 155                 | 0.4   |
| 23 | CSF and PET biomarkers for noradrenergic dysfunction in neurodegenerative diseases: a systematic review and meta-analysis.  |       |
| 22 | Depression and cognition in Korean older adults: Effects of gender and marital status. <i>The Korean Journal of Woman Psychology</i> , <b>2013</b> , 18, 17-31                                      | 0 4   |
| 21 | The relationship between vascular endothelial growth factor (VEGF) and amnesic mild cognitive impairment among older adults living with HIV. <i>Journal of NeuroVirology</i> , <b>2021</b> , 1      | 3.9   |
| 20 | ARMADA: Assessing reliable measurement in Alzheimer's disease and cognitive aging project methods. <i>Alzheimer's and Dementia</i> , <b>2021</b> ,  | 1.2 0 |
| 19 | New-onset depression after hip fracture surgery among older patients: Effects on associated clinical outcomes and what can we do?. <i>World Journal of Psychiatry</i> , <b>2021</b> , 11, 1129-1146 | 3     |
| 18 | Depressive and anxiety symptoms are related to decreased lateral prefrontal cortex functioning during cognitive control in older people. <i>Biological Psychology</i> , <b>2021</b> , 166, 108224   | 3.2 0 |

|    |   |     |   |
|----|---|-----|---|
| 17 | Neuropsychiatric, cognitive and brain morphology characteristics of conversion from Mild Cognitive Impairment to Alzheimers Disease.  |     |   |
| 16 | Depression and bone loss as risk factors for cognitive decline: A systematic review and meta-analysis.. <i>Ageing Research Reviews</i> , <b>2022</b> , 101575   | 12  | 1 |
| 15 | Mild behavioral impairment is associated with progression to Alzheimer's disease: A clinicopathological study.. <i>Alzheimer's and Dementia</i> , <b>2022</b> ,   | 1.2 | 5 |
| 14 | Analysis of neuropathological comorbid conditions in elderly patients with mild cognitive impairment in a tertiary care center in South India.. <i>Journal of Family Medicine and Primary Care</i> , <b>2022</b> , 11, 1268-1274                                    | 1.5 |   |
| 13 | Association Between Late-Life Neuropsychiatric Symptoms and Cognitive Decline in Relation to White Matter Hyperintensities and Amyloid Burden.. <i>Journal of Alzheimer's Disease</i> , <b>2022</b> ,   | 4.3 | 0 |
| 12 | Memory Dysfunction. <i>CONTINUUM Lifelong Learning in Neurology</i> , <b>2021</b> , 27, 1562-1585   | 3   | 0 |
| 11 | Longitudinal Predictors of Informant-Rated Everyday Function in Mild Cognitive Impairment.. <i>Journal of Geriatric Psychiatry and Neurology</i> , <b>2022</b> , 8919887221093360   | 3.8 | 0 |
| 10 | Establishing an individualized model of conversion from normal cognition to Alzheimer's disease after 4 years, based on cognitive, brain morphology and neuropsychiatric characteristics.. <i>International Journal of Geriatric Psychiatry</i> , <b>2022</b> , 37, | 3.9 | 1 |
| 9  | Data_Sheet_1.PDF. <b>2019</b> ,   |     |   |
| 8  | Association of Visual, Hearing, and Dual Sensory Impairment With Incident Dementia. <i>Frontiers in Aging Neuroscience</i> , 14,  | 5.3 | 1 |
| 7  | Pre-pandemic Alzheimer Disease Biomarkers and Anxious-Depressive Symptoms During the COVID-19 Confinement in Cognitively Unimpaired Adults. 10.1212/WNL.000000000200948   |     | 1 |
| 6  | An integrated multi-criteria decision-making approach for estimating the importance of the cognitive function impairment risk factors. <b>2022</b> , 4, 100107  |     | 0 |
| 5  | G protein-biased GPR3 signaling ameliorates amyloid pathology in a preclinical Alzheimer's disease mouse model. <b>2022</b> , 119,  |     | 1 |
| 4  | Common mental disorders during the COVID-19 pandemic in Hong Kong: Age-related differences and implications for dementia risk. 13,  |     | 0 |
| 3  | Fluctuation of depressive symptoms in cognitively unimpaired participants and the risk of mild cognitive impairment 5 years later: Results of the Heinz Nixdorf Recall study. 16,   |     | 0 |
| 2  | The Impact of a Yoga-Based Mindfulness Intervention versus Psycho-Educational Session for Older Adults with Mild Cognitive Impairment: The Protocol of a Randomized Controlled Trial. <b>2022</b> , 19, 15374   |     | 1 |
| 1  | The intricate connection between depression and dementia as a major challenge for clinicians. 1-10  |     | 0 |