

CITATION REPORT

List of articles citing

Nanoelectronic programmable synapses based on phase change materials for brain-inspired computing

DOI: 10.1021/nl201040y
Nano Letters, 2012, 12, 2179-86.

Source: <https://exaly.com/paper-pdf/54318368/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
950	3D Stackable Synaptic Transistor for 3D Integrated Artificial Neural Networks.		
949	Nanotechnology: Smart connections. 2011 , 476, 403-5		52
948	Study of the ferroelectric phase transition in germanium telluride using time-domain terahertz spectroscopy. 2011 , 84,		24
947	Bioinspired networks with nanoscale memristive devices that combine the unsupervised and supervised learning approaches. 2012 ,		30
946	Electrothermal Modeling and Design Strategies for Multibit Phase-Change Memory. 2012 , 59, 3561-3567		22
945	Fourier Response of a Memristor: Generation of High Harmonics With Increasing Weights. 2012 , 59, 830-834		8
944	Physical aspects of low power synapses based on phase change memory devices. 2012 , 112, 054904		97
943	Materials science. Primed to remember. 2012 , 336, 1515-6		9
942	On-demand nanodevice with electrical and neuromorphic multifunction realized by local ion migration. 2012 , 6, 9515-21		153
941	Threshold switching via electric field induced crystallization in phase-change memory devices. 2012 , 100, 253105		22
940	Low-Energy Robust Neuromorphic Computation Using Synaptic Devices. 2012 , 59, 3489-3494		71
939	Electric-field-assisted crystallisation in phase-change materials. 2012 , 249, 1897-1901		5
938	Phase-change processors, memristors and memflectors. 2012 , 249, 1978-1984		16
937	Configuration effects of superlattice-like phase change material structure. 2012 , 249, 1925-1931		2
936	Spin-Based Neuron Model With Domain-Wall Magnets as Synapse. 2012 , 11, 843-853		120
935	Phase Change Memory and Chalcogenide Materials for Neuromorphic Applications: Emphasis on Synaptic Plasticity. 2012 , 155-178		3
934	A spiking neuron circuit based on a carbon nanotube transistor. 2012 , 23, 275202		18

933	Controlling the Synaptic Plasticity of a Cu ₂ S Gap-Type Atomic Switch. 2012 , 22, 3606-3613	132
932	Visual Pattern Extraction Using Energy-Efficient σ -PCM Synapse-Neuromorphic Architecture. 2012 , 59, 2206-2214	180
931	Immunity to Device Variations in a Spiking Neural Network With Memristive Nanodevices. 2013 , 12, 288-295	234
930	A Proposal for Hybrid Memristor-CMOS Spiking Neuromorphic Learning Systems. 2013 , 13, 74-88	48
929	Spike-Timing-Dependent Plasticity Using Biologically Realistic Action Potentials and Low-Temperature Materials. 2013 , 12, 450-459	26
928	Synaptic plasticity and learning behaviours mimicked through Ag interface movement in an Ag/conducting polymer/Ta memristive system. 2013 , 1, 5292	185
927	Ultrafast synaptic events in a chalcogenide memristor. 2013 , 3, 1619	256
926	A correlated nickelate synaptic transistor. 2013 , 4, 2676	330
925	Integration of nanoscale memristor synapses in neuromorphic computing architectures. 2013 , 24, 384010	356
924	Reverse engineering the cognitive brain. 2013 , 110, 15512-3	25
923	Analog neuromorphic module based on carbon nanotube synapses. 2013 , 7, 6117-22	70
922	Synaptic electronics: materials, devices and applications. 2013 , 24, 382001	789
921	Interference and memory capacity effects in memristive systems. 2013 , 102, 083106	15
920	Probabilistic neuromorphic system using binary phase-change memory (PCM) synapses: Detailed power consumption analysis. 2013 ,	10
919	Logic computation in phase change materials by threshold and memory switching. 2013 , 25, 5975-80	115
918	Synaptic Behaviors Mimicked in Flexible Oxide-Based Transistors on Plastic Substrates. 2013 , 34, 1433-1435	64
917	Building Neuromorphic Circuits with Memristive Devices. 2013 , 13, 56-73	76
916	Doped HfO ₂ based nanoelectronic memristive devices for self-learning neural circuits and architecture. 2013 ,	6

915	Evidence for Non-Arrhenius Kinetics of Crystallization in Phase Change Memory Devices. 2013 , 60, 3767-3774	27
914	Synaptic behavior and STDP of asymmetric nanoscale memristors in biohybrid systems. 2013 , 5, 7297-303	24
913	Embedded tutorial - Can silicon machines match the efficiency of the human brain?. 2013 ,	0
912	Memristive devices for computing. 2013 , 8, 13-24	2406
911	Specifications of Nanoscale Devices and Circuits for Neuromorphic Computational Systems. 2013 , 60, 246-253	111
910	A carbon nanotube synapse with dynamic logic and learning. 2013 , 25, 1693-8	205
909	Information physics fundamentals of nanophotonics. 2013 , 76, 056401	27
908	Elastic resistance change and action potential generation of non-faradaic Pt/TiO ₂ /Pt capacitors. 2013 , 5, 6363-71	14
907	Dimensionality effects in chalcogenide-based devices. 2013 , 51, 120-127	2
906	Emulating the paired-pulse facilitation of a biological synapse with a NiO _x -based memristor. 2013 , 102, 183510	72
905	Modelling the phase-transition in phase-change materials. 2013 , 250, 944-948	6
904	Polymer-Assisted Synthesis of Colloidal Germanium Telluride Nano-Octahedra, Nanospheres, and Nanosheets. 2013 , 25, 2163-2171	21
903	Addition of HfO ₂ interface layer for improved synaptic performance of phase change memory (PCM) devices. 2013 , 79, 227-232	13
902	All-magnetic analog associative memory. 2013 ,	4
901	Memristor-based approximated computation. 2013 ,	30
900	Neuromorphic function learning with carbon nanotube based synapses. 2013 , 24, 384013	33
899	Spike-timing dependent plasticity in a transistor-selected resistive switching memory. 2013 , 24, 384012	71
898	Neurocomputing and associative memories based on ovenized aluminum nitride resonators. 2013 ,	2

897	. 2013,	5
896	Pattern classification by memristive crossbar circuits using ex situ and in situ training. 2013, 4, 2072	399
895	Nonvolatile AND, OR, and NOT Boolean logic gates based on phase-change memory. 2013, 114, 234503	29
894	Dynamic Observation of Brain-Like Learning in a Ferroelectric Synapse Device. 2013, 52, 04CE06	45
893	Pavlov's dog associative learning demonstrated on synaptic-like organic transistors. 2013, 25, 549-66	61
892	Impact of PCM resistance-drift in neuromorphic systems and drift-mitigation strategy. 2013,	13
891	A physical model of switching dynamics in tantalum oxide memristive devices. 2013, 102, 223502	59
890	Study of Synaptic Behavior in Doped Transition Metal Oxide-Based Reconfigurable Devices. 2013, 60, 4219-4225	6
889	Experimental demonstration of array-level learning with phase change synaptic devices. 2013,	29
888	Emulating the Ebbinghaus forgetting curve of the human brain with a NiO-based memristor. 2013, 103, 133701	59
887	Synaptic plasticity and memory functions achieved in a WO ₃ -x-based nanoionics device by using the principle of atomic switch operation. 2013, 24, 384003	92
886	Short-term memory of TiO ₂ -based electrochemical capacitors: empirical analysis with adoption of a sliding threshold. 2013, 24, 384005	27
885	Volatile and nonvolatile selective switching of a photo-assisted initialized atomic switch. 2013, 24, 384006	20
884	The chemically driven phase transformation in a memristive abacus capable of calculating decimal fractions. 2013, 3, 1230	13
883	Beyond von-Neumann Computing with Nanoscale Phase-Change Memory Devices. 2013, 23, 2248-2254	245
882	A low energy oxide-based electronic synaptic device for neuromorphic visual systems with tolerance to device variation. 2013, 25, 1774-9	380
881	Stochastic learning in oxide binary synaptic device for neuromorphic computing. 2013, 7, 186	108
880	Back-propagation operation for analog neural network hardware with synapse components having hysteresis characteristics. 2014, 9, e112659	5

879	Event-driven contrastive divergence for spiking neuromorphic systems. 2013 , 7, 272	106
878	. 2014 ,	25
877	Chitosan-based biopolysaccharide proton conductors for synaptic transistors on paper substrates. 2014 , 2, 6249-6255	58
876	Synaptic long-term potentiation realized in Pavlov's dog model based on a NiOx-based memristor. 2014 , 116, 214502	38
875	Phase change materials and phase change memory. 2014 , 39, 703-710	295
874	Hardware implementation of associative memory characteristics with analogue-type resistive-switching device. 2014 , 25, 495204	22
873	Orientation classification by a winner-take-all network with oxide RRAM based synaptic devices. 2014 ,	8
872	Electro-grafted organic memristors: Properties and prospects for artificial neural networks based on STDP. 2014 ,	8
871	Population representation of artificial neural network. 2014 ,	
870	Memristive Devices: Switching Effects, Modeling, and Applications. 2014 , 195-221	4
869	Self-organization and Emergence of Dynamical Structures in Neuromorphic Atomic Switch Networks. 2014 , 173-209	12
868	On-chip supervised learning rule for ultra high density neural crossbar using memristor for synapse and neuron. 2014 ,	1
867	SPINDLE. 2014 ,	54
866	Multiprotocol-induced plasticity in artificial synapses. 2014 , 6, 15151-60	14
865	Energy efficient spiking neural network design with RRAM devices. 2014 ,	4
864	1.7 Gbit/in.2 gray-scale continuous-phase-change femtosecond image storage. 2014 , 104, 121105	47
863	Chapter 3:Nanowire Phase-Change Memory. 2014 , 111-166	1
862	Memristors and Memristive Systems. 2014 ,	79

861	Guest-cage atomic interactions in a clathrate-based phase-change material. 2014 , 26, 1725-30	3
860	. 2014 ,	1
859	Nanoscale thermal transport. II. 2003-2012. 2014 , 1, 011305	1050
858	Learning processes modulated by the interface effects in a Ti/conducting polymer/Ti resistive switching cell. 2014 , 4, 14822	45
857	3-D Vertical Dual-Layer Oxide Memristive Devices. 2014 , 61, 2581-2583	5
856	Advanced technologies for brain-inspired computing. 2014 ,	13
855	Phase change memory (PCM) materials and devices. 2014 , 161-199	6
854	Memristive learning and memory functions in polyvinyl alcohol polymer memristors. 2014 , 4, 077105	18
853	Laterally Coupled Synaptic Transistors Gated by Proton Conducting Sodium Alginate Films. 2014 , 35, 672-674	9
852	Ferroelectric Artificial Synapses for Recognition of a Multishaded Image. 2014 , 61, 2827-2833	105
851	Inorganic proton conducting electrolyte coupled oxide-based dendritic transistors for synaptic electronics. 2014 , 6, 4491-7	48
850	On-chip supervised learning rule for ultra high density neural crossbar using memristor for synapse and neuron. 2014 ,	5
849	Tailoring transient-amorphous states: towards fast and power-efficient phase-change memory and neuromorphic computing. 2014 , 26, 7493-8	51
848	Ferroelectric tunnel memristor-based neuromorphic network with 1T1R crossbar architecture. 2014 ,	13
847	Ultrafast characterization of phase-change material crystallization properties in the melt-quenched amorphous phase. <i>Nano Letters</i> , 2014 , 14, 3419-26	11.5 82
846	Artificial synapses using ferroelectric memristors embedded with CMOS Circuit for image recognition. 2014 ,	4
845	Crystal growth within a phase change memory cell. 2014 , 5, 4314	163
844	Bivariate-continuous-tunable interface memristor based on Bi ₂ S ₃ nested nano-networks. 2014 , 7, 953-962	22

843	Two-terminal protonic devices with synaptic-like short-term depression and device memory. 2014 , 26, 4986-90	77
842	Brain-like associative learning using a nanoscale non-volatile phase change synaptic device array. 2014 , 8, 205	147
841	A compound memristive synapse model for statistical learning through STDP in spiking neural networks. 2014 , 8, 412	69
840	Phase Change Memory. 2014 , 78-109	2
839	Ultra low power of artificial cognitive memory for brain-like computation. 2014 ,	
838	Resistive-Switching Memory. 2014 , 1-32	2
837	Prospective of Semiconductor Memory Devices: from Memory System to Materials. 2015 , 1, 1400056	108
836	Relation between bandgap and resistance drift in amorphous phase change materials. 2015 , 5, 17362	40
835	Universal Thermoelectric Characteristic in Phase Change Memories. 2015 ,	
834	Biorealistic Implementation of Synaptic Functions with Oxide Memristors through Internal Ionic Dynamics. 2015 , 25, 4290-4299	270
833	Subthreshold electrical transport in amorphous phase-change materials. 2015 , 17, 093035	43
832	Simple square pulses for implementing spike-timing-dependent plasticity in phase-change memory. 2015 , 9, 414-419	23
831	Microscopic Complexity in Phase-Change Materials and its Role for Applications. 2015 , 25, 6343-6359	71
830	Microscopic Mechanism of Doping-Induced Kinetically Constrained Crystallization in Phase-Change Materials. 2015 , 27, 5477-83	49
829	A 2-transistor/1-resistor artificial synapse capable of communication and stochastic learning in neuromorphic systems. 2014 , 8, 438	60
828	Plasticity in memristive devices for spiking neural networks. 2015 , 9, 51	148
827	Robustness of spiking Deep Belief Networks to noise and reduced bit precision of neuro-inspired hardware platforms. 2015 , 9, 222	50
826	Single pairing spike-timing dependent plasticity in BiFeO ₃ memristors with a time window of 25 ms to 125 μ s. 2015 , 9, 227	44

825	Tunnel junction based memristors as artificial synapses. 2015 , 9, 241	25
824	Enabling an integrated rate-temporal learning scheme on memristor. 2014 , 4, 4755	49
823	. 2015 , 5, 162-172	5
822	Characterization and Modeling of Nonfilamentary Ta/TaOx/TiO2/Ti Analog Synaptic Device. 2015 , 5, 10150	122
821	Non-volatile memory as hardware synapse in neuromorphic computing: A first look at reliability issues. 2015 ,	9
820	Amorphous Metal-Sulphide Microfibers Enable Photonic Synapses for Brain-Like Computing. 2015 , 3, 635-641	69
819	Memristive Hebbian plasticity model: device requirements for the emulation of Hebbian plasticity based on memristive devices. 2015 , 9, 197-206	34
818	Neuromorphic pattern learning using HBM electronic synapse with excitatory and inhibitory plasticity. 2015 ,	5
817	Efficient training algorithms for neural networks based on memristive crossbar circuits. 2015 ,	55
816	. 2015 , 1, 58-66	40
815	Fully parallel write/read in resistive synaptic array for accelerating on-chip learning. 2015 , 26, 455204	78
814	Energy-Efficient Artificial Synapses Based on Flexible IGZO Electric-Double-Layer Transistors. 2015 , 36, 198-200	82
813	Emulation of spike-timing dependent plasticity in nano-scale phase change memory. 2015 , 155, 153-158	12
812	Activity-dependent synaptic plasticity of a chalcogenide electronic synapse for neuromorphic systems. 2014 , 4, 4906	174
811	Non-exponential resistive switching in Ag2S memristors: a key to nanometer-scale non-volatile memory devices. 2015 , 7, 4394-9	27
810	Filamentary switching: synaptic plasticity through device volatility. 2015 , 9, 941-9	153
809	Memristive and neuromorphic behavior in a Li(x)CoO2 nanobattery. 2015 , 5, 7761	24
808	Local order origin of thermal stability enhancement in amorphous Ag doping GeTe. 2015 , 106, 031904	14

807	Heterogeneous Crystallization of the Phase Change Material GeTe via Atomistic Simulations. 2015 , 119, 6428-6434	25
806	Bioinspired neuromorphic module based on carbon nanotube/C60/polymer composite. 2015 , 49, 1809-1822	3
805	Complex Learning in Bio-plausible Memristive Networks. 2015 , 5, 10684	31
804	Memristive behavior in a junctionless flash memory cell. 2015 , 106, 233506	16
803	Ab Initio Molecular-Dynamics Simulation of Neuromorphic Computing in Phase-Change Memory Materials. 2015 , 7, 14223-30	22
802	Spin-orbit torque induced spike-timing dependent plasticity. 2015 , 106, 093704	65
801	Reliable computation with unreliable computers. 2015 , 9, 230-237	1
800	An Associative Memory Device Using a Magnetic Tunnel Junction. 2015 , 51, 1-4	7
799	. 2015 , 14, 954-962	32
798	Associative memory realized by a reconfigurable memristive Hopfield neural network. 2015 , 6, 7522	144
797	Electronic system with memristive synapses for pattern recognition. 2015 , 5, 10123	112
796	Femtosecond laser-induced crystallization of amorphous N-doped Ge ₈ Sb ₉₂ films and in situ characterization by coherent phonon spectroscopy. 2015 , 117, 135703	13
795	Accumulation-Based Computing Using Phase-Change Memories With FET Access Devices. 2015 , 36, 975-977	44
794	Memory and Information Processing in Neuromorphic Systems. 2015 , 103, 1379-1397	386
793	A chemical link between Ge ₂ Sb ₇ Te ₅ and In ₂ Sb ₇ Te ₅ phase-change materials. 2015 , 3, 9519-9523	34
792	A collective relaxation model for resistance drift in phase change memory cells. 2015 ,	18
791	GIDL Characteristics in Gated-Diode Memory String and Its Application to Current-Steering Digital-to-Analog Conversion. 2015 , 62, 3272-3277	4
790	Understanding the influence of Ea and band-offset toward the conductance modulation in Al ₂ O ₃ and HfO ₂ synaptic RRAM. 2015 ,	

789	Doping modulated carbon nanotube synapstors for a spike neuromorphic module. 2015 , 11, 1571-9	13
788	Highly compact (4F2) and well behaved nano-pillar transistor controlled resistive switching cell for neuromorphic system application. 2014 , 4, 6863	12
787	Novel synaptic memory device for neuromorphic computing. 2014 , 4, 5333	65
786	Emerging Nanoscale Phase-Change Memories: A Summary of Device Scaling Studies. 2016 ,	
785	Hierarchical Chunking of Sequential Memory on Neuromorphic Architecture with Reduced Synaptic Plasticity. 2016 , 10, 136	4
784	Unsupervised Learning by Spike Timing Dependent Plasticity in Phase Change Memory (PCM) Synapses. 2016 , 10, 56	149
783	Analog Memristive Synapse in Spiking Networks Implementing Unsupervised Learning. 2016 , 10, 482	95
782	Investigation of an erasing method for synaptic behaviour in a phase change device using Ge ₁ Cu ₂ Te ₃ (GCT). 2016 , 52, 1514-1516	7
781	Phase-Change Memory Materials by Design: A Strain Engineering Approach. 2016 , 28, 3007-16	103
780	Proton-Conducting Graphene Oxide-Coupled Neuron Transistors for Brain-Inspired Cognitive Systems. 2016 , 28, 3557-63	181
779	Organic Biomimicking Memristor for Information Storage and Processing Applications. 2016 , 2, 1500298	130
778	Flexible Metal Oxide/Graphene Oxide Hybrid Neuromorphic Transistors on Flexible Conducting Graphene Substrates. 2016 , 28, 5878-85	123
777	A Vision for All-Spin Neural Networks: A Device to System Perspective. 2016 , 63, 2267-2277	44
776	Dual-functional Memory and Threshold Resistive Switching Based on the Push-Pull Mechanism of Oxygen Ions. 2016 , 6, 23945	35
775	Self-Adaptive Spike-Time-Dependent Plasticity of Metal-Oxide Memristors. 2016 , 6, 21331	120
774	Hybrid Spintronic-CMOS Spiking Neural Network with On-Chip Learning: Devices, Circuits, and Systems. 2016 , 6,	55
773	Multilevel resistance in ZnO nanowire memristors enabled by hydrogen annealing treatment. 2016 , 6, 125010	17
772	Extracting the temperature distribution on a phase-change memory cell during crystallization. 2016 , 120, 164504	42

771	Learning spatio-temporal patterns in the presence of input noise using phase-change memristors. 2016,	8
770	Anomalous rectification in a purely electronic memristor. 2016, 109, 143505	14
769	All-dielectric phase-change reconfigurable metasurface. 2016, 109, 051103	161
768	Emulating short-term synaptic dynamics with memristive devices. 2016, 6, 18639	84
767	Interplay of multiple synaptic plasticity features in filamentary memristive devices for neuromorphic computing. 2016, 6, 39216	19
766	Influence of the exchange and correlation functional on the structure of amorphous InSb and In ₃ SbTe ₂ compounds. 2016, 144, 204508	7
765	A magnetic synapse: multilevel spin-torque memristor with perpendicular anisotropy. 2016, 6, 31510	141
764	The complete time/temperature dependence of I-V drift in PCM devices. 2016,	6
763	Mimicking of pulse shape-dependent learning rules with a quantum dot memristor. 2016, 120, 134503	5
762	Synaptic devices based on purely electronic memristors. 2016, 108, 013504	52
761	Organic/inorganic hybrid synaptic transistors gated by proton conducting methylcellulose films. 2016, 108, 043508	33
760	Experimental demonstration of short and long term synaptic plasticity using OxRAM multi k-bit arrays for reliable detection in highly noisy input data. 2016,	15
759	Resistive switching memories based on metal oxides: mechanisms, reliability and scaling. 2016, 31, 063002	460
758	Stochastic phase-change neurons. 2016, 11, 693-9	568
757	Relaxation oscillator-realized artificial electronic neurons, their responses, and noise. 2016, 8, 9629-40	31
756	Bio-inspired nano tools for neuroscience. 2016, 142, 1-22	35
755	Synaptic plasticity and learning behaviours in flexible artificial synapse based on polymer/viologen system. 2016, 4, 3217-3223	47
754	Engineering incremental resistive switching in TaOx based memristors for brain-inspired computing. 2016, 8, 14015-22	189

753	Pt/WO ₃ /FTO memristive devices with recoverable pseudo-electroforming for time-delay switches in neuromorphic computing. 2016 , 18, 9338-43	26
752	Indium-Zinc-Oxide Neuron Thin Film Transistors Laterally Coupled by Sodium Alginate Electrolytes. 2016 , 63, 3958-3963	12
751	New pulse amplitude modulation for fine tuning of memristor synapses. 2016 , 55, 162-168	10
750	FPGA-based training and recalling system for memristor synapses. 2016 ,	0
749	Synaptic electronics and neuromorphic computing. 2016 , 59, 1	58
748	Low-power approximate convolution computing unit with domain-wall motion based "spin-memristor" for image processing applications. 2016 ,	8
747	Detecting Correlations Using Phase-Change Neurons and Synapses. 2016 , 37, 1238-1241	44
746	Memristors for Energy-Efficient New Computing Paradigms. 2016 , 2, 1600090	188
745	Characterization of phase-change behavior of a Ge ₂ Sb ₂ Te ₅ thin film using finely controlled electrical pulses for switching. 2016 , 31, 095006	3
744	All-memristive neuromorphic computing with level-tuned neurons. 2016 , 27, 355205	73
743	Design of a Nanoscale, CMOS-Integrable, Thermal-Guiding Structure for Boolean-Logic and Neuromorphic Computation. 2016 , 8, 34530-34536	4
742	Phase Change Memories: Principles and Applications. 2016 , 1-10	2
741	Electro-Photo-Sensitive Memristor for Neuromorphic and Arithmetic Computing. 2016 , 5,	30
740	EU COST action IC1401 [Pushing the frontiers of memristive devices to systems. 2016 ,	
739	Multistate Resistive Switching Memory for Synaptic Memory Applications. 2016 , 3, 1600192	17
738	Long-Term Synaptic Plasticity Emulated in Modified Graphene Oxide Electrolyte Gated IZO-Based Thin-Film Transistors. 2016 , 8, 30281-30286	68
737	Demonstration of Synaptic Behaviors and Resistive Switching Characterizations by Proton Exchange Reactions in Silicon Oxide. 2016 , 6, 21268	73
736	Inherent stochasticity in phase-change memory devices. 2016 ,	13

735	Regenerative memory in time-delayed neuromorphic photonic resonators. 2016 , 6, 19510	75
734	Neuromorphic computing with hybrid memristive/CMOS synapses for real-time learning. 2016 ,	5
733	Bipolar switching in chalcogenide phase change memory. 2016 , 6, 29162	44
732	Artificial Synaptic Devices Based on Natural Chicken Albumen Coupled Electric-Double-Layer Transistors. 2016 , 6, 23578	72
731	Artificial synapses based on biopolymer electrolyte-coupled SnO ₂ nanowire transistors. 2016 , 4, 11110-11117	39
730	Vacancy Structures and Melting Behavior in Rock-Salt GeSbTe. 2016 , 6, 25453	31
729	Training a Probabilistic Graphical Model With Resistive Switching Electronic Synapses. 2016 , 63, 5004-5011	27
728	Organic core-sheath nanowire artificial synapses with femtojoule energy consumption. 2016 , 2, e1501326	296
727	Forward table-based presynaptic event-triggered spike-timing-dependent plasticity. 2016 ,	8
726	Low-power resistive random access memory by confining the formation of conducting filaments. 2016 , 6, 065022	14
725	Unconventional computing with emerging RRAM nanodevices. 2016 ,	0
724	Synaptic Metaplasticity Realized in Oxide Memristive Devices. 2016 , 28, 377-84	164
723	Neuromorphic architectures with electronic synapses. 2016 ,	22
722	Proposal for an All-Spin Artificial Neural Network: Emulating Neural and Synaptic Functionalities Through Domain Wall Motion in Ferromagnets. 2016 , 10, 1152-1160	109
721	Probabilistic Deep Spiking Neural Systems Enabled by Magnetic Tunnel Junction. 2016 , 63, 2963-2970	73
720	Organometal Halide Perovskite Artificial Synapses. 2016 , 28, 5916-22	221
719	Energy-Efficient Hybrid Perovskite Memristors and Synaptic Devices. 2016 , 2, 1600100	215
718	Energy consumption analysis for various memristive networks under different learning strategies. 2016 , 380, 903-909	13

717	Modeling of transient thermal dissipation of nanoscale phase-change memory cells in the pulse domain. 2016 , 94, 301-305	1
716	Short-Term Synaptic Plasticity Regulation in Solution-Gated Indium-Gallium-Zinc-Oxide Electric-Double-Layer Transistors. 2016 , 8, 9762-8	63
715	Ultralow-power switching via defect engineering in germanium telluride phase-change memory devices. 2016 , 7, 10482	49
714	Neuromorphic Computing Based on Emerging Memory Technologies. 2016 , 6, 198-211	67
713	An organic terpyridyl-iron polymer based memristor for synaptic plasticity and learning behavior simulation. 2016 , 6, 25179-25184	37
712	Neuromorphic computing using non-volatile memory. 2017 , 2, 89-124	424
711	Can conventional phase-change memory devices be scaled down to single-nanometre dimensions?. 2017 , 28, 035202	17
710	Magnetic skyrmion-based synaptic devices. 2017 , 28, 08LT02	152
709	Synaptic Plasticity with Memristive Nanodevices. 2017 , 17-43	4
708	A Dual-Organic-Transistor-Based Tactile-Perception System with Signal-Processing Functionality. 2017 , 29, 1606088	154
707	Ultrasensitive Memristive Synapses Based on Lightly Oxidized Sulfide Films. 2017 , 29, 1606927	127
706	Neuro-inspired Computing Using Resistive Synaptic Devices. 2017 ,	36
705	Arbitrary Spike Time Dependent Plasticity (STDP) in Memristor by Analog Waveform Engineering. 2017 , 38, 740-743	38
704	The Relation between Chemical Bonding and Ultrafast Crystal Growth. 2017 , 29, 1700814	39
703	Nanoionics-Enabled Memristive Devices: Strategies and Materials for Neuromorphic Applications. 2017 , 3, 1600510	123
702	A Synaptic Transistor based on Quasi-2D Molybdenum Oxide. 2017 , 29, 1700906	231
701	Multifunctional Nanoionic Devices Enabling Simultaneous Heterosynaptic Plasticity and Efficient In-Memory Boolean Logic. 2017 , 3, 1700032	43
700	Pavlovian conditioning demonstrated with neuromorphic memristive devices. 2017 , 7, 713	38

699	Introduction to Neuro-Inspired Computing Using Resistive Synaptic Devices. 2017 , 1-15	5
698	Synaptic Devices Based on Phase-Change Memory. 2017 , 19-51	5
697	Training and Inference in Hopfield Network Using 10 × 10 Phase Change Synaptic Array. 2017 , 99-111	1
696	Recent Advances on Neuromorphic Systems Using Phase-Change Materials. 2017 , 12, 347	43
695	Magnetic skyrmion-based artificial neuron device. 2017 , 28, 31LT01	105
694	A novel artificial synapse with dual modes using bilayer graphene as the bottom electrode. 2017 , 9, 9275-9283	55
693	Sparse coding with memristor networks. 2017 , 12, 784-789	388
692	Nanoscale phase-change materials and devices. 2017 , 50, 243002	13
691	(Invited) Synaptic Plasticity in a Memristive Device below 500mV. 2017 , 77, 31-37	1
690	Magnetization switching schemes for nanoscale three-terminal spintronics devices. 2017 , 56, 0802A1	36
689	High-Density and Near-Linear Synaptic Device Based on a Reconfigurable Gated Schottky Diode. 2017 , 38, 1153-1156	38
688	Learning through ferroelectric domain dynamics in solid-state synapses. 2017 , 8, 14736	300
687	Oxide-based synaptic transistors gated by solution-processed gelatin electrolytes. 2017 , 123, 1	14
686	Ultrahigh Storage Densities via the Scaling of Patterned Probe Phase-Change Memories. 2017 , 16, 767-772	12
685	Analog Synaptic Behavior of a Silicon Nitride Memristor. 2017 , 9, 40420-40427	137
684	A dummy cell added neural network using in pattern recognition for prevention of failed events. 2017 , 68, 23-31	1
683	Flexible three-dimensional artificial synapse networks with correlated learning and trainable memory capability. 2017 , 8, 752	176
682	A High-On/Off-Ratio Floating-Gate Memristor Array on a Flexible Substrate via CVD-Grown Large-Area 2D Layer Stacking. 2017 , 29, 1703363	68

681	Phase-Change Memory Towards a Storage-Class Memory. 2017 , 64, 4374-4385	191
680	On-chip photonic synapse. 2017 , 3, e1700160	226
679	Synaptic Computation Demonstrated in a Two-Synapse Network Based on Top-Gate Electric-Double-Layer Synaptic Transistors. 2017 , 38, 1496-1499	13
678	Variability Improvement of TiO ₂ /AlO _x Bilayer Nonvolatile Resistive Switching Devices by Interfacial Band Engineering with an Ultrathin AlO _x Dielectric Material. 2017 , 2, 6888-6895	34
677	Artificial Synapses with Short- and Long-Term Memory for Spiking Neural Networks Based on Renewable Materials. 2017 , 11, 8962-8969	204
676	Electronic imitation of behavioral and psychological synaptic activities using TiO ₂ /AlO _x -based memristor devices. 2017 , 9, 14442-14450	76
675	Effects of Y Dopant on Lattice Distortion and Electrical Properties of In ₃ SbTe ₂ Phase-Change Material. 2017 , 11, 1700275	3
674	Graphene/h-BN Heterostructures for Vertical Architecture of RRAM Design. 2017 , 7, 9679	19
673	Memristive neural network for on-line learning and tracking with brain-inspired spike timing dependent plasticity. 2017 , 7, 5288	113
672	Quantum neuristor: From theory to experiment. 2017 , 62, 1131-1133	
671	Novel ferroelectric FET based synapse for neuromorphic systems. 2017 ,	121
670	Three-terminal resistive switch based on metal/metal oxide redox reactions. 2017 , 7, 7452	6
669	Unsupervised Learning Using Phase-Change Synapses and Complementary Patterns. 2017 , 281-288	7
668	A numerical analysis and experimental demonstration of a low degradation conductive bridge resistive memory device. 2017 , 122, 164502	1
667	Neuromorphic system with phase-change synapses for pattern learning and feature extraction. 2017 ,	3
666	PCMO-Based RRAM and NPN Bipolar Selector as Synapse for Energy Efficient STDP. 2017 , 38, 1212-1215	29
665	Artificial neuron synapse transistor based on silicon nanomembrane on plastic substrate. 2017 , 38, 064006	5
664	Imitating the brain with neurocomputer a New Way towards artificial general intelligence. 2017 , 14, 520-531	31

663	Energy efficiency in adaptive neural circuits. 2017,	
662	Encoding neural and synaptic functionalities in electron spin: A pathway to efficient neuromorphic computing. 2017, 4, 041105	71
661	Stochastic Spiking Neural Networks Enabled by Magnetic Tunnel Junctions: From Nontelegraphic to Telegraphic Switching Regimes. 2017, 8,	33
660	A novel individual-level morphological brain networks constructing method and its evaluation in PET and MR images. 2017, 3, e00475	11
659	Spiking neural networks [Algorithms, hardware implementations and applications]. 2017,	6
658	Challenges of emerging memory and memristor based circuits: Nonvolatile logics, IoT security, deep learning and neuromorphic computing. 2017,	5
657	Metasurfaces Based on Phase-Change Material as a Reconfigurable Platform for Multifunctional Devices. 2017, 10,	84
656	GeSbTe Phase-Change Materials. 2017, 735-749	1
655	Coupling Resistive Switching Devices with Neurons: State of the Art and Perspectives. 2017, 11, 70	38
654	Optoelectronic neuromorphic system using the neural engineering framework. 2017, 56, 1517	7
653	Three-dimensional emerging nonvolatile memory for the high-density and neuromorphic applications. 2017,	
652	Neuromorphic device specifications for unsupervised learning in robots. 2017,	
651	Feature Learning Using Synaptic Competition in a Dynamically-Sized Neuromorphic Architecture. 2017,	
650	Multi-bit memories fabricated through mechanical and plasma induced deformation of layered semiconductors. 2017,	
649	A compact skyrmionic leaky-integrate-fire spiking neuron device. 2018, 10, 6139-6146	57
648	Investigation of Retention Behavior of TiO _x /Al ₂ O ₃ Resistive Memory and Its Failure Mechanism Based on Meyer-Neldel Rule. 2018, 65, 957-962	8
647	Multilevel resistive switching in TiO ₂ /Al ₂ O ₃ bilayers at low temperature. 2018, 8, 025208	13
646	PCMO RRAM for Integrate-and-Fire Neuron in Spiking Neural Networks. 2018, 39, 484-487	55

645	Oxide-based RRAM materials for neuromorphic computing. 2018 , 53, 8720-8746	107
644	A self-resetting spiking phase-change neuron. 2018 , 29, 195202	15
643	Stochastic Learning in Neuromorphic Hardware via Spike Timing Dependent Plasticity With RRAM Synapses. 2018 , 8, 77-85	30
642	Oxygen vacancy migration/diffusion induced synaptic plasticity in a single titanate nanobelt. 2018 , 10, 6069-6079	23
641	Numerical analysis of a polysilicon-based resistive memory device. 2018 , 17, 766-773	
640	Optimized pulsed write schemes improve linearity and write speed for low-power organic neuromorphic devices. 2018 , 51, 224002	39
639	Nonvolatile Memory Materials for Neuromorphic Intelligent Machines. 2018 , 30, e1704729	121
638	Thermal stability of phase change GaSbGeTe, SnSeGeTe and GaSbSnSe double stacked films revealed by X-ray reflectometry and X-ray diffraction. 2018 , 492, 11-17	11
637	Ion Gated Synaptic Transistors Based on 2D van der Waals Crystals with Tunable Diffusive Dynamics. 2018 , 30, e1800195	271
636	Emulating homeoplasticity phenomena with organic electrochemical devices. 2018 , 8, 493-497	15
635	SbTe and Its Superlattices: Optimization by Statistical Design. 2018 , 10, 15040-15050	18
634	Possible Models of Electron-Energy Transfer in Resistance Switching by Sputter-Deposited Silicon Oxide Films: Potential of Extremely Low-Energy Switching. 2018 , 7, Q21-Q25	2
633	Mimicking Synaptic Plasticity and Neural Network Using Memtransistors. 2018 , 30, e1706717	47
632	Neuro-inspired computing with emerging nonvolatile memories. 2018 , 106, 260-285	498
631	From biomaterial-based data storage to bio-inspired artificial synapse. 2018 , 21, 537-552	159
630	Solid-State Synapse Based on Magnetoelectrically Coupled Memristor. 2018 , 10, 5649-5656	41
629	Ultralow power artificial synapses using nanotextured magnetic Josephson junctions. 2018 , 4, e1701329	100
628	Emerging perovskite materials for high density data storage and artificial synapses. 2018 , 6, 1600-1617	77

627	Parasitic Effect Analysis in Memristor-Array-Based Neuromorphic Systems. 2018 , 17, 184-193	46
626	Compliance-Free, Digital SET and Analog RESET Synaptic Characteristics of Sub-Tantalum Oxide Based Neuromorphic Device. 2018 , 8, 1228	63
625	Mimicking Biological Synaptic Functionality with an Indium Phosphide Synaptic Device on Silicon for Scalable Neuromorphic Computing. 2018 , 12, 1656-1663	73
624	NeuroSim: A Circuit-Level Macro Model for Benchmarking Neuro-Inspired Architectures in Online Learning. 2018 , 37, 3067-3080	170
623	An Artificial Flexible Visual Memory System Based on an UV-Motivated Memristor. 2018 , 30, 1705400	189
622	Brain-inspired computing with resistive switching memory (RRAM): Devices, synapses and neural networks. 2018 , 190, 44-53	143
621	Real Time Modelling and Processing. 2018 , 1-13	1
620	Modeling of Memristive Devices for Neuromorphic Application. 2018 , 175-202	1
619	Using Programmable Graphene Channels as Weights in Spin-Diffusive Neuromorphic Computing. 2018 , 4, 26-34	5
618	Light Stimulated IGZO-Based Electric-Double-Layer Transistors For Photoelectric Neuromorphic Devices. 2018 , 39, 897-900	61
617	Bio-mimicked atomic-layer-deposited iron oxide-based memristor with synaptic potentiation and depression functions. 2018 , 57, 060303	3
616	Recent progress on fabrication of memristor and transistor-based neuromorphic devices for high signal processing speed with low power consumption. 2018 , 57, 03EA06	24
615	Mediating Short-Term Plasticity in an Artificial Memristive Synapse by the Orientation of Silica Mesopores. 2018 , 30, e1706395	69
614	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. 2018 , 48, 575-581	64
613	Spatiotemporal Summation and Recognition Effects for a Dual-Emitter Light-Induced Neuromorphic Device. 2018 , 65, 308-313	5
612	Recent Developments in Oxide-Based Ionic Conductors: Bulk Materials, Nanoionics, and Their Memory Applications. 2018 , 43, 47-82	14
611	FluxCharge Memristor Model for Phase Change Memory. 2018 , 65, 111-114	21
610	Synaptic Suppression Triplet-STDP Learning Rule Realized in Second-Order Memristors. 2018 , 28, 1704455	132

609	Image Edge Detection Based on Swarm Intelligence Using Memristive Networks. 2018 , 37, 1774-1787	30
608	Electrical Transport in Crystalline and Amorphous Chalcogenide. 2018 , 11-39	2
607	A Compact CMOS Memristor Emulator Circuit and its Applications. 2018 ,	10
606	Improving Noise Tolerance of Hardware Accelerated Artificial Neural Networks. 2018 ,	1
605	A Novel Voltage-Accumulation Vector-Matrix Multiplication Architecture Using Resistor-shunted Floating Gate Flash Memory Device for Low-power and High-density Neural Network Applications. 2018 ,	10
604	Low Temperature Polycrystalline Silicon Thin Film Synaptic Transistor with Bilingual Plasticity for Neuromorphic Computing. 2018 ,	2
603	Transient Joule Heating in PrMnO ₃ RRAM enables ReLU type Neuron. 2018 ,	3
602	Highly Compact Artificial Memristive Neuron with Low Energy Consumption. 2018 , 14, e1802188	61
601	Neuromorphic Computing Across the Stack: Devices, Circuits and Architectures. 2018 ,	3
600	Large-Scale Neuromorphic Spiking Array Processors: A Quest to Mimic the Brain. 2018 , 12, 891	95
599	A self-rectifying TaO _y /nanoporous TaO _x memristor synaptic array for learning and energy-efficient neuromorphic systems. 2018 , 10, 1097-1106	46
598	Neuroinspired unsupervised learning and pruning with subquantum CBRAM arrays. 2018 , 9, 5312	56
597	Spike-timing-dependent plasticity learning of coincidence detection with passively integrated memristive circuits. 2018 , 9, 5311	90
596	Online Feature Learning from a non-i.i.d. Stream in a Neuromorphic System with Synaptic Competition. 2018 ,	
595	NVM Weight Variation Impact on Analog Spiking Neural Network Chip. 2018 , 676-685	3
594	Perspective: Organic electronic materials and devices for neuromorphic engineering. 2018 , 124, 151902	33
593	Restickable Oxide Neuromorphic Transistors with Spike-Timing-Dependent Plasticity and Pavlovian Associative Learning Activities. 2018 , 28, 1804025	93
592	Physical Issues and Applications of Resistive Switching Phenomena. 2018 , 73, 852-857	

591	Bipolar to unipolar mode transition and imitation of metaplasticity in oxide based memristors with enhanced ionic conductivity. 2018 , 124, 152103	13
590	Drift-Enhanced Unsupervised Learning of Handwritten Digits in Spiking Neural Network With PCM Synapses. 2018 , 39, 1768-1771	25
589	A Recoverable Synapse Device Using a Three-Dimensional Silicon Transistor. 2018 , 28, 1804844	22
588	Chain of magnetic tunnel junctions as a spintronic memristor. 2018 , 124, 152116	12
587	Hierarchical Temporal Memory Using Memristor Networks: A Survey. 2018 , 2, 380-395	22
586	Perspective: Spintronic synapse for artificial neural network. 2018 , 124, 151904	45
585	Photoelectric Plasticity in Oxide Thin Film Transistors with Tunable Synaptic Functions. 2018 , 4, 1800556	56
584	Hardware implementation of classical conditioning with iron-oxide-based memristors. 2018 , 11, 114601	3
583	Illumination Time Dependent Learning in Dye Sensitized Solar Cells. 2018 , 10, 36602-36607	4
582	Gate-Tunable Synaptic Plasticity through Controlled Polarity of Charge Trapping in Fullerene Composites. 2018 , 28, 1805599	88
581	Electroluminescent synaptic devices with logic functions. 2018 , 54, 383-389	51
580	Electric field driven memristive behavior at the Schottky interface of Nb-doped SrTiO ₃ . 2018 , 124, 152102	7
579	MASTISK: Simulation Framework For Design Exploration Of Neuromorphic Hardware. 2018 ,	1
578	Characterization of spin-orbit torque-controlled synapse device for artificial neural network applications. 2018 , 57, 1002B2	12
577	Phase-Change Superlattice Materials toward Low Power Consumption and High Density Data Storage: Microscopic Picture, Working Principles, and Optimization. 2018 , 28, 1803380	85
576	Switchable-Memory Operation of Silicon Nanowire Transistor. 2018 , 4, 1800429	7
575	Tutorial: Brain-inspired computing using phase-change memory devices. 2018 , 124, 111101	118
574	Biological Band-Pass Filtering Emulated by Oxide-Based Neuromorphic Transistors. 2018 , 39, 1764-1767	5

573	N-type to p-type transition upon phase change in Ge ₆ Sb ₁ Te ₂ compounds. 2018 , 113, 102105	2
572	Simulation of the Spiking Neural Network based on Practical Memristor. 2018 , 173, 01025	1
571	Neuromorphic Computing with Memristor Crossbar. 2018 , 215, 1700875	31
570	Engineering the Synaptic Kinetic Process into Memristive Device. 2018 , 4, 1800096	2
569	. 2018 ,	1
568	Signal and noise extraction from analog memory elements for neuromorphic computing. 2018 , 9, 2102	60
567	Nanoscale thermal cross-talk effect on phase-change probe memory. 2018 , 29, 375201	4
566	Reliability perspective of resistive synaptic devices on the neuromorphic system performance. 2018	19
565	Biological Self-Assembly and Recognition Used to Synthesize and Surface Guide Next Generation of Hybrid Materials. 2018 , 10, 28372-28381	9
564	Ultrafast Multilevel Optical Tuning with CSb ₂ Te ₃ Thin Films. 2018 , 6, 1800360	27
563	Magnetic Skyrmion as a Spintronic Deep Learning Spiking Neuron Processor. 2018 , 54, 1-7	22
562	Organic synaptic devices for neuromorphic systems. 2018 , 51, 314004	66
561	Ultra-low power HfZrO based ferroelectric tunnel junction synapses for hardware neural network applications. 2018 , 10, 15826-15833	108
560	An electronic synaptic device based on HfOTiO bilayer structure memristor with self-compliance and deep-RESET characteristics. 2018 , 29, 415205	18
559	Flexible Neuromorphic Architectures Based on Self-Supported Multiterminal Organic Transistors. 2018 , 10, 26443-26450	66
558	Neuromorphic Computing Using Memristor Crossbar Networks: A Focus on Bio-Inspired Approaches. 2018 , 12, 6-18	27
557	Narrow Heater Bottom Electrode-Based Phase Change Memory as a Bidirectional Artificial Synapse. 2018 , 4, 1800223	38
556	Reliable Ge ₂ Sb ₂ Te ₅ -Integrated High-Density Nanoscale Conductive Bridge Random Access Memory using Facile Nitrogen-Doping Strategy. 2018 , 4, 1800360	18

555	Neuromorphic computing with multi-memristive synapses. 2018 , 9, 2514	352
554	Electric-double-layer transistors for synaptic devices and neuromorphic systems. 2018 , 6, 5336-5352	110
553	Evidence of soft bound behaviour in analogue memristive devices for neuromorphic computing. 2018 , 8, 7178	39
552	Review of Recently Progress on Neural Electronics and Memcomputing Applications in Intrinsic SiOx-Based Resistive Switching Memory. 2018 ,	1
551	Emerging Neuromorphic Computing Paradigms Exploring Magnetic Skyrmions. 2018 ,	6
550	Modeling and Design of a 3D Interconnect Based Circuit Cell Formed with 3D SiP Techniques Mimicking Brain Neurons for Neuromorphic Computing Applications. 2018 ,	2
549	Modeling and System-Level Simulation for Nonideal Conductance Response of Synaptic Devices. 2018 , 65, 3996-4003	5
548	Building Brain-Inspired Computing Systems: Examining the Role of Nanoscale Devices. 2018 , 12, 19-35	18
547	Electric-field-controlled interface dipole modulation for Si-based memory devices. 2018 , 8, 8486	10
546	Tuning the synchronization of a network of weakly coupled self-oscillating gels via capacitors. 2018 , 28, 053106	1
545	M2CA: Modular Memristive Crossbar Arrays. 2018 ,	4
544	Perspective: Stochastic magnetic devices for cognitive computing. 2018 , 123, 210901	22
543	Resistive switching synapses for unsupervised learning in feed-forward and recurrent neural networks. 2018 ,	8
542	Energy-Efficient CMOS Memristive Synapses for Mixed-Signal Neuromorphic System-on-a-Chip. 2018 ,	3
541	Adaptive learning rule for hardware-based deep neural networks using electronic synapse devices. 2019 , 31, 8101-8116	29
540	Computational phase-change memory: beyond von Neumann computing. 2019 , 52, 443002	41
539	The Impact of Resistance Drift of Phase Change Memory (PCM) Synaptic Devices on Artificial Neural Network Performance. 2019 , 40, 1325-1328	15
538	Unsupervised Learning on Resistive Memory Array Based Spiking Neural Networks. 2019 , 13, 812	30

537	Reversible uptake and release of sodium ions in layered SnS-reduced graphene oxide composites for neuromorphic devices. 2019 , 11, 15382-15388	24
536	Nitrogen-Induced Enhancement of Synaptic Weight Reliability in Titanium Oxide-Based Resistive Artificial Synapse and Demonstration of the Reliability Effect on the Neuromorphic System. 2019 , 11, 32178-32185	11
535	Recent Advances in Transistor-Based Artificial Synapses. 2019 , 29, 1903700	213
534	Resistive Memory-Based In-Memory Computing: From Device and Large-Scale Integration System Perspectives. 2019 , 1, 1900068	26
533	Memristive Synapses and Neurons for Bioinspired Computing. 2019 , 5, 1900287	66
532	Resistance-Based Embedded Non-Volatile Memories as Synaptic Devices in Spiking Neural Networks. 2019 ,	
531	Phase-change heterostructure enables ultralow noise and drift for memory operation. 2019 , 366, 210-215	143
530	Benchmark of Ferroelectric Transistor-Based Hybrid Precision Synapse for Neural Network Accelerator. 2019 , 5, 142-150	17
529	A Neuromorphic Device Implemented on a Salmon-DNA Electrolyte and its Application to Artificial Neural Networks. 2019 , 6, 1901265	23
528	Oxide Neuromorphic Transistors Gated by Polyvinyl Alcohol Solid Electrolytes with Ultralow Power Consumption. 2019 , 11, 28352-28358	28
527	Simulation of Inference Accuracy Using Realistic RRAM Devices. 2019 , 13, 593	33
526	Mimicking Neurotransmitter Release and Long-Term Plasticity by Oxygen Vacancy Migration in a Tunnel Junction Memristor. 2019 , 1, 1900036	8
525	Efficient two-terminal artificial synapse based on a network of functionalized conducting polymer nanowires. 2019 , 7, 9933-9938	18
524	A neural memristor system with infinite or without equilibrium. 2019 , 228, 1527-1534	2
523	Factors Affecting the Operating Parameter of a Memristor Based on a LiF Thin Film with Cu Nanoclusters. 2019 , 83, 247-250	
522	Inducing alternating nanoscale rectification in a dielectric material for bidirectional-trigger artificial synapses. 2019 , 37, 061806	4
521	Thermal-optical readout of multi-level thermal emissivity Ge ₂ Sb ₂ Te ₅ patterns. 2019 , 257, 126728	
520	The promise of phase-change materials. 2019 , 366, 186-187	22

519	Hardware Implementations of Spiking Neural Networks. 2019 , 173-246	
518	Electrochemical memristive devices based on submonolayer metal deposition. 2019 , 7, 101121	3
517	Fiber-integrated phase-change reconfigurable optical attenuator. 2019 , 4, 111301	8
516	Lichtschnelles Nervennetz. 2019 , 50, 282-288	0
515	High LRS-Resistance CMOS Memristive Synapses for Energy-Efficient Neuromorphic SoCs. 2019 ,	2
514	Synaptic Transistor Capable of Accelerated Learning Induced by Temperature-Facilitated Modulation of Synaptic Plasticity. 2019 , 11, 46008-46016	50
513	Multiscale Modeling for Application-Oriented Optimization of Resistive Random-Access Memory. 2019 , 12,	10
512	Self-Organizing Neural Networks Based on OxRAM Devices under a Fully Unsupervised Training Scheme. 2019 , 12,	4
511	PrxCa _{1-x} MnO ₃ -Based Memory and Si Time-Keeping Selector for Area and Energy Efficient Synapse. 2019 , 40, 850-853	2
510	. 2019 , 9, 570-579	52
509	Area of Hysteresis Loop of a Generic Memristor Emulator. 2019 ,	1
508	Gelatin-hydrogel based organic synaptic transistor. 2019 , 75, 105409	24
507	Graphene/ferroelectric transistors as complementary synapses for supervised learning in spiking neural network. 2019 , 3,	39
506	Electronic synapses with near-linear weight update using MoS ₂ /graphene memristors. 2019 , 115, 103104	26
505	Transposable 3T-SRAM Synaptic Array Using Independent Double-Gate Feedback Field-Effect Transistors. 2019 , 66, 4753-4758	3
504	MLP+NeuroSimV3.0. 2019 ,	11
503	Low-Voltage, CMOS-Free Synaptic Memory Based on LiTiO Redox Transistors. 2019 , 11, 38982-38992	47
502	Emerging synaptic devices: from two-terminal memristors to multiterminal neuromorphic transistors. 2019 , 8, 100059	33

501	NbOx based memristor as artificial synapse emulating short term plasticity. 2019 , 9, 095022	11
500	Memristive Electronic Synapses Made by Anodic Oxidation. 2019 , 31, 8394-8401	16
499	Memristive Neural Networks: A Neuromorphic Paradigm for Extreme Learning Machine. 2019 , 3, 15-23	5
498	Two-dimensional materials for synaptic electronics and neuromorphic systems. 2019 , 64, 1056-1066	38
497	An Evolvable Organic Electrochemical Transistor for Neuromorphic Applications. 2019 , 6, 1801339	92
496	Solar-blind SnO ₂ nanowire photo-synapses for associative learning and coincidence detection. 2019 , 62, 393-400	58
495	Synaptic-functional and fully water-soluble transient memristor made from materials compatible with semiconductor technology. 2019 , 58, 060903	4
494	Tunable Resistive Switching Enabled by Malleable Redox Reaction in the Nano-Vacuum Gap. 2019 , 11, 20965-20972	14
493	Self-Doping Memristors with Equivalently Synaptic Ion Dynamics for Neuromorphic Computing. 2019 , 11, 24230-24240	20
492	Neuromorphic computing with resistive switching memory devices. 2019 , 603-631	1
491	Bilayered Oxide-Based Cognitive Memristor with Brain-Inspired Learning Activities. 2019 , 5, 1900439	26
490	Synaptic behaviors of electromigrated Au nanogaps. 2019 , 9, 055317	3
489	Solution-Processed Polymer Thin-Film Memristors with an Electrochromic Feature and Frequency-Dependent Synaptic Plasticity. 2019 , 1, 1900022	5
488	All-optical spiking neurosynaptic networks with self-learning capabilities. 2019 , 569, 208-214	392
487	Recent Advances in Applications of Sorted Single-Walled Carbon Nanotubes. 2019 , 29, 1902273	44
486	Photonic Synapses for Ultrahigh-Speed Neuromorphic Computing. 2019 , 13, 1900082	28
485	Towards the Development of Analog Neuromorphic Chip Prototype with 2.4M Integrated Memristors. 2019 ,	9
484	Sparse neuromorphic computing based on spin-torque diodes. 2019 , 114, 192402	18

483	Effect of Electrode Material on the Crystallization of GeTe Grown by Atomic Layer Deposition for Phase Change Random Access Memory. 2019 , 10,	4
482	Artificial Synapses Based on Multiterminal Memtransistors for Neuromorphic Application. 2019 , 29, 1901106	121
481	Flexible Pyrene/Phenanthro[9,10-d]imidazole-Based Memristive Devices for Mimicking Synaptic Plasticity. 2019 , 1, 1900008	22
480	A Soft-Pruning Method Applied During Training of Spiking Neural Networks for In-memory Computing Applications. 2019 , 13, 405	12
479	Flexible Transparent Organic Artificial Synapse Based on the Tungsten/Egg Albumen/Indium Tin Oxide/Polyethylene Terephthalate Memristor. 2019 , 11, 18654-18661	48
478	Artificial Neuron and Synapse Realized in an Antiferromagnet/Ferromagnet Heterostructure Using Dynamics of Spin-Orbit Torque Switching. 2019 , 31, e1900636	75
477	Chemical Design Principles for Cache-Type Sc ₂ Te Phase-Change Memory Materials. 2019 , 31, 4008-4015	32
476	Thermal-gradient-driven elemental segregation in Ge ₂ Sb ₂ Te ₅ phase change memory cells. 2019 , 114, 163507	9
475	Synaptic device using a floating fin-body MOSFET with memory functionality for neural network. 2019 , 156, 23-27	3
474	Memristive Synapses for Brain-Inspired Computing. 2019 , 4, 1800544	37
473	Voltage-Controlled Spintronic Stochastic Neuron Based on a Magnetic Tunnel Junction. 2019 , 11,	36
472	Emerging Artificial Synaptic Devices for Neuromorphic Computing. 2019 , 4, 1900037	99
471	Dimensionality Dependent Plasticity in Halide Perovskite Artificial Synapses for Neuromorphic Computing. 2019 , 5, 1900008	58
470	Memristive Devices and Networks for Brain-Inspired Computing. 2019 , 13, 1900029	43
469	Tuning a Binary Ferromagnet into a Multistate Synapse with Spin-Orbit-Torque-Induced Plasticity. 2019 , 29, 1808104	93
468	An Attention-Based Spiking Neural Network for Unsupervised Spike-Sorting. 2019 , 29, 1850059	16
467	Ferroelectric Field Effect Transistor for Neuromorphic Applications. 2019 , 515-527	1
466	All-Solid-State Synaptic Transistors with High-Temperature Stability Using Proton Pump Gating of Strongly Correlated Materials. 2019 , 11, 15733-15740	23

465	Microstructural engineering in interface-type synapse device for enhancing linear and symmetric conductance changes. 2019 , 30, 305202	9
464	Recent Progress in Three-Terminal Artificial Synapses: From Device to System. 2019 , 15, e1900695	111
463	Mixed-halide perovskite for ultrasensitive two-terminal artificial synaptic devices. 2019 , 3, 941-947	36
462	Electronic synapses based on ultrathin quasi-two-dimensional gallium oxide memristor. 2019 , 28, 017304	13
461	2D-Organic Hybrid Heterostructures for Optoelectronic Applications. 2019 , 31, e1803831	46
460	Various Threshold Switching Devices for Integrate and Fire Neuron Applications. 2019 , 5, 1800866	59
459	3D Neuromorphic Wireless Power Transfer and Energy Transmission Based Synaptic Plasticity. 2019 , 7, 16594-16615	1
458	Human Brain/Cloud Interface. 2019 , 13, 112	35
457	Unconventional Inorganic-Based Memristive Devices for Advanced Intelligent Systems. 2019 , 4, 1900080	9
456	Sc-Centered Octahedron Enables High-Speed Phase Change Memory with Improved Data Retention and Reduced Power Consumption. 2019 , 11, 10848-10855	21
455	Redox gated polymer memristive processing memory unit. 2019 , 10, 736	55
454	A Novel Scalable Energy-Efficient Synaptic Device: Crossbar Ferroelectric Semiconductor Junction. 2019 ,	7
453	Phase Change NEMS Relay. 2019 ,	0
452	Pulsed Operation and Low-energy Consumption Characteristic on HfON RRAM Devices as Electronic Synapse. 2019 ,	
451	Metal ion-doped sol-gel film for emulating synaptic activity and short-term non-volatile memory. 2019 ,	
450	Interface-engineered reliable HfO ₂ -based RRAM for synaptic simulation. 2019 , 7, 12682-12687	32
449	(Bi _{0.2} Sb _{0.8}) ₂ Te ₃ based dynamic synapses with programmable spatio-temporal dynamics. 2019 , 7, 101107	3
448	Towards spike-based machine intelligence with neuromorphic computing. 2019 , 575, 607-617	337

447	Non-Volatile Memory Array Based Quantization- and Noise-Resilient LSTM Neural Networks. 2019 ,	0
446	Ferroelectric Tunneling Junctions Based on Aluminum Oxide/ Zirconium-Doped Hafnium Oxide for Neuromorphic Computing. 2019 , 9, 20383	68
445	Learning in Memristive Neural Network Architectures Using Analog Backpropagation Circuits. 2019 , 66, 719-732	59
444	Electric-Double-Layer Coupled Oxide-Based Neuromorphic Transistors Studies. 2019 ,	1
443	Gate Modulation of Excitatory and Inhibitory Synaptic Plasticity in a Low-Temperature Polysilicon Thin Film Synaptic Transistor. 2019 , 1, 132-140	14
442	Technological Benchmark of Analog Synaptic Devices for Neuroinspired Architectures. 2019 , 36, 31-38	11
441	Low-Power (1T1N) Skyrmionic Synapses for Spiking Neuromorphic Systems. 2019 , 7, 5034-5044	8
440	Energy-Efficient Organic Ferroelectric Tunnel Junction Memristors for Neuromorphic Computing. 2019 , 5, 1800795	80
439	Oxide Based EDL Transistors for Mimicking Synapse Functions. 2019 , 55-75	
438	A Robust Artificial Synapse Based on Organic Ferroelectric Polymer. 2019 , 5, 1800600	81
437	Forming-free artificial synapses with Ag point contacts at interface. 2019 , 5, 296-302	11
436	Quasi-Hodgkin-Huxley Neurons with Leaky Integrate-and-Fire Functions Physically Realized with Memristive Devices. 2019 , 31, e1803849	56
435	Truly Concomitant and Independently Expressed Short- and Long-Term Plasticity in a Bi O Se-Based Three-Terminal Memristor. 2019 , 31, e1805769	62
434	Polymer Analog Memristive Synapse with Atomic-Scale Conductive Filament for Flexible Neuromorphic Computing System. <i>Nano Letters</i> , 2019 , 19, 839-849	11.5 84
433	Designing crystallization in phase-change materials for universal memory and neuro-inspired computing. 2019 , 4, 150-168	356
432	Emerging Memory Devices for Neuromorphic Computing. 2019 , 4, 1800589	181
431	Dendritic-Inspired Processing Enables Bio-Plausible STDP in Compound Binary Synapses. 2019 , 18, 149-159	5
430	Device and materials requirements for neuromorphic computing. 2019 , 52, 113001	64

429	Mimicking Leaky-Integrate-Fire Spiking Neuron Using Automotion of Domain Walls for Energy-Efficient Brain-Inspired Computing. 2019 , 55, 1-7	13
428	Selective growth of monolayer semiconductors for diverse synaptic junctions. 2019 , 6, 015029	14
427	Artificial Synapse Emulated by Charge Trapping-Based Resistive Switching Device. 2019 , 4, 1800342	49
426	Memristor devices for neural networks. 2019 , 52, 023003	48
425	Artificial synapses based on nanomaterials. 2019 , 30, 012001	30
424	Multi-level Memristive Memory for Neural Networks. 2020 , 103-116	
423	Neuromemristive Circuits for Edge Computing: A Review. 2020 , 31, 4-23	90
422	All-metal oxide synaptic transistor with modulatable plasticity. 2020 , 31, 065201	9
421	Synaptic functions and a memristive mechanism on Pt/AlO _x /HfO _x /TiN bilayer-structure memristors. 2020 , 53, 035302	7
420	A multi-level optical storage scheme via two-step picosecond laser irradiations: time/space modulations of microstructure and its optical property. 2020 , 35, 035025	1
419	Nano-scale single layer TiO ₂ -based artificial synaptic device. 2020 , 10, 611-616	16
418	Artificial Sensory Memory. 2020 , 32, e1902434	98
417	Emerging neuromorphic devices. 2020 , 31, 092001	97
416	Flexible Neuromorphic Electronics for Computing, Soft Robotics, and Neuroprosthetics. 2020 , 32, e1903558	140
415	Threshold Switching in Single Metal-Oxide Nanobelt Devices Emulating an Artificial Nociceptor. 2020 , 6, 1900595	17
414	A Review on Polymeric-Based Phase Change Material for Thermo-Regulating Fabric Application. 2020 , 60, 389-419	35
413	Memristive and CMOS Devices for Neuromorphic Computing. 2020 , 13,	42
412	Effect of vacancy disorder in phase-change materials. 2020 , 32, 175401	

411	Multi-gate memristive synapses realized with the lateral heterostructure of 2D WSe and WO. 2020 , 12, 380-387	29
410	Chemical understanding of resistance drift suppression in Ge ₂ Sb ₂ Te ₅ phase-change memory materials. 2020 , 8, 71-77	22
409	Gate-Tunable Synaptic Dynamics of Ferroelectric-Coupled Carbon-Nanotube Transistors. 2020 , 12, 4707-4714	30
408	Synaptic Plasticity and Filtering Emulated in Metal-Organic Framework Nanosheets Based Transistors. 2020 , 6, 1900978	30
407	Efficient implementation of synaptic learning rules for neuromorphic computing based on plasma-treated ZnO nanowire memristors. 2020 , 53, 055303	5
406	Lithium Ion Alloying-Type Artificial Synapses. 2020 , 2, 316-322	4
405	Recent Progress in Artificial Synapses Based on Two-Dimensional van der Waals Materials for Brain-Inspired Computing. 2020 , 2, 371-388	51
404	Integrated 256 Cell Photonic Phase-Change Memory With 512-Bit Capacity. 2020 , 26, 1-7	25
403	Flexible Femtojoule Energy-Consumption In-Ga-Zn-O Synaptic Transistors With Extensively Tunable Memory Time. 2020 , 67, 105-112	10
402	Synaptic plasticity and preliminary-spike-enhanced plasticity in a CMOS-compatible Ta ₂ O ₅ memristor. 2020 , 187, 108400	14
401	Reproducible Ultrathin Ferroelectric Domain Switching for High-Performance Neuromorphic Computing. 2020 , 32, e1905764	71
400	Improvement of Conductance Modulation Linearity in a Cu-Doped KNbO Memristor through the Increase of the Number of Oxygen Vacancies. 2020 , 12, 1069-1077	9
399	Recent Progress in Photonic Synapses for Neuromorphic Systems. 2020 , 2, 1900136	59
398	unsupervised learning using stochastic switching in magneto-electric magnetic tunnel junctions. 2020 , 378, 20190157	5
397	A Model for R(t) Elements and R(t) -Based Spike-Timing-Dependent Plasticity With Basic Circuit Examples. 2020 , 31, 4206-4216	0
396	Solving Overlapping Pattern Issues in On-Chip Learning of Bio-Inspired Neuromorphic System with Synaptic Transistors. 2020 , 9, 13	3
395	A Process-Variation Robust RRAM-Compatible CMOS Neuron for Neuromorphic System-on-a-Chip. 2020 ,	1
394	Prospect of Spin-Orbitronic Devices and Their Applications. 2020 , 23, 101614	27

393	Emerging Memristive Artificial Synapses and Neurons for Energy-Efficient Neuromorphic Computing. 2020 , 32, e2004659	53
392	Adaptive Synaptic Memory via Lithium Ion Modulation in RRAM Devices. 2020 , 16, e2003964	21
391	Artificial synaptic characteristics of TiO ₂ /HfO ₂ memristor with self-rectifying switching for brain-inspired computing. 2020 , 140, 110236	23
390	Multi-terminal ionic-gated low-power silicon nanowire synaptic transistors with dendritic functions for neuromorphic systems. 2020 , 12, 16348-16358	13
389	Realizing Scalable Two-Dimensional MoS ₂ Synaptic Devices for Neuromorphic Computing. 2020 , 32, 10447-10455	
388	A Dual Magnetic Tunnel Junction-Based Neuromorphic Device. 2020 , 2, 2000143	4
387	Memristors From In-Memory Computing, Deep Learning Acceleration, and Spiking Neural Networks to the Future of Neuromorphic and Bio-Inspired Computing. 2020 , 2, 2000085	47
386	A Quantum-Well Charge-Trap Synaptic Transistor With Highly Linear Weight Tunability. 2020 , 8, 834-840	3
385	Synaptic plasticity of TiO ₂ nanowire transistor. 2020 , 37, 125-130	2
384	Optimization of oxygen vacancy concentration in HfO ₂ /HfO _x bilayer-structured ultrathin memristors by atomic layer deposition and their biological synaptic behavior. 2020 , 8, 12478-12484	14
383	Stimuli-Enabled Artificial Synapses for Neuromorphic Perception: Progress and Perspectives. 2020 , 16, e2001504	25
382	One Transistor-Two Memristor Based on Amorphous Indium-Gallium-Zinc-Oxide for Neuromorphic Synaptic Devices. 2020 , 2, 2837-2844	9
381	Artificial Indium-Tin-Oxide Synaptic Transistor by Inkjet Printing Using Solution-Processed ZrO _x Gate Dielectric. 2020 , 217, 2000314	4
380	All-Inorganic Ionic Polymer-Based Memristor for High-Performance and Flexible Artificial Synapse. 2020 , 30, 2004245	15
379	Unveiling the structural origin to control resistance drift in phase-change memory materials. 2020 , 41, 156-176	34
378	Light-Stimulated Artificial Synapse with Memory and Learning Functions by Utilizing an Aqueous Solution-Processed In ₂ O ₃ /AlLiO Thin-Film Transistor. 2020 , 2, 2772-2779	9
377	Engineering Complex Synaptic Behaviors in a Single Device: Emulating Consolidation of Short-term Memory to Long-term Memory in Artificial Synapses via Dielectric Band Engineering. <i>Nano Letters</i> , 2020 , 20, 7793-7801	11.5 14
376	Ultrahigh drive current and large selectivity in GeS selector. 2020 , 11, 4636	36

375	Using synchronized oscillators to compute the maximum independent set. 2020 , 11, 4689	13
374	Dynamic evolution of thermally induced element distribution in nitrogen modified phase change materials. 2020 , 128, 075701	0
373	AND Flash Array Based on Charge Trap Flash for Implementation of Convolutional Neural Networks. 2020 , 41, 1653-1656	18
372	Memristive Devices for New Computing Paradigms. 2020 , 2, 2000105	20
371	3D AND-Type Stacked Array for Neuromorphic Systems. 2020 , 11,	2
370	Vertical organic synapse expandable to 3D crossbar array. 2020 , 11, 4595	54
369	Exploring Ferroelectric Switching in Hn_2Se_3 for Neuromorphic Computing. 2020 , 30, 2004609	42
368	Recent Advances on Neuromorphic Devices Based on Chalcogenide Phase-Change Materials. 2020 , 30, 2003419	54
367	Achievement of Gradual Conductance Characteristics Based on Interfacial Phase-Change Memory for Artificial Synapse Applications. 2020 , 9, 1268	3
366	Nonvolatile Multistates Memories for High-Density Data Storage. 2020 , 12, 42449-42471	36
365	Highly Controllable and Silicon-Compatible Ferroelectric Photovoltaic Synapses for Neuromorphic Computing. 2020 , 23, 101874	9
364	Emerging Materials for Neuromorphic Devices and Systems. 2020 , 23, 101846	21
363	Electrical Properties and Biological Synaptic Simulation of $\text{Ag}/\text{MXene}/\text{SiO}_2/\text{Pt}$ RRAM Devices. 2020 , 9, 2098	11
362	Enhanced analog synaptic behavior of $\text{SiNx}/\text{a-Si}$ bilayer memristors through Ge implantation. 2020 , 12,	5
361	Neuromorphic Engineering: From Biological to Spike-Based Hardware Nervous Systems. 2020 , 32, e2003610	56
360	Unsupervised Learning Implemented by Ti_3C_2 -MXene-Based Memristive Neuromorphic System. 2020 , 2, 3497-3501	4
359	Compact Model of Dzyaloshinskii Domain Wall Motion-Based MTJ for Spin Neural Networks. 2020 , 67, 2621-2626	5
358	Mixed-Precision Deep Learning Based on Computational Memory. 2020 , 14, 406	31

357	State dependence and temporal evolution of resistance in projected phase change memory. 2020 , 10, 8248	8
356	A van der Waals Synaptic Transistor Based on Ferroelectric Hf _{0.5} Zr _{0.5} O ₂ and 2D Tungsten Disulfide. 2020 , 6, 2000057	41
355	In-memory computing to break the memory wall. 2020 , 29, 078504	10
354	In-memory hyperdimensional computing. 2020 , 3, 327-337	52
353	Heterosynaptic Plasticity Emulated by Liquid Crystal-Carbon Nanotube Composites with Modulatory Interneurons. 2020 , 12, 27467-27475	8
352	Experimental Demonstration of Supervised Learning in Spiking Neural Networks with Phase-Change Memory Synapses. 2020 , 10, 8080	20
351	Monatomic 2D phase-change memory for precise neuromorphic computing. 2020 , 20, 100641	19
350	Device and Circuit Architectures for In-Memory Computing. 2020 , 2, 2000040	47
349	Artificial synaptic transistors based on Schottky barrier height modulation using reduced graphene oxides. 2020 , 165, 455-460	9
348	Deep learning incorporating biologically inspired neural dynamics and in-memory computing. 2020 , 2, 325-336	34
347	Communication Impact of Electrode Chemistry on the Non-Volatile Performance of Lithium Niobate Memristors for Neuromorphic Computing. 2020 , 9, 055018	0
346	Pathways to efficient neuromorphic computing with non-volatile memory technologies. 2020 , 7, 021308	37
345	Controlling the Neuromorphic Behavior of Organic Electrochemical Transistors by Blending Mixed and Ion Conductors. 2020 , 2, 2224-2228	16
344	Recent progress in optoelectronic neuromorphic devices. 2020 , 29, 078502	12
343	Emerging memory devices for artificial synapses. 2020 , 8, 9163-9183	20
342	Protonic solid-state electrochemical synapse for physical neural networks. 2020 , 11, 3134	37
341	Skyrmion-based artificial synapses for neuromorphic computing. 2020 , 3, 148-155	130
340	Electret-Based Organic Synaptic Transistor for Neuromorphic Computing. 2020 , 12, 15446-15455	41

339	Electronic mechanism for resistance drift in phase-change memory materials: link to persistent photoconductivity. 2020 , 53, 214002	14
338	Temporal versatility from intercalation-based neuromorphic devices exhibiting 150 mV non-volatile operation. 2020 , 127, 084501	5
337	Initial states and analog switching behaviors of two major tantalum oxide resistive memories. 2020 , 59, 044004	2
336	Flexible Poly(Vinyl Alcohol)/Graphene Oxide Hybrid Nanocomposite Based Cognitive Memristor with Pavlovian-Conditioned Reflex Activities. 2020 , 6, 1901402	14
335	Memory devices and applications for in-memory computing. 2020 , 15, 529-544	373
334	Crystal-Like Glassy Structure in Sc-Doped BiSbTe Ensuring Excellent Speed and Power Efficiency in Phase Change Memory. 2020 , 12, 16601-16608	8
333	Stochastic magnetoelectric neuron for temporal information encoding. 2020 , 116, 043701	4
332	High Visible-Light-Stimulated Plasticity in Optoelectronic Synaptic Transistors for Irradiation History-Dependent Learning. 2020 , 6, 1901255	9
331	Analog acceleration of deep learning using phase-change memory. 2020 , 329-362	
330	RRAM-based coprocessors for deep learning. 2020 , 363-395	0
329	Synaptic realizations based on memristive devices. 2020 , 427-477	
328	Ionic synergetically coupled electrolyte-gated transistors for neuromorphic engineering applications. 2020 , 145-177	
327	Perovskites for phototunable memories and neuromorphic computing. 2020 , 279-292	
326	Reconfigurable logic and neuromorphic circuits based on electrically tunable two-dimensional homojunctions. 2020 , 3, 383-390	81
325	Supervised Learning in All FeFET-Based Spiking Neural Network: Opportunities and Challenges. 2020 , 14, 634	26
324	Synaptic Characteristics of Amorphous Boron Nitride-Based Memristors on a Highly Doped Silicon Substrate for Neuromorphic Engineering. 2020 , 12, 33908-33916	24
323	Neuromorphic computing with antiferromagnetic spintronics. 2020 , 128, 010902	22
322	Filamentary and interface switching of CMOS-compatible Ta2O5 memristor for non-volatile memory and synaptic devices. 2020 , 529, 147167	20

321	Chalcogenide materials for optoelectronic memory and neuromorphic computing. 2020 , 293-315	1
320	Overview of Phase-Change Materials Based Photonic Devices. 2020 , 8, 121211-121245	12
319	Proton conducting C3N4/Chitosan composite electrolytes based InZnO thin film transistor for artificial synapse. 2020 , 85, 105870	6
318	Tailoring Multilevel-Stable Remanence States in Exchange-Biased System through Spin-Orbit Torque. 2020 , 30, 1909092	29
317	Thermal properties of carbon nitride toward use as an electrode in phase change memory devices. 2020 , 116, 043502	10
316	Li-Ion Doping as a Strategy to Modulate the Electrical-Double-Layer for Improved Memory and Learning Behavior of Synapse Transistor Based on Fully Aqueous-Solution-Processed In2O3/AlLiO Film. 2020 , 6, 1901363	14
315	Artificial Synapse Based on van der Waals Heterostructures with Tunable Synaptic Functions for Neuromorphic Computing. 2020 , 12, 11945-11954	43
314	The Design of 3D-Interface Architecture in an Ultralow-Power, Electrospun Single-Fiber Synaptic Transistor for Neuromorphic Computing. 2020 , 16, e1907472	29
313	Recent Progress in Synaptic Devices Based on 2D Materials. 2020 , 2, 1900167	24
312	A comprehensive review on emerging artificial neuromorphic devices. 2020 , 7, 011312	180
311	Efficient Hybrid CMOS/Memristor Implementation of Bidirectional Associative Memory Using Passive Weight Array. 2020 , 98, 104725	2
310	A unified mid-gap defect model for amorphous GeTe phase change material. 2020 , 116, 052103	3
309	Resistive switching materials for information processing. 2020 , 5, 173-195	318
308	Electrolyte-gated transistors for synaptic electronics, neuromorphic computing, and adaptable biointerfacing. 2020 , 7, 011307	79
307	Multi-Level Long-Term Memory Resembling Human Memory Based on Photosensitive Field-Effect Transistors with Stable Interfacial Deep Traps. 2020 , 6, 1901044	3
306	Modulation of Synaptic Plasticity Mimicked in Al Nanoparticle-Embedded IGZO Synaptic Transistor. 2020 , 6, 1901072	27
305	Two phase-change memory (2-PCM) neurons for implementing a backpropagation algorithm. 2020 , 59, SGGB07	3
304	A Pure 2H-MoS2 Nanosheet-Based Memristor with Low Power Consumption and Linear Multilevel Storage for Artificial Synapse Emulator. 2020 , 6, 1901342	31

303	Applications of Phase Change Materials in Electrical Regime From Conventional Storage Memory to Novel Neuromorphic Computing. 2020 , 8, 76471-76499	5
302	Programmable Synapse-Like MoS ₂ Field-Effect Transistors Phase-Engineered by Dynamic Lithium Ion Modulation. 2020 , 6, 1901410	9
301	Associative routing through neuromorphic nanowire networks. 2020 , 10, 025134	16
300	A Review of Optical Neural Networks. 2020 , 8, 70773-70783	27
299	Improving the Recognition Accuracy of Memristive Neural Networks via Homogenized Analog Type Conductance Quantization. 2020 , 11,	3
298	Thickness dependence of hydrogen-induced phase transition in MoTe ₂ . 2020 , 101,	4
297	Phase change memory applications: the history, the present and the future. 2020 , 53, 283002	32
296	An artificial synapse by superlattice-like phase-change material for low-power brain-inspired computing. 2020 , 29, 070701	3
295	Bifurcations of Negative Responses to Positive Feedback Current Mediated by Memristor in a Neuron Model with Bursting Patterns. 2020 , 30, 2030009	23
294	Evolution of Bio-Inspired Artificial Synapses: Materials, Structures, and Mechanisms. 2021 , 17, e2000041	20
293	Merged Logic and Memory Fabrics for Accelerating Machine Learning Workloads. 2021 , 38, 39-68	5
292	In-memory Learning with Analog Resistive Switching Memory: A Review and Perspective. 2021 , 109, 14-42	37
291	MXene Ti ₃ C ₂ memristor for neuromorphic behavior and decimal arithmetic operation applications. 2021 , 79, 105453	22
290	Stochasticity and robustness in spiking neural networks. 2021 , 419, 23-36	3
289	2D Material Based Synaptic Devices for Neuromorphic Computing. 2021 , 31, 2005443	56
288	Optoelectronic synaptic transistors based on upconverting nanoparticles. 2021 , 9, 640-648	7
287	The Future of Memristors: Materials Engineering and Neural Networks. 2021 , 31, 2006773	62
286	Magnetic skyrmions for unconventional computing. 2021 , 8, 854-868	23

285	Highly Uniform All-Vacuum-Deposited Inorganic Perovskite Artificial Synapses for Reservoir Computing. 2021 , 3, 2000196	7
284	Optoelectronic Synaptic Devices for Neuromorphic Computing. 2021 , 3, 2000099	42
283	Low-Power Computing with Neuromorphic Engineering. 2021 , 3, 2000150	11
282	Competing memristors for brain-inspired computing. 2021 , 24, 101889	13
281	Neuromorphic computing: From devices to integrated circuits. 2021 , 39, 010801	3
280	Synaptic Iontronic Devices for Brain-Mimicking Functions: Fundamentals and Applications.. 2021 , 4, 71-84	5
279	First-Principles Study on the Crystalline Ga4Sb6Te3 Phase Change Compound. 2021 , 15, 2000382	1
278	Analysis of Effect of Weight Variation on SNN Chip with PCM-Refresh Method. 2021 , 53, 1741-1751	3
277	Cognitive Augmentation Via a Brain/Cloud Interface. 2021 , 357-386	
276	Flexible Artificial Sensory Systems Based on Neuromorphic Devices. 2021 , 15, 3875-3899	44
275	Non-volatile logic device based on domain-wall motion in a biaxial magnetic tunnel junction. 2021 , 60, 020904	
274	On the Self-Repair Role of Astrocytes in STDP Enabled Unsupervised SNNs. 2020 , 14, 603796	1
273	Neuromorphic vision sensors: Principle, progress and perspectives. 2021 , 42, 013105	17
272	Complementary Memtransistor-Based Multilayer Neural Networks for Online Supervised Learning Through (Anti-)Spike-Timing-Dependent Plasticity. 2021 , PP,	3
271	Ta-Doped SbTe Allows Ultrafast Phase-Change Memory with Excellent High-Temperature Operation Characteristics. 2021 , 13, 33	15
270	Oxide semiconductor-based ferroelectric thin-film transistors for advanced neuromorphic computing. 2021 , 118, 032902	8
269	Bibliography. 2021 , 271-288	
268	Emulating neural functions utilizing the larger time constants found in the operation of molecular-gap atomic switches. 2021 , 60, SCCF01	1

267	Learning to Approximate Functions Using Nb-Doped SrTiO Memristors. 2020 , 14, 627276	0
266	Photonic Synapses with Ultra-Low Energy Consumption Based on Vertical Organic Field-Effect Transistors. 2021 , 9, 2002030	15
265	Vertical-organic-nanocrystal-arrays for crossbar memristors with tuning switching dynamics toward neuromorphic computing. 2021 , 2, 99-108	32
264	Synaptic metaplasticity emulation in a freestanding oxide-based neuromorphic transistor with dual in-plane gates. 2021 , 54, 185106	5
263	Mixed-Signal Neuromorphic Computing Circuits Using Hybrid CMOS-RRAM Integration. 2021 , 68, 581-586	3
262	High-Performance Organic Synaptic Transistors with an Ultrathin Active Layer for Neuromorphic Computing. 2021 , 13, 8672-8681	11
261	Heterogeneously structured phase-change materials and memory. 2021 , 129, 050903	2
260	Ferroelectric Synaptic Transistor Network for Associative Memory. 2021 , 7, 2001276	17
259	Functional Applications of Future Data Storage Devices. 2021 , 7, 2001181	8
258	Phase Change Random Access Memory for Neuro-Inspired Computing. 2021 , 7, 2001241	13
257	Memristive Artificial Synapses for Neuromorphic Computing. 2021 , 13, 85	22
256	A Reliable All-2D Materials Artificial Synapse for High Energy-Efficient Neuromorphic Computing. 2021 , 31, 2011083	20
255	Spin-Torque Memristors Based on Perpendicular Magnetic Tunnel Junctions for Neuromorphic Computing. 2021 , 8, 2004645	15
254	Reliable 2D Phase Transitions for Low-Noise and Long-Life Memory Programming. 2021 , 3,	1
253	Synergistic Modulation of Synaptic Plasticity in IGZO-Based Photoelectric Neuromorphic TFTs. 2021 , 68, 1659-1663	9
252	Dielectric Engineered Two-Dimensional Neuromorphic Transistors. <i>Nano Letters</i> , 2021 , 21, 3557-3565	11.5 2
251	Stimuli-Responsive Memristive Materials for Artificial Synapses and Neuromorphic Computing. 2021 , 33, e2006469	22
250	Artificial Neuron and Synapse Devices Based on 2D Materials. 2021 , 17, e2100640	17

249	Organic Synaptic Transistors: The Evolutionary Path from Memory Cells to the Application of Artificial Neural Networks. 2021 , 31, 2101951	22
248	Brain-inspired computing via memory device physics. 2021 , 9, 050702	16
247	Multistate Magnetic Domain Wall Devices for Neuromorphic Computing. 2021 , 15, 2100125	1
246	Hybrid oxide brain-inspired neuromorphic devices for hardware implementation of artificial intelligence. 2021 , 22, 326-344	7
245	VO2 Carbon Nanotube Composite Memristor-Based Cellular Neural Network Pattern Formation. 2021 , 10, 1198	2
244	Digital and analog functionality in monolayer AlOx-based memristors with various oxidizer sources. 2021 , 32,	1
243	A Mixed-Signal Convolutional Neural Network Using Hybrid CMOS-RRAM Circuits. 2021 ,	0
242	Synaptic devices based neuromorphic computing applications in artificial intelligence. 2021 , 18, 100393	31
241	Comprehensive Regulation of the Threshold Oscillation for Neuromorphic Systems Based on Cryogenic Performance of NbO ₂ Device. 2021 , 42, 692-695	2
240	Improved switching and synapse characteristics using PEALD SiO ₂ thin film in Cu/SiO ₂ /ZrO ₂ /Pt device. 2021 , 547, 149140	5
239	Electrochemical ion insertion from the atomic to the device scale. 2021 , 6, 847-867	19
238	Artificial Synapses Based on Ferroelectric Schottky Barrier Field-Effect Transistors for Neuromorphic Applications. 2021 , 13, 32005-32012	11
237	Prospect of Spintronics in Neuromorphic Computing. 2021 , 7, 2100465	10
236	Recent progress on 2D materials-based artificial synapses. 1-26	5
235	Multi-Level Control of Conductive Filament Evolution and Enhanced Resistance Controllability of the Cu-Cone Structure Embedded Conductive Bridge Random Access Memory. 2100209	2
234	Observation of Optically Addressable Nonvolatile Memory in VO ₂ at Room Temperature. 2021 , 7, 2001142	8
233	Electroforming-free nonvolatile resistive switching of redox-exfoliated MoS ₂ nanoflakes loaded polystyrene thin film with synaptic functionality. 2021 , 32,	4
232	Memristor models for synapse component. 2021 ,	

231	Low-Voltage Electrochemical Li _x WO ₃ Synapses with Temporal Dynamics for Spiking Neural Networks. 2021 , 3, 2100021	2
230	Low Power MoS ₂ /Nb ₂ O ₅ Memtransistor Device with Highly Reliable Heterosynaptic Plasticity. 2021 , 31, 2104174	15
229	Artificial Synapse Based on Organic-Inorganic Hybrid Perovskite with Electric and Optical Modulation. 2021 , 7, 2100291	10
228	Unraveling the optical contrast in Sb ₂ Te and AgInSbTe phase-change materials. 2021 , 3, 034011	2
227	The optimized memristor performance by utilizing the constrained domain wall motion in Pt/Co ₃ B/Ta structure. 2021 , 129, 223901	1
226	Metal chalcogenides for neuromorphic computing: emerging materials and mechanisms. 2021 , 32,	6
225	Neuromorphic Devices for Bionic Sensing and Perception. 2021 , 15, 690950	6
224	Photoactive Electro-Controlled Visual Perception Memory for Emulating Synaptic Metaplasticity and Hebbian Learning. 2021 , 31, 2105345	4
223	Spin-Orbit Torque-Induced Domain Nucleation for Neuromorphic Computing. 2021 , 33, e2103672	10
222	Can Neuromorphic Completeness and Brain-Inspired Computing Provide a Promising Platform for Artificial General Intelligence?. 2022 , 111-119	
221	Organic Memory and Memristors: From Mechanisms, Materials to Devices. 2100432	17
220	High ionic conductivity LiLaTiO nanofiber/polymer composite solid electrolyte for flexible transparent InZnO synaptic transistors. 2021 , 32,	1
219	Architecting for Artificial Intelligence with Emerging Nanotechnology. 2021 , 17, 1-33	1
218	Boost of the Bio-memristor Performance for Artificial Electronic Synapses by Surface Reconstruction. 2021 , 13, 39641-39651	9
217	Near-Infrared Artificial Synapses for Artificial Sensory Neuron System. 2021 , 17, e2103837	10
216	An Optogenetics-Inspired Flexible van der Waals Optoelectronic Synapse and its Application to a Convolutional Neural Network. 2021 , 33, e2102980	14
215	Recent advances in solid electrolytes for synaptic transistors. 2021 , 95, 106196	4
214	Reliable Resistive Switching and Synaptic Behaviors Based on a TiO _x -Doped N Memristor for Information Storage and Neuromorphic Computing. 2021 , 15, 2100255	0

213	The capabilities of nanoelectronic 2-D materials for bio-inspired computing and drug delivery indicate their significance in modern drug design. 2021 , 279, 119272		3
212	Reliable Ge ₂ Sb ₂ Te ₅ based phase-change electronic synapses using carbon doping and programmed pulses. 2021 , 8, 382-382		3
211	An optical synapse based on a polymer waveguide with a GST ₂₂₅ active layer. 2021 , 119, 081105		1
210	Nonlinearity in Memristors for Neuromorphic Dynamic Systems. 2100049		12
209	Projected Mushroom Type Phase-Change Memory. 2106547		4
208	Switching-enhanced RRAM for reliable synaptic simulation and multilevel data storage. 2021 , 892, 162180		4
207	Intrinsic synaptic plasticity of ferroelectric field effect transistors for online learning. 2021 , 119, 133701		5
206	Neuromorphic System for Edge Information Encoding: Emulating Retinal Center-Surround Antagonism by Li-Ion-Mediated Highly Interactive Devices. <i>Nano Letters</i> , 2021 , 21, 7938-7945	11.5	3
205	Optical transient grating pumped X-ray diffraction microscopy for studying mesoscale structural dynamics. 2021 , 11, 19322		1
204	Compensated Ferrimagnet Based Artificial Synapse and Neuron for Ultrafast Neuromorphic Computing. 2107870		9
203	Sub-Nanosecond Pulses Enable Partial Reset for Analog Phase Change Memory. 2021 , 42, 1291-1294		4
202	Recent advances in emerging neuromorphic computing and perception devices.		5
201	Neuromorphic electronics based on copying and pasting the brain. 2021 , 4, 635-644		31
200	Low resistance-drift characteristics in Cr ₂ Ge ₂ Te ₆ -based phase change memory devices with a high-resistance crystalline phase. 2021 , 133, 105961		5
199	Recent progress on two-dimensional neuromorphic devices and artificial neural network. 2021 , 31, 182-198		8
198	Encapsulation-enhanced switching stability of MoS ₂ memristors. 2021 , 885, 161016		2
197	Linearity improvement of HfO _x -based memristor with multilayer structure. 2021 , 136, 106131		2
196	Combinatorial Approaches: Phase Diagrams. 2022 , 339-352		

195	Demonstration of synaptic and resistive switching characteristics in W/TiO ₂ /HfO ₂ /TaN memristor crossbar array for bioinspired neuromorphic computing. 2022 , 96, 94-102	13
194	Machine learning and its implementation. 2021 , 49-66	
193	Analysis of Stuck Reset Failure in Phase-Change Memory by Calculating Phase-Change Stress using Finite Element Simulation. 2021 , 15, 2000419	1
192	List of figures. 2021 , xi-xiv	
191	Mechanism of amorphous phase stabilization in ultrathin films of monoatomic phase change material. 2021 , 13, 16146-16155	5
190	Hardware Implementation of Neuromorphic Computing Using Large-Scale Memristor Crossbar Arrays. 2021 , 3, 2000137	25
189	Convergence Platforms: Foundational Science and Technology Tools. 2013 , 1-52	3
188	Memristors and Memristive Devices for Neuromorphic Computing. 2014 , 129-149	6
187	Phase-Change Memory Materials. 2017 , 1-1	3
186	Improvement in conductance modulation linearity of artificial synapses based on NaNbO ₃ memristor. 2020 , 19, 100582	2
185	The memristive effect as a novelty in drug monitoring. 2017 , 9, 9676-9684	19
184	Flexible neural interfaces for brain implantsThe pursuit of thinness and high density. 2020 , 5, 043002	5
183	Direct observation of partial disorder and zipperlike transition in crystalline phase change materials. 2019 , 3,	28
182	A Compact Model for Stochastic Spike-Timing-Dependent Plasticity (STDP) Based on Resistive Switching Memory (RRAM) Synapses. 2020 , 67, 2800-2806	6
181	Towards spiking neuromorphic system-on-a-chip with bio-plausible synapses using emerging devices. 2017 ,	3
180	On-chip sub-wavelength Bragg grating design based on novel low loss phase-change materials. 2020 , 28, 16394-16406	15
179	All-optical non-volatile tuning of an AMZI-coupled ring resonator with GST phase-change material. 2018 , 43, 5539-5542	24
178	AHaH computing-from metastable switches to attractors to machine learning. 2014 , 9, e85175	23

177	STDP and STDP variations with memristors for spiking neuromorphic learning systems. 2013 , 7, 2	274
176	Gold nanogap-based artificial synapses. 2020 , 59, 050601	3
175	Prospects of System Integration Technologies for Evolving AI and IoT. 2019 , 22, 43-47	1
174	Biocompatible artificial synapses based on a zein active layer obtained from maize for neuromorphic computing. 2021 , 11, 20633	1
173	Effect of Oxygen Vacancy on the Conduction Modulation Linearity and Classification Accuracy of PrCaMnO Memristor. 2021 , 11,	1
172	A Vertical Silicon Nanowire Based Single Transistor Neuron with Excitatory, Inhibitory, and Myelination Functions for Highly Scalable Neuromorphic Hardware. 2021 , 17, e2103775	2
171	Emulation of Astrocyte Induced Neural Phase Synchrony in Spin-Orbit Torque Oscillator Neurons. 2021 , 15, 699632	1
170	Information Transfer Characteristic in Memristic Neuromorphic Network. 2013 , 1-8	1
169	Promising structures with memory based on inorganic materials. 2013 , 13,	
168	2D cognitive optical data processing with phase change materials. 2014 ,	
167	Electrical Stimulation for Modification of Memory and Cognition. 2017 , 283-316	
166	Energy Efficient Spiking Neural Network Design with RRAM Devices. 2017 , 245-259	1
165	Ultrasensitive Memristive Synapses Based on Lightly Oxidized Sulfide Films. 2017 ,	
164	Memristive Extreme Learning Machine: A Neuromorphic Implementation. 2019 , 123-134	
163	Introduction. 2019 , 1-32	
162	Self-organization and Emergence of Dynamical Structures in Neuromorphic Atomic Switch Networks. 2019 , 391-427	2
161	Memristors and Memristive Devices for Neuromorphic Computing. 2019 , 369-389	2
160	Mimicking synaptic plasticity with wedged Pt/Co/Pt spin-orbit torque device.	2

159	Flexible artificial Si-In-Zn-O/ion gel synapse and its application to sensory-neuromorphic system for sign language translation. 2021 , 7, eabg9450	10
158	Two-terminal organic optoelectronic synapse based on poly(3-hexylthiophene) for neuromorphic computing. 2022 , 100, 106390	0
157	VO2 electro-optic memory and oscillator for neuromorphic computing. 2020 ,	0
156	Artificial synaptic device and neural network based on the FeGa/PMN-PT/FeGa memtranstor. 2021 , 119, 192902	1
155	Bidirectional Electric-Induced Conductance Based on GeTe/Sb2Te3 Interfacial Phase Change Memory for Neuro-Inspired Computing. 2021 , 10, 2692	1
154	Non-Volatile Reconfigurable Silicon Photonics Based on Phase-Change Materials. 2022 , 28, 1-17	1
153	Nano-composite phase-change antimony thin film for fast and persistent memory operations. 2021 , 100584	2
152	Surface acoustic wave controlled skyrmion-based synapse devices. 2021 ,	1
151	CMOS-Compatible Low-Power Gated Diode Synaptic Device for Hardware-Based Neural Network. 2021 , 1-6	2
150	IGZO-based neuromorphic transistors with temperature-dependent synaptic plasticity and spiking logics. 2022 , 65, 1	2
149	Light-stimulated artificial synapse based on Schottky barrier modulated CVD Mos2 transistors. 2020 ,	
148	Artificial Synaptic Devices with Photoelectric Properties Based on Ionic Gel and Graphene. 2021 ,	
147	Correlation between Transient Response and Neuromorphic Behavior in Organic Electrochemical Transistors. 2101186	0
146	Memristive Behaviors Dominated by Reversible Nucleation Dynamics of Phase-Change Nanoclusters.. 2022 , e2105070	0
145	Two-dimensional materials for artificial synapses: toward a practical application.	1
144	Ultralow Power Consumption and Large Dynamic Range Synaptic Transistor Based on Hn2Se3 Nanosheets.	4
143	Floating-gate based PN blending optoelectronic synaptic transistor for neural machine translation. 1	1
142	Two-dimensional molybdenum disulfide artificial synapse with high sensitivity. 2022 , 2, 014004	1

141	Oxygen-Vacancy-Induced Synaptic Plasticity in an Electrospun InGdO Nanofiber Transistor for a Gas Sensory System with a Learning Function.. 2022 ,	2
140	Unraveling Crystallization Mechanisms and Electronic Structure of Phase-Change Materials by Large-Scale Ab Initio Simulations.. 2022 , e2109139	2
139	A Real-time Hardware Experiment Platform for Closed-loop Electrophysiology.. 2022 , PP,	1
138	Density dependent local structures in InTe phase-change materials. 2021 , 9, 121105	2
137	Synaptic transistor with tunable synaptic behavior based on a thermo-denatured polar polymer material. 2022 , 10, 5534-5541	1
136	'Stateful' threshold switching for neuromorphic learning.. 2022 ,	0
135	Nanostructured perovskites for nonvolatile memory devices.. 2022 ,	7
134	Stochastic Resonance in Organic Electronic Devices.. 2022 , 14,	0
133	High On/Off Ratio Spintronic Multi-Level Memory Unit for Deep Neural Network.. 2022 , e2103357	1
132	Flexible neuromorphic electronics based on low-dimensional materials. 1	1
131	Emulation of synaptic functions with low voltage organic memtransistor for hardware oriented neuromorphic computing.. 2022 , 12, 3808	3
130	Electrically driven reprogrammable phase-change metasurface reaching 80% efficiency.. 2022 , 13, 1696	21
129	Emulation of Synaptic Plasticity on a Cobalt-Based Synaptic Transistor for Neuromorphic Computing.. 2022 ,	3
128	Hardware Demonstration of SRDP Neuromorphic Computing with Online Unsupervised Learning Based on Memristor Synapses.. 2022 , 13,	1
127	Ferroelectric-gated ReS2 field-effect transistors for nonvolatile memory. 1	0
126	Screening Switching Materials with Low Leakage Current and High Thermal Stability for Neuromorphic Computing. 2200150	1
125	Performance optimization of a metasurface incorporating non-volatile phase change material.. 2022 , 30, 12982-12994	
124	PCRAM electronic synapse measurements based on pulse programming engineering. 2022 , 258, 111773	1

123	Ultrafast Threshold Switching Dynamics in Phase Change Materials.	2
122	In-Plane Twinning Defects in Hexagonal GeSb ₂ Te ₄ . 2200214	0
121	Solid-State Electrolyte Gate Transistor with Ion Doping for Biosignal Classification of Neuromorphic Computing. 2101260	0
120	Halide perovskite based synaptic devices for neuromorphic systems. 2022 , 24, 100667	
119	Spatially inhomogeneous operation of phase-change memory. 2022 , 589, 153026	
118	Electrolyte-Gated Vertical Synapse Array based on Van Der Waals Heterostructure for Parallel Computing.. 2021 , e2103808	5
117	Analysis of the Thermal Degradation Effect on a HfO ₂ -Based Memristor Synapse Caused by Oxygen Affinity of a Top Electrode Metal and on a Neuromorphic System. 2021 , 3, 5584-5591	3
116	All-photonic synapse based on iron-doped lithium niobate double metal-cladding waveguides. 2021 , 104,	1
115	Neuromorphic Devices Based on Chalcogenide Materials. 2022 , 125-147	1
114	Two-Terminal Neuromorphic Memristors. 2022 , 1-46	
113	Ultrasensitive and Degradable Ultraflexible Synaptic Transistors Based on Natural Pectin. 2022 , 4, 316-325	1
112	Reconfigurable Synaptic and Neuronal Functions in a V/VO _x /HfWO _x /Pt Memristor for Nonpolar Spiking Convolutional Neural Network. 2111996	7
111	Versatile Functionality of Four-Terminal TiO ₂ Memristive Devices as Artificial Synapses for Neuromorphic Computing.	0
110	Molecular dynamics simulation of nanofilament breakage in neuromorphic nanoparticle networks.. 2022 , 33,	0
109	Applications and Techniques for Fast Machine Learning in Science.. 2022 , 5, 787421	0
108	Improved multilevel storage capacity in Ge ₂ Sb ₂ Te ₅ -based phase-change memory using a high-aspect-ratio lateral structure.	1
107	Data_Sheet_1.pdf. 2019 ,	
106	Data_Sheet_1.pdf. 2020 ,	

105	A Mini Tutorial of Processing in Memory: From Principles, Devices to Prototypes. 2022 , 1-1	0
104	Machine Vision with InP based Floating-gate Photo-field-effective Transistors for Color-mixed Image Recognition. 2022 , 1-1	0
103	Electronic Synaptic Plasticity and Analog Switching Characteristics in Pt/Tiox/Alox/Altaon/Tan Multilayer Rram for Artificial Synapses.	
102	Transmission Electron Microscopy Study on the Effect of Thermal and Electrical Stimuli on Ge ₂ Te ₃ Based Memristor Devices. 2022 , 3,	
101	Reconfigurable Artificial Synapses with Excitatory and Inhibitory Response Enabled by an Ambipolar Oxide Thin-Film Transistor.. 2022 ,	4
100	Interlaboratory Study on Sb ₂ S ₃ Interplay between Structure, Dielectric Function and Amorphous-to-Crystalline Phase Change for Photonics. 2022 , 104377	3
99	Neural sampling machine with stochastic synapse allows brain-like learning and inference.. 2022 , 13, 2571	5
98	Ferroelectric ion gel-modulated long-term plasticity in organic synaptic transistors. 2022 , 287, 126227	1
97	Nonvolatile Memories in Spiking Neural Network Architectures: Current and Emerging Trends. 2022 , 11, 1610	0
96	Impact of titanium doping and pulsing conditions on the analog temporal response of hafnium oxide based memristor synapses. 2022 , 131, 204901	5
95	Polarity-Differentiated Dielectric Materials in Monolayer Graphene Charge-Regulated Field-Effect Transistors for an Artificial Reflex Arc and Pain Modulation System of the Spinal Cord. 2202059	2
94	Spike-time-dependent plasticity rule in memristor models for circuit design.	0
93	A complementary resistive switching neuron.	2
92	Tailoring Neuromorphic Switching by Cu _{Nx} -Mediated Orbital Currents. 2022 , 17,	
91	A Learning-Rate Modulable and Reliable TiO _x Memristor Array for Robust, Fast, and Accurate Neuromorphic Computing. 2201117	1
90	Magnetron-sputtered and thermal-evaporated low-loss Sb-Se phase-change films in non-volatile integrated photonics.	0
89	High-Performance Neuromorphic Computing Based on Ferroelectric Synapses with Excellent Conductance Linearity and Symmetry. 2202366	7
88	Neuromorphic Photonic Memory Devices Using Ultrafast, Non-volatile Phase-change Materials. 2203909	5

87	Electronic synaptic plasticity and analog switching characteristics in Pt/TiO _x /AlO _x /AlTaON/TaN multilayer RRAM for artificial synapses. 2022 , 599, 153906	2
86	Historical review of semiconductor memories. 2022 , 1-26	
85	Computing with nonvolatile memories for artificial intelligence. 2022 , 305-334	2
84	Dual-Terminal Stimulated Heterosynaptic Plasticity of IGZO Memtransistor with Al ₂ O ₃ /TiO ₂ Double-Oxide Structure. 2022 , 4, 2923-2932	1
83	Neuromorphic Skin Based on Emerging Artificial Synapses. 2200193	1
82	Emerging Memristive Devices for Brain-Inspired Computing and Artificial Perception. 4,	1
81	Synaptic Segmented Transistor with Improved Linearity by Schottky Junctions and Accelerated Speed by Double-Layered Nitride.	1
80	Corrigendum to Spatially inhomogeneous operation of phase-change memory [Appl. Surf. Sci. 589 (2022) 153026]. 2022 , 154356	
79	Enabling Active Nanotechnologies by Phase Transition: From Electronics, Photonics to Thermotics.	1
78	Post-silicon nano-electronic device and its application in brain-inspired chips. 16,	1
77	Halide-Perovskite-Based Memristor Devices and Their Application in Neuromorphic Computing. 2022 , 18,	0
76	Biocompatible Casein Electrolyte-Based Electric-Double-Layer for Artificial Synaptic Transistors. 2022 , 12, 2596	1
75	On-Chip Integrated Atomically Thin 2D Material Heater as a Training Accelerator for an Electrochemical Random-Access Memory Synapse for Neuromorphic Computing Application. 2022 , 16, 12214-12225	2
74	Origin of the unusual property contrast in K ₂ Bi ₈ Se ₁₃ phase-change material. 2022 , 121, 061901	
73	The study of phase change properties of Sb ₇₀ Se ₃₀ thin film with scandium and aluminum doping. 2022 , 55, 425105	0
72	Tuning Ambipolarity of the Conjugated Polymer Channel Layers of Floating-Gate Free Transistors: From Volatile Memories to Artificial Synapses. 2203025	
71	Unraveling the Effect of the Water Content in the Electrolyte on the Resistive Switching Properties of Self-Assembled One-Dimensional Anodized TiO ₂ Nanotubes. 2022 , 13, 7870-7880	3
70	Ferroelectric polarization assisted organic artificial synapse with enhanced performance. 2022 , 109, 106618	

69	Active layer nitrogen doping technique with excellent thermal stability for resistive switching memristor. 2022 , 603, 154307	1
68	Fundamental physics and applications of skyrmions: A review. 2022 , 563, 169905	1
67	Adaptive cognition implemented with a context-aware and flexible neuron for next-generation artificial intelligence.	1
66	Understanding the Origin of Low-Energy Operation Characteristics for Cr ₂ Ge ₂ Te ₆ Phase-Change Material: Enhancement of Thermal Efficiency in the High-Scaled Memory Device. 2022 , 14, 44604-44613	0
65	Resistance Drift Convergence and Inversion in Amorphous Phase Change Materials. 2207194	0
64	Heterosynaptic Plasticity Achieved by Highly Anisotropic Ionic Migration in Layered Li x MoO 3 for Neuromorphic Application. 2200721	1
63	Multiple connected artificial synapses based on electromigrated Au nanogaps. 2022 , 40, 053202	1
62	Magnetic Skyrmion-Based Spiking Neural Network for Pattern Recognition. 2022 , 12, 9698	0
61	Exact solution of arrhenius equation under the square root heating model. 2022 ,	0
60	A conversion-type lithium artificial synapse with dispersed nano-silica fabricated by UV-curing method. 2022 , 33, 505207	0
59	Self-organization of an inhomogeneous memristive hardware for sequence learning. 2022 , 13,	0
58	Synapse transistors based on Li ₇ La ₃ Zr ₂ O ₁₂ (LLZO) nanofibers/polyvinyl alcohol (PVA) composite gate dielectric for neuromorphic application.	0
57	Memristor-Based Intelligent Human-Like Neural Computing. 2200877	1
56	Low-Consumption Synaptic Devices Based on Gate-All-Around InAs Nanowire Field-Effect Transistors. 2022 , 17,	0
55	Flexible ZnO Nanosheet-Based Artificial Synapses Prepared by Low-Temperature Process for High Recognition Accuracy Neuromorphic Computing. 2209907	3
54	Electronegative metal dopants improve switching variability in Al ₂ O ₃ resistive switching devices. 2022 , 6,	0
53	Recent Advances in Synaptic Nonvolatile Memory Devices and Compensating Architectural and Algorithmic Methods Toward Fully Integrated Neuromorphic Chips. 2200884	1
52	Enhancement of writing efficiency for multilevel memory in perpendicularly magnetized Pt/Co/Pt/IrMn multilayers. 2022 , 564, 170111	0

- 51 An electronic synaptic memory device based on four-cation mixed halide perovskite. **2022**, 2, 0
- 50 Synergistic Effect of Oxoammonium Salt and Its Counterions for Fabricating Organic Electrochemical Transistors with Low Power Consumption. **2022**, 14, 51165-51174 1
- 49 Semiconductor Memory Technologies. **2023**, 37-66 0
- 48 Memristive/CMOS Devices for Neuromorphic Applications. **2023**, 1167-1199 0
- 47 Advanced Synaptic Devices and Their Applications in Biomimetic Sensory Neural System. **2022**, 100031 0
- 46 Realization of Multi-Level State and Artificial Synapses Function in Stacked (Ta/CoFeB/MgO) N Structures. 2200939 0
- 45 Cointegration of the TFT-Type AND Flash Synaptic Array and CMOS Circuits for a Hardware-Based Neural Network. **2022**, 1-6 0
- 44 Synaptic array using multi-level AND flash memory cells for hardware-based neural networks. **2023**, 200, 108566 0
- 43 Highly tunable β -relaxation enables the tailoring of crystallization in phase-change materials. **2022**, 13, 1 1
- 42 Artificial Synapse Based on Oxygen Vacancy Migration in Ferroelectric-Like C-Axis-Aligned Crystalline InGaSnO Semiconductor Thin-Film Transistors for Highly Integrated Neuromorphic Electronics. 2212367 0
- 41 Phase Transition of MoTe₂ Controlled in van der Waals Heterostructure Nanoelectromechanical Systems. 2205327 0
- 40 Stochastic artificial synapses based on nanoscale magnetic tunnel junction for neuromorphic applications. **2022**, 121, 232406 0
- 39 A multilevel electrolyte-gated artificial synapse based on ruthenium-doped cobalt ferrite. 0
- 38 Dielectric-Engineered High-Speed, Low-Power, Highly Reliable Charge Trap Flash-Based Synaptic Device for Neuromorphic Computing beyond Inference. 0
- 37 Design of all-phase-change-memory spiking neural network enabled by Ge-Ga-Sb compound. 0
- 36 Enhanced Synaptic Properties in Biocompatible Casein Electrolyte via Microwave-Assisted Efficient Solution Synthesis. **2023**, 15, 293 0
- 35 Organic Memristor Based on High Planar Cyanostilbene/Polymer Composite Films. 0
- 34 Enhanced Surface Effects and Optical Property Modulation of GeSbTe by Pulsed Laser Irradiation. 0

- 33 Photoelectric Memristor-Based Machine Vision for Artificial Intelligence Applications. 504-526 ○
- 32 Reconfigurable meta-devices platform based on stimuli-responsive materials. **2023**, ○
- 31 Heterosynaptic Plasticity and Neuromorphic Boolean Logic Enabled by Ferroelectric Polarization Modulated Schottky Diodes. 2201155 ○
- 30 Optical Soliton Neural Networks. ○
- 29 2D materials for neuromorphic devices. **2023**, 259-285 ○
- 28 Nanoscale electronic synapses for neuromorphic computing. **2023**, 189-218 ○
- 27 Advanced Optoelectronic Devices for Neuromorphic Analog Based on Low-Dimensional Semiconductors. 2213894 ○
- 26 Yield improvement in fabrication of a molecular-gap atomic switch by eliminating potential leakage current paths. ○
- 25 Dual-Gate IGZO-Based Neuromorphic Transistors with Stacked Al₂O₃/Chitosan Gate Dielectrics. **2023**, 767 ○
- 24 Effect of training pulse parameters on the synaptic plasticity of a ZrO₂ (Y)-based memristive device. ○
- 23 The plasticity of synaptic memristor based on 2D-MoS₂ thin film prepared in large-scale by a PLD-assisted CVD method. **2023**, 35, 105511 ○
- 22 Phase-Change Memory using Cu₂GeTe₃ and Multiple Writing Technique for Neuromorphic Systems. **2023**, ○
- 21 Artificial Synapses Based On Two-Dimensional Materials. **2023**, 658-675 ○
- 20 Neuromorphic Computing between Reality and Future Needs. ○
- 19 Normal and abnormal BCM rules realized in BaTiO₃/Nb:SrTiO₃ heterojunction. **2023**, 656, 414777 ○
- 18 The Effect of Carbon Doping on the Crystal Structure and Electrical Properties of Sb₂Te₃. **2023**, 13, 671 ○
- 17 In-memory computing with emerging memory devices: Status and outlook. **2023**, 1, 010902 ○
- 16 Recent progress in three-terminal artificial synapses based on 2D materials: from mechanisms to applications. **2023**, 9, ○

- 15 Characterization of undoped and Ni codoped ZnSb₃Te chalcogenides. **2023**, 62, SG1023 ○
- 14 2D-3D perovskite memristor with low energy consumption and high stability for neural morphology calculation. ○
- 13 Femtosecond Laser-Induced Nano-Joining of Volatile Tellurium Nanotube Memristor. **2023**, 13, 789 ○
- 12 A review of the thermal storage of phase change material, morphology, synthesis methods, characterization, and applications of microencapsulated phase change material. **2023**, 43, 354-375 ○
- 11 Set/Reset Bilaterally Controllable Resistance Switching Ga-doped Ge₂Sb₂Te₅ Long-Term Electronic Synapses for Neuromorphic Computing. 2213296 ○
- 10 Environmentally Stable and Reconfigurable Ultralow-Power Two-Dimensional Tellurene Synaptic Transistor for Neuromorphic Edge Computing. **2023**, 15, 18463-18472 ○
- 9 Three-Terminal VO₂ -Based Device with Internal Read-Write Switching. **2023**, 19, ○
- 8 All optical artificial synapses based on long-afterglow material for optical neural network. ○
- 7 Multilevel resistive switching in stable all-inorganic n-i-p double perovskite memristor. **2023**, 26, 106461 ○
- 6 Top-Gate Transparent Organic Synaptic Transistors Based on Co-Mingled Heterojunctions. **2023**, 12, 1596 ○
- 5 Metavalent Bonding in Layered Phase-Change Memory Materials. ○
- 4 Planar Multi-Gate Artificial Synaptic Transistor with Solution-Processed AlO_x Solid Electric Double Layer Dielectric and InO_x Channel. **2023**, 13, 719 ○
- 3 Memristor-Based Signal Processing for Compressed Sensing. **2023**, 13, 1354 ○
- 2 Promising Materials and Synthesis Methods for Resistive Switching Memory Devices: A Status Review. ○
- 1 Five-Fold Reduction in RESET Energy Consumption by Nitrogen Doping in Phase Change Memory. **2023**, ○