

A critique of density estimation from cameraâ€trap data

Journal of Wildlife Management

76, 224-236

DOI: [10.1002/jwmg.275](https://doi.org/10.1002/jwmg.275)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Comparison of Remotely-triggered Cameras vs. Howling Surveys for Estimating Coyote (<i>Canis latrans</i>) Abundance in Central Kentucky. <i>Journal of the Kentucky Academy of Science</i> , 2011, 72, 84-90.	0.1	1
2	Baird's tapir density in high elevation forests of the Talamanca region of Costa Rica. <i>Integrative Zoology</i> , 2012, 7, 381-388.	2.6	18
3	Comparison of density estimation methods for mammal populations with camera traps in the <sc>K</sc>aa–<sc>I</sc>ya del <sc>G</sc>ran <sc>C</sc>haco landscape. <i>Animal Conservation</i> , 2012, 15, 527-535.	2.9	110
4	Combining data from 43 standardized surveys to estimate densities of female American black bears by spatially explicit capture–recapture. <i>Population Ecology</i> , 2013, 55, 595-607.	1.2	43
5	Ringtail (<i>Bassariscus astutus</i>) Noninvasive Survey Methods, Density, and Occupancy in Central New Mexico, Usa. <i>Western North American Naturalist</i> , 2013, 73, 365-372.	0.4	4
6	Spatially explicit capture-recapture method (SECR, SPACECAP): A new approach to determination of the Amur tiger (<i>Panthera tigris altaica</i>) population density by means of camera-traps. <i>Doklady Biological Sciences</i> , 2013, 453, 365-368.	0.6	13
7	Studying the effects of multiple invasive mammals on Cory™s shearwater nest survival. <i>Biological Invasions</i> , 2013, 15, 143-155.	2.4	31
8	Density estimations of the Eurasian lynx (<i>Lynx lynx</i>) in the Swiss Alps. <i>Journal of Mammalogy</i> , 2013, 94, 73-81.	1.3	41
9	Spatial capture–recapture models for jointly estimating population density and landscape connectivity. <i>Ecology</i> , 2013, 94, 287-294.	3.2	91
10	Estimating jaguar densities with camera traps: Problems with current designs and recommendations for future studies. <i>Biological Conservation</i> , 2013, 159, 109-118.	4.1	174
11	Clarifying assumptions behind the estimation of animal density from camera trap rates. <i>Journal of Wildlife Management</i> , 2013, 77, 876-876.	1.8	52
12	High jaguar densities and large population sizes in the core habitat of the southwestern Amazon. <i>Biological Conservation</i> , 2013, 159, 375-381.	4.1	81
13	Towards good practice guidance in using camera–traps in ecology: influence of sampling design on validity of ecological inferences. <i>Methods in Ecology and Evolution</i> , 2013, 4, 105-113.	5.2	105
14	Optimizing the size of the area surveyed for monitoring a Eurasian lynx (<i>Lynx lynx</i>) population in the Swiss Alps by means of photographic capture–recapture. <i>Integrative Zoology</i> , 2013, 8, 232-243.	2.6	28
15	Integrating resource selection information with spatial capture–recapture. <i>Methods in Ecology and Evolution</i> , 2013, 4, 520-530.	5.2	124
16	Evaluation of Camera-Trap Designs for Photographing Chest Marks of the Free-Ranging Asiatic Black Bear, <i>Ursus thibetanus</i> . <i>Mammal Study</i> , 2013, 38, 35-39.	0.6	34
17	The importance of farmland for the conservation of the brown hyaena <i>Parahyaena brunnea</i> . <i>Oryx</i> , 2013, 47, 431-440.	1.0	26
18	Impact of farmland use on population density and activity patterns of serval in South Africa. <i>Journal of Mammalogy</i> , 2013, 94, 1460-1470.	1.3	47

#	ARTICLE	IF	CITATIONS
19	Integrating Occupancy Modeling and Camera-Trap Data to Estimate Medium and Large Mammal Detection and Richness in a Central American Biological Corridor. <i>Tropical Conservation Science</i> , 2013, 6, 781-795.	1.2	34
20	Trap Configuration and Spacing Influences Parameter Estimates in Spatial Capture-Recapture Models. <i>PLoS ONE</i> , 2014, 9, e88025.	2.5	131
21	Human visual identification of individual Andean bears <i>Tremarctos ornatus</i> . <i>Wildlife Biology</i> , 2014, 20, 291-299.	1.4	28
22	Evaluating heterogeneity of sex-specific capture probability and precision in camera-trap population estimates of tigers. <i>Wildlife Society Bulletin</i> , 2014, 38, 791-796.	1.6	14
24	Estimating the abundance of rare and elusive carnivores from photographic sampling data when the population size is very small. <i>Population Ecology</i> , 2014, 56, 463-470.	1.2	39
25	Black bear use of seismic lines in Northern Canada. <i>Journal of Wildlife Management</i> , 2014, 78, 282-292.	1.8	51
26	Continuous-time spatially explicit capture-recapture models, with an application to a jaguar camera-trap survey. <i>Methods in Ecology and Evolution</i> , 2014, 5, 656-665.	5.2	55
27	Estimates of density and sustainable harvest of the lowland tapir <i>Tapirus terrestris</i> in the Amazon of French Guiana using a Bayesian spatially explicit capture-recapture model. <i>Oryx</i> , 2014, 48, 410-419.	1.0	18
28	Common species affects the utility of non-invasive genetic monitoring of a cryptic endangered mammal: The bridled naitail wallaby. <i>Austral Ecology</i> , 2014, 39, 633-642.	1.5	3
29	Common Biases in Density Estimation Based on Home Range Overlap with Reference to Pumas in Patagonia. <i>Wildlife Biology</i> , 2014, 20, 19-26.	1.4	16
30	The first density estimation of an isolated Eurasian lynx population in southwest Asia. <i>Wildlife Biology</i> , 2014, 20, 217-221.	1.4	21
31	Is it possible to individually identify red foxes from photographs?. <i>Wildlife Society Bulletin</i> , 2014, 38, 205-210.	1.6	21
32	Tiger density in a tropical lowland forest in the Eastern Himalayan Mountains. <i>SpringerPlus</i> , 2014, 3, 462.	1.2	2
33	Estimating puma <i>Puma concolor</i> population size in a human-disturbed landscape in Brazil, using DNA mark-recapture data. <i>Oryx</i> , 2014, 48, 250-257.	1.0	26
34	Comparison of Noninvasive Genetics and Camera Trapping for Estimating Population Density of Ocelots (<i>Leopardus Pardalis</i>) on Barro Colorado Island, Panama. <i>Tropical Conservation Science</i> , 2014, 7, 690-705.	1.2	25
35	Applying a random encounter model to estimate lion density from camera traps in Serengeti National Park, Tanzania. <i>Journal of Wildlife Management</i> , 2015, 79, 1014-1021.	1.8	86
36	The pitfalls of wildlife camera trapping as a survey tool in Australia. <i>Australian Mammalogy</i> , 2015, 37, 13.	1.1	126
38	Using camera-trap photographs to identify individual fox squirrels (<i>Sciurus niger</i>) in the Southeastern United States. <i>Wildlife Society Bulletin</i> , 2015, 39, 645-650.	1.6	15

#	ARTICLE	IF	CITATIONS
39	Melanistic leopards reveal their spots: Infrared camera traps provide a population density estimate of leopards in malaysia. <i>Journal of Wildlife Management</i> , 2015, 79, 846-853.	1.8	31
40	Estimation of <i>Muscardinus avellanarius</i> population density by live-trapping. <i>Folia Zoologica</i> , 2015, 64, 325-329.	0.9	0
41	Camera traps and mark-resight models: The value of ancillary data for evaluating assumptions. <i>Journal of Wildlife Management</i> , 2015, 79, 1163-1172.	1.8	6
42	Application of Spatial and Closed Capture-Recapture Models on Known Population of the Western Derby Eland (<i>Taurotragus derbianus derbianus</i>) in Senegal. <i>PLoS ONE</i> , 2015, 10, e0136525.	2.5	9
43	Are Private Reserves Effective for Jaguar Conservation?. <i>PLoS ONE</i> , 2015, 10, e0137541.	2.5	16
44	Examining Temporal Sample Scale and Model Choice with Spatial Capture-Recapture Models in the Common Leopard <i>Panthera pardus</i> . <i>PLoS ONE</i> , 2015, 10, e0140757.	2.5	31
45	Trapping Elusive Cats: Using Intensive Camera Trapping to Estimate the Density of a Rare African Felid. <i>PLoS ONE</i> , 2015, 10, e0142508.	2.5	42
46	Non-invasive monitoring of the European wildcat (<i>Felis silvestris silvestris</i> Schreber, 1777): comparative analysis of three different monitoring techniques and evaluation of their integration. <i>European Journal of Wildlife Research</i> , 2015, 61, 657-668.	1.4	35
47	Predicting bobcat abundance at a landscape scale and evaluating occupancy as a density index in central Wisconsin. <i>Journal of Wildlife Management</i> , 2015, 79, 469-480.	1.8	59
48	Strong spatial segregation between wildcats and domestic cats may explain low hybridization rates on the Iberian Peninsula. <i>Zoology</i> , 2015, 118, 377-385.	1.2	31
49	Strong influence of local habitat structure on mammals reveals mismatch with edge effects models. <i>Landscape Ecology</i> , 2015, 30, 229-245.	4.2	29
50	A generalised random encounter model for estimating animal density with remote sensor data. <i>Methods in Ecology and Evolution</i> , 2015, 6, 500-509.	5.2	42
51	Spatial distribution drivers of Amur leopard density in northeast China. <i>Biological Conservation</i> , 2015, 191, 258-265.	4.1	37
52	Density and home range of feral cats in north-western Australia. <i>Wildlife Research</i> , 2015, 42, 223.	1.4	65
53	The northern coastal forests of Kenya are nationally and globally important for the conservation of Aders' duiker <i>Cephalophus adersi</i> and other antelope species. <i>Biodiversity and Conservation</i> , 2015, 24, 641-658.	2.6	22
54	REVIEW: Wildlife camera trapping: a review and recommendations for linking surveys to ecological processes. <i>Journal of Applied Ecology</i> , 2015, 52, 675-685.	4.0	791
55	Beefing Up Species Richness? The Effect of Land-Use on Mammal Diversity in an Arid Biodiversity Hotspot. <i>African Journal of Wildlife Research</i> , 2015, 45, 321-331.	0.4	7
56	The first description of population density and habitat use of the mainland clouded leopard (<i>Neofelis nebulosa</i>) within a logged primary forest in South East Asia. <i>Population Ecology</i> , 2015, 57, 495-503.	1.2	23

#	ARTICLE	IF	CITATIONS
57	Using geographic profiling to locate elusive nocturnal animals: a case study with spectral tarsiers. <i>Journal of Zoology</i> , 2015, 295, 261-268.	1.7	11
58	Potential for camera-traps and spatial mark-resight models to improve monitoring of the critically endangered West African lion (<i>Panthera leo</i>). <i>Biodiversity and Conservation</i> , 2015, 24, 3527-3541.	2.6	34
59	Hide and seek: extended camera-trap session lengths and autumn provide best parameters for estimating lynx densities in mountainous areas. <i>Biodiversity and Conservation</i> , 2015, 24, 2935-2952.	2.6	19
60	Density of leopards (<i>Panthera pardus</i>) on protected and non-protected land in the Waterberg Biosphere, South Africa. <i>Wildlife Biology</i> , 2015, 21, 263-268.	1.4	30
61	Spatially explicit capture-recapture analysis of bobcat (<i>Lynx rufus</i>) density: implications for mesocarnivore monitoring. <i>Wildlife Research</i> , 2015, 42, 394.	1.4	29
62	The road less travelled: assessing variation in mammal detection probabilities with camera traps in a semi-arid biodiversity hotspot. <i>Biodiversity and Conservation</i> , 2015, 24, 531-545.	2.6	37
63	Density of threatened ocelot <i>Leopardus pardalis</i> in the Sierra Abra-Tanchipa Biosphere Reserve, San Luis Potosí, Mexico. <i>Oryx</i> , 2015, 49, 619-625.	1.0	14
64	Identification and Density Estimation of American Martens (<i>Martes americana</i>) Using a Novel Camera-Trap Method. <i>Diversity</i> , 2016, 8, 3.	1.7	27
65	First Ecological Study of the Bawean Warty Pig (<i>Sus blouchi</i>), One of the Rarest Pigs on Earth. <i>PLoS ONE</i> , 2016, 11, e0151732.	2.5	14
66	Jaguar Densities across Human-Dominated Landscapes in Colombia: The Contribution of Unprotected Areas to Long Term Conservation. <i>PLoS ONE</i> , 2016, 11, e0153973.	2.5	56
67	Seasonal and Diel Activity Patterns of Eight Sympatric Mammals in Northern Japan Revealed by an Intensive Camera-Trap Survey. <i>PLoS ONE</i> , 2016, 11, e0163602.	2.5	74
68	Brown hyaena population explosion: rapid population growth in a small, fenced system. <i>Wildlife Research</i> , 2016, 43, 178.	1.4	14
69	Individual Identification of Mesocarnivores Using Photos of Noseprint Patterns. <i>Mammal Study</i> , 2016, 41, 9-15.	0.6	0
70	Individual Identification of Raccoons (<i>Procyon lotor</i>) Using Track Plate Foot Printing. <i>American Midland Naturalist</i> , 2016, 176, 306.	0.4	3
71	Leopard density estimates from semi-desert commercial farmlands, south-west Namibia. <i>African Journal of Ecology</i> , 2016, 54, 103-106.	0.9	11
72	Random bounce algorithm: real-time image processing for the detection of bats and birds. <i>Signal, Image and Video Processing</i> , 2016, 10, 1449-1456.	2.7	7
73	Individual identification of wild giant pandas from camera trap photos – a systematic and hierarchical approach. <i>Journal of Zoology</i> , 2016, 300, 247-256.	1.7	58
74	Densities and perceptions of jaguars in coastal Nayarit, Mexico. <i>Wildlife Society Bulletin</i> , 2016, 40, 506-513.	1.6	10

#	ARTICLE	IF	CITATIONS
76	Use of Atlantic forest protected areas by free-ranging dogs: estimating abundance and persistence of use. <i>Ecosphere</i> , 2016, 7, e01480.	2.2	29
77	A picture is worth a thousand data points: an imagery dataset of paired shrub-open microsites within the Carrizo Plain National Monument. <i>GigaScience</i> , 2016, 5, 40.	6.4	9
78	Are we getting the full picture? Animal responses to camera traps and implications for predator studies. <i>Ecology and Evolution</i> , 2016, 6, 3216-3225.	1.9	88
79	Assessing habitat relationships of mountain lions and their prey in the Davis Mountains, Texas. <i>Southwestern Naturalist</i> , 2016, 61, 18-27.	0.1	4
80	Effects of a protection gradient on carnivore density and survival: an example with leopards in the Luangwa valley, Zambia. <i>Ecology and Evolution</i> , 2016, 6, 3772-3785.	1.9	50
81	Turning the game around for conservation: using traditional hunting knowledge to improve the capture efficiency of Amazon lowland pacas. <i>Wildlife Biology</i> , 2016, 22, 1-6.	1.4	16
82	An oasis in the desert: The potential of water sources as camera trap sites in arid environments for surveying a carnivore guild. <i>Journal of Arid Environments</i> , 2016, 124, 304-309.	2.4	15
83	Puma <i>Puma concolor</i> density estimation in the Mediterranean Andes of Chile. <i>Oryx</i> , 2017, 51, 263-267.	1.0	5
84	Automated face detection for occurrence and occupancy estimation in chimpanzees. <i>American Journal of Primatology</i> , 2017, 79, 1-12.	1.7	19
85	Precision and reliability of indirect population assessments for the Caspian red deer <i>Cervus elaphus maral</i> . <i>Wildlife Biology</i> , 2017, 2017, 1-8.	1.4	21
86	Population size and artificial waterhole use by striped hyenas in the Dana Biosphere Reserve, Jordan. <i>Mammalia</i> , 2017, 81, .	0.7	19
87	An empirical evaluation of camera trapping and spatially explicit capture-recapture models for estimating chimpanzee density. <i>American Journal of Primatology</i> , 2017, 79, e22647.	1.7	44
88	Density and population structure of the jaguar (<i>Panthera onca</i>) in a protected area of Los Llanos, Venezuela, from 1 year of camera trap monitoring. <i>Mammal Research</i> , 2017, 62, 9-19.	1.3	38
89	Feasibility assessment of active and passive acoustic monitoring of sika deer populations. <i>Ecological Indicators</i> , 2017, 79, 155-162.	6.3	22
90	Estimating Occurrence and Detectability of a Carnivore Community in Eastern Botswana using Baited Camera Traps. <i>African Journal of Wildlife Research</i> , 2017, 47, 32.	0.4	13
91	Optimising camera trap deployment design across multiple sites for species inventory surveys. <i>Pacific Conservation Biology</i> , 2017, 23, 43.	1.0	9
92	Using certified timber extraction to benefit jaguar and ecosystem conservation. <i>Ambio</i> , 2017, 46, 588-603.	5.5	15
93	Estimating abundance of striped hyenas (<i>Hyaena hyaena</i>) in the Negev Desert of Israel using camera traps and closed capture-recapture models. <i>European Journal of Wildlife Research</i> , 2017, 63, 1.	1.4	10

#	ARTICLE	IF	CITATIONS
94	Bait preference for remote camera trap studies of the endangered northern quoll (<i>Dasyurus</i>) Tj ETQq0 0 0 rgBT /Over lock 10 Tf 50 742 T	1.1	17
95	Top-down and bottom-up control on cougar and its prey in a central Mexican natural reserve. <i>European Journal of Wildlife Research</i> , 2017, 63, 1.	1.4	5
96	A comparison of camera trap and permanent recording video camera efficiency in wildlife underpasses. <i>Ecology and Evolution</i> , 2017, 7, 7399-7407.	1.9	31
97	Sumatran tiger survival threatened by deforestation despite increasing densities in parks. <i>Nature Communications</i> , 2017, 8, 1783.	12.8	44
98	Pairing field methods to improve inference in wildlife surveys while accommodating detection covariance. <i>Ecological Applications</i> , 2017, 27, 2031-2047.	3.8	43
99	Inferring the foraging ranges of social bees from sibling genotypes sampled across discrete locations. <i>Conservation Genetics</i> , 2017, 18, 645-658.	1.5	8
100	Abundance of mesocarnivores in two vegetation types in the southeastern region of Mexico. <i>Southwestern Naturalist</i> , 2017, 62, 101-108.	0.1	9
101	Examining disease prevalence for species of conservation concern using non-invasive spatial capture-recapture techniques. <i>Journal of Applied Ecology</i> , 2017, 54, 709-717.	4.0	14
103	A hierarchical model for estimating the spatial distribution and abundance of animals detected by continuous-time recorders. <i>PLoS ONE</i> , 2017, 12, e0176966.	2.5	15
104	Camera trapping provides insights into adult sex ratio variability in felids. <i>Mammal Review</i> , 2018, 48, 168-179.	4.8	18
105	Making the most of sparse data to estimate density of a rare and threatened species: a case study with the fosa, a little-studied Malagasy carnivore. <i>Animal Conservation</i> , 2018, 21, 496-504.	2.9	10
106	A novel approach to estimating density of American badgers (<i>Taxidea taxus</i>) using automatic cameras at water sources in the Chihuahuan Desert. <i>Journal of Mammalogy</i> , 2018, 99, 233-241.	1.3	0
107	Identifying important conservation areas for the clouded leopard <i>Neofelis nebulosa</i> in a mountainous landscape: Inference from spatial modeling techniques. <i>Ecology and Evolution</i> , 2018, 8, 4278-4291.	1.9	23
108	Walking on their own legs: unassisted population growth of the agouti <i>Dasyprocta leporina</i> , reintroduced to restore seed dispersal in an Atlantic Forest reserve. <i>Oryx</i> , 2018, 52, 571-578.	1.0	15
109	Camera trapping mammals in the scrublands of the Cape Floristic Kingdom—the importance of effort, spacing and trap placement. <i>Biodiversity and Conservation</i> , 2018, 27, 503-520.	2.6	17
110	Carnivore distribution across habitats in a central-European landscape: a camera trap study. <i>ZooKeys</i> , 2018, 770, 227-246.	1.1	9
111	Deep Learning Object Detection Methods for Ecological Camera Trap Data. , 2018, , .		93
112	Assessment of Attractants for Neotropical Mammals. <i>Tropical Conservation Science</i> , 2018, 11, 194008291880066.	1.2	1

#	ARTICLE	IF	CITATIONS
113	Integrating multiple genetic detection methods to estimate population density of social and territorial carnivores. <i>Ecosphere</i> , 2018, 9, e02479.	2.2	13
114	Evaluating relative abundance indices for terrestrial herbivores from large-scale camera trap surveys. <i>African Journal of Ecology</i> , 2018, 56, 791-803.	0.9	70
115	Robust, real-time and autonomous monitoring of ecosystems with an open, low-cost, networked device. <i>Methods in Ecology and Evolution</i> , 2018, 9, 2383-2387.	5.2	59
116	Estimation of pack density in grey wolf (<i>Canis lupus</i>) by applying spatially explicit capture-recapture models to camera trap data supported by genetic monitoring. <i>Frontiers in Zoology</i> , 2018, 15, 38.	2.0	36
117	Trialling monitoring methods for feral cats, ferrets and rodents in the Whangamarino wetland. <i>New Zealand Journal of Zoology</i> , 2018, 45, 192-212.	1.1	4
118	Activity pattern of medium and large sized mammals and density estimates of <i>Cuniculus paca</i> (Rodentia: Tj ETQq1,1 0.784314 rgBT / 0.9 13	0.9	13
119	Identification and examination of inconspicuous carnivore modifications. <i>Journal of Archaeological Science: Reports</i> , 2018, 21, 584-592.	0.5	0
120	Comparison of field surveillance methods for and assessment of factors potentially associated with the presence of free-roaming cats in a mixed-urban environment. <i>American Journal of Veterinary Research</i> , 2018, 79, 745-754.	0.6	1
121	Use of track counts and camera traps to estimate the abundance of roe deer in North-Eastern Italy: are they effective methods?. <i>Mammal Research</i> , 2018, 63, 477-484.	1.3	6
122	Identification of threatened rodent species using infrared and white-flash camera traps. <i>Australian Mammalogy</i> , 2018, 40, 188.	1.1	19
123	Coping with intrasexual behavioral differences: Capture-recapture abundance estimation of male cheetah. <i>Ecology and Evolution</i> , 2018, 8, 9171-9180.	1.9	3
124	Population numbers, density and activity patterns of servals in savannah patches of Odzala-Kokoua National Park, Republic of Congo. <i>African Journal of Ecology</i> , 2018, 56, 841-849.	0.9	9
125	The Use of Remote Camera Trapping to Study Cheetahs: Past Reflections and Future Directions. , 2018, , 415-425.		4
126	An assessment of the efficacy of camera traps for studying demographic composition and variation in chimpanzees (<i>Pan troglodytes</i>). <i>American Journal of Primatology</i> , 2018, 80, e22904.	1.7	21
127	Identifying individual cougars (<i>Puma concolor</i>) in remote camera images – implications for population estimates. <i>Wildlife Research</i> , 2018, 45, 274.	1.4	17
128	Density of Clouded Leopard (<i>Neofelis nebulosa</i>) in Gunung Basor-Stong Utara Forest Reserve, Kelantan, Malaysia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 269, 012001.	0.3	0
129	The use of spatially explicit capture-recapture models for estimating Iberian lynx abundance in a newly reintroduced population. <i>Mammalian Biology</i> , 2019, 98, 11-16.	1.5	5
130	Baiting improves wild boar population size estimates by camera trapping. <i>Mammalian Biology</i> , 2019, 98, 28-35.	1.5	5

#	ARTICLE	IF	CITATIONS
131	Misidentification error associated with classifications of white-tailed deer images. <i>Wildlife Society Bulletin</i> , 2019, 43, 527-536.	1.6	3
132	Framing pictures: A conceptual framework to identify and correct for biases in detection probability of camera traps enabling multi-species comparison. <i>Ecology and Evolution</i> , 2019, 9, 2320-2336.	1.9	83
133	Estimating snow leopard density using fecal DNA in a large landscape in north-central Nepal. <i>Global Ecology and Conservation</i> , 2019, 17, e00548.	2.1	26
134	Using citizen science to inform urban canid management. <i>Landscape and Urban Planning</i> , 2019, 189, 362-371.	7.5	27
135	Estimating density and detection of bobcats in fragmented midwestern landscapes using spatial capture-recapture data from camera traps. <i>Wildlife Society Bulletin</i> , 2019, 43, 256-264.	1.6	13
136	Ocelot identification through spots. <i>Multimedia Tools and Applications</i> , 2019, 78, 26239-26262.	3.9	0
137	Maximising camera trap data: Using attractants to improve detection of elusive species in multi-species surveys. <i>PLoS ONE</i> , 2019, 14, e0216447.	2.5	38
138	A Sensitivity Analysis of the Application of Integrated Species Distribution Models to Mobile Species: A Case Study with the Endangered Baird's Tapir. <i>Environmental Conservation</i> , 2019, 46, 184-192.	1.3	7
139	The challenges of recognising individuals with few distinguishing features: Identifying red foxes <i>Vulpes vulpes</i> from camera-trap photos. <i>PLoS ONE</i> , 2019, 14, e0216531.	2.5	20
140	Improving estimation of puma (<i>Puma concolor</i>) population density: clustered camera-trapping, telemetry data, and generalized spatial mark-resight models. <i>Scientific Reports</i> , 2019, 9, 4590.	3.3	33
141	Ephemeral temporal partitioning may facilitate coexistence in competing species. <i>Animal Behaviour</i> , 2019, 150, 87-96.	1.9	14
142	Designing a camera trap monitoring program to measure efficacy of invasive predator management. <i>Wildlife Research</i> , 2019, 46, 154.	1.4	6
143	DNA from scats combined with capture-recapture modeling: a promising tool for estimating the density of red foxes—a pilot study in a boreal forest in southeast Norway. <i>Mammal Research</i> , 2019, 64, 147-154.	1.3	11
144	Long-term monitoring of ocelot densities in Belize. <i>Journal of Wildlife Management</i> , 2019, 83, 283-294.	1.8	24
145	Past, present and future approaches using computer vision for animal re-identification from camera trap data. <i>Methods in Ecology and Evolution</i> , 2019, 10, 461-470.	5.2	113
146	Responses of Sunda clouded leopard (<i>Neofelis diardi</i>) population density to anthropogenic disturbance: refining estimates of its conservation status in Sabah. <i>Oryx</i> , 2019, 53, 643-653.	1.0	28
147	Andean bear (<i>Tremarctos ornatus</i>) population density and relative abundance at the buffer zone of the Chingaza National Natural Park, cordillera oriental of the colombian andes. <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206030.	0.4	6
148	Spot on: using camera traps to individually monitor one of the world's largest lizards. <i>Wildlife Research</i> , 2020, 47, 326.	1.4	15

#	ARTICLE	IF	CITATIONS
149	Dingo Density Estimates and Movements in Equatorial Australia: Spatially Explicit Mark-Resight Models. <i>Animals</i> , 2020, 10, 865.	2.3	12
150	A leopard's favourite spots: Habitat preference and population density of leopards in a semi-arid biodiversity hotspot. <i>Journal of Arid Environments</i> , 2020, 181, 104218.	2.4	11
151	Spatially explicit capture recapture density estimates: Robustness, accuracy and precision in a long-term study of jaguars (<i>Panthera onca</i>). <i>PLoS ONE</i> , 2020, 15, e0227468.	2.5	25
152	Weather and Exposure Period Affect Coyote Detection at Camera Traps. <i>Wildlife Society Bulletin</i> , 2020, 44, 342-350.	1.6	6
153	Using Ultrasonic Acoustics to Detect Cryptic Flying Squirrels: Effects of Season and Habitat Quality. <i>Wildlife Society Bulletin</i> , 2020, 44, 300-308.	1.6	5
154	Density of wild felids in Sonora, Mexico: a comparison of spatially explicit capture-recapture methods. <i>European Journal of Wildlife Research</i> , 2020, 66, 1.	1.4	16
155	The effect of camera orientation on the detectability of wildlife: a case study from north-western Australia. <i>Remote Sensing in Ecology and Conservation</i> , 2020, 6, 546-556.	4.3	13
156	Similarity Learning Networks for Animal Individual Re-Identification - Beyond the Capabilities of a Human Observer. , 2020, , .		22
157	Conservation decision-making under uncertainty: Identifying when to reintroduce tiger <i>Panthera tigris</i> to Cambodia. <i>Conservation Science and Practice</i> , 2020, 2, e187.	2.0	4
158	Estimating the density of a globally important tiger (<i>Panthera tigris</i>) population: Using simulations to evaluate survey design in Eastern Thailand. <i>Biological Conservation</i> , 2020, 241, 108349.	4.1	11
159	Quantifying imperfect camera-trap detection probabilities: implications for density modelling. <i>Wildlife Research</i> , 2020, 47, 177.	1.4	28
160	Component processes of detection probability in camera-trap studies: understanding the occurrence of false-negatives. <i>Mammal Research</i> , 2020, 65, 167-180.	1.3	24
161	Drawn out of the shadows: Surveying secretive forest species with camera trap distance sampling. <i>Journal of Applied Ecology</i> , 2020, 57, 963-974.	4.0	41
162	Identification errors in camera-trap studies result in systematic population overestimation. <i>Scientific Reports</i> , 2020, 10, 6393.	3.3	53
163	Reserve size, dispersal and population viability in wide ranging carnivores: the case of jaguars in Emas National Park, Brazil. <i>Animal Conservation</i> , 2021, 24, 3-14.	2.9	9
164	Using playbacks to monitor and investigate the behaviour of wild maned wolves. <i>Bioacoustics</i> , 2021, 30, 74-92.	1.7	2
165	Spatial partial identity model reveals low densities of leopard and spotted hyaena in a miombo woodland. <i>Journal of Zoology</i> , 2021, 313, 43-53.	1.7	14
166	Environmental factors regulate occupancy of free-ranging dogs on a sub-Antarctic island, Chile. <i>Biological Invasions</i> , 2021, 23, 677-691.	2.4	7

#	ARTICLE	IF	CITATIONS
167	Estimating leopard density across the highly modified human-dominated landscape of the Western Cape, South Africa. <i>Oryx</i> , 2021, 55, 34-45.	1.0	18
168	Improving the random encounter model method to estimate carnivore densities using data generated by conventional camera-trap design. <i>Oryx</i> , 2021, 55, 99-104.	1.0	8
169	Assumptions about fence permeability influence density estimates for brown hyaenas across South Africa. <i>Scientific Reports</i> , 2021, 11, 620.	3.3	6
170	Density estimation of tiger and leopard using spatially explicit capture–recapture framework. <i>PeerJ</i> , 2021, 9, e10634.	2.0	7
171	Leveraging local knowledge to estimate wildlife densities in bornean tropical rainforests. <i>Wildlife Biology</i> , 2021, 2021, .	1.4	4
172	Long-term monitoring of margays (<i>Leopardus wiedii</i>): Implications for understanding low detection rates. <i>PLoS ONE</i> , 2021, 16, e0247536.	2.5	7
173	Density responses of lesser-studied carnivores to habitat and management strategies in southern Tanzania’s Ruaha-Rungwa landscape. <i>PLoS ONE</i> , 2021, 16, e0242293.	2.5	6
174	Multi-seasonal systematic camera-trapping reveals fluctuating densities and high turnover rates of Carpathian lynx on the western edge of its native range. <i>Scientific Reports</i> , 2021, 11, 9236.	3.3	10
175	Review: COVID-19 highlights the importance of camera traps for wildlife conservation research and management. <i>Biological Conservation</i> , 2021, 256, 108984.	4.1	20
176	Leopard population density varies across habitats and management strategies in a mixed-use Tanzanian landscape. <i>Biological Conservation</i> , 2021, 257, 109120.	4.1	14
177	Wildcat population density in NE Portugal: A regional stronghold for a nationally threatened felid. <i>Population Ecology</i> , 2021, 63, 247-259.	1.2	6
178	Testing the precision and sensitivity of density estimates obtained with a camera-trap method revealed limitations and opportunities. <i>Ecology and Evolution</i> , 2021, 11, 7879-7889.	1.9	8
180	Abundance and Activity of Domestic and Wild Medium-Sized Mammals in a Protected Mangrove Remnant, Puerto Vallarta, Mexico. <i>Western North American Naturalist</i> , 2021, 81, .	0.4	0
181	Simultaneous monitoring of vegetation dynamics and wildlife activity with camera traps to assess habitat change. <i>Remote Sensing in Ecology and Conservation</i> , 2021, 7, 666-684.	4.3	16
182	An empirical demonstration of the effect of study design on density estimations. <i>Scientific Reports</i> , 2021, 11, 13104.	3.3	10
183	A camera trap appraisal of species richness and community composition of medium and large mammals in a Miombo woodland reserve. <i>African Journal of Ecology</i> , 2021, 59, 898-911.	0.9	5
184	Giant Anteater Population Density Estimation and Viability Analysis Through Motion-Sensitive Camera Records. <i>Journal of Wildlife Management</i> , 2021, 85, 1554-1562.	1.8	6
185	Photo Identification of Individual <i>Salmo trutta</i> Based on Deep Learning. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 9039.	2.5	4

#	ARTICLE	IF	CITATIONS
186	Tapirs in trouble: estimating Baird's tapir densities in the Sierra Madre de Chiapas, Mexico. <i>Oryx</i> , 2022, 56, 373-382.	1.0	3
187	Local-Scale Variation in Land Use Practice Supports a Diverse Carnivore Guild on Namibian Multiple-Use Rangeland. <i>Rangeland Ecology and Management</i> , 2021, 79, 64-76.	2.3	4
188	Wildlife trail or systematic? Camera trap placement has little effect on estimates of mammal diversity in a tropical forest in Gabon. <i>Remote Sensing in Ecology and Conservation</i> , 2021, 7, 321-336.	4.3	13
189	Fast Automatic Detection of Wildlife in Images from Trap Cameras. <i>Lecture Notes in Computer Science</i> , 2014, , 940-947.	1.3	13
191	Evidence of a High Density Population of Harvested Leopards in a Montane Environment. <i>PLoS ONE</i> , 2013, 8, e82832.	2.5	38
192	Counting Cats: Spatially Explicit Population Estimates of Cheetah (<i>Acinonyx jubatus</i>) Using Unstructured Sampling Data. <i>PLoS ONE</i> , 2016, 11, e0153875.	2.5	45
193	Long term monitoring of jaguars in the Cockscomb Basin Wildlife Sanctuary, Belize; Implications for camera trap studies of carnivores. <i>PLoS ONE</i> , 2017, 12, e0179505.	2.5	39
194	Estimating large carnivore populations at global scale based on spatial predictions of density and distribution – Application to the jaguar (<i>Panthera onca</i>). <i>PLoS ONE</i> , 2018, 13, e0194719.	2.5	84
195	Assessing camera trap survey feasibility for estimating <i>Blastocercus dichotomus</i> (Cetartiodactyla). <i>Overlook</i> , 2018, 10, 1-10.	0.5	8
196	A Spatially and Temporally Concurrent Comparison of Popular Abundance Estimators for White-tailed Deer. <i>Northeastern Naturalist</i> , 2019, 26, 305.	0.3	6
197	Investigation of fallow deer (<i>Cervus dama</i> L.) population densities by camera trap method in Antalya D�zler‐Sam‐ E‐Yenadas‐ Breeding Station. <i>Turkish Journal of Forestry T�rkiye Ormanc‐k Dergisi</i> , 0, 0, 57-62.		6
198	Ocelots thrive in a non-typical habitat of northwestern Mexico. <i>Endangered Species Research</i> , 2017, 32, 471-478.	2.4	12
199	Diversity and distribution patterns of medium to large mammals in a silvicultural landscape in south-eastern Brazil. <i>IForest</i> , 2018, 11, 802-808.	1.4	6
200	Rapid recolonisation of feral cats following intensive culling in a semi-isolated context. <i>NeoBiota</i> , 0, 63, 177-200.	1.0	20
201	A Comparison of Four Survey Methods for Detecting Fox Squirrels in the Southeastern United States. <i>Journal of Fish and Wildlife Management</i> , 2016, 7, 99-106.	0.9	27
202	Estima de una poblaci3n de corzo mediante modelos de captura-recaptura cl‐sicos y especialmente expl‐citos. <i>Galemys Spanish Journal of Mammalogy</i> , 2013, 25, 1-12.	0.2	3
203	Beyond words: From jaguar population trends to conservation and public policy in Mexico. <i>PLoS ONE</i> , 2021, 16, e0255555.	2.5	6
204	Managing African Swine Fever: Assessing the Potential of Camera Traps in Monitoring Wild Boar Occupancy Trends in Infected and Non-infected Zones, Using Spatio-Temporal Statistical Models. <i>Frontiers in Veterinary Science</i> , 2021, 8, 726117.	2.2	7

#	ARTICLE	IF	CITATIONS
205	Assessing the reliability of raptor pellets in recording local small mammal diversity. <i>Quaternary Research</i> , 0, , 1-10.	1.7	3
206	Can scale-dependent landcover relationships explain canid community composition independent of intraguild occupancy?. <i>Landscape Ecology</i> , 2022, 37, 249.	4.2	2
207	Density estimates for Canada lynx vary among estimation methods. <i>Ecosphere</i> , 2021, 12, e03774.	2.2	13
208	Integrating multiple datasets into spatially-explicit capture-recapture models to estimate the abundance of a locally scarce felid. <i>Biodiversity and Conservation</i> , 2021, 30, 4317-4335.	2.6	3
209	A spatially explicit approach for estimating space use and density of common genets. <i>Animal Biodiversity and Conservation</i> , 2014, 37, 23-33.	0.5	2
210	Big-Data Approach in Abundance Estimation of Non-Identifiable Animals with Camera-Traps at the Spots of Attraction. <i>Bulletin of the South Ural State University, Series: Mathematical Modelling, Programming and Computer Software</i> , 2019, 12, 20-31.	0.4	0
212	Relative abundances of medium and large mammals in the Cueva de Los GuÃ¡charos National Park (Huila,) Tj ETQq0,0 0 rgBT /Overlock	0,5	2
213	Probable extirpation of the hog deer from China: implications for conservation. <i>Oryx</i> , 0, , 1-7.	1.0	0
214	Jaguar (<i>Panthera onca</i>) density and tenure in a critical biological corridor. <i>Journal of Mammalogy</i> , 2020, 101, 1622-1637.	1.3	9
215	Eurasian lynx density and habitat use in one of Europe's strongholds, the Romanian Carpathians. <i>Journal of Mammalogy</i> , 2022, 103, 415-424.	1.3	4
216	Population density of European wildcats in a pre-alpine area (northeast Italy) and an assessment of estimate robustness. <i>Mammal Research</i> , 2022, 67, 9-20.	1.3	5
217	Assessing the status of leopard in the Cape Fold Mountains using a Bayesian spatial capture-recapture model in Just Another Gibbs Sampler. <i>African Journal of Ecology</i> , 2022, 60, 299-307.	0.9	6
218	A novel camera trapping method for individually identifying pumas by facial features. <i>Ecology and Evolution</i> , 2022, 12, e8536.	1.9	4
219	Density and habitat use of one of the last jaguar populations of the Brazilian Atlantic Forest: Is there still hope?. <i>Ecology and Evolution</i> , 2022, 12, e8487.	1.9	3
221	Monitoring partially-marked populations using camera and telemetry data. <i>Ecological Applications</i> , 2022, , e2553.	3.8	2
222	Camera trapping and spatially explicit capture-recapture for the monitoring and conservation management of lions: Insights from a globally important population in Tanzania. <i>Ecological Solutions and Evidence</i> , 2022, 3, .	2.0	5
223	A method for marking individual animals in motion-triggered camera studies. <i>Mammalian Biology</i> , 2022, 102, 841-845.	1.5	3
224	Using camera traps to study hyenas: challenges, opportunities, and outlook. <i>Mammalian Biology</i> , 2022, 102, 847-854.	1.5	5

#	ARTICLE	IF	CITATIONS
225	Integrating video and genetic data to estimate annual age-structured apparent survival of American black bears. <i>Population Ecology</i> , 2022, 64, 300-322.	1.2	2
226	Review of puma density estimates reveals sources of bias and variation, and the need for standardization. <i>Global Ecology and Conservation</i> , 2022, 35, e02109.	2.1	7
227	Remote sensor camera traps provide the first density estimate for the largest natural population of the numbat (<i>Myrmecobius fasciatus</i>). <i>Wildlife Research</i> , 2022, 49, 529-539.	1.4	3
228	Individual Identification of Large Felids in Field Studies: Common Methods, Challenges, and Implications for Conservation Science. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	2.2	6
229	Similarity learning networks for animal individual re-identification: an ecological perspective. <i>Mammalian Biology</i> , 2022, 102, 899-914.	1.5	5
230	Abundance and home range of ocelot (<i>Leopardus pardalis</i>) in northwestern Mexico. <i>Animal Biology</i> , 2022, 72, 1-17.	1.0	1
231	Invasive species control with apex predators: increasing presence of wolves is associated with reduced occurrence of the alien raccoon dog. <i>Biological Invasions</i> , 2022, 24, 3461-3474.	2.4	2
232	The Javan Leopard <i>Panthera pardus melas</i> (Cuvier, 1809) (Mammalia: Carnivora: Felidae) in West Java, Indonesia: estimating population density and occupancy. <i>Journal of Threatened Taxa</i> , 2022, 14, 21331-21346.	0.3	1
233	New queen? Evidence of a long-living Jaguar <i>Panthera onca</i> (Mammalia: Carnivora: Felidae) in Tikal National Park, Guatemala. <i>Journal of Threatened Taxa</i> , 2022, 14, 21388-21395.	0.3	0
236	Shooting for abundance: Comparing integrated multi-sampling models for camera trap and hair trap data. <i>Environmetrics</i> , 2023, 34, .	1.4	3
237	Reducing identification errors of African carnivores from photographs through computer-assisted workflow. <i>Mammal Research</i> , 2023, 68, 121-125.	1.3	5
238	Ecology of large felids and their prey in small reserves of the Yucatán Peninsula of Mexico. <i>Journal of Mammalogy</i> , 2023, 104, 115-127.	1.3	2
239	Influence of camera model and alignment on the performance of paired camera stations. <i>Wildlife Society Bulletin</i> , 2023, 47, .	0.8	0
240	Camera-trapping density estimates suggest critically low population sizes for the Wet Tropics subspecies of the spotted-tailed quoll (<i>Dasyurus maculatus gracilis</i>). <i>Austral Ecology</i> , 2023, 48, 399-417.	1.5	2
241	Estimation of the Population Densities of Species Prey or Competitor to the Leopard (<i>Panthera pardus</i>) in Hyrcan National Park, Azerbaijan. <i>Biology Bulletin</i> , 2022, 49, 953-960.	0.5	0
242	Drivers of large carnivore density in non-hunted, multi-use landscapes. <i>Conservation Science and Practice</i> , 2023, 5, .	2.0	3
243	Assessment of the accuracy of counting large ungulate species (red deer <i>Cervus elaphus</i>) with UAV-mounted thermal infrared cameras during night flights. <i>Wildlife Biology</i> , 2023, 2023, .	1.4	5
244	Day and night camera trap videos are effective for identifying individual wild Asian elephants. <i>PeerJ</i> , 0, 11, e15130.	2.0	2

#	ARTICLE	IF	CITATIONS
245	Comparing minimum number of individuals and abundance from non-invasive DNA sampling and camera trapping in the red fox (<i>Vulpes vulpes</i>). <i>Biodiversity and Conservation</i> , 0, , .	2.6	0
246	Abundance and activity patterns of the endangered margay (<i>Leopardus wiedii</i>) in temperate forest remnants from the avocado landscape in Mexico. <i>Mammalia</i> , 2023, .	0.7	0
247	Camera Trap Methods and Drone Thermal Surveillance Provide Reliable, Comparable Density Estimates of Large, Free-Ranging Ungulates. <i>Animals</i> , 2023, 13, 1884.	2.3	1
248	Decomposing the Spatial and Temporal Effects of Climate and Habitat on a Hazel Grouse (<i>Tetrastes</i>) Tj ETQq1 1 0.784314 rgBT /Over	2.3	0
249	Finding the sweet spot in camera trapping: A global synthesis and meta-analysis of minimum sampling effort. <i>Ecological Management and Restoration</i> , 2023, 24, 145-152.	1.5	0
250	Sampling variables and their thresholds for the precise estimation of wild felid population density with camera traps and spatial capture-recapture methods. <i>Mammal Review</i> , 2023, 53, 223-237.	4.8	1
251	At a fine scale, hardwood patches support wildlife diversity in longleaf pine woodlands. , 2023, 1, 71-78.		0
252	Comparison of two individual identification algorithms for snow leopards (<i>Panthera uncia</i>) after automated detection. <i>Ecological Informatics</i> , 2023, 77, 102214.	5.2	3
253	Characteristics of ocelot populations in Tamaulipas, Mexico, using capture-recapture techniques. <i>Endangered Species Research</i> , 0, , .	2.4	0
254	Using pedigree relations to inform capture-recapture data for the estimation of census population size. <i>Journal of Wildlife Management</i> , 2023, 87, .	1.8	0
255	Native Carnivore Diversity and Relative Abundance in Landscapes of the Coast Range in Central Chile: Insights for Conservation Decision-Making. <i>Conservation</i> , 2023, 3, 379-393.	1.7	0
256	Comparing abundance estimates of a cryptic carnivore in southern Patagonia using two experimental methods. <i>Animal Conservation</i> , 0, , .	2.9	0
257	Housework or vigilance? Bilbies alter their burrowing activity under threat of predation by feral cats. <i>Behavioral Ecology</i> , 0, , .	2.2	1
258	Jaguar density in the Argentine Yungas: Overcoming camera trap failure. <i>Journal for Nature Conservation</i> , 2024, 77, 126518.	1.8	0
259	The distribution of bushmeat mammals in unflooded forests of the Central Amazon is influenced by poaching proxies. <i>Ecology and Evolution</i> , 2023, 13, .	1.9	0
260	Spatial and Camera Methods. <i>Statistics in the Health Sciences</i> , 2023, , 591-637.	0.2	0
261	Benchmarking wild bird detection in complex forest scenes. <i>Ecological Informatics</i> , 2024, 80, 102466.	5.2	0
262	Efficient data collection for camera trap-based density estimation: A preliminary assessment. <i>Ecological Solutions and Evidence</i> , 2024, 5, .	2.0	0

#	ARTICLE	IF	CITATIONS
263	Ten years of camera trapping for a cryptic and threatened arboreal mammal – a review of applications and limitations. <i>Wildlife Research</i> , 2024, 51, .	1.4	0
264	Spot the difference: optimising camera trap use to detect and identify individuals of a medium-sized carnivorous marsupial. <i>Australian Mammalogy</i> , 2024, 46, .	1.1	0
265	Non-invasive monitoring of the European wildcat in a recently colonized area in the Northern Apennines (Italy). <i>European Journal of Wildlife Research</i> , 2024, 70, .	1.4	0