Highly stretchable and highly conductive metal electrode by very long metal nanowire percolation network

DOI: 10.1002/adma.201200359
Advanced Materials, 2012, 24, 3326-32.

#	Paper	IF	Citations
849	Very long Ag nanowire synthesis and its application in a highly transparent, conductive and flexible metal electrode touch panel. **2012**, 4, 6408-14		581
848	Self-assembled peptide nanofiber templated one-dimensional gold nanostructures exhibiting resistive switching. **2012**, 28, 16347-54		44
847	Large-Scale Synthesis and Characterization of Very Long Silver Nanowires via Successive Multistep Growth. **2012**, 12, 5598-5605		162
846	Stretchable and self-healing polymers and devices for electronic skin. **2013**, 38, 1961-1977		450
845	Development of a Stretchable Conductor Array With Embedded Metal Nanowires. **2013**, 12, 561-565		12
844	Stretchable nanoparticle conductors with self-organized conductive pathways. **2013**, 500, 59-63		613
843	Bendable polymer electrolyte fuel cell using highly flexible Ag nanowire percolation network current collectors. **2013**, 1, 8541		58
842	Highly stable and flexible silver nanowire-graphene hybrid transparent conducting electrodes for emerging optoelectronic devices. **2013**, 5, 7750-5		179
841	Highly stretchable patterned gold electrodes made of Au nanosheets. *Advanced Materials*, **2013**, 25, 2707-12	24	143
840	Copper nanowires as fully transparent conductive electrodes. **2013**, 3, 2323		276
839	Silver nanowire/optical adhesive coatings as transparent electrodes for flexible electronics. **2013**, 5, 10165-72		127
838	Electrical percolation in quasi-two-dimensional metal nanowire networks for transparent conductors. **2013**, 88, 032134		50
837	Design and evaluation of a skin-like sensor with high stretchability for contact pressure measurement. **2013**, 204, 114-121		20
836	Flexible transparent conductive materials based on silver nanowire networks: a review. **2013**, 24, 452001		533
835	Elastomeric polymer light-emitting devices and displays. **2013**, 7, 817-824		747
834	Integrating simulations and experiments to predict sheet resistance and optical transmittance in nanowire films for transparent conductors. **2013**, 7, 7654-63		281
833	Ultrastretchable, cyclable and recyclable 1- and 2-dimensional conductors based on physically cross-linked thermoplastic elastomer gels. **2013**, 9, 7695		71

832	Semi-transparent silver electrodes for flexible electronic devices prepared by nanoimprint lithography. **2013**, 1, 638-645		23
831	A review of fabrication and applications of carbon nanotube film-based flexible electronics. **2013**, 5, 1727-52		893
830	A Soft Strain Sensor Based on Ionic and Metal Liquids. **2013**, 13, 3405-3414		224
829	Transparent, flexible conducting graphene hybrid films with a subpercolating network of silver nanowires. **2013**, 1, 2970		84
828	Stretchable conductors based on silver nanowires: improved performance through a binary network design. **2013**, 52, 1654-9		168
827	Highly stretchable, integrated supercapacitors based on single-walled carbon nanotube films with continuous reticulate architecture. *Advanced Materials*, **2013**, 25, 1058-64	24	440
826	Highly stable and dispersive silver nanoparticle-graphene composites by a simple and low-energy-consuming approach and their antimicrobial activity. **2013**, 9, 3445-54		114
825	Reversible sliding in networks of nanowires. **2013**, 13, 2381-6		66
824	Elastomeric transparent capacitive sensors based on an interpenetrating composite of silver nanowires and polyurethane. **2013**, 102, 083303		220
823	Flexible, transparent contacts for inorganic nanostructures and thin films. *Advanced Materials*, **2013** , 25, 4018-22	24	10
822	Stretchable Conductors Based on Silver Nanowires: Improved Performance through a Binary Network Design. **2013**, 125, 1698-1703		62
821	Optical haze of transparent and conductive silver nanowire films. **2013**, 6, 461-468		155
820	Room-Temperature Nanosoldering of a Very Long Metal Nanowire Network by Conducting-Polymer-Assisted Joining for a Flexible Touch-Panel Application. **2013**, 23, 4171-4176		394
819	25th anniversary article: The evolution of electronic skin (e-skin): a brief history, design considerations, and recent progress. *Advanced Materials*, **2013**, 25, 5997-6038	24	1622
818	Stretchable copper interconnects with three-dimensional coiled structures. **2013**, 23, 127002		8
817	Deterministic growth of AgTCNQ and CuTCNQ nanowires on large-area reduced graphene oxide films for flexible optoelectronics. **2013**, 24, 465202		12
816	Biaxially stretchable silver nanowire transparent conductors. **2013**, 113, 044311		43
815	Electroactive polymers: developments of and perspectives for dielectric elastomers. **2013**, 52, 9409-21		184

814	Elektroaktive Polymere: Entwicklungen und Perspektiven dielektrischer Elastomere. **2013**, 125, 9581-9595		5
813	Intrinsically Elastomeric Polymer Light-Emitting Devices. **2014**, 30, 12-18		
812	Stretching Silver: Printed Metallic Nano Inks in Stretchable Conductor Applications. **2014**, 8, 6-13		17
811	Biaxially stretchable transparent conductors that use nanowire networks. **2014**, 29, 2965-2972		14
810	Skin-inspired electronic devices. **2014**, 17, 321-331		380
809	Substrate effects on the transmittance of 1D metal grid transparent electrodes. **2014**, 22, 19021-8		4
808	An intrinsically stretchable nanowire photodetector with a fully embedded structure. *Advanced Materials*, **2014**, 26, 943-50	24	132
807	A highly stretchable, helical copper nanowire conductor exhibiting a stretchability of 700%. **2014**, 6, e132-e132		101
806	High-performance, stretchable, wire-shaped supercapacitors. **2015**, 54, 618-22		79
805	Highly reliable ag nanowire flexible transparent electrode with mechanically welded junctions. **2014**, 10, 3397-404		64
804	Light-Powered Healing of a Wearable Electrical Conductor. **2014**, 24, 7273-7283		66
803	Silver nanowire: Synthesis, conductivity improvement and application to pressure sensor. **2014**,		
802	Sustained Percolation in Stretched Silver Nanowire Networks for Stretchable Inter-Connection Applications. **2014**, 1685, 26		1
801	Fabrication of well-controlled wavy metal interconnect structures on stress-free elastomeric substrates. **2014**, 113, 55-60		16
800	A facile method of fabricating PbBi alloy nanowires with controlled component proportion. **2014**, 595, 221-225		6
799	Fabrication of free-standing and flexible silver nanoparticle-graphene films and their surface-enhanced Raman scattering activity. **2014**, 145, 11-17		5
798	Facile synthesis of very-long silver nanowires for transparent electrodes. **2014**, 2, 6326-6330		188
797	Macroscopic free-standing hierarchical 3D architectures assembled from silver nanowires by ice templating. **2014**, 53, 4561-6		158

796	Polyol synthesis of silver nanostructures: Inducing the growth of nanowires by a heat-up process. **2014**, 602, 10-15		21
795	Thermal property of transparent silver nanowire films. **2014**, 29, 015002		10
794	Stretchable and wearable electrochromic devices. **2014**, 8, 316-22		326
793	Highly stretchable and transparent nanomesh electrodes made by grain boundary lithography. **2014**, 5, 3121		310
792	An elastomeric transparent composite electrode based on copper nanowires and polyurethane. **2014**, 2, 1298-1305		104
791	Silver nanowire percolation network soldered with graphene oxide at room temperature and its application for fully stretchable polymer light-emitting diodes. **2014**, 8, 1590-600		516
790	Silver nanowire/thermoplastic polyurethane elastomer nanocomposites: Thermal, mechanical, and dielectric properties. **2014**, 56, 398-404		86
789	Transparent and stretchable high-performance supercapacitors based on wrinkled graphene electrodes. **2014**, 8, 1039-46		363
788	High-performance stretchable transparent electrodes based on silver nanowires synthesized via an eco-friendly halogen-free method. **2014**, 2, 10369-10376		84
787	Highly stretchable resistive pressure sensors using a conductive elastomeric composite on a micropyramid array. *Advanced Materials*, **2014**, 26, 3451-8	24	814
786	Highly conductive and flexible silver nanowire-based microelectrodes on biocompatible hydrogel. **2014**, 6, 18401-7		100
785	Chapter 2. Fundamentals of Hierarchical Nanostructures. **2014**, 7-25		
784	Copper nanowire based transparent conductive films with high stability and superior stretchability. **2014**, 2, 5309-5316		99
783	Highly efficient and low voltage silver nanowire-based OLEDs employing a n-type hole injection layer. **2014**, 6, 8565-70		69
782	Highly stretchable and conductive silver nanowire thin films formed by soldering nanomesh junctions. **2014**, 16, 19856-60		43
781	Shape restoration effect in Ag-SiO2 core-shell nanowires. **2014**, 14, 5201-5		25
780	Non-wrinkled, highly stretchable piezoelectric devices by electrohydrodynamic direct-writing. **2014**, 6, 3289-95		109
779	Paper-based silver-nanowire electronic circuits with outstanding electrical conductivity and extreme bending stability. **2014**, 6, 8495-502		77

778	A stretchable humidity sensor based on a wrinkled polyaniline nanostructure. **2014**, 4, 39767		32
777	Quantitative determination of fragmentation kinetics and thermodynamics of colloidal silver nanowires by in situ high-energy synchrotron X-ray diffraction. **2014**, 6, 365-70		19
776	Synergistically enhanced stability of highly flexible silver nanowire/carbon nanotube hybrid transparent electrodes by plasmonic welding. **2014**, 6, 10974-80		71
775	Elastomer-infiltrated vertically aligned carbon nanotube film-based wavy-configured stretchable conductors. **2014**, 6, 12909-14		22
774	A highly conductive, flexible, transparent composite electrode based on the lamination of silver nanowires and polyvinyl alcohol. **2014**, 2, 9737-9745		63
773	Stretchable energy storage and conversion devices. **2014**, 10, 3443-60		111
772	Metal nanowire networks: the next generation of transparent conductors. *Advanced Materials*, **2014**, 26, 6670-87	24	570
771	Annealing-free fabrication of highly oxidation-resistive copper nanowire composite conductors for photovoltaics. **2014**, 6, e105-e105		122
770	Internal Stress-Induced Orthorhombic Phase in 5-Fold-Twinned Noble Metal Nanowires. **2014**, 118, 18746-18755		25
769	Three-dimensional compressible and stretchable conductive composites. *Advanced Materials*, **2014**, 26, 810-5	24	134
768	Superstable transparent conductive Cu@Cu4Ni nanowire elastomer composites against oxidation, bending, stretching, and twisting for flexible and stretchable optoelectronics. **2014**, 14, 6298-305		232
767	Controllable fabrication of a flexible transparent metallic grid conductor based on the coffee ring effect. **2014**, 2, 9587-9591		23
766	Metallic nanowire networks: effects of thermal annealing on electrical resistance. **2014**, 6, 13535-43		183
765	A roll-to-roll welding process for planarized silver nanowire electrodes. **2014**, 6, 11828-34		132
764	Fabrication of transparent and flexible Ag three-dimensional mesh electrode by thermal roll-to-roll imprint lithography. **2014**, 16, 1		7
763	Selective growth and integration of silver nanoparticles on silver nanowires at room conditions for transparent nano-network electrode. **2014**, 8, 10980-7		100
762	Carbon nanotubes and graphene towards soft electronics. **2014**, 1, 15		81
761	. **2014**,		

760	Some aspects of formation and tribological properties of silver nanodumbbells. **2014**, 9, 186		11
759	Highly Stretchable or Transparent Conductor Fabrication by a Hierarchical Multiscale Hybrid Nanocomposite. **2014**, 24, 5671-5678		239
758	Single nanowire resistive nano-heater for highly localized thermo-chemical reactions: localized hierarchical heterojunction nanowire growth. **2014**, 10, 5015-22		8
757	Highly stretchable conductors and piezocapacitive strain gauges based on simple contact-transfer patterning of carbon nanotube forests. **2014**, 80, 396-404		120
756	A one-step route to Ag nanowires with a diameter below 40 nm and an aspect ratio above 1000. **2014**, 50, 14877-80		69
755	High-performance and tailorable pressure sensor based on ultrathin conductive polymer film. **2014**, 10, 1466-72		157
754	Laser direct synthesis and patterning of silver nano/microstructures on a polymer substrate. **2014**, 6, 14576-82		54
753	Water surface assisted synthesis of large-scale carbon nanotube film for high-performance and stretchable supercapacitors. *Advanced Materials*, **2014**, 26, 4724-9	24	134
752	Materials and structures for stretchable energy storage and conversion devices. *Advanced Materials* , **2014**, 26, 3592-617	24	318
751	Performance enhancement in bendable fuel cell using highly conductive Ag nanowires. **2014**, 39, 7422-7427		46
750	Elasticity and yield strength of pentagonal silver nanowires: In situ bending tests. **2014**, 143, 1026-1031		42
749	Design of conductive composite elastomers for stretchable electronics. **2014**, 9, 244-260		194
748	Fast plasmonic laser nanowelding for a Cu-nanowire percolation network for flexible transparent conductors and stretchable electronics. *Advanced Materials*, **2014**, 26, 5808-14	24	345
747	Highly stretchable polymer transistors consisting entirely of stretchable device components. *Advanced Materials*, **2014**, 26, 3706-11	24	134
746	Simple and rapid micropatterning of conductive carbon composites and its application to elastic strain sensors. **2014**, 77, 199-207		244
745	Macroscopic Free-Standing Hierarchical 3D Architectures Assembled from Silver Nanowires by Ice Templating. **2014**, 126, 4649-4654		23
744	Screen printing of stretchable electrodes for large area LED matrix. **2015**, 30, 2271-2278		13
743	Recent Progress in Electronic Skin. **2015**, 2, 1500169		586

742	Wearable Electronics of Silver-Nanowire/Poly(dimethylsiloxane) Nanocomposite for Smart Clothing. **2015**, 5, 13971		95
741	Computational analysis of metallic nanowire-elastomer nanocomposite based strain sensors. **2015**, 5, 117233		14
740	Stretchable Biofuel Cells with Silver Nanowiring on a Polydimethylsiloxane Substrate. **2015**, 28, 357-361		10
739	Self-Supporting Metal Nanotube Networks Obtained by Highly Conformal Electroless Plating. **2015**, 80, 1448-1456		15
738	Locally Welded Silver Nano-Network Transparent Electrodes with High Operational Stability by a Simple Alcohol-Based Chemical Approach. **2015**, 25, 4211-4218		90
737	Design Considerations for Unconventional Electrochemical Energy Storage Architectures. **2015**, 5, 1402115		224
736	Transparente Elektroden aus Nanokristalltinten f□flexible Bauelemente. **2015**, 127, 9896-9910		4
735	Highly compressible and all-solid-state supercapacitors based on nanostructured composite sponge. *Advanced Materials*, **2015**, 27, 6002-8	24	187
734	Highly stretchable and transparent metal nanowire heater for wearable electronics applications. *Advanced Materials*, **2015**, 27, 4744-51	24	541
733	Transparent Electrodes Printed with Nanocrystal Inks for Flexible Smart Devices. **2015**, 54, 9760-74		119
732	Stretchable Si Logic Devices with Graphene Interconnects. **2015**, 11, 6272-7		15
731	Stretchable Heater Using Ligand-Exchanged Silver Nanowire Nanocomposite for Wearable Articular Thermotherapy. **2015**, 9, 6626-33		365
730	Stretchable Silver Nanowire-Elastomer Composite Microelectrodes with Tailored Electrical Properties. **2015**, 7, 13467-75		63
729	Extremely Elastic Wearable Carbon Nanotube Fiber Strain Sensor for Monitoring of Human Motion. **2015**, 9, 5929-36		534
728	. **2015**, 103, 619-632		47
727	Flexible Technologies for Self-Powered Wearable Health and Environmental Sensing. **2015**, 103, 665-681		124
726	Synthesis of Silver Nanowires and its Application on Stretchable Conductor. **2015**, 731, 593-596		
725	A self-healable and highly stretchable supercapacitor based on a dual crosslinked polyelectrolyte. **2015**, 6, 10310		500

724	Stretchable graphene thermistor with tunable thermal index. **2015**, 9, 2130-7		223
723	High mechanical and tribological stability of an elastic ultrathin overcoating layer for flexible silver nanowire films. *Advanced Materials*, **2015**, 27, 2252-9	24	26
722	Macroscopic single-crystal gold microflakes and their devices. *Advanced Materials*, **2015**, 27, 1945-50	24	40
721	3D-stacked carbon composites employing networked electrical intra-pathways for direct-printable, extremely stretchable conductors. **2015**, 7, 4109-17		17
720	Nanomaterial-enabled stretchable conductors: strategies, materials and devices. *Advanced Materials*, **2015**, 27, 1480-511	24	510
719	Directed self-assembly of rhombic carbon nanotube nanomesh films for transparent and stretchable electrodes. **2015**, 3, 2319-2325		33
718	Sprayable elastic conductors based on block copolymer silver nanoparticle composites. **2015**, 9, 336-44		68
717	Fully indium-free flexible Ag nanowires/ZnO:F composite transparent conductive electrodes with high haze. **2015**, 3, 5375-5384		112
716	Synthesis of monodispersed polystyrene□silver core□shell particles and their application in the fabrication of stretchable large-scale anisotropic conductive films. **2015**, 3, 3318-3328		19
715	Electrical switch for smart pH self-adjusting system based on silver nanowire/polyaniline nanocomposite film. **2015**, 9, 3234-42		37
714	Water-bath assisted convective assembly of aligned silver nanowire films for transparent electrodes. **2015**, 17, 8106-12		32
713	A conductive ternary network of a highly stretchable AgNWs/AgNPs conductor based on a polydopamine-modified polyurethane sponge. **2015**, 5, 62905-62912		29
712	Printable elastic conductors with a high conductivity for electronic textile applications. **2015**, 6, 7461		540
711	Highly Sensitive and Stretchable Multidimensional Strain Sensor with Prestrained Anisotropic Metal Nanowire Percolation Networks. **2015**, 15, 5240-7		417
710	Soft materials in neuroengineering for hard problems in neuroscience. **2015**, 86, 175-86		195
709	MeV carbon ion irradiation-induced changes in the electrical conductivity of silver nanowire networks. **2015**, 15, 642-647		27
708	The effect of MWCNTs on the electrical properties of a stretchable carbon composite electrode. **2015**, 114, 11-16		13
707	A highly stretchable AgNWs@VPDMS□PMHS conductor exhibiting a stretchability of 800%. **2015**, 150, 101-104		11

706	Solidification and thermal degradation of printable, stretchable electrical conductor from waterborne polyurethane and silver flakes. **2015**, 122, 295-305		2
705	Inkjet printing of silver nanowire networks. **2015**, 7, 9254-61		199
704	Highly transparent and flexible polyimide/AgNW hybrid electrodes with excellent thermal stability for electrochromic applications and defogging devices. **2015**, 3, 3629-3635		64
703	Positively-charged reduced graphene oxide as an adhesion promoter for preparing a highly-stable silver nanowire film. **2015**, 7, 6798-804		49
702	Highly Stretchable, Global, and Distributed Local Strain Sensing Line Using GaInSn Electrodes for Wearable Electronics. **2015**, 25, 3806-3813		102
701	Stable Junction Polymer Light-Emitting Electrochemical Cells. **2015**, 87-117		
700	Stretchable Thin-Film Electrodes for Flexible Electronics with High Deformability and Stretchability. *Advanced Materials*, **2015**, 27, 3349-76	24	333
699	Direct synthesis of graphene 3D-coated Cu nanosilks network for antioxidant transparent conducting electrode. **2015**, 7, 10613-21		32
698	Highly conductive and ultrastretchable electric circuits from covered yarns and silver nanowires. **2015**, 9, 3887-95		110
697	A hyper-stretchable elastic-composite energy harvester. *Advanced Materials*, **2015**, 27, 2866-75	24	281
696	Humidity assisted annealing technique for transparent conductive silver nanowire networks. **2015**, 5, 19659-19665		28
695	Promising wet chemical strategies to synthesize Cu nanowires for emerging electronic applications. **2015**, 7, 17195-210		61
694	Stretchable, transparent and molecular permeable honeycomb electrodes and their hydrogel hybrids prepared by the breath figure method and sputtering of metals. **2015**, 5, 88414-88418		13
693	Electrochemical monitoring of colloidal silver nanowires in aqueous samples. **2015**, 140, 6705-10		4
692	Stretchable and transparent electrodes based on in-plane structures. **2015**, 7, 14577-94		75
691	Thermal conductivity and electric properties of epoxy composites filled with TiO2-coated copper nanowire. **2015**, 76, 313-320		44
690	Influence of anisotropic elasticity on the mechanical properties of fivefold twinned nanowires. **2015**, 84, 358-379		26
689	. **2015**, 14, 619-623		17

688	Floating compression of Ag nanowire networks for effective strain release of stretchable transparent electrodes. **2015**, 7, 16434-41		33
687	Comparative Studies of Transparent Conductive Electrodes Based on Silver Nanowires and Carbon Nanotubes. **2015**, 778, 75-78		1
686	Extremely stretchable and conductive water-repellent coatings for low-cost ultra-flexible electronics. **2015**, 6, 8874		121
685	Stretchable copper wires based on reduction of active metallic nanoparticles and electroplating. **2015**,		
684	New materials and advances in making electronic skin for interactive robots. **2015**, 29, 1359-1373		121
683	High-Performance, Stretchable, Wire-Shaped Supercapacitors. **2015**, 127, 628-632		31
682	Stability of silver nanowire based electrodes under environmental and electrical stresses. **2015**, 7, 2107-15		117
681	A Rapid Synthesis of High Aspect Ratio Silver Nanowires for High-Performance Transparent Electrodes. **2015**, 33, 147-151		8
680	Super-high rate stretchable polypyrrole-based supercapacitors with excellent cycling stability. **2015**, 11, 518-525		214
679	Silver Nanowire Electrodes: Conductivity Improvement Without Post-treatment and Application in Capacitive Pressure Sensors. **2015**, 7, 51-58		91
678	Stretchable polymer solar cell fibers. **2015**, 11, 675-80		61
677	Electrical properties of polymer nanocomposites containing rod-like nanofillers. **2015**, 40, 63-84		186
676	Controlled Mechanical Cracking of Metal Films Deposited on Polydimethylsiloxane (PDMS). **2016**, 6,		10
675	Stretchable Complementary Split Ring Resonator (CSRR)-Based Radio Frequency (RF) Sensor for Strain Direction and Level Detection. **2016**, 16,		31
674	Conductive Elastomers for Stretchable Electronics, Sensors and Energy Harvesters. **2016**, 8,		63
673	Silver Nanowire-Based Stretchable and Transparent Electrodes. **2016**, 19, 228-233		1
672	Self-assembled Ultrathin Gold Nanowires as Highly Transparent, Conductive and Stretchable Supercapacitor. **2016**, 28, 1298-1304		66
671	Self-Junctioned Copper Nanofiber Transparent Flexible Conducting Film via Electrospinning and Electroplating. *Advanced Materials*, **2016**, 28, 7149-54	24	120

670	Bright Stretchable Alternating Current Electroluminescent Displays Based on High Permittivity Composites. *Advanced Materials*, **2016**, 28, 7200-3	24	83
669	Highly Conductive Stretchable Electrodes Prepared by In Situ Reduction of Wavy Graphene Oxide Films Coated on Elastic Tapes. **2016**, 2, 1600022		34
668	Highly Stretchable Conductors Made by Laser Draw-Casting of Ultralong Metal Nanowires. **2016**, 2, 1600003		2
667	An Electroactive, Tunable, and Frequency Selective Surface Utilizing Highly Stretchable Dielectric Elastomer Actuators Based on Functionally Antagonistic Aperture Control. **2016**, 12, 1840-6		18
666	Recent Progress in Materials and Devices toward Printable and Flexible Sensors. *Advanced Materials*, **2016**, 28, 4415-40	24	487
665	A Water-Based Silver-Nanowire Screen-Print Ink for the Fabrication of Stretchable Conductors and Wearable Thin-Film Transistors. *Advanced Materials*, **2016**, 28, 5986-96	24	323
664	Stretchable piezoelectric nanocomposite generator. **2016**, 3, 12		71
663	Buckled Au@PVP Nanofiber Networks for Highly Transparent and Stretchable Conductors. **2016**, 2, 1500302		36
662	Simple hydrothermal synthesis of very-long and thin silver nanowires and their application in high quality transparent electrodes. **2016**, 4, 11365-11371		105
661	Improvement of the thermal transport performance of a poly(vinylidene fluoride) composite film including silver nanowire. **2016**, 133,		8
660	Mechanically Durable and Highly Stretchable Transistors Employing Carbon Nanotube Semiconductor and Electrodes. *Advanced Materials*, **2016**, 28, 4441-8	24	191
659	Designed Assembly and Integration of Colloidal Nanocrystals for Device Applications. *Advanced Materials*, **2016**, 28, 1176-207	24	174
658	Flexible and Stretchable Optoelectronic Devices using Silver Nanowires and Graphene. *Advanced Materials*, **2016**, 28, 4541-8	24	106
657	Heteroepitaxial Growth of GaN on Unconventional Templates and Layer-Transfer Techniques for Large-Area, Flexible/Stretchable Light-Emitting Diodes. **2016**, 4, 505-521		20
656	Predicting the optoelectronic properties of nanowire films based on control of length polydispersity. **2016**, 6, 25365		20
655	Multilayer Patterning of High Resolution Intrinsically Stretchable Electronics. **2016**, 6, 25641		27
654	Metal-organic Dual Layer Structure for Stretchable Interconnects. **2016**, 168, 1559-1562		4
653	Conductive network formation of carbon nanotubes in elastic polymer microfibers and its effect on the electrical conductance: Experiment and simulation. **2016**, 144, 194903		10

652	Laser-induced single point nanowelding of silver nanowires. **2016**, 108, 121103	32
651	High-performance polyimide nanocomposites with core-shell AgNWs@BN for electronic packagings. **2016**, 109, 082901	20
650	Creation of additional electrical pathways for the robust stretchable electrode by using UV irradiated CNT-elastomer composite. **2016**, 109, 171901	2
649	Direct transfer of corrugated graphene sheets as stretchable electrodes. **2016**, 34, 051205	8
648	Liquid Metals for Soft and Stretchable Electronics. **2016**, 3-30	11
647	Synthesis and mechanism of template-free growth of silver nanowires via syringes. **2016**, 31, 109-116	5
646	Silver nanowires with semiconducting ligands for low-temperature transparent conductors. **2016**, 9, 392-400	25
645	Silver Nanowire Transparent Conductive Films with High Uniformity Fabricated via a Dynamic Heating Method. **2016**, 8, 9865-71	66
644	Fast and Efficient Fabrication of Intrinsically Stretchable Multilayer Circuit Boards by Wax Pattern Assisted Filtration. **2016**, 12, 180-4	53
643	Flexible fuel cell using stiffness-controlled endplate. **2016**, 41, 6013-6019	33
642	A combined graphene and periodic Au nanograte structure: Fundamentals and application as a flexible transparent conducting film in a flexible organic photovoltaic cell. **2016**, 103, 488-496	12
641	Nanomaterials-Based Skin-Like Electronics for the Unconscious and Continuous Monitoring of Body Status. **2016**, 227-254	1
640	Flexible conductor fabrication via silver nanowire deposition on a polydopamine-modified pre-strained substrate. **2016**, 27, 3193-3201	7
639	High-Performance, Solution-Processed, Embedded Multiscale Metallic Transparent Conductors. **2016**, 8, 10937-45	18
638	Fully-integrated, bezel-less transistor arrays using reversibly foldable interconnects and stretchable origami substrates. **2016**, 8, 9504-10	53
637	Highly conductive and flexible transparent films based on silver nanowire/chitosan composite. **2016**, 6, 47552-47561	17
636	Fabrication of silver nanowire-based stretchable electrodes using spray coating. **2016**, 608, 34-43	25
635	Improved lateral heat spreading performance for polyvinylidene fluoride composite film comprising silver nanowire in light-emitting diode. **2016**, 6, 35884-35891	7

634	Highly transparent polyimide hybrids for optoelectronic applications. **2016**, 108, 2-30		81
633	Spray-Deposited Large-Area Copper Nanowire Transparent Conductive Electrodes and Their Uses for Touch Screen Applications. **2016**, 8, 13009-17		84
632	From stretchable to reconfigurable inorganic electronics. **2016**, 9, 245-268		38
631	Facile fabrication of a multifunctional aramid nanofiber-based composite paper. **2016**, 6, 90263-90272		11
630	Rapid Laser Printing of Paper-Based Multilayer Circuits. **2016**, 10, 8895-903		32
629	Ultrasensitive Cracking-Assisted Strain Sensors Based on Silver Nanowires/Graphene Hybrid Particles. **2016**, 8, 25563-70		177
628	Energy Harvesters for Wearable and Stretchable Electronics: From Flexibility to Stretchability. *Advanced Materials*, **2016**, 28, 9881-9919	24	309
627	Flexible electrical circuits printed on polymers using graphene-cellulose inks. **2016**,		3
626	Room-Temperature Surface Modification of Cu Nanowires and Their Applications in Transparent Electrodes, SERS-Based Sensors, and Organic Solar Cells. **2016**, 8, 28831-28837		34
625	Mechanically Reinforced Skin-Electronics with Networked Nanocomposite Elastomer. *Advanced Materials*, **2016**, 28, 10257-10265	24	93
624	Silver nanowire networks embedded in a cure-controlled optical adhesive film for a transparent and highly conductive electrode. **2016**, 4, 9834-9840		23
623	A stretchable sensor platform based on simple and scalable lift-off micropatterning of metal nanowire network. **2016**, 6, 74418-74425		11
622	UV-induced synthesis of silver nanofiber networks as transparent electrodes. **2016**, 4, 7675-7682		10
621	Metallic Nanowires and Their Application. **2016**, 6, 1733-1751		24
620	A Stretchable Nanogenerator with Electric/Light Dual-Mode Energy Conversion. **2016**, 6, 1600829		62
619	Colossal Figure of Merit in Transparent-Conducting Metallic Ribbon Networks. **2016**, 1,		22
618	Omnidirectionally and Highly Stretchable Conductive Electrodes Based on Noncoplanar Zigzag Mesh Silver Nanowire Arrays. **2016**, 2, 1600158		29
617	Organic-Stabilizer-Free Polyol Synthesis of Silver Nanowires for Electrode Applications. **2016**, 128, 11993-11997		70

616	Organic-Stabilizer-Free Polyol Synthesis of Silver Nanowires for Electrode Applications. **2016**, 55, 11814-8		28
615	Template-assisted growth of transparent plasmonic nanowire electrodes. **2016**, 27, 495201		10
614	Ultra-Facile Fabrication of Stretchable and Transparent Capacitive Sensor Employing Photo-Assisted Patterning of Silver Nanowire Networks. **2016**, 1, 1600062		19
613	Extremely stretchable conductors based on hierarchically-structured metal nanowire network. **2016**, 6, 56896-56902		5
612	Multilayer-structured high-performance nanocomposites based on a combination of silver nanoparticles and nanowires. **2016**, 182, 323-327		9
611	The role of chloride ions in rapid synthesis of ultra-long silver nanowires for flexible electrodes. **2016**, 3, 075007		15
610	Stretchable and transparent electrodes based on patterned silver nanowires by laser-induced forward transfer for non-contacted printing techniques. **2016**, 27, 45LT02		22
609	Graphene protected Ag nanowires: blocking of surface migration for thermally stable and wide-range-wavelength transparent flexible electrodes. **2016**, 6, 84985-84989		15
608	Revisit to three-dimensional percolation theory: Accurate analysis for highly stretchable conductive composite materials. **2016**, 6, 34632		16
607	Stretchable Biofuel Cells as Wearable Textile-based Self-Powered Sensors. **2016**, 4, 18342-18353		197
606	Metallic Nanowire-Based Transparent Electrodes for Next Generation Flexible Devices: a Review. **2016**, 12, 6052-6075		353
605	Maskless Fabrication of Highly Robust, Flexible Transparent Cu Conductor by Random Crack Network Assisted Cu Nanoparticle Patterning and Laser Sintering. **2016**, 2, 1600277		39
604	Co-percolation to tune conductive behaviour in dynamical metallic nanowire networks. **2016**, 8, 18516-18523		9
603	Electromechanical cardioplasty using a wrapped elasto-conductive epicardial mesh. **2016**, 8, 344ra86		136
602	A Fabrication Method for Highly Stretchable Conductors with Silver Nanowires. **2016**, e53623		
601	Recent Advances in Flexible and Stretchable Bio-Electronic Devices Integrated with Nanomaterials. *Advanced Materials*, **2016**, 28, 4203-18	24	729
600	Recent Advances in Stretchable and Transparent Electronic Materials. **2016**, 2, 1500407		201
599	Stretchable Electrochemical Sensor for Real-Time Monitoring of Cells and Tissues. **2016**, 128, 4613-4617		12

598	Low temperature thermal engineering of nanoparticle ink for flexible electronics applications. **2016**, 31, 073003	23
597	Surface dipole enhanced instantaneous charge pair generation in triboelectric nanogenerator. **2016**, 26, 360-370	43
596	Stretchable carbon nanotube conductors and their applications. **2016**, 33, 2771-2787	19
595	Highly transparent silver nanowire–polyimide electrode as a snow-cleaning device. **2016**, 6, 61386-61392	11
594	Soluble salt-driven matrix swelling of a block copolymer for rapid fabrication of a conductive elastomer toward highly stretchable electronics. **2016**, 100, 263-270	10
593	Stretchable Electrochemical Sensor for Real-Time Monitoring of Cells and Tissues. **2016**, 55, 4537-41	73
592	Controlled aqueous synthesis of ultra-long copper nanowires for stretchable transparent conducting electrode. **2016**, 4, 1441-1447	65
591	Facile fabrication of stretchable Ag nanowire/polyurethane electrodes using high intensity pulsed light. **2016**, 9, 401-414	113
590	Moving beyond flexible to stretchable conductive electrodes using metal nanowires and graphenes. **2016**, 8, 1789-822	59
589	Highly stretchable and sensitive piezoresistive carbon nanotube/elastomeric triisocyanate-crosslinked polytetrahydrofuran nanocomposites. **2016**, 4, 460-467	22
588	Interfacial adhesion enhancement of ink-jet printed transparent metallic grid electrodes induced by the coffee-ring effect. **2016**, 4, 4218-4225	8
587	Soft implantable microelectrodes for future medicine: prosthetics, neural signal recording and neuromodulation. **2016**, 16, 959-76	79
586	Fabrication and design of metal nano-accordion structures using atomic layer deposition and interference lithography. **2016**, 8, 4984-90	4
585	One-Step Fabrication of Stretchable Copper Nanowire Conductors by a Fast Photonic Sintering Technique and Its Application in Wearable Devices. **2016**, 8, 6190-9	117
584	Smart, stretchable and wearable supercapacitors: prospects and challenges. **2016**, 18, 4218-4235	64
583	Parallel Microcracks-based Ultrasensitive and Highly Stretchable Strain Sensors. **2016**, 8, 5618-26	202
582	Reversibly Stretchable, Optically Transparent Radio-Frequency Antennas Based on Wavy Ag Nanowire Networks. **2016**, 8, 2582-90	52
581	Simple method for high-performance stretchable composite conductors with entrapped air bubbles. **2016**, 11, 14	7

580	Compression and tension bending fatigue behavior of Ag nanowire network. **2016**, 8, 266-272	29
579	Facile preparation of graphite particles fully coated with thin Ag shell layers for high performance conducting and electromagnetic shielding composite materials. **2016**, 4, 2566-2578	25
578	Strain-Dependent Dielectric Behavior of Carbon Black Reinforced Natural Rubber. **2016**, 49, 2339-2347	40
577	Progress in application and preparation of silver nanowires. **2016**, 35, 289-298	36
576	Quasi In Situ Polymerization To Fabricate Copper Nanowire-Based Stretchable Conductor and Its Applications. **2016**, 8, 9297-304	29
575	Enhancing the Scratch Resistance by Introducing Chemical Bonding in Highly Stretchable and Transparent Electrodes. **2016**, 16, 594-600	48
574	Fabrication of Highly Stretchable Conductors Based on 3D Printed Porous Poly(dimethylsiloxane) and Conductive Carbon Nanotubes/Graphene Network. **2016**, 8, 2187-92	81
573	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. **2016**, 51, 2771-2805	219
572	Progress and Prospects in Stretchable Electroluminescent Devices. **2017**, 6, 435-451	21
571	High-yield and rapid synthesis of ultrathin silver nanowires for low-haze transparent conductors. **2017**, 7, 4891-4895	31
570	Highly Stretchable and Waterproof Electroluminescence Device Based on Superstable Stretchable Transparent Electrode. **2017**, 9, 5486-5494	48
569	Highly Stretchable and Self-Healable Supercapacitor with Reduced Graphene Oxide Based Fiber Springs. **2017**, 11, 2066-2074	338
568	Highly sensitive and stable flexible pressure sensors with micro-structured electrodes. **2017**, 699, 824-831	39
567	Bending fatigue behavior of silver nanowire networks with different densities. **2017**, 625, 1-5	7
566	Fabrication of silver nanowire transparent conductive films with an ultra-low haze and ultra-high uniformity and their application in transparent electronics. **2017**, 5, 2240-2246	55
565	Versatile Transfer of an Ultralong and Seamless Nanowire Array Crystallized at High Temperature for Use in High-Performance Flexible Devices. **2017**, 11, 1520-1529	41
564	Preparation and properties of electrically conductive, flexible and transparent silver nanowire/poly (lactic acid) nanocomposites. **2017**, 44, 74-84	21
563	Highly Flexible and Transparent Ag Nanowire Electrode Encapsulated with Ultra-Thin AlO: Thermal, Ambient, and Mechanical Stabilities. **2017**, 7, 41336	69

562	Application of Printed Silver Nanowires Based on Laser-Induced Forward Transfer. **2017**, 265-273	0
561	Electrospun assembly: a nondestructive nanofabrication for transparent photosensors. **2017**, 28, 155202	8
560	Optically controllable nanobreaking of metallic nanowires. **2017**, 110, 081101	8
559	Heterogeneous Configuration of a Ag Nanowire/Polymer Composite Structure for Selectively Stretchable Transparent Electrodes. **2017**, 9, 7505-7514	26
558	A novel 3D sandwich structure of hybrid graphite nanosheets and silver nanowires as fillers for improved thermal conductivity. **2017**, 4, 015018	3
557	A Highly Stretchable and Fatigue-Free Transparent Electrode Based on an In-Plane Buckled Au Nanotrough Network. **2017**, 3, 1600534	28
556	Recent Advancements in Flexible and Stretchable Electrodes for Electromechanical Sensors: Strategies, Materials, and Features. **2017**, 9, 12147-12164	278
555	Mechanics of Crystalline Nanowires: An Experimental Perspective. **2017**, 69,	34
554	Ag/Au/Polypyrrole Core-shell Nanowire Network for Transparent, Stretchable and Flexible Supercapacitor in Wearable Energy Devices. **2017**, 7, 41981	162
553	Improved Flexible Transparent Conductive Electrodes based on Silver Nanowire Networks by a Simple Sunlight Illumination Approach. **2017**, 7, 42052	52
552	Recent advances in wearable tactile sensors: Materials, sensing mechanisms, and device performance. **2017**, 115, 1-37	405
551	Recent progresses on solution-processed silver nanowire based transparent conducting electrodes for organic solar cells. **2017**, 3, 60-72	42
550	Towards theoretical analysis of optoelectronic performance of uniform and random metallic nanowire layers. **2017**, 626, 140-144	3
549	Merging of Thin- and Thick-Film Fabrication Technologies: Toward Soft Stretchable "Island–Bridge" Devices. **2017**, 2, 1600284	57
548	Effect of carbon nanotube addition on mechanical reliability of Ag nanowire network. **2017**, 198, 202-205	8
547	A pre-strain strategy for developing a highly stretchable and foldable one-dimensional conductive cord based on a Ag nanowire network. **2017**, 9, 5773-5778	27
546	Soft Multifunctional Composites and Emulsions with Liquid Metals. *Advanced Materials*, **2017**, 29, 1605985	206
545	Secondary Sensitivity Control of Silver-Nanowire-Based Resistive-Type Strain Sensors by Geometric Modulation of the Elastomer Substrate. **2017**, 13, 1700070	40

544	Metal-Nanowire-Electrode-Based Perovskite Solar Cells: Challenging Issues and New Opportunities. **2017**, 7, 1602751		44
543	Design and application of 'J-shaped' stress-strain behavior in stretchable electronics: a review. **2017**, 17, 1689-1704		99
542	Stretchable and Soft Electronics using Liquid Metals. *Advanced Materials*, **2017**, 29, 1606425	24	818
541	Plasticized Polymer Interlayer for Low-Temperature Fabrication of a High-Quality Silver Nanowire-Based Flexible Transparent and Conductive Film. **2017**, 9, 15114-15121		20
540	Percolating Network of Ultrathin Gold Nanowires and Silver Nanowires toward Invisible Wearable Sensors for Detecting Emotional Expression and Apexcardiogram. **2017**, 27, 1700845		190
539	Three-Dimensional Continuous Conductive Nanostructure for Highly Sensitive and Stretchable Strain Sensor. **2017**, 9, 17369-17378		93
538	A general strategy for high performance stretchable conductors based on carbon nanotubes and silver nanowires. **2017**, 7, 20167-20171		4
537	Synthesis of very thin Ag nanowires with fewer particles by suppressing secondary seeding. **2017**, 19, 148-153		31
536	Design of active Pt on TiO2 based nanofibrous cathode for superior PEMFC performance and durability at high temperature. **2017**, 204, 421-429		48
535	Continuous Fabrication of Highly Conductive and Transparent Ag Mesh Electrodes for Flexible Electronics. **2017**, 16, 687-694		19
534	Functional flexible and wearable supercapacitors. **2017**, 50, 273001		23
533	Highly Robust Bendable Oxide Thin-Film Transistors on Polyimide Substrates via Mesh and Strip Patterning of Device Layers. **2017**, 27, 1700437		47
532	Curving silver nanowires using liquid droplets for highly stretchable and durable percolation networks. **2017**, 9, 8938-8944		16
531	Effect of assembly pressure on the performance of a bendable polymer electrolyte fuel cell based on a silver nanowire current collector. **2017**, 134, 412-419		17
530	Composites Formed from Thermoresponsive Polymers and Conductive Nanowires for Transient Electronic Systems. **2017**, 9, 21991-21997		15
529	Stretchable Platinum Network-Based Transparent Electrodes for Highly Sensitive Wearable Electronics. **2017**, 13, 1604291		23
528	Binary Synergistic Sensitivity Strengthening of Bioinspired Hierarchical Architectures based on Fragmentized Reduced Graphene Oxide Sponge and Silver Nanoparticles for Strain Sensors and Beyond. **2017**, 13, 1700944		72
527	Fabrication, Conductive Properties and Photocatalytic Application of Silver Nanorods. **2017**, 26, 3548-3559		

526	High Efficiency, Transparent, Reusable, and Active PM2.5 Filters by Hierarchical Ag Nanowire Percolation Network. **2017**, 17, 4339-4346		121
525	Laser-Material Interactions for Flexible Applications. *Advanced Materials*, **2017**, 29, 1606586	24	96
524	Ultrasensitive and stretchable resistive strain sensors designed for wearable electronics. **2017**, 4, 502-510		151
523	Electrical conductivity enhancement in thermoplastic polyurethane-graphene nanoplatelet composites by stretch-release cycles. **2017**, 110, 121904		25
522	Flexible and stretchable nanowire-coated fibers for optoelectronic probing of spinal cord circuits. **2017**, 3, e1600955		128
521	Transparent Electrodes for Efficient Optoelectronics. **2017**, 3, 1600529		224
520	Biaxial Stretchability and Transparency of Ag Nanowire 2D Mass-Spring Networks Prepared by Floating Compression. **2017**, 9, 10865-10873		30
519	Enhanced thermal conduction and influence of interfacial resistance within flexible high aspect ratio copper nanowire/polymer composites. **2017**, 144, 70-78		47
518	Making Electrodes Stretchable. **2017**, 1, 1600029		96
517	Designing highly conductive and stable silver nanocrystal thin films with tunable work functions through solution-based surface engineering with gold coating process. **2017**, 698, 400-409		9
516	Nanowire-based transparent conductors for flexible electronics and optoelectronics. **2017**, 62, 143-156		48
515	One-Dimensional Nanomaterials for Soft Electronics. **2017**, 3, 1600314		218
514	Fabrication of Flexible Transparent Electrode with Enhanced Conductivity from Hierarchical Metal Grids. **2017**, 9, 39110-39115		38
513	Nanowire-on-Nanowire: All-Nanowire Electronics by On-Demand Selective Integration of Hierarchical Heterogeneous Nanowires. **2017**, 11, 12311-12317		29
512	Fully Stretchable Textile Triboelectric Nanogenerator with Knitted Fabric Structures. **2017**, 11, 10733-10741		149
511	A stretchable fiber nanogenerator for versatile mechanical energy harvesting and self-powered full-range personal healthcare monitoring. **2017**, 41, 511-518		95
510	Microsphere-Assisted Robust Epidermal Strain Gauge for Static and Dynamic Gesture Recognition. **2017**, 13, 1702108		16
509	Brush-paintable and highly stretchable Ag nanowire and PEDOT:PSS hybrid electrodes. **2017**, 7, 14685		59

508	Selective photonic sintering of Ag flakes embedded in silicone elastomers to fabricate stretchable conductors. **2017**, 5, 11733-11740	28
507	Nature-Inspired Structural Materials for Flexible Electronic Devices. **2017**, 117, 12893-12941	401
506	Wet-spinning of highly conductive nanocellulose□silver fibers. **2017**, 5, 9673-9679	20
505	Highly flexible and transparent dielectric elastomer actuators using silver nanowire and carbon nanotube hybrid electrodes. **2017**, 13, 6390-6395	22
504	Stretchable conductive elastomer for wireless wearable communication applications. **2017**, 7, 10958	25
503	Deformable and Transparent Ionic and Electronic Conductors for Soft Energy Devices. **2017**, 7, 1701369	45
502	Hybrid Ag nanowire transparent conductive electrodes with randomly oriented and grid-patterned Ag nanowire networks. **2017**, 7, 11614	24
501	Crack-induced Ag nanowire networks for transparent, stretchable, and highly sensitive strain sensors. **2017**, 7, 7959	72
500	Zero percolation threshold in electric conductivity of aluminum nanowire network fabricated by chemical etching using an electrospun nanofiber mask. **2017**, 56, 095002	2
499	Ultrastretchable Analog/Digital Signal Transmission Line with Carbon Nanotube Sheets. **2017**, 9, 26286-26292	9
498	Large-Scale Stretchable Semiembedded Copper Nanowire Transparent Conductive Films by an Electrospinning Template. **2017**, 9, 26468-26475	55
497	Toward Soft Skin-Like Wearable and Implantable Energy Devices. **2017**, 7, 1700648	140
496	Recent progresses on flexible tactile sensors. **2017**, 1, 61-73	137
495	3D Printing of Free-Standing Stretchable Electrodes with Tunable Structure and Stretchability. **2017**, 19, 1700341	42
494	Stretchable Energy Harvesting Devices: Attempts To Produce High-Performance Electrodes. **2017**, 5, 7851-7858	19
493	Three-Dimensional Highly Stretchable Conductors from Elastic Fiber Mat with Conductive Polymer Coating. **2017**, 9, 30772-30778	24
492	Facile Synthesis of Silver Nanowires with Different Aspect Ratios and Used as High-Performance Flexible Transparent Electrodes. **2017**, 12, 480	41
491	Kirigami-patterned highly stretchable conductors from flexible carbon nanotube-embedded polymer films. **2017**, 5, 8714-8722	42

490	A flexible plasma-treated silver-nanowire electrode for organic light-emitting devices. **2017**, 7, 16468		41
489	Fully Elastic Conductive Films from Viscoelastic Composites. **2017**, 9, 44096-44105		16
488	Highly Stretchable and Transparent Electromagnetic Interference Shielding Film Based on Silver Nanowire Percolation Network for Wearable Electronics Applications. **2017**, 9, 44609-44616		187
487	Postbuckling scrutiny of highly deformable nanobeams: A novel exact nonlocal-surface energy-based model. **2017**, 110, 327-343		9
486	Synthesis of nanobelt-like 1-dimensional silver/nanocarbon hybrid materials for flexible and wearable electroncs. **2017**, 7, 4931		14
485	Intense pulsed light for split-second structural development of nanomaterials. **2017**, 5, 7142-7160		27
484	Facile Fabrication of Ultra-Stretchable Metallic Nanocluster Films for Wearable Electronics. **2017**, 9, 28010-28018		98
483	Development of conductive paraffin/graphene films laminated on fluoroelastomers with high strain recovery and anti-corrosive properties. **2017**, 149, 254-261		9
482	Strategies for the AFM-based manipulation of silver nanowires on a flat surface. **2017**, 28, 365301		11
481	Spirally Structured Conductive Composites for Highly Stretchable, Robust Conductors and Sensors. **2017**, 9, 23007-23016		38
480	Production of Flexible Transparent Conducting Films of Self-Fused Nanowires via One-Step Supersonic Spraying. **2017**, 27, 1602548		43
479	Dissolvable tattoo sensors: from science fiction to a viable technology. **2017**, 92, 013001		16
478	Performance variation of bendable polymer electrolyte fuel cell based on Ag nanowire current collector under mixed bending and twisting load. **2017**, 42, 1884-1890		14
477	Flash-Induced Self-Limited Plasmonic Welding of Silver Nanowire Network for Transparent Flexible Energy Harvester. *Advanced Materials*, **2017**, 29, 1603473	24	153
476	Materials, Mechanics, and Patterning Techniques for Elastomer-Based Stretchable Conductors. **2017**, 8, 7		35
475	Rapid and Effective Electrical Conductivity Improvement of the Ag NW-Based Conductor by Using the Laser-Induced Nano-Welding Process. **2017**, 8, 164		13
474	NIR induced self-healing electrical conductivity polyurethane/graphene nanocomposites based on Diels–Alder reaction. **2018**, 140, 150-157		68
473	Highly conductive, flexible and stretchable conductors based on fractal silver nanostructures. **2018**, 6, 3999-4006		33

472	Fused silver nanowires with silica sol nanoparticles for smooth, flexible, electrically conductive and highly stable transparent electrodes.. **2018**, 8, 13466-13473		11
471	Interface-Controlled Conductive Fibers for Wearable Strain Sensors and Stretchable Conducting Wires. **2018**, 10, 14087-14096		51
470	An Ultralight Graphene Honeycomb Sandwich for Stretchable Light-Emitting Displays. **2018**, 28, 1707043		39
469	Skin-Attachable, Stretchable Electrochemical Sweat Sensor for Glucose and pH Detection. **2018**, 10, 13729-13740		405
468	Electroless Synthesis of Highly Stable and Free-Standing Porous Pt Nanotube Networks and their Application in Methanol Oxidation. **2018**, 5, 1087-1097		12
467	Recent developments of truly stretchable thin film electronic and optoelectronic devices. **2018**, 10, 5764-5792		64
466	Electrohydrodynamic printing of silver nanowires for flexible and stretchable electronics. **2018**, 10, 6806-6811		149
465	Advancing the frontiers of silk fibroin protein-based materials for futuristic electronics and clinical wound-healing (Invited review). **2018**, 86, 151-172		70
464	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. *Advanced Materials*, **2018**, 30, e1706738	24	230
463	Polymer nanofibre composite nonwovens with metal-like electrical conductivity. **2018**, 2,		23
462	Microstructural origin of resistance-strain hysteresis in carbon nanotube thin film conductors. **2018**, 115, 1986-1991		73
461	Versatile, High-Power, Flexible, Stretchable Carbon Nanotube Sheet Heating Elements Tolerant to Mechanical Damage and Severe Deformation. **2018**, 28, 1706007		42
460	Materials for Transparent Electrodes: From Metal Oxides to Organic Alternatives. **2018**, 4, 1700412		64
459	Emerging Novel Metal Electrodes for Photovoltaic Applications. **2018**, 14, e1703140		56
458	Kinetically controlled synthesis of Cu nanowires with tunable diameters and their applications in transparent electrodes. **2018**, 6, 1048-1056		12
457	Effect of twisting fatigue on the electrical reliability of a metal interconnect on a flexible substrate. **2018**, 33, 138-148		6
456	A High Aspect Ratio Serpentine Structure for Use As a Strain-Insensitive, Stretchable Transparent Conductor. **2018**, 14, 1702818		16
455	An AcrylonitrileButadieneLignin Renewable Skin with Programmable and Switchable Electrical Conductivity for Stress/Strain-Sensing Applications. **2018**, 51, 115-127		24

454	Electrohydrodynamic (EHD) Printing of Molten Metal Ink for Flexible and Stretchable Conductor with Self-Healing Capability. **2018**, 3, 1700268		41
453	Facile fabrication of Ag nanowires for capacitive flexible pressure sensors by liquid polyol reduction method. **2018**, 5, 015041		5
452	Chemical formation of soft metal electrodes for flexible and wearable electronics. **2018**, 47, 4611-4641		165
451	Size-Dependent Grain-Boundary Structure with Improved Conductive and Mechanical Stabilities in Sub-10-nm Gold Crystals. **2018**, 120, 186102		19
450	Fully Rollable Lead-Free Poly(vinylidene fluoride)-Niobate-Based Nanogenerator with Ultra-Flexible Nano-Network Electrodes. **2018**, 12, 4803-4811		76
449	Epitaxial-Growth-Induced Junction Welding of Silver Nanowire Network Electrodes. **2018**, 12, 4894-4902		41
448	Cohesively enhanced electrical conductivity and thermal stability of silver nanowire networks by nickel ion bridge joining. **2018**, 8, 5260		20
447	Metallic nanowires: Mechanical properties Theory and experiment. **2018**, 11, 320-337		39
446	Highly Efficient and Reliable Transparent Electromagnetic Interference Shielding Film. **2018**, 10, 11941-11949		189
445	Stretchable 3D polymer for simultaneously mechanical energy harvesting and biomimetic force sensing. **2018**, 47, 442-450		29
444	Recyclable magnetite-silver heterodimer nanocomposites with durable antibacterial performance. **2018**, 3, 80-86		26
443	Recent Developments on Epoxy-Based Thermally Conductive Adhesives (TCA): A Review. **2018**, 57, 903-934		19
442	Preparation and cold welding of silver nanowire based transparent electrodes with optical transmittances >90% and sheet resistances . **2018**, 512, 208-218		36
441	Multichannel noninvasive human machine interface via stretchable m thick sEMG patches for robot manipulation. **2018**, 28, 014005		13
440	Direct Printing for Additive Patterning of Silver Nanowires for Stretchable Sensor and Display Applications. **2018**, 3, 1700232		53
439	Patterning of silver nanowire for grid formation by using ultrasonic assisted clean chemical etching for the application of high transparent electrode. **2018**, 228, 67-73		4
438	Highly Stretchable and Reliable, Transparent and Conductive Entangled Graphene Mesh Networks. *Advanced Materials*, **2018**, 30, 1704626	24	43
437	Ultrasoft and cuttable paper-based triboelectric nanogenerators for mechanical energy harvesting. **2018**, 44, 279-287		56

436	Electrically conductive polymer composites for smart flexible strain sensors: a critical review. **2018**, 6, 12121-12141		359
435	Laser-Cut Polymer Tape Templates for Scalable Filtration Fabrication of User-Designed and Carbon-Nanomaterial-Based Electrochemical Sensors. **2018**, 3, 2518-2525		11
434	High efficiency flexible perovskite solar cells using SnO2/graphene electron selective layer and silver nanowires electrode. **2018**, 113, 203903		9
433	Recent Advances in Smart Wearable Sensing Systems. **2018**, 3, 1800444		78
432	Universal Testing Apparatus Implementing Various Repetitive Mechanical Deformations to Evaluate the Reliability of Flexible Electronic Devices. **2018**, 9,		7
431	Breathable and Skin-Mountable Strain Sensor with Tunable Stretchability, Sensitivity, and Linearity via Surface Strain Delocalization for Versatile Skin Activities' Recognition. **2018**, 10, 42826-42836		34
430	Modeling nanoscale temperature gradients and conductivity evolution in pulsed light sintering of silver nanowire networks. **2018**, 29, 505205		21
429	Roll-to-roll redox-welding and embedding for silver nanowire network electrodes. **2018**, 10, 18627-18634		12
428	Nanowire Assemblies for Flexible Electronic Devices: Recent Advances and Perspectives. *Advanced Materials*, **2018**, 30, e1803430	24	83
427	Gravure Printing of Water-based Silver Nanowire ink on Plastic Substrate for Flexible Electronics. **2018**, 8, 15167		47
426	Solution-Grown Serpentine Silver Nanofiber Meshes for Stretchable Transparent Conductors. **2018**, 4, 1800346		12
425	Stretchable Polymer Gate Dielectric with Segmented Elastomeric Network for Organic Soft Electronics. **2018**, 30, 6353-6360		19
424	Structural design of wearable electronics suitable for highly-stretched joint areas. **2018**, 27, 105042		8
423	Standing Enokitake-like Nanowire Films for Highly Stretchable Elastronics. **2018**, 12, 9742-9749		93
422	Effective passivation of Ag nanowire network by transparent tetrahedral amorphous carbon film for flexible and transparent thin film heaters. **2018**, 8, 13521		34
421	Fabrication and Applications of Flexible Transparent Electrodes Based on Silver Nanowires. **2018**,		4
420	Length-dependent dual-mechanism-controlled failure modes in silver penta-twinned nanowires. **2018**, 10, 20565-20577		6
419	Inkjet Printing of Silver Nanowires for Stretchable Heaters. **2018**, 1, 4528-4536		62

418	Facile growth of coaxial Ag@polypyrrole nanowires for highly tunable electromagnetic waves absorption. **2018**, 154, 192-202	69
417	Facile fabrication of highly conductive tracks using long silver nanowires and graphene composite.. **2018**, 8, 17739-17746	10
416	Towards Sub-Microscale Liquid Metal Patterns: Cascade Phase Change Mediated Pick-n-Place Transfer of Liquid Metals Printed and Stretched over a Flexible Substrate. **2018**, 28, 1800380	34
415	Stretchable Conductive Fibers Based on a Cracking Control Strategy for Wearable Electronics. **2018** , 28, 1801683	67
414	Five-minute synthesis of silver nanowires and their roll-to-roll processing for large-area organic light emitting diodes. **2018**, 10, 12087-12092	31
413	Fabrication of a Flexible and Stretchable Nanostructured Gold Electrode Using a Facile Ultraviolet-Irradiation Approach for the Detection of Nitric Oxide Released from Cells. **2018**, 90, 7158-7163	39
412	Stretchable Transparent Electrodes with Solution-Processed Regular Metal Mesh for an Electroluminescent Light-Emitting Film. **2018**, 10, 21009-21017	34
411	Fractal Gold Nanoframework for Highly Stretchable Transparent Strain-Insensitive Conductors. **2018**, 18, 3593-3599	39
410	Design of Engineered Elastomeric Substrate for Stretchable Active Devices and Sensors. **2018**, 28, 1705132	29
409	Cracking effects in squashable and stretchable thin metal films on PDMS for flexible microsystems and electronics. **2018**, 8, 9492	34
408	Oxide-Carbon Nanofibrous Composite Support for a Highly Active and Stable Polymer Electrolyte Membrane Fuel-Cell Catalyst. **2018**, 12, 6819-6829	35
407	Controllable assembly of a hierarchical multiscale architecture based on silver nanoparticle grids/nanowires for flexible organic solar cells. **2018**, 29, 415603	9
406	Transparent and conductive nanomembranes with orthogonal silver nanowire arrays for skin-attachable loudspeakers and microphones. **2018**, 4, eaas8772	98
405	Ultrastretchable Fiber Sensor with High Sensitivity in Whole Workable Range for Wearable Electronics and Implantable Medicine. **2018**, 5, 1800558	85
404	Flexible and Stretchable Smart Display: Materials, Fabrication, Device Design, and System Integration. **2018**, 28, 1801834	221
403	Robotic Flexible Electronics with Self-Bendable Films. **2018**, 5, 710-717	8
402	Unconventional Janus Properties of Enokitake-like Gold Nanowire Films. **2018**, 12, 8717-8722	43
401	Solution-Assembled Ordered Grids Constructed with Silver Nanowires as Transparent Conductive Electrodes. **2018**, 3, 7191-7195	14

400	Single Step Laser Transfer and Laser Curing of Ag NanoWires: A Digital Process for the Fabrication of Flexible and Transparent Microelectrodes. **2018**, 11,		12
399	Synthesis and characterization of size-controlled silver nanowires. **2018**, 3,		0
398	Self-healing and superstretchable conductors from hierarchical nanowire assemblies. **2018**, 9, 2786		143
397	Ultrathin AuAg Nanofilms from Ice-Templated Assembly of AuAg Nanowires. **2018**, 5, 1800256		5
396	Aerosol jet printed silver nanowire transparent electrode for flexible electronic application. **2018**, 123, 174905		16
395	Advanced Materials for Capturing Particulate Matter: Progress and Perspectives. **2018**, 2, 1800012		52
394	Highly Robust, Transparent, and Breathable Epidermal Electrode. **2018**, 12, 9326-9332		102
393	Advanced 3D Current Collectors for Lithium-Based Batteries. *Advanced Materials*, **2018**, 30, e1802014	24	121
392	Highly conductive, stretchable and biocompatible Ag-Au core-sheath nanowire composite for wearable and implantable bioelectronics. **2018**, 13, 1048-1056		440
391	Novel patterning of flexible and transparent Ag nanowire electrodes using oxygen plasma treatment. **2018**, 6, 9394-9398		23
390	Mechanical Stretchability of Screen-Printed Ag Nanoparticles Electrodes on Polyurethane Substrate for Stretchable Interconnectors and Thin Film Heaters. **2018**, 7, P468-P472		13
389	Highly Transparent and Flexible All-Solid-State Supercapacitors Based on Ultralong Silver Nanowire Conductive Networks. **2018**, 10, 32536-32542		69
388	Highly Bendable and Durable Transparent Electromagnetic Interference Shielding Film Prepared by Wet Sintering of Silver Nanowires. **2018**, 10, 29730-29740		63
387	Emergence of winner-takes-all connectivity paths in random nanowire networks. **2018**, 9, 3219		48
386	High resolution patterning of Ag nanowire flexible transparent electrode via electrohydrodynamic jet printing of acrylic polymer-silicate nanoparticle composite overcoating layer. **2018**, 62, 400-406		26
385	Communication—Ag NW Networks Enhanced by Ni Electroplating for Flexible Transparent Electrodes. **2018**, 165, D328-D330		6
384	Seeds screening aqueous synthesis, multiphase interfacial separation and in situ optical characterization of invisible ultrathin silver nanowires. **2018**, 10, 15468-15484		11
383	SWCNT–Ag nanowire composite for transparent stretchable film heater with enhanced electrical stability. **2018**, 53, 12284-12294		19

382	High-Performance Strain Sensors Based on Spirally Structured Composites with Carbon Black, Chitin Nanocrystals, and Natural Rubber. **2018**, 6, 10595-10605		28
381	Purification of Copper Nanowires To Prepare Flexible Transparent Conductive Films with High Performance. **2018**, 1, 3155-3163		16
380	Polymeric nanocomposites reinforced with nanowires: Opening doors to future applications. **2019**, 35, 65-98		7
379	Recent developments in bio-monitoring via advanced polymer nanocomposite-based wearable strain sensors. **2019**, 123, 167-177		201
378	Stretchable/flexible silver nanowire Electrodes for energy device applications. **2019**, 11, 20356-20378		40
377	Flexible Transparent Electrodes Based on Silver Nanowires: Material Synthesis, Fabrication, Performance, and Applications. **2019**, 4, 1900413		31
376	Directional Shape Morphing Transparent Walking Soft Robot. **2019**, 6, 760-767		19
375	Patterned, Flexible, and Stretchable Silver Nanowire/Polymer Composite Films as Transparent Conductive Electrodes. **2019**, 11, 31210-31219		48
374	High Aspect Ratio and Post-Processing Free Silver Nanowires as Top Electrodes for Inverted-Structured Photodiodes. **2019**, 4, 13303-13308		10
373	Anode-Free Sodium Metal Batteries Based on Nanohybrid Core-Shell Templates. **2019**, 15, e1901274		21
372	Recent progress in stretchable organic field-effect transistors. **2019**, 62, 1255-1276		11
371	Highly stretchable electrochromic hydrogels for use in wearable electronic devices. **2019**, 7, 9481-9486		19
370	Deformable and Stretchable Electrodes for Soft Electronic Devices. **2019**, 27, 625-639		21
369	A Self-Conformable Smart Skin with Sensing and Variable Stiffness Functions. **2019**, 1, 1900054		5
368	Highly Stretchable Metallic Nanowire Networks Reinforced by the Underlying Randomly Distributed Elastic Polymer Nanofibers via Interfacial Adhesion Improvement. *Advanced Materials*, **2019**, 31, e1903446	24	56
367	Skin-Inspired Electronics and Its Applications in Advanced Intelligent Systems. **2019**, 1, 1900063		12
366	PEDOT:PSS for Flexible and Stretchable Electronics: Modifications, Strategies, and Applications. **2019**, 6, 1900813		295
365	Flexible and tunable electromagnetic meta-atom based on silver nanowire networks. **2019**, 181, 107982		10

364	Giant Poisson's Effect for Wrinkle-Free Stretchable Transparent Electrodes. *Advanced Materials*, **2019**, 31, e1902955	24	25
363	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. *Advanced Materials*, **2019**, 31, e1904765	24	498
362	Stretchable Piezoelectric Power Generators Based on ZnO Thin Films on Elastic Substrates. **2019**, 10,		8
361	Devices for promising applications. **2019**, 247-314		
360	Stretchable Transparent Wireless Charging Coil Fabricated by Negative Transfer Printing. **2019**, 11, 40677-40684		64
359	Design and applications of stretchable and self-healable conductors for soft electronics. **2019**, 6, 25		51
358	Textile-Friendly Interconnection between Wearable Measurement Instrumentation and Sensorized Garments-Initial Performance Evaluation for Electrocardiogram Recordings. **2019**, 19,		7
357	Preparation of a Highly Sensitive and Stretchable Strain Sensor of MXene/Silver Nanocomposite-Based Yarn and Wearable Applications. **2019**, 11, 45930-45938		73
356	Flexible and Stretchable Devices from 1D Nanomaterials. **2019**, 133-147		
355	Ultrastretchable Hybrid Electrodes of Silver Nanowires and Multiwalled Carbon Nanotubes Realized by Capillary-Force-Induced Welding. **2019**, 4, 1900721		10
354	Micro-/nano-voids guided two-stage film cracking on bioinspired assemblies for high-performance electronics. **2019**, 10, 3862		27
353	Soft-packaged sensory glove system for human-like natural interaction and control of prosthetic hands. **2019**, 11,		22
352	Tactile Sensors for Advanced Intelligent Systems. **2019**, 1, 1900090		47
351	Contact Annealing for Self-Soldering: In Situ Investigation into Interfaces between PVP-Coated Silver Nanoelectrodes and Carbon Nanotubes. **2019**, 11, 36035-36043		1
350	3D Printer-Based Encapsulated Origami Electronics for Extreme System Stretchability and High Areal Coverage. **2019**, 13, 12500-12510		15
349	Sensitivity-Tunable Strain Sensors Based on Carbon Nanotube@Carbon Nanocoil Hybrid Networks. **2019**, 11, 38160-38168		16
348	Semipermanent Copper Nanowire Network with an Oxidation-Proof Encapsulation Layer. **2019**, 4, 1800422		17
347	Bio-Integrated Wearable Systems: A Comprehensive Review. **2019**, 119, 5461-5533		496

346	Highly stretchable patternable conductive circuits and wearable strain sensors based on polydimethylsiloxane and silver nanoparticles. **2019**, 30, 185501		20
345	Morphological/nanostructural control toward intrinsically stretchable organic electronics. **2019**, 48, 1741-1786		87
344	Advanced electronic skin devices for healthcare applications. **2019**, 7, 173-197		120
343	High performance, flexible and room temperature grown amorphous Ga2O3 solar-blind photodetector with amorphous indium-zinc-oxide transparent conducting electrodes. **2019**, 52, 335103		28
342	Highly Stretchable and Self-Healable MXene/Polyvinyl Alcohol Hydrogel Electrode for Wearable Capacitive Electronic Skin. **2019**, 5, 1900285		156
341	Ionic liquids-filled patterned cavities improve transmittance of transparent and stretchable electronic polydimethylsiloxane films. **2019**, 54, 11134-11144		4
340	Stretchable Transparent Conductors: from Micro/Macromechanics to Applications. *Advanced Materials*, **2019**, 31, e1900756	24	33
339	Scalable Fabrication of Metallic Nanofiber Network via Templated Electrodeposition for Flexible Electronics. **2019**, 29, 1903123		14
338	Enhancing the Intrinsic Stretchability of Micropatterned Gold Film by Covalent Linkage of Carbon Nanotubes for Wearable Electronics. **2019**, 1, 1295-1303		8
337	Mechanical characterisation of pentagonal gold nanowires in three different test configurations: A comparative study. **2019**, 124, 102686		4
336	Metal nanowire networks: Recent advances and challenges for new generation photovoltaics. **2019** , 13, 152-185		19
335	Infrared Plasmonics via Self-Organized Anisotropic Wrinkling of Au/PDMS Nanoarrays. **2019**, 1, 1334-1340		11
334	Materials and structural designs of stretchable conductors. **2019**, 48, 2946-2966		189
333	Mechanically Flexible Conductors for Stretchable and Wearable E-Skin and E-Textile Devices. *Advanced Materials*, **2019**, 31, e1901408	24	193
332	Ultrastretchable Conductive Polymer Complex as a Strain Sensor with a Repeatable Autonomous Self-Healing Ability. **2019**, 11, 20453-20464		59
331	Highly conductive 1D-2D composite film for skin-mountable strain sensor and stretchable triboelectric nanogenerator. **2019**, 62, 319-328		61
330	Physical and Chemical Sensing With Electronic Skin. **2019**, 107, 2155-2167		37
329	Materials and Design Strategies of Stretchable Electrodes for Electronic Skin and its Applications. **2019**, 107, 2185-2197		41

328	Liquid metal-filled magnetorheological elastomer with positive piezoconductivity. **2019**, 10, 1300	167
327	Stretchable and electrically conductive polyurethane- silver/graphene composite fibers prepared by wet-spinning process. **2019**, 167, 573-581	51
326	Bending-durable membrane-electrode assembly using metal nanowires for bendable polymer electrolyte membrane fuel cell. **2019**, 172, 874-880	8
325	Stretchable Nanocomposite Conductors Enabled by 3D Segregated Dual-Filler Network. **2019**, 4, 1900060	18
324	Semiconductor–Metal Transition in Poly(3,4-Ethylenedioxythiophene): Poly(Styrenesulfonate) and its Electrical Conductivity While Being Stretched. **2019**, 59, 1051-1056	4
323	Cat-Tail-Like Mesostructured Silica Fibers Decorated with Gold Nanowires: Synthesis, Characterization, and Application as Stretchable Sensors. **2019**, 84, 1031-1038	2
322	One-Dimensional Metal Nanostructures: From Colloidal Syntheses to Applications. **2019**, 119, 8972-9073	148
321	Interface engineering of solution-grown silver nanofiber networks designed as flexible transparent electrodes. **2019**, 7, 3924-3933	7
320	Stretchable sensors for environmental monitoring. **2019**, 6, 011309	50
319	Photocurable Stretchable Conductors with Low Dynamic Resistance Variation. **2019**, 1, 718-726	2
318	Conducting and Stretchable PEDOT:PSS Electrodes: Role of Additives on Self-Assembly, Morphology, and Transport. **2019**, 11, 17570-17582	41
317	Low-resistance stretchable electrodes using a thick silver layer and a PDMS-PDMS bonding technique. **2019**, 9, 025016	2
316	Photoprintable nanowire–polymer blends synthesized by dynamic emulsion polycondensation. **2019**, 136, 47670	1
315	Second Skin Enabled by Advanced Electronics. **2019**, 6, 1900186	106
314	Superior Stretchable Conductors by Electroless Plating of Copper on Knitted Fabrics. **2019**, 1, 397-406	23
313	Printing Conductive Nanomaterials for Flexible and Stretchable Electronics: A Review of Materials, Processes, and Applications. **2019**, 4, 1800546	194
312	Buckled Structures: Fabrication and Applications in Wearable Electronics. **2019**, 15, e1804805	46
311	All-Solution-Processed Micro/Nanowires with Electroplate Welding as Transparent Conducting Electrodes. **2019**, 13, 1900010	5

310	Synergistic Effect of Hybrid Long Silver Nanowires and Carbon Nanotubes on Strain Sensing Behavior of Fluoroelastomer Nanocomposites. **2019**,	
309	Tailorable Metal-Ceramic (Cu-TiC) Layered Electrode with High Mechanical Property and Conductivity. **2019**, 11, 44413-44420	1
308	Compositional and structural engineering of inorganic nanowires toward advanced properties and applications. **2019**, 1, 496-524	11
307	A stretchable laminated GNRs/BNNSs nanocomposite with high electrical and thermal conductivity. **2019**, 11, 20648-20658	21
306	Versatility of bilayer metal oxide coatings on silver nanowire networks for enhanced stability with minimal transparency loss. **2019**, 11, 19969-19979	18
305	Highly Stretchable, Sensitive, and Transparent Strain Sensors with a Controllable In-Plane Mesh Structure. **2019**, 11, 5316-5324	27
304	Ultrathin Metal Films as the Transparent Electrode in ITO-Free Organic Optoelectronic Devices. **2019**, 7, 1800778	74
303	Highly Conductive Flexible Metal-Ceramic Nanolaminate Electrode for High-Performance Soft Electronics. **2019**, 11, 2211-2217	5
302	Stretchable and patchable composite electrode with trimethylolpropane formal acrylate-based polymer. **2019**, 163, 185-192	19
301	Superior, processing-dependent thermal conductivity of cellulose Nanocrystal-Poly(vinyl alcohol) composite films. **2019**, 164, 17-25	16
300	Flexibility of Semitransparent Perovskite Light-Emitting Diodes Investigated by Tensile Properties of the Perovskite Layer. **2019**, 19, 971-976	22
299	Fabrication and Application of Highly Stretchable Conductive Fiber-Based Electrode of Epoxy/NBR Electrospun Fibers Spray-Coated with AgNW/PU Composites. **2019**, 220, 1800387	13
298	Bioinspired Ultrasensitive and Stretchable MXene-Based Strain Sensor via Nacre-Mimetic Microscale "Brick-and-Mortar" Architecture. **2019**, 13, 649-659	202
297	Polymer coated nanowire network promises self-healing and superstretchable conductors. **2019**, 62, 151-152	
296	An integrated flexible capacitance sensor for monitoring microvalve actuation. **2019**, 282, 171-176	3
295	Patterning Vertically Grown Gold Nanowire Electrodes for Intrinsically Stretchable Organic Transistors. **2019**, 5, 1800509	32
294	Stretchable Ni@NiCoP textile for wearable energy storage clothes. **2019**, 55, 506-515	56
293	High-performance stretchable conductive nanocomposites: materials, processes, and device applications. **2019**, 48, 1566-1595	256

292	A Simple Synthetic Approach To Prepare Silver Elongated Nanostructures: From Nanorods to Nanowires. **2019**, 96, 553-557		3
291	Single-step synthesis of wrinkled MoSe2 thin films. **2019**, 19, 273-278		5
290	Highly stretchable sensors for wearable biomedical applications. **2019**, 54, 5187-5223		34
289	Stretchable strain sensor facilely fabricated based on multi-wall carbon nanotube composites with excellent performance. **2019**, 54, 2170-2180		38
288	Advanced stretchable characteristic of liquid metal for fabricating extremely stable electronics. **2019**, 235, 133-136		9
287	Recent Development of Printed Micro-Supercapacitors: Printable Materials, Printing Technologies, and Perspectives. *Advanced Materials*, **2020**, 32, e1805864	24	82
286	Stretchability of PMMA-supported CVD graphene and of its electrical contacts. **2020**, 7, 014003		7
285	Material-Based Approaches for the Fabrication of Stretchable Electronics. *Advanced Materials*, **2020** , 32, e1902743	24	149
284	Flexible Hybrid Sensors for Health Monitoring: Materials and Mechanisms to Render Wearability. *Advanced Materials*, **2020**, 32, e1902133	24	114
283	Advanced materials of printed wearables for physiological parameter monitoring. **2020**, 32, 147-177		59
282	Integration of silver nanowires into SU-8 hollow cantilevers for piezoresistive-based sensing. **2020**, 301, 111748		1
281	Flexible electronics based on one-dimensional and two-dimensional hybrid nanomaterials. **2020**, 2, 33-56		37
280	Multiscale Soft-Hard Interface Design for Flexible Hybrid Electronics. *Advanced Materials*, **2020**, 32, e1902278	24	35
279	A kirigami concept for transparent and stretchable nanofiber networks-based conductors and UV photodetectors. **2020**, 82, 144-152		9
278	Facile Fabrication of Ultraflexible Transparent Electrodes Using Embedded Copper Networks for Wearable Pressure Sensors. **2020**, 5, 1900823		11
277	A highly stretchable and conductive composite based on an emulsion-templated silver nanowire aerogel. **2020**, 8, 1724-1730		15
276	Progress on particulate matter filtration technology: basic concepts, advanced materials, and performances. **2020**, 12, 437-453		61
275	A wearable, self-adhesive, long-lastingly moist and healable epidermal sensor assembled from conductive MXene nanocomposites. **2020**, 8, 1788-1795		53

274	Reviews of wearable healthcare systems: Materials, devices and system integration. **2020**, 140, 100523		107
273	Ultrastretchable Liquid Metal Electrical Conductors Built-in Cloth Fiber Networks for Wearable Electronics. **2020**, 12, 7673-7678		11
272	A Metal-Like Conductive Elastomer with a Hierarchical Wrinkled Structure. *Advanced Materials*, **2020**, 32, e1906460	24	34
271	Wireless Monitoring Using a Stretchable and Transparent Sensor Sheet Containing Metal Nanowires. *Advanced Materials*, **2020**, 32, e1902684	24	34
270	Depolymerization of proanthocyanidins and application exploration in the field of preparation of flexible materials. **2020**, 44, 19323-19336		1
269	Laser-induced Joining of Nanoscale Materials: Processing, Properties, and Applications. **2020**, 35, 100959		6
268	Mechanism of Heat-Induced Fusion of Silver Nanowires. **2020**, 10, 9271		9
267	Printed carbon nanotube thin-film transistors: progress on printable materials and the path to applications. **2020**, 12, 23371-23390		9
266	Textile Electronics for VR/AR Applications. **2020**, 31, 2007254		20
265	High-Resolution Printable and Elastomeric Conductors from Strain-Adaptive Assemblies of Metallic Nanoparticles with Low Aspect Ratios. **2020**, 16, e2004793		4
264	Emerging flexible sensors based on nanomaterials: recent status and applications. **2020**, 8, 25499-25527		40
263	Safety and effectiveness evaluation of flexible electronic materials for next generation wearable and implantable medical devices. **2020**, 35, 100939		10
262	Highly conductive, stretchable, and breathable epidermal electrode based on hierarchically interactive nano-network. **2020**, 12, 16053-16062		14
261	Novel Bimodal Silver Nanowire Network as Top Electrodes for Reproducible and High-Efficiency Semitransparent Organic Photovoltaics. **2020**, 4, 2000328		21
260	Implementation of Flexible Embedded Nanowire Electrodes in Organic Light-Emitting Diodes. **2020** , 14, 2000305		1
259	Ink-Based Additive Nanomanufacturing of Functional Materials for Human-Integrated Smart Wearables. **2020**, 2, 2000117		9
258	Blood Pressure Sensors: Materials, Fabrication Methods, Performance Evaluations and Future Perspectives. **2020**, 20,		13
257	70-2: Low Temperature Process and Material Development for Flexible/Stretchable Transparent Conductor. **2020**, 51, 1044-1047		

256	Silver Nanowires Deposited on Cellulose Nanofibers/Graphene Oxide Hybrid Membranes as Sandwich-Structured Films for Optoelectronic and SERS Applications. **2020**, 3, 10844-10854		6
255	Flexible biodegradable transparent heaters based on fractal-like leaf skeletons. **2020**, 4,		12
254	Shape morphing smart 3D actuator materials for micro soft robot. **2020**, 41, 243-269		45
253	Highly stretchable and transparent triboelectric nanogenerator based on multilayer structured stable electrode for self-powered wearable sensor. **2020**, 78, 105385		23
252	Flexible/Stretchable Supercapacitors with Novel Functionality for Wearable Electronics. *Advanced Materials*, **2020**, 32, e2002180	24	85
251	Ultrathin, Stretchable, and Breathable Epidermal Electronics Based on a Facile Bubble Blowing Method. **2020**, 6, 2000306		15
250	Buckle-Delamination-Enabled Stretchable Silver Nanowire Conductors. **2020**, 12, 41696-41703		20
249	Advanced Nanomaterials, Printing Processes, and Applications for Flexible Hybrid Electronics. **2020**, 13,		14
248	Omnidirectionally stretchable electrodes based on wrinkled silver nanowires through the shrinkage of electrospun polymer fibers. **2020**, 8, 16798-16807		9
247	Performance of OLED under mechanical strain: a review. **2020**, 31, 20688-20729		18
246	Facile and Efficient Patterning Method for Silver Nanowires and Its Application to Stretchable Electroluminescent Displays. **2020**, 12, 24074-24085		34
245	Plant-Based Biodegradable Capacitive Tactile Pressure Sensor Using Flexible and Transparent Leaf Skeletons as Electrodes and Flower Petal as Dielectric Layer. **2020**, 4, 2000056		21
244	Boosted efficiency of conductive metal oxide-free pervoskite solar cells using poly(3-(4-methylamincarboxylbutyl)thiophene) buffer layers. **2020**, 53, 284001		4
243	Light induced morphological reforms in thin film of advanced nano-materials for energy generation: A review. **2020**, 129, 106284		5
242	Welded silver nanowire networks as high-performance transparent conductive electrodes: Welding techniques and device applications. **2020**, 20, 100634		19
241	Wafer-scale 2D PtTe2 layers-enabled Kirigami heaters with superior mechanical stretchability and electro-thermal responsiveness. **2020**, 20, 100718		8
240	Aligned Ni nanowires towards highly stretchable electrode. **2020**, 63, 2131-2136		0
239	Printed Flexible Heaters-Based Thermotherapy Platform for Multiduty Thermal Management. **2020**, 5, 2000278		14

238	Soft Materials for Wearable/Flexible Electrochemical Energy Conversion, Storage, and Biosensor Devices. **2020**, 13,		16
237	Transparent Supercapacitors: From Optical Theories to Optoelectronics Applications. **2020**, 3, 265-285		6
236	Intelligent Silk Fibroin Ionotronic Skin for Temperature Sensing. **2020**, 5, 2000430		23
235	Transparent conductive organic□inorganic hybrid composites based on Ag nanowires. **2020**, 96, 121-129		2
234	Directed Assembly of Liquid Metal-Elastomer Conductors for Stretchable and Self-Healing Electronics. *Advanced Materials*, **2020**, 32, e2001642	24	43
233	Effect of AlOx protection layer on AgNWs for flexible transparent heater. **2020**, 10, 4592		10
232	Buckling Instability Control of 1D Nanowire Networks for a Large-Area Stretchable and Transparent Electrode. **2020**, 30, 1910214		22
231	Highly stretchable and oxidation-resistive Cu nanowire heater for replication of the feeling of heat in a virtual world. **2020**, 8, 8281-8291		30
230	Stretchable electrolytes for stretchable/flexible energy storage systems □Recent developments. **2020**, 28, 315-324		11
229	Ag flake/silicone rubber composite with high stability and stretching speed insensitive resistance via conductive bridge formation. **2020**, 10, 5036		6
228	Geometrically Structured Nanomaterials for Nanosensors, NEMS, and Nanosieves. *Advanced Materials*, **2020**, 32, e1907082	24	10
227	Review□Recent Advances in the Development of Carbon Nanotubes Based Flexible Sensors. **2020**, 167, 047506		22
226	Rational Synthesis of Cylindrical Silver Single-crystalline Nanowires via Poly(vinyl pyrrolidone) Reduction of AgCl. **2020**, 35, 473-481		
225	Recent Progress in Transparent Conductors Based on Nanomaterials: Advancements and Challenges. **2020**, 5, 1900939		20
224	Ultra-long W microfiber achieving 0.2□□sq□ @ 90% transparency as new-type high-performance flexible transparent conductor. **2020**, 388, 124160		2
223	Transparent and Flexible Electronics Assembled with Metallic Nanowire-Layered Nondrying Glycerogel. **2020**, 12, 13040-13050		10
222	Advances in Rational Design and Materials of High-Performance Stretchable Electromechanical Sensors. **2020**, 16, e1905707		22
221	The conductivity of polydimethylsiloxane/graphene nano-ribbon foam composite with elongation. **2020**, 162, 328-338		13

220	Direct writing of silver microfiber with precise control on patterning for robust and flexible ultrahigh-performance transparent conductor. **2020**, 47, 103-112		4
219	Evidence of Low-Temperature Joints in Silver Nanowire Based Transparent Conducting Layers for Solar Cells. **2020**, 3, 3205-3213		5
218	Recent progress in silver nanowire networks for flexible organic electronics. **2020**, 8, 4636-4674		66
217	Materials, systems, and devices for wearable bioelectronics. **2020**, 1-48		
216	Highly Sensitive and Stretchable Carbon Nanotube/Fluoroelastomer Nanocomposite with a Double-Percolated Network for Wearable Electronics. **2020**, 6, 1901067		15
215	Facile preparation of flexible and highly stable graphene oxide-silver nanowire hybrid transparent conductive electrode. **2020**, 7, 016413		10
214	Cyber-Physiochemical Interfaces. *Advanced Materials*, **2020**, 32, e1905522	24	37
213	Material Design and Fabrication Strategies for Stretchable Metallic Nanocomposites. **2020**, 16, e1906270		35
212	Printable carbon nanotube-based elastic conductors for fully-printed sub-1 V stretchable electrolyte-gated transistors and inverters. **2020**, 8, 3639-3645		11
211	A facile way for scalable fabrication of silver nanowire network electrodes for high-performance and foldable smart windows. **2020**, 8, 8620-8628		8
210	Single-pot two-temperature synthesis of high aspect ratio silver nanowires with narrow size distribution. **2020**, 507, 119569		3
209	A flexible strain sensor based on CNTs/PDMS microspheres for human motion detection. **2020**, 306, 111959		26
208	Intrinsic elastic conductors with internal buckled electron pathway for flexible electromagnetic interference shielding and tumor ablation. **2020**, 63, 1318-1329		7
207	Invisible Silver Nanomesh Skin Electrode via Mechanical Press Welding. **2020**, 10,		8
206	Recent Process of Flexible Transistor-Structured Memory. **2021**, 17, e1905332		36
205	Flexible hierarchical helical yarn with broad strain range for self-powered motion signal monitoring and human-machine interactive. **2021**, 80, 105446		10
204	Triboelectric nanogenerators for human-health care. **2021**, 66, 490-511		28
203	Optimizing microenvironment by integrating negative pressure and exogenous electric fields a flexible porous conductive dressing to accelerate wound healing. **2021**, 9, 238-251		11

202	Recently-explored top electrode materials for transparent organic solar cells. **2021**, 271, 116582		13
201	Highly Stretchable Sound-in-Display Electronics Based on Strain-Insensitive Metallic Nanonetworks. **2020**, 8, 2001647		11
200	Wearable Sensing Devices for Point of Care Diagnostics.. **2021**, 4, 47-70		21
199	Stretchable Electronics Based on PDMS Substrates. *Advanced Materials*, **2021**, 33, e2003155	24	98
198	Electrical conductivity enhancement of transparent silver nanowire films on temperature-sensitive flexible substrates using intense pulsed ion beam. **2021**, 32, 145706		5
197	Polymer-based electro-active smart composites as stretchable strain sensors. **2021**, 291-320		
196	Fabrication of Silver Mesh/Grid and Its Applications in Electronics. **2021**, 13, 3493-3511		20
195	Flexible Transparent Solar Blind Ultraviolet Photodetector Based on Amorphous Ga2O3 Grown on Mica Substrate. **2021**, 0-0		
194	Development of stretchable metallic glass electrodes. **2021**, 13, 1800-1806		2
193	Self-sintering liquid metal ink with LAPONITE for flexible electronics. **2021**, 9, 3070-3080		8
192	Hollow-porous fibers for intrinsically thermally insulating textiles and wearable electronics with ultrahigh working sensitivity. **2021**, 8, 1037-1046		15
191	A review on structures, materials and applications of stretchable electrodes. **2021**, 15, 54-78		2
190	Robust flexible electrodes with 2D interlayers. **2021**, 4, 95-96		1
189	Flexible Electronics and Healthcare Applications. **2021**, 3,		5
188	Silver Nanowire Synthesis and Strategies for Fabricating Transparent Conducting Electrodes. **2021**, 11,		9
187	A Review on Materials and Technologies for Organic Large-Area Electronics. **2021**, 6, 2001016		7
186	Superhydrophobic and Flexible Silver Nanowire-Coated Cellulose Filter Papers with Sputter-Deposited Nickel Nanoparticles for Ultrahigh Electromagnetic Interference Shielding. **2021**, 13, 14623-14633		31
185	Synthesis of silver nanoparticles embedded with single-walled carbon nanotubes for printable elastic electrodes and sensors with high stability. **2021**, 11, 5140		3

184	Local Heat Dissipation of Ag Nanowire Networks Examined with Scanning Thermal Microscopy. **2021**, 125, 6306-6312	3
183	Recent Advances on Nanocomposite Resists With Design Functionality for Lithographic Microfabrication. **2021**, 8,	2
182	Self-Adhesive, Stretchable, Biocompatible, and Conductive Nonvolatile Eutectogels as Wearable Conformal Strain and Pressure Sensors and Biopotential Electrodes for Precise Health Monitoring. **2021**, 13, 20735-20745	17
181	Microfluidics for flexible electronics. **2021**, 44, 105-135	26
180	Nanopatterned metallic transparent electrodes for the near-infrared spectrum. **2021**, 11, 045005	2
179	Water-based polyurethanes for sustainable advanced manufacture. **2021**, 99, 1851	1
178	A review of geometric and structural design for reliable flexible electronics. **2021**, 31, 074001	5
177	A Review on the Deformation Behavior of Silver Nanowire Networks under Many Bending Cycles. **2021**, 11, 4515	3
176	Hybrid-Filler Stretchable Conductive Composites: From Fabrication to Application. **2021**, 1, 2000080	32
175	Recent Applications of Different Microstructure Designs in High Performance Tactile Sensors: A Review. **2021**, 21, 10291-10303	10
174	Highly stable and printable Ag NWs/GO/PVP composite ink for flexible electronics. **2021**, 6, 024002	2
173	Nature-Inspired Electrodes for Flexible Supercapacitors. **2021**, 549-573	1
172	Soft Wearable Healthcare Materials and Devices. **2021**, 10, e2100577	16
171	Electroactive Triphenylamine-Based Polymer Films as Passivation Layers for Improving Electrochemical Oxidation Stability of Silver Nanowires. **2021**, 3, 2971-2978	2
170	Flexible Electrodes for In Vivo and In Vitro Electrophysiological Signal Recording. **2021**, 10, e2100646	15
169	Moisture-Assisted Formation of High-Quality Silver Nanowire Transparent Conductive Films with Low Junction Resistance. **2021**, 11, 671	1
168	Conductance-strain behavior in silver-nanowire composites: network properties of a tunable strain sensor. **2021**, 32,	3
167	Cu@Ag and Ni@Ag meshes based on cracked template as efficient transparent electromagnetic shielding coating with excellent mechanical performance. **2021**, 56, 14741-14762	5

166	Shape memory polymer solar cells with active deformation. 1		5
165	Adhesive aero-hydrogel hybrid conductor assembled from silver nanowire architectures. **2021**, 64, 2868-2876		3
164	Design, fabrication and applications of soft network materials. **2021**,		11
163	Transparent Omni-Directional Stretchable Circuit Lines Made by a Junction-Free Grid of Expandable Au Lines. *Advanced Materials*, **2021**, 33, e2100299	24	6
162	Real-time monitoring of plant stresses via chemiresistive profiling of leaf volatiles by a wearable sensor. **2021**, 4, 2553-2570		23
161	Recent advances in liquid-metal-based wearable electronics and materials. **2021**, 24, 102698		17
160	Novel insights into the design of stretchable electrical systems. **2021**, 7,		2
159	Review: Sensors for Biosignal/Health Monitoring in Electronic Skin. **2021**, 13,		4
158	Piezoelectric Materials for Energy Harvesting and Sensing Applications: Roadmap for Future Smart Materials. **2021**, 8, e2100864		57
157	Recycling of Nanowire Percolation Network for Sustainable Soft Electronics. **2021**, 7, 2100588		5
156	Soft Bio-Integrated Multifunctional Devices Using an Intrinsically Stretchable Conducting Nanomembrane. **2021**, 11, 6562		1
155	Wearable Biofuel Cells: Advances from Fabrication to Application. 2103976		12
154	Silver Nanotube Networks with Ultrahigh Strain Limit as Reliable Flexible Transparent Electrode and Tactile Sensor. 2100832		1
153	Mechanically stable solution-processed transparent conductive electrodes for optoelectronic applications. **2021**, 278, 116805		1
152	Biomimetic chameleon soft robot with artificial crypsis and disruptive coloration skin. **2021**, 12, 4658		21
151	Nanoscale Nickel-Based Thin Films as Highly Conductive Electrodes for Dielectric Elastomer Applications with Extremely High Stretchability up to 200. **2021**, 13, 39894-39904		3
150	Polypyrrole-coated copper nanowire-threaded silver nanoflowers for wearable strain sensors with high sensing performance. **2021**, 417, 127966		4
149	Effect of Mechanical Properties of Substrates on Flexibility of Ag Nanowire Electrodes under a Large Number of Bending Cycles. **2021**, 11, 1074		0

148	Flexible and adhesive sintered Cu nanomaterials on polyimide substrates prepared by combining Cu nanoparticles and nanowires with polyvinylpyrrolidone. **2021**, 625, 126907	1
147	Conductive Polymer Nanocomposites for Stretchable Electronics: Material Selection, Design, and Applications. **2021**, 13, 43831-43854	9
146	Low-Temperature Physical Vapor Deposition and Electrical Characterization of Single-Crystalline Zn Nanowires.	1
145	A reusable wet-transfer printing technique for manufacturing of flexible silver nanowire film-based electrodes. **2021**, 32,	0
144	Flexible stimuli-responsive materials for smart personal protective equipment. **2021**, 146, 100629	4
143	Stretchable organic optoelectronic devices: Design of materials, structures, and applications. **2021**, 146, 100631	11
142	Ultralight, flexible and conductive silver nanowire/nanofibrillated cellulose aerogel for multifunctional strain sensor. **2021**, 424, 130565	6
141	Hybrid printing of wearable piezoelectric sensors. **2021**, 90, 106522	6
140	Highly conductive and stretching-insensitive films for wearable accurate pressure perception. **2022**, 429, 132488	2
139	All solution-processed silver nanowires composite silica nanospheres antireflection structure with synergetic optoelectronic performance. **2021**, 45, 15215-15222	
138	Various Applications of Nanowires. **2021**, 17-53	1
137	Three-dimensional functionalized film printing for health monitoring. **2021**, 243-258	
136	Soft Material-Enabled Packaging for Stretchable and Flexible Hybrid Electronics. **2021**, 377-403	
135	Spontaneously-buckled microstructure of copper nanowire conductors for a highly stretchable heater.	1
134	Differentiation of Electric Response in Highly Oriented Regioregular Poly(3-hexylthiophene) under Anisotropic Strain. **2021**, 13, 2944-2951	3
133	Nanostructured Conductors for Flexible Electronics. 395-412	1
132	Bioinspired Prosthetic Interfaces. **2020**, 5, 1900856	21
131	Smart Wristband: Touch-and-Motion-Tracking Wearable 3D Input Device for Smart Glasses. **2014**, 109-118	5

130	Use of BN-coated copper nanowires in nanocomposites with enhanced thermal conductivity and electrical insulation. **2019**, 2, 46-50	23
129	Achieving High-Resolution Electrohydrodynamic Printing of Nanowires on Elastomeric Substrates through Surface Modification. **2021**, 3, 192-202	11
128	A one-step synthesis of ultra-long silver nanowires with ultra-high aspect ratio above 2000 and its application in flexible transparent conductive electrodes. **2021**, 32, 105710	6
127	Conductive liquid metal elastomer thin films with multifunctional electro-mechanical properties. **2020**, 3, 044001	8
126	Structures and Materials in Stretchable Electroluminescent Devices. *Advanced Materials*, **2021**, e2106184	24 6
125	Self-Healing, Self-Adhesive Strain Sensors Made with Carbon Nanotubes/Polysiloxanes Based on Unsaturated Carboxyl-Amine Ionic Interactions. **2021**, 13, 49266-49278	1
124	A review on the features, performance and potential applications of hydrogel-based wearable strain/pressure sensors. **2021**, 298, 102553	15
123	Soft wearable sensors for monitoring symptoms of COVID-19 and other respiratory diseases: a review. **2022**, 4, 012001	2
122	Physical and chemical properties of carbon nanotubes in view of mechanistic neuroscience investigations. Some outlook from condensed matter, materials science and physical chemistry. **2021**, 131, 112480	2
121	Optimization of the Discrete Structure in a Pressure Sensor Based on a Multiple-Contact Mechanism to Improve Sensitivity and Nonlinearity. **2021**, 21, 21259-21267	1
120	Fabrication and Characterization of Transparent Conductive Film based on Bacterial Cellulose. **2013** , 51, 766-773	1
119	CHAPTER 12:Other Applications. **2014**, 268-291	
118	Technology of Flexible Transparent Conductive Electrode for Flexible Electronic Devices. **2014**, 21, 1-11	2
117	The Effect of Graphene on the Electrical Properties of a Stretchable Carbon Electrode. **2014**, 21, 77-82	3
116	Silver Nanowires. **2015**, 1-14	
115	A Study on the Electrical Resistivity of Graphene Added Carbon Black Composite Electrode with Tensile Strain. **2015**, 22, 55-61	
114	Fabrication of Silver Nanowire-Graphene Oxide Hybrid Transparent Conductive Thin Film with Improved Mechanical Stability. **2015**, 32, 903-909	
113	Silver Nanowires. **2016**, 1187-1203	

112	Self-supported Materials for Flexible/Stretchable Sensors. **2020**, 269-296		
111	Laser-Induced Processing of Nanoparticles and Growth of Nanowires. **2020**, 1-39		
110	Laser-Induced Processing of Nanoparticles and Growth of Nanowires. **2021**, 1537-1575		
109	Soft and Stretchable Electronics Design. **2021**,		
108	Sensing mechanisms and applications of flexible pressure sensors. **2020**, 69, 178102		3
107	Wearable Antenna Materials. **2020**, 139-162		
106	Ultrastretchable and Self-Healing Conductors with Double Dynamic Network for Omni-Healable Capacitive Strain Sensors. **2021**,		1
105	A stretching-insensitive, self-powered and wearable pressure sensor. **2022**, 91, 106695		5
104	Recent Progress in Materials Chemistry to Advance Flexible Bioelectronics in Medicine. *Advanced Materials*, **2021**, e2106787	24	5
103	Electrically Conductive Silicone-Based Nanocomposites Incorporated with Carbon Nanotubes and Silver Nanowires for Stretchable Electrodes. **2021**, 6, 31876-31890		1
102	Single droplet 3D printing of electrically conductive resin using high aspect ratio silver nanowires. **2021**, 48, 102473		
101	A Biaxially Stretchable and Self-Sensing Textile Heater Using Silver Nanowire Composite. **2021**,		7
100	Electroplated core-shell nanowire network electrodes for highly efficient organic light-emitting diodes.. **2022**, 9, 1		4
99	Ultrasensitive wearable sensor with novel hybrid structures of silver nanowires and carbon nanotubes in fluoroelastomer: Multi-directional sensing for human health monitoring and stretchable electronics. **2022**, 26, 101295		4
98	High-Voltage Wave Induced a Unique Structured Percolation Network with a Negative Gauge Factor.. **2022**,		1
97	Highly sensitive, flexible and biocompatible temperature sensor utilizing ultra-long Au@AgNW-based polymeric nanocomposites.. **2022**,		2
96	Oxide free materials for perovskite solar cells. **2022**, 287-306		1
95	Advances in flexible organic field-effect transistors and their applications for flexible electronics. **2022**, 6,		32

94	Ionic Flexible Sensors: Mechanisms, Materials, Structures, and Applications. 2110417	9
93	High-resolution and large-size stretchable electrodes based on patterned silver nanowires composites. 1	2
92	All-Inorganic-State Fabric Lead-Free Piezoelectric Nanogenerators.	1
91	Patterning of Metal Nanowire Networks: Methods and Applications.. **2021**, 13, 60736-60762	6
90	MXene-Coated Wrinkled Fabrics for Stretchable and Multifunctional Electromagnetic Interference Shielding and Electro/Photo-Thermal Conversion Applications.. **2021**, 13, 60478-60488	8
89	Highly Stretchable and Mechanically Robust Silver Nanowires on Surface-Functionalized Wavy Elastomers for Wearable Healthcare Electronics.	
88	Materials for wearable sensors. **2022**, 5-40	1
87	Electrode materials for stretchable triboelectric nanogenerator in wearable electronics.. **2022**, 12, 10545-10573	3
86	One-pot self-assembled AgNW aerogel electrode with ultra-high electric conductivity for intrinsically 500% super-stretchable high-performance Zn-Ag battery.	0
85	Nanomaterials for soft wearable electronics. **2022**,	0
84	Mechanical Properties of Nanowires. **2022**,	
83	Regioselective fabrication of gold nanowires using open-space laminar flow for attomolar protein detection.. **2022**,	0
82	Analysis of an Indium Zinc Oxide - Silver Nanowire Smartphone Touchscreen on PET Substrate During a Drop Using FEA.	1
81	Customizable Stretchable Transparent Electrodes Based on AgNW/CNT Hybrids via Tailoring Sizes of Building Blocks. **2022**, 4, 1186-1195	2
80	Biocompatible, Flexible, and High-Performance Nanowelded Silver Nanowires on Silk Fibroin for Transparent Conducting Electrodes toward Biomemristor Application.	3
79	Strain-Induced Alignment of Printed Silver Nanowires for Stretchable Electrodes.	1
78	Epidermis-Inspired Wearable Piezoresistive Pressure Sensors Using Reduced Graphene Oxide Self-Wrapped Copper Nanowire Networks.. **2022**, 6, e2100900	5
77	Soft Bioelectronics Based on Nanomaterials.. **2021**,	11

76	Fabrication and characterization of low-sheet-resistance and stable stretchable electrodes employing metal and metal nanowire hybrid structure. **2021**, 6, 045013	
75	Recent Advances in 1D Nanomaterial-Based Bioelectronics for Healthcare Applications. **2022**, 2, 2100111	3
74	Bright Stretchable White Alternating-Current Electroluminescent Devices Enabled by Photoluminescent Phosphor. 2101440	1
73	INFLUENCE OF BEAM ENERGY OF IONS ON PROPERTIES OF NICKEL NANOWIRES. **2022**, 29,	0
72	Flexible patch with printable and antibacterial conductive hydrogel electrodes for accelerated wound healing.. **2022**, 285, 121479	6
71	Washable Patches with Gold Nanowires/Textiles in Wearable Sensors for Health Monitoring.. **2022**,	3
70	Super-stretchable polymer-AgPdCu superlattice electrodes for high-performance wearable electronics. **2022**, 238, 109914	2
69	Tailoring Silver Nanowire Nanocomposite Interfaces to Achieve Superior Stretchability, Durability, and Stability in Transparent Conductors.. **2022**,	5
68	Rear Electrode Materials for Perovskite Solar Cells. 2200651	5
67	Copper Nanowire-Sealed Titanium Dioxide/Poly(dimethylsiloxane) Electrode with an In-Plane Wavy Structure for a Stretchable Capacitive Strain Sensor.	1
66	Self-adhesive polyurethane via selective photo-polymerization for biocompatible epidermal soft sensor and thermal heater. **2022**, 27, 101479	0
65	Strain Sensor Survey for Parachute Canopy Load Measurements. **2022**,	
64	Flexible and Stretchable Electrically Conductive Polymer Materials for Physical Sensing Applications. 1-60	1
63	Material and Design Strategies for Stretchable Electroluminescent Devices.	1
62	Study of flexible piezoresistive sensors based on the hierarchical porous structure CNT /PDMS composite materials. **2022**, 165503	1
61	Octopus-Like Carbon Nanomaterial for Double High Stretchable Conductor.	
60	Polymer nanocomposites for microelectronic devices and biosensors. **2022**, 205-233	
59	Stretchable conductive nanocomposites and their applications in wearable devices. **2022**, 9, 021312	3

58	Semitransparent Perovskites for Solar Cells and Smart Windows. **2022**, 349-377	
57	Recent Development of Morphology-Controlled Hybrid Nanomaterials for Triboelectric Nanogenerator: A Review.	1
56	High-Toughness Aluminum-N-Doped Polysilicon Wiring for Flexible Electronics. **2022**,	1
55	Highly stretchable and mechanically robust silver nanowires on surface-functionalized wavy elastomers for wearable healthcare electronics. **2022**, 108, 106584	
54	Electrochemical Redox In-Situ Welding of Silver Nanowire Films with High Transparency and Conductivity. **2022**, 10, 92	0
53	Facile and Scalable Synthesis of Whiskered Gold Nanosheets for Stretchable, Conductive, and Biocompatible Nanocomposites.	
52	One-pot multi-step synthesis of high-aspect-ratio Cu nanowires based on an environment-friendly manner for low-cost and high-performance transparent conductive films. **2022**, 129692	0
51	Metal nanowires for transparent conductive electrodes in flexible chromatic devices: a review.	1
50	A review on the alternative of indium tin oxide coated glass substrate in flexible and bendable organic optoelectronic device.	1
49	Fabrication and Conductive Mechanism Analysis of Stretchable Electrodes Based on PDMS-Ag Nanosheet Composite with Low Resistance, Stability, and Durability. **2022**, 12, 2628	2
48	Preparation of a Conductive Cellulose Nanofiber-reinforced PVA Composite Film with Silver Nanowires Loading. **2022**, 31, 100904	1
47	Screen-printed, Erasable Mask on filter membrane for Silver Nanowires patterning and Application in Flexible Electroluminescent Devices.	
46	Effects of Ligands on Synthesis and Surface-Engineering of Noble Metal Nanocrystals for Electrocatalysis.	
45	3D Networks of Silver NanorodNanoparticle Hybrids via Aerosol Jetting Printing for Flexible Electrode. 2200719	
44	Stretchable and Directly Patternable Double-Layer Structure Electrodes with Complete Coverage. **2022**, 16, 12134-12144	0
43	Octopus-like carbon nanomaterial for double high stretchable conductor. **2022**, 199, 200-207	0
42	Flexible Ferroelectric Devices: Status and Applications. 2205933	3
41	Enhanced energy harvesting performances of flexible piezoelectric nanocomposite based on CNTs@PZT nanofibers network. **2022**, 927, 166832	0

40	Ultra-long silver nanowires prepared via hydrothermal synthesis enable efficient transparent heaters.	0
39	Self-assembly, alignment, and patterning of metal nanowires.	1
38	Hybrid patterning of metal nanowire/polymer composites based on selective photocuring-and-transfer and kirigami cutting techniques for stretchable circuit application. **2022**, 10, 14242-14254	0
37	Multiscale investigation of the fate of silver during printed paper electronics recycling. 1-14	0
36	Impact of Planar and Vertical Organic Field-Effect Transistors on Flexible Electronics. 2204804	2
35	Understanding the stability and structural properties of ordered nanoporous metals towards their rational synthesis. **2022**, 478,	1
34	Bioinspired Strategies for Stretchable Conductors.	0
33	Flexible transparent conductive films based on silver nanowires by ultrasonic spraying process.	0
32	Biodegradable, Flexible Transparent Ordered Ag NWs Micromesh Conductor for Electrical Heater and Electromagnetic Interference Shielding Applications.	1
31	Advances in Flexible Organic Photodetectors: Materials and Applications. **2022**, 12, 3775	0
30	Realizing high stretch ratio of flexible wavy circuit via laser carving. **2022**, 12,	0
29	Flexible perovskite light-emitting diodes: Progress, challenges and perspective.	0
28	3D-Printed Soft Wearable Electronics: Techniques, Materials, and Applications. **2023**, 1-49	0
27	Chemical resistant silver nanowire/cellulose nanofibril flexible transparent conductive coatings. **2023**, 174, 107284	0
26	Promising energy-storage applications by flotation of graphite ores: A review. **2023**, 454, 139994	1
25	Recent Advances in Materials, Designs and Applications of Skin Electronics. **2022**, 1-39	0
24	Flexible transparent silver nanowires conductive films fabricated with spin-coating method.	0
23	Extremely Soft, Stretchable, and Self-Adhesive Silicone Conductive Elastomer Composites Enabled by a Molecular Lubricating Effect.	0

22	Electrochemically stable Ag@Au-Co core-shell nanowire network transparent conductor for flexible self-powered Zn-based electrochromic smart device.	0
21	Stretchable conductors for stretchable field-effect transistors and functional circuits.	0
20	Shear force strategy for preparation of aligned silver nanowire transparent conductive thin films. **2023**, 52, 100685	1
19	Facile macro fabrication of ultra-fine, ultra-long silver nanowire and growth mechanism. **2023**, 292, 117244	0
18	Recent Advances in Touch Sensors for Flexible Displays. **2022**, 1-11	0
17	Optimized Optical/Electrical/Mechanical Properties of Ultrathin Metal Films for Flexible Transparent Conductor Applications-Invited.	0
16	Perovskite Piezoelectric-Based Flexible Energy Harvesters for Self-Powered Implantable and Wearable IoT Devices. **2022**, 22, 9506	1
15	A Stretchable Conductor Based on Spray-Coated Micro/Nano Scale Ag Flakes with Ultralow Resistance for Wearable Antennas.	0
14	Two-dimensional Materials in the Display Industry: Status and Prospects. 2205520	0
13	Small amount of main group metal atoms matters: ultrathin Pd-based alloy nanowires enabling high activity and stability towards efficient oxygen reduction reaction and ethanol oxidation.	0
12	Nanomaterials and nanotechnology for biomedical soft robots. **2023**, 17, 100338	1
11	Buckling of Fiber-on-Substrate System in Flexible Electronics. **2022**, 57-84	0
10	Microscale Hybrid Additive Manufacturing of Ultra-Fine, Embedded Cu/Ag(shell)P4VP(core) Grid for Flexible Transparent Electrodes. 2201580	0
9	A facile method to pattern silver nanowires on sandpaper and its application in pressure sensors. **2023**, 8, 015012	0
8	Advances in Wearable Strain Sensors Based on Electrospun Fibers. 2214265	0
7	Sequentially Coated Wavy Nanowire Composite Transparent Electrode for Stretchable Solar Cells. **2023**, 15, 13656-13667	0
6	A Novel Sulfur-Containing Carbon Nanotubes with Graphene Nanoflaps for Stretchable Sensing, Joule Heating, and Electro-Thermal Actuating. 2300517	0
5	Metallic Nanowires, Promising Building Nanoblocks for Flexible Transparent Electrodes. **2023**, 67-84	0

4	A Sensitive and Flexible Capacitive Pressure Sensor Based on a Porous Hollow Hemisphere Dielectric Layer. **2023**, 14, 662	0
3	Strain-Insensitive Stretchable Fiber Conductors Based on Highly Conductive Buckled Shells for Wearable Electronics. **2023**, 15, 18281-18289	0
2	Biocompatible Material-Based Flexible Biosensors: From Materials Design to Wearable/Implantable Devices and Integrated Sensing Systems.	0
1	Stretchable Ink Printed Graphene Device with Weft-Knitted Fabric Substrate Based on Thermal-Acoustic Effect.	0