

# Restoration of grasp following paralysis through brain-muscles

Nature

485, 368-371

DOI: [10.1038/nature10987](https://doi.org/10.1038/nature10987)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Neurally controlled robotic arm enables tetraplegic patient to drink coffee of her own volition. Nature Reviews Neurology, 2012, 8, 353-353.	4.9	4
2	A framework for relating neural activity to freely moving behavior. , 2012, 2012, 2736-9.		1
3	Brain-controlled robot grabs attention. Nature, 2012, 485, 317-318.	13.7	5
4	Fish heads and human disease. Nature, 2012, 485, 318-319.	13.7	4
5	Restoring movement in a paralysed hand. Nature Reviews Neuroscience, 2012, 13, 360-361.	4.9	0
6	Optimal space-time precoding of artificial sensory feedback through multichannel microstimulation in bi-directional brain-machine interfaces. Journal of Neural Engineering, 2012, 9, 065004.	1.8	19
7	On the viability of implantable electrodes for the natural control of artificial limbs: Review and discussion. BioMedical Engineering OnLine, 2012, 11, 33.	1.3	120
8	Current Challenges to the Clinical Translation of Brain Machine Interface Technology. International Review of Neurobiology, 2012, 107, 137-160.	0.9	16
9	Neural interfaces for the brain and spinal cord—restoring motor function. Nature Reviews Neurology, 2012, 8, 690-699.	4.9	213
10	Prediction of Imagined Single-Joint Movements in a Person With High-Level Tetraplegia. IEEE Transactions on Biomedical Engineering, 2012, 59, 2755-2765.	2.5	39
11	Interfacing the Somatosensory System to Restore Touch and Proprioception: Essential Considerations. Journal of Motor Behavior, 2012, 44, 403-418.	0.5	93
12	The Smartest Materials: The Future of Nanoelectronics in Medicine. ACS Nano, 2012, 6, 6541-6545.	7.3	82
13	Continuous decoding of grasping tasks for a prospective implantable cortical neuroprosthesis. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 84.	2.4	9
14	From the bench to the bedside: Brain-machine interfaces in spinal cord injury, the blood-brain barrier, and neurodegeneration, using the hippocampus to improve cognition, metabolism, and epilepsy, and understanding axonal death. , 2012, 3, 108.		0
15	Decoding Hindlimb Movement for a Brain Machine Interface after a Complete Spinal Transection. PLoS ONE, 2012, 7, e52173.	1.1	33
16	Sensors and Decoding for Intracortical Brain Computer Interfaces. Annual Review of Biomedical Engineering, 2013, 15, 383-405.	5.7	110
17	The utility of multichannel local field potentials for brain-machine interfaces. Journal of Neural Engineering, 2013, 10, 046005.	1.8	65
18	Animal models of axon regeneration after spinal cord injury. Neuroscience Bulletin, 2013, 29, 436-444.	1.5	69

#	ARTICLE	IF	CITATIONS
19	Long term, stable brain machine interface performance using local field potentials and multiunit spikes. <i>Journal of Neural Engineering</i> , 2013, 10, 056005.	1.8	167
20	Transfer of information by BMI. <i>Neuroscience</i> , 2013, 255, 134-146.	1.1	22
21	Personalized Neuroprosthetics. <i>Science Translational Medicine</i> , 2013, 5, 210rv2.	5.8	141
22	Translating the Brain-Machine Interface. <i>Science Translational Medicine</i> , 2013, 5, 210ps17.	5.8	103
23	In the Spotlight: Neuroengineering. <i>IEEE Reviews in Biomedical Engineering</i> , 2013, 6, 24-26.	13.1	0
24	High-performance neuroprosthetic control by an individual with tetraplegia. <i>Lancet, The</i> , 2013, 381, 557-564.	6.3	1,550
25	Perceiving invisible light through a somatosensory cortical prosthesis. <i>Nature Communications</i> , 2013, 4, 1482.	5.8	88
26	Design and validation of a real-time spiking-neural-network decoder for brain-machine interfaces. <i>Journal of Neural Engineering</i> , 2013, 10, 036008.	1.8	53
27	“I think therefore I am”: New prospects for neural prostheses. <i>Neuroscience Letters</i> , 2013, 538, 1-2.	1.0	0
28	A polymer optoelectronic interface restores light sensitivity in blind rat retinas. <i>Nature Photonics</i> , 2013, 7, 400-406.	15.6	267
29	A Brain-to-Brain Interface for Real-Time Sharing of Sensorimotor Information. <i>Scientific Reports</i> , 2013, 3, 1319.	1.6	173
30	Electrical induction of vision. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 803-818.	2.9	33
31	Design and Analysis of Closed-Loop Decoder Adaptation Algorithms for Brain-Machine Interfaces. <i>Neural Computation</i> , 2013, 25, 1693-1731.	1.3	80
32	Towards autonomous neuroprosthetic control using Hebbian reinforcement learning. <i>Journal of Neural Engineering</i> , 2013, 10, 066005.	1.8	34
33	FES Control of Isometric Forces in the Rat Hindlimb Using Many Muscles. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 1422-1430.	2.5	26
34	Real-Time Evaluation of a Noninvasive Neuroprosthetic Interface for Control of Reach. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2013, 21, 674-683.	2.7	29
35	EEG control of an industrial robot manipulator. , 2013, , .		9
36	Advantages of closed-loop calibration in intracortical brain-machine interfaces for people with tetraplegia. <i>Journal of Neural Engineering</i> , 2013, 10, 046012.	1.8	83

#	ARTICLE	IF	CITATIONS
38	Neuroprosthetic technology for individuals with spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2013, 36, 258-272.	0.7	64
39	Control of Hand Prostheses: A Literature Review. , 2013, , .		7
40	Reliability in the location of hindlimb motor representations in Fischer-344 rats. <i>Journal of Neurosurgery: Spine</i> , 2013, 19, 248-255.	0.9	22
41	Movement representation in the primary motor cortex and its contribution to generalizable EMG predictions. <i>Journal of Neurophysiology</i> , 2013, 109, 666-678.	0.9	54
42	Advances in Neuroprosthetic Learning and Control. <i>PLoS Biology</i> , 2013, 11, e1001561.	2.6	104
43	Converging Clinical and Engineering Research on Neurorehabilitation. <i>Biosystems and Biorobotics</i> , 2013, , .	0.2	9
44	Fabrication of a flexible penetrating microelectrode array for use on curved surfaces of neural tissues. <i>Journal of Micromechanics and Microengineering</i> , 2013, 23, 125010.	1.5	28
45	Interfaces with the Peripheral Nerve for the Control of Neuroprostheses. <i>International Review of Neurobiology</i> , 2013, 109, 63-83.	0.9	77
46	Intrafascicular stimulation of monkey arm nerves evokes coordinated grasp and sensory responses. <i>Journal of Neurophysiology</i> , 2013, 109, 580-590.	0.9	54
47	Design, Control, and Sensory Feedback of Externally Powered Hand Prostheses: A Literature Review. <i>Critical Reviews in Biomedical Engineering</i> , 2013, 41, 161-181.	0.5	32
48	A Hebbian learning rule gives rise to mirror neurons and links them to control theoretic inverse models. <i>Frontiers in Neural Circuits</i> , 2013, 7, 106.	1.4	40
49	Primary motor cortical discharge during force field adaptation reflects muscle-like dynamics. <i>Journal of Neurophysiology</i> , 2013, 110, 768-783.	0.9	32
50	How Thoughts Give Rise to Action - Conscious Motor Intention Increases the Excitability of Target-Specific Motor Circuits. <i>PLoS ONE</i> , 2013, 8, e83845.	1.1	16
51	Towards a circuit mechanism for movement tuning in motor cortex. <i>Frontiers in Neural Circuits</i> , 2012, 6, 127.	1.4	10
52	Restoration of upper limb movement via artificial corticospinal and musculoskeletal connections in a monkey with spinal cord injury. <i>Frontiers in Neural Circuits</i> , 2013, 7, 57.	1.4	99
53	Creating new functional circuits for action via brain-machine interfaces. <i>Frontiers in Computational Neuroscience</i> , 2013, 7, 157.	1.2	39
54	Identification of a self-paced hitting task in freely moving rats based on adaptive spike detection from multi-unit M1 cortical signals. <i>Frontiers in Neuroengineering</i> , 2013, 6, 11.	4.8	6
55	Abiotic-biotic characterization of Pt/Ir microelectrode arrays in chronic implants. <i>Frontiers in Neuroengineering</i> , 2014, 7, 2.	4.8	159

#	ARTICLE	IF	CITATIONS
56	Closed-loop control of spinal cord stimulation to restore hand function after paralysis. <i>Frontiers in Neuroscience</i> , 2014, 8, 87.	1.4	81
57	Decoding of the spike timing of primary afferents during voluntary arm movements in monkeys. <i>Frontiers in Neuroscience</i> , 2014, 8, 97.	1.4	7
58	A confidence metric for using neurobiological feedback in actor-critic reinforcement learning based brain-machine interfaces. <i>Frontiers in Neuroscience</i> , 2014, 8, 111.	1.4	16
59	Multimodal decoding and congruent sensory information enhance reaching performance in subjects with cervical spinal cord injury. <i>Frontiers in Neuroscience</i> , 2014, 8, 123.	1.4	8
60	Brain-machine interfaces can accelerate clarification of the principal mysteries and real plasticity of the brain. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 104.	1.2	9
61	Decoding methods for neural prostheses: where have we reached?. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 129.	1.2	19
62	“Messing with the mind” evolutionary challenges to human brain augmentation. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 152.	1.2	7
63	Brain Computer Interface for Spinal Cord Injury. <i>Brain Disorders &amp; Therapy</i> , 2014, 03, .	0.1	1
65	Intracranial brain-computer interfaces for communication and control. , 2014, , 577-585.		3
66	Comparing temporal aspects of visual, tactile, and microstimulation feedback for motor control. <i>Journal of Neural Engineering</i> , 2014, 11, 046025.	1.8	30
67	Optimization and electrochemical characterization of RF-sputtered iridium oxide microelectrodes for electrical stimulation. <i>Journal of Micromechanics and Microengineering</i> , 2014, 24, 025015.	1.5	12
68	Correlation between muscular and nerve signals responsible for hand grasping in non-human primates. , 2014, 2014, 2314-7.		2
70	Neural Coding for Effective Rehabilitation. <i>BioMed Research International</i> , 2014, 2014, 1-17.	0.9	2
71	Design of a neural decoder by sensory prediction and error correction. , 2014, , .		0
72	Generalizability of EMG decoding using local field potentials. , 2014, 2014, 1630-3.		5
73	Combining Decoder Design and Neural Adaptation in Brain-Machine Interfaces. <i>Neuron</i> , 2014, 84, 665-680.	3.8	144
74	A design of neural decoder by reducing discrepancy between Manual Control (MC) and Brain Control (BC). , 2014, , .		2
75	Closed-loop neuromodulation of spinal sensorimotor circuits controls refined locomotion after complete spinal cord injury. <i>Science Translational Medicine</i> , 2014, 6, 255ra133.	5.8	170

#	ARTICLE	IF	CITATIONS
76	Pre-frontal control of closed-loop limbic neurostimulation by rodents using a brainâ€“computer interface. <i>Journal of Neural Engineering</i> , 2014, 11, 024001.	1.8	22
77	Designing Dynamical Properties of Brainâ€“Machine Interfaces to Optimize Task-Specific Performance. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014, 22, 911-920.	2.7	28
78	Extracting kinetic information from human motor cortical signals. <i>NeuroImage</i> , 2014, 101, 695-703.	2.1	84
79	Optimal Feedback Control for Predicting Dynamic Stiffness During Arm Movement. <i>IEEE Transactions on Industrial Electronics</i> , 2014, 61, 1044-1052.	5.2	37
80	Motor maps and the cortical control of movement. <i>Current Opinion in Neurobiology</i> , 2014, 24, 88-94.	2.0	18
81	Decoding grasp force profile from electrocorticography signals in non-human primate sensorimotor cortex. <i>Neuroscience Research</i> , 2014, 83, 1-7.	1.0	36
82	Bayesian statistics: relevant for the brain?. <i>Current Opinion in Neurobiology</i> , 2014, 25, 130-133.	2.0	35
83	A corticalâ€“spinal prosthesis for targeted limb movement in paralysed primate avatars. <i>Nature Communications</i> , 2014, 5, 3237.	5.8	42
84	Preliminary studies on the basic factors of bionics. <i>Science China Technological Sciences</i> , 2014, 57, 520-530.	2.0	33
85	Brain-machine interfaces: an overview. <i>Translational Neuroscience</i> , 2014, 5, .	0.7	64
86	Multi-Muscle FES Force Control of the Human Arm for Arbitrary Goals. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014, 22, 654-663.	2.7	32
87	A unifying model of concurrent spatial and temporal modularity in muscle activity. <i>Journal of Neurophysiology</i> , 2014, 111, 675-693.	0.9	80
88	Corticospinal neuroprostheses to restore locomotion after spinal cord injury. <i>Neuroscience Research</i> , 2014, 78, 21-29.	1.0	47
89	Graphene oxide doped conducting polymer nanocomposite film for electrode-tissue interface. <i>Biomaterials</i> , 2014, 35, 2120-2129.	5.7	109
90	Collaborative Approach in the Development of Highâ€“Performance Brainâ€“Computer Interfaces for a Neuroprosthetic Arm: Translation from Animal Models to Human Control. <i>Clinical and Translational Science</i> , 2014, 7, 52-59.	1.5	55
91	Long-term decoding stability of local field potentials from silicon arrays in primate motor cortex during a 2D center out task. <i>Journal of Neural Engineering</i> , 2014, 11, 036009.	1.8	55
92	Joint cross-correlation analysis reveals complex, time-dependent functional relationship between cortical neurons and arm electromyograms. <i>Journal of Neurophysiology</i> , 2014, 112, 2865-2887.	0.9	10
93	Volitional Walking via Upper Limb Muscle-Controlled Stimulation of the Lumbar Locomotor Center in Man. <i>Journal of Neuroscience</i> , 2014, 34, 11131-11142.	1.7	34

#	ARTICLE	IF	CITATIONS
94	Brain-Computer Interface after Nervous System Injury. <i>Neuroscientist</i> , 2014, 20, 639-651.	2.6	94
95	Performance sustaining intracortical neural prostheses. <i>Journal of Neural Engineering</i> , 2014, 11, 066003.	1.8	58
96	Restoring sensorimotor function through intracortical interfaces: progress and looming challenges. <i>Nature Reviews Neuroscience</i> , 2014, 15, 313-325.	4.9	304
97	Continuous Closed-Loop Decoder Adaptation with a Recursive Maximum Likelihood Algorithm Allows for Rapid Performance Acquisition in Brain-Machine Interfaces. <i>Neural Computation</i> , 2014, 26, 1811-1839.	1.3	35
98	Intention estimation in brain-machine interfaces. <i>Journal of Neural Engineering</i> , 2014, 11, 016004.	1.8	64
99	Systems Neuroengineering: Understanding and Interacting with the Brain. <i>Engineering</i> , 2015, 1, 292-308.	3.2	30
101	Teaching brain-machine interfaces as an alternative paradigm to neuroprosthetics control. <i>Scientific Reports</i> , 2015, 5, 13893.	1.6	119
102	Deafferented controllers: a fundamental failure mechanism in cortical neuroprosthetic systems. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 186.	1.0	4
103	Advancing brain-machine interfaces: moving beyond linear state space models. <i>Frontiers in Systems Neuroscience</i> , 2015, 9, 108.	1.2	15
104	Neural Decoding and Applications in Bioelectronic Medicine. <i>Bioelectronic Medicine</i> , 2015, 2, 20-24.	1.0	13
105	Motor Cortex. , 2015, , 965-970.		0
106	A high performing brain-machine interface driven by low-frequency local field potentials alone and together with spikes. <i>Journal of Neural Engineering</i> , 2015, 12, 036009.	1.8	110
107	A High-Performance Keyboard Neural Prosthesis Enabled by Task Optimization. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 21-29.	2.5	51
108	Brain-machine interfaces in neurorehabilitation of stroke. <i>Neurobiology of Disease</i> , 2015, 83, 172-179.	2.1	256
109	A pulse-width-adaptive active charge balancing circuit with pulse-insertion based residual charge compensation and quantization for electrical stimulation applications. , 2015, , .		7
110	Ten-dimensional anthropomorphic arm control in a human brain-machine interface: difficulties, solutions, and limitations. <i>Journal of Neural Engineering</i> , 2015, 12, 016011.	1.8	385
111	Brain-Machine Interfaces in Stroke Neurorehabilitation. , 2015, , 3-14.		9
112	Brain-computer interface control along instructed paths. <i>Journal of Neural Engineering</i> , 2015, 12, 016015.	1.8	11

#	ARTICLE	IF	CITATIONS
113	Smart Sensors for Health and Environment Monitoring. KAIST Research Series, 2015, , .	1.5	7
114	Cortical neuroprosthetics from a clinical perspective. Neurobiology of Disease, 2015, 83, 154-160.	2.1	14
115	Q-Nerve: Propagating signal of a damaged nerve using quantum networking. , 2015, , .		0
116	Brain computer interface learning for systems based on electrocorticography and intracortical microelectrode arrays. Frontiers in Integrative Neuroscience, 2015, 9, 40.	1.0	38
117	Recent Advances on the Modular Organization of the Cortex. , 2015, , .		3
118	Flexible multi-channel microelectrode with fluidic paths for intramuscular stimulation and recording. Sensors and Actuators A: Physical, 2015, 228, 28-39.	2.0	18
119	Neuroplasticity subserving the operation of brain-machine interfaces. Neurobiology of Disease, 2015, 83, 161-171.	2.1	21
120	Principles of command and control for neuroprostheses. , 2015, , 45-58.		3
121	The PennBMBI: Design of a General Purpose Wireless Brain-Machine-Brain Interface System. IEEE Transactions on Biomedical Circuits and Systems, 2015, 9, 248-258.	2.7	52
122	Brain-controlled neuromuscular stimulation to drive neural plasticity and functional recovery. Current Opinion in Neurobiology, 2015, 33, 95-102.	2.0	56
123	Brain-Machine Interfaces beyond Neuroprosthetics. Neuron, 2015, 86, 55-67.	3.8	102
124	The Emergence of Single Neurons in Clinical Neurology. Neuron, 2015, 86, 79-91.	3.8	74
125	Output Properties of the Cortical Hindlimb Motor Area in Spinal Cord-Injured Rats. Journal of Neurotrauma, 2015, 32, 1666-1673.	1.7	25
126	Brain-Machine Interfaces: From Macro- to Microcircuits. , 2015, , 407-428.		1
127	Single-unit activity, threshold crossings, and local field potentials in motor cortex differentially encode reach kinematics. Journal of Neurophysiology, 2015, 114, 1500-1512.	0.9	53
128	Brain control and information transfer. Experimental Brain Research, 2015, 233, 3335-3347.	0.7	5
129	Simultaneous and independent control of a brain-computer interface and contralateral limb movement. Brain-Computer Interfaces, 2015, 2, 174-185.	0.9	14
130	Estimation of two-digit grip type and grip force level by frequency decoding of motor cortex activity for a BMI application. , 2015, , .		3



#	ARTICLE	IF	CITATIONS
131	Virtual typing by people with tetraplegia using a self-calibrating intracortical brain-computer interface. <i>Science Translational Medicine</i> , 2015, 7, 313ra179.	5.8	249
132	A training platform for many-dimensional prosthetic devices using a virtual reality environment. <i>Journal of Neuroscience Methods</i> , 2015, 244, 68-77.	1.3	29
133	Degraded EEG decoding of wrist movements in absence of kinaesthetic feedback. <i>Human Brain Mapping</i> , 2015, 36, 643-654.	1.9	26
134	Brain-controlled muscle stimulation for the restoration of motor function. <i>Neurobiology of Disease</i> , 2015, 83, 180-190.	2.1	28
135	Designing Closed-Loop Brain-Machine Interfaces Using Model Predictive Control. <i>Technologies</i> , 2016, 4, 18.	3.0	0
136	Neural Operant Conditioning as a Core Mechanism of Brain-Machine Interface Control. <i>Technologies</i> , 2016, 4, 26.	3.0	6
137	Current Challenges Facing the Translation of Brain Computer Interfaces from Preclinical Trials to Use in Human Patients. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 497.	1.8	35
138	Intracortical Brain-Machine Interfaces Advance Sensorimotor Neuroscience. <i>Frontiers in Neuroscience</i> , 2016, 10, 291.	1.4	22
139	Enhancing Nervous System Recovery through Neurobiologics, Neural Interface Training, and Neurorehabilitation. <i>Frontiers in Neuroscience</i> , 2016, 10, 584.	1.4	121
140	Forward Prediction in the Posterior Parietal Cortex and Dynamic Brain-Machine Interface. <i>Frontiers in Integrative Neuroscience</i> , 2016, 10, 35.	1.0	19
141	Independent Mobility Achieved through a Wireless Brain-Machine Interface. <i>PLoS ONE</i> , 2016, 11, e0165773.	1.1	30
142	Extracellular voltage threshold settings can be tuned for optimal encoding of movement and stimulus parameters. <i>Journal of Neural Engineering</i> , 2016, 13, 036009.	1.8	30
143	<i>Neural Engineering</i> , 2016, , .		8
144	Biomimetic rehabilitation engineering: the importance of somatosensory feedback for brain-machine interfaces. <i>Journal of Neural Engineering</i> , 2016, 13, 041001.	1.8	26
145	Brain-Machine Interfaces: Restoring and Establishing Communication Channels. , 2016, , 227-259.		2
149	Toward a Proprioceptive Neural Interface that Mimics Natural Cortical Activity. <i>Advances in Experimental Medicine and Biology</i> , 2016, 957, 367-388.	0.8	34
150	Brain-machine interface facilitated neurorehabilitation via spinal stimulation after spinal cord injury: Recent progress and future perspectives. <i>Brain Research</i> , 2016, 1646, 25-33.	1.1	50
151	New Perspectives on Neuroengineering and Neurotechnologies: NSF-DFG Workshop Report. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 1354-1367.	2.5	23

#	ARTICLE	IF	CITATIONS
152	Restoring cortical control of functional movement in a human with quadriplegia. <i>Nature</i> , 2016, 533, 247-250.	13.7	723
153	Brain-computer interfaces for patients with disorders of consciousness. <i>Progress in Brain Research</i> , 2016, 228, 241-291.	0.9	20
154	Development of wireless neural interface system. <i>Biomedical Engineering Letters</i> , 2016, 6, 164-171.	2.1	4
155	Development of flexible multi-channel muscle interfaces with advanced sensing function. <i>Sensors and Actuators A: Physical</i> , 2016, 249, 269-275.	2.0	6
156	Intraspinal microstimulation produces over-ground walking in anesthetized cats. <i>Journal of Neural Engineering</i> , 2016, 13, 056016.	1.8	62
157	Neural interfaces take another step forward. <i>Nature</i> , 2016, 539, 177-178.	13.7	17
158	A brain-spine interface alleviating gait deficits after spinal cord injury in primates. <i>Nature</i> , 2016, 539, 284-288.	13.7	492
160	Enhanced Flexible Tubular Microelectrode with Conducting Polymer for Multi-Functional Implantable Tissue-Machine Interface. <i>Scientific Reports</i> , 2016, 6, 26910.	1.6	16
161	Adaptive neuron-to-EMG decoder training for FES neuroprostheses. <i>Journal of Neural Engineering</i> , 2016, 13, 046009.	1.8	12
162	Implantable neurotechnologies: a review of integrated circuit neural amplifiers. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 45-62.	1.6	69
163	Implantable neurotechnologies: bidirectional neural interfaces applications and VLSI circuit implementations. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 1-17.	1.6	52
164	Implantable neurotechnologies: electrical stimulation and applications. <i>Medical and Biological Engineering and Computing</i> , 2016, 54, 63-76.	1.6	38
165	Brain-state classification and a dual-state decoder dramatically improve the control of cursor movement through a brain-machine interface. <i>Journal of Neural Engineering</i> , 2016, 13, 016009.	1.8	21
166	A Probabilistic Analysis of Muscle Force Uncertainty for Control. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 2359-2367.	2.5	3
167	Long-Term Stability of Motor Cortical Activity: Implications for Brain Machine Interfaces and Optimal Feedback Control. <i>Journal of Neuroscience</i> , 2016, 36, 3623-3632.	1.7	80
168	Flexible adaptation to an artificial recurrent connection from muscle to peripheral nerve in man. <i>Journal of Neurophysiology</i> , 2016, 115, 978-991.	0.9	6
169	Enabling Low-Power, Multi-Modal Neural Interfaces Through a Common, Low-Bandwidth Feature Space. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 521-531.	2.7	37
170	Rapid control and feedback rates enhance neuroprosthetic control. <i>Nature Communications</i> , 2017, 8, 13825.	5.8	88

#	ARTICLE	IF	CITATIONS
171	Decoding Local Field Potentials for Neural Interfaces. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1705-1714.	2.7	52
172	EXiOâ€”A Brain-Controlled Lower Limb Exoskeleton for Rhesus Macaques. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 131-141.	2.7	36
173	Flexible cylindrical neural probe with graphene enhanced conductive polymer for multi-mode BCI applications. , 2017, , .		4
174	Review: Human Intracortical Recording and Neural Decoding for Brainâ€”Computer Interfaces. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1687-1696.	2.7	80
175	Cracking the neural code, treating paralysis and the future of bioelectronic medicine. Journal of Internal Medicine, 2017, 282, 37-45.	2.7	29
176	Neuroprosthetics: Restoring multi-joint motor control. Nature Biomedical Engineering, 2017, 1, .	11.6	7
177	Physiological properties of brain-machine interface input signals. Journal of Neurophysiology, 2017, 118, 1329-1343.	0.9	38
178	Robust tactile sensory responses in finger area of primate motor cortex relevant to prosthetic control. Journal of Neural Engineering, 2017, 14, 046016.	1.8	18
179	Neural Manifolds for the Control of Movement. Neuron, 2017, 94, 978-984.	3.8	410
180	Beyond intuitive anthropomorphic control: recent achievements using brain computer interface technologies. Proceedings of SPIE, 2017, , .	0.8	2
181	Restoration of reaching and grasping movements through brain-controlled muscle stimulation in a person with tetraplegia: a proof-of-concept demonstration. Lancet, The, 2017, 389, 1821-1830.	6.3	632
182	Reaching again: a glimpse of the future with neuroprosthetics. Lancet, The, 2017, 389, 1777-1778.	6.3	2
183	Brain-Machine Interfaces: From Basic Science to Neuroprostheses and Neurorehabilitation. Physiological Reviews, 2017, 97, 767-837.	13.1	409
184	A 3D map of the hindlimb motor representation in the lumbar spinal cord in Sprague Dawley rats. Journal of Neural Engineering, 2017, 14, 016007.	1.8	20
185	Design of a Closed-Loop, Bidirectional Brain Machine Interface System With Energy Efficient Neural Feature Extraction and PID Control. IEEE Transactions on Biomedical Circuits and Systems, 2017, 11, 729-742.	2.7	85
186	Brainâ€”Machine Interface Control Algorithms. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 1725-1734.	2.7	58
187	Strategies for Autonomous Sensorâ€”Brain Interfaces for Closed-Loop Sensory Reanimation of Paralyzed Limbs. Neurosurgery, 2017, 64, 11-20.	0.6	4
188	Central nervous system microstimulation: Towards selective micro-neuromodulation. Current Opinion in Biomedical Engineering, 2017, 4, 65-77.	1.8	12

#	ARTICLE	IF	CITATIONS
189	Advances in BCI: A Neural Bypass Technology to Reconnect the Brain to the Body. Springer Briefs in Electrical and Computer Engineering, 2017, , 9-20.	0.3	3
190	The effect of type of afferent feedback timed with motor imagery on the induction of cortical plasticity. Brain Research, 2017, 1674, 91-100.	1.1	28
191	Neuroprosthetic-enabled control of graded arm muscle contraction in a paralyzed human. Scientific Reports, 2017, 7, 8386.	1.6	64
192	Microarrays in the Brain. , 2017, , 3-39.		0
193	A novel paraplegia model in awake behaving macaques. Journal of Neurophysiology, 2017, 118, 1800-1808.	0.9	6
194	Unidirectional brain to muscle connectivity reveals motor cortex control of leg muscles during stereotyped walking. NeuroImage, 2017, 159, 403-416.	2.1	148
195	Micro-Hermetic Packaging Technology for Active Implantable Neural Interfaces. , 2017, , .		7
196	Leveraging neural dynamics to extend functional lifetime of brain-machine interfaces. Scientific Reports, 2017, 7, 7395.	1.6	33
197	Injecting Instructions into Premotor Cortex. Neuron, 2017, 96, 1282-1289.e4.	3.8	23
198	Changes in cortical network connectivity with long-term brain-machine interface exposure after chronic amputation. Nature Communications, 2017, 8, 1796.	5.8	19
199	Augmenting intracortical brain-machine interface with neurally driven error detectors. Journal of Neural Engineering, 2017, 14, 066007.	1.8	23
200	Editorial. Advancement in brain-machine interfaces for patients with tetraplegia: neurosurgical perspective. Neurosurgical Focus, 2017, 43, E5.	1.0	9
201	Reinforcement Learning for Hand Grasp with Surface Multi-field Neuroprostheses. Advances in Intelligent Systems and Computing, 2017, , 313-322.	0.5	1
202	Generation of Stimulus Triggering From Intracortical Spike Activity for Brain-machine Body Interfaces (BMBIs). IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 998-1008.	2.7	2
203	Control of Redundant Kinematic Degrees of Freedom in a Closed-Loop Brain-Machine Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2017, 25, 750-760.	2.7	13
204	Controlling an electromyography-based power-assist device for the wrist using electroencephalography cortical currents. Advanced Robotics, 2017, 31, 88-96.	1.1	1
205	Motor cortical activity changes during neuroprosthetic-controlled object interaction. Scientific Reports, 2017, 7, 16947.	1.6	52
206	Hybrid hermetic housings for active implantable neural device. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
207	High performance communication by people with paralysis using an intracortical brain-computer interface. <i>ELife</i> , 2017, 6, .	2.8	367
208	Reducing the Impact of Shoulder Abduction Loading on the Classification of Hand Opening and Grasping in Individuals with Poststroke Flexion Synergy. <i>Frontiers in Bioengineering and Biotechnology</i> , 2017, 5, 39.	2.0	10
209	Cortex-dependent recovery of unassisted hindlimb locomotion after complete spinal cord injury in adult rats. <i>ELife</i> , 2017, 6, .	2.8	32
210	Restoration of Hindlimb Movements after Complete Spinal Cord Injury Using Brain-Controlled Functional Electrical Stimulation. <i>Frontiers in Neuroscience</i> , 2017, 11, 715.	1.4	16
211	Flexible 3D carbon nanotubes cuff electrodes as a peripheral nerve interface. <i>Biomedical Microdevices</i> , 2018, 20, 21.	1.4	11
212	A brain-spinal interface (BSI) system-on-chip (SoC) for closed-loop cortically-controlled intraspinal microstimulation. <i>Analog Integrated Circuits and Signal Processing</i> , 2018, 95, 1-16.	0.9	6
213	Brain-“Machine Interfaces. , 2018, , 197-218.		0
214	Dynamic Neuroscience. , 2018, , .		9
215	Mind Reading and Writing: The Future of Neurotechnology. <i>Trends in Cognitive Sciences</i> , 2018, 22, 598-610.	4.0	65
216	Optimizing the Usability of Brain-Computer Interfaces. <i>Neural Computation</i> , 2018, 30, 1323-1358.	1.3	5
217	Bidirectional Neural Interface and Closed-Loop Control. , 2018, , 137-164.		0
218	Evaluation of high-density, multi-contact nerve cuffs for activation of grasp muscles in monkeys. <i>Journal of Neural Engineering</i> , 2018, 15, 036003.	1.8	24
219	Brain Control of an External Device by Extracting the Highest Force-Related Contents of Local Field Potentials in Freely Moving Rats. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 18-25.	2.7	13
220	Distributed stimulation increases force elicited with functional electrical stimulation. <i>Journal of Neural Engineering</i> , 2018, 15, 026001.	1.8	16
221	Control of Human Motor Rehabilitation Devices. <i>Human Physiology</i> , 2018, 44, 686-695.	0.1	1
222	Innovations in electrical stimulation harness neural plasticity to restore motor function. <i>Bioelectronics in Medicine</i> , 2018, 1, 251-263.	2.0	5
223	Selective Recruitment of Arm Motoneurons in Nonhuman Primates Using Epidural Electrical Stimulation of the Cervical Spinal Cord. , 2018, 2018, 1424-1427.		10
224	Invasive Brain-“Computer Interfaces for Functional Restoration. , 2018, , 379-391.		1

#	ARTICLE	IF	CITATIONS
225	Motor Neuroprostheses. , 2018, 9, 127-148.		6
226	Neural decoding with SVM and feature selection in a rat active tactile discrimination task. , 2018, , .		1
227	Progress towards restoring upper limb movement and sensation through intracortical brain-computer interfaces. Current Opinion in Biomedical Engineering, 2018, 8, 84-92.	1.8	35
228	Optimizing the learning rate for adaptive estimation of neural encoding models. PLoS Computational Biology, 2018, 14, e1006168.	1.5	32
229	Latent Factors and Dynamics in Motor Cortex and Their Application to Brainâ€“Machine Interfaces. Journal of Neuroscience, 2018, 38, 9390-9401.	1.7	81
230	Cortical population activity within a preserved neural manifold underlies multiple motor behaviors. Nature Communications, 2018, 9, 4233.	5.8	189
231	Recovering Motor Activation with Chronic Peripheral Nerve Computer Interface. Scientific Reports, 2018, 8, 14149.	1.6	12
232	Configuration of electrical spinal cord stimulation through real-time processing of gait kinematics. Nature Protocols, 2018, 13, 2031-2061.	5.5	96
233	Neuromodulation in the restoration of function after spinal cord injury. Lancet Neurology, The, 2018, 17, 905-917.	4.9	119
234	Context-dependent tactile texture-sensitivity in monkey M1 and S1 cortex. Journal of Neurophysiology, 2018, 120, 2334-2350.	0.9	12
235	Now is the Critical Time for Engineered Neuroplasticity. Neurotherapeutics, 2018, 15, 628-634.	2.1	28
236	Brain-controlled modulation of spinal circuits improves recovery from spinal cord injury. Nature Communications, 2018, 9, 3015.	5.8	108
237	Extracting wavelet based neural features from human intracortical recordings for neuroprosthetics applications. Bioelectronic Medicine, 2018, 4, 11.	1.0	27
238	Advances in Invasive Brainâ€“Computer Interface Technology and Decoding Methods for Restoring Movement and Future Applications. , 2018, , 415-425.		3
239	Feature Selection Methods for Robust Decoding of Finger Movements in a Non-human Primate. Frontiers in Neuroscience, 2018, 12, 22.	1.4	9
240	Linear Feature Projection-Based Sensory Event Detection from the Multiunit Activity of Dorsal Root Ganglion Recordings. Sensors, 2018, 18, 1002.	2.1	1
241	Microelectrode Array. Micro/Nano Technologies, 2018, , 1379-1411.	0.1	0
243	Design of Isometric and Isotonic Soft Hand for Rehabilitation Combining with Noninvasive Brain Machine Interface. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
244	Long-term stability of neural signals from microwire arrays implanted in common marmoset motor cortex and striatum. <i>Biomedical Physics and Engineering Express</i> , 2018, 4, 055025.	0.6	16
245	Soft human-machine interfaces: design, sensing and stimulation. <i>International Journal of Intelligent Robotics and Applications</i> , 2018, 2, 313-338.	1.6	55
246	Toward Functional Restoration of the Central Nervous System: A Review of Translational Neuroscience Principles. <i>Neurosurgery</i> , 2019, 84, 30-40.	0.6	20
247	Brain-Machine Interfaces: Powerful Tools for Clinical Treatment and Neuroscientific Investigations. <i>Neuroscientist</i> , 2019, 25, 139-154.	2.6	51
248	Viral-Mediated Optogenetic Stimulation of Peripheral Motor Nerves in Non-human Primates. <i>Frontiers in Neuroscience</i> , 2019, 13, 759.	1.4	11
249	Bypassing stroke-damaged neural pathways via a neural interface induces targeted cortical adaptation. <i>Nature Communications</i> , 2019, 10, 4699.	5.8	22
250	Effect of VMD decomposition of soleus muscle EMG in SVM classification. , 2019, , .		2
251	Donut-shaped Stretchable Kirigami: Enabling Electronics to Integrate with the Deformable Muscle. <i>Advanced Healthcare Materials</i> , 2019, 8, e1900939.	3.9	23
252	A scalable bonding technique for the development of nextgeneration brain-machine interfaces *. , 2019, , .		0
253	Brain-machine interfaces from motor to mood. <i>Nature Neuroscience</i> , 2019, 22, 1554-1564.	7.1	157
254	Spinal cord repair: advances in biology and technology. <i>Nature Medicine</i> , 2019, 25, 898-908.	15.2	323
255	Investigation of Low-Current Direct Stimulation for Rehabilitation Treatment Related to Muscle Function Loss Using Self-Powered TENG System. <i>Advanced Science</i> , 2019, 6, 1900149.	5.6	97
256	In Vitro Neuronal Networks. <i>Advances in Neurobiology</i> , 2019, , .	1.3	12
257	Closed-Loop Systems and In Vitro Neuronal Cultures: Overview and Applications. <i>Advances in Neurobiology</i> , 2019, 22, 351-387.	1.3	10
258	Mechanism and Applications of Electrical Stimulation Disturbance on Motoneuron Excitability Studied Using Flexible Intramuscular Electrode. <i>Advanced Biology</i> , 2019, 3, e1800281.	3.0	14
259	Decoding of muscle activity from the sensorimotor cortex in freely behaving monkeys. <i>NeuroImage</i> , 2019, 197, 512-526.	2.1	23
260	Self-Powered Direct Muscle Stimulation Using a Triboelectric Nanogenerator (TENG) Integrated with a Flexible Multiple-Channel Intramuscular Electrode. <i>ACS Nano</i> , 2019, 13, 3589-3599.	7.3	130
261	Towards neural co-processors for the brain: combining decoding and encoding in brain-machine interfaces. <i>Current Opinion in Neurobiology</i> , 2019, 55, 142-151.	2.0	36

#	ARTICLE	IF	CITATIONS
262	Acceptability Study of A3-K3 Robotic Architecture for a Neurorobotics Painting. <i>Frontiers in Neurorobotics</i> , 2018, 12, 81.	1.6	10
263	Restoring Movement in Paralysis with a Bioelectronic Neural Bypass Approach: Current State and Future Directions. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019, 9, a034306.	2.9	7
264	Synergy-Based FES for Post-Stroke Rehabilitation of Upper-Limb Motor Functions. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 256-264.	2.7	48
265	Decoding neural activity to predict rat locomotion using intracortical and epidural arrays. <i>Journal of Neural Engineering</i> , 2019, 16, 036005.	1.8	9
266	Design and testing of a 96-channel neural interface module for the Networked Neuroprosthesis system. <i>Bioelectronic Medicine</i> , 2019, 5, 3.	1.0	19
267	Finger Movement Classification Based on Statistical and Frequency Features Extracted from Surface EMG Signals. , 2019, , .		8
268	Implantable Neural Interfaces and Wearable Tactile Systems for Bidirectional Neuroprosthetics Systems. <i>Advanced Healthcare Materials</i> , 2019, 8, e1801345.	3.9	32
269	A muscle-activity-dependent gain between motor cortex and EMG. <i>Journal of Neurophysiology</i> , 2019, 121, 61-73.	0.9	37
270	A Novel FES Strategy for Poststroke Rehabilitation Based on the Natural Organization of Neuromuscular Control. <i>IEEE Reviews in Biomedical Engineering</i> , 2019, 12, 154-167.	13.1	27
271	Closed-loop cortical control of virtual reach and posture using Cartesian and joint velocity commands. <i>Journal of Neural Engineering</i> , 2019, 16, 026011.	1.8	14
272	Interfacing with the nervous system: a review of current bioelectric technologies. <i>Neurosurgical Review</i> , 2019, 42, 227-241.	1.2	19
273	Reinforcement schedules differentially affect learning in neuronal operant conditioning in rats. <i>Neuroscience Research</i> , 2020, 153, 62-67.	1.0	2
274	A versatile robotic platform for the design of natural, three-dimensional reaching and grasping tasks in monkeys. <i>Journal of Neural Engineering</i> , 2020, 17, 016004.	1.8	10
275	Long-term stability of cortical population dynamics underlying consistent behavior. <i>Nature Neuroscience</i> , 2020, 23, 260-270.	7.1	204
276	Short reaction times in response to multi-electrode intracortical microstimulation may provide a basis for rapid movement-related feedback. <i>Journal of Neural Engineering</i> , 2020, 17, 016013.	1.8	16
277	Recent development of implantable and flexible nerve electrodes. <i>Smart Materials in Medicine</i> , 2020, 1, 131-147.	3.7	61
278	Spatiotemporal Maps of Proprioceptive Inputs to the Cervical Spinal Cord During Three-Dimensional Reaching and Grasping. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020, 28, 1668-1677.	2.7	8
279	Dorsal Column Nuclei Neural Signal Features Permit Robust Machine-Learning of Natural Tactile- and Proprioception-Dominated Stimuli. <i>Frontiers in Systems Neuroscience</i> , 2020, 14, 46.	1.2	2



#	ARTICLE	IF	CITATIONS
280	A low-power band of neuronal spiking activity dominated by local single units improves the performance of brain-machine interfaces. <i>Nature Biomedical Engineering</i> , 2020, 4, 973-983.	11.6	73
282	State-Based Decoding of Force Signals From Multi-Channel Local Field Potentials. <i>IEEE Access</i> , 2020, 8, 159089-159099.	2.6	12
283	The future of upper extremity rehabilitation robotics: research and practice. <i>Muscle and Nerve</i> , 2020, 61, 708-718.	1.0	22
284	Review on motor imagery based BCI systems for upper limb post-stroke neurorehabilitation: From designing to application. <i>Computers in Biology and Medicine</i> , 2020, 123, 103843.	3.9	115
285	Bidirectional brain-computer interfaces. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2020, 168, 163-181.	1.0	31
286	Brain-computer interfaces for basic neuroscience. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2020, 168, 233-247.	1.0	2
287	Artificially induced joint movement control with musculoskeletal model-integrated iterative learning algorithm. <i>Biomedical Signal Processing and Control</i> , 2020, 59, 101843.	3.5	6
288	Merging brain-computer interface and functional electrical stimulation technologies for movement restoration. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2020, 168, 303-309.	1.0	11
289	Speech-related dorsal motor cortex activity does not interfere with iBCI cursor control. <i>Journal of Neural Engineering</i> , 2020, 17, 016049.	1.8	21
290	Environmental improvement value of agricultural carbon reduction and its spatiotemporal dynamic evolution: Evidence from China. <i>Science of the Total Environment</i> , 2021, 754, 142170.	3.9	50
291	Stroke Rehabilitation and Parkinson's Disease Tremor Reduction Using BCIs Combined With FES. , 2021, , 473-491.		0
292	Brain-Computer-Spinal Interface Restores Upper Limb Function After Spinal Cord Injury. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1233-1242.	2.7	17
293	Decoding and perturbing decision states in real time. <i>Nature</i> , 2021, 591, 604-609.	13.7	64
294	Auditory cues reveal intended movement information in middle frontal gyrus neuronal ensemble activity of a person with tetraplegia. <i>Scientific Reports</i> , 2021, 11, 98.	1.6	12
295	Restoring upper extremity function with brain-machine interfaces. <i>International Review of Neurobiology</i> , 2021, 159, 153-186.	0.9	0
296	The Neural Representation of Force across Grasp Types in Motor Cortex of Humans with Tetraplegia. <i>ENeuro</i> , 2021, 8, ENEURO.0231-20.2020.	0.9	9
297	Stroke Rehabilitation and Parkinson's Disease Tremor Reduction Using BCIs Combined With FES. , 2021, , 679-697.		0
298	Wearable and Implantable Electroceuticals for Therapeutic Electrostimulations. <i>Advanced Science</i> , 2021, 8, 2004023.	5.6	73

#	ARTICLE	IF	CITATIONS
300	Wearable Triboelectric Nanogenerators for Therapeutics. <i>Trends in Chemistry</i> , 2021, 3, 279-290.	4.4	100
302	Non-invasive approaches to functional recovery after spinal cord injury: Therapeutic targets and multimodal device interventions. <i>Experimental Neurology</i> , 2021, 339, 113612.	2.0	22
303	Neurostimulation for Stroke Rehabilitation. <i>Frontiers in Neuroscience</i> , 2021, 15, 649459.	1.4	22
304	Putting touch into action. <i>Science</i> , 2021, 372, 791-792.	6.0	1
305	Dendritic calcium signals in rhesus macaque motor cortex drive an optical brain-computer interface. <i>Nature Communications</i> , 2021, 12, 3689.	5.8	38
306	Physical principles of brain-computer interfaces and their applications for rehabilitation, robotics and control of human brain states. <i>Physics Reports</i> , 2021, 918, 1-133.	10.3	88
307	Spinal cord regeneration: A brief overview of the present scenario and a sneak peek into the future. <i>Biotechnology Journal</i> , 2021, 16, e2100167.	1.8	7
308	Generalizable cursor click decoding using grasp-related neural transients. <i>Journal of Neural Engineering</i> , 2021, 18, 0460e9.	1.8	8
309	Corticospinal Motor Circuit Plasticity After Spinal Cord Injury: Harnessing Neuroplasticity to Improve Functional Outcomes. <i>Molecular Neurobiology</i> , 2021, 58, 5494-5516.	1.9	17
310	A modular strategy for next-generation upper-limb sensory-motor neuroprostheses. <i>Med</i> , 2021, 2, 912-937.	2.2	16
311	Brain-Computer Interfaces: Neurorehabilitation of Voluntary Movement after Stroke and Spinal Cord Injury. <i>Synthesis Lectures on Assistive Rehabilitative and Health-Preserving Technologies</i> , 2021, 10, i-133.	0.2	0
312	MXene-infused bioelectronic interfaces for multiscale electrophysiology and stimulation. <i>Science Translational Medicine</i> , 2021, 13, eabf8629.	5.8	68
313	The science and engineering behind sensitized brain-controlled bionic hands. <i>Physiological Reviews</i> , 2022, 102, 551-604.	13.1	32
314	Real-time linear prediction of simultaneous and independent movements of two finger groups using an intracortical brain-machine interface. <i>Neuron</i> , 2021, 109, 3164-3177.e8.	3.8	24
315	Historical perspectives, challenges, and future directions of implantable brain-computer interfaces for sensorimotor applications. <i>Bioelectronic Medicine</i> , 2021, 7, 14.	1.0	11
316	Spinal Cord Injury-Induced Changes in Encoding and Decoding of Bipedal Walking by Motor Cortical Ensembles. <i>Brain Sciences</i> , 2021, 11, 1193.	1.1	1
317	Summary of over Fifty Years with Brain-Computer Interfaces—A Review. <i>Brain Sciences</i> , 2021, 11, 43.	1.1	93
318	Brain Co-processors: Using AI to Restore and Augment Brain Function. , 2021, , 1-36.		2

#	ARTICLE	IF	CITATIONS
319	Information and Communication Theoretical Understanding and Treatment of Spinal Cord Injuries: State-of-The-Art and Research Challenges. IEEE Reviews in Biomedical Engineering, 2023, 16, 332-347.	13.1	9
320	Intracortical Brain-Machine Interfaces. , 2020, , 185-221.		5
322	Neural Representation of Observed, Imagined, and Attempted Grasping Force in Motor Cortex of Individuals with Chronic Tetraplegia. Scientific Reports, 2020, 10, 1429.	1.6	16
323	A comprehensive model-based framework for optimal design of biomimetic patterns of electrical stimulation for prosthetic sensation. Journal of Neural Engineering, 2020, 17, 046045.	1.8	23
330	Robust Brain-Machine Interface Design Using Optimal Feedback Control Modeling and Adaptive Point Process Filtering. PLoS Computational Biology, 2016, 12, e1004730.	1.5	94
331	Machine Learning for Neural Decoding. ENeuro, 2020, 7, ENEURO.0506-19.2020.	0.9	123
332	Control of functional electrical stimulation for restoration of motor function. Facta Universitatis - Series Electronics and Energetics, 2017, 30, 295-312.	0.6	3
333	A Spatio-Temporal Fractal Model for a CPS Approach to Brain-Machine-Body Interfaces. , 2016, , .		38
334	Lower-Limb Neuroprostheses. Advances in Bioinformatics and Biomedical Engineering Book Series, 0, , 153-180.	0.2	4
335	Brain-Computer Interfaces for Control of Upper Extremity Neuroprostheses in Individuals with High Spinal Cord Injury. , 2018, , 809-836.		2
336	Area 2 of primary somatosensory cortex encodes kinematics of the whole arm. ELife, 2020, 9, .	2.8	45
337	Improving reaching with functional electrical stimulation by incorporating stiffness modulation. Journal of Neural Engineering, 2021, 18, 055009.	1.8	1
338	Functional Neuroscience: Cortical Control of Limb Prosthesis. , 2013, , 1-16.		0
339	Brain-Machine Interface: Overview. , 2014, , 1-10.		1
341	Human Single Unit Activity for Reach and Grasp Motor Prostheses. , 2014, , 305-326.		0
342	Propagation Characteristics of Human Body Communication in Brain-Controlled Functional Electrical Stimulation. , 2015, , .		0
343	Implantable Neural Sensors for Brain Machine Interface. KAIST Research Series, 2015, , 51-73.	1.5	0
345	Novel rehabilitation paradigm for restoration of hand functions after tetraplegia. Neural Regeneration Research, 2016, 11, 1058.	1.6	0

#	ARTICLE	IF	CITATIONS
346	Digital Interface Brain Computer Interaction Method Based on Icon Control. Lecture Notes in Computer Science, 2017, , 364-377.	1.0	0
347	Functional Neuroscience: Cortical Control of Limb Prostheses. , 2018, , 1-13.		0
348	Stroke Rehabilitation and Parkinson's Disease Tremor Reduction Using BCIs Combined With FES. International Journal of Privacy and Health Information Management, 2018, 6, 20-36.	0.2	0
349	Brain-Machine Interfaces. Advances in Web Technologies and Engineering Book Series, 2018, , 351-371.	0.4	0
350	Cortically Controlled FES for Restoration and Rehabilitation of Function Following SCI in Rats. Biosystems and Biorobotics, 2019, , 931-934.	0.2	0
359	Intrafascicular peripheral nerve stimulation produces fine functional hand movements in primates. Science Translational Medicine, 2021, 13, eabg6463.	5.8	30
360	Cortical Control of Virtual Self-Motion Using Task-Specific Subspaces. Journal of Neuroscience, 2022, 42, 220-239.	1.7	10
361	Brain-Machine Interface: Overview. , 2021, , 1-8.		1
362	Deep learning approaches for neural decoding across architectures and recording modalities. Briefings in Bioinformatics, 2021, 22, 1577-1591.	3.2	27
363	Restoring Functional Reach-to-Grasp in a Person with Chronic Tetraplegia Using Implanted Functional Electrical Stimulation and Intracortical Brain-Computer Interfaces. Springer Briefs in Electrical and Computer Engineering, 2020, , 35-45.	0.3	0
364	Emergence of flexible technology in developing advanced systems for post-stroke rehabilitation: a comprehensive review. Journal of Neural Engineering, 2021, 18, 061003.	1.8	15
365	Brain-Computer Interfaces for Control of Upper Extremity Neuroprostheses in Individuals with High Spinal Cord Injury. Advances in Bioinformatics and Biomedical Engineering Book Series, 0, , 237-264.	0.2	3
368	Controlling Clinical States Governed by Different Temporal Dynamics With Closed-Loop Deep Brain Stimulation: A Principled Framework. Frontiers in Neuroscience, 2021, 15, 734186.	1.4	20
369	Targeting Sensory and Motor Integration for Recovery of Movement After CNS Injury. Frontiers in Neuroscience, 2021, 15, 791824.	1.4	9
370	Estimating muscle activation from EMG using deep learning-based dynamical systems models. Journal of Neural Engineering, 2022, 19, 036013.	1.8	11
371	A pilot study of synergy-based FES for upper-extremity poststroke rehabilitation. Neuroscience Letters, 2022, 780, 136621.	1.0	8
372	Bayesian optimization of peripheral intraneural stimulation protocols to evoke distal limb movements. Journal of Neural Engineering, 2021, 18, 066046.	1.8	9
376	Transhemispheric cortex remodeling promotes forelimb recovery after spinal cord injury. JCI Insight, 2022, 7, .	2.3	4

#	ARTICLE	IF	CITATIONS
378	A Power-Efficient Brain-Machine Interface System With a Sub-mw Feature Extraction and Decoding ASIC Demonstrated in Nonhuman Primates. IEEE Transactions on Biomedical Circuits and Systems, 2022, 16, 395-408.	2.7	6
382	Restoration of complex movement in the paralyzed upper limb. Journal of Neural Engineering, 2022, 19, 046002.	1.8	7
384	Functional Neuroscience: Cortical Control of Limb Prostheses. , 2022, , 1474-1487.		0
385	Brain-Machine Interface: Overview. , 2022, , 12-19.		0
386	Epidural electrical stimulation of the cervical dorsal roots restores voluntary upper limb control in paralyzed monkeys. Nature Neuroscience, 2022, 25, 924-934.	7.1	30
387	Time stability and connectivity analysis with an intracortical 96-channel microelectrode array inserted in human visual cortex. Journal of Neural Engineering, 2022, 19, 045001.	1.8	3
390	A low-power stretchable neuromorphic nerve with proprioceptive feedback. Nature Biomedical Engineering, 2023, 7, 511-519.	11.6	59
391	Activity-dependent plasticity and spinal cord stimulation for motor recovery following spinal cord injury. Experimental Neurology, 2022, 357, 114178.	2.0	13
392	Deep learning for neural decoding in motor cortex. Journal of Neural Engineering, 2022, 19, 056021.	1.8	8
393	Validation of a non-invasive, real-time, human-in-the-loop model of intracortical brain-computer interfaces. Journal of Neural Engineering, 2022, 19, 056038.	1.8	3
394	Global trends and hot topics in electrical stimulation of skeletal muscle research over the past decade: A bibliometric analysis. Frontiers in Neurology, 0, 13, .	1.1	1
395	Clinical neuroscience and neurotechnology: An amazing symbiosis. IScience, 2022, 25, 105124.	1.9	3
397	Triboelectric Nanogenerator for Healthcare. , 2023, , 1-50.		0
398	Implantable intracortical microelectrodes: reviewing the present with a focus on the future. Microsystems and Nanoengineering, 2023, 9, .	3.4	20
399	Personalized Brain-Computer Interface and Its Applications. Journal of Personalized Medicine, 2023, 13, 46.	1.1	10
400	Neuro-interfaces Review. Journal of Artificial Intelligence and Consciousness, 0, , 1-11.	0.6	0
401	Brain-Machine Interfaces: From Restoring Sensorimotor Control to Augmenting Cognition. , 2023, , 1343-1380.		0
402	Towards a Wireless Implantable Brain-Machine Interface for Locomotion Control. , 2023, , 1003-1022.		0

#	ARTICLE	IF	CITATIONS
403	A Wearable Master-Slave Rehabilitation Robot Based on an Epidermal Array Electrode Sleeve and Multichannel Electromyography Network. <i>Advanced Intelligent Systems</i> , 2023, 5, .	3.3	3
404	Hybrid Robotics and Neuroprosthetics for Associative Neurorehabilitation. , 2023, , 1755-1776.		0
405	Brain Co-processors: Using AI to Restore and Augment Brain Function. , 2023, , 1225-1260.		1
407	Neural Bypasses: Literature Review and Future Directions in Developing Artificial Neural Connections. <i>OBM Neurobiology</i> , 2023, 07, 1-24.	0.2	2
408	Corticospinal interface to restore voluntary control of joint torque in a paralyzed forearm following spinal cord injury in non-human primates. <i>Frontiers in Neuroscience</i> , 0, 17, .	1.4	0
410	The touch in action: exploring sensorimotor interactions with motor imagery. <i>Cerebral Cortex</i> , 2023, 33, 8382-8390.	1.6	1
411	Neurotechnologies to restore hand functions. , 2023, 1, 390-407.		5
413	Restoring continuous finger function with temporarily paralyzed nonhuman primates using brain-machine interfaces. <i>Journal of Neural Engineering</i> , 2023, 20, 036006.	1.8	0
415	Intracortical brain-computer interfaces in primates: a review and outlook. <i>Biomedical Engineering Letters</i> , 2023, 13, 375-390.	2.1	2
420	Triboelectric Nanogenerator for Healthcare. , 2023, , 627-676.		0
421	A Review on Neural Amplifier Design for Brain-Machine Interface. <i>Lecture Notes in Electrical Engineering</i> , 2024, , 355-374.	0.3	0
426	Brain-Computer Interface Through the Prism of Modern Age. <i>IFMBE Proceedings</i> , 2024, , 292-323.	0.2	0
427	Brain-Body Interfaces to Assist and Restore Motor Functions in People with Paralysis. <i>Springer Briefs in Electrical and Computer Engineering</i> , 2024, , 59-73.	0.3	0
428	Designing Touch: Intracortical Neurohaptic Feedback in Virtual Reality. <i>Springer Briefs in Electrical and Computer Engineering</i> , 2024, , 93-107.	0.3	0