Citation Report
List of articles citing

A yolk-shell design for stabilized and scalable li-ion battery alloy anodes

DOI: 10.1021/nl3014814
Nano Letters, 2012, 12, 3315-21.

Source: https://exaly.com/paper-pdf/54384287/citation-report.pdf
Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1508	ElectrodeElectrolyte Interface in Li-Ion Batteries: Current Understanding and New Insights.		
1507	Low Li+ Insertion Barrier Carbon for High Energy Efficient Lithium-Ion Capacitor.		
1506	Reaction Front Evolution during Electrochemical Lithiation of Crystalline Silicon Nanopillars. **2012**, 52, 1118-1123		18
1505	Silicon core-hollow carbon shell nanocomposites with tunable buffer voids for high capacity anodes of lithium-ion batteries. **2012**, 14, 12741-5		184
1504	Amorphous Si/SiOx/SiO2 nanocomposites via facile scalable synthesis as anode materials for Li-ion batteries with long cycling life. **2012**, 2, 12710		42
1503	In situ TEM study of lithiation behavior of silicon nanoparticles attached to and embedded in a carbon matrix. **2012**, 6, 8439-47		291
1502	High-capacity micrometer-sized Li2S particles as cathode materials for advanced rechargeable lithium-ion batteries. **2012**, 134, 15387-94		524
1501	Composites of chemically-reduced graphene oxide sheets and carbon nanospheres with three-dimensional network structure as anode materials for lithium ion batteries. **2012**, 22, 23194		35
1500	Studying the kinetics of crystalline silicon nanoparticle lithiation with in situ transmission electron microscopy. **2012**, 24, 6034-41		466
1499	Designing nanostructured Si anodes for high energy lithium ion batteries. **2012**, 7, 414-429		1543
1498	Crumpled Graphene-Encapsulated Si Nanoparticles for Lithium Ion Battery Anodes. **2012**, 3, 1824-9		419
1497	A new strategy for synthesizing yolk-shell V□□ powders with low melting temperature for high performance Li-ion batteries. **2013**, 5, 8899-903		55
1496	In situ transmission electron microscopy study of electrochemical lithiation and delithiation cycling of the conversion anode RuO2. **2013**, 7, 6354-60		69
1495	Electrochemical properties of yolk□shell and hollow CoMn2O4 powders directly prepared by continuous spray pyrolysis as negative electrode materials for lithium ion batteries. **2013**, 3, 13110		50
1494	Silicon nanowires for Li-based battery anodes: a review. **2013**, 1, 9566		262
1493	Hollow porous SiO2 nanocubes towards high-performance anodes for lithium-ion batteries. **2013**, 3, 1568		304
1492	Managing voids of Si anodes in lithium ion batteries. **2013**, 5, 8864-73		49

1491	Graphene encapsulated and SiC reinforced silicon nanowires as an anode material for lithium ion batteries. **2013**, 5, 8689-94		42
1490	Double-Shelled Yolk–Shell Microspheres with Fe3O4 Cores and SnO2 Double Shells as High-Performance Microwave Absorbers. **2013**, 117, 489-495		150
1489	Synthesis and microwave absorption properties of yolk-shell microspheres with magnetic iron oxide cores and hierarchical copper silicate shells. **2013**, 5, 2503-9		162
1488	25th anniversary article: Understanding the lithiation of silicon and other alloying anodes for lithium-ion batteries. **2013**, 25, 4966-85		974
1487	Yolk-shell, hollow, and single-crystalline ZnCo(2)O(4) powders: preparation using a simple one-pot process and application in lithium-ion batteries. **2013**, 6, 2111-6		128
1486	Direct growth of SnO2 nanorods on graphene as high capacity anode materials for lithium ion batteries. **2013**, 3, 20573		32
1485	Toward an ideal polymer binder design for high-capacity battery anodes. **2013**, 135, 12048-56		282
1484	A three-dimensional graphene scaffold supported thin film silicon anode for lithium-ion batteries. **2013**, 1, 10092		77
1483	Self-assembled Fe3O4 nanoparticle clusters as high-performance anodes for lithium ion batteries via geometric confinement. *Nano Letters*, **2013**, 13, 4249-56	11.5	302
1482	A functional rattle-type microsphere with a magnetic-carbon double-layered shell for enhanced extraction of organic targets. **2013**, 49, 6039-41		27
1481	Silicon-containing anodes with low accumulated irreversible capacity for lithium-ion batteries. **2013** , 86, 703-712		4
1480	Hierarchical Fe3O4@TiO2 yolk-shell microspheres with enhanced microwave-absorption properties. **2013**, 19, 6746-52		169
1479	Mesoporous Nano-Si Anode for Li-ion Batteries Produced by Magnesio-Mechanochemical Reduction of Amorphous SiO2. **2013**, 1, 327-331		15
1478	Prelithiation of silicon-carbon nanotube anodes for lithium ion batteries by stabilized lithium metal powder (SLMP). *Nano Letters*, **2013**, 13, 4158-63	11.5	242
1477	Rice husks as a sustainable source of nanostructured silicon for high performance Li-ion battery anodes. **2013**, 3, 1919		349
1476	Probing the failure mechanism of SnO2 nanowires for sodium-ion batteries. *Nano Letters*, **2013**, 13, 5203-11	11.5	244
1475	In situ formed Si nanoparticle network with micron-sized Si particles for lithium-ion battery anodes. *Nano Letters*, **2013**, 13, 5397-402	11.5	77
1474	A vein-like nanoporous network of Nb2O5 with a higher lithium intercalation discharge cut-off voltage. **2013**, 1, 11019		70

1473	A computational study of the insertion of Li, Na, and Mg atoms into Si(111) nanosheets. **2013**, 2, 1149-1157		68
1472	High volumetric capacity silicon-based lithium battery anodes by nanoscale system engineering. *Nano Letters*, **2013**, 13, 5578-84	11.5	159
1471	Demonstration of an electrochemical liquid cell for operando transmission electron microscopy observation of the lithiation/delithiation behavior of Si nanowire battery anodes. *Nano Letters*, **2013**, 13, 6106-12	11.5	232
1470	Caramel popcorn shaped silicon particle with carbon coating as a high performance anode material for Li-ion batteries. **2013**, 5, 11152-8		31
1469	Enhanced lithium ion battery cycling of silicon nanowire anodes by template growth to eliminate silicon underlayer islands. *Nano Letters*, **2013**, 13, 5740-7	11.5	91
1468	Multifunctional TiO2-C/MnO2 core-double-shell nanowire arrays as high-performance 3D electrodes for lithium ion batteries. *Nano Letters*, **2013**, 13, 5467-73	11.5	305
1467	Covalent bond glued sulfur nanosheet-based cathode integration for long-cycle-life Li-S batteries. *Nano Letters*, **2013**, 13, 6244-50	11.5	87
1466	Hollow carbon-nanotube/carbon-nanofiber hybrid anodes for Li-ion batteries. **2013**, 135, 16280-3		367
1465	One-pot synthesis of Fe2O3 yolk-shell particles with two, three, and four shells for application as an anode material in lithium-ion batteries. **2013**, 5, 11592-7		61
1464	Effect of polydopamine surface coating on polyethylene separators as a function of their porosity for high-power Li-ion batteries. **2013**, 113, 433-438		62
1463	Fe3O4□arbon nanocomposites via a simple synthesis as anode materials for rechargeable lithium ion batteries. **2013**, 15, 9849		24
1462	Self-assembly of Si entrapped graphene architecture for high-performance Li-ion batteries. **2013**, 34, 117-120		44
1461	Core-shell Fe3O4 polydopamine nanoparticles serve multipurpose as drug carrier, catalyst support and carbon adsorbent. **2013**, 5, 9167-71		297
1460	Facile conductive bridges formed between silicon nanoparticles inside hollow carbon nanofibers. **2013**, 5, 4790-6		34
1459	A Comparative Computational Study of Structures, Diffusion, and Dopant Interactions between Li and Na Insertion into Si. **2013**, 6, 027301		71
1458	Effect of oxide layer thickness to nano□i anode for Li-ion batteries. **2013**, 3, 9408		31
1457	High-performance hollow sulfur nanostructured battery cathode through a scalable, room temperature, one-step, bottom-up approach. **2013**, 110, 7148-53		340
1456	Core-shell to yolk-shell nanostructure transformation by a novel sacrificial template-free strategy. **2013**, 49, 11566-8		27

1455	Facile one-pot synthesis of ultrathin NiS nanosheets anchored on graphene and the improved electrochemical Li-storage properties. **2013**, 3, 3899		73
1454	In situ polydopamine coating-directed synthesis of nitrogen-doped ordered nanoporous carbons with superior performance in supercapacitors. **2013**, 1, 15207		67
1453	Yolk-shelled cathode materials with extremely high electrochemical performances prepared by spray pyrolysis. **2013**, 5, 7867-71		53
1452	High density Co3O4 nanoparticles confined in a porous graphene nanomesh network driven by an electrochemical process: ultra-high capacity and rate performance for lithium ion batteries. **2013**, 1, 14023		58
1451	Improving coulombic efficiency by confinement of solid electrolyte interphase film in pores of silicon/carbon composite. **2013**, 1, 14075		22
1450	Continuous one-pot synthesis of sandwich structured core-shell particles and transformation to yolk-shell particles. **2013**, 49, 3884-6		9
1449	Micro-sized Si-C Composite with Interconnected Nanoscale Building Blocks as High-Performance Anodes for Practical Application in Lithium-Ion Batteries. **2013**, 3, 295-300		355
1448	Dopamine as the coating agent and carbon precursor for the fabrication of N-doped carbon coated Fe3O4 composites as superior lithium ion anodes. **2013**, 5, 1168-75		298
1447	Silicon-Graphene Composite Anodes for High-Energy Lithium Batteries. **2013**, 1, 77-84		10
1446	Electronic structures and Li intercalation of AuCN and CuCN crystals and nanowires. **2013**, 1020, 157-162		0
1445	Hydrothermal fabrication of lead hydroxide chloride as a novel anode material for lithium-ion batteries. **2013**, 102, 381-387		19
1444	Improved rate capability of SiC composite anodes by boron doping for lithium-ion batteries. **2013**, 36, 29-32		60
1443	High-rate performance of SnS2 nanoplates without carbon-coating as anode material for lithium ion batteries. **2013**, 112, 439-447		46
1442	Effect of the adsorption of ethylene carbonate on Si surfaces on the Li insertion behavior. **2013**, 585, 157-161		2
1441	Catalytic role of Ge in highly reversible GeO2/Ge/C nanocomposite anode material for lithium batteries. *Nano Letters*, **2013**, 13, 1230-6	11.5	244
1440	One-pot synthesis of silicon nanoparticles trapped in ordered mesoporous carbon for use as an anode material in lithium-ion batteries. **2013**, 24, 025602		37
1439	Employing synergistic interactions between few-layer WS2 and reduced graphene oxide to improve lithium storage, cyclability and rate capability of Li-ion batteries. **2013**, 2, 787-793		197
1438	Adaptable silicon-carbon nanocables sandwiched between reduced graphene oxide sheets as lithium ion battery anodes. **2013**, 7, 1437-45		359

1437	Nanomaterials for energy conversion and storage. **2013**, 42, 3127-71		1188
1436	Nanoporous silicon networks as anodes for lithium ion batteries. **2013**, 15, 440-3		57
1435	Role of the LiPF6 Salt for the Long-Term Stability of Silicon Electrodes in Li-Ion Batteries A Photoelectron Spectroscopy Study. **2013**, 25, 394-404		198
1434	Enhanced lithium storage in Fe2O3-SnO2-C nanocomposite anode with a breathable structure. **2013**, 5, 4910-6		50
1433	One-pot facile synthesis of double-shelled SnO yolk-shell-structured powders by continuous process as anode materials for Li-ion batteries. **2013**, 25, 2279-83, 2250		357
1432	Metal oxides and oxysalts as anode materials for Li ion batteries. **2013**, 113, 5364-457		2412
1431	Facile synthesis of free-standing silicon membranes with three-dimensional nanoarchitecture for anodes of lithium ion batteries. *Nano Letters*, **2013**, 13, 3340-6	11.5	63
1430	Contact-engineered and void-involved silicon/carbon nanohybrids as lithium-ion-battery anodes. **2013**, 25, 3560-5		212
1429	In situ TEM of two-phase lithiation of amorphous silicon nanospheres. *Nano Letters*, **2013**, 13, 758-64	11.5	573
1428	Crab shells as sustainable templates from nature for nanostructured battery electrodes. *Nano Letters*, **2013**, 13, 3385-90	11.5	185
1427	Etched graphite with internally grown Si nanowires from pores as an anode for high density Li-ion batteries. *Nano Letters*, **2013**, 13, 3403-7	11.5	101
1426	A silicon nanoparticle/reduced graphene oxide composite anode with excellent nanoparticle dispersion to improve lithium ion battery performance. **2013**, 48, 4823-4833		42
1425	Superior electrochemical properties of Co3O4 yolk-shell powders with a filled core and multishells prepared by a one-pot spray pyrolysis. **2013**, 49, 5678-80		57
1424	Stable Li-ion battery anodes by in-situ polymerization of conducting hydrogel to conformally coat silicon nanoparticles. **2013**, 4, 1943		971
1423	Preparation of yolk/shell Fe3O4@polypyrrole composites and their applications as catalyst supports. **2013**, 225, 230-236		49
1422	Nanostructured materials for rechargeable batteries: synthesis, fundamental understanding and limitations. **2013**, 2, 151-159		4
1421	Synthesis of hollow GeO2 nanostructures, transformation into Ge@C, and lithium storage properties. **2013**, 1, 7666		62
1420	Electrospun silicon nanoparticle/porous carbon hybrid nanofibers for lithium-ion batteries. **2013**, 9, 2684-8		153

1419	Improved performances of nanosilicon electrodes using the salt LiFSI: a photoelectron spectroscopy study. **2013**, 135, 9829-42	233
1418	A photo-cross-linkable polymeric binder for silicon anodes in lithium ion batteries. **2013**, 3, 12625	43
1417	Functional porous carbon-based composite electrode materials for lithium secondary batteries. **2013**, 22, 214-225	40
1416	In search of high performance anode materials for Mg batteries: Computational studies of Mg in Ge, Si, and Sn. **2013**, 233, 341-345	85
1415	Porous graphene frame supported silicon@graphitic carbon via in situ solid-state synthesis for high-performance lithium-ion anodes. **2013**, 1, 7601	45
1414	Tailored design of multiple nanoarchitectures in metal-cyanide hybrid coordination polymers. **2013**, 135, 384-91	199
1413	Electronic origin for the phase transition from amorphous Li(x)Si to crystalline Li15Si4. **2013**, 7, 6303-9	117
1412	Recycling rice husks for high-capacity lithium battery anodes. **2013**, 110, 12229-34	233
1411	Electrochemical properties of yolk-shell-structured CuO-Fe(2)O(3) powders with various Cu/Fe molar ratios prepared by one-pot spray pyrolysis. **2013**, 6, 2299-303	18
1410	Directed Transport as a Route to Improved Performance in Micropore-Modified Encapsulated Multilayer Silicon Electrodes. **2013**, 160, A1746-A1752	1
1409	Influence of Silicon Nanoscale Building Blocks Size and Carbon Coating on the Performance of Micro-Sized Si□ Composite Li-Ion Anodes. **2013**, 3, 1507-1515	146
1408	Lithium silicide nanocrystals: synthesis, chemical stability, thermal stability, and carbon encapsulation. **2014**, 53, 11289-97	20
1407	Si-Based Anode Materials for Li-Ion Batteries: A Mini Review. **2014**, 6, 347-358	266
1406	Structured Carbon Nanotube/Silicon Nanoparticle Anode Architecture for High Performance Lithium-Ion Batteries. **2014**, 1643, 1	
1405	Colloidal nanocrystals of lithiated group 14 elements. **2014**, 53, 14527-32	9
1404	Ionic liquid electrodeposition of 3D germanium□acetylene black□Ni foam nanocomposite electrodes for lithium-ion batteries. **2014**, 4, 60371-60375	9
1403	Superior electrochemical performances of double-shelled CuO yolk□shell powders formed from spherical copper nitrate□polyvinylpyrrolidone composite powders. **2014**, 4, 58231-58237	6
1402	Improvement of desolvation and resilience of alginate binders for Si-based anodes in a lithium ion battery by calcium-mediated cross-linking. **2014**, 16, 25628-35	73

1401	High-Capacity Anode Materials for Lithium-Ion Batteries: Choice of Elements and Structures for Active Particles. **2014**, 31, 317-336	497
1400	Multilayered Si nanoparticle/reduced graphene oxide hybrid as a high-performance lithium-ion battery anode. **2014**, 26, 758-64	348
1399	Chapter 8:Nanowires for High-Performance Li-Ion Battery Electrodes. **2014**, 363-399	
1398	Self-assembled platinum nanoflowers on polydopamine-coated reduced graphene oxide for methanol oxidation and oxygen reduction reactions. **2014**, 9, 3221-7	15
1397	In situ transmission electron microscopy probing of native oxide and artificial layers on silicon nanoparticles for lithium ion batteries. **2014**, 8, 11816-23	90
1396	Nanostructured transition metal sulfides for lithium ion batteries: Progress and challenges. **2014**, 9, 604-630	450
1395	Facile synthesis of scalable pore-containing silicon/nitrogen-rich carbon composites from waste contact mass of organosilane industry as anode materials for lithium-ion batteries. **2014**, 2, 20213-20220	30
1394	A coordinatively cross-linked polymeric network as a functional binder for high-performance silicon submicro-particle anodes in lithium-ion batteries. **2014**, 2, 19036-19045	116
1393	Silicon-Based Nanomaterials for Lithium-Ion Batteries: A Review. **2014**, 4, 1300882	1012
1392	Encapsulated within graphene shell silicon nanoparticles anchored on vertically aligned graphene trees as lithium ion battery anodes. **2014**, 5, 105-115	99
1391	Graphene wrapped silicon nanocomposites for enhanced electrochemical performance in lithium ion batteries. **2014**, 130, 127-134	58
1390	Effects of graphene and carbon coating modifications on electrochemical performance of silicon nanoparticle/graphene composite anode. **2014**, 246, 335-345	45
1389	Designing Si/porous-C composite with buffering voids as high capacity anode for lithium-ion batteries. **2014**, 125, 206-217	61
1388	Synthesis for yolk-shell-structured metal sulfide powders with excellent electrochemical performances for lithium-ion batteries. **2014**, 10, 474-8	113
1387	Si/C hybrid nanostructures for Li-ion anodes: An overview. **2014**, 246, 167-177	194
1386	Facile synthesis of yolk-shell structured inorganic-organic hybrid spheres with ordered radial mesochannels. **2014**, 26, 3741-7	158
1385	Reduction mechanism of fluoroethylene carbonate for stable solid-electrolyte interphase film on silicon anode. **2014**, 7, 549-54	106
1384	Recent progress in electrode materials produced by spray pyrolysis for next-generation lithium ion batteries. **2014**, 25, 18-31	60

1383	A pomegranate-inspired nanoscale design for large-volume-change lithium battery anodes. **2014**, 9, 187-92		1804
1382	Interface chemistry engineering of protein-directed SnO2 nanocrystal-based anode for lithium-ion batteries with improved performance. **2014**, 10, 998-1007		31
1381	Nanomaterials for electrochemical energy storage. **2014**, 9, 323-350		77
1380	Large-scale fabrication, 3D tomography, and lithium-ion battery application of porous silicon. *Nano Letters*, **2014**, 14, 261-8	11.5	189
1379	Ni@Pd core–shell nanoparticles immobilized on yolk–shell Fe3O4@polyaniline composites as a highly efficient, magnetically separable and atom-economical catalyst for reduction of nitrobenzenes. **2014**, 28, 389-395		18
1378	Template-free synthesis of homogeneous yolk–shell TiO2 hierarchical microspheres for high performance lithium ion batteries. **2014**, 262, 72-78		46
1377	Controllable synthesis of hollow Si anode for long-cycle-life lithium-ion batteries. **2014**, 26, 4326-32		176
1376	Facile synthesis of yolk-shell structured Si-C nanocomposites as anodes for lithium-ion batteries. **2014**, 50, 5878-80		111
1375	Defect-induced plating of lithium metal within porous graphene networks. **2014**, 5, 3710		329
1374	Three-Dimensional Structural Engineering for Energy-Storage Devices: From Microscope to Macroscope. **2014**, 1, 975-1002		45
1373	A High-Energy Li-Ion Battery Using a Silicon-Based Anode and a Nano-Structured Layered Composite Cathode. **2014**, 24, 3036-3042		116
1372	Kilogram-scale production of SnO(2) yolk-shell powders by a spray-drying process using dextrin as carbon source and drying additive. **2014**, 20, 5835-9		34
1371	The effects of different core-shell structures on the electrochemical performances of Si-Ge nanorod arrays as anodes for micro-lithium ion batteries. **2014**, 6, 5884-90		46
1370	Controlled synthesis of yolk–mesoporous shell Si@SiO2 nanohybrid designed for high performance Li ion battery. **2014**, 4, 20814-20820		27
1369	Anodes for sodium ion batteries based on tin-germanium-antimony alloys. **2014**, 8, 4415-29		273
1368	Electrodes engineering of high power, long life and excellent cycling stability for rechargeable lithium batteries. **2014**, 3, 16-25		16
1367	Facile synthesis of Si nanoparticles using magnesium silicide reduction and its carbon composite as a high-performance anode for Li ion batteries. **2014**, 252, 144-149		40
1366	Lithium ion battery peformance of silicon nanowires with carbon skin. **2014**, 8, 915-22		165

1365	Hyperbranched ‡cyclodextrin polymer as an effective multidimensional binder for silicon anodes in lithium rechargeable batteries. *Nano Letters*, **2014**, 14, 864-70	11.5	230
1364	Revealing lithium-silicide phase transformations in nano-structured silicon-based lithium ion batteries via in situ NMR spectroscopy. **2014**, 5, 3217		271
1363	3D amorphous silicon on nanopillar copper electrodes as anodes for high-rate lithium-ion batteries. **2014**, 8, 1907-12		80
1362	A silicon nanowire-reduced graphene oxide composite as a high-performance lithium ion battery anode material. **2014**, 6, 3353-60		60
1361	Facile synthesis of Si/TiO2 (anatase) core‡shell nanostructured anodes for rechargeable Li-ion batteries. **2014**, 712, 202-206		29
1360	Hierarchical 3D mesoporous silicon@graphene nanoarchitectures for lithium ion batteries with superior performance. **2014**, 7, 85-94		142
1359	Evaluating the performance of nanostructured materials as lithium-ion battery electrodes. **2014**, 7, 1-62		261
1358	Integration of Sn/C yolk‡shell nanostructures into free-standing conductive networks as hierarchical composite 3D electrodes and the Li-ion insertion/extraction properties in a gel-type lithium-ion battery thereof. **2014**, 2, 19122-19130		46
1357	Carbon-Confined PVA-Derived Silicon/Silica/Carbon Nanofiber Composites as Anode for Lithium-Ion Batteries. **2014**, 161, A2197-A2203		35
1356	One-pot synthesis of Pd-loaded SnO(2) yolk-shell nanostructures for ultraselective methyl benzene sensors. **2014**, 20, 2737-41		81
1355	Alloy negative electrodes for Li-ion batteries. **2014**, 114, 11444-502		1329
1354	Tailoring the Void Size of Iron Oxide@Carbon Yolk‡Shell Structure for Optimized Lithium Storage. **2014**, 24, 4337-4342		197
1353	Electrolytes and interphases in Li-ion batteries and beyond. **2014**, 114, 11503-618		2847
1352	Nanocavity-engineered Si/multi-functional carbon nanofiber composite anodes with exceptional high-rate capacities. **2014**, 2, 17944-17951		37
1351	Design of yolk‡shell Fe3O4@PMAA composite microspheres for adsorption of metal ions and pH-controlled drug delivery. **2014**, 2, 7065-7074		65
1350	Towards Si@SiO2 core‡shell, yolk‡shell, and SiO2 hollow structures from Si nanoparticles through a self-templated etching‡deposition process. **2014**, 4, 29435-29438		7
1349	Controlling Na diffusion by rational design of Si-based layered architectures. **2014**, 16, 4260-7		62
1348	Metal organic frameworks-derived Co3O4 hollow dodecahedrons with controllable interiors as outstanding anodes for Li storage. **2014**, 2, 12194-12200		304

1347	A novel approach to prepare Si/C nanocomposites with yolk–shell structures for lithium ion batteries. **2014**, 4, 36218-36225	31
1346	Hollow core-shell structured Si/C nanocomposites as high-performance anode materials for lithium-ion batteries. **2014**, 6, 3138-42	112
1345	Graphene wrapping as a protective clamping layer anchored to carbon nanofibers encapsulating Si nanoparticles for a Li-ion battery anode. **2014**, 6, 12718-26	44
1344	Yolk–shell Fe3O4@ZrO2 prepared by a tunable polymer surfactant assisted sol–gel method for high temperature stable microwave absorption. **2014**, 2, 7275-7283	109
1343	A multiple coating route to hollow carbon spheres with foam-like shells and their applications in supercapacitor and confined catalysis. **2014**, 2, 6191	138
1342	In situ coating of nitrogen-doped graphene-like nanosheets on silicon as a stable anode for high-performance lithium-ion batteries. **2014**, 2, 11254-11260	52
1341	Multi-shelled hollow carbon nanospheres for lithium–sulfur batteries with superior performances. **2014**, 2, 16199-16207	104
1340	In situ nanotomography and operando transmission X-ray microscopy of micron-sized Ge particles. **2014**, 7, 2771-2777	110
1339	High capacity silicon nitride-based composite anodes for lithium ion batteries. **2014**, 2, 14577-14584	34
1338	A three-dimensional multilayered SiO–graphene nanostructure as a superior anode material for lithium-ion batteries. **2014**, 4, 36502-36506	2
1337	Flexible and stable lithium ion batteries based on three-dimensional aligned carbon nanotube/silicon hybrid electrodes. **2014**, 2, 9306	61
1336	Controllable synthesis of SnO2@C yolk-shell nanospheres as a high-performance anode material for lithium ion batteries. **2014**, 6, 3217-22	149
1335	Mesoporous carbon/silicon composite anodes with enhanced performance for lithium-ion batteries. **2014**, 2, 9751-9757	68
1334	Single-step plasma synthesis of carbon-coated silicon nanoparticles. **2014**, 6, 19026-34	25
1333	Scalable synthesis of porous silicon/carbon microspheres as improved anode materials for Li-ion batteries. **2014**, 4, 43114-43120	27
1332	Si nanotubes ALD coated with TiO2, TiN or Al2O3 as high performance lithium ion battery anodes. **2014**, 2, 2504-2516	116
1331	Effect of microstructure and Sn/C ratio in SnO2–graphene nanocomposites for lithium-ion battery performance. **2014**, 4, 20540-20547	22
1330	Yolk–shell ZnWO4 microspheres: one-pot synthesis, characterization and photocatalytic properties. **2014**, 16, 11035-11041	19

1329	Lithium species in electrochemically lithiated and delithiated silicon oxycarbides. **2014**, 6, 12827-36		33
1328	Subeutectic growth of single-crystal silicon nanowires grown on and wrapped with graphene nanosheets: high-performance anode material for lithium-ion battery. **2014**, 6, 13757-64		38
1327	A multilayer Si/CNT coaxial nanofiber LIB anode with a high areal capacity. **2014**, 7, 655-661		151
1326	Using simple spray pyrolysis to prepare yolk-shell-structured ZnO-Mn3O4 systems with the optimum composition for superior electrochemical properties. **2014**, 20, 3014-8		48
1325	Assembly of a nanoreactor system with confined magnetite core and shell for enhanced Fenton-like catalysis. **2014**, 20, 6474-81		66
1324	Facile synthesis of heterogeneous Ni-Si@C nanocomposites as high-performance anodes for Li-ion batteries. **2014**, 146, 60-67		12
1323	Nanowire electrodes for electrochemical energy storage devices. **2014**, 114, 11828-62		552
1322	Porous inorganic nanostructures with colloidal dimensions: synthesis and applications in electrochemical energy devices. **2014**, 50, 2077-88		22
1321	Nudged-Elastic Band Study of Lithium Diffusion in Bulk Silicon in the Presence of Strain. **2014**, 54, 310-319		4
1320	Rational design of void-involved Si@TiO2 nanospheres as high-performance anode material for lithium-ion batteries. **2014**, 6, 6497-503		100
1319	Designed synthesis of SnO2@C yolk□hell spheres for high-performance lithium storage. **2014**, 16, 517-521		41
1318	Bulk-nanoporous-silicon negative electrode with extremely high cyclability for lithium-ion batteries prepared using a top-down process. *Nano Letters*, **2014**, 14, 4505-10	11.5	174
1317	Intercalated SiO2&Si/Carbon Composite for High Capacity Li Ion Battery Anodes. **2014**, 141, 226-233		12
1316	Self-adaptive strain-relaxation optimization for high-energy lithium storage material through crumpling of graphene. **2014**, 5, 4565		128
1315	An ideal polymeric C60 coating on a Si electrode for durable Li-ion batteries. **2014**, 77, 1140-1147		15
1314	Elastic a-silicon nanoparticle backboned graphene hybrid as a self-compacting anode for high-rate lithium ion batteries. **2014**, 8, 8591-9		157
1313	Dry-air-stable lithium silicide-lithium oxide core-shell nanoparticles as high-capacity prelithiation reagents. **2014**, 5, 5088		203
1312	Rational design of carbon network cross-linked Si-SiC hollow nanosphere as anode of lithium-ion batteries. **2014**, 6, 342-51		70

1311	Interpenetrated Gel Polymer Binder for High-Performance Silicon Anodes in Lithium-ion Batteries. **2014**, 24, 5904-5910		354
1310	An SbOx/Reduced Graphene Oxide Composite as a High-Rate Anode Material for Sodium-Ion Batteries. **2014**, 118, 23527-23534		93
1309	In situ atomic force microscopy study of initial solid electrolyte interphase formation on silicon electrodes for Li-ion batteries. **2014**, 6, 6672-86		100
1308	Highly reversible and large lithium storage in mesoporous si/c nanocomposite anodes with silicon nanoparticles embedded in a carbon framework. **2014**, 26, 6749-55		234
1307	Electrochemical and Corrosion Stability of Nanostructured Silicon by Graphene Coatings: Toward High Power Porous Silicon Supercapacitors. **2014**, 118, 10893-10902		66
1306	Novel pyrolyzed polyaniline-grafted silicon nanoparticles encapsulated in graphene sheets as Li-ion battery anodes. **2014**, 6, 5996-6002		100
1305	Artificial solid electrolyte interphase to address the electrochemical degradation of silicon electrodes. **2014**, 6, 10083-8		115
1304	From ab initio calculations to multiscale design of Si/C core-shell particles for Li-ion anodes. *Nano Letters*, **2014**, 14, 2140-9	11.5	27
1303	Magnetic MSP@ZrO microspheres with yolk-shell structure: designed synthesis and application in highly selective enrichment of phosphopeptides. **2014**, 30, 6602-11		41
1302	Facile fabrication of yolk shell structured porous SiC microspheres as effective anode materials for Li-ion batteries. **2014**, 4, 71-75		76
1301	Hierarchical MoSe yolk-shell microspheres with superior Na-ion storage properties. **2014**, 6, 10511-5		208
1300	Silicon-containing anodes with high capacity loading for lithium-ion batteries. **2014**, 50, 537-547		5
1299	Preparation and improved electrochemical performance of SiCN graphene composite derived from poly(silylcarbondiimide) as Li-ion battery anode. **2014**, 2, 4168		30
1298	Enhanced electrochemical performance of MnO nanowire/graphene composite during cycling as the anode material for lithium-ion batteries. **2014**, 10, 172-180		162
1297	Simple synthesis of mesoporous carbon nanofibers with hierarchical nanostructure for ultrahigh lithium storage. **2014**, 6, 2561-7		67
1296	Vapour solid reaction growth of SnO2 nanorods as an anode material for Li ion batteries. **2014**, 4, 26115-26121		4
1295	Mathematical model for silicon electrode Part II. Simulations on different electrode nanostructures. **2014**, 262, 524-533		4
1294	Si7Ti4Ni4 as a buffer material for Si and its electrochemical study for lithium ion batteries. **2014**, 246, 729-735		25

1293	A comparative computational study of the diffusion of Na and Li atoms in Sn(111) nanosheets. **2014**, 268, 273-276		5
1292	Exfoliated graphite as a flexible and conductive support for Si-based Li-ion battery anodes. **2014**, 72, 38-46		63
1291	Three-dimensional nanoelectrode by metal nanowire nonwoven clothes. *Nano Letters*, **2014**, 14, 1932-7	11.5	43
1290	Evaluating Si-Based Materials for Li-Ion Batteries in Commercially Relevant Negative Electrodes. **2014**, 161, A783-A791		134
1289	Extremely High Yield Conversion from Low-Cost Sand to High-Capacity Si Electrodes for Li-Ion Batteries. **2014**, 4, 1400622		66
1288	Polydopamine and its derivative materials: synthesis and promising applications in energy, environmental, and biomedical fields. **2014**, 114, 5057-115		3034
1287	Improving the Cycling Stability of Metal Nitride Supercapacitor Electrodes with a Thin Carbon Shell. **2014**, 4, 1300994		188
1286	Block Copolymer Directed Ordered Mesostructured TiNb2O7 Multimetallic Oxide Constructed of Nanocrystals as High Power Li-Ion Battery Anodes. **2014**, 26, 3508-3514		137
1285	Structuring materials for lithium-ion batteries: advancements in nanomaterial structure, composition, and defined assembly on cell performance. **2014**, 2, 9433		118
1284	Chamber-confined silicon-carbon nanofiber composites for prolonged cycling life of Li-ion batteries. **2014**, 6, 7489-95		52
1283	High-performance self-organized Si nanocomposite anode for lithium-ion batteries. **2014**, 23, 291-300		9
1282	Dual conductive network-enabled graphene/Si composite anode with high areal capacity for lithium-ion batteries. **2014**, 6, 211-218		137
1281	Nanowire Electrodes for Advanced Lithium Batteries. **2014**, 2,		16
1280	Colloidal Nanocrystals of Lithiated Group 14 Elements. **2014**, 126, 14755-14760		
1279	Three-Dimensional Interconnected Network of Graphene-Wrapped Silicon/Carbon Nanofiber Hybrids for Binder-Free Anodes in Lithium-Ion Batteries. **2015**, 2, 1699-1706		39
1278	The roles of lithium-philic giant nitrogen-doped graphene in protecting micron-sized silicon anode from fading. **2015**, 5, 15665		38
1277	Enhanced Li capacity in functionalized graphene: A first principle study with van der Waals correction. **2015**, 118, 125101		8
1276	A self-standing and flexible electrode of yolk-shell CoS2 spheres encapsulated with nitrogen-doped graphene for high-performance lithium-ion batteries. **2015**, 21, 4359-67		115

1275	Effects of Synthesis Parameters on Silicon Nanopowders Produced by CO2 Laser-Driven Pyrolysis of Silane. **2015**, 21, 133-139		1
1274	Enhanced Secondary Battery Anodes Based on Si and Fe3O4 Nanoparticle Infilled Monodisperse Carbon Starburst Colloidal Crystals. **2015**, 32, 928-933		2
1273	Non-Invasive In Situ Dynamic Monitoring of Elastic Properties of Composite Battery Electrodes by EQCM-D. **2015**, 127, 12530-12533		5
1272	Non-invasive in situ dynamic monitoring of elastic properties of composite battery electrodes by EQCM-D. **2015**, 54, 12353-6		28
1271	Copper (I) ion stabilized on fe3o4-core ethylated branched polyethyleneimine-shell as magnetically recyclable catalyst for ATRP reaction. **2015**, 132, n/a-n/a		3
1270	Computational Evaluation of Amorphous Carbon Coating for Durable Silicon Anodes for Lithium-Ion Batteries. **2015**, 5, 1654-1666		3
1269	Nanoscience Supporting the Research on the Negative Electrodes of Li-Ion Batteries. **2015**, 5, 2279-2301		16
1268	Dual yolk-shell structure of carbon and silica-coated silicon for high-performance lithium-ion batteries. **2015**, 5, 10908		141
1267	A Si-MnOOH composite with superior lithium storage properties. **2015**, 51, 6164-7		10
1266	A general and simple method to synthesize well-crystallized nanostructured vanadium oxides for high performance Li-ion batteries. **2015**, 3, 9385-9389		39
1265	Understanding the Effect of Different Polymeric Surfactants on Enhancing the Silicon/Reduced Graphene Oxide Anode Performance. **2015**, 119, 5848-5854		66
1264	High-performance Si-based 3D Cu nanostructured electrode assembly for rechargeable lithium batteries. **2015**, 3, 11912-11919		31
1263	N-doped carbon@Ni□Al2O3 nanosheet array@graphene oxide composite as an electrocatalyst for hydrogen evolution reaction in alkaline medium. **2015**, 293, 178-186		43
1262	Germanium Silicon Alloy Anode Material Capable of Tunable Overpotential by Nanoscale Si Segregation. *Nano Letters*, **2015**, 15, 4135-42	11.5	52
1261	Mesoscale origin of the enhanced cycling-stability of the Si-conductive polymer anode for Li-ion batteries. **2014**, 4, 3684		40
1260	Advances on the use of diazonium chemistry for functionalization of materials used in energy storage systems. **2015**, 92, 362-381		108
1259	□Concrete□Inspired construction of a silicon/carbon hybrid electrode for high performance lithium ion battery. **2015**, 93, 59-67		71
1258	Scanning electrochemical microscopy of Li-ion batteries. **2015**, 17, 28441-50		65

1257	Enabling a high capacity and long cycle life for nano-Si anodes by building a stable solid interface with a Li+-conducting polymer. **2015**, 3, 9938-9944	18
1256	Preparation and lithium storage performance of yolk-shell Si@void@C nanocomposites. **2015**, 17, 17562-5	48
1255	A Silicon/Double-Shelled Carbon Yolk-Like Nanostructure as High-Performance Anode Materials for Lithium-Ion Battery. **2015**, 162, A1530-A1536	38
1254	Enhanced Li+ storage properties of few-layered MoS2-C composite microspheres embedded with Si nanopowder. **2015**, 8, 2492-2502	21
1253	Mechanochemical approaches to employ silicon as a lithium-ion battery anode. **2015**, 5, 057142	7
1252	Stress-diffusion coupled multiscale analysis of Si anode for Li-ion battery **2015**, 29, 4807-4816	9
1251	Hollow carbon nanospheres/silicon/alumina core-shell film as an anode for lithium-ion batteries. **2015**, 5, 7659	74
1250	High-Areal-Capacity Silicon Electrodes with Low-Cost Silicon Particles Based on Spatial Control of Self-Healing Binder. **2015**, 5, 1401826	166
1249	General formation of tin nanoparticles encapsulated in hollow carbon spheres for enhanced lithium storage capability. **2015**, 11, 2157-63	46
1248	Towards Excellent Anodes for Li-Ion Batteries with High Capacity and Super Long Lifespan: Confining Ultrasmall Sn Particles into N-Rich Graphene-Based Nanosheets. **2015**, 32, 104-111	25
1247	Synthesis of TiOx Nanotubular Arrays with Oxygen Defects as High-Performance Anodes for Lithium-Ion Batteries. **2015**, 2, 421-426	19
1246	Emerging In Situ and Operando Nanoscale X-Ray Imaging Techniques for Energy Storage Materials. **2015**, 25, 1622-1637	77
1245	Electrospun titania-based fibers for high areal capacity Li-ion battery anodes. **2015**, 282, 187-193	45
1244	Spray pyrolysis of yolk shell particles and their use for anodes in lithium-ion batteries. **2015**, 53, 1-5	11
1243	Critical roles of binders and formulation at multiscales of silicon-based composite electrodes. **2015**, 280, 533-549	167
1242	Dual-Porosity SiO2/C Nanocomposite with Enhanced Lithium Storage Performance. **2015**, 119, 3495-3501	87
1241	Regulated Breathing Effect of Silicon Negative Electrode for Dramatically Enhanced Performance of Li-Ion Battery. **2015**, 25, 1426-1433	132
1240	Smart construction of three-dimensional hierarchical tubular transition metal oxide core/shell heterostructures with high-capacity and long-cycle-life lithium storage. **2015**, 12, 437-446	200

1239	Electrospun core–shell silicon/carbon fibers with an internal honeycomb-like conductive carbon framework as an anode for lithium ion batteries. **2015**, 3, 7112-7120	78
1238	Sandwich nanoarchitecture of Si/reduced graphene oxide bilayer nanomembranes for Li-ion batteries with long cycle life. **2015**, 9, 1198-205	121
1237	Improving the Electrochemical Performance of Si Nanoparticle Anode Material by Synergistic Strategies of Polydopamine and Graphene Oxide Coatings. **2015**, 119, 1720-1728	59
1236	Nano-to-Microdesign of Marimo-Like Carbon Nanotubes Supported Frameworks via In-spaced Polymerization for High Performance Silicon Lithium Ion Battery Anodes. **2015**, 11, 2314-22	28
1235	Fabricating high performance lithium-ion batteries using bionanotechnology. **2015**, 7, 3356-72	37
1234	A Peanut Shell Inspired Scalable Synthesis of Three-Dimensional Carbon Coated Porous Silicon Particles as an Anode for Lithium-Ion Batteries. **2015**, 156, 11-19	48
1233	Nano-/Microstructured Si/C Composite with High Tap Density as an Anode Material for Lithium-Ion Batteries. **2015**, 2, 611-616	37
1232	Facile synthesis and lithium storage properties of a porous NiSi2/Si/carbon composite anode material for lithium-ion batteries. **2015**, 7, 1508-15	63
1231	A strategy for suitable mass production of a hollow Si@C nanostructured anode for lithium ion batteries. **2015**, 5, 6782-6789	28
1230	Designed synthesis of cobalt-oxide-based nanomaterials for superior electrochemical energy storage devices. **2015**, 8, 321-339	58
1229	Nonfilling carbon coating of porous silicon micrometer-sized particles for high-performance lithium battery anodes. **2015**, 9, 2540-7	372
1228	Preparation of catalytic films of the Au nanoparticle-carbon composite tubular arrays. **2015**, 51, 6333-6	7
1227	Towards Si@SiO2 Core-shell, Yolk-shell, and SiO2 Hollow Structures from Si Nanoparticles through a Self-templated Etching-deposition Process. **2015**, 102, 1903-1907	1
1226	High-coulombic-efficiency Si-based hybrid microspheres synthesized by the combination of graphene and IL-derived carbon. **2015**, 3, 20935-20943	20
1225	Scalable synthesis of highly dispersed silicon nanospheres by RF thermal plasma and their use as anode materials for high-performance Li-ion batteries. **2015**, 3, 18136-18145	22
1224	Multiscale anode materials in lithium ion batteries by combining micro- with nanoparticles: design of mesoporous TiO2 microfibers@nitrogen doped carbon composites. **2015**, 7, 13898-906	15
1223	A plum-pudding like mesoporous SiO2/flake graphite nanocomposite with superior rate performance for LIB anode materials. **2015**, 17, 22893-9	17
1222	Si nanoparticles adhering to a nitrogen-rich porous carbon framework and its application as a lithium-ion battery anode material. **2015**, 3, 18190-18197	48

1221	Novel hollow SnO2 nanosphere@TiO2 yolk–shell hierarchical nanospheres as anode material for high-performance lithium-ion batteries. **2015**, 157, 228-230		28
1220	High-rate aluminium yolk-shell nanoparticle anode for Li-ion battery with long cycle life and ultrahigh capacity. **2015**, 6, 7872		164
1219	Stress-modulated driving force for lithiation reaction in hollow nano-anodes. **2015**, 275, 866-876		42
1218	Crumpled graphene: preparation and applications. **2015**, 5, 66767-66796		52
1217	A Thermally Conductive Separator for Stable Li Metal Anodes. *Nano Letters*, **2015**, 15, 6149-54	11.5	262
1216	3D Si/C particulate nanocomposites internally wired with graphene networks for high energy and stable batteries. **2015**, 3, 18684-18695		36
1215	Charge transfer and storage in nanostructures. **2015**, 96, 1-69		62
1214	Carbon-Confined SnO2-Electrodeposited Porous Carbon Nanofiber Composite as High-Capacity Sodium-Ion Battery Anode Material. **2015**, 7, 18387-96		117
1213	Uniformly dispersed silicon nanoparticle/carbon nanosphere composites as highly stable lithium-ion battery electrodes. **2015**, 5, 17424-17428		12
1212	Kinetics and fracture resistance of lithiated silicon nanostructure pairs controlled by their mechanical interaction. **2015**, 6, 7533		91
1211	Robust polymeric coating enables the stable operation of silicon micro-plate anodes recovered from photovoltaic industry waste for high-performance Li-ion batteries. **2015**, 3, 15432-15443		31
1210	Improving the Anode Performance of WS2 through a Self-Assembled Double Carbon Coating. **2015**, 119, 15874-15881		80
1209	Vesicular hydrogen silsesquioxane-mediated synthesis of nanocrystalline silicon dispersed in a mesoporous silica/suboxide matrix, with potential for electrochemical applications. **2015**, 39, 621-630		5
1208	Multiphase and Double-Layer NiFe2O4@NiO-Hollow-Nanosphere-Decorated Reduced Graphene Oxide Composite Powders Prepared by Spray Pyrolysis Applying Nanoscale Kirkendall Diffusion. **2015**, 7, 16842-9		50
1207	Facile synthesis of Ag nanowires/mesoporous TiO2 core–shell nanocables with improved properties for lithium storage. **2015**, 39, 7889-7894		4
1206	Heading towards novel superior silicon-based lithium-ion batteries: ultrasmall nanoclusters top-down dispersed over synthetic graphite flakes as binary hybrid anodes. **2015**, 3, 16998-17007		10
1205	Structure and Reactivity of Alucone-Coated Films on Si and Li(x)Si(y) Surfaces. **2015**, 7, 11948-55		33
1204	A high tap density secondary silicon particle anode fabricated by scalable mechanical pressing for lithium-ion batteries. **2015**, 8, 2371-2376		339

1203	Flexible fluorine containing ionic binders to mitigate the negative impact caused by the drastic volume fluctuation from silicon nano-particles in high capacity anodes of lithium-ion batteries. **2015**, 3, 10928-10934		24
1202	Pyrite (FeS2) nanocrystals as inexpensive high-performance lithium-ion cathode and sodium-ion anode materials. **2015**, 7, 9158-63		151
1201	Facile deposition of gold nanoparticles on core–shell Fe3O4@polydopamine as recyclable nanocatalyst. **2015**, 45, 9-14		47
1200	Hydrogenated TiO2 Branches Coated Mn3O4 Nanorods as an Advanced Anode Material for Lithium Ion Batteries. **2015**, 7, 10348-55		77
1199	In situ growth of three-dimensional graphene coatings on arbitrary-shaped micro/nano materials and its mechanism studies. **2015**, 92, 84-95		15
1198	A low-cost and advanced SiOx-C composite with hierarchical structure as an anode material for lithium-ion batteries. **2015**, 17, 13451-6		70
1197	Semiconductor nanowire battery electrodes. **2015**, 441-469		1
1196	A reaction-controlled diffusion model for the lithiation of silicon in lithium-ion batteries. **2015**, 4, 61-75		21
1195	Reduction chemical reaction synthesized scalable 3D porous silicon/carbon hybrid architectures as anode materials for lithium ion batteries with enhanced electrochemical performance. **2015**, 5, 35598-35607		25
1194	Elucidating Relationships between Structural Properties of Nanoporous Carbonaceous Shells and Electrochemical Performances of Anodes for Lithium-Ion Batteries. **2015**, 119, 10255-10265		14
1193	Lithiation of silicon nanoparticles confined in carbon nanotubes. **2015**, 9, 5063-71		91
1192	Asynchronous Crystal Cell Expansion during Lithiation of K(+)-Stabilized MnO2. *Nano Letters*, **2015**, 15, 2998-3007	11.5	137
1191	Mesoporous silicon/carbon hybrids with ordered pore channel retention and tunable carbon incorporated content as high performance anode materials for lithium-ion batteries. **2015**, 85, 159-166		31
1190	Silicon-nanoparticles isolated by in situ grown polycrystalline graphene hollow spheres for enhanced lithium-ion storage. **2015**, 3, 7810-7821		37
1189	Chemical vapor deposition and atomic layer deposition for advanced lithium ion batteries and supercapacitors. **2015**, 8, 1889-1904		185
1188	Stabilization of silicon nanoparticles in graphene aerogel framework for lithium ion storage. **2015**, 5, 30624-30630		30
1187	Thick solid electrolyte interphases grown on silicon nanocone anodes during slow cycling and their negative effects on the performance of Li-ion batteries. **2015**, 7, 7651-8		36
1186	Integrated SnO2 nanorod array with polypyrrole coverage for high-rate and long-life lithium batteries. **2015**, 17, 7619-23		70

1185	Interfacial stabilizing effect of ZnO on Si anodes for lithium ion battery. **2015**, 13, 620-625	76
1184	Coaxial Zn2GeO4@carbon nanowires directly grown on Cu foils as high-performance anodes for lithium ion batteries. **2015**, 17, 5109-14	35
1183	Stabilized titanium nitride nanowire supported silicon core–shell nanorods as high capacity lithium-ion anodes. **2015**, 3, 12476-12481	16
1182	Aerosol-assisted extraction of silicon nanoparticles from wafer slicing waste for lithium ion batteries. **2015**, 5, 9431	43
1181	A Sulfur Cathode with Pomegranate-Like Cluster Structure. **2015**, 5, 1500211	108
1180	Interconnected TiOx/carbon hybrid framework incorporated silicon for stable lithium ion battery anodes. **2015**, 3, 12709-12717	23
1179	Si nanoparticles encapsulated in elastic hollow carbon fibres for Li-ion battery anodes with high structural stability. **2015**, 7, 7409-14	46
1178	A multilayered silicon-reduced graphene oxide electrode for high performance lithium-ion batteries. **2015**, 7, 7855-62	68
1177	Advanced Multiphase Silicon-Based Anodes for High-Energy-Density Li-Ion Batteries. **2015**, 162, A1072-A1079	17
1176	Binder-free Si nanoparticle electrode with 3D porous structure prepared by electrophoretic deposition for lithium-ion batteries. **2015**, 7, 7497-504	52
1175	Interfacial redox reaction-directed synthesis of silver@cerium oxide core–shell nanocomposites as catalysts for rechargeable lithium–air batteries. **2015**, 286, 136-144	29
1174	Nanocarbon Hybrids with Silicon, Sulfur, or Paper/Textile for High-Energy Lithium Ion Batteries. **2015**, 35-57	
1173	Precursor-Controlled Synthesis of Nanocarbons for Lithium Ion Batteries. **2015**, 59-85	
1172	Hollow Structured Silicon Anodes with Stabilized Solid Electrolyte Interphase Film for Lithium-Ion Batteries. **2015**, 7, 23501-6	38
1171	Synthesis of curved Si flakes using Mg powder as both the template and reductant and their derivatives for lithium-ion batteries. **2015**, 5, 67315-67322	5
1170	Self-improving anodes for lithium-ion batteries: continuous interlamellar spacing expansion induced capacity increase in polydopamine-derived nitrogen-doped carbon tubes during cycling. **2015**, 3, 20880-20885	34
1169	Nanoscale silicon as anode for Li-ion batteries: The fundamentals, promises, and challenges. **2015**, 17, 366-383	177
1168	Yolk-shell silicon-mesoporous carbon anode with compact solid electrolyte interphase film for superior lithium-ion batteries. **2015**, 18, 133-142	197

1167	Si Nanoparticles Intercalated into Interlayers of Slightly Exfoliated Graphite filled by Carbon as Anode with High Volumetric Capacity for Lithium-ion Battery. **2015**, 184, 364-370		20
1166	Yolk/shell nanoparticles: classifications, synthesis, properties, and applications. **2015**, 7, 19789-873		214
1165	Si nanoparticles-nested inverse opal carbon supports for highly stable lithium-ion battery anodes. **2015**, 3, 23684-23689		26
1164	Simultaneous Purification and Perforation of Low-Grade Si Sources for Lithium-Ion Battery Anode. *Nano Letters*, **2015**, 15, 7742-7	11.5	55
1163	Challenges in Accommodating Volume Change of Si Anodes for Li-Ion Batteries. **2015**, 2, 1645-1651		144
1162	Self-assembled asymmetric membrane containing micron-size germanium for high capacity lithium ion batteries. **2015**, 5, 92878-92884		12
1161	Electrochemical Charge Transfer Reaction Kinetics at the Silicon-Liquid Electrolyte Interface. **2015**, 162, A7129-A7134		32
1160	Scalable Production of Si Nanoparticles Directly from Low Grade Sources for Lithium-Ion Battery Anode. *Nano Letters*, **2015**, 15, 5750-4	11.5	98
1159	The Effect of Fluoroethylene Carbonate as an Additive on the Solid Electrolyte Interphase on Silicon Lithium-Ion Electrodes. **2015**, 27, 5531-5542		271
1158	Structural design for anodes of lithium-ion batteries: emerging horizons from materials to electrodes. **2015**, 2, 553-566		100
1157	Heterogeneous Nanostructures for Sodium Ion Batteries and Supercapacitors. **2015**, 1, 458-476		25
1156	Facile synthesis of low cost anatase titania nanotubes and its electrochemical performance. **2015**, 182, 629-638		9
1155	Review□Nano-Silicon/Carbon Composite Anode Materials Towards Practical Application for Next Generation Li-Ion Batteries. **2015**, 162, A2509-A2528		229
1154	A global view of the phase transitions of SnO2 in rechargeable batteries based on results of high throughput calculations. **2015**, 3, 19483-19489		17
1153	Hollow core□shell-structured Si□C composites as high-performance anodes for lithium-ion batteries. **2015**, 161, 89-92		11
1152	A Novel High-Power Battery-Pseudocapacitor Hybrid Based on Fast Lithium Reactions in Silicon Anode and Titanium Dioxide Cathode Coated on Vertically Aligned Carbon Nanofibers. **2015**, 178, 797-805		15
1151	TiO 2 /carbon hollow spheres as anode materials for advanced sodium ion batteries. **2015**, 178, 871-876		65
1150	Direct amination of Si nanoparticles for the preparation of Si@ultrathin SiOx@graphene nanosheets as high performance lithium-ion battery anodes. **2015**, 3, 19892-19900		66

1149	Highly stable GeOx@C core‐shell fibrous anodes for improved capacity in lithium-ion batteries. **2015**, 3, 19907-19912		31
1148	SEI-component formation on sub 5 nm sized silicon nanoparticles in Li-ion batteries: the role of electrode preparation, FEC addition and binders. **2015**, 17, 24956-67		105
1147	Uniform yolk‐shell Sn4P3@C nanospheres as high-capacity and cycle-stable anode materials for sodium-ion batteries. **2015**, 8, 3531-3538		350
1146	Naturally derived nanostructured materials from biomass for rechargeable lithium/sodium batteries. **2015**, 17, 91-103		118
1145	Investigation into diffusion induced plastic deformation behavior in hollow lithium ion battery electrode revealed by analytical model and atomistic simulation. **2015**, 178, 597-607		20
1144	Synchronously synthesized Si@C composites through solvothermal oxidation of Mg2Si as lithium ion battery anode. **2015**, 5, 71355-71359		6
1143	High-Performance Silicon Battery Anodes Enabled by Engineering Graphene Assemblies. *Nano Letters*, **2015**, 15, 6222-8	11.5	147
1142	Pyrolytic carbon-coated silicon/carbon nanofiber composite anodes for high-performance lithium-ion batteries. **2015**, 298, 130-137		61
1141	Effective Infiltration of Gel Polymer Electrolyte into Silicon-Coated Vertically Aligned Carbon Nanofibers as Anodes for Solid-State Lithium-Ion Batteries. **2015**, 7, 20909-18		27
1140	Hybrid Cellular Nanosheets for High-Performance Lithium-Ion Battery Anodes. **2015**, 137, 11954-61		100
1139	Amorphous cobalt silicate nanobelts@carbon composites as a stable anode material for lithium ion batteries. **2015**, 6, 6908-6915		52
1138	Guar gum: Structural and electrochemical characterization of natural polymer based binder for silicon‐carbon composite rechargeable Li-ion battery anodes. **2015**, 298, 331-340		65
1137	Facile synthesis of Ge/C nanocomposite as superior battery anode material. **2015**, 168, 6-9		11
1136	Multi-dimensional construction of a novel active yolk@conductive shell nanofiber web as a self-standing anode for high-performance lithium-ion batteries. **2015**, 7, 19930-4		12
1135	Synergistically engineered self-standing silicon/carbon composite arrays as high performance lithium battery anodes. **2015**, 3, 494-498		22
1134	A revolution in electrodes: recent progress in rechargeable lithium-sulfur batteries. **2015**, 11, 1488-511		261
1133	Tailoring Hollow Silicon‐Carbon Nanocomposites As High-Performance Anodes in Secondary Lithium-Based Batteries through Economical Chemistry. **2015**, 27, 37-43		39
1132	Facile synthesis of MnO multi-core@nitrogen-doped carbon shell nanoparticles for high performance lithium-ion battery anodes. **2015**, 84, 419-425		84

1131	Multilayered silicon embedded porous carbon/graphene hybrid film as a high performance anode. **2015**, 84, 434-443		124
1130	Micro-sized nano-porous Si/C anodes for lithium ion batteries. **2015**, 11, 490-499		201
1129	Facile Fabrication of Binder-free Metallic Tin Nanoparticle/Carbon Nanofiber Hybrid Electrodes for Lithium-ion Batteries. **2015**, 153, 468-475		43
1128	Nanorattles or yolk-shell nanoparticles--what are they, how are they made, and what are they good for?. **2015**, 21, 3854-74		103
1127	Manganese oxide/carbon yolk-shell nanorod anodes for high capacity lithium batteries. *Nano Letters*, **2015**, 15, 738-44	11.5	318
1126	Yolk-shell structured Gd2O3:Eu(3+) phosphor prepared by spray pyrolysis: the effect of preparation conditions on microstructure and luminescence properties. **2015**, 17, 1325-31		19
1125	Novel design of silicon-based lithium-ion battery anode for highly stable cycling at elevated temperature. **2015**, 3, 1325-1332		32
1124	Superior lithium-ion storage properties of si-based composite powders with unique Si@carbon@void@graphene configuration. **2015**, 21, 2076-82		23
1123	Li-ion battery materials: present and future. **2015**, 18, 252-264		3812
1122	Stable cycling of SiO□nanotubes as high-performance anodes for lithium-ion batteries. **2014**, 4, 4605		139
1121	Titanium Silicide Coated Porous Silicon Nanospheres as Anode Materials for Lithium Ion Batteries. **2015**, 151, 256-262		42
1120	On-chip high power porous silicon lithium ion batteries with stable capacity over 10,000 cycles. **2015**, 7, 98-103		34
1119	Ultrathin sandwich-like MoS2@N-doped carbon nanosheets for anodes of lithium ion batteries. **2015**, 7, 324-9		95
1118	Highly uniform silicon nanoparticle/porous carbon nanofiber hybrids towards free-standing high-performance anodes for lithium-ion batteries. **2015**, 82, 337-345		104
1117	Scalable synthesis of nano-silicon from beach sand for long cycle life Li-ion batteries. **2014**, 4, 5623		145
1116	Critical thickness of phenolic resin-based carbon interfacial layer for improving long cycling stability of silicon nanoparticle anodes. **2016**, 27, 255-264		163
1115	Constructing Hierarchically Hollow Core-Shell MnO2 /C Hybrid Spheres for High-Performance Lithium Storage. **2016**, 12, 3914-9		46
1114	Silicon Nanocrystals and Silicon-Polymer Hybrids: Synthesis, Surface Engineering, and Applications. **2016**, 55, 2322-39		186

1113	Porous Silicon@Polythiophene Core–Shell Nanospheres for Lithium-Ion Batteries. **2016**, 33, 75-81	11
1112	Template-Engaged Solid-State Synthesis of Barium Magnesium Silicate Yolk@Shell Particles and Their High Photoluminescence Efficiency. **2016**, 22, 7190-7	3
1111	Graphene-Wrapped Graphitic Carbon Hollow Spheres: Bioinspired Synthesis and Applications in Batteries and Supercapacitors. **2016**, 2, 540-546	25
1110	A High-Rate V2 O5 Hollow Microclew Cathode for an All-Vanadium-Based Lithium-Ion Full Cell. **2016**, 12, 1082-90	44
1109	Core–Shelled Low-Oxidation State Oxides@Reduced Graphene Oxides Cubes via Pressurized Reduction for Highly Stable Lithium Ion Storage. **2016**, 26, 2959-2965	33
1108	Binder-Free Carbon-Coated Silicon–Reduced Graphene Oxide Nanocomposite Electrode Prepared by Electrophoretic Deposition as a High-Performance Anode for Lithium-Ion Batteries. **2016**, 3, 757-763	24
1107	Free-Standing Graphene-Encapsulated Silicon Nanoparticle Aerogel as an Anode for Lithium Ion Batteries. **2016**, 2, 671-674	22
1106	Nanostructured Anode Materials for Lithium Ion Batteries: Progress, Challenge and Perspective. **2016**, 6, 1600374	294
1105	A Comprehensive Study on Rechargeable Energy Storage Technologies. **2016**, 13,	17
1104	The role of nanotechnology in the development of battery materials for electric vehicles. **2016**, 11, 1031-1038	462
1103	Electrochemomechanics of Electrodes in Li-Ion Batteries: A Review. **2016**, 13,	31
1102	Intrinsic stress mitigation via elastic softening during two-step electrochemical lithiation of amorphous silicon. **2016**, 91, 278-290	31
1101	Si-containing precursors for Si-based anode materials of Li-ion batteries: A review. **2016**, 4, 92-102	65
1100	In situ characterization of electrochemical processes in one dimensional nanomaterials for energy storages devices. **2016**, 24, 165-188	81
1099	Electrochemical properties of carbon nanocoils and hollow graphite fibers as anodes for rechargeable lithium ion batteries. **2016**, 199, 204-209	24
1098	High-energy-density lithium-ion battery using a carbon-nanotube–Si composite anode and a compositionally graded Li[Ni0.85Co0.05Mn0.10]O2 cathode. **2016**, 9, 2152-2158	221
1097	Surface engineering of nanomaterials for improved energy storage – A review. **2016**, 154, 3-19	42
1096	4D analysis of the microstructural evolution of Si-based electrodes during lithiation: Time-lapse X-ray imaging and digital volume correlation. **2016**, 320, 196-203	47

1095	Scalable synthesis of core-shell structured SiOx/nitrogen-doped carbon composite as a high-performance anode material for lithium-ion batteries. **2016**, 318, 184-191	100
1094	Hybrid two-dimensional materials in rechargeable battery applications and their microscopic mechanisms. **2016**, 45, 4042-73	157
1093	Impact of the Slurry pH on the Expansion/Contraction Behavior of Silicon/Carbon/Carboxymethylcellulose Electrodes for Li-Ion Batteries. **2016**, 163, A1020-A1026	34
1092	Enhanced lithium adsorption/diffusion and improved Li capacity on SnS2 nanoribbons: A computational investigation. **2016**, 31, 878-885	26
1091	Heterostructure composites of rGO/GeO2/PANI with enhanced performance for Li ion battery anode material. **2016**, 306, 791-800	34
1090	Study of degradation mechanism of dechlorane plus by mechanochemical reaction with aluminum and quartz sand. **2016**, 292, 98-104	14
1089	Effect of Mn3O4 nanoparticle composition and distribution on graphene as a potential hybrid anode material for lithium-ion batteries. **2016**, 6, 33022-33030	14
1088	Scalable production of 3D plum-pudding-like Si/C spheres: Towards practical application in Li-ion batteries. **2016**, 24, 111-120	80
1087	Crumpled N-doped carbon nanotubes encapsulated with peapod-like Ge nanoparticles for high-rate and long-life Li-ion battery anodes. **2016**, 4, 7585-7590	39
1086	General Synthetic Strategy for Hollow Hybrid Microspheres through a Progressive Inward Crystallization Process. **2016**, 138, 5916-22	34
1085	Effect of local velocity on diffusion-induced stress in large-deformation electrodes of lithium-ion batteries. **2016**, 319, 168-177	30
1084	Tin-based anode materials with well-designed architectures for next-generation lithium-ion batteries. **2016**, 321, 11-35	145
1083	Core-Shell Sn-Ni-Cu-Alloy@Carbon Nanorods to Array as Three-Dimensional Anode by Nanoelectrodeposition for High-Performance Lithium Ion Batteries. **2016**, 8, 12221-7	43
1082	A Tremella-Like Nanostructure of Silicon@void@graphene-Like Nanosheets Composite as an Anode for Lithium-Ion Batteries. **2016**, 11, 204	18
1081	Sandwich structure of graphene-protected silicon/carbon nanofibers for lithium-ion battery anodes. **2016**, 210, 53-60	57
1080	Cobalt nanosheet arrays supported silicon film as anode materials for lithium ion batteries. **2016**, 203, 213-220	20
1079	Molecular dynamics simulations of plasticity and cracking in lithiated silicon electrodes. **2016**, 9, 503-513	24
1078	Enhanced electrochemical performance promoted by monolayer graphene and void space in silicon composite anode materials. **2016**, 27, 647-657	52

1077	A wrinkle to sub-100 nm yolk/shell Fe3O4@SiO2 nanoparticles. **2016**, 9, 3632-3643		12
1076	Understanding the role of mechanics in energy materials: A perspective. **2016**, 9, 347-352		34
1075	Double-plasma enhanced carbon shield for spatial/interfacial controlled electrodes in lithium ion batteries via micro-sized silicon from wafer waste. **2016**, 331, 198-207		4
1074	Carbon-Coated Porous Aluminum Foil Anode for High-Rate, Long-Term Cycling Stability, and High Energy Density Dual-Ion Batteries. **2016**, 28, 9979-9985		280
1073	Mesoporous Amorphous Silicon: A Simple Synthesis of a High-Rate and Long-Life Anode Material for Lithium-Ion Batteries. **2016**, 55, 14063-14066		139
1072	Encasing Si particles within a versatile TiO2□Fx layer as an extremely reversible anode for high energy-density lithium-ion battery. **2016**, 30, 745-755		30
1071	Silicon-Reduced Graphene Oxide Self-Standing Composites Suitable as Binder-Free Anodes for Lithium-Ion Batteries. **2016**, 8, 28800-28808		40
1070	Precise Perforation and Scalable Production of Si Particles from Low-Grade Sources for High-Performance Lithium Ion Battery Anodes. *Nano Letters*, **2016**, 16, 7210-7215	11.5	89
1069	Mesoporous Amorphous Silicon: A Simple Synthesis of a High-Rate and Long-Life Anode Material for Lithium-Ion Batteries. **2016**, 128, 14269-14272		27
1068	Silica Wastes to High-Performance Lithium Storage Materials: A Rational Designed Al O Coating Assisted Magnesiothermic Process. **2016**, 12, 5281-5287		43
1067	N-doped carbon layer derived from polydopamine to improve the electrochemical performance of spray-dried Si/graphite composite anode material for lithium ion batteries. **2016**, 689, 130-137		56
1066	Fabrication of voids-involved SnO2@C nanofibers electrodes with highly reversible Sn/SnO2 conversion and much enhanced coulombic efficiency for lithium-ion batteries. **2016**, 327, 21-28		69
1065	Investigation of the chemo-mechanical coupling in lithiation/delithiation of amorphous Si through simulations of Si thin films and Si nanospheres. **2016**, 326, 365-376		19
1064	Nanocomb Architecture Design Using Germanium Selenide as High-Performance Lithium Storage Material. **2016**, 28, 6146-6151		27
1063	Rapid, in Situ Synthesis of High Capacity Battery Anodes through High Temperature Radiation-Based Thermal Shock. *Nano Letters*, **2016**, 16, 5553-8	11.5	52
1062	Centrifugally-spun carbon microfibers and porous carbon microfibers as anode materials for sodium-ion batteries. **2016**, 327, 333-339		23
1061	Carbon-Coated Si Nanoparticles Anchored between Reduced Graphene Oxides as an Extremely Reversible Anode Material for High Energy-Density Li-Ion Battery. **2016**, 6, 1600904		193
1060	Mechanics-based optimization of yolk-shell carbon-coated silicon nanoparticle as electrode materials for high-capacity lithium ion battery. **2016**, 1, 1-5		16

1059	Hard carbon coated nano-Si/graphite composite as a high performance anode for Li-ion batteries. **2016**, 329, 323-329	57
1058	Direct Visualization of the Solid Electrolyte Interphase and Its Effects on Silicon Electrochemical Performance. **2016**, 3, 1600438	43
1057	In Situ and Operando Investigations of Failure Mechanisms of the Solid Electrolyte Interphase on Silicon Electrodes. **2016**, 1, 689-697	84
1056	Hollow Silicon Nanospheres Encapsulated with a Thin Carbon Shell: An Electrochemical Study. **2016** , 215, 126-141	47
1055	TiO2 -coated Nonstoichiometric SiO x Nanosphere for High Capacity Anode Material for Lithium Ion Batteries. **2016**, 37, 1039-1043	4
1054	In Situ and Ex Situ TEM Study of Lithiation Behaviours of Porous Silicon Nanostructures. **2016**, 6, 31334	28
1053	A new strategy for developing superior electrode materials for advanced batteries: using a positive cycling trend to compensate the negative one to achieve ultralong cycling stability. **2016**, 1, 496-501	48
1052	Mesoporous SiO2/carbon hollow spheres applied towards a high rate-performance Li-battery anode. **2016**, 3, 1398-1405	26
1051	Novel graphene-based composite as binder-free high-performance electrodes for energy storage systems. **2016**, 2, 291-308	12
1050	One-step synthesis of hollow structured Si/C composites based on expandable microspheres as anodes for lithium ion batteries. **2016**, 72, 69-73	19
1049	Silicon-based anodes for lithium-ion batteries: Effectiveness of materials synthesis and electrode preparation. **2016**, 27, 359-376	297
1048	Atomic-Scale Control of Silicon Expansion Space as Ultrastable Battery Anodes. **2016**, 10, 8243-51	108
1047	Resilient Yolk□Shell Silicon□Reduced Graphene Oxide/Amorphous Carbon Anode Material from a Synergistic Dual-Coating Process for Lithium-Ion Batteries. **2016**, 3, 1446-1454	20
1046	Facile fabrication of SnO2@TiO2 core□shell structures as anode materials for lithium-ion batteries. **2016**, 4, 12850-12857	68
1045	Scalable preparation of silicon@graphite/carbon microspheres as high-performance lithium-ion battery anode materials. **2016**, 6, 69882-69888	26
1044	Al2O3/PVdF-HFP-CMC/PE separator prepared using aqueous slurry and post-hot-pressing method for polymer lithium-ion batteries with enhanced safety. **2016**, 212, 416-425	55
1043	Synthesis of free-standing MnO2/reduced graphene oxide membranes and electrochemical investigation of their performances as anode materials for half and full lithium-ion batteries. **2016**, 18, 1	6
1042	Centrifugal Spinning: An Alternative for Large Scale Production of Silicon-Carbon Composite Nanofibers for Lithium Ion Battery Anodes. **2016**, 8, 29365-29372	18

1041	Promise and reality of post-lithium-ion batteries with high energy densities. **2016**, 1,	2575
1040	Scalable synthesis of silicon-nanolayer-embedded graphite for high-energy lithium-ion batteries. **2016**, 1,	443
1039	Graphitic Carbon-Coated FeSe2 Hollow Nanosphere-Decorated Reduced Graphene Oxide Hybrid Nanofibers as an Efficient Anode Material for Sodium Ion Batteries. **2016**, 6, 23699	111
1038	Poly (acrylic acid sodium) grafted carboxymethyl cellulose as a high performance polymer binder for silicon anode in lithium ion batteries. **2016**, 6, 19583	105
1037	Rational Integration of Inbuilt Aperture with Mesoporous Framework in Unusual Asymmetrical Yolk-Shell Structures for Energy Storage and Conversion. **2016**, 8, 32901-32909	17
1036	Silicon/Mesoporous Carbon/Crystalline TiO Nanoparticles for Highly Stable Lithium Storage. **2016**, 10, 10524-10532	197
1035	Constructing of the Magnetic Photocatalytic Nanoreactor for Cascade Catalytic Degrading of Tetracycline. **2016**, 120, 27250-27258	48
1034	Growth of conformal graphene cages on micrometre-sized silicon particles as stable battery anodes. **2016**, 1,	509
1033	Promises and challenges of nanomaterials for lithium-based rechargeable batteries. **2016**, 1,	1080
1032	Mesoporous Ni-doped MnCo2O4 hollow nanotubes as an anode material for sodium ion batteries with ultralong life and pseudocapacitive mechanism. **2016**, 4, 18392-18400	53
1031	Processing silicon microparticles recycled from wafer waste via Rapid Thermal Process for lithium-ion battery anode materials. **2016**, 335, 146-154	33
1030	Solution-grown GeO2 nanoparticles with a nearly 100% yield as lithium-ion battery anodes. **2016**, 6, 98632-98638	58
1029	One-Step Formation of Silicon-Graphene Composites from Silicon Sludge Waste and Graphene Oxide via Aerosol Process for Lithium Ion Batteries. **2016**, 6, 33688	19
1028	A Stretchable Graphitic Carbon/Si Anode Enabled by Conformal Coating of a Self-Healing Elastic Polymer. **2016**, 28, 2455-61	163
1027	A New Strategy for Achieving a High Performance Anode for Lithium Ion Batteries Encapsulating Germanium Nanoparticles in Carbon Nanoboxes. **2016**, 6, 1501666	95
1026	Etching-in-a-Box: A Novel Strategy to Synthesize Unique Yolk-Shelled Fe3O4@Carbon with an Ultralong Cycling Life for Lithium Storage. **2016**, 6, 1502318	141
1025	Silicon Asymmetric Membranes for Efficient Lithium Storage: A Scalable Method. **2016**, 4, 502-509	6
1024	Nanostructured Silicon Anodes for High-Performance Lithium-Ion Batteries. **2016**, 26, 647-678	216

1023	A Green and Facile Way to Prepare Granadilla-Like Silicon-Based Anode Materials for Li-Ion Batteries. **2016**, 26, 440-446		161
1022	Hierarchical CuO Colloidosomes and Their Structure Enhanced Photothermal Catalytic Activity. **2016**, 120, 12666-12672		47
1021	Rational confinement of molybdenum based nanodots in porous carbon for highly reversible lithium storage. **2016**, 4, 10403-10408		15
1020	Polydopamine directed MnO@C microstructures as electrode for lithium ion battery. **2016**, 59, 122-127		16
1019	Sb@C coaxial nanotubes as a superior long-life and high-rate anode for sodium ion batteries. **2016**, 9, 2314-2318		356
1018	Porous carbon-wrapped mesoporous Co9S8 fibers as stable anode for Li-Ion Batteries. **2016**, 211, 305-312		39
1017	Enhanced Electrochemical Performance of Heterogeneous Si/MoSi2 Anodes Prepared by a Magnesiothermic Reduction. **2016**, 8, 16862-8		30
1016	High Volumetric Capacity Three-Dimensionally Sphere-Caged Secondary Battery Anodes. *Nano Letters*, **2016**, 16, 4501-7	11.5	58
1015	A Si/C nanocomposite anode by ball milling for highly reversible sodium storage. **2016**, 70, 8-12		57
1014	Consumption of Fluoroethylene Carbonate (FEC) on Si-C Composite Electrodes for Li-Ion Batteries. **2016**, 163, A1705-A1716		173
1013	Silicon nanoparticles embedded in a porous carbon matrix as a high-performance anode for lithium-ion batteries. **2016**, 4, 11381-11387		75
1012	Electrochemical performance of Si anode modified with carbonized gelatin binder. **2016**, 325, 630-636		9
1011	Facial Synthesis of Three-Dimensional Cross-Linked Cage for High-Performance Lithium Storage. **2016**, 8, 15279-87		29
1010	Top-down dispersion meets bottom-up synthesis: merging ultranano silicon and graphene nanosheets for superior hybrid anodes for lithium-ion batteries. **2016**, 4, 9986-9997		38
1009	In-situ synthesis of interconnected SWCNT/OMC framework on silicon nanoparticles for high performance lithium-ion batteries. **2016**, 1, 91-99		28
1008	Designing self-standing silicon-copper composite helices as anodes for lithium ion batteries. **2016**, 677, 228-236		16
1007	Design of an ultra-durable silicon-based battery anode material with exceptional high-temperature cycling stability. **2016**, 26, 192-199		32
1006	Charge-Switchable Integrated Nanocatalysts for Substrate-Selective Degradation in Advanced Oxidation Processes. **2016**, 28, 4572-4582		40

1005	A poly-(styrene-acrylonitrile) copolymer-derived hierarchical architecture in electrode materials for lithium-ion batteries. **2016**, 4, 11481-11490	7
1004	Highly Connected Silicon–Copper Alloy Mixture Nanotubes as High-Rate and Durable Anode Materials for Lithium-Ion Batteries. **2016**, 26, 524-531	92
1003	Silicium-Nanokristalle und Silicium-Polymer-Hybridmaterialien: Synthese, Oberflächenmodifikation und Anwendungen. **2016**, 128, 2366-2384	17
1002	Multiscale sulfur particles confined in honeycomb-like graphene with the assistance of bio-based adhesive for ultrathin and robust free-standing electrode of Li–S batteries with improved performance. **2016**, 6, 9320-9327	17
1001	Study of lithiation mechanisms of high performance carbon-coated Si anodes by in-situ microscopy. **2016**, 3, 45-54	41
1000	The Effects of Cross-Linking in a Supramolecular Binder on Cycle Life in Silicon Microparticle Anodes. **2016**, 8, 2318-24	73
999	Silicon as a potential anode material for Li-ion batteries: where size, geometry and structure matter. **2016**, 8, 74-103	408
998	Highly Conductive Cu Nanoneedle-Array Supported Silicon Film for High-Performance Lithium Ion Battery Anodes. **2016**, 163, A380-A384	5
997	Performance of Full Cells Containing Carbonate-Based LiFSI Electrolytes and Silicon-Graphite Negative Electrodes. **2016**, 163, A345-A350	50
996	A honeycomb-cobweb inspired hierarchical core–shell structure design for electrospun silicon/carbon fibers as lithium-ion battery anodes. **2016**, 98, 582-591	104
995	Chemical doping of a core-shell silicon nanoparticles@polyaniline nanocomposite for the performance enhancement of a lithium ion battery anode. **2016**, 8, 1280-7	56
994	Well-constructed silicon-based materials as high-performance lithium-ion battery anodes. **2016**, 8, 701-22	98
993	Implementing an in-situ carbon network in Si/reduced graphene oxide for high performance lithium-ion battery anodes. **2016**, 19, 187-197	124
992	In situ measurement of lithiation-induced stress in silicon nanoparticles using micro-Raman spectroscopy. **2016**, 22, 105-110	87
991	Analytical Model on Stress-Regulated Lithiation Kinetics and Fracture of Si-C Yolk-Shell Anodes for Lithium-Ion Batteries. **2016**, 163, A940-A946	8
990	SnSb/TiO2/C nanocomposite fabricated by high energy ball milling for high-performance lithium-ion batteries. **2016**, 6, 32462-32466	12
989	Multiscale Investigation of Silicon Anode Li Insertion Mechanisms by Time-of-Flight Secondary Ion Mass Spectrometer Imaging Performed on an In Situ Focused Ion Beam Cross Section. **2016**, 28, 1566-1573	38
988	Carbon coating may expedite the fracture of carbon-coated silicon core-shell nanoparticles during lithiation. **2016**, 8, 5254-9	36

987	Latest development of nanostructured Si/C materials for lithium anode studies and applications. **2016**, 4, 1-14	77
986	Mechanical stresses and crystallization of lithium phosphorous oxynitride-coated germanium electrodes during lithiation and delithiation. **2016**, 306, 817-825	13
985	Two-dimensional ultra-thin SiO(x) (0 2016, 52, 4341-4	58
984	Bovine serum albumin assisted synthesis of Fe3O4@C@Mn3O4 multilayer core□shell porous spheres as anodes for lithium ion battery. **2016**, 291, 238-243	20
983	Graphene Folding in Si Rich Carbon Nanofibers for Highly Stable, High Capacity Li-Ion Battery Anodes. **2016**, 8, 5243-50	35
982	Carbon-based silicon nanohybrid anode materials for rechargeable lithium ion batteries. **2016**, 31, 872-883	10
981	Rational design and fabrication of core□shell nanoparticles through a one-step/pot strategy. **2016**, 4, 6680-6692	69
980	High-Performance Si/SiOx Nanosphere Anode Material by Multipurpose Interfacial Engineering with Black TiO(2-x). **2016**, 8, 4541-7	45
979	Facile synthesis of binder-free reduced graphene oxide/silicon anode for high-performance lithium ion batteries. **2016**, 312, 216-222	25
978	A pinecone-inspired nanostructure design for long-cycle and high performance Si anodes. **2016**, 4, 5395-5401	10
977	Nickel titanate lithium-ion battery anodes with high reversible capacity and high-rate long-cycle life performance. **2016**, 4, 4691-4699	36
976	Designed Construction of a Graphene and Iron Oxide Freestanding Electrode with Enhanced Flexible Energy-Storage Performance. **2016**, 8, 6972-81	42
975	Composite lithium metal anode by melt infusion of lithium into a 3D conducting scaffold with lithiophilic coating. **2016**, 113, 2862-7	643
974	Dependency of Electrochemical Performances of Silicon Lithium-Ion Batteries on Glycosidic Linkages of Polysaccharide Binders. **2016**, 8, 4042-7	46
973	Rational design of silicon-based composites for high-energy storage devices. **2016**, 4, 5366-5384	118
972	Electrochemical Performance of Nanostructured PbO@C Obtained by Sol□el Method. **2016**, 45, 3127-3133	6
971	Insights into the conversion behavior of SiO-C hybrid with pre-treated graphite as anodes for Li-ion batteries. **2016**, 187, 473-479	49
970	A peapod-inspired MnO@C core-shell design for lithium ion batteries. **2016**, 307, 11-16	85

969	Hierarchical nano-branched c-Si/SnO2 nanowires for high areal capacity and stable lithium-ion battery. **2016**, 19, 511-521	44
968	Engineered nanomembranes for smart energy storage devices. **2016**, 45, 1308-30	152
967	Improved cycling performance of sulfur nanoparticles with a mussel inspired polydopamine coating. **2016**, 6, 1902-1906	10
966	Strategy for yolk-shell structured metal oxide-carbon composite powders and their electrochemical properties for lithium-ion batteries. **2016**, 100, 137-144	33
965	Three-dimensional network structure of silicon-graphene-polyaniline composites as high performance anodes for Lithium-ion batteries. **2016**, 190, 1032-1040	49
964	Three-dimensional hollow-structured binary oxide particles as an advanced anode material for high-rate and long cycle life lithium-ion batteries. **2016**, 20, 212-220	44
963	Superior cycling performance of a sandwich structure Si/C anode for lithium ion batteries. **2016**, 6, 12107-12113	33
962	Multi-yolk-shell copper oxide@carbon octahedra as high-stability anodes for lithium-ion batteries. **2016**, 20, 305-314	93
961	Integrating Si nanoscale building blocks into micro-sized materials to enable practical applications in lithium-ion batteries. **2016**, 8, 1834-48	33
960	One-step synthesis of a silicon/hematite@carbon hybrid nanosheet/silicon sandwich-like composite as an anode material for Li-ion batteries. **2016**, 4, 4056-4061	40
959	Flexible conductive nanocellulose combined with silicon nanoparticles and polyaniline. **2016**, 140, 43-50	27
958	Integration of inorganic nanostructures with polydopamine-derived carbon: tunable morphologies and versatile applications. **2016**, 8, 1770-88	54
957	Multifunctional natural agarose as an alternative material for high-performance rechargeable lithium-ion batteries. **2016**, 18, 2710-2716	33
956	Si nanoparticles/graphene composite membrane for high performance silicon anode in lithium ion batteries. **2016**, 98, 373-380	90
955	Analytical Model for Sandwich-Lithiation in Hollow Amorphous Silicon Nano-Anodes Coated on Carbon Nanofibers. **2016**, 163, A163-A170	4
954	Strategies to succeed in improving the lithium-ion storage properties of silicon nanomaterials. **2016**, 4, 32-50	111
953	A long-life nano-silicon anode for lithium ion batteries: supporting of graphene nanosheets exfoliated from expanded graphite by plasma-assisted milling. **2016**, 187, 1-10	68
952	Lithium Batteries. **2016**,	76

951 Anodes for Li-Ion Batteries. **2016**, 323-429

950 Large-scale production of silicon nanoparticles@graphene embedded in nanotubes as ultra-robust battery anodes. **2017**, 5, 4809-4817 51

949 Porous silicon from the magnesiothermic reaction as a high-performance anode material for lithium ion battery applications. **2017**, 228, 545-552 47

948 Self-healing SEI enables full-cell cycling of a silicon-majority anode with a coulombic efficiency exceeding 99.9%. **2017**, 10, 580-592 335

947 Tailored Yolk–Shell Sn@C Nanoboxes for High-Performance Lithium Storage. **2017**, 27, 1606023 154

946 Porous Sandwiched Graphene/Silicon Anodes for Lithium Storage. **2017**, 229, 445-451 54

945 Analytical Investigation of Binder's Role on the Diffusion Induced Stresses in Lithium Ion Battery through a Representative System of Spherical Isolated Electrode Particle Enclosed by Binder. **2017**, 164, A608-A621 23

944 Ge Nanoparticles Encapsulated in Interconnected Hollow Carbon Boxes as Anodes for Sodium Ion and Lithium Ion Batteries with Enhanced Electrochemical Performance. **2017**, 34, 1600115 25

943 In-depth nanocrystallization enhanced Li-ions batteries performance with nitrogen-doped carbon coated Fe3O4 yolk–shell nanocapsules. **2017**, 344, 74-84 47

942 Solution Synthesis of Iodine-Doped Red Phosphorus Nanoparticles for Lithium-Ion Battery Anodes. *Nano Letters*, **2017**, 17, 1240-1247 11.5 98

941 Toward highly stable solid-state unconventional thin-film battery-supercapacitor hybrid devices: Interfacing vertical core-shell array electrodes with a gel polymer electrolyte. **2017**, 342, 1006-1016 10

940 Convertibility of Anode Electrode with Microsized Wafer Scraps via Carbon Veil with Plasma Technique. **2017**, 5, 1784-1793 4

939 Facile synthesis of Si-C nanocomposites with yolk-shell structure as an anode for lithium-ion batteries. **2017**, 704, 599-606 40

938 Filter paper derived nanofibrous silica–carbon composite as anodic material with enhanced lithium storage performance. **2017**, 317, 673-686 43

937 Nanostructured Materials for Next-Generation Lithium-Ion Batteries. **2017**, 353-376

936 Si/iron silicide nanocomposite anodes with furfuryl-alcohol-derived carbon coating for Li-ion batteries. **2017**, 52, 5027-5037 13

935 Research progress regarding Si-based anode materials towards practical application in high energy density Li-ion batteries. **2017**, 1, 1691-1708 193

934 High Areal Capacity Si/LiCoO Batteries from Electrospun Composite Fiber Mats. **2017**, 10, 1823-1831 14

933	Synthesis of yolk-shell mesoporous silica nanoparticles via a facile one-pot approach. **2017**, 53, 3761-3764		15
932	Iron-Based Electrodes Meet Water-Based Preparation, Fluorine-Free Electrolyte and Binder: A Chance for More Sustainable Lithium-Ion Batteries?. **2017**, 10, 2431-2448		20
931	Nanospherical solid electrolyte interface layer formation in binder-free carbon nanotube aerogel/Si nanohybrids to provide lithium-ion battery anodes with a long-cycle life and high capacity. **2017**, 9, 4713-4720		21
930	Enhanced Li-ion battery performances of yolk-shell Fe3O4@C anodes with Fe3C catalyst. **2017**, 233, 85-91		25
929	The Effect of Stress on Battery-Electrode Capacity. **2017**, 164, A645-A654		76
928	Carbonized polydopamine coated single-crystalline NiFe 2 O 4 nanooctahedrons with enhanced electrochemical performance as anode materials in a lithium ion battery. **2017**, 231, 27-35		23
927	Depolarization effect to enhance the performance of lithium ions batteries. **2017**, 33, 497-507		45
926	Two-Fold Anisotropy Governs Morphological Evolution and Stress Generation in Sodiated Black Phosphorus for Sodium Ion Batteries. *Nano Letters*, **2017**, 17, 2299-2306	11.5	38
925	Facile Synthesis of 3D Anode Assembly with Si Nanoparticles Sealed in Highly Pure Few Layer Graphene Deposited on Porous Current Collector for Long Life Li-Ion Battery. **2017**, 4, 1601043		52
924	Facile synthesis of ultrasmall Si particles embedded in carbon framework using Si-carbon integration strategy with superior lithium ion storage performance. **2017**, 319, 1-8		28
923	Low-Cost and Novel Si-Based Gel for Li-Ion Batteries. **2017**, 9, 10699-10707		34
922	Fabrication of core‐shell, yolk‐shell and hollow Fe3O4@carbon microboxes for high-performance lithium-ion batteries. **2017**, 1, 823-830		56
921	Nanostructured silicon/silicide/carbon composite anodes with controllable voids for Li-ion batteries. **2017**, 120, 230-237		13
920	New Nanoconfined Galvanic Replacement Synthesis of Hollow Sb@C Yolk-Shell Spheres Constituting a Stable Anode for High-Rate Li/Na-Ion Batteries. *Nano Letters*, **2017**, 17, 2034-2042	11.5	306
919	Synthesis of binder-like molecules covalently linked to silicon nanoparticles and application as anode material for lithium-ion batteries without the use of electrolyte additives. **2017**, 345, 190-201		31
918	Nanostructured Germanium Anode Materials for Advanced Rechargeable Batteries. **2017**, 4, 1600798		90
917	Conformal carbon layer coating on well-dispersed Si nanoparticles on graphene oxide and the enhanced electrochemical performance. **2017**, 52, 260-269		13
916	Silicon Derived from Glass Bottles as Anode Materials for Lithium Ion Full Cell Batteries. **2017**, 7, 917		41

915	Facile Formation of a Solid Electrolyte Interface as a Smart Blocking Layer for High-Stability Sulfur Cathode. **2017**, 29, 1700273	76
914	Elasticity-related periodical Li storage behavior delivered by porous graphene. **2017**, 5, 9299-9306	11
913	Scalable Production of the Silicon-Tin Yin-Yang Hybrid Structure with Graphene Coating for High Performance Lithium-Ion Battery Anodes. **2017**, 9, 15388-15393	33
912	Protecting Silicon Film Anodes in Lithium-Ion Batteries Using an Atomically Thin Graphene Drape. **2017**, 11, 5051-5061	96
911	Encapsulating silicon nanoparticles into mesoporous carbon forming pomegranate-structured microspheres as a high-performance anode for lithium ion batteries. **2017**, 5, 11197-11203	133
910	Porous Si/C/reduced graphene oxide microspheres by spray drying as anode for Li-ion batteries. **2017**, 797, 16-22	35
909	Self‐adaptive Si/reduced graphene oxide scrolls for high‐performance Li‐ion battery anodes. **2017**, 120, 397-404	39
908	Sandwiched C@SnO2@C hollow nanostructures as an ultralong-lifespan high-rate anode material for lithium-ion and sodium-ion batteries. **2017**, 5, 10946-10956	88
907	Review on High-Loading and High-Energy Lithium‐Sulfur Batteries. **2017**, 7, 1700260	1010
906	Effect of electron beam irradiation on the capacity fading of hydride-terminated silicon nanocrystal based anode materials for lithium ion batteries. **2017**, 53, 82-92	12
905	Three-Dimensional Porous Si and SiO with In Situ Decorated Carbon Nanotubes As Anode Materials for Li-ion Batteries. **2017**, 9, 17807-17813	45
904	Fabrication of Ti-doped SnO2/RGO composites as anode materials with high stability for lithium-ion batteries. **2017**, 43, 5857-5869	7
903	Carbon coated mesoporous Si anode prepared by a partial magnesiothermic reduction for lithium-ion batteries. **2017**, 716, 204-209	35
902	Carbonate-based additive for improvement of cycle durability of electrodeposited Si-O-C composite anode in glyme-based ionic liquid electrolyte for use in lithium secondary batteries. **2017**, 243, 65-71	16
901	Micro- and Nano-Structured Vanadium Pentoxide (V2O5) for Electrodes of Lithium-Ion Batteries. **2017**, 7, 1602545	202
900	Study of Lithium Silicide Nanoparticles as Anode Materials for Advanced Lithium Ion Batteries. **2017**, 9, 16071-16080	34
899	Submicron silicon encapsulated with graphene and carbon as a scalable anode for lithium-ion batteries. **2017**, 119, 438-445	43
898	Novel Heterogeneous Hybrid of Yolk‐Shell CuO@CuFe2O4: Facile Synthesis and Enhanced Lithium-Storage Performance. **2017**, 4, 2068-2074	11

897	Photovoltaic Monocrystalline Silicon Waste-Derived Hierarchical Silicon/Flake Graphite/Carbon Composite as Low-Cost and High-Capacity Anode for Lithium-Ion Batteries. **2017**, 2, 3479-3489	20
896	Electrochemomechanical degradation of high-capacity battery electrode materials. **2017**, 89, 479-521	115
895	Co3O4 Nanospheres Embedded in a Nitrogen-Doped Carbon Framework: An Electrode with Fast Surface-Controlled Redox Kinetics for Lithium Storage. **2017**, 2, 52-59	51
894	Bird's nest-like nanographene shell encapsulated Si nanoparticles Their structural and Li anode properties. **2017**, 341, 46-52	25
893	Rationally designed hollow precursor-derived Zn 3 V 2 O 8 nanocages as a high-performance anode material for lithium-ion batteries. **2017**, 31, 367-376	74
892	Flower-like carbon with embedded silicon nano particles as an anode material for Li-ion batteries. **2017**, 7, 30032-30037	12
891	Two-dimensional sandwich-like Ag coated silicon-graphene-silicon nanostructures for superior lithium storage. **2017**, 425, 614-621	16
890	Porous MoS2@C heteroshell with a Si yolk structure with improved lithium transport properties and superior cycle stability. **2017**, 5, 14906-14913	28
889	Self-templated formation of hierarchical NiCo 2 O 4 yolk-shell microspheres with enhanced electrochemical properties. **2017**, 244, 154-161	16
888	Ionic liquid electrodeposition of strain-released Germanium nanowires as stable anodes for lithium ion batteries. **2017**, 9, 8481-8488	29
887	Uniform Yolk-Shell MoS @Carbon Microsphere Anodes for High-Performance Lithium-Ion Batteries. **2017**, 23, 9937-9945	43
886	High-Rate and Long-Cycle Silicon/Porous Nitrogen-Doped Carbon Anode via a Low-Cost Facile Pre-Template-Coating Approach for Li-ion Batteries. **2017**, 245, 14-24	31
885	Conductive and Porous Silicon Nanowire Anodes for Lithium Ion Batteries. **2017**, 164, A1564-A1568	24
884	High Capacity Silicon/Multiwall Graphene Nanoshell Li-Ion Battery Anodes from a Low-Temperature, High-Yield and Scalable Green Synthesis. **2017**, 164, A1569-A1578	2
883	Hot-Chemistry Structural Phase Transformation in Single-Crystal Chalcogenides for Long-Life Lithium Ion Batteries. **2017**, 9, 20603-20612	14
882	Silicon anodes protected by a nitrogen-doped porous carbon shell for high-performance lithium-ion batteries. **2017**, 9, 8871-8878	63
881	Sea Sand-Derived Magnesium Silicide as a Reactive Precursor for Silicon-Based Composite Electrodes of Lithium-Ion Battery. **2017**, 245, 893-901	9
880	Electrochemical performances of MgH2 and MgH2-C films for lithium ion battery anode. **2017**, 711, 473-479	15

879	Preparation of hierarchical SnS2/SnO2 anode with enhanced electrochemical performances for lithium-ion battery. **2017**, 238, 168-177	43
878	A highly stable polyoxometalate-based metal□rganic framework with □stacking for enhancing lithium ion battery performance. **2017**, 5, 8477-8483	96
877	Reduced graphene oxide as a dual-functional enhancer wrapped over silicon/porous carbon nanofibers for high-performance lithium-ion battery anodes. **2017**, 52, 7984-7996	23
876	Advanced anodes composed of graphene encapsulated nano-silicon in a carbon nanotube network. **2017**, 7, 15694-15701	26
875	Dichlorosilane-derived nano-silicon inside hollow carbon spheres as a high-performance anode for Li-ion batteries. **2017**, 5, 9262-9271	21
874	Novel hybrid Si nanocrystals embedded in a conductive SiOx@C matrix from one single precursor as a high performance anode material for lithium-ion batteries. **2017**, 5, 7026-7034	40
873	The Impact of Encapsulation on Lithium Transport and Cycling Performance for Silicon Electrodes on Aligned Carbon Nanotube Substrates. **2017**, 164, A848-A858	2
872	Synthesis of Robust Silicon Nanoparticles@Void@Graphitic Carbon Spheres for High-Performance Lithium-Ion-Battery Anodes. **2017**, 4, 1463-1469	20
871	Design and Synthesis of Cu@CuS Yolk-Shell Structures with Enhanced Photocatalytic Activity. **2017**, 9, 35	54
870	Extensively interconnected silicon nanoparticles via carbon network derived from ultrathin cellulose nanofibers as high performance lithium ion battery anodes. **2017**, 118, 8-17	51
869	The synergistic effects of combining the high energy mechanical milling and wet milling on Si negative electrode materials for lithium ion battery. **2017**, 349, 111-120	27
868	Flexible and robust N-doped carbon nanofiber film encapsulating uniformly silica nanoparticles: Free-standing long-life and low-cost electrodes for Li- and Na-Ion batteries. **2017**, 235, 79-87	32
867	Hierarchical ball-in-ball structured nitrogen-doped carbon microspheres as high performance anode for sodium-ion batteries. **2017**, 7, 229-235	66
866	A Review on Design Strategies for Carbon Based Metal Oxides and Sulfides Nanocomposites for High Performance Li and Na Ion Battery Anodes. **2017**, 7, 1601424	389
865	A flexible high-energy lithium-ion battery with a carbon black-sandwiched Si anode. **2017**, 225, 11-18	8
864	Self-Templating Construction of 3D Hierarchical Macro-/Mesoporous Silicon from 0D Silica Nanoparticles. **2017**, 11, 889-899	82
863	Carbon-Assisted Technique to Modify the Surface of Recycled Silicon/Silicon Carbide Composite for Lithium-Ion Batteries. **2017**, 5, 1415-1422	7
862	A Well-Defined Silicon Nanocone-Carbon Structure for Demonstrating Exclusive Influences of Carbon Coating on Silicon Anode of Lithium-Ion Batteries. **2017**, 9, 2806-2814	24

861	Yolk-Shell Fe3O4-Polyaniline Decorated Pd-Ni Nanoparticles with Enhanced Performance for Direct Formic Acid Fuel Cell. **2017**, 12, 1750016	3
860	Core-shell yolk-shell Si@C@Void@C nanohybrids as advanced lithium ion battery anodes with good electronic conductivity and corrosion resistance. **2017**, 342, 529-536	160
859	Hollow core□shell structured silicon@carbon nanoparticles embed in carbon nanofibers as binder-free anodes for lithium-ion batteries. **2017**, 342, 467-475	91
858	Rattle-type Fe3O4@SnO2 core-shell nanoparticles for dispersive solid-phase extraction of mercury ions. **2017**, 184, 707-713	18
857	Multi-shelled ceria hollow spheres with a tunable shell number and thickness and their superior catalytic activity. **2017**, 46, 1634-1644	21
856	Atomic Insights into the Enhanced Surface Stability in High Voltage Cathode Materials by Ultrathin Coating. **2017**, 27, 1602873	24
855	3D nitrogen-doped graphene foam with encapsulated germanium/nitrogen-doped graphene yolk-shell nanoarchitecture for high-performance flexible Li-ion battery. **2017**, 8, 13949	277
854	Evolution of form in metal-organic frameworks. **2017**, 8, 14070	69
853	Double Core-Shell Si@C@SiO for Anode Material of Lithium-Ion Batteries with Excellent Cycling Stability. **2017**, 23, 2165-2170	51
852	A Bioinspired Nanofibrous Titania/Silicon Composite as an Anode Material for Lithium-Ion Batteries. **2017**, 3, 120-129	13
851	Room-Temperature Solution Synthesis of Mesoporous Silicon for Lithium Ion Battery Anodes. **2017**, 9, 40386-40393	30
850	High performance polymer binders inspired by chemical finishing of textiles for silicon anodes in lithium ion batteries. **2017**, 5, 22156-22162	55
849	A flexible all inorganic nanowire bilayer mesh as a high-performance lithium-ion battery anode. **2017**, 5, 22662-22671	12
848	Differential shrinkage induced formation of yolk-shell carbon microspheres toward enhanced microwave absorption. **2017**, 111, 133103	20
847	Group IVA Element (Si, Ge, Sn)-Based Alloying/Dealloying Anodes as Negative Electrodes for Full-Cell Lithium-Ion Batteries. **2017**, 13, 1702000	120
846	Facile, general and template-free construction of monodisperse yolk-shell metal@carbon nanospheres. **2017**, 53, 12136-12139	21
845	An All-Integrated Anode via Interlinked Chemical Bonding between Double-Shelled-Yolk-Structured Silicon and Binder for Lithium-Ion Batteries. **2017**, 29, 1703028	185
844	Advances on Microsized On-Chip Lithium-Ion Batteries. **2017**, 13, 1701847	50

843	Graphene enhanced silicon/carbon composite as anode for high performance lithium-ion batteries. **2017**, 7, 48286-48293	19
842	Constructing Three-Dimensional Honeycombed Graphene/Silicon Skeletons for High-Performance Li-Ion Batteries. **2017**, 9, 31879-31886	39
841	Understanding materials challenges for rechargeable ion batteries with in situ transmission electron microscopy. **2017**, 8,	234
840	Porous silicon in carbon cages as high-performance lithium-ion battery anode Materials. **2017**, 252, 438-445	28
839	Preparation and enhanced lithium-ion storage performance of 3D network-like SnS2 anode. **2017**, 727, 1006-1013	15
838	Effects of the Formulations of Silicon-Based Composite Anodes on their Mechanical, Storage, and Electrochemical Properties. **2017**, 10, 4080-4089	11
837	Silicon□arbon Nanocomposite Semi-Solid Negolyte and Its Application in Redox Flow Batteries. **2017**, 29, 7533-7542	26
836	Scalable synthesis of Sb/MoS2/C composite as high performance anode material for lithium ion batteries. **2017**, 728, 1139-1145	18
835	Achieving High-Performance Silicon Anodes of Lithium-Ion Batteries via Atomic and Molecular Layer Deposited Surface Coatings: an Overview. **2017**, 251, 710-728	42
834	Facile Pyrolyzed N-Doped Binder Network for Stable Si Anodes. **2017**, 9, 32775-32781	14
833	Cornlike Ordered Mesoporous Silicon Particles Modified by Nitrogen-Doped Carbon Layer for the Application of Li-Ion Battery. **2017**, 9, 32829-32839	52
832	Self-adaptive mesoporous CoS@alveolus-like carbon yolk-shell microsphere for alkali cations storage. **2017**, 41, 109-116	64
831	Challenges and Recent Progress in the Development of Si Anodes for Lithium-Ion Battery. **2017**, 7, 1700715	459
830	Fabrication of porous Si/nitrogen doped carbon composite and its enhanced lithium storage capability. **2017**, 201, 302-310	9
829	Silicon Nanoparticles: Stability in Aqueous Slurries and the Optimization of the Oxide Layer Thickness for Optimal Electrochemical Performance. **2017**, 9, 32727-32736	20
828	In Situ Construction of 3D Interconnected FeS@Fe3C@Graphitic Carbon Networks for High-Performance Sodium-Ion Batteries. **2017**, 27, 1703390	190
827	A heart-coronary arteries structure of carbon nanofibers/graphene/silicon composite anode for high performance lithium ion batteries. **2017**, 7, 9642	21
826	Scalable preparation of mesoporous Silicon@C/graphite hybrid as stable anodes for lithium-ion batteries. **2017**, 728, 1-9	25

825	Novel silicon nanoparticles with nitrogen-doped carbon shell dispersed in nitrogen-doped graphene and CNTs hybrid electrode for lithium ion battery. **2017**, 425, 742-749	31
824	Surface and Interface Engineering of Silicon-Based Anode Materials for Lithium-Ion Batteries. **2017**, 7, 1701083	249
823	Scalable synthesis of nano-Si embedded in porous C and its enhanced performance as anode of Li-ion batteries. **2017**, 249, 166-172	22
822	Nanosilicon anodes for high performance rechargeable batteries. **2017**, 90, 1-44	133
821	A candidate strategy to achieve high initial Coulombic efficiency and long cycle life of Si anode materials: exterior carbon coating on porous Si microparticles. **2017**, 5, 299-304	17
820	Petal-like MoS Nanosheets Space-Confined in Hollow Mesoporous Carbon Spheres for Enhanced Lithium Storage Performance. **2017**, 11, 8429-8436	227
819	Recent Advances in Designing and Fabricating Self-Supported Nanoelectrodes for Supercapacitors. **2017**, 4, 1700188	122
818	High Performance Arsenic: Multiwall Carbon Nanotube Composite Anodes for Li-Ion Batteries. **2017**, 164, A1635-A1643	6
817	Strain-Induced Lithium Losses in the Solid Electrolyte Interphase on Silicon Electrodes. **2017**, 9, 28406-28417	21
816	Two-step ball-milling synthesis of a Si/SiOx/C composite electrode for lithium ion batteries with excellent long-term cycling stability. **2017**, 7, 36697-36704	29
815	Intercalation of CoO in S-Doped Graphite as High-Performance Anodes for Lithium-Ion Batteries. **2017**, 5, 2244-2252	5
814	Silicon enclosed in rGO/CNT shell-like scaffold as a micro lithium-ion battery anode. **2017**,	0
813	Fabrication of Fe O Dots Embedded in 3D Honeycomb-Like Carbon Based on Metallo-Organic Molecule with Superior Lithium Storage Performance. **2017**, 13, 1701351	40
812	A-few-second synthesis of silicon nanoparticles by gas-evaporation and their self-supporting electrodes based on carbon nanotube matrix for lithium secondary battery anodes. **2017**, 363, 450-459	13
811	Practical considerations of Si-based anodes for lithium-ion battery applications. **2017**, 10, 3970-4002	70
810	Green Fabrication of Silkworm Cocoon-like Silicon-Based Composite for High-Performance Li-Ion Batteries. **2017**, 11, 8628-8635	71
809	Na Mn O @C yolk shell nanorods as an ultrahigh electrochemical performance anode for lithium ion batteries. **2017**, 5, 18509-18517	18
808	Review Promises and Challenges of In Situ Transmission Electron Microscopy Electrochemical Techniques in the Studies of Lithium Ion Batteries. **2017**, 164, A2110-A2123	27

807	Design of Complex Nanomaterials for Energy Storage: Past Success and Future Opportunity. **2017**, 50, 2895-2905	198
806	A micro-sized Si@CNT anode for practical application via a one-step, low-cost and green method. **2017**, 7, 54844-54851	9
805	Si nanorod arrays modified with metal–organic segments as anodes in lithium ion batteries. **2017**, 7, 53680-53685	5
804	Synthesis and performance of nanostructured silicon/graphite composites with a thin carbon shell and engineered voids. **2017**, 258, 274-283	26
803	Tunable Synthesis of Yolk-Shell Porous Silicon@Carbon for Optimizing Si/C-Based Anode of Lithium-Ion Batteries. **2017**, 9, 42084-42092	135
802	Nanostructured materials: A progressive assessment and future direction for energy device applications. **2017**, 353, 113-141	29
801	Li atom adsorption on graphene with various defects for large-capacity Li ion batteries: First-principles calculations. **2017**, 56, 06GE11	11
800	Influence of solvent on the structure and electrochemical performances of Sn-based anode for lithium-ion battery. **2017**, 43, 12667-12674	2
799	Reduction of Electrolyte Components on a Coated Si Anode of Lithium-Ion Batteries. **2017**, 8, 3404-3408	12
798	Loose-fit graphitic encapsulation of silicon nanowire for one-dimensional Si anode design. **2017**, 33, 1120-1127	6
797	Rational design of Si@carbon with robust hierarchically porous custard-apple-like structure to boost lithium storage. **2017**, 39, 253-261	100
796	Heterogeneous Double-Shelled Constructed FeO Yolk-Shell Magnetite Nanoboxes with Superior Lithium Storage Performances. **2017**, 9, 24662-24670	29
795	Low-cost synthesis of hierarchical Co3V2O8 microspheres as high-performance anode materials for lithium-ion batteries. **2017**, 326, 587-593	33
794	Micro-sized spherical silicon@carbon@graphene prepared by spray drying as anode material for lithium-ion batteries. **2017**, 723, 434-440	67
793	Ultrathin Nitrogen-Enriched Hybrid Carbon Nanosheets for Supercapacitors with Ultrahigh Rate Performance and High Energy Density. **2017**, 4, 369-375	29
792	Carbon-Coated Silicon Nanowires on Carbon Fabric as Self-Supported Electrodes for Flexible Lithium-Ion Batteries. **2017**, 9, 9551-9558	81
791	Facile synthesis of yolk–shell Ni@void@SnO2(Ni3Sn2) ternary composites via galvanic replacement/Kirkendall effect and their enhanced microwave absorption properties. **2017**, 10, 331-343	288
790	Lifetime vs. rate capability: Understanding the role of FEC and VC in high-energy Li-ion batteries with nano-silicon anodes. **2017**, 6, 26-35	118

789	Adsorbed Water on Nano-Silicon Powder and Its Effects on Charge and Discharge Characteristics as Anode in Lithium-Ion Batteries. **2017**, 164, A6084-A6087	13
788	Silicon based lithium-ion battery anodes: A chronicle perspective review. **2017**, 31, 113-143	819
787	In Operando Mechanism Analysis on Nanocrystalline Silicon Anode Material for Reversible and Ultrafast Sodium Storage. **2017**, 29, 1604708	75
786	Fabrication of Hollow Core-Shell Type Si/C Nanocomposites by a Simple Process. **2017**, 15, 69-73	2
785	Fabrication of Si-based three-dimensional microbatteries: A review. **2017**, 12, 459-476	21
784	Silicon Nano-flake Powder as an Anode for The Next Generation Lithium-ion Batteries: Current Status and Challenges. **2017**, 85, 623-629	12
783	A Review on Nanocomposite Materials for Rechargeable Li-ion Batteries. **2017**, 7, 731	37
782	Recent Progress in Synthesis and Application of Low-Dimensional Silicon Based Anode Material for Lithium Ion Battery. **2017**, 2017, 1-15	7
781	Phosphorus-doped silicon nanorod anodes for high power lithium-ion batteries. **2017**, 8, 222-228	7
780	Lignin derived Si@C composite as a high performance anode material for lithium ion batteries. **2018**, 319, 77-82	18
779	Encapsulating Various Sulfur Allotropes within Graphene Nanocages for Long-Lasting Lithium Storage. **2018**, 28, 1706443	54
778	Stability and Reactivity: Positive and Negative Aspects for Nanoparticle Processing. **2018**, 118, 3209-3250	173
777	Artificial Composite Anode Comprising High-Capacity Silicon and Carbonaceous Nanostructures for Long Cycle Life Lithium-Ion Batteries. **2018**, 1, 27-32	6
776	Ni-based Nanostructures as High-performance Cathodes for Rechargeable Ni□n Battery. **2018**, 4, 525-536	47
775	. **2018**, 27, 201-209	2
774	Advances in In Situ Techniques for Characterization of Failure Mechanisms of Li-Ion Battery Anodes. **2018**, 2, 1700182	14
773	Carbon dioxide as a green carbon source for the synthesis of carbon cages encapsulating porous silicon as high performance lithium-ion battery anodes. **2018**, 10, 5626-5633	27
772	High-Performance Anode Materials for Rechargeable Lithium-Ion Batteries. **2018**, 1, 35-53	334

771	Fabrication of double core-shell Si-based anode materials with nanostructure for lithium-ion battery.. **2018**, 8, 9094-9102	23
770	Multiscale Engineered Si/SiO Nanocomposite Electrodes for Lithium-Ion Batteries Using Layer-by-Layer Spray Deposition. **2018**, 10, 15624-15633	33
769	Nitrogen-doped carbon-coated V2O5 nanocomposite as cathode materials for lithium-ion battery. **2018**, 53, 10270-10279	11
768	Graphene Oxides Used as a New "Dual Role" Binder for Stabilizing Silicon Nanoparticles in Lithium-Ion Battery. **2018**, 10, 15665-15672	41
767	Si@void@C Nanofibers Fabricated Using a Self-Powered Electrospinning System for Lithium-Ion Batteries. **2018**, 12, 4835-4843	90
766	Agglomeration Mechanism and a Protective Role of Al2O3 for Prolonged Cycle Life of Si Anode in Lithium-Ion Batteries. **2018**, 30, 3233-3243	34
765	Facile graphitization of silicon nano-particles with ethanol based chemical vapor deposition. **2018**, 16, 38-44	17
764	A Kind of Coordination Complex Cement for the Self-Assembly of Superstructure. **2018**, 12, 4002-4009	27
763	Utilizing van der Waals Slippery Interfaces to Enhance the Electrochemical Stability of Silicon Film Anodes in Lithium-Ion Batteries. **2018**, 10, 13442-13451	38
762	Efficient conversion of sand to nano-silicon and its energetic Si-C composite anode design for high volumetric capacity lithium-ion battery. **2018**, 382, 56-68	36
761	Visualizing Battery Reactions and Processes by Using In Situ and In Operando Microscopies. **2018**, 4, 438-465	77
760	Evolving affinity between Coulombic reversibility and hysteretic phase transformations in nano-structured silicon-based lithium-ion batteries. **2018**, 9, 479	53
759	Polyaniline-encapsulated silicon on three-dimensional carbon nanotubes foam with enhanced electrochemical performance for lithium-ion batteries. **2018**, 381, 156-163	60
758	Carbon-shell-constrained silicon cluster derived from Al-Si alloy as long-cycling life lithium ion batteries anode. **2018**, 381, 66-71	52
757	Synthesis of triblock copolymer polydopamine-polyacrylic-polyoxyethylene with excellent performance as a binder for silicon anode lithium-ion batteries.. **2018**, 8, 4604-4609	21
756	Surface and Electrochemical Studies on Silicon Diphosphide as Easy-to-Handle Anode Material for Lithium-Based Batteries-the Phosphorus Path. **2018**, 10, 7096-7106	27
755	Optimizing the Lithium Phosphorus Oxynitride Protective Layer Thickness on Low-Grade Composite Si-Based Anodes for Lithium-Ion Batteries. **2018**, 3, 729-735	6
754	Room temperature solid state dual-ion batteries based on gel electrolytes. **2018**, 6, 4313-4323	29

753	Rational Design of Si@SiO/C Composites Using Sustainable Cellulose as a Carbon Resource for Anodes in Lithium-Ion Batteries. **2018**, 10, 7946-7954	81
752	Silicon-Based Anodes for Lithium-Ion Batteries: From Fundamentals to Practical Applications. **2018**, 14, 1702737	433
751	Yolk-Shell Nanostructures: Design, Synthesis, and Biomedical Applications. **2018**, 30, 1704639	116
750	Novel scalable synthesis of porous silicon/carbon composite as anode material for superior lithium-ion batteries. **2018**, 739, 510-517	23
749	Nanograin tungsten oxide with excess oxygen as a highly reversible anode material for high-performance Li-ion batteries. **2018**, 215, 233-237	16
748	Stable Lithium Storage in Nitrogen-Doped Carbon-Coated Ferric Oxide Yolk-Shell Nanospindles with Preserved Hollow Space. **2018**, 83, 99-107	5
747	Constructing yolk-shell MnO@C nanodiscs through a carbothermal reduction process for highly stable lithium storage. **2018**, 336, 427-435	38
746	Electrospray synthesis of nano-Si encapsulated in graphite/carbon microplates as robust anodes for high performance lithium-ion batteries. **2018**, 2, 679-687	21
745	Flexible polyimides through one-pot synthesis as water-soluble binders for silicon anodes in lithium ion batteries. **2018**, 379, 26-32	42
744	Fundamental Understanding of Nanostructured Si Electrodes: Preparation and Characterization. **2018**, 4, 319-337	17
743	Highly porous carbon-coated silicon nanoparticles with canyon-like surfaces as a high-performance anode material for Li-ion batteries. **2018**, 6, 3028-3037	55
742	A high-performance tin dioxide@carbon anode with a super high initial coulombic efficiency via a primary cell prelithiation process. **2018**, 740, 830-835	10
741	Dual or multi carbonaceous coating strategies for next-generation batteries. **2018**, 6, 1900-1914	24
740	Monodisperse and homogeneous SiO /C microspheres: A promising high-capacity and durable anode material for lithium-ion batteries. **2018**, 13, 112-118	136
739	Facile preparation of SGC composite as anode for lithium-ion batteries. **2018**, 24, 2575-2581	1
738	HF-free synthesis of Si/C yolk/shell anodes for lithium-ion batteries. **2018**, 6, 2593-2599	58
737	Recent Advances in Designing High-Capacity Anode Nanomaterials for Li-Ion Batteries and Their Atomic-Scale Storage Mechanism Studies. **2018**, 5, 1700902	45
736	Electronic and structural properties of Li @Be B (n = 1-14) and Li @Be B (n = 1-21) nanoflakes shed light on possible anode materials for Li-based batteries. **2018**, 39, 1795-1805	3

735	A Novel Approach to Realize Si-Based Porous Wire-In-Tube Nanostructures for High-Performance Lithium-Ion Batteries. **2018**, 14, e1800615	3
734	Plateau targeted conditioning: An additive-free approach towards robust SEI formation in Li-S batteries for enhanced capacity and cycle life. **2018**, 49, 498-507	12
733	Li7P3S11 solid electrolyte coating silicon for high-performance lithium-ion batteries. **2018**, 276, 325-332	12
732	3D yolk–shell Si@void@CNF nanostructured electrodes with improved electrochemical performance for lithium-ion batteries. **2018**, 64, 344-351	19
731	Engineered Si@alginate microcapsule-graphite composite electrode for next generation high-performance lithium-ion batteries. **2018**, 270, 480-489	19
730	A nanopore-embedded graphitic carbon shell on silicon anode for high performance lithium ion batteries. **2018**, 6, 8013-8020	64
729	Thermal Lithiated-TiO: A Robust and Electron-Conducting Protection Layer for Li-Si Alloy Anode. **2018**, 10, 12750-12758	29
728	A bottom-up synthetic hierarchical buffer structure of copper silicon nanowire hybrids as ultra-stable and high-rate lithium-ion battery anodes. **2018**, 6, 7877-7886	27
727	Fe3O4@Ti3C2 MXene hybrids with ultrahigh volumetric capacity as an anode material for lithium-ion batteries. **2018**, 6, 11189-11197	165
726	Zeolite-Templated Mesoporous Silicon Particles for Advanced Lithium-Ion Battery Anodes. **2018**, 12, 3853-3864	75
725	Close-packing of hierarchically structured C@Sn@C nanofibers for high-performance Li-ion battery with large gravimetric and volumetric energy densities. **2018**, 344, 625-632	16
724	Self-Healing Liquid Metal and Si Composite as a High-Performance Anode for Lithium-Ion Batteries. **2018**, 1, 1395-1399	46
723	A facile one-step hydrothermal synthesis of carbon–MoS2 yolk–shell hierarchical microspheres with excellent electrochemical cycling stability. **2018**, 48, 509-518	15
722	The creation of hollow walls in carbon nanotubes for high-performance lithium ion batteries. **2018**, 133, 384-389	26
721	A novel and facile approach to obtain NiO nanowire-in-nanotube structured nanofibers with enhanced photocatalysis.. **2018**, 8, 11051-11060	15
720	A Review: Enhanced Anodes of Li/Na-Ion Batteries Based on Yolk-Shell Structured Nanomaterials. **2018**, 10, 40	62
719	Deterioration mechanism of LiNi0.8Co0.15Al0.05O2/graphite–SiOx power batteries under high temperature and discharge cycling conditions. **2018**, 6, 65-72	51
718	Simple synthesis of Si/Sn@C-G anodes with enhanced electrochemical properties for Li-ion batteries. **2018**, 259, 1081-1088	35

717	Strategy to form homogeneously macroporous Si as enhanced anode material of Li-ion batteries. **2018**, 731, 1-9		22
716	Fabrication of nano-sized attapulgite-based aerogels as anode material for lithium ion batteries. **2018**, 53, 2054-2064		9
715	Rationally Designed Silicon Nanostructures as Anode Material for Lithium-Ion Batteries. **2018**, 20, 1700591		72
714	Core–Shell Aluminum@Carbon Nanospheres for Dual-Ion Batteries with Excellent Cycling Performance under High Rates. **2018**, 8, 1701967		56
713	Mussel-Inspired Coating and Adhesion for Rechargeable Batteries: A Review. **2018**, 10, 7562-7573		58
712	SnO2 nanorods encapsulated within a 3D interconnected graphene network architecture as high-performance lithium-ion battery anodes. **2018**, 2, 262-270		11
711	Ultrafine Nickel-Nanoparticle-Enabled SiO2 Hierarchical Hollow Spheres for High-Performance Lithium Storage. **2018**, 28, 1704561		142
710	Utilizing a graphene matrix to overcome the intrinsic limitations of red phosphorus as an anode material in lithium-ion batteries. **2018**, 127, 588-595		39
709	Sn Wears Super Skin: A New Design for Long Cycling Batteries. *Nano Letters*, **2018**, 18, 467-474	11.5	58
708	Cubic Cu2O/Cu2S Particles with a Unique Truncated Edge Structure Anchoring on Reduced Graphene Oxide as An Enhanced Anode Material for Sodium-Ion Batteries. **2018**, 5, 630-636		21
707	In-situ grown CNTs modified SiO2/C composites as anode with improved cycling stability and rate capability for lithium storage. **2018**, 433, 428-436		30
706	Recent Developments on and Prospects for Electrode Materials with Hierarchical Structures for Lithium-Ion Batteries. **2018**, 8, 1701415		321
705	Scalable and general synthesis of spinel manganese-based cathodes with hierarchical yolk–shell structure and superior lithium storage properties. **2018**, 11, 246-253		13
704	Microwave-assisted synthesis of the sandwich-like porous Al2O3/RGO nanosheets anchoring NiO nanocomposite as anode materials for lithium-ion batteries. **2018**, 427, 354-362		16
703	Pomegranate-like, carbon-coated Fe3O4 nanoparticle superparticles for high-performance lithium storage. **2018**, 10, 32-39		30
702	Si nanoflake-assembled blocks towards high initial coulombic efficiency anodes for lithium-ion batteries. **2018**, 54, 12214-12217		20
701	Yolk-Shell Germanium@Polypyrrole Architecture with Precision Expansion Void Control for Lithium Ion Batteries. **2018**, 9, 521-531		19
700	Morphology-Controlled Discharge Profile and Reversible Cu Extrusion and Dissolution in Biomimetic CuS. **2018**, 10, 41458-41464		7

699	Stress-Affected Lithiation Reactions in Elasto-Viscoplastic Si Particles with Hyperelastic Polymer Coatings: A Nonlinear Chemo-Mechanical Finite-Element Study. **2018**, 8, 455		
698	Lithium-ion full cell with high energy density using nickel-rich LiNi0.8Co0.1Mn0.1O2 cathode and SiO□ composite anode. **2018**, 25, 1473-1481		14
697	Hydrothermal-derived carbon as a stabilizing matrix for improved cycling performance of silicon-based anodes for lithium-ion full cells. **2018**, 9, 2381-2395		10
696	A fluoride ion-mediated continuous etching-redeposition strategy to synthesize Si nanocomposites with appropriate SiO coating layers for Li-ion batteries. **2018**, 54, 12447-12450		13
695	Double core-shell of Si@PANI@TiO2 nanocomposite as anode for lithium-ion batteries with enhanced electrochemical performance. **2018**, 43, 20843-20852		16
694	Self-Adaptive Electrode with SWCNT Bundles as Elastic Substrate for High-Rate and Long-Cycle-Life Lithium/Sodium Ion Batteries. **2018**, 14, e1802913		23
693	A first-principles study on a CNT-Si6 system. **2018**,		
692	Formation of Si Hollow Structures as Promising Anode Materials through Reduction of Silica in AlCl-NaCl Molten Salt. **2018**, 12, 11481-11490		55
691	Highly chemiluminescent magnetic mesoporous carbon composites Fe3O4@void@C with yolk-shell structure. **2018**, 61, 1143-1150		5
690	Ion-Sieving Carbon Nanoshells for Deeply Rechargeable Zn-Based Aqueous Batteries. **2018**, 8, 1802470		86
689	Size and Surface Effects of Silicon Nanocrystals in Graphene Aerogel Composite Anodes for Lithium Ion Batteries. **2018**, 30, 7782-7792		35
688	Shell-Protective Secondary Silicon Nanostructures as Pressure-Resistant High-Volumetric-Capacity Anodes for Lithium-Ion Batteries. *Nano Letters*, **2018**, 18, 7060-7065	11.5	78
687	Highly Stretchable Conductive Glue for High-Performance Silicon Anodes in Advanced Lithium-Ion Batteries. **2018**, 28, 1704858		90
686	Robust Micron-Sized Silicon Secondary Particles Anchored by Polyimide as High-Capacity, High-Stability Li-Ion Battery Anode. **2018**, 10, 34132-34139		17
685	Novel Lignin-Derived Water-Soluble Binder for Micro Silicon Anode in Lithium-Ion Batteries. **2018**, 6, 12621-12629		47
684	2D-Pnictogens: alloy-based anode battery materials with ultrahigh cycling stability. **2018**, 47, 6964-6989		84
683	Highly conductive carbon nanotube micro-spherical network for high-rate silicon anode. **2018**, 394, 94-101		39
682	Si@C Microsphere Composite with Multiple Buffer Structures for High-Performance Lithium-Ion Battery Anodes. **2018**, 24, 12912-12919		20

681	Graphene Caging Silicon Particles for High-Performance Lithium-Ion Batteries. **2018**, 14, e1800635	104
680	Electrophoretic deposition of carbon nanofibers/silicon film with honeycomb structure as integrated anode electrode for lithium-ion batteries. **2018**, 281, 312-322	28
679	Facile synthesis of yolk-shell structured monodisperse mesoporous organosilica nanoparticles by a mild alkalescent etching approach. **2018**, 527, 33-39	9
678	Fabrication of three-dimensional crystalline silicon-on-carbon nanotube nanocomposite anode by sputtering and laser annealing for high-performance lithium-ion battery. **2018**, 57, 05GB05	2
677	A novel approach to synthesize micrometer-sized porous silicon as a high performance anode for lithium-ion batteries. **2018**, 50, 589-597	133
676	Highly conducting fibrous carbon-coated silicon alloy anode for lithium ion batteries. **2018**, 454, 277-283	13
675	Co NP/NC hollow nanoparticles derived from yolk-shell structured ZIFs@polydopamine as bifunctional electrocatalysts for water oxidation and oxygen reduction reactions. **2018**, 27, 1261-1267	29
674	Surface Modification of Silicon Nanoparticles by an "Ink" Layer for Advanced Lithium Ion Batteries. **2018**, 10, 19639-19648	17
673	A Silicon Anode Material with Layered Structure for the Lithium-ion Battery. **2018**, 986, 012024	4
672	A unique intricate hollow Si nanocomposite designed for lithium storage. **2018**, 758, 177-183	10
671	A novel textile-like carbon wrapping for high-performance silicon anodes in lithium-ion batteries. **2018**, 6, 12475-12483	28
670	FexP/C core-shell nanocubes with large inner void space for advanced lithium-ion battery anode. **2018**, 453, 56-62	19
669	Synergistic double-shell coating of graphene and Li4SiO4 on silicon for high performance lithium-ion battery application. **2018**, 88, 60-66	7
668	Putting Nanoarmors on Yolk-Shell Si@C Nanoparticles: A Reliable Engineering Way To Build Better Si-Based Anodes for Li-Ion Batteries. **2018**, 10, 24157-24163	33
667	High performance of yolk-shell structured MnO@nitrogen doped carbon microspheres as lithium ion battery anode materials and their in operando X-ray diffraction study. **2018**, 282, 719-727	18
666	Iron oxide shell coating on nano silicon prepared from the sand for lithium-ion battery application. **2018**,	1
665	All inorganic based Nd0.9Mn0.1FeO3 perovskite for Li-ion battery application: Synthesis, structural and morphological investigation. **2018**, 766, 1014-1023	9
664	Cu@MoO2@C nanocomposite with stable yolk-shell structure for high performance lithium-ion batteries. **2018**, 768, 714-721	7

663	Silicon Surface Tethered Polymer as Artificial Solid Electrolyte Interface. **2018**, 8, 11549	18
662	Controlled scalable synthesis of yolk-shell structured large-size industrial silicon with interconnected carbon network for lithium storage. **2018**, 283, 1702-1711	16
661	Highly Porous Si Nanoframeworks Stabilized in TiO2 Shells and Enlaced by Graphene Nanoribbons for Superior Lithium-Ion Storage. **2018**, 5, 2584-2592	12
660	Mechanical mismatch-driven rippling in carbon-coated silicon sheets for stress-resilient battery anodes. **2018**, 9, 2924	69
659	2.20 Batteries. **2018**, 629-662	2
658	Highly Graphitized Carbon Coating on SiO with a π-Stacking Precursor Polymer for High Performance Lithium-Ion Batteries. **2018**, 10,	11
657	Sulfur: an intermediate template for advanced silicon anode architectures. **2018**, 6, 14787-14796	16
656	Facile synthesis of hierarchical CNF/SnO/Ni nanostructures via self-assembly process as anode materials for lithium ion batteries. **2018**, 5, 171522	6
655	Core/shell Fe3O4@Fe encapsulated in N-doped three-dimensional carbon architecture as anode material for lithium-ion batteries. **2018**, 43, 15358-15364	6
654	Structure-designed synthesis of yolk–shell hollow ZnFe2O4/C@N-doped carbon sub-microspheres as a competitive anode for high-performance Li-ion batteries. **2018**, 6, 17947-17958	25
653	Conformal Multilayer Photocatalytic Thin Films on Fine Particles by Atmospheric Pressure Fluidized Bed Chemical Vapor Deposition. **2018**, 57, 10345-10353	6
652	Recent progress on silicon-based anode materials for practical lithium-ion battery applications. **2018**, 15, 422-446	192
651	Materials Engineering of High-Performance Anodes as Layered Composites with Self-Assembled Conductive Networks. **2018**, 122, 14014-14028	7
650	Scallop-Inspired Shell Engineering of Microparticles for Stable and High Volumetric Capacity Battery Anodes. **2018**, 14, e1800752	14
649	Synthesis and characterization of various V2O5 microsphere structures and their electrochemical performance. **2018**, 757, 177-187	3
648	Preparation of carbon cloth supported Sn thin film for structural lithium-ion battery anodes. **2018**, 822, 17-22	9
647	Yolk structure of porous C/SiO2/C composites as anode for lithium-ion batteries with quickly activated SiO2. **2018**, 757, 265-272	33
646	Apparatus for combined nanoscale gravimetric, stress, and thermal measurements. **2018**, 89, 085106	3

645	Design of double-shelled and dual-cavity structures in Fe3O4@Void@PMAA@Void@TiO2 nanocomposite particles for comprehensive photocatalyst and adsorbent applications. **2018**, 296, 1719-1728	2
644	Strategy for Boosting Li-Ion Current in Silicon Nanoparticles. **2018**, 3, 2252-2258	35
643	Practical anodes for Li-ion batteries comprising metallurgical silicon particles and multiwall carbon nanotubes. **2018**, 22, 3289-3301	4
642	Ultrahigh Malleability of the Lithiation-Induced LixSi Phase. **2018**, 1, 4211-4220	11
641	Interconnected silicon nanoparticles originated from halloysite nanotubes through the magnesiothermic reduction: A high-performance anode material for lithium-ion batteries. **2018**, 162, 499-506	22
640	Exploring Chemical, Mechanical, and Electrical Functionalities of Binders for Advanced Energy-Storage Devices. **2018**, 118, 8936-8982	337
639	Toward advanced sodium-ion batteries: a wheel-inspired yolk–shell design for large-volume-change anode materials. **2018**, 6, 13153-13163	24
638	Enhanced cycleability of faradic CoNi2S4 electrode by reduced graphene oxide coating for efficient asymmetric supercapacitor. **2018**, 281, 394-404	45
637	Hierarchically Porous N,S-Codoped Carbon-Embedded Dual Phase MnO/MnS Nanoparticles for Efficient Lithium Ion Storage. **2018**, 57, 7993-8001	23
636	Electrochemical Impedance and its Applications in Energy-Storage Systems. **2018**, 2, 1700342	42
635	A self-sacrifice template strategy to fabricate yolk-shell structured silicon@void@carbon composites for high-performance lithium-ion batteries. **2018**, 351, 103-109	44
634	Microwave energy-based manufacturing of hollow carbon nanospheres decorated with carbon nanotubes or metal oxide nanowires. **2018**, 53, 12178-12189	5
633	Low-cost and sustainable corn starch as a high-performance aqueous binder in silicon anodes via in situ cross-linking. **2018**, 396, 459-466	38
632	Yolk-shell Si/C composites with multiple Si nanoparticles encapsulated into double carbon shells as lithium-ion battery anodes. **2019**, 32, 124-130	58
631	Micro Silicon□Graphene□Carbon Nanotube Anode for Full Cell Lithium-ion Battery. **2019**, 16,	7
630	Yolk-shell Si/SiOx@Void@C composites as anode materials for lithium-ion batteries. **2019**, 12, 1850094	17
629	Wrinkling and ratcheting of a thin film on cyclically deforming plastic substrate: Mechanical instability of the solid-electrolyte interphase in Li□on batteries. **2019**, 123, 103-118	21
628	A robust hierarchical 3D Si/CNTs composite with void and carbon shell as Li-ion battery anodes. **2019**, 360, 974-981	52

627	Development of covalent-bonded organic/carbon anode for sodium-ion battery. **2019**, 33, 3865-3870		5
626	Scanning probe microscopy based characterization of battery materials, interfaces, and processes. **2019**, 65, 103925		26
625	Everlasting Living and Breathing Gyroid 3D Network in Si@SiOx/C Nanoarchitecture for Lithium Ion Battery. **2019**, 13, 9607-9619		106
624	Advances in the synthesis and design of nanostructured materials by aerosol spray processes for efficient energy storage. **2019**, 11, 19012-19057		22
623	Carbon nanonion-assembled microspheres for excellent gravimetric and volumetric Na-Ion storage. **2019**, 153, 298-307		18
622	Enhanced cycling performance of Si-MXene nanohybrids as anode for high performance lithium ion batteries. **2019**, 378, 122212		45
621	Highly Ordered Mesoporous NiCoO as a High Performance Anode Material for Li-Ion Batteries. **2019**, 7, 521		7
620	Porous carbon encapsulated Mn3O4 for stable lithium storage and its ex-situ XPS study. **2019**, 319, 518-526		26
619	High-Performance Silicon Anodes Enabled By Nonflammable Localized High-Concentration Electrolytes. **2019**, 9, 1900784		92
618	Metal-Organic Frameworks-Derived Mesoporous Si/SiO @NC Nanospheres as a Long-Lifespan Anode Material for Lithium-Ion Batteries. **2019**, 25, 11991-11997		31
617	Nitrogen Plasma-Treated Core-Bishell Si@SiO@TiO: Nanoparticles with Significantly Improved Lithium Storage Performance. **2019**, 11, 27658-27666		26
616	Alloying Reaction Confinement Enables High-Capacity and Stable Anodes for Lithium-Ion Batteries. **2019**, 13, 9511-9519		32
615	First-principles insight into Li and Na ion storage in graphene oxide. **2019**, 28, 078201		3
614	Effect of mechanical treatment on the distribution of valence electrons and characteristics of nanocomposite (SiO2)x(Al2O3)1-x (x = 0.8, x = 0.7) electrodes in lithium power sources. **2019**, 494, 1013-1022		2
613	A SiOx/Sn/C hybrid anode for lithium-ion batteries with high volumetric capacity and long cyclability. **2019**, 809, 151659		11
612	A Review on the Thermal Hazards of the Lithium-Ion Battery and the Corresponding Countermeasures. **2019**, 9, 2483		85
611	Silicon Carbide as a Protective Layer to Stabilize Si-Based Anodes by Inhibiting Chemical Reactions. *Nano Letters*, **2019**, 19, 5124-5132	11.5	48
610	A simple spray assisted method to fabricate high performance layered graphene/silicon hybrid anodes for lithium-ion batteries. **2019**, 44, 20267-20277		8

609	Pomegranate-like shell structured Si@C with tunable inner-space as an anode material for lithium-ion battery. **2019**, 441, 227193		13
608	Topological Design of Graphene. **2019**, 1-44		2
607	Si/Cu3Si@C Composite Encapsulated in CNTs Network as High Performance Anode for Lithium Ion Batteries. **2019**, 34, 1055-1061		0
606	Novel design and synthesis of carbon-coated porous silicon particles as high-performance lithium-ion battery anodes. **2019**, 439, 227027		33
605	Construction of Structure-Tunable Si@Void@C Anode Materials for Lithium-Ion Batteries through Controlling the Growth Kinetics of Resin. **2019**, 13, 12219-12229		76
604	Silicon-Nanographite Aerogel-Based Anodes for High Performance Lithium Ion Batteries. **2019**, 9, 14621		9
603	Ionothermal Synthesis of Crystalline Nanoporous Silicon and Its Use as Anode Materials in Lithium-Ion Batteries. **2019**, 14, 196		1
602	3D Lithiophilic "Hairy" Si Nanowire Arrays @ Carbon Scaffold Favor a Flexible and Stable Lithium Composite Anode. **2019**, 11, 44325-44332		15
601	A Novel Strategy for Lithium-Ion Battery Anode with Enhanced Cycling Performance: Silicon Particles Enclosed in Shell-Like Mxenes/CNTs Nanostructure. **2019**,		1
600	Si/a-C Nanocomposites with a Multiple Buffer Structure via One-Step Magnetron Sputtering for Ultrahigh-Stability Lithium-Ion Battery Anodes. **2019**, 11, 45726-45736		6
599	Highly Multifunctional Dopamine-Functionalized Reduced Graphene Oxide Supercapacitors. **2019**, 1, 1532-1546		45
598	Native Void Space for Maximum Volumetric Capacity in Silicon-Based Anodes. *Nano Letters*, **2019**, 19, 8793-8800	11.5	22
597	CuO nanowire arrays synthesized at room temperature as a high-performance anode material for Li/Na-ion batteries. **2019**, 690, 137522		10
596	Silica Restricting the Sulfur Volatilization of Nickel Sulfide for High-Performance Lithium-Ion Batteries. **2019**, 9, 1901153		64
595	Modeling hot strip rolling process under framework of generalized additive model. **2019**, 26, 2379-2392		1
594	Facile fabrication of flexible Si-based nanocomposite films as high-rate anodes by layer-by-layer self-assembly. **2019**, 476, 501-512		11
593	Templated Synthesis of Polymer-Based Yolk/Shell Particles with Tunable Morphologies. **2019**, 31, 7443-7452		7
592	Direct Observation of SEI Formation and Lithiation in Thin-Film Silicon Electrodes via in Situ Electrochemical Atomic Force Microscopy. **2019**, 2, 6761-6767		23

591	A Novel Anode in High-Performance Lithium-Ion Battery Based on Advanced Nanomaterials and Nanofabrication Technology. **2019**,	1
590	Si-based materials derived from biomass: synthesis and applications in electrochemical energy storage. **2019**, 7, 22123-22147	53
589	Oxygen-defective Co3O4 for pseudo-capacitive lithium storage. **2019**, 439, 227026	24
588	Designing superior solid electrolyte interfaces on silicon anodes for high-performance lithium-ion batteries. **2019**, 11, 19086-19104	53
587	Nanowires for Electrochemical Energy Storage. **2019**, 119, 11042-11109	167
586	Porous Si/C anode materials by Al–Si dealloying method with PEA surfactant assisted cross-linked carbon coating for lithium-ion battery applications. **2019**, 327, 134995	17
585	Simultaneous growth of SiOx/carbon bilayers on Si nanoparticles for improving cycling stability. **2019**, 323, 134840	18
584	Towards maximized volumetric capacity via pore-coordinated design for large-volume-change lithium-ion battery anodes. **2019**, 10, 475	59
583	Hierarchical void structured Si/PANi/C hybrid anode material for high-performance lithium-ion batteries. **2019**, 300, 341-348	21
582	Electron Holography of Yolk–Shell Fe3O4@mSiO2 Microspheres for Use in Microwave Absorption. **2019**, 2, 910-916	29
581	Polydopamine Modified Superparamagnetic Iron Oxide Nanoparticles as Multifunctional Nanocarrier for Targeted Prostate Cancer Treatment. **2019**, 9,	25
580	Facile synthesis of Si@void@C nanocomposites from low-cost microsized Si as anode materials for lithium-ion batteries. **2019**, 479, 287-295	30
579	Ultrafine Sb nanoparticles embedded in nitrogen-doped carbon nanofibers as ultralong cycle durability and high-rate anode materials for reversible sodium storage. **2019**, 300, 396-403	13
578	Modified Chestnut-Like Structure Silicon Carbon Composite as Anode Material for Lithium-Ion Batteries. **2019**, 7, 10415-10424	51
577	Understanding the Spontaneous Reactions between Oxide-Free Silicon and Lithium-Battery Electrolytes. **2019**, 166, A2091-A2095	10
576	Si nanoparticle clusters in hollow carbon capsules (SNC@C) as lithium battery anodes: toward high initial coulombic efficiency. **2019**, 11, 13650-13658	17
575	Yolk–Shell Prussian blue analogues hierarchical microboxes: Controllably exposing active sites toward enhanced cathode performance for lithium ion batteries. **2019**, 319, 237-244	14
574	Towards high energy density lithium battery anodes: silicon and lithium. **2019**, 10, 7132-7148	76

573	Electrochemical analysis of silicon nanoparticle lithiation Effect of crystallinity and carbon coating quantity. **2019**, 435, 226769	8
572	Synthesis of SiOx/C composite with dual interface as Li-ion battery anode material. **2019**, 802, 704-711	24
571	In Situ Transmission Electron Microscopy for Energy Materials and Devices. **2019**, 31, e1900608	53
570	FeS2@Porous octahedral carbon derived from metal-organic framework as a stable and high capacity anode for lithium-ion batteries. **2019**, 318, 673-682	23
569	Recent advance in understanding the electro-chemo-mechanical behavior of lithium-ion batteries by electron microscopy. **2019**, 7, 100040	15
568	An Investigation on the Effect of Li Ion Cycling on the Vertically Aligned Brookite TiO2 Nanostructure. **2019**, 4, 6620-6626	12
567	Improving the electrochemical performance of Si-based anode via gradient Si concentration. **2019**, 177, 107851	17
566	Hierarchically 3D structured milled lamellar MoS2/nano-silicon@carbon hybrid with medium capacity and long cycling sustainability as anodes for lithium-ion batteries. **2019**, 35, 1840-1850	10
565	Two-dimensional porous silicon nanosheets as anode materials for high performance lithium-ion batteries. **2019**, 11, 10984-10991	32
564	MOF-derived transition metal oxide encapsulated in carbon layer as stable lithium ion battery anodes. **2019**, 797, 83-91	26
563	Review of Recent Development of In Situ/Operando Characterization Techniques for Lithium Battery Research. **2019**, 31, e1806620	251
562	Sandwich structure of carbon-coated silicon/carbon nanofiber anodes for lithium-ion batteries. **2019**, 45, 16195-16201	19
561	Advances in nanostructures fabricated via spray pyrolysis and their applications in energy storage and conversion. **2019**, 48, 3015-3072	182
560	Micro-structured Si@Cu3Si@C ternary composite anodes for high-performance Li-ion batteries. **2019**, 25, 4667-4673	3
559	In Situ Cross-linked Carboxymethyl Cellulose-Polyethylene Glycol Binder for Improving the Long-Term Cycle Life of Silicon Anodes in Li Ion Batteries. **2019**, 58, 8123-8130	20
558	Li-Ions Transport Promoting and Highly Stable Solid-Electrolyte Interface on Si in Multilayer Si/C through Thickness Control. **2019**, 13, 5602-5610	25
557	In Situ TEM of Phosphorus-Dopant-Induced Nanopore Formation in Delithiated Silicon Nanowires. **2019**, 11, 17313-17320	8
556	A Versatile Polymeric Precursor to High-Performance Silicon Composite Anode for Lithium-Ion Batteries. **2019**, 7, 1900239	5

555	Engineering the Core-Shell-Structured NCNTs-NiSi@Porous Si Composite with Robust Ni-Si Interfacial Bonding for High-Performance Li-Ion Batteries. **2019**, 35, 6321-6332	25
554	Rational Design of the Robust Janus Shell on Silicon Anodes for High-Performance Lithium-Ion Batteries. **2019**, 11, 17375-17383	29
553	A Yolk-Shell Structured Silicon Anode with Superior Conductivity and High Tap Density for Full Lithium-Ion Batteries. **2019**, 58, 8824-8828	165
552	A Yolk‐Shell Structured Silicon Anode with Superior Conductivity and High Tap Density for Full Lithium-Ion Batteries. **2019**, 131, 8916-8920	16
551	Porous Si/C microspheres decorated with stable outer carbon interphase and inner interpenetrated Si@C channels for enhanced lithium storage. **2019**, 149, 664-671	40
550	7Li and 29Si NMR Enabled by High-Density Cellulose-Based Electrodes in the Lithiation Process in Silicon and Silicon Monoxide Anodes. **2019**, 123, 11362-11368	18
549	Dual Carbonaceous Materials Synergetic Protection Silicon as a High-Performance Free-Standing Anode for Lithium-Ion Battery. **2019**, 9,	13
548	Surface-engineered mesoporous silicon microparticles as high-Coulombic-efficiency anodes for lithium-ion batteries. **2019**, 61, 404-410	88
547	Elucidating the interfacial evolution and anisotropic dynamics on silicon anodes in lithium-ion batteries. **2019**, 61, 304-310	22
546	Flexible freestanding 3D Si/C composite nanofiber film fabricated using the electrospinning technique for lithium-ion batteries anode. **2019**, 337, 70-75	15
545	Zinc-assisted mechanochemical coating of a reduced graphene oxide thin layer on silicon microparticles to achieve efficient lithium-ion battery anodes. **2019**, 3, 1258-1268	4
544	Alloyed Cu/Si core-shell nanoflowers on the three-dimensional graphene foam as an anode for lithium-ion batteries. **2019**, 306, 45-53	14
543	Effects of nitrogen doping on Si/carbon composite anode derived from Si wastes as potential active materials for Li ion batteries. **2019**, 790, 829-836	17
542	Anisotropic expansion and size-dependent fracture of silicon nanotubes during lithiation. **2019**, 7, 15113-15122	18
541	Engineering the Distribution of Carbon in Silicon Oxide Nanospheres at the Atomic Level for Highly Stable Anodes. **2019**, 131, 6741-6745	14
540	Confronting the Challenges of Next-Generation Silicon Anode-Based Lithium-Ion Batteries: Role of Designer Electrolyte Additives and Polymeric Binders. **2019**, 12, 2515-2539	92
539	Morphology-controlled synthesis of hollow Si/C composites based on KI-assisted magnesiothermic reduction for high performance Li-ion batteries. **2019**, 481, 933-939	23
538	Engineering the Distribution of Carbon in Silicon Oxide Nanospheres at the Atomic Level for Highly Stable Anodes. **2019**, 58, 6669-6673	142

537	Practically Relevant Research on Silicon-Based Lithium-Ion Battery Anodes. **2019**, 261-305	2
536	Nanoporous SiO coated amorphous silicon anode material with robust mechanical behavior for high-performance rechargeable Li-ion batteries. **2019**, 1, 70-76	15
535	Microbelt□void□microbelt-structured SnO2@C as an advanced electrode with outstanding rate capability and high reversibility. **2019**, 7, 10523-10533	19
534	Structural Engineering of Hierarchical Micro-nanostructured Ge□ Framework by Controlling the Nucleation for Ultralong-Life Li Storage. **2019**, 9, 1900081	77
533	Facile synthesizing silicon waste/carbon composites via rapid thermal process for lithium-ion battery anode. **2019**, 791, 19-29	12
532	Polyimide capping layer on improving electrochemical stability of silicon thin-film for Li-ion batteries. **2019**, 12, 297-302	14
531	Silicon-Based Anodes for Advanced Lithium-Ion Batteries. **2019**, 1-12	1
530	TEM Studies on Electrode Materials for Secondary Ion Batteries. **2019**, 1-27	1
529	First-principles calculations for Li adatom diffusion on a graphene surface through a V6 defect partly terminated by hydrogen atoms. **2019**, 58, SBBH07	1
528	Graphene caging silicon nanoparticles anchored on graphene sheets for high performance Li-ion batteries. **2019**, 484, 11-20	21
527	Failure mechanism of Au@Co9S8 yolk-shell anode in Li-ion batteries unveiled by in-situ transmission electron microscopy. **2019**, 114, 113901	28
526	A carob-inspired nanoscale design of yolk-shell Si@void@TiO-CNF composite as anode material for high-performance lithium-ion batteries. **2019**, 48, 6846-6852	8
525	Nanoscale design of zinc anodes for high-energy aqueous rechargeable batteries. **2019**, 6, 100032	90
524	A new design for Si wears double jackets used as a high-performance lithium-ion battery anode. **2019**, 370, 565-572	30
523	Correlation between the physical parameters and the electrochemical performance of a silicon anode in lithium-ion batteries. **2019**, 5, 164-175	16
522	Octahedral Cu2O@Co(OH)2 Nanocages with Hierarchical Flake-Like Walls and Yolk-Shell Structures for Enhanced Electrocatalytic Activity. **2019**, 11, 2520-2525	11
521	Tunable nitrogen-doped graphene sheets produced with in situ electrochemical cathodic plasma at room temperature for lithium-ion batteries. **2019**, 12, 336-347	14
520	A safe and fast-charging lithium-ion battery anode using MXene supported Li3VO4. **2019**, 7, 11250-11256	65

519	Self-assembly encapsulation of Si in N-doped reduced graphene oxide for use as a lithium ion battery anode with significantly enhanced electrochemical performance. **2019**, 3, 1427-1438	21
518	Peering into Alloy Anodes for Sodium-Ion Batteries: Current Trends, Challenges, and Opportunities. **2019**, 29, 1808745	133
517	Pseudocapacitive P-doped NiCo2O4 microspheres as stable anode for lithium ion batteries. **2019**, 787, 1051-1062	14
516	The Quasi-Pt-Allotrope Catalyst: Hollow PtCo@single-Atom Pt1 on Nitrogen-Doped Carbon toward Superior Oxygen Reduction. **2019**, 29, 1807340	60
515	Yolk-Shell-Structured Bismuth@N-Doped Carbon Anode for Lithium-Ion Battery with High Volumetric Capacity. **2019**, 11, 10829-10840	90
514	A polyisoindigo derivative as novel n-type conductive binder inside Si@C nanoparticle electrodes for Li-ion battery applications. **2019**, 420, 9-14	22
513	Minimized Volume Expansion in Hierarchical Porous Silicon upon Lithiation. **2019**, 11, 13257-13263	31
512	Spray-pyrolysis-assisted synthesis of yolk@shell anatase with rich oxygen vacancies for efficient sodium storage. **2019**, 7, 6740-6746	26
511	Large-Scale Fabrication of Egg-Carton-Inspired Bi/C Composite toward High Volumetric Capacity and Long-Life Lithium Ion Batteries. **2019**, 7, 6033-6042	22
510	Ionic association analysis of LiTDI, LiFSI and LiPF in EC/DMC for better Li-ion battery performances.. **2019**, 9, 4599-4608	37
509	Solvothermal ion exchange synthesis of ternary cubic phase Zn2Ti3O8 solid spheres as superior anodes for lithium ion batteries. **2019**, 302, 363-372	15
508	Comparative Life-Cycle Assessment of Li-Ion Batteries through Process-Based and Integrated Hybrid Approaches. **2019**, 7, 5082-5094	26
507	Silicon/Carbon Composite Anode Materials for Lithium-Ion Batteries. **2019**, 2, 149-198	121
506	A facile method to fabricate a porous Si/C composite with excellent cycling stability for use as the anode in a lithium ion battery. **2019**, 55, 13438-13441	8
505	Compact Si/C anodes fabricated by simultaneously regulating the size and oxidation degree of Si for Li-ion batteries. **2019**, 7, 24356-24365	23
504	Rationally engineered 3D-dendritic cell-like morphologies of LDH nanostructures using graphene-based core-shell structures. **2019**, 5, 65	15
503	Promoting Si-graphite composite anodes with SWCNT additives for half and NCM811 full lithium ion batteries and assessment criteria from an industrial perspective. **2019**, 13, 626-635	2
502	Structure and conductivity enhanced treble-shelled porous silicon as an anode for high-performance lithium-ion batteries.. **2019**, 9, 35392-35400	4

501	From sand to fast and stable silicon anode: Synthesis of hollow Si@void@C yolk–shell microspheres by aluminothermic reduction for lithium storage. **2019**, 30, 610-617	12
500	Carbon Coated Si-Metal Silicide Composite Anode Materials Prepared by High-Energy Milling and Carburization for Li-Ion Rechargeable Batteries. **2019**, 166, A5131-A5138	6
499	Self-healing silicon-sodium alginate-polyaniline composites originated from the enhancement hydrogen bonding for lithium-ion battery: A combined simulation and experiment study. **2019**, 412, 749-758	25
498	Electrodeposited Silicon Nanowires from Silica Dissolved in Molten Salts as a Binder-Free Anode for Lithium-Ion Batteries. **2019**, 2, 804-813	36
497	Potential of Si14Ge14 and B14P14 nanocages as electrodes of metal-ion batteries: a theoretical investigation. **2019**, 23, 759-769	2
496	Pure silicon thin-film anodes for lithium-ion batteries: A review. **2019**, 414, 48-67	98
495	Rational Design of Hierarchically Open-Porous Spherical Hybrid Architectures for Lithium-Ion Batteries. **2019**, 9, 1802816	32
494	Optimized Porous Si/SiC Composite Spheres as High-Performance Anode Material for Lithium-Ion Batteries. **2019**, 6, 450-455	16
493	Dimensionally Designed Carbon–Silicon Hybrids for Lithium Storage. **2019**, 29, 1806061	91
492	Failure modes and mechanisms for rechargeable Lithium-based batteries: a state-of-the-art review. **2019**, 230, 701-727	35
491	Hierarchical Microspheres of Aggregated Silicon Nanoparticles with Nanometre Gaps as the Anode for Lithium-Ion Batteries with Excellent Cycling Stability. **2019**, 6, 1139-1148	5
490	Scalable synthesis of carbon-encapsulated nano-Si on graphite anode material with high cyclic stability for lithium-ion batteries. **2019**, 470, 454-461	28
489	Exploiting oleic acid to prepare two-dimensional assembly of Si@graphitic carbon yolk-shell nanoparticles for lithium-ion battery anodes. **2019**, 12, 631-636	14
488	A novel bi-functional SiO2@TiO2/CDs nanocomposite with yolk-shell structure as both efficient SERS substrate and photocatalyst. **2019**, 475, 135-142	10
487	Lithiation Behavior of Coaxial Hollow Nanocables of Carbon-Silicon Composite. **2019**, 13, 2274-2280	40
486	Rational design of porous carbon matrices to enable efficient lithiated silicon sulfur full cell. **2019**, 145, 100-111	10
485	A Novel Anode with Superior Cycling Stability Based on Silicon Encapsulated in Shell-Like rGO/CNT Architecture for Lithium-Ion Batteries. **2019**, 7, 1801047	5
484	Mass-Production of Electrospun Carbon Nanofiber Containing SiOx for Lithium-Ion Batteries with Enhanced Capacity. **2019**, 304, 1800564	11

483	Synthesis of porous MoV2O8 nanosheets as anode material for superior lithium storage. **2019**, 22, 128-137	25
482	Size-dependent kinetics during non-equilibrium lithiation of nano-sized zinc ferrite. **2019**, 10, 93	26
481	Synthesis and Comparative Investigation of Silicon Transition Metal Silicide Composite Anodes for Lithium Ion Batteries. **2019**, 645, 248-256	8
480	Enhanced Roles of Carbon Architectures in High-Performance Lithium-Ion Batteries. **2019**, 11, 5	40
479	Influence of Glucose Derivatives on Ball-Milled Si for Negative Electrodes with High Area Capacity in Lithium-Ion Batteries. **2019**, 7, 2971-2979	7
478	Hydrothermal assembly of MnO-graphene core-shell nanowires with superior anode performance. **2019**, 142, 461-467	17
477	Highly conductive C-Si@G nanocomposite as a high-performance anode material for Li-ion batteries. **2019**, 295, 719-725	31
476	Preparation of dual layers N-doped Carbon@Mesoporous Carbon@Fe3O4 nanoparticle superlattice and its application in lithium-ion battery. **2019**, 775, 776-783	26
475	Yolk@Shell SiO /C microspheres with semi-graphitic carbon coating on the exterior and interior surfaces for durable lithium storage. **2019**, 19, 299-305	92
474	Magnesium Anodes with Extended Cycling Stability for Lithium-Ion Batteries. **2019**, 29, 1806400	9
473	Synthesize of silicon/carbon nanosheets with NaCl template and its application as anode material of lithium-ion batteries. **2019**, 30, 2442-2449	1
472	Scalable Engineering of Bulk Porous Si Anodes for High Initial Efficiency and High-Areal-Capacity Lithium-Ion Batteries. **2019**, 11, 714-721	21
471	A Nanostructured Si/SiOC Composite Anode with Volume-Change-Buffering Microstructure for Lithium-Ion Batteries. **2019**, 25, 2604-2609	16
470	The Impact of Initial SEI Formation Conditions on Strain-Induced Capacity Losses in Silicon Electrodes. **2019**, 9, 1803066	22
469	Lithium Titanate Matrix-Supported Nanocrystalline Silicon Film as an Anode for Lithium-Ion Batteries. **2019**, 11, 534-540	13
468	Spray-Printed and Self-Assembled Honeycomb Electrodes of Silicon-Decorated Carbon Nanofibers for Li-Ion Batteries. **2019**, 11, 603-612	12
467	Silicon/carbon lithium-ion battery anode with 3D hierarchical macro-/mesoporous silicon network: Self-templating synthesis via magnesiothermic reduction of silica/carbon composite. **2019**, 412, 93-104	57
466	Porous carbon-coated ball-milled silicon as high-performance anodes for lithium-ion batteries. **2019**, 54, 4798-4810	18

465	Electrochemical performances of graphene and MWCNT supported metallurgical grade silicon anodes. **2019**, 30, 2067-2079	2
464	Cobalt-boron nanoparticles anchored on graphene as anode of lithium ion batteries. **2019**, 360, 271-279	25
463	Spontaneous pseudo-topological silicon quantization for redesigned Si-based Li-ion batteries. **2019**, 56, 875-883	13
462	Multi-core yolk-shell like mesoporous double carbon-coated silicon nanoparticles as anode materials for lithium-ion batteries. **2019**, 18, 165-173	98
461	Design of Hollow Nanostructures for Energy Storage, Conversion and Production. **2019**, 31, e1801993	224
460	Integration of Graphite and Silicon Anodes for the Commercialization of High-Energy Lithium-Ion Batteries. **2020**, 59, 110-135	207
459	Graphit- und-Silicium-Anoden f□ Lithiumionen- Hochenergiebatterien. **2020**, 132, 112-138	10
458	Hollow Co2P/Co-carbon-based hybrids for lithium storage with improved pseudocapacitance and water oxidation anodes. **2020**, 55, 203-211	14
457	Bilayer-graphene-coated Si nanoparticles as advanced anodes for high-rate lithium-ion batteries. **2020**, 329, 134975	21
456	Recent Progress of In Situ Transmission Electron Microscopy for Energy Materials. **2020**, 32, e1904094	33
455	Structural Reorganization-Based Nanomaterials as Anodes for Lithium-Ion Batteries: Design, Preparation, and Performance. **2020**, 16, e1902841	19
454	Towards high cycle stability yolk-shell structured silicon/rGO/MWCNT hybrid composites for Li-ion battery negative electrodes. **2020**, 240, 122160	9
453	Continuous Hydrothermal Synthesis of Metal Germanates (M2GeO4; M = Co, Mn, Zn) for High-Capacity Negative Electrodes in Li-Ion Batteries. **2020**, 8, 1900692	7
452	Key functional groups defining the formation of Si anode solid-electrolyte interphase towards high energy density Li-ion batteries. **2020**, 25, 764-781	29
451	Photo cured 3D porous silica-carbon (SiO2□) membrane as anode material for high performance rechargeable Li-ion batteries. **2020**, 812, 152127	15
450	Rolling up MXene sheets into scrolls to promote their anode performance in lithium-ion batteries. **2020**, 46, 256-263	29
449	Engineering Carbon Distribution in Silicon-Based Anodes at Multiple Scales. **2020**, 26, 1488-1496	9
448	Failure progression in the solid electrolyte interphase (SEI) on silicon electrodes. **2020**, 68, 104257	41

447	An overview on efforts to enhance the Si electrode stability for lithium ion batteries. **2020**, 2, e94	8
446	Fibroblast Growth Factor 19-Mediated Up-regulation of SYR-Related High-Mobility Group Box 18 Promotes Hepatocellular Carcinoma Metastasis by Transactivating Fibroblast Growth Factor Receptor 4 and Fms-Related Tyrosine Kinase 4. **2020**, 71, 1712-1731	20
445	Crystal reconstruction of binary oxide hexagonal nanoplates: monocrystalline formation mechanism and high rate lithium-ion battery applications. **2020**, 12, 4366-4373	7
444	Top-Down Synthesis of Silicon/Carbon Composite Anode Materials for Lithium-Ion Batteries: Mechanical Milling and Etching. **2020**, 13, 1923-1946	25
443	Balancing irreversible capacity in germanium nanoparticle: HE5050 lithium ion batteries for improved energy densities exceeding 250 Wh/kg. **2020**, 332, 135455	7
442	Stable Nano-Encapsulation of Lithium Through Seed-Free Selective Deposition for High-Performance Li Battery Anodes. **2020**, 10, 1902956	38
441	Materials and electrode engineering of high capacity anodes in lithium ion batteries. **2020**, 450, 227697	34
440	Uniform yolk-shell structured Si-C nanoparticles as a high performance anode material for the Li-ion battery. **2020**, 56, 364-367	28
439	Copper nanowires in recent electronic applications: progress and perspectives. **2020**, 8, 849-872	24
438	Collaborative Design of Hollow Nanocubes, In Situ Cross-Linked Binder, and Amorphous Void@SiO @C as a Three-Pronged Strategy for Ultrastable Lithium Storage. **2020**, 16, e1905736	26
437	Chitosan-grafted-polyaniline copolymer as an electrically conductive and mechanically stable binder for high-performance Si anodes in Li-ion batteries. **2020**, 333, 135532	26
436	Urchin-like 3D NiFe2O4 with 1D radially oriented nanorods as anode for lithium-ion based dual-ion pseudocapacitor. **2020**, 333, 135557	13
435	Room-Temperature Crosslinkable Natural Polymer Binder for High-Rate and Stable Silicon Anodes. **2020**, 30, 1908433	52
434	Porosity- and Graphitization-Controlled Fabrication of Nanoporous Silicon@Carbon for Lithium Storage and Its Conjugation with MXene for Lithium-Metal Anode. **2020**, 30, 1908721	85
433	Scalable fabrication of gold nanoparticles with adjustable size distribution as catalytic nuclei for the CVD growth of silicon nanowires. **2020**, 502, 144203	5
432	Development of cross-linked dextrin as aqueous binders for silicon based anodes. **2020**, 450, 227671	28
431	3D Meshlike Polyacrylamide Hydrogel as a Novel Binder System via in situ Polymerization for High-Performance Si-Based Electrode. **2020**, 7, 1901475	15
430	Two-Dimensional Transition Metal Carbides and Nitrides (MXenes): Synthesis, Properties, and Electrochemical Energy Storage Applications. **2020**, 3, 29-55	148

429	Continuous-Flow Synthesis of Carbon-Coated Silicon/Iron Silicide Secondary Particles for Li-Ion Batteries. **2020**, 14, 698-707		31
428	Nano/Microstructured Silicon-Carbon Hybrid Composite Particles Fabricated with Corn Starch Biowaste as Anode Materials for Li-Ion Batteries. *Nano Letters*, **2020**, 20, 625-635	11.5	88
427	A novel Si/Ag@PM@MIL-100 porous double-shell anode materials prepared by in-situ growth with MOF coatings. **2020**, 31, 1524-1534		3
426	Scalable synthesis of lotus-seed-pod-like Si/SiOx@CNF: Applications in freestanding electrode and flexible full lithium-ion batteries. **2020**, 158, 163-171		14
425	Tailoring the Polymer-Derived Carbon Encapsulated Silicon Nanoparticles for High-Performance Lithium-Ion Battery Anodes. **2020**, 3, 268-278		29
424	Investigation towards scalable processing of silicon/graphite nanocomposite anodes with good cycle stability and specific capacity. **2020**, 2, 297-308		4
423	Nanocrystalline silicon embedded highly conducting phosphorus doped silicon thin film as high power lithium ion battery anode. **2020**, 330, 135318		14
422	A binder-free high silicon content flexible anode for Li-ion batteries. **2020**, 13, 848-858		158
421	Internal failure of anode materials for lithium batteries □A critical review. **2020**, 5, 22-36		31
420	The lithiation process and Li diffusion in amorphous SiO2 and Si from first-principles. **2020**, 331, 135344		31
419	The Influence of Surface Stress on the Chemo-Mechanical Behavior of Inverse-Opal-Structured Electrodes for Lithium-Ion Batteries. **2020**, 167, 013529		2
418	Building sandwich-like carbon coated Si@CNTs composites as high-performance anode materials for lithium-ion batteries. **2020**, 364, 137278		12
417	Improving cycle stability of Si anode through partially carbonized polydopamine coating. **2020**, 876, 114738		7
416	Three-Dimensional Hierarchical Porous Structures Constructed by Two-Stage MXene-Wrapped Si Nanoparticles for Li-Ion Batteries. **2020**, 12, 48718-48728		19
415	In situ growth of silicon carbide interface enhances the long life and high power of the mulberry-like Si-based anode for lithium-ion batteries. **2020**, 32, 101856		5
414	Microclusters of Kinked Silicon Nanowires Synthesized by a Recyclable Iodide Process for High-Performance Lithium-Ion Battery Anodes. **2020**, 10, 2002108		28
413	Electrolyte-mediated nanograin intermetallic formation enables superionic conduction and electrode stability in rechargeable batteries. **2020**, 33, 164-172		6
412	Lithium-ion batteries □Current state of the art and anticipated developments. **2020**, 479, 228708		146

411	Functionalized separator for next-generation batteries. **2020**, 41, 143-155		27
410	Dual Stabilized Architecture of Si@SiO2/N-Doped Carbon Composite Synthesized via Oxygen Plasma Method as Anode for High-performance LIBs. **2020**, 49, 423-427		3
409	Crystallinity of Silicon Nanoparticles: Direct Influence on the Electrochemical Performance of Lithium Ion Battery Anodes. **2020**, 7, 4349-4353		8
408	Long-Term Stable Hollowed Silicon for Li-Ion Batteries Based on an Improved Low-Temperature Molten Salt Strategy. **2020**, 5, 27368-27373		0
407	Multi-scale quantification and modeling of aged nanostructured silicon-based composite anodes. **2020**, 3,		8
406	Peanut-like yolk/core-shell MnO/C microspheres for improved lithium storage and the formation mechanism of MnCO3 precursors. **2020**, 849, 156637		3
405	Toward High-Capacity Battery Anode Materials: Chemistry and Mechanics Intertwined. **2020**, 32, 8755-8771		11
404	Electrolyte-Phobic Surface for the Next-Generation Nanostructured Battery Electrodes. *Nano Letters*, **2020**, 20, 7455-7462	11.5	16
403	Mechanoelectrochemical issues involved in current lithium-ion batteries. **2020**, 12, 20100-20117		2
402	Unveiling the intrinsic reaction between silicon-graphite composite anode and ionic liquid electrolyte in lithium-ion battery. **2020**, 473, 228481		11
401	Solvothermal synthesis of Sn3N4 as a high capacity sodium-ion anode: theoretical and experimental study of its storage mechanism. **2020**, 8, 16437-16450		4
400	Conductive polyaniline doped with phytic acid as a binder and conductive additive for a commercial silicon anode with enhanced lithium storage properties. **2020**, 8, 16323-16331		18
399	Interpenetrated tunnel routes in silicon/carbon hollow sphere anodes to boost their lithium storage. **2020**, 4, 2782-2790		6
398	Understanding Protection Mechanisms of Graphene-Encapsulated Silicon Anodes with Raman Spectroscopy. **2020**, 12, 35532-35541		9
397	Synthesis of carbon-SiO2 hybrid layer @ SiO2 @ CNT coaxial nanotube and its application in lithium storage. **2020**, 354, 136726		17
396	Graphene-based anode materials for lithium-ion batteries. **2020**, 139-164		0
395	Progress of 3D network binders in silicon anodes for lithium ion batteries. **2020**, 8, 25548-25570		26
394	Porous Liquids: The Next Frontier. **2020**, 6, 3263-3287		18

393	Improving Interface Stability of Si Anodes by Mg Coating in Li-Ion Batteries. **2020**, 3, 11534-11539	7
392	Two-Dimensional Silicon/Carbon from Commercial Alloy and CO for Lithium Storage and Flexible TiCT MXene-Based Lithium-Metal Batteries. **2020**,	46
391	Carbon-coated porous Si/C composite anode materials via two-step etching/coating processes for lithium-ion batteries. **2020**, 46, 26598-26607	9
390	Metal-Coordination Mediated Polyacrylate for High Performance Silicon Microparticle Anode. **2020**, 3, 1287-1295	5
389	Polydopamine-Derived Carbon: What a Critical Role for Lithium Storage?. **2020**, 8,	2
388	An atomistic perspective on lithiation kinetics and morphological evolution in void-involved silicon/carbon nanohybrid. **2020**, 195, 109037	3
387	Calendering-Compatible Macroporous Architecture for Silicon-Graphite Composite toward High-Energy Lithium-Ion Batteries. **2020**, 32, e2003286	54
386	Sequence-Defined Peptoids with -OH and -COOH Groups As Binders to Reduce Cracks of Si Nanoparticles of Lithium-Ion Batteries. **2020**, 7, 2000749	15
385	Versatile Yolk-Shell Encapsulation: Catalytic, Photothermal, and Sensing Demonstration. **2020**, 16, e2002311	10
384	Electrochemical characteristics and energy densities of lithium-ion batteries using mesoporous silicon and graphite as anodes. **2020**, 357, 136870	12
383	Covalently Bonded Si-Polymer Nanocomposites Enabled by Mechanochemical Synthesis as Durable Anode Materials. **2020**, 12, 39127-39134	4
382	Ligand-Free Yolk-Shell Nanoparticles: Synthesis and Catalytic Applications. **2020**, 6, 1449-1473	3
381	Convenient fabrication of a core-shell Sn@TiO anode for lithium storage from tinplate electroplating sludge. **2020**, 56, 10187-10190	10
380	Hard SiOC Microbeads as a High-Performance Lithium-Ion Battery Anode. **2020**, 3, 10183-10191	9
379	Research Progress of Silicon/Carbon Anode Materials for Lithium-Ion Batteries: Structure Design and Synthesis Method. **2020**, 7, 4289-4302	23
378	A self-healing liquid metal anode with PEO-Based polymer electrolytes for rechargeable lithium batteries. **2020**, 21, 100802	5
377	Sustainable Encapsulation Strategy of Silicon Nanoparticles in Microcarbon Sphere for High-Performance Lithium-Ion Battery Anode. **2020**, 8, 14150-14158	17
376	Improved High Rate and Temperature Stability Using an Anisotropically Aligned Pillar-Type Solid Electrolyte Interphase for Lithium-Ion Batteries. **2020**, 12, 42781-42789	4

375	Critical barriers to the large scale commercialization of silicon-containing batteries. **2020**, 2, 4368-4389	6
374	Novel porous Si□Cu3Si□Cu microsphere composites with excellent electrochemical lithium storage. **2020**, 348, 136334	11
373	Highly Stretchable Polymer Binder Engineered with Polysaccharides for Silicon Microparticles as High-Performance Anodes. **2020**, 13, 3887	10
372	Facile and scalable synthesis of silicon nanowires from waste rice husk silica by the molten salt process. **2020**, 399, 122949	7
371	Interfacial Engineering with Liquid Metal for Si-Based Hybrid Electrodes in Lithium-Ion Batteries. **2020**, 3, 5147-5152	10
370	Spontaneous and reversible hollowing of alloy anode nanocrystals for stable battery cycling. **2020**, 15, 475-481	42
369	Influence of induction-annealing temperature on the morphology of barley-straw-derived Si@C and SiC@graphite for potential application in Li-ion batteries. **2020**, 31, 335709	2
368	Simplified Synthesis of Biomass-Derived Si/C Composites as Stable Anode Materials for Lithium-Ion Batteries. **2020**, 26, 10544-10549	9
367	Structure and Electrochemical Properties of Si-Mn/C Core□Shell Composites for Lithium-Ion Batteries. **2020**, 72, 3037-3045	2
366	Elastic buffer structured Si/C microsphere anodes via polymerization-induced colloid aggregation. **2020**, 56, 6770-6773	8
365	Concentration dependent properties and plastic deformation facilitate instability of the solid-electrolyte interphase in Li-ion batteries. **2020**, 198, 99-109	7
364	Micrometer-sized ferrosilicon composites wrapped with multi-layered carbon nanosheets as industrialized anodes for high energy lithium-ion batteries. **2020**, 50, 286-295	8
363	Enhancing the Performance of a Self-Standing Si/PCNF Anode by Optimizing the Porous Structure. **2020**, 12, 27219-27225	9
362	Engineering Electrolytic Silicon□Carbon Composites by Tuning the In Situ Magnesium Oxide Space Holder: Molten-Salt Electrolysis of Carbon-Encapsulated Magnesium Silicates for Preparing Lithium-Ion Battery Anodes. **2020**, 8, 9866-9874	10
361	The pitch-based silicon-carbon composites fabricated by electrospraying technique as the anode material of lithium ion battery. **2020**, 844, 156025	11
360	Self-powered energy conversion and energy storage system based on triboelectric nanogenerator. **2020**, 76, 105008	18
359	Ultrathin Silicon Nanowires Produced by a Bi-Metal-Assisted Chemical Etching Method for Highly Stable Lithium-Ion Battery Anodes. **2020**, 15, 2050076	4
358	Are Foils the Future of Anodes?. **2020**, 4, 1342-1346	19

357	3D graphene-like nanosheets/silicon wrapped by catalytic graphite as a superior lithium storage anode. **2020**, 873, 114350	8
356	A compact silicon□carbon composite with an embedded structure for high cycling coulombic efficiency anode materials in lithium-ion batteries. **2020**, 7, 2487-2496	14
355	Covalently Bonded Silicon/Carbon Nanocomposites as Cycle-Stable Anodes for Li-Ion Batteries. **2020**, 12, 16411-16416	33
354	Hierarchical porous silicon structures with extraordinary mechanical strength as high-performance lithium-ion battery anodes. **2020**, 11, 1474	142
353	Nitrogen-doped polymer nanofibers decorated with Co nanoparticles for uniform lithium nucleation/growth in lithium metal batteries. **2020**, 12, 8819-8827	4
352	Silicon-nanoparticle-based composites for advanced lithium-ion battery anodes. **2020**, 12, 7461-7484	28
351	Acrylic random copolymer and network binders for silicon anodes in lithium-ion batteries. **2020**, 458, 228054	21
350	Numerical study on the evaporation process of feedstock powder under transient states in pulse-modulated induction thermal plasmas for nanoparticle synthesis. **2020**, 53, 325201	7
349	Enhancing the Charge Transportation Ability of Yolk-Shell Structure for High-Rate Sodium and Potassium Storage. **2020**, 14, 4463-4474	30
348	A Commercial Carbonaceous Anode with a-Si Layers by Plasma Enhanced Chemical Vapor Deposition for Lithium Ion Batteries. **2020**, 4, 72	4
347	Monte Carlo method in two-dimensional materials. **2020**, 149-163	
346	Beyond cell parameters: Exploiting cell operation towards optimizing the SEI and suppressing dendrite growth on lithium metal anodes. **2020**, 2, e188	
345	Hollow multishelled structures revive high energy density batteries. **2020**, 5, 1287-1292	13
344	A novel raspberry-like yolk-shell structured Si/C micro/nano-spheres as high-performance anode materials for lithium-ion batteries. **2020**, 844, 156201	20
343	FeOF/TiO Hetero-Nanostructures for High-Areal-Capacity Fluoride Cathodes. **2020**, 12, 33803-33809	5
342	Scalable coral-like silicon powders with three-dimensional interconnected structures for lithium ion battery anodes. **2020**, 2, e187	1
341	Effectively stabilizing electrode/electrolyte interface of high-energy LiNi0.9Co0.1O2//Si□ system by simple cathode surface-coating. **2020**, 76, 105065	14
340	Lithium Difluorophosphate as an Effective Additive for Improving the Initial Coulombic Efficiency of a Silicon Anode. **2020**, 7, 3743-3751	14

339	Silicon Anodes for High-Performance Storage Devices: Structural Design, Material Compounding, Advances in Electrolytes and Binders. **2020**, 6, 720-738	12
338	Nano-ordered structure regulation in delithiated Si anode triggered by homogeneous and stable Li-ion diffusion at the interface. **2020**, 72, 104651	19
337	Silicon–carbon nanocomposites produced by reduction of carbon monofluoride by silicon. **2020**, 826, 154242	5
336	2020 Roadmap on Carbon Materials for Energy Storage and Conversion. **2020**, 15, 995-1013	99
335	Formation of octahedron-shaped ZnFe2O4/SiO2 with yolk–shell structure. **2020**, 141, 109410	5
334	Molecular design principles for polymeric binders in silicon anodes. **2020**, 5, 709-724	12
333	Structure-Controlled Li Metal Electrodes for Post-Li-Ion Batteries: Recent Progress and Perspectives. **2020**, 7, 1902113	20
332	Synergistic effect of carbon nanomaterials on a cost-effective coral-like Si/rGO composite for lithium ion battery application. **2020**, 339, 135917	12
331	One-Dimensional MnO2 Nanowires Space-Confined in Hollow Mesoporous Carbon Nanotubes for Enhanced Zn2+ Storage Performance. **2020**, 7, 1166-1171	6
330	Controlled synthesis of copper reinforced nanoporous silicon microsphere with boosted electrochemical performance. **2020**, 455, 227967	8
329	Si/TiO2/Ti2O3 composite carbon nanofiber by one-step heat treatment with highly enhanced ion/electron diffusion rates for next-generation lithium-ion batteries. **2020**, 337, 135789	13
328	Improving rate capacity and cycling stability of Si-anode lithium ion battery by using copper nanowire as conductive additive. **2020**, 822, 153664	12
327	The Role of Balancing Nanostructured Silicon Anodes and NMC Cathodes in Lithium-Ion Full-Cells with High Volumetric Energy Density. **2020**, 167, 020516	27
326	Annihilating the Formation of Silicon Carbide: Molten Salt Electrolysis of Carbon–Silica Composite to Prepare the Carbon–Silicon Hybrid for Lithium-Ion Battery Anode. **2020**, 3, 166-176	14
325	Dynamic bonded supramolecular binder enables high-performance silicon anodes in lithium-ion batteries. **2020**, 463, 228208	27
324	Mesoporous-Si embedded and anchored by hierarchical Sn nano-particles as promising anode for lithium-ion batteries. **2020**, 832, 154935	4
323	Scalable synthesis of nanoporous silicon microparticles for highly cyclable lithium-ion batteries. **2020**, 13, 1558-1563	24
322	Chemical Grafting-derived N, P Co-doped Hollow Microporous Carbon Spheres for High-Performance Sodium-ion Battery Anodes. **2020**, 518, 146221	24

321	Platinum nanoparticles with TiO2 skin as a durable catalyst for photoelectrochemical methanol oxidation and electrochemical oxygen reduction reactions. **2020**, 343, 136119	7
320	MXene Frameworks Promote the Growth and Stability of LiF-Rich Solid-Electrolyte Interphases on Silicon Nanoparticle Bundles. **2020**, 12, 18541-18550	18
319	Magnetoelectric Plasma Preparation of Silicon-Carbon Nanocomposite as Anode Material for Lithium Ion Batteries. **2020**, 10, 2672	3
318	Controlled synthesis of nanosized Si by magnesiothermic reduction from diatomite as anode material for Li-ion batteries. **2020**, 27, 515-525	17
317	Thermolytically grafted silicon particles with ultrathin carbonaceous coating rich of phenyl moieties as lithium-storage anode material. **2020**, 395, 125169	6
316	Synthesis of silicon anode binders with ultra-high content of catechol groups and the effect of molecular weight on battery performance. **2020**, 463, 228188	18
315	Highly Stabilized Silicon Nanoparticles for Lithium Storage via Hierarchical Carbon Architecture. **2020**, 3, 4777-4786	10
314	Short-time and ultrasensitive electroanalytical technique for electrode active materials used in secondary batteries. **2020**, 459, 228041	
313	Yolk-Shell Nanostructures: Syntheses and Applications for Lithium-Ion Battery Anodes. **2020**, 10,	10
312	Sn4P3@Porous carbon nanofiber as a self-supported anode for sodium-ion batteries. **2020**, 461, 228116	31
311	Single-cell yolk-shell nanoencapsulation for long-term viability with size-dependent permeability and molecular recognition. **2021**, 8, nwaa097	8
310	A review of recent developments in Si/C composite materials for Li-ion batteries. **2021**, 34, 735-754	46
309	Synthesis of layered silicon-graphene hetero-structures by wet jet milling for high capacity anodes in Li-ion batteries. **2021**, 8, 015012	6
308	Recent progress of advanced anode materials of lithium-ion batteries. **2021**, 57, 451-468	58
307	Boosting anode performance of mesoporous Si by embedding copper nano-particles. **2021**, 850, 156863	4
306	One-step synthesis of nanoporous silicon @ graphitized carbon composite and its superior lithium storage properties. **2021**, 861, 157955	6
305	The influence of contact engineering on silicon-based anode for li-ion batteries. **2021**, 2, 468-491	4
304	A mechanically robust self-healing binder for silicon anode in lithium ion batteries. **2021**, 81, 105654	60

303	Constructing a Grape-like Silicon/Mildly Expanded Graphite Microsphere Composite as a High-Performance Anode Material for Lithium-Ion Batteries. **2021**, 35, 806-815	2
302	Recent Tactics and Advances in the Application of Metal Sulfides as High-Performance Anode Materials for Rechargeable Sodium-Ion Batteries. **2021**, 31, 2006761	26
301	Petroleum waste hydrocarbon resin as a carbon source modified on a Si composite as a superior anode material in lithium ion batteries. **2021**, 259, 124011	7
300	Revealing the structure design of alloyed based electrodes for alkali metal ion batteries with in situ TEM. **2021**, 59, 405-418	4
299	Comparison of Additives in Anode: The Case of Graphene, MXene, CNTs Integration with Silicon Inside Carbon Nanofibers. **2021**, 34, 337-346	9
298	High power and stable P-doped yolk-shell structured Si@C anode simultaneously enhancing conductivity and Li+ diffusion kinetics. **2021**, 14, 1004-1011	20
297	C-plasma derived precise volumetric buffering for high-rate and stable alloying-type energy storage. **2021**, 80, 105557	0
296	Biomass-derived fluorinated corn starch emulsion as binder for silicon and silicon oxide based anodes in lithium-ion batteries. **2021**, 365, 137359	8
295	Why nanoelectrochemistry is necessary in battery research?. **2021**, 25, 100635	5
294	Poly (acrylic acid-co-N-methylol acrylamide-co-butyl acrylate) copolymer grafted carboxymethyl cellulose binder for silicon anode in lithium ion batteries. **2021**, 51, 131-141	7
293	In Situ Construction of High-Performing Compact Si-SiO-CN Composites from Polyaminosiloxane for Li-Ion Batteries. **2021**, 13, 5008-5016	6
292	Scalable and controllable fabrication of CNTs improved yolk-shelled Si anodes with advanced in operando mechanical quantification. **2021**, 14, 3502-3509	14
291	Adhesive binders for nanosilicon anodes in lithium-ion batteries. **2021**, 279-299	
290	Practical Approach to Enhance Compatibility in Silicon/Graphite Composites to Enable High-Capacity Li-Ion Battery Anodes. **2021**, 6, 2644-2654	1
289	Green and sustainable molten salt electrochemistry for the conversion of secondary carbon pollutants to advanced carbon materials. **2021**, 9, 14119-14146	8
288	Mutual Performance Enhancement within Dual N-doped TiO2/Si/C Nanohybrid Lithium-Ion Battery Anode. **2021**, 6, 141-153	0
287	Synthesis and electrochemical performance of silicon-nanowire alloy anodes.. **2021**, 11, 26586-26593	3
286	Strategies towards enabling lithium metal in batteries: interphases and electrodes.	39

285	Structure and reaction mechanism of binary Ni-Al oxides as materials for lithium-ion battery anodes. **2021**, 50, 14176-14186	1
284	Si Swarf Wrapped by Graphite Sheets for Li-Ion Battery Electrodes with Improved Overvoltage and Cyclability. **2021**, 168, 020521	0
283	TEMPO-oxidized cellulose nanofibers as versatile additives for highly stable silicon anode in lithium-ion batteries. **2021**, 369, 137708	4
282	Impact of Silicon Content within Silicon-Graphite Anodes on Performance and Li Concentration Profiles of Li-Ion Cells using Neutron Depth Profiling. **2021**, 168, 020519	5
281	What Is the Right Carbon for Practical Anode in Alkali Metal Ion Batteries?. **2021**, 1, 2000063	17
280	Hydrophobic versus Hydrophilic Interfacial Coatings on Silicon Nanoparticles Teach Us How to Design the Solid Electrolyte Interphase in Silicon-Based Li-Ion Battery Anodes. **2021**, 4, 1628-1636	6
279	Systematic Investigation of Electrochemical Performances for Lithium-Ion Batteries with Si/Graphite Anodes: Effect of Electrolytes Based on Fluoroethylene Carbonate and Linear Carbonates. **2021**, 4, 2419-2429	4
278	Single-Ion Conducting Polymer Electrolytes for Solid-State Lithium-Metal Batteries: Design, Performance, and Challenges. **2021**, 11, 2003836	71
277	Prelithiation: A Crucial Strategy for Boosting the Practical Application of Next-Generation Lithium Ion Battery. **2021**, 15, 2197-2218	58
276	Molecular Understanding of Electrochemical-Mechanical Responses in Carbon-Coated Silicon Nanotubes during Lithiation. **2021**, 11,	1
275	Eco-friendly prepared mesoporous carbon encapsulated SnO2 nanoparticles for high-reversible lithium-ion battery anodes. **2021**, 314, 110853	4
274	Yolk-shell silicon/carbon composites prepared from aluminum-silicon alloy as anode materials for lithium-ion batteries. **2021**, 27, 1939-1948	2
273	Phase transformations and hysteresis in Si-based anode materials. **2021**, 118, 090501	3
272	Flexible Carbon Nanotubes Confined Yolk-Shelled Silicon-Based Anode with Superior Conductivity for Lithium Storage. **2021**, 11,	7
271	Self-assembled uniform double-shelled Co3V2O8 hollow nanospheres as anodes for high-performance Li-ion batteries. **2021**, 40, 3485-3493	5
270	Architectural Engineering Achieves High-Performance Alloying Anodes for Lithium and Sodium Ion Batteries. **2021**, 17, e2005248	12
269	Advanced Aqueous Zinc-Ion Batteries Enabled by 3D Ternary MnO/Reduced Graphene Oxide/Multiwall Carbon Nanotube Hybrids. **2021**, 9, 2100022	6
268	Dual confinement of carbon/TiO2 hollow shells enables improved lithium storage of Si nanoparticles. **2021**, 372, 137863	10

267	Scalable Synthesis of Porous SiFe@C Composite with Excellent Lithium Storage. **2021**, 27, 6963-6972	0
266	Recent Advances in Silicon-Based Electrodes: From Fundamental Research toward Practical Applications. **2021**, 33, e2004577	51
265	Materials and Fabrication. 15-65	
264	Silicon Microreactor as a Fast Charge, Long Cycle Life Anode with High Initial Coulombic Efficiency Synthesized via a Scalable Method. **2021**, 4, 4744-4757	1
263	Recent Progress of Anode and Cathode Materials for Lithium Ion Battery. 1027, 69-75	1
262	Electrochemical scissoring of disordered silicon-carbon composites for high-performance lithium storage. **2021**, 36, 139-146	9
261	Enhanced Cycle Stability of Crumpled Graphene-Encapsulated Silicon Anodes via Polydopamine Sealing. **2021**, 6, 12293-12305	4
260	In situ formation of ionically conductive nanointerphase on Si particles for stable battery anode. **2021**, 64, 1417-1425	11
259	Nanostructured Si□ Composites As High-Capacity Anode Material For All-Solid-State Lithium-Ion Batteries**. **2021**, 4, 1323-1334	3
258	Design and preparation of thin film gel polymer electrolyte for 3D Li-ion battery. **2021**, 493, 229686	5
257	Bioinspired Energy Storage and Harvesting Devices. **2021**, 6, 2001301	3
256	The Latest Trends in Electric Vehicles Batteries. **2021**, 26,	9
255	Electrostatic Interactions Leading to Hierarchical Interpenetrating Electroconductive Networks in Silicon Anodes for Fast Lithium Storage. **2021**, 27, 9320-9327	4
254	3D Yolk-Shell Structured Si/void/rGO Free-Standing Electrode for Lithium-Ion Battery. **2021**, 14,	3
253	Silicon Single Walled Carbon Nanotube-Embedded Pitch-Based Carbon Spheres Prepared by a Spray Process with Modified Antisolvent Precipitation for Lithium Ion Batteries. **2021**, 35, 9705-9713	4
252	Novel design of uniform Si@graphite@C composite as high-performance Li-ion battery anodes. **2021**, 377, 138092	5
251	Controlling Void Space in Crumpled Graphene-Encapsulated Silicon Anodes using Sacrificial Polystyrene Nanoparticles. **2021**, 14, 2952-2962	2
250	Enhanced cycling performance of binder free silicon-based anode by application of electrochemically formed microporous substrate. **2021**, 380, 138216	1

249	Suppressing Continuous Volume Expansion of Si Nanoparticles by an Artificial Solid Electrolyte Interphase for High-Performance Lithium-Ion Batteries. **2021**, 9, 8059-8068	6
248	Anomalous Si-based composite anode design by densification and coating strategies for practical applications in Li-ion batteries. **2021**, 215, 108799	9
247	Investigating Ternary Li_xMg_ySi Zintl Phase Formation and Evolution for Si Anodes in Li-Ion Batteries with Mg(TFSI)2 Electrolyte Additive. **2021**, 33, 4960-4970	3
246	Polysaccharide-based self-healing polymer binder via Schiff base chemistry for high-performance silicon anodes in lithium-ion batteries. **2021**, 384, 138364	4
245	High stability of sub-micro-sized silicon/carbon composites using recycling Silicon waste for lithium-ion battery anode. **2021**, 869, 159124	8
244	Carbon coated Si nanoparticles anchored to graphene sheets with excellent cycle performance and rate capability for Lithium-ion battery anodes. **2021**, 418, 127262	6
243	Si/C particles on graphene sheet as stable anode for lithium-ion batteries. **2021**, 80, 259-265	12
242	Pomegranate-type Si/C anode with SiC taped, well-dispersed tiny Si particles for lithium-ion batteries. **2021**, 10, 1129	5
241	Surface engineering enables highly reversible lithium-ion storage and durable structure for advanced silicon anode. **2021**, 2, 100486	2
240	In Situ TEM Investigation of the Spontaneous Hollowing of Alloy Anode Nanocrystals. **2021**, 27, 1972-1973	
239	Progressive growth of the solid-electrolyte interphase towards the Si anode interior causes capacity fading. **2021**, 16, 1113-1120	39
238	Revisiting lithium-storage mechanisms of molybdenum disulfide. **2021**,	2
237	Surface Modification and Functional Structure Space Design to Improve the Cycle Stability of Silicon Based Materials as Anode of Lithium Ion Batteries. **2021**, 11, 1047	2
236	Engineering Nanostructured Silicon and its Practical Applications in Lithium-Ion Batteries: A Critical Review. **2021**, 9, 2100400	1
235	Structure Design and Performance of the Graphite/Silicon/Carbon Nanotubes/Carbon (GSCC) Composite as the Anode of a Li-Ion Battery. **2021**, 35, 13491-13498	3
234	Robust pseudocapacitive charge storage behavior in Li3VO4 induced by N doped MXene. **2021**, 388, 138567	2
233	Hierarchical Co3Se4 Nanoparticles Encapsulated in a Nitrogen-Doped Carbon Framework Intertwined with Carbon Nanotubes as Anode of Li-Ion Batteries. **2021**, 9, 2100462	1
232	Multipath conduction and large capacity silicon-based anodes for high stabilizing lithium-ion batteries. **2021**, 557, 149860	7

231	Boron-Doped and Carbon-Controlled Porous Si/C Anode for High-Performance Lithium-Ion Batteries. **2021**, 4, 8488-8495	7
230	Cu3Si enhanced crystallinity and dopamine derived nitrogen doping into carbon coated micron-sized Si/Cu3Si as anode material in lithium-ion batteries. **2021**, 387, 138495	1
229	N-doped C/Si@DAMO composite material using PVP as the carbon source for lithium-ion batteries anode. **2021**, 27, 4185-4196	
228	Sn-based metal oxides and sulfides anode materials for Na ion battery. **2021**, 39, 21-44	16
227	Gifts from Nature: Bio-Inspired Materials for Rechargeable Secondary Batteries. **2021**, 33, e2006019	8
226	Porous silicon from industrial waste engineered for superior stability lithium-ion battery anodes. **2021**, 23, 1	1
225	A one-pot method to fabricate reduced graphene oxide (rGO)-coated Si@SiOx@Bi2O3/Bi composites for lithium-ion batteries. **2021**, 390, 138857	3
224	The triad electrode solid electrolyte interphase electrolyte as a ground for the use of conversion type reactions in lithium-ion batteries. **2021**, 12, 226-279	
223	Calendar aging of silicon-containing batteries. **2021**, 6, 866-872	28
222	A high-performance lithiated silicon sulfur battery with pomegranate-structured electrodes. **2021**, 506, 230174	4
221	Honeycomb-like hierarchical porous silicon composites with dual protection for ultrastable Li-ion battery anodes.	6
220	Achieving fully reversible conversion in Si anode for lithium-ion batteries by design of pomegranate-like Si@C structure. **2021**, 389, 138736	6
219	Doped and reactive silicon thin film anodes for lithium ion batteries: A review. **2021**, 506, 230194	15
218	Multiple Network Binders via Dual Cross-Linking for Silicon Anodes of Lithium-Ion Batteries. **2021**, 4, 10306-10313	8
217	Polydopamine-based materials applied in Li-ion batteries: a review. 1	4
216	Application of recycled Si from industrial waste towards Si/rGO composite material for long lifetime lithium-ion battery. **2021**, 506, 230244	4
215	Research Progress on Coating Structure of Silicon Anode Materials for Lithium-Ion Batteries. **2021**, 14, 5135-5160	4
214	Metal-organic frameworks-derived CoMOF-D@Si@C core-shell structure for high-performance lithium-ion battery anode. **2021**, 390, 138814	5

213	Reviving of silicon waste with N-doped carbon core-shell structure prepared by vapor deposition polymerization of polypyrrole applied in lithium-ion battery. **2021**, 421, 127418	2
212	Stoichiometry-Controlled Reversible Lithiation Capacity in Nanostructured Silicon Nitrides Enabled by Conversion Reaction. **2021**, 15, 16777-16787	4
211	Constructing a "pea-pod"-like nanostructure to provide valid conductive matrix and volume change accommodation for silicon anode in lithium ion batteries. **2021**, 2, 327-335	2
210	The preparation of mass producible, highly-cycling stable Si/C anode materials with nano-sized silicon crystals embedded in highly amorphous silicon matrix. **2021**, 32,	0
209	Introducing SiC/C dual-interface on porous silicon anode by a conventional exothermic displacement reaction for improved cycle performance. **2021**, 508, 230326	2
208	The robust carbon shell to improve stability of porous Si anodes for high-performance lithium-ion batteries. **2021**, 877, 160193	7
207	Carbon coating and oxygen vacancies render superior Li-ion storage of crystalline Ta2O5 by enhanced pseudocapacitance. **2021**, 881, 159920	2
206	Equably-dispersed Sb/Sb2O3 nanoparticles in ionic liquid-derived nitrogen-enriched carbon for highly reversible lithium/sodium storage. **2021**, 395, 139210	1
205	Confining invasion directions of Li+ to achieve efficient Si anode material for lithium-ion batteries. **2021**, 42, 231-239	11
204	Recent progress and perspectives on silicon anode: Synthesis and prelithiation for LIBs energy storage. **2022**, 64, 615-650	23
203	Silicon anode systems for lithium-ion batteries. **2022**, 3-46	0
202	Preparation of SiO @TiO2@N-doped carbon composite using chitin as carbon precursor for high-performance lithium storage. **2022**, 891, 162076	2
201	Nanostructured 3D (three dimensional) electrode architectures of silicon for high-performance Li-ion batteries. **2022**, 331-371	
200	Bamboo-like SiOx/C nanotubes with carbon coating as a durable and high-performance anode for lithium-ion battery. **2022**, 428, 131060	5
199	Advanced silicon-based electrodes for high-energy lithium-ion batteries. **2022**, 411-456	
198	Expandable crosslinked polymer coatings on silicon nanoparticle anode toward high-rate and long-cycle-life lithium-ion battery. **2022**, 571, 151294	1
197	SEI layer and impact on Si-anodes for Li-ion batteries. **2022**, 183-263	0
196	Computational study on the effects of mechanical constraint on the performance of silicon nanosheets as anode materials for lithium-ion batteries. **2022**, 95-118	

195	Composites of Silicon@Li4Ti5O12 and Graphite for High-Capacity Lithium-Ion Battery Anode Materials. **2021**, 168, 010524	2
194	On the diatomite-based nanostructure-preserving material synthesis for energy applications.. **2021**, 11, 31884-31922	1
193	Developed Si@Polymethyl Methacrylate Capsule as a Li-Ion Battery Anode with High-Rate and Long Cycle-Life. **2021**, 13, 6919-6929	10
192	Nanoscale anodes for rechargeable batteries: Fundamentals and design principles. **2021**, 91-157	0
191	Mechanics in Li-Ion Batteries. **2021**,	0
190	Biomass-based materials for green lithium secondary batteries. **2021**, 14, 1326-1379	55
189	Silicon-Graphene Composite Anodes for High-Energy Lithium Batteries. **2013**, 1, 77-84	98
188	Phosphorus and phosphide nanomaterials for sodium-ion batteries. **2017**, 10, 4055-4081	90
187	Incorporation of binary metal oxide and one dimensional carbon fiber hybrid nanocomposites for electrochemical energy storage applications. **2020**, 842, 155649	7
186	The high cycling performance of ultra-thin Si nanowires fabricated by metal-assisted chemical etching method as lithium-ion batteries anode. **2020**, 878, 114567	3
185	A thick yet dense silicon anode with enhanced interface stability in lithium storage evidenced by in situ TEM observations. **2020**, 65, 1563-1569	13
184	Silicon as the Anode Material for Multivalent-Ion Batteries: A First-Principles Dynamics Study. **2020**, 12, 55746-55755	2
183	Bean pod-like Si@dopamine-derived amorphous carbon@N-doped graphene nanosheet scrolls for high performance lithium storage. **2016**, 4, 10948-10955	55
182	Side-by-side observation of the interfacial improvement of vertical graphene-coated silicon nanocone anodes for lithium-ion batteries by patterning technology. **2017**, 9, 17241-17247	9
181	Hollow double-layer carbon nanocage confined Si nanoparticles for high performance lithium-ion batteries. **2020**, 2, 3222-3230	6
180	One-dimensional nanomaterials in lithium-ion batteries. **2021**, 54, 083001	5
179	Pomegranate-like silicon-based anodes self-assembled by hollow-structured Si/void@C nanoparticles for Li-ion batteries with high performances. **2021**, 32, 095402	6
178	Probing Silicon Lithiation in Silicon-Carbon Blended Anodes with a Multi-Scale Porous Electrode Model. **2020**, 167, 120506	5

177	Perspective—Expected Variation in Reported Coin Cell Capacities Due to Current Collector Mass Distribution. **2020**, 167, 120529	4
176	Stable Cyclability Caused by Highly Dispersed Nanoporous Si Composite Anodes with Sulfide-based Solid Electrolyte. **2020**, 167, 140522	5
175	Stable silicon electrodes with vinylidene fluoride polymer binder for lithium-ion batteries. **2020**, 11, 58-71	2
174	Composite anodes for lithium-ion batteries: status and trends. **2016**, 3, 1054-1106	20
173	Matryoshka-type carbon-stabilized hollow Si spheres as an advanced anode material for lithium-ion batteries. **2021**,	1
172	Xylitol-Maleic Anhydride as Small-Molecule Binders for Silicon Anodes in Lithium-Ion Batteries. **2021**, 168, 100533	
171	Mechanistic Probing of Encapsulation and Confined Growth of Lithium Crystals in Carbonaceous Nanotubes. **2021**, e2105228	2
170	Litchi shell-derived porous carbon for enhanced stability of silicon-based lithium-ion battery anode materials. 1	0
169	A review of the multiscale mechanics of silicon electrodes in high-capacity lithium-ion batteries. **2022**, 55, 063001	2
168	A Multiphysics Peridynamic Model for Simulation of Fracture in Si Thin Films during Lithiation/Delithiation Cycles. **2021**, 14,	1
167	Carbon Additive-Free Crumpled Ti3C2TX MXene-Encapsulated Silicon Nanoparticle Anodes for Lithium-Ion Batteries. **2021**, 4, 10762-10773	2
166	Aluminum–Silicon Alloy Foils as Low-Cost, Environmentally Friendly Anodes for Lithium-Ion Batteries. **2021**, 9, 14515-14524	1
165	Polymer-Derived Carbon/Inorganic Nanohybrids for Electrochemical Energy Storage and Conversion. **2017**, 419-480	
164	Silicon–carbon yolk–shell structures for energy storage application. **2017**, 617-636	
163	Mechanochemically Metamorphosed Composites of Homogeneous Nanoscale Silicon and Silicate Oxides with Lithium and Metal Compounds. **2018**, 09, 111-125	1
162	Synthesis and Electrochemical Properties of Si/FeSix@C-CNTs as Anode in Lithium Ion Battery. **2019**, 09, 495-503	
161	Effect of stress on electrochemical performance of hollow carbon-coated silicon snode in lithium ion batteries. **2019**, 68, 120201	3
160	CHAPTER 1:New High-energy Anode Materials. **2019**, 1-25	1

159	Application of Si particles recycled from industrial waste for Si/rGO electrode composition for lithium rechargeable battery production. **2020**, 707, 147-153	
158	Study of the Role of Void and Residual Silicon Dioxide on the Electrochemical Performance of Silicon Nanoparticles Encapsulated by Graphene. **2021**, 11,	1
157	A theoretical study of aluminium doping in silicon anode based lithium-ion batteries using ReaxFF molecular dynamics simulation.	0
156	A three-dimensional bi-conductive Si-based anode for high-performance lithium ion batteries.	1
155	3D printed silicon-few layer graphene anode for advanced Li-ion batteries.. **2021**, 11, 35051-35060	2
154	Effect of Temperature and FEC on Silicon Anode Heat Generation Measured by Isothermal Microcalorimetry.	1
153	Design of ultrafine silicon structure for lithium battery and research progress of silicon-carbon composite negative electrode materials. **2021**, 2079, 012005	0
152	The Strategy of Achieving Flexibility in Materials and Configuration of Flexible Lithium-Ion Batteries. **2021**, 9, 2100539	2
151	The Evaluation of MgCia Compounds as Electrode Materials for Mg-Ion Batteries via Ab Initio Simulation. **2021**, 168, 110539	2
150	Controlling homogeneity of the first lithiation in methylated amorphous silicon. **2021**, 139655	0
149	Three-Dimensional Porous Carbon Framework Confined Si@TiO2 Nanoparticles as Anode Material for High-Capacity Lithium-ion Batteries.	0
148	Impact of nanomaterials on Li-ion battery anodes. **2021**, 19, 55-98	0
147	Strategies for improving rechargeable lithium-ion batteries: From active materials to CO2 emissions. **2021**, 10, 1993-2026	3
146	Revisiting the Preparation Progress of Nano-Structured Si Anodes toward Industrial Application from the Perspective of Cost and Scalability. 2102181	11
145	Laser cutting of silicon anode for lithium-ion batteries. **2022**, 16, 322-334	0
144	Recent advances on energy storage microdevices: From materials to configurations. **2022**, 45, 741-767	3
143	Novel Si@C/P anode materials with improved cyclability and rate capacity for lithium-ion batteries. **2022**, 899, 163237	2
142	Preparation of Si-Graphite Composites as Anode Material in Li Ion Batteries. **2022**, 389-399	

141	A Study on the Heat Effect during Magnesiothermic Reduction of Porous SiO2. 1		2
140	Low-Temperature Synthesis of Amorphous Silicon and Its Ball-in-Ball Hollow Nanospheres as High-Performance Anodes for Sodium-Ion Batteries. 2102158		1
139	Revisiting the Roles of Natural Graphite in Ongoing Lithium-ion Batteries.. **2022**, e2106704		10
138	Scalable and low-cost synthesis of porous silicon nanoparticles as high-performance lithium-ion battery anode. **2022**, 18, 100175		2
137	Toward Practical High-Energy and High-Power Lithium Battery Anodes: Present and Future.. **2022**, e2105213		9
136	Polymorphic transition to metastable phases in hollow structured silicon anode in a Li-ions battery. **2022**, 26, 101333		0
135	Anti-corrosive and surface-stabilizing functional electrolyte containing LiFSI and LiPO2F2 for SiOx/NCM811-based batteries. **2022**, 198, 110117		1
134	Architecture and performance of Si/C microspheres assembled by nano-Si via electro-spray technology as stability-enhanced anodes for lithium-ion batteries. **2022**, 903, 163940		1
133	Synthetic Methodologies for Si-Containing Li-Storage Electrode Materials. 2100198		1
132	A multifunctional polyimide enabled high performance silicon composite anode materials for Li-Ion batteries. **2022**, 525, 231124		1
131	Nano and Battery Anode: A Review. **2021**, 16, 177		7
130	A Facile Approach to Construct Yolk-Shelled Sno2@Nxc Electrode and its Enhanced Performance.		
129	Interface modification of NASICON-type Li-ion conducting ceramic electrolytes: a critical evaluation. **2022**, 3, 3055-3069		2
128	Harvesting Si Nanostructures and C□Si Composites by Paired Electrolysis in Molten Salt: Implications for Lithium Storage. **2022**, 5, 3781-3789		1
127	Nitrogen□Oxygen Co-Doped Carbon-Coated Porous Silica/Carbon Nanotube Composites: Implications for High-Performance Capacitors. **2022**, 5, 2175-2186		2
126	Encapsulating a Responsive Hydrogel Core for Void Space Modulation in High-Stability Graphene-Wrapped Silicon Anodes.. **2022**,		4
125	Understanding the Role of a Water-Soluble Catechol-Functionalized Binder for Silicon Anodes by Diverse In Situ Analyses. 831-839		2
124	Spheres of Graphene and Carbon Nanotubes Embedding Silicon as Mechanically Resilient Anodes for Lithium-Ion Batteries.. *Nano Letters*, **2022**,	11.5	5

123	Research progress of nano-silicon-based materials and silicon-carbon composite anode materials for lithium-ion batteries. 1	2
122	The typical structural evolution of silicon anode. **2022**, 100811	2
121	Electrochemical Activation, Sintering, and Reconstruction in Energy-Storage Technologies: Origin, Development, and Prospects. 2103689	2
120	Progress and perspectives on two-dimensional silicon anodes for lithium-ion batteries. **2022**,	
119	Zincothermic-Reduction-Enabled Harvesting of an Si/C Composite from Rice Husks for a Li-Ion Battery Anode.	3
118	Fabrication of Si@mesocarbon microbead (MCMB) anode based on carbon texture for lithium-ion batteries. **2022**, 315, 131921	3
117	Mitigating irreversible capacity loss for higher-energy lithium batteries. **2022**, 48, 44-73	1
116	Redox Catalysis Promoted Activation of Sulfur Redox Chemistry for Energy-Dense Flexible Solid-State Zn-S Battery. **2021**,	5
115	References. **2021**, 317-358	
114	Tailoring the structure of silicon-based materials for lithium-ion batteries via electrospinning technology. **2021**, 1, 141-162	18
113	Micro-mesoporous carbons from cyclodextrin nanosponges enabling high capacity silicon anodes and sulfur cathodes for lithiated Si-S batteries. **2021**,	4
112	Preparation of SiOx□TiO2/Si/CNTs composite microspheres as novel anodes for lithium-ion battery with good cycle stability. **2022**, 33, 11025	0
111	Vulcanized polyisoprene-graft-maleic anhydride as an efficient binder for silicon anodes in lithium-ion batteries. **2022**, 140390	1
110	Construction of three-dimensional carbon framework-loaded silicon nanoparticles anchored by carbon film for high-performance lithium-ion battery anode materials. 1	1
109	Constructing cellulose nanofiber / Si composite 3D-Net structure from waste rice straw via freeze drying process for lithium-ion battery anode materials. **2022**, 285, 126107	
108	Table_1.docx. **2020**,	
107	Data_Sheet_1.docx. **2019**,	
106	A Robust Bundled and Wrapped Structure Design of Ultrastable Silicon Anodes for Antiaging Lithium-Ion Batteries.	

105	Scalable Fabrication of Si-Graphite Microsphere by Mechanical Processing for Lithium-Ion Battery Anode with Large Capacity and High Cycling Stability.	0
104	One-pot synthesis of high-capacity silicon anodes via on-copper growth of a semiconducting, porous polymer.	
103	Environmentally Friendly Single-Step Laser Synthesis of Three-Dimensional C□Si□SiC Micro/Nanoporous Composite Lithium-ion Battery Electrodes and Electrochemical Performance.	0
102	Recent Research Progress of Silicon-Based Anode Materials for Lithium-Ion Batteries. **2022**, 7,	0
101	Mechanics-Driven Anode Material Failure in Battery Safety and Capacity Deterioration Issues: A Review. **2022**,	2
100	Yolk-shelled SnO2@NxC spheres with controllable void space as high-capacity and cycle-stable anode materials for Lithium-ion batteries. **2022**, 110745	0
99	Fundamentals and Recent Advancements in Li-Ion Batteries. **2022**, 1-26	
98	High-areal-capacity of micron-sized silicon anodes in lithium-ion batteries by using wrinkled-multilayered-graphenes. **2022**, 50, 234-242	6
97	Siox@Si-Graphite Microspheres for High-Stable Anode of Lithium-Ion Batteries.	
96	Enhanced performance of Si-based Li-ion batteries through elastic cushioning with hollow graphene shells.	0
95	Exploring the practical applications of silicon anodes: a review of silicon-based composites for lithium-ion batteries.	1
94	Strategy for enhanced performance of silicon nanoparticle anodes for lithium-ion batteries. **2022**, 12, 17889-17897	1
93	Metallothermic Reduction of Silica□Carbon Composites: Revealing the Relationship Between Silicon-Based Products and the Reactivity of Reductants.	
92	Nitrogen-Doped Carbon-Encapsulated Ordered Mesoporous SiO x as Anode for High-Performance Lithium-Ion Batteries.	1
91	Computational modeling of electro-chemo-mechanics of high-capacity composite electrodes in Li-ion batteries. 1-27	0
90	Micron-Sized SiOx-Graphite Compound as Anode Materials for Commercializable Lithium-Ion Batteries. **2022**, 12, 1956	0
89	Strategies for Controlling or Releasing the Influence Due to the Volume Expansion of Silicon inside Si□ Composite Anode for High-Performance Lithium-Ion Batteries. **2022**, 15, 4264	1
88	Synergistic protection of Si anode based on multi-dimensional graphitic carbon skeletons.	2

87	A High-Performance Polyurethane–Polydopamine Polymeric Binder for Silicon Microparticle Anodes in Lithium-Ion Batteries.	1
86	Industrial waste micron-sized silicon use for Si@C microspheres anodes in low-cost lithium-ion batteries. **2022**, 33, e00454	
85	A dual force cross-linked γ-PGA-PAA binder enhancing the cycle stability of silicon-based anodes for lithium-ion batteries. **2022**, 425, 140704	2
84	Impact of the crystalline phase of binary silicide on its lithiation and delithiation properties.	
83	From Solid Waste to High-Performance Li3.25Si Anode: Towards High Initial Coulombic Efficiency Li-Si Alloy Electrodes for Li-Ion Batteries.	
82	Gallium-based liquid metals for lithium-ion batteries.	0
81	Chemomechanics of Rechargeable Batteries: Status, Theories, and Perspectives.	5
80	SiOx@Si-graphite microspheres for high-stable anode of lithium-ion batteries. **2022**, 426, 140795	0
79	Interfacial self-assembled Si@SiO @C microclusters with high tap density for high-performance Li-ion batteries. **2022**, 101090	1
78	Facile Synthesis of Hybrid Anodes with Enhanced Lithium-Storage Performance Realized by a Synergistic Effect. **2022**, 14, 35769-35779	1
77	Physicochemical Heterogeneity in Silicon Anodes from Cycled Lithium-Ion Cells.	0
76	Two Birds with One Stone: Prelithiated Two-Dimensional Nanohybrids as High-Performance Anode Materials for Lithium-Ion Batteries. **2022**, 14, 35673-35681	0
75	Improved lithium-ion batteries with coral-like anodes made of recycled spherical porous silicon coated with nitrogen-doped carbon.	1
74	One-Step Synthesis of Multi-Core-Void@Shell Structured Silicon Anode for High-Performance Lithium-Ion Batteries. 2200796	0
73	Diffusional lithium trapping as a failure mechanism of aluminum foil anodes in lithium-ion batteries. **2022**, 546, 231973	0
72	Propelling performance of silicon thin film lithium ion battery by appropriate dopants. **2022**, 102, 107688	2
71	Dual structure engineering of SiOx-acrylic yarn derived carbon nanofiber based foldable Si anodes for low-cost lithium-ion batteries. **2022**, 628, 530-539	1
70	Corn-like Si derived from sepiolite as anode for advanced lithium-ion batteries. **2022**, 925, 166704	0

69	Stable interface between anode materials and Li1.3Al0.3Ti1.7(PO4)3-based solid-state electrolyte facilitated by graphene coating. **2022**, 431, 141136	0
68	Porous silicon particles embedded in N-doped graphene and carbon nanotube framework for high-performance lithium-ion batteries. **2022**, 927, 167055	1
67	Microspheres of Si@Carbon-CNTs composites with a stable 3D interpenetrating structure applied in high-performance lithium-ion battery. **2023**, 629, 511-521	1
66	Mechanically-based design of lithium-ion batteries: a perspective.	0
65	Preparation of Cotton Straw Based Multi-pore Biomass Charcoal, Characterization and Electrochemical Properties. **2022**, 139-155	0
64	Effect of a layer-by-layer assembled ultra-thin film on the solid electrolyte and Li interface.	1
63	Yolk–shell-structured Si@TiN nanoparticles for high-performance lithium-ion batteries. **2022**, 12, 19678-19685	1
62	Ni-P-SBR composite-electroless-plating enables Si anode with high conductivity and elasticity for high performance Li-ion batteries application. **2023**, 76, 59-66	0
61	In Situ Synthesis of Cathode Materials for Aqueous High-Rate and Durable Zn–I2 Batteries. **2022**, 4, 1872-1881	0
60	In situ dispensing glue to prepare flexible Si-based anode for lithium-ion batteries.	0
59	Diatomite inspired silica aerogel deposited in cork cells for mineralization to promote carbon capture and increase the yield of high value-added products during pyrolysis.	0
58	A Multilevel Buffered Binder Network for High-Performance Silicon Anodes. 3572-3580	3
57	Development status and trends of lithium-ion power batteries in China. **2022**,	0
56	Graphene Oxide Microrolls as High- Content Si Carriers Boosting Li-Ion Storage. **2022**, 139586	0
55	Hollow Porous N and Co Dual-Doped Silicon@Carbon Nanocube Derived by ZnCo-Bimetallic Metal–Organic Framework toward Advanced Lithium-Ion Battery Anodes.	0
54	Resolving structure dimension for SiO2@C Core-shell nanoparticles by three-step modeling of ellipsometry. **2022**, 286, 116040	0
53	Smart Multi-Layer Architecture Electrodes for High Energy Density Lithium Ion Capacitors.	0
52	Synthesis and characterization of graphene quantum dot/SiNP/carbon nanomaterial composites.	0

51	On the Specific Capacity and Cycle Stability of Si@void@C Anodes: Effects of Particle Size and Charge/Discharge Protocol. **2022**, 8, 154	0
50	Optimization of graphite/silicon-based composite electrodes for lithium ion batteries regarding the interdependencies of active and inactive materials. **2022**, 552, 232252	0
49	Durable flexible dual-layer and free-standing silicon/carbon composite anode for lithium-ion batteries. **2023**, 932, 167687	1
48	Facile synthesis of yolk-shell Si@void@C nanoparticles with 3D conducting networks as free-standing anodes in lithium-ion batteries. **2023**, 931, 167473	0
47	Synthetic Strategy of Si@void@C Nanoparticles for High-Performance Lithium-Ion Battery Anodes.	0
46	Preparation and characterization of hybrid nanopowder based on nanosilicon decorated with carbon nanostructures.	0
45	A yolk-shell eGaSn@Void@SiO2 nanodroplet design for high-performance cathodes in room temperature liquid metal batteries. **2022**, 110423	0
44	Low-Dimensional Nanostructures for Silicon-Based Anode Materials in Lithium-Ion Batteries. 17, 289-298	0
43	Next-Generation Anodes for Secondary Li -Ion Batteries. **2023**, 127-185	0
42	Nanofiber-in-microfiber carbon/silicon composite anode with high silicon content for lithium-ion batteries. **2023**, 203, 436-444	1
41	A carbon-covered silicon material modified by phytic acid with 3D conductive network as anode for lithium-ion batteries. **2023**, 34, 103891	1
40	Advanced binder with ultralow-content for high performance silicon anode. **2023**, 556, 232237	2
39	Electrochemical Si Surface Structuring and Formation of Black Silicon in High-Temperature Molten Salts. **2023**, 203-224	0
38	Nanostructuring Strategies for Silicon-based Anodes in Lithium-ion Batteries: Tuning Areal Silicon Loading, SEI Formation/Irreversible Capacity Loss, Rate Capability Retention and Electrode Durability.	0
37	Preparation of Hollow Nanostructured Si Spheres by Zincothermic Reduction of SiO2 to Si for Lithium-Ion Batteries. **2023**, 6, 502-511	0
36	Understanding Interfacial Chemistry Interactions in Energy-Dense Lithium-Ion Electrodes.	0
35	Fe3O4 Contribution to Core‐Shell Structured Si@C Nanospheres as High-Performance Anodes for Lithium-Ion Batteries.	0
34	Reversing silicon carbide into 1D-silicon nanowires and graphene-like structures by dynamical magnetic flux template.	0

33	Partially Lithiated Microscale Silicon Particles as Anode Material for High-Energy Solid-State Lithium-Ion Batteries. 2201330	0
32	First-principles investigation of defective graphene anchored with small silicon clusters as a potential anode material for lithium-ion batteries. **2023**, 122250	0
31	Hollow porous silicon nanospheres with 3D SiC@C coating as high-performance anodes. **2023**, 226, 111624	0
30	Enhanced Capacity and Cyclability of Si@NiSi2 Nanocomposite Anodes Fabricated by Facile Electroless Ni Plating. **2023**, 127, 169-176	0
29	High-Performance Carboxymethyl Cellulose Integrating Polydopamine Binder for Silicon Microparticle Anodes in Lithium-Ion Batteries.	0
28	Suppressing initial capacity fade in Li-rich Li5FeO4 with anionic redox by partial Co substitution - a first-principles study.	0
27	An Elastic Cross-Linked Binder for Silicon Anodes in Lithium-Ion Batteries with a High Mass Loading. **2023**, 15, 6594-6602	0
26	Effects of Al2O3 coating on electrochemical performance of MCMB material and LiNi0.5Mn1.5O4/MCMB full cells. **2023**, 34,	0
25	One-Step Non-Reactive Spray Drying Approach to Produce Silicon/Carbon Composite-Based Hierarchically Structured Supraparticles for Lithium-Ion Battery Anodes.	0
24	Oriented tuning yolk-shell structure for well-confinement and constructing durability of silicon/carbon composite. **2023**, 942, 168955	0
23	A silicon/carbon/reduced-graphene composite of honeycomb structure for high-performance lithium-ion batteries. **2023**, 944, 169185	0
22	Prospects and future perspective of nanomaterials for energy storage applications. **2023**, 569-578	0
21	A self-sacrificing strategy to fabricate a fluorine-modified integrated silicon/carbon anode for high-performance lithium-ion batteries. **2023**, 47, 6191-6200	0
20	Advanced Energy Materials Characterization: In Situ/Operando Techniques. **2023**, 323-348	0
19	Influence of machining duration of 0.8SiO2/ 0.2Al2O3 nanopowder on electrochemical characteristics of lithium power sources. **2023**, 617, 156420	0
18	Defect-rich ultrafine amorphous tin oxyhydroxide nanoparticle anode for high-performance lithium-ion batteries. **2023**, 22, 100370	0
17	Binders for Si based electrodes: current status, modification strategies and perspective. **2023**, 102776	0
16	A simple and green self-conversion method to construct silicon hollow spheres for high-performance Li-ion battery anodes. **2023**, 443, 141950	0

15	Inhibition of transition-metal dissolution with advanced electrolytes in batteries with silicon-graphite anodes and high-nickel cathodes. **2023**, 56, 562-571	0
14	Development and Validation of a ReaxFF Reactive Force Field for Modeling Silicon□Carbon Composite Anode Materials in Lithium-Ion Batteries. **2023**, 127, 2818-2834	0
13	Investigation of Xanthan Gum and Carboxymethyl Cellulose Binders for the Silicon Anode of Lithium-Ion Batteries. **2023**, 170, 020534	0
12	A Rational Design of Silicon-Based Anode for All-Solid-State Lithium-Ion Batteries: A Review. 2201321	0
11	Recent Advances in the Structural Design of Silicon/Carbon Anodes for Lithium Ion Batteries: A Review. **2023**, 13, 436	0
10	Micro-Raman Stress Characterization of Crystalline Si as a Function of the Lithiation State. **2023**, 15, 10752-10760	0
9	Controlled Isotropic Canalization of Microsized Silicon Enabling Stable High-Rate and High-Loading Lithium Storage.	0
8	Thin Film Deposition Techniques in Surface Engineering Strategies for Advanced Lithium-Ion Batteries. **2023**, 13, 505	0
7	Sequential and Dendrite-Free Li Plating on Cu Foil Enabled by an Ultrathin Yolk□Shell SiO x /C@C Layer. 2204075	0
6	Toward the Improvement of Silicon-Based Composite Electrodes via an In-Situ Si@C-Graphene Composite Synthesis for Li-Ion Battery Applications. **2023**, 16, 2451	0
5	Encapsulating Si nanoparticles in multi-shell hollow spheres: An effective approach to boost the cyclability.	0
4	Recent Advances in Ball-Milling-Based Silicon Anodes for Lithium-Ion Batteries. **2023**, 16, 3099	0
3	The Status of Representative Anode Materials for Lithium-Ion Batteries.	0
2	Efficient multi-path heat dissipation of aluminum framework composites assisted with high crystalline carbon coatings. **2023**, 210, 118040	0
1	Modifying nano-silicon with nano-antimony through molten salt electrolysis for superior lithium storage materials. **2023**, 959, 170292	0