

CITATION REPORT

List of articles citing

Optimizing Structural Best Management Practices Using SWAT and Genetic Algorithm to Improve Water Quality Goals

DOI: 10.1007/s11269-012-9989-0

Water Resources Management, 2012, 26, 1827-1845.

Source: <https://exaly.com/paper-pdf/54412012/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
109	The Contribution of Conservation Practices in Reducing Runoff, Soil Loss, and Transport of Nutrients at the Watershed Level. <i>Water Resources Management</i> , 2012 , 26, 3831-3852	3.7	21
108	Optimal Ecological Management Practices (EMPs) for Minimizing the Impact of Climate Change and Watershed Degradation Due to Urbanization. <i>Water Resources Management</i> , 2013 , 27, 4069-4082	3.7	10
107	Examining the Possibilities: Generating Alternative Watershed-Scale BMP Designs with Evolutionary Algorithms. <i>Water Resources Management</i> , 2013 , 27, 3849-3863	3.7	27
106	Hydrological Simulation by SWAT Model with Fixed and Varied Parameterization Approaches Under Land Use Change. <i>Water Resources Management</i> , 2013 , 27, 2823-2838	3.7	56
105	A Multiobjective Optimisation Model for Groundwater Remediation Design at Petroleum Contaminated Sites. <i>Water Resources Management</i> , 2013 , 27, 2411-2427	3.7	15
104	Explanation of 47-Year BOD Alternation in a Japanese River Basin by BOD Generation and Discharge. 2013 , 224, 1		4
103	Temperature Performance of Different Pervious Pavements: Rainwater Harvesting for Energy Recovery Purposes. <i>Water Resources Management</i> , 2013 , 27, 5003	3.7	10
102	A topography analysis incorporated optimization method for the selection and placement of best management practices. 2013 , 8, e54520		14
101	Correlating Human Preferences and Optimized Watershed Management Plans. 2014 ,		
100	Soil Erosion Prediction Using Morgan-Morgan-Finney Model in a GIS Environment in Northern Ethiopia Catchment. 2014 , 2014, 1-15		14
99	From eutrophic to mesotrophic: modelling watershed management scenarios to change the trophic status of a reservoir. 2014 , 11, 3015-31		14
98	Comparison of Performance between Genetic Algorithm and SCE-UA for Calibration of SCS-CN Surface Runoff Simulation. 2014 , 6, 3433-3456		24
97	An optimisation approach for shallow lake restoration through macrophyte management. 2014 , 18, 2167-2176 ¹⁵		
96	A Landscape Planning and Management Tool for Land and Water Resources Management: An Example Application in Northern Ethiopia. <i>Water Resources Management</i> , 2014 , 28, 407-424	3.7	23
95	Simulation-Optimization Methodology for the Design of Outlet Control Structures for Ecological Detention Ponds. 2014 , 140, 04014031		4
94	Hydrologic Impact Assessment of Land Cover Change and Stormwater Management Using the Hydrologic Footprint Residence. 2014 , 50, 1242-1256		22
93	Using fuzzy logic analysis for siting decisions of infiltration trenches for highway runoff control. 2014 , 493, 44-53		16

92	Optimal Implementation of Irrigation Practices: Cost-Effective Desertification Action Plan for the Pinos Basin. 2014 , 140, 05014005		17
91	Enhanced nonlinearity interval mapping scheme for high-performance simulation-optimization of watershed-scale BMP placement. 2015 , 51, 1831-1845		8
90	An auto-adaptive optimization approach for targeting nonpoint source pollution control practices. 2015 , 5, 15393		8
89	Hydrological Impacts of Climate Change Simulated by HIMS Models in the Luanhe River Basin, North China. <i>Water Resources Management</i> , 2015 , 29, 1365-1384	3-7	15
88	Strategic Planning for Drought Mitigation under Climate Change. 2015 , 141, 04015004		37
87	Assessing the impacts of sustainable agricultural practices for water quality improvements in the Vouga catchment (Portugal) using the SWAT model. 2015 , 536, 48-58		32
86	Development of a Fuzzy-Boundary Interval Programming Method for Water Quality Management Under Uncertainty. <i>Water Resources Management</i> , 2015 , 29, 1169-1191	3-7	11
85	Evolutionary Multi-Objective Optimal Control of Combined Sewer Overflows. <i>Water Resources Management</i> , 2015 , 29, 2715-2731	3-7	29
84	Comparison of designed different land reallocation models in land consolidation: A case study in Konya/Turkey. 2015 , 110, 249-258		29
83	Uncertainty analysis for an effluent trading system in a typical nonpoint-sources-polluted watershed. 2016 , 6, 29398		3
82	Comparison of different targeting methods for watershed management practices implementation in Taleghan dam watershed, Iran. 2016 , 16, 1484-1496		4
81	Large Scale Reservoirs System Operation Optimization: the Interior Search Algorithm (ISA) Approach. <i>Water Resources Management</i> , 2016 , 30, 3389-3407	3-7	22
80	Evaluation of Land Use, Land Management and Soil Conservation Strategies to Reduce Non-Point Source Pollution Loads in the Three Gorges Region, China. 2016 , 58, 906-921		37
79	Incorporating water quality responses into the framework of best management practices optimization. 2016 , 541, 1363-1374		20
78	An Integrated Approach for Targeting Critical Source Areas to Control Nonpoint Source Pollution in Watersheds. <i>Water Resources Management</i> , 2016 , 30, 5087-5100	3-7	30
77	Optimal Sizing of Green Infrastructure Treatment Trains for Stormwater Management. <i>Water Resources Management</i> , 2016 , 30, 5407-5420	3-7	12
76	Comparative Study of Evolutionary Algorithms for the Automatic Calibration of the Medbasin-D Conceptual Hydrological Model. 2016 , 3, 629-644		18
75	Field data-based implementation of land management and terraces on the catchment scale for an eco-hydrological modelling approach in the Three Gorges Region, China. 2016 , 175, 43-60		9

74	Evaluation of the Best Management Practices at the Watershed Scale to Attenuate Peak Streamflow Under Climate Change Scenarios. <i>Water Resources Management</i> , 2016 , 30, 963-982	3-7	25
73	Development of river water quality management using fuzzy techniques: a review. 2016 , 14, 243-254		16
72	Identification of optimal placements of best management practices through an interval-fuzzy possibilistic programming model. 2016 , 165, 108-121		21
71	Assessment of Different Modelling Studies on the Spatial Hydrological Processes in an Arid Alpine Catchment. <i>Water Resources Management</i> , 2016 , 30, 1757-1770	3-7	21
70	Quantifying the effects of conservation practice implementation on predicted runoff and chemical losses under climate change. 2017 , 186, 51-65		20
69	Intra-annual variation of the association between agricultural best management practices and stream nutrient concentrations. 2017 , 586, 1124-1134		11
68	Usability evaluation of an interactive decision support system for user-guided design of scenarios of watershed conservation practices. 2017 , 19, 701-718		3
67	Cost-effectiveness analysis of different watershed management scenarios developed by simulation-optimization model. 2017 , 17, 1316-1324		3
66	Spatially explicit methodology for coordinated manure management in shared watersheds. 2017 , 192, 48-56		17
65	Evaluation of the best management practices in a semi-arid region with high agricultural activity. 2017 , 194, 160-171		17
64	Determining the Optimal BMP Arrangement under Current and Future Climate Regimes: Case Study. 2017 , 143, 05017009		7
63	Multi-Objective Evolutionary Optimization and Monte Carlo Simulation for Placement of Low Impact Development in the Catchment Scale. 2017 , 143, 04017053		39
62	Simulating hydrological and nonpoint source pollution processes in a karst watershed: A variable source area hydrology model evaluation. 2017 , 180, 212-223		41
61	Multiobjective, Socioeconomic, Boundary-Emanating, Nearest Distance Algorithm for Stormwater Low-Impact BMP Selection and Placement. 2017 , 143, 05016013		23
60	Effective Design and Planning Specification of Low Impact Development Practices Using Water Management Analysis Module (WMAM): Case of Malaysia. 2017 , 9, 173		25
59	A Multi-Criteria Decision Analysis System for Prioritizing Sites and Types of Low Impact Development Practices: Case of Korea. 2017 , 9, 291		24
58	BMP Optimization to Improve the Economic Viability of Farms in the Upper Watershed of Miyun Reservoir, Beijing, China. 2017 , 9, 633		5
57	Proposal of a methodology for pre-selection of sewage treatment systems within watersheds. 2017 , 22,		3

56	Exploiting the use of physical information for the calibration of a lumped hydrological model. 2018 , 32, 1420-1433		9
55	Effects of best management practices on nitrogen load reduction in tea fields with different slope gradients using the SWAT model. 2018 , 90, 200-213		19
54	A comprehensive review of spatial allocation of LID-BMP-GI practices: Strategies and optimization tools. 2018 , 621, 915-929		101
53	Assessment of beyond-the-field nutrient management practices for agricultural crop systems with subsurface drainage. 2018 , 73, 62-74		12
52	Agricultural non-point source pollution management in a reservoir watershed based on ecological network analysis of soil nitrogen cycling. 2018 , 25, 9071-9084		8
51	Optimal allocation of nonpoint source pollution control measures using two modern comprehensive evaluation methods. 2018 , 20, 811-825		2
50	Optimizing best management practices for nutrient pollution control in a lake watershed under uncertainty. <i>Ecological Indicators</i> , 2018 , 92, 288-300	5.8	20
49	Sustainable Management of Reservoir Water Quality and Quantity Through Reservoir Operational Strategy and Watershed Control Strategies. 2018 , 12, 773-788		9
48	Modeling Simulation of River Discharge of Loktak Lake Catchment in Northeast India. 2018 , 23, 05018014		6
47	New methodology of evaluation of best management practices performances for an agricultural watershed according to the climate change scenarios: A hybrid use of deterministic and decision support models. 2018 , 119, 73-83		21
46	Conservation dairy farming impact on water quality in a karst watershed in northeastern US. 2018 , 165, 187-196		12
45	An Integrated Simulation, Inference and Optimization Approach for Groundwater Remediation with Two-Stage Health-Risk Assessment. 2018 , 10, 694		0
44	Optimisation of Multipurpose Reservoir Operation by Coupling Soil and Water Assessment Tool (SWAT) and Genetic Algorithm for Optimal Operating Policy (Case Study: Ganga River Basin). 2018 , 10, 1660		17
43	Multi Criteria Decision Making in Selecting Stormwater Management Green Infrastructure for Industrial areas Part 2: A Case Study with TOPSIS. <i>Water Resources Management</i> , 2018 , 32, 4297-4312	3.7	13
42	Hybrid green-blue-gray decentralized urban drainage systems design, a simulation-optimization framework. 2019 , 249, 109364		25
41	Evaluating efficiencies and cost-effectiveness of best management practices in improving agricultural water quality using integrated SWAT and cost evaluation tool. 2019 , 577, 123965		27
40	Aggregate effects on ecosystem services from certification of tea farming in the Upper Tana River basin, Kenya. 2019 , 38, 100962		2
39	A SWAT-based optimization tool for obtaining cost-effective strategies for agricultural conservation practice implementation at watershed scales. 2019 , 691, 685-696		20

38	New framework for optimizing best management practices at multiple scales. 2019 , 578, 124133	7
37	Optimization of pollutant reduction system for controlling agricultural non-point-source pollution based on grey relational analysis combined with analytic hierarchy process. 2019 , 243, 370-380	21
36	A tool for the selection and implementation of eco-remediation mitigation measures. 2019 , 130, 53-66	4
35	A Phased Assessment of Restoration Alternatives to Achieve Phosphorus Water Quality Targets for Lake Okeechobee, Florida, USA. 2019 , 11, 327	13
34	Evaluating Agricultural BMP Effectiveness in Improving Freshwater Provisioning Under Changing Climate. <i>Water Resources Management</i> , 2019 , 33, 453-473	3-7 6
33	Identification of critical source areas under present and projected land use for effective management of diffuse pollutants in an urbanized watershed. 2019 , 17, 171-184	6
32	A participatory approach based on stochastic optimization for the spatial allocation of Sustainable Urban Drainage Systems for rainwater harvesting.. 2020 , 123, 104532	22
31	GDNDC: An integrated system to model water-nitrogen-crop processes for agricultural management at regional scales. 2020 , 134, 104807	2
30	Identification of critical areas and evaluation of best management practices using SWAT for sustainable watershed management. 2020 , 744, 140737	21
29	Biomass Production with Conservation Practices for Two Iowa Watersheds. 2020 , 56, 1030-1044	4
28	A User-Friendly Software Package to Develop Storm Water Management Model (SWMM) Inputs and Suggest Low Impact Development Scenarios. 2020 , 12, 2344	2
27	Addressing the spatial disconnect between national-scale total maximum daily loads and localized land management decisions. 2020 , 49, 613-627	11
26	Influence of Setback Distance on Antibiotics and Antibiotic Resistance Genes in Runoff and Soil Following the Land Application of Swine Manure Slurry. 2020 , 54, 4800-4809	14
25	Impacts of climate change and agricultural activities on water quality in the Lower Kaidu River Basin, China. 2020 , 30, 164-176	9
24	Optimization of Green Infrastructure Practices in Industrial Areas for Runoff Management: A Review on Issues, Challenges and Opportunities. 2020 , 12, 1024	6
23	Assessment of the Impacts of Land Use Change on Non-Point Source Loading under Future Climate Scenarios Using the SWAT Model. 2021 , 13, 874	4
22	An inverse design method for determining the optimal tributary flow into a main stream in a rainstorm period. 2021 , 21, 3180-3192	
21	Sources and Impacts of Uncertainty in Uncalibrated Bioretention Models Using SWMM 5.1.012. 2021 , 7,	4

20	Predicting water quality trends resulting from forest cover change in an agriculturally dominated river basin in Eastern Ontario, Canada.		0
19	Optimal allocation of best management practices based on receiving water capacity constraints. 2021 , 258, 107179		2
18	Intelligent Water Resources Management Strategy under Urbanization. 2016 , 05, 314-325		1
17	Multi-Objective Optimization for Selecting and Siting the Cost-Effective BMPs by Coupling Revised GWLF Model and NSGAI Algorithm. 2020 , 12, 235		4
16	Cost-Effective Strategy for the Investigation and Remediation of Polluted Soil Using Geostatistics and a Genetic Algorithm Approach. 2016 , 07, 99-115		5
15	An optimisation approach for shallow lake restoration through macrophyte management.		1
14	Assessing the efficiencies of alternative best management practices to reduce non-point source pollution for a sub-watershed in Louisiana, USA. 2018 , 2,		
13	Using SWAT-MEA to determine optimal placement of crop management systems under no-till.		
12	Assessment of Best Management Practices on Hydrology and Sediment Yield at Watershed Scale in Mississippi Using SWAT. 2022 , 12, 518		5
11	Efficiency assessment of best management practices in sediment reduction by investigating cost-effective tradeoffs. 2022 , 265, 107546		0
10	Farm management optimization under uncertainty with impacts on water quality and economic risk. 1-18		
9	Assessment of influencing factors on non-point source pollution critical source areas in an agricultural watershed. <i>Ecological Indicators</i> , 2022 , 141, 109084	5.8	1
8	Multi-objective biofuel feedstock optimization considering different land-cover scenarios and watershed impacts. <i>Clean Technologies and Recycling</i> , 2022 , 2, 103-118		
7	Coupled GA-hydrological modeling for the optimal spatial distribution of biological soil and water conservation measures. <i>Acta Geophysica</i> ,	2.2	
6	Watershed-scale optimum livestock distribution and crop pattern planning constrained to the minimum nitrogen and phosphorus load in the runoff. 2022 , 194,		
5	Optimal Utilization of Farm Financial Programs with Impacts on Nutrient Use.		0
4	Comparison of multi-objective evolutionary algorithms applied to watershed management problem. 2022 , 324, 116255		0
3	A Novel Method for Watershed Best Management Practices Spatial Optimal Layout under Uncertainty. 2022 , 14, 13088		0

- 2 Evaluation of the costs of agricultural diffuse water pollution abatement in the context of Lithuania's water protection goals and climate change. ○
- 1 Climate Change Adaptability of Sustainable Land Management Practices Regarding Water Availability and Quality: A Case Study in the Sorraia Catchment, Portugal. ○