CITATION REPORT List of articles citing

Randomized trial of insulin versus usual care in reducing restenosis after coronary intervention in patients with diabetes. the STent Restenosis And Metabolism (STREAM) study

DOI: 10.1016/j.carrev.2011.12.001 Cardiovascular Revascularization Medicine, 2012, 13, 95-100.

Source: https://exaly.com/paper-pdf/54479479/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	#	Paper	IF	Citations
1	10	Diabetic patients receiving bare-metal stents: no option patients?. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1686-7	15.1	1
Ş	9	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. <i>Cochrane Database of Systematic Reviews</i> , 2013 , CD008143		102
8	3	WITHDRAWN: Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. <i>The Cochrane Library</i> , 2015 , CD008143	5.2	13
7	7	Associations between different types of hypoglycemic agents and the clinical outcome of percutaneous coronary intervention in diabetic patients-From the FU-Registry. <i>Journal of Cardiology</i> , 2015 , 65, 390-6	3	10
ŧ	5	The long-term prognostic significance of high-sensitive C-reactive protein to in-stent restenosis. <i>Medicine (United States)</i> , 2018 , 97, e10679	1.8	7
ŗ	5	How pragmatic are the randomised trials used in recommendations for control of glycosylated haemoglobin levels in type 2 diabetic patients in general practice: an application of the PRECIS II tool. <i>Trials</i> , 2020 , 21, 281	2.8	1
4	4	miR-19a promotes vascular smooth muscle cell proliferation, migration and invasion through regulation of Ras homolog family member B. <i>International Journal of Molecular Medicine</i> , 2019 , 44, 1991	-20 02	7
3	3	Higher plasma level of STIM1, OPG are correlated with stent restenosis after PCI. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 21089-97		5
2	2	Investigation Into the Risk Factors Related to In-stent Restenosis in Elderly Patients With Coronary Heart Disease and Type 2 Diabetes Within 2 Years After the First Drug-Eluting Stent Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9,	5.4	1
1	ſ	Effect of Intensive Glycemic Control on Myocardial Infarction Outcome in Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis. 2023 , 2023, 1-11		О