

Society of Hair Testing guidelines for drug testing in ha

Forensic Science International

218, 20-24

DOI: [10.1016/j.forsciint.2011.10.024](https://doi.org/10.1016/j.forsciint.2011.10.024)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Role of LC-MS/MS in hair testing for the determination of common drugs of abuse and other psychoactive drugs. <i>Bioanalysis</i> , 2013, 5, 1919-1938.	0.6	42
2	Differences in self-reported and behavioral measures of impulsivity in recreational and dependent cocaine users. <i>Drug and Alcohol Dependence</i> , 2013, 133, 61-70.	1.6	64
3	Application of mass spectrometry to hair analysis for forensic toxicological investigations. <i>Mass Spectrometry Reviews</i> , 2013, 32, 312-332.	2.8	60
4	Matrix solid phase dispersion assisted enzymatic hydrolysis as a novel approach for cocaine and opiates isolation from human hair. <i>Journal of Chromatography A</i> , 2013, 1316, 15-22.	1.8	15
5	<i>Forensic Drug Analysis</i> , 2013, , .		4
7	Development and validation of an LC-MS/MS method for quantification of δ^9 -tetrahydrocannabinolic acid A (THCA), THC, CBN and CBD in hair. <i>Journal of Mass Spectrometry</i> , 2013, 48, 227-233.	0.7	43
8	Hair as an alternative matrix in bioanalysis. <i>Bioanalysis</i> , 2013, 5, 895-914.	0.6	73
9	Forensic toxicology in drug-facilitated sexual assault. <i>Toxicology Mechanisms and Methods</i> , 2013, 23, 471-478.	1.3	48
10	Segmental hair analysis and estimation of methamphetamine use pattern. <i>International Journal of Legal Medicine</i> , 2013, 127, 405-411.	1.2	21
13	Maternal Hair Analysis for the Detection of Illicit Drugs, Medicines, and Alcohol Exposure During Pregnancy. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 296-304.	1.0	50
14	A Screening Method for 30 Drugs in Hair Using Ultrahigh-Performance Liquid Chromatography Time-of-Flight Mass Spectrometry. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 288-295.	1.0	15
15	Cognitive dysfunctions in recreational and dependent cocaine users: role of attention-deficit hyperactivity disorder, craving and early age at onset. <i>British Journal of Psychiatry</i> , 2013, 203, 35-43.	1.7	150
16	The sexual assault examination kit. , 0, , 24-47.		1
17	Assessment of Unsuspected Exposure to Drugs of Abuse in Children from a Mediterranean City by Hair Testing. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 2288-2298.	1.2	14
18	Pediatric Exposure to Drugs of Abuse by Hair Testing: Monitoring 15 Years of Evolution in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 8267-8275.	1.2	18
19	Cocaine contamination in pubic hair: Analysis of the decontamination method. <i>Egyptian Journal of Forensic Sciences</i> , 2014, 4, 129-136.	0.4	4
20	Retrospective monitoring of long-term recreational and dependent cocaine use in toenail clippings/scrapings as an alternative to hair. <i>Bioanalysis</i> , 2014, 6, 3183-3196.	0.6	12
21	Multi-target screening of biological samples using LC-MS/MS: focus on chromatographic innovations. <i>Bioanalysis</i> , 2014, 6, 1255-1273.	0.6	26

#	ARTICLE	IF	CITATIONS
22	Extraction and Analysis of Cortisol from Human and Monkey Hair. <i>Journal of Visualized Experiments</i> , 2014, , e50882.	0.2	107
23	Nails: an adequate alternative matrix in forensic toxicology for drug analysis?. <i>Bioanalysis</i> , 2014, 6, 2189-2191.	0.6	31
24	Rapid extraction, identification and quantification of drugs of abuse in hair by immunoassay and ultra-performance liquid chromatography tandem mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 679-86.	1.4	23
25	Norcocaine in human hair as a biomarker of heavy cocaine use in a high risk population. <i>Forensic Science International</i> , 2014, 241, 150-154.	1.3	8
26	Hair decontamination procedure prior to multi-class pesticide analysis. <i>Drug Testing and Analysis</i> , 2014, 6, 55-66.	1.6	48
27	Segmental analysis of amphetamines in hair using a sensitive UHPLC-MS/MS method. <i>Drug Testing and Analysis</i> , 2014, 6, 22-29.	1.6	18
28	Rapid analysis of tetrahydrocannabinol in hair using direct analysis in real time ambient ionization orbitrap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 682-690.	0.7	45
29	Utility of coloured hair for the detection of drugs and alcohol. <i>Drug Testing and Analysis</i> , 2014, 6, 110-119.	1.6	19
30	Spot them in the spot: analysis of abused substances using dried blood spots. <i>Bioanalysis</i> , 2014, 6, 2211-2227.	0.6	80
31	Hair Analysis for Long-Term Monitoring of Buprenorphine Intake in Opiate Withdrawal. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 796-807.	1.0	11
32	A Direct Immersion Solid-Phase Microextraction Gas Chromatography/Mass Spectrometry Method for the Simultaneous Detection of Levamisole and Minor Cocaine Congeners in Hair Samples From Chronic Abusers. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 789-795.	1.0	15
33	ACOEM Practice Guidelines. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, e143-e159.	0.9	76
34	Fast and Highly Selective LC-MS/MS Screening for THC and 16 Other Abused Drugs and Metabolites in Human Hair to Monitor Patients for Drug Abuse. <i>Therapeutic Drug Monitoring</i> , 2014, 36, 234-243.	1.0	46
35	Altered social and non-social decision-making in recreational and dependent cocaine users. <i>Psychological Medicine</i> , 2014, 44, 1015-1028.	2.7	96
36	Statistical significance of hair analysis of clenbuterol to discriminate therapeutic use from contamination. <i>Drug Testing and Analysis</i> , 2014, 6, 1108-1116.	1.6	32
37	Evaluation of amphetamine-type stimulant abuse through hair analysis: Results from 12 years of work. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2014, 65, 225-230.	0.4	4
38	Quantitative determination of 11-nor-9-carboxy-tetrahydrocannabinol in hair by column switching LC-ESI-MS3. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 947-948, 179-185.	1.2	22
39	Validation of a method for the targeted analysis of 96 drugs in hair by UPLC-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 88, 295-306.	1.4	72

#	ARTICLE	IF	CITATIONS
40	Pre-analytical and analytical variation of drug determination in segmented hair using ultra-performance liquid chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , 2014, 234, 16-21.	1.3	21
41	Drugs Involved in Drug-Facilitated Crimes (DFC). , 2014, , 181-222.		16
42	An evaluation of washing and extraction techniques in the analysis of ethyl glucuronide and fatty acid ethyl esters from hair samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 953-954, 115-119.	1.2	13
43	Conflicting Hair Testing Results Can Have an Impact in Courts: Interpretation of Single Exposure to Zolpidem. <i>Journal of Analytical Toxicology</i> , 2014, 38, 304-305.	1.7	13
44	Hair analysis as a tool to evaluate the prevalence of synthetic cannabinoids in different populations of drug consumers. <i>Drug Testing and Analysis</i> , 2014, 6, 126-134.	1.6	70
45	Simultaneous determination of δ^9 -tetrahydrocannabinol, cannabidiol, cannabinol and 11-nor- δ^9 -tetrahydrocannabinol-9-carboxylic acid in hair using liquid chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , 2014, 236, 151-156.	1.3	42
46	Analysis of Extensively Washed Hair from Cocaine Users and Drug Chemists to Establish New Reporting Criteria. <i>Journal of Analytical Toxicology</i> , 2014, 38, 628-636.	1.7	35
47	Trends in drug testing in oral fluid and hair as alternative matrices. <i>Bioanalysis</i> , 2014, 6, 2193-2209.	0.6	37
48	Recent trends in analytical methods and separation techniques for drugs of abuse in hair. <i>Analytica Chimica Acta</i> , 2014, 856, 1-26.	2.6	75
49	Ethylglucuronide in Hair Is a Top Predictor of Impaired Driving Recidivism, Alcohol Dependence, and a Key Marker of the Highest BAC Interlock Tests. <i>Traffic Injury Prevention</i> , 2014, 15, 361-369.	0.6	15
50	DETERMINATION OF CLONAZEPAM IN HAIR AND NAIL USING LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY (LC-MS/MS). <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014, 37, 1917-1928.	0.5	7
51	Utility of ELISA screening for the monitoring of abstinence from illegal and legal drugs in hair and urine. <i>Drug Testing and Analysis</i> , 2014, 6, 101-109.	1.6	18
52	Decision-making impairment predicts 3-month hair-indexed cocaine relapse. <i>Psychopharmacology</i> , 2014, 231, 4179-4187.	1.5	49
53	Human biomonitoring of emerging pollutants through non-invasive matrices: state of the art and future potential. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 4063-4088.	1.9	128
54	Mass imaging of ketamine in a single scalp hair by MALDI-FTMS. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 4611-4616.	1.9	52
55	Deconvolution of isotope signals from bundles of multiple hairs. <i>Oecologia</i> , 2014, 175, 781-789.	0.9	29
56	Discovery of Syn-/Anti-Cocaine-N-Oxide Diastereomers in Unwashed Postmortem Hair via LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2014, 38, 360-367.	1.7	3
57	Pain and Addictive Disorders. , 2014, , 669-682.e4.		0

#	ARTICLE	IF	CITATIONS
58	Cognitive Impairment in Cocaine Users is Drug-Induced but Partially Reversible: Evidence from a Longitudinal Study. <i>Neuropsychopharmacology</i> , 2014, 39, 2200-2210.	2.8	139
59	Hair analysis to demonstrate administration of amitriptyline, temazepam, tramadol and dihydrocodeine to a child in a case of kidnap and false imprisonment. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2014, 23, 26-31.	0.5	23
60	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: A review of the current state of the art. <i>Drug and Alcohol Dependence</i> , 2014, 134, 1-11.	1.6	120
61	An improved method for the determination of Δ^9 -tetrahydrocannabinol, cannabidiol and cannabidiol in hair by liquid chromatography-tandem mass spectrometry. <i>Microchemical Journal</i> , 2014, 117, 7-17.	2.3	16
62	Validation and application of hair analysis for the detection of methamphetamine in young Thai adults. <i>Asian Biomedicine</i> , 2014, 8, 463-473.	0.2	5
63	Changes in cocaine consumption are associated with fluctuations in self-reported impulsivity and gambling decision-making. <i>Psychological Medicine</i> , 2015, 45, 3097-3110.	2.7	59
64	The Disposition of Oxycodone and Metabolite in Human Hair. <i>Journal of Analytical Toxicology</i> , 2015, 39, 746-750.	1.7	7
65	Finding cannabinoids in hair does not prove cannabis consumption. <i>Scientific Reports</i> , 2015, 5, 14906.	1.6	51
66	The usefulness of biomarkers of alcohol abuse in hair and serum carbohydrate-deficient transferrin: a case report.. <i>Drug Testing and Analysis</i> , 2015, 7, 703-707.	1.6	2
67	Detection of Benzodiazepines and z-Drugs in Hair Using an UHPLC-MS/MS Validated Method. <i>Therapeutic Drug Monitoring</i> , 2015, 37, 600-608.	1.0	19
68	Micro-pulverized extraction pretreatment for highly sensitive analysis of 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol in hair by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 2158-2166.	0.7	22
69	Preparation of longitudinal sections of hair samples for the analysis of cocaine by MALDI-MS/MS and TOF-SIMS imaging. <i>Drug Testing and Analysis</i> , 2015, 7, 859-865.	1.6	48
70	Improved radiocarbon analyses of modern human hair to determine the year of death by cross-flow nanofiltered amino acids: common contaminants, implications for isotopic analysis, and recommendations. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 1765-1773.	0.7	15
71	Clinical applications of cortisol measurements in hair. <i>European Journal of Endocrinology</i> , 2015, 173, M1-M10.	1.9	157
72	Reply to Crunelle et al. about the Article "A Comparison Between Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide in Detecting Chronic Alcohol Consumption in Routine". <i>Alcohol and Alcoholism</i> , 2015, 50, 487-487.	0.9	0
73	Determination of cocaine in abuser hairs by CE: monitoring compliance to a detoxification program. <i>Bioanalysis</i> , 2015, 7, 437-447.	0.6	10
74	New approach for assessing human perfluoroalkyl exposure via hair. <i>Talanta</i> , 2015, 144, 574-583.	2.9	39
75	Des difficultés à chaque étape d'un dossier de soumission chimique: à propos d'un cas d'agression sexuelle sous lorazepam. <i>Toxicologie Analytique Et Clinique</i> , 2015, 27, 110-116.	0.1	1

#	ARTICLE	IF	CITATIONS
76	Determination of GHB in human hair by HPLC-MS/MS: Development and validation of a method and application to a study group and three possible single exposure cases. <i>Drug Testing and Analysis</i> , 2015, 7, 376-384.	1.6	57
77	Evaluation of poly-drug use in methadone-related fatalities using segmental hair analysis. <i>Forensic Science International</i> , 2015, 248, 134-139.	1.3	22
78	Ultratrace LC-MS/MS Analysis of Segmented Calf Hair for Retrospective Assessment of Time of Clenbuterol Administration in Agriforensics. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 493-499.	2.4	11
79	Identification and quantification of 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid glucuronide (THC-COOH-glu) in hair by ultra-performance liquid chromatography tandem mass spectrometry as a potential hair biomarker of cannabis use. <i>Forensic Science International</i> , 2015, 249, 47-51.	1.3	29
80	Genetic and toxicologic investigation of Sudden Cardiac Death in a patient with Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC) under cocaine and alcohol effects. <i>International Journal of Legal Medicine</i> , 2015, 129, 89-96.	1.2	10
81	Pressurized liquid extraction for the determination of cannabinoids and metabolites in hair: Detection of cut-off values by high performance liquid chromatography-high resolution tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1406, 192-200.	1.8	34
82	Duration of detection of methamphetamine in hair after abstinence. <i>Forensic Science International</i> , 2015, 254, 80-86.	1.3	18
83	Ethnic hair care products may increase false positives in hair drug testing. <i>Forensic Science International</i> , 2015, 257, 160-164.	1.3	24
84	Anatomy and Physiology of Hair, and Principles for its Collection. , 2015, , 1-22.		7
85	Hair Sample Preparation, Extraction, and Screening Procedures for Drugs of Abuse and Pharmaceuticals. , 2015, , 23-46.		2
86	External Contamination. , 2015, , 47-70.		3
87	Clinical Applications of Hair Analysis. , 2015, , 141-159.		7
88	Workplace Drug Testing. , 2015, , 197-239.		3
89	Forensic Applications of Hair Analysis. , 2015, , 241-273.		7
90	New Challenges and Perspectives in Hair Analysis. , 2015, , 337-368.		3
91	Cut-off proposal for the detection of ketamine in hair. <i>Forensic Science International</i> , 2015, 248, 119-123.	1.3	21
92	Assessing cocaine abuse using LC-MS/MS measurements in biological specimens. <i>Bioanalysis</i> , 2015, 7, 1497-1525.	0.6	11
93	Letter to the Editor Regarding "A Comparison Between Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide in Detecting Chronic Alcohol Consumption in Routine". <i>Alcohol and Alcoholism</i> , 2015, 50, 485-486.	0.9	1

#	ARTICLE	IF	CITATIONS
95	Comparison of sample preparation methods for zolpidem extraction from hair. <i>Forensic Toxicology</i> , 2015, 33, 159-164.	1.4	11
96	Single-hair analysis of zolpidem on the supposition of its single administration in drug-facilitated crimes. <i>Forensic Toxicology</i> , 2015, 33, 122-130.	1.4	31
97	Simultaneous Determination of 11 Illicit Phenethylamines in Hair by LC-MS-MS In Vivo Application. <i>Journal of Analytical Toxicology</i> , 2015, 39, 532-537.	1.7	11
98	Review: Drug concentrations in hair and their relevance in drug facilitated crimes. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2015, 36, 126-135.	0.5	80
99	Underlying Substance Abuse Problems in Drunk Drivers. <i>Traffic Injury Prevention</i> , 2015, 16, 435-439.	0.6	12
100	Multi-class method for biomonitoring of hair samples using gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 8725-8734.	1.9	36
101	Methadone-related deaths. A ten year overview. <i>Forensic Science International</i> , 2015, 257, 172-176.	1.3	18
102	Review: Interpretation of drug presence in the hair of children. <i>Forensic Science International</i> , 2015, 257, 458-472.	1.3	35
103	Hair analysis for JWH-018, JWH-122, and JWH-210 after passive in vivo exposure to synthetic cannabinoid smoke. <i>Forensic Toxicology</i> , 2015, 33, 69-76.	1.4	14
104	A simple extraction and LC-MS/MS approach for the screening and identification of over 100 analytes in eight different matrices. <i>Drug Testing and Analysis</i> , 2015, 7, 214-240.	1.6	36
105	Significant enhancement of 11-Hydroxy-THC detection by formation of picolinic acid esters and application of liquid chromatography/multi stage mass spectrometry (LC-MS ³): Application to hair and oral fluid analysis. <i>Drug Testing and Analysis</i> , 2015, 7, 577-585.	1.6	15
106	Tramadol chronic abuse: An evidence from hair analysis by LC tandem MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 102, 450-458.	1.4	27
107	Analytical Samples. , 2016, , 113-142.		1
108	Risky Decisions in a Lottery Task Are Associated with an Increase of Cocaine Use. <i>Frontiers in Psychology</i> , 2016, 7, 640.	1.1	14
109	Bilateral Transcranial Magnetic Stimulation of the Prefrontal Cortex Reduces Cocaine Intake: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2016, 7, 133.	1.3	66
110	Detection of JWH-073 and Cannabis Congeners in Hair. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 140-142.	1.0	2
111	The importance of hair testing in GHB facilitated sexual assault cases. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2016, 39, 74-75.	0.5	9
112	Hair testing in clinical setting: Simultaneous determination of 50 psychoactive drugs and metabolites in headache patients by LC tandem MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 126, 14-25.	1.4	47

#	ARTICLE	IF	CITATIONS
113	Determination of Anticoagulant Rodenticides and Î±-Chloralose in Human Hair. Application to a Real Case. <i>Journal of Analytical Toxicology</i> , 2016, 40, 277-285.	1.7	6
114	The use of nails as an alternative matrix for the long-term detection of previous drug intake: validation of sensitive UHPLC-MS/MS methods for the quantification of 76 substances and comparison of analytical results for drugs in nail and hair samples. <i>Forensic Science, Medicine, and Pathology</i> , 2016, 12, 416-434.	0.6	34
115	Hair analysis for opiates: hydromorphone and hydrocodone as indicators of heroin use. <i>Bioanalysis</i> , 2016, 8, 953-964.	0.6	11
116	Validation of a SPE-LC-MS/MS method for the determination of ketamine and norketamine in micropulverized hair after a single IV dose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1033-1034, 200-209.	1.2	14
117	European guidelines for workplace drug and alcohol testing in hair. <i>Drug Testing and Analysis</i> , 2016, 8, 996-1004.	1.6	64
118	Approaching over 10 ⁴ -fold sensitivity increase in chiral capillary electrophoresis: Cation-selective exhaustive injection and sweeping cyclodextrin-modified micellar electrokinetic chromatography. <i>Electrophoresis</i> , 2016, 37, 2970-2976.	1.3	19
119	Quantification of EtG in hair, EtG and EtS in urine and PEth species in capillary dried blood spots to assess the alcohol consumption in driver's licence regranting cases. <i>Drug and Alcohol Dependence</i> , 2016, 165, 191-197.	1.6	31
120	Critical comparison of mass analyzers for forensic hair analysis by ambient ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 2331-2340.	0.7	15
121	Findings in the hair of drug abusers using pressurized liquid extraction and solid-phase extraction coupled in-line with capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 131, 420-428.	1.4	16
122	Detection and Mapping of Cannabinoids in Single Hair Samples through Rapid Derivatization and Matrix-Assisted Laser Desorption Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2016, 88, 10328-10334.	3.2	72
123	Drugs, Prescribed: Hair Analysis " Substance Use. , 2016, , 407-412.		0
124	Determination of Antidepressants in Hair via UHPLC-MS/MS as a Complementary Informative Tool for Clinical and Forensic Toxicological Assessments. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 751-760.	1.0	28
125	Substance Misuse: Hair Analysis. , 2016, , 371-376.		2
126	Cannabis Use Surveillance by Sweat Analysis. <i>Therapeutic Drug Monitoring</i> , 2016, 38, 634-639.	1.0	18
127	Long-term monitoring of opioid, sedative and anti-inflammatory drugs in horse hair using a selective and sensitive LC-MS/MS procedure. <i>BMC Veterinary Research</i> , 2016, 12, 84.	0.7	15
128	Alternative sampling strategies for the assessment of alcohol intake of living persons. <i>Clinical Biochemistry</i> , 2016, 49, 1078-1091.	0.8	34
129	Techniques and technologies for the bioanalysis of Sativex [®] , metabolites and related compounds. <i>Bioanalysis</i> , 2016, 8, 829-845.	0.6	5
130	Salvia divinorum: toxicological aspects and analysis in human biological specimens. <i>Bioanalysis</i> , 2016, 8, 1415-1425.	0.6	4

#	ARTICLE	IF	CITATIONS
131	Death related to consumption of Rauvolfia sp. powder mislabeled as Tabernanthe iboga. Forensic Science International, 2016, 266, e38-e42.	1.3	16
132	Development of a UPLC-MS/MS method for determining δ^3 -hydroxybutyric acid (GHB) and GHB glucuronide concentrations in hair and application to forensic cases. Forensic Toxicology, 2016, 34, 51-60.	1.4	24
133	Levamisole adulterated cocaine and pulmonary vasculitis: Presentation of two lethal cases and brief literature review. Forensic Science International, 2016, 265, 96-102.	1.3	36
134	Amphetamines and cannabinoids testing in hair: Evaluation of results from a two-year period. Forensic Science International, 2016, 265, 47-53.	1.3	15
135	Metal concentrations in hair of patients with various head and neck cancers as a diagnostic aid. BioMetals, 2016, 29, 81-93.	1.8	26
136	Highly sensitive quantification of unconjugated 11-nor-9-carboxy- δ^9 -tetrahydrocannabinol in a cannabis user's hair using micropulverized extraction. Forensic Science International, 2016, 262, e34-e36.	1.3	7
137	Metabonomic Study of Biochemical Changes in Human Hair of Heroin Abusers by Liquid Chromatography Coupled with Ion Trap-Time of Flight Mass Spectrometry. Journal of Molecular Neuroscience, 2016, 58, 93-101.	1.1	16
138	Consequences of Decontamination Procedures in Forensic Hair Analysis Using Metal-Assisted Secondary Ion Mass Spectrometry Analysis. Analytical Chemistry, 2016, 88, 3091-3097.	3.2	45
139	Ethyl glucuronide in hair of non-excessive alcohol consumers: correlations and gender influence. Forensic Toxicology, 2016, 34, 186-190.	1.4	8
140	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. Clinical Biochemistry, 2016, 49, 554-559.	0.8	13
141	Opening the toolbox of alternative sampling strategies in clinical routine: A key-role for (LC-)MS/MS. TrAC - Trends in Analytical Chemistry, 2016, 84, 61-73.	5.8	31
142	Analysis of tetrahydroxylated benzo[a]pyrene isomers in hair as biomarkers of exposure to benzo[a]pyrene. Analytical and Bioanalytical Chemistry, 2016, 408, 1997-2008.	1.9	16
143	(Un)targeted Scanning of Locks of Hair for Drugs of Abuse by Direct Analysis in Real Time- δ^9 -High-Resolution Mass Spectrometry. Analytical Chemistry, 2016, 88, 2489-2496.	3.2	33
144	Evaluation of drug incorporation into hair segments and nails by enantiomeric analysis following controlled single MDMA intakes. Analytical and Bioanalytical Chemistry, 2016, 408, 545-556.	1.9	27
145	Determination of phenobarbital in hair matrix by liquid phase microextraction (LPME) and gas chromatography-mass spectrometry (GC-MS). Forensic Science International, 2016, 265, 75-80.	1.3	31
146	LC-MS based analysis of endogenous steroid hormones in human hair. Journal of Steroid Biochemistry and Molecular Biology, 2016, 162, 92-99.	1.2	108
147	Evidence based decontamination protocols for the removal of external δ^9 -tetrahydrocannabinol (THC) from contaminated hair. Forensic Science International, 2016, 259, 110-118.	1.3	15
148	Detection of Cannabinoids by ELISA and GC-MS Methods in a Hair Sample Previously Used to Detect Other Drugs of Abuse. Journal of Analytical Toxicology, 2016, 40, 408-413.	1.7	17

#	ARTICLE	IF	CITATIONS
149	A comparative study of screening instruments and biomarkers for the detection of cannabis use. Substance Abuse, 2016, 37, 176-180.	1.1	6
150	Alternative Sampling Strategies for Cytochrome P450 Phenotyping. Clinical Pharmacokinetics, 2016, 55, 169-184.	1.6	14
151	Substance use in individuals with mild to borderline intellectual disability: A comparison between self-report, collateral-report and biomarker analysis. Research in Developmental Disabilities, 2017, 63, 151-159.	1.2	20
152	An LC-MS/MS methodological approach to the analysis of hair for amphetamine-type stimulant (ATS) drugs, including selected synthetic cathinones and piperazines. Drug Testing and Analysis, 2017, 9, 96-105.	1.6	51
153	Contactless decontamination of hair samples: cannabinoids. Drug Testing and Analysis, 2017, 9, 282-288.	1.6	7
154	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. Analytica Chimica Acta, 2017, 960, 101-109.	2.6	23
156	Study of cocaine incorporation in hair damaged by cosmetic treatments. Forensic Chemistry, 2017, 3, 69-73.	1.7	19
157	Detection of anabolic and androgenic steroids and/or their esters in horse hair using ultra-high performance liquid chromatography-high resolution mass spectrometry. Journal of Chromatography A, 2017, 1493, 76-86.	1.8	22
158	Analysis of drugs of abuse in Cerumen - correlation of postmortem analysis results with those for blood, urine and hair. Drug Testing and Analysis, 2017, 9, 1572-1585.	1.6	19
159	Non-invasive monitoring of physiological markers in primates. Hormones and Behavior, 2017, 91, 3-18.	1.0	99
160	A 10 year post-mortem analysis of keratin matrix in Perugia (Italy): focus on cocaine involvement in several types of death. Australian Journal of Forensic Sciences, 2017, 49, 711-719.	0.7	7
161	Imaging Mass Spectrometry. Methods in Molecular Biology, 2017, , .	0.4	3
162	Mass Spectrometry Imaging of Drugs of Abuse in Hair. Methods in Molecular Biology, 2017, 1618, 137-147.	0.4	16
163	Hair analysis for the detection of drug use - is there potential for evasion?. Human Psychopharmacology, 2017, 32, e2587.	0.7	53
164	Interpretation of NPS results in real hair samples. Toxicologie Analytique Et Clinique, 2017, 29, 4-10.	0.1	13
165	Gamma-Hydroxybutyrate (GHB) Content in Hair Samples Correlates Negatively with Age in Succinic Semialdehyde Dehydrogenase Deficiency. JIMD Reports, 2017, 36, 93-98.	0.7	9
166	Distribution pattern of ethyl glucuronide and caffeine concentrations over the scalp of a single person in a forensic context. Drug Testing and Analysis, 2017, 9, 1594-1603.	1.6	17
167	Hair testing of propofol by liquid chromatography-tandem mass spectrometry and azo-coupling derivatization. Drug Testing and Analysis, 2017, 9, 1080-1084.	1.6	6

#	ARTICLE	IF	CITATIONS
168	Obesity and Metabolic Syndrome: A Phenotype of Mild Long-Term Hypercortisolism?. , 2017, , 303-313.		2
169	Detection of the antipsychotic drug quetiapine in the blood, urine and hair samples of the victim of a drug-facilitated sexual assault. Forensic Science International, 2017, 270, e12-e15.	1.3	25
170	Determination of cocaine and its derivatives in hair samples by liquid phase microextraction (LPME) and gas chromatographyâ€“mass spectrometry (GCâ€“MS). Forensic Science International, 2017, 274, 83-90.	1.3	34
171	Elemental hair analysis: A review of procedures and applications. Analytica Chimica Acta, 2017, 992, 1-23.	2.6	105
172	Application of a Urine and Hair Validated LCâ€“MS-MS Method to Determine the Effect of Hair Color on the Incorporation of 25B-NBOMe, 25C-NBOMe and 25I-NBOMe into Hair in the Rat. Journal of Analytical Toxicology, 2017, 41, 559-565.	1.7	9
173	Commentary on current changes of the SoHT 2016 consensus on alcohol markers in hair and further background information. Forensic Science International, 2017, 278, 326-333.	1.3	29
174	Optimization of Sample Preparation and Instrumental Parameters for the Rapid Analysis of Drugs of Abuse in Hair samples by MALDI-MS/MS Imaging. Journal of the American Society for Mass Spectrometry, 2017, 28, 2462-2468.	1.2	25
175	JIMD Reports, Volume 36. JIMD Reports, 2017, , .	0.7	0
176	High risk of misinterpreting hair analysis results for children tested for methadone. Forensic Science International, 2017, 280, 176-180.	1.3	29
177	Alterations of hair cortisol and dehydroepiandrosterone in mother-infant-dyads with maternal childhood maltreatment. BMC Psychiatry, 2017, 17, 213.	1.1	41
178	Targeted analysis of 116 drugs in hair by UHPLCâ€“MS/MS and its application to forensic cases. Drug Testing and Analysis, 2017, 9, 1137-1151.	1.6	39
179	Biomonitoring of 21 endocrine disrupting chemicals in human hair samples using ultra-high performance liquid chromatographyâ€“tandem mass spectrometry. Chemosphere, 2017, 168, 676-684.	4.2	35
180	Twelve months monitoring of hair GHB decay following a single dose administration in a case of facilitated sexual assault. Drug Testing and Analysis, 2017, 9, 953-956.	1.6	39
181	High Rates of Tramadol Use among Treatment-Seeking Adolescents in MalmÃ¶, Sweden: A Study of Hair Analysis of Nonmedical Prescription Opioid Use. Journal of Addiction, 2017, 2017, 1-9.	0.9	14
182	Cognitive Dysfunctions in Chronic Cocaine Users. , 2017, , 395-405.		6
183	Forensic toxicology. , 2017, , 301-358.		4
186	Detection and quantification of codeine-6-glucuronide, hydromorphone-3-glucuronide, oxymorphone-3-glucuronide, morphine 3-glucuronide and morphine-6-glucuronide in human hair from opioid users by LCâ€“MS-MS. Journal of Analytical Toxicology, 2018, 42, 115-125.	1.7	12
187	Toxicological hair analysis: Pre-analytical, analytical and interpretive aspects. Medicine, Science and the Law, 2018, 58, 137-146.	0.6	15

#	ARTICLE	IF	CITATIONS
188	Chronic stress, hair cortisol and depression: A prospective and longitudinal study of medical internship. <i>Psychoneuroendocrinology</i> , 2018, 92, 57-65.	1.3	92
189	Hair analysis when external contamination is in question: A review of practical approach for the interpretation of results. <i>Forensic Science International</i> , 2018, 285, 105-110.	1.3	33
190	Disappearance of R/S-methamphetamine and R/S-amphetamine from human scalp hair after discontinuation of methamphetamine abuse. <i>Forensic Science International</i> , 2018, 284, 153-160.	1.3	21
191	SUPRAS extraction approach for matrix-independent determination of amphetamine-type stimulants by LC-MS/MS. <i>Talanta</i> , 2018, 182, 574-582.	2.9	46
192	Does Performing Preplacement Workplace Hair Drug Testing Influence US Department of Transportation Random and Postaccident Urine Drug Test Positivity Rates?. <i>Journal of Addiction Medicine</i> , 2018, 12, 163-166.	1.4	1
193	Toxic elements in hair and in vitro fertilization outcomes: A prospective cohort study. <i>Reproductive Toxicology</i> , 2018, 77, 43-52.	1.3	16
194	Detection of prohibited substances in equine hair by ultra-high performance liquid chromatography-triple quadrupole mass spectrometry application to doping control samples. <i>Drug Testing and Analysis</i> , 2018, 10, 1050-1060.	1.6	27
195	Hair analysis in toxicological investigation of drug-facilitated crimes in Denmark over a 8-year period. <i>Forensic Science International</i> , 2018, 285, e1-e12.	1.3	46
196	Keratinous matrices for the assessment of drugs of abuse consumption: A correlation study between hair and nails. <i>Drug Testing and Analysis</i> , 2018, 10, 1110-1118.	1.6	22
197	Analysis of sequential hair segments reflects changes in the metabolome across the trimesters of pregnancy. <i>Scientific Reports</i> , 2018, 8, 36.	1.6	41
198	Influence of alcohol containing and alcohol free cosmetics on FAEE concentrations in hair. A performance evaluation of ethyl palmitate as sole marker, versus the sum of four FAEEs. <i>Forensic Science International</i> , 2018, 283, 29-34.	1.3	7
199	High-Throughput Monitoring of Cocaine and Its Metabolites in Hair Using Microarrays for Mass Spectrometry and Matrix-Assisted Laser Desorption/Ionization-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2018, 90, 2302-2309.	3.2	11
200	Is Hair Analysis Useful in Postmortem Cases?. <i>Journal of Analytical Toxicology</i> , 2018, 42, 49-54.	1.7	16
201	Development and validation of an assay to analyze atazanavir in human hair via liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2018, 32, 431-441.	0.7	11
202	A novel single-step GC-MS/MS method for cannabinoids and 11-OH-THC metabolite analysis in hair. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 155, 1-6.	1.4	27
203	Drug exposure during pregnancy: analytical methods and toxicological findings. <i>Bioanalysis</i> , 2018, 10, 587-606.	0.6	28
204	Usefulness of hair analysis and psychological tests for identification of alcohol and drugs of abuse consumption in driving license regranting. <i>Forensic Science International</i> , 2018, 286, 239-244.	1.3	22
205	Wavelength dispersive X-ray fluorescence (WDXRF) and chemometric investigation of human hair after cosmetic treatment. <i>X-Ray Spectrometry</i> , 2018, 47, 252-257.	0.9	6

#	ARTICLE	IF	CITATIONS
206	Sample preparation method for the combined extraction of ethyl glucuronide and drugs of abuse in hair. <i>Drug Testing and Analysis</i> , 2018, 10, 701-710.	1.6	7
207	The interpretation of hair analysis for drugs and drug metabolites. <i>Clinical Toxicology</i> , 2018, 56, 90-100.	0.8	55
208	Comprehensive two-dimensional gas chromatography coupled to high resolution time-of-flight mass spectrometry for screening of organohalogenated compounds in cat hair. <i>Journal of Chromatography A</i> , 2018, 1536, 151-162.	1.8	12
209	Combining ecological momentary assessment with objective, ambulatory measures of behavior and physiology in substance-use research. <i>Addictive Behaviors</i> , 2018, 83, 5-17.	1.7	59
210	Examining polyquaternium polymers deposition on human excised hair fibers. <i>Journal of Cosmetic Dermatology</i> , 2018, 17, 1225-1232.	0.8	4
211	Quantitative analysis of drugs in hair by UHPLC high resolution mass spectrometry. <i>Forensic Science International</i> , 2018, 283, 9-15.	1.3	33
212	DHEAS patterning across childhood in three sub-Saharan populations: Associations with age, sex, ethnicity, and cortisol. <i>American Journal of Human Biology</i> , 2018, 30, e23090.	0.8	14
213	Systematic assessment of different solvents for the extraction of drugs of abuse and pharmaceuticals from an authentic hair pool. <i>Forensic Science International</i> , 2018, 282, 137-143.	1.3	28
215	Segmental Analysis of Chlorprothixene and Desmethylchlorprothixene in Postmortem Hair. <i>Journal of Analytical Toxicology</i> , 2018, 42, 642-649.	1.7	12
216	Hair analysis in forensic toxicology. <i>Wiley Interdisciplinary Reviews Forensic Science</i> , 2019, 1, .	1.2	20
217	Hair Analysis in Forensic Toxicology: An Updated Review with a Special Focus on Pitfalls. <i>Current Pharmaceutical Design</i> , 2018, 23, 5480-5486.	0.9	67
218	Mini-review of hair cortisol concentration for evaluation of Cushing syndrome. <i>Expert Review of Endocrinology and Metabolism</i> , 2018, 13, 225-231.	1.2	24
219	Novel zwitterionic HILIC stationary phase for the determination of ethyl glucuronide in human hair by LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1100-1101, 33-38.	1.2	17
220	Cognitive and socio-cognitive functioning of chronic non-medical prescription opioid users. <i>Psychopharmacology</i> , 2018, 235, 3451-3464.	1.5	31
221	Simultaneous quantitation of zidovudine, efavirenz, lopinavir and ritonavir in human hair by liquid chromatography-atmospheric pressure chemical ionization-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1097-1098, 54-63.	1.2	20
222	Cocaine toxicological findings in cases of violent death in Sao Paulo city - Brazil. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2018, 60, 3-8.	0.5	8
223	Doping control analysis of 121 prohibited substances in equine hair by liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 158, 189-203.	1.4	16
224	Socio-cognitive functioning in stimulant polysubstance users. <i>Drug and Alcohol Dependence</i> , 2018, 190, 94-103.	1.6	16

#	ARTICLE	IF	CITATIONS
225	The effectiveness of decontamination procedures used in forensic hair analysis. <i>Forensic Science, Medicine, and Pathology</i> , 2018, 14, 349-357.	0.6	25
226	Results from hair testing in putrefied bodies should not be used to document long-term exposure to drugs. <i>Toxicologie Analytique Et Clinique</i> , 2018, 30, 223-228.	0.1	6
227	A Study on Photostability of Amphetamines and Ketamine in Hair Irradiated under Artificial Sunlight. <i>Brain Sciences</i> , 2018, 8, 96.	1.1	13
228	The Dangerous Pattern of Concurrent Use of Alcohol and Cocaine Among Drunk-Drivers of Northeast Italy. <i>Alcohol and Alcoholism</i> , 2018, 53, 735-741.	0.9	19
229	Proof of active cannabis use comparing 11 β -hydroxy Δ^9 -tetrahydrocannabinol with 11 β -nor Δ^9 -carboxy Δ^9 -tetrahydrocannabinol concentrations. <i>Drug Testing and Analysis</i> , 2018, 10, 1573-1578.	1.6	19
230	Online solid-phase extraction liquid chromatography -- mass spectrometry of hair cortisol using a surrogate analyte. <i>Chemical Papers</i> , 2019, 73, 151-158.	1.0	5
231	Simultaneous quantification of THC -- COOH, OH -- THC, and further cannabinoids in human hair by gas chromatography -- tandem mass spectrometry with electron ionization applying automated sample preparation. <i>Drug Testing and Analysis</i> , 2019, 11, 267-278.	1.6	19
232	A systematic investigation of forensic hair decontamination procedures and their limitations. <i>Drug Testing and Analysis</i> , 2019, 11, 1542-1555.	1.6	19
233	Symptom Biomarkers for Children Receiving Treatment for Cancer: State of the Science. <i>Journal of Pediatric Oncology Nursing</i> , 2019, 36, 280-286.	1.5	11
234	Hybrid Solid-Phase Extraction for Selective Determination of Methamphetamine and Amphetamine in Dyed Hair by Using Gas Chromatography -- Mass Spectrometry. <i>Molecules</i> , 2019, 24, 2501.	1.7	11
235	Brominated and organophosphorus flame retardants in South African indoor dust and cat hair. <i>Environmental Pollution</i> , 2019, 253, 120-129.	3.7	38
236	Chronic alcohol abuse may lead to high skin iron content, but not to hepatic siderosis. <i>Forensic Science International</i> , 2019, 304, 109851.	1.3	0
237	Combination of pressurized liquid extraction with dispersive liquid liquid micro extraction for the determination of sixty drugs of abuse in hair. <i>Journal of Chromatography A</i> , 2019, 1605, 360348.	1.8	40
238	Determination of barbiturates in hair samples by using a validated UHPLC-HRMS method: application in investigation of drug-facilitated sexual assault. <i>Forensic Sciences Research</i> , 2022, 7, 78-87.	0.9	6
239	Application of hair analysis to document illegal 5-methoxy-N,N-dissopropyltrptamine (5-MeO-DiPT) use. <i>Forensic Science International</i> , 2019, 304, 109972.	1.3	11
241	Extraction Procedures for Hair Forensic Toxicological Analysis: A Mini-Review. <i>Chemical Research in Toxicology</i> , 2019, 32, 2367-2381.	1.7	25
242	Distribution pattern of common drugs of abuse, ethyl glucuronide, and benzodiazepines in hair across the scalp. <i>Drug Testing and Analysis</i> , 2019, 11, 1522-1541.	1.6	6
243	Variation of intraindividual levels of endogenous GHB in segmented hair samples. <i>Forensic Science International</i> , 2019, 302, 109913.	1.3	14

#	ARTICLE	IF	CITATIONS
244	A review of bioanalytical techniques for evaluation of cannabis (Marijuana, weed, Hashish) in human hair. <i>BMC Chemistry</i> , 2019, 13, 106.	1.6	14
245	Emerging Technologies for the Analysis of Forensic Traces. <i>Advanced Sciences and Technologies for Security Applications</i> , 2019, , .	0.4	9
246	Hair testing for cortisol by UPLC-MS/MS in a family: External cross-contamination from use of cortisol cream. <i>Forensic Science International</i> , 2019, 305, 109968.	1.3	15
247	11-OH-THC in hair as marker of active cannabis consumption: Estimating a reliable cut-off by evaluation of 672 THC-positive hair samples. <i>Forensic Science International</i> , 2019, 304, 109951.	1.3	12
248	Green sample preparations for the bioanalysis of drugs of abuse in complex matrices. <i>Bioanalysis</i> , 2019, 11, 295-312.	0.6	23
249	(Un)targeted hair metabolomics: first considerations and systematic evaluation on the impact of sample preparation. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3963-3977.	1.9	21
250	Hair Metabolomics in Animal Studies and Clinical Settings. <i>Molecules</i> , 2019, 24, 2195.	1.7	29
251	Forensic toxicological analysis of hair: a review. <i>Egyptian Journal of Forensic Sciences</i> , 2019, 9, .	0.4	33
252	Simultaneous determination of 75 abuse drugs including amphetamines, benzodiazepines, cocaine, opioids, piperazines, zolpidem and metabolites in human hair samples using liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2019, 33, e4600.	0.8	25
253	Acute extensive myelopathy after single heroin and cocaine exposure in a patient with toxicological evidence of long-term drug abstinence. <i>BMJ Case Reports</i> , 2019, 12, e228335.	0.2	4
254	Determination of Selected Opiates in Hair Samples Using Microextraction by Packed Sorbent: A New Approach for Sample Clean-up. <i>Journal of Analytical Toxicology</i> , 2019, 43, 465-476.	1.7	18
255	Analysis of hydroxy-cocaine metabolites as evidence of cocaine consumption: Identification by parent ion search and quantitation by UHPLC-MS/MS in hair. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 172, 167-174.	1.4	6
256	Psychotropic substance abuse and fitness to hold a driving license in Italy. <i>Traffic Injury Prevention</i> , 2019, 20, 244-248.	0.6	9
258	Liquid chromatography-mass spectrometry-based determination of ergocristine, ergocryptine, ergotamine, ergovaline, hypoglycin A, lolitrem B, methylene cyclopropyl acetic acid carnitine, N-acetyllooline, N-formyllooline, paxilline, and peramine in equine hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1117, 127-135.	1.2	8
259	Cocaine Hydroxy Metabolites in Hair: Indicators for Cocaine Use Versus External Contamination†. <i>Journal of Analytical Toxicology</i> , 2019, 43, 543-552.	1.7	19
260	Optimisation and validation of a GC-MS/MS method for the analysis of methyl salicylate in hair and skin samples for use in human-volunteer decontamination studies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1109, 84-89.	1.2	7
261	Hair cannabinoid concentrations in emergency patients with cannabis hyperemesis syndrome. <i>Canadian Journal of Emergency Medicine</i> , 2019, 21, 477-481.	0.5	8
262	Hair Analysis: Contamination versus Incorporation from the Circulatory System—Investigations on Single Hair Samples Using Time-of-Flight Secondary Ion Mass Spectrometry and Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 4132-4139.	3.2	28

#	ARTICLE	IF	CITATIONS
263	25-Hydroxyvitamin D Measurement in Human Hair: Results from a Proof-of-Concept study. <i>Nutrients</i> , 2019, 11, 423.	1.7	15
264	Detection of 11-nor-9-carboxy-tetrahydrocannabinol in the hair of drug abusers by LC-MS/MS analysis. <i>Forensic Science International</i> , 2019, 295, 219-225.	1.3	23
265	Impact of Two Forms of Daily Preventive Zinc or Therapeutic Zinc Supplementation for Diarrhea on Hair Cortisol Concentrations Among Rural Laotian Children: A Randomized Controlled Trial. <i>Nutrients</i> , 2019, 11, 47.	1.7	8
266	Intra-patient variability of the hair levels of pain medications in chronic migraine patients – a pilot study. <i>Drug Testing and Analysis</i> , 2019, 11, 878-885.	1.6	0
267	Application of a molecular networking approach for clinical and forensic toxicology exemplified in three cases involving 3-MeO-PCP, doxylamine, and chlormequat. <i>Drug Testing and Analysis</i> , 2019, 11, 669-677.	1.6	37
268	High-resolution visualization of cosmetic active compounds in hair using nanoscale secondary ion mass spectrometry. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 174, 563-568.	2.5	3
269	Longitudinal changes in cocaine intake and cognition are linked to cortical thickness adaptations in cocaine users. <i>NeuroImage: Clinical</i> , 2019, 21, 101652.	1.4	45
271	Alternate Matrices: Meconium, Cord Tissue, Hair, and Oral Fluid. <i>Methods in Molecular Biology</i> , 2019, 1872, 191-197.	0.4	10
272	Hair as an alternative matrix to monitor human exposure to plasticizers – Development of a liquid chromatography - tandem mass spectrometry method. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1104, 94-101.	1.2	14
273	Screening methods for rapid determination of new psychoactive substances (NPS) in conventional and non-conventional biological matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 163, 170-179.	1.4	71
274	Non-medical prescription opioid users exhibit dysfunctional physiological stress responses to social rejection. <i>Psychoneuroendocrinology</i> , 2019, 100, 264-275.	1.3	14
275	Hair testing for cocaine in living men: an epidemiological study on hair samples collected for various medico-legal purposes. <i>Australian Journal of Forensic Sciences</i> , 2019, 51, 182-190.	0.7	0
276	Ethyl Glucuronide Concentration in Hair of Detainees: A Preliminary Study. <i>Journal of Forensic Sciences</i> , 2020, 65, 189-192.	0.9	5
277	Simultaneous Quantitative Determination of Amphetamines, Opiates, Ketamine, Cocaine and Metabolites in Human Hair: Application to Forensic Cases of Drug Abuse. <i>Journal of Forensic Sciences</i> , 2020, 65, 563-569.	0.9	27
278	Distinguishing between Contact and Administration of Heroin from a Single Fingerprint using High Resolution Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2020, 44, 218-225.	1.7	12
279	Duration of detection of cocaine and metabolites in hair after discontinuation of abuse. <i>Microchemical Journal</i> , 2020, 153, 104335.	2.3	2
280	Detection and quantification of synthetic cathinones and selected piperazines in hair by LC-MS/MS. <i>Forensic Science, Medicine, and Pathology</i> , 2020, 16, 32-42.	0.6	17
281	Monitoring Perinatal Exposure to Cannabis and Synthetic Cannabinoids. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 194-204.	1.0	19

#	ARTICLE	IF	CITATIONS
282	Self-reported mental health and cortisol activity at 27-28 years of age in individuals born with very low birthweight. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 948-958.	0.7	4
283	Development of a LC-MS/MS method for determination of propofol-glucuronide in hair and preliminary study on relationships between dose and hair concentration. <i>Forensic Science International</i> , 2020, 306, 110070.	1.3	4
284	Psychiatric symptoms and expression of glucocorticoid receptor gene in cocaine users: A longitudinal study. <i>Journal of Psychiatric Research</i> , 2020, 121, 126-134.	1.5	5
285	Distribution of zopiclone and main metabolites in hair following a single dose. <i>Forensic Science International</i> , 2020, 306, 110074.	1.3	7
286	Segmental Analysis of R/S-Methamphetamine and R/S-Amphetamine in Abusers'™ Head Hair. <i>Journal of Analytical Toxicology</i> , 2020, 44, 596-600.	1.7	6
287	Hair cortisol as a biomarker of stress and resilience in South African mixed ancestry females. <i>Psychoneuroendocrinology</i> , 2020, 113, 104543.	1.3	18
288	Evaluating Endogenous GHB Variation in Hair with a Synthetic Hair Matrix. <i>Journal of Analytical Toxicology</i> , 2020, 44, 354-361.	1.7	7
289	Testing Unconventional Matrices to Monitor for Prenatal Exposure to Heroin, Cocaine, Amphetamines, Synthetic Cathinones, and Synthetic Opioids. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 205-221.	1.0	15
290	Toward the Interpretation of Positive Testing for Fentanyl and Its Analogs in Real Hair Samples: Preliminary Considerations. <i>Journal of Analytical Toxicology</i> , 2020, 44, 362-369.	1.7	12
291	Aerosol jet printing of biological inks by ultrasonic delivery. <i>Biofabrication</i> , 2020, 12, 025004.	3.7	33
292	An evaluation of the cut-off value of methamphetamine in hair samples via HPLC-MS/MS. <i>Forensic Science International</i> , 2020, 306, 110094.	1.3	7
293	Fetal heart rate variability responsiveness to maternal stress, non-invasively detected from maternal transabdominal ECG. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 405-414.	0.8	26
294	Monitoring Prenatal Exposure to Buprenorphine and Methadone. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 181-193.	1.0	10
295	Endogenous GHB in Segmented Hair Part I: Inter-individual Variation for Group Comparisons. <i>Journal of Analytical Toxicology</i> , 2020, 44, 628-636.	1.7	8
296	Towards Best Practice in Hair Metabolomic Studies: Systematic Investigation on the Impact of Hair Length and Color. <i>Metabolites</i> , 2020, 10, 381.	1.3	12
297	Determination and Distribution of Cannabinoids in Nail and Hair Samples. <i>Journal of Analytical Toxicology</i> , 2021, 45, 969-975.	1.7	16
298	Incorporation of Methoxyphenamine into Hair in Early Stage after Intake. <i>Journal of Analytical Toxicology</i> , 2020, 45, 1006-1013.	1.7	7
299	Determination of 37 fentanyl analogues and novel synthetic opioids in hair by UHPLC-MS/MS and its application to authentic cases. <i>Scientific Reports</i> , 2020, 10, 11569.	1.6	19

#	ARTICLE	IF	CITATIONS
300	Large scale consumption monitoring of benzodiazepines and z-drugs by hair analysis. Journal of Pharmaceutical and Biomedical Analysis, 2020, 183, 113151.	1.4	18
301	Segmental hair analysis for flunitrazepam and 7-aminoflunitrazepam in users: a comparison to existing literature. Forensic Sciences Research, 2022, 7, 299-307.	0.9	5
302	Liquid chromatography–mass spectrometry method for the quantification of corticosteroids, β 2-adrenoreceptor agonists and anticholinergics in human hair. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113530.	1.4	6
303	Validation of an analytical method for the simultaneous determination of 16 drugs and metabolites in hair in the context of driving license granting. Forensic Science International, 2020, 315, 110428.	1.3	9
304	A simple and robust method for broad range screening of hair samples for drugs of abuse using a high-throughput UHPLC-Ion Trap MS instrument. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122263.	1.2	12
305	Segmental hair analysis of olanzapine and N-desmethyl-olanzapine in postmortem hair from mentally ill patients by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2020, 190, 113510.	1.4	11
306	Internal quality control samples for hair testing. Journal of Pharmaceutical and Biomedical Analysis, 2020, 188, 113459.	1.4	11
307	Endogenous GHB in Segmented Hair Part II: Intra-individual Variation for Exogenous Discrimination. Journal of Analytical Toxicology, 2020, 44, 637-650.	1.7	6
308	A Comprehensive Multi-Analyte Method for Hair Analysis: Substance-Specific Quantification Ranges and Tool for Task-Oriented Data Evaluation. Journal of Analytical Toxicology, 2021, 45, 701-712.	1.7	22
309	SNPs from BCHE and DRD3 genes associated to cocaine abuse amongst violent individuals from Sao Paulo, Brazil. Forensic Science International, 2020, 317, 110511.	1.3	3
310	Simultaneous determination of barbiturates, phenytoin and topiramate in hair by LC-MS/MS and application to real samples. Journal of Pharmacological and Toxicological Methods, 2020, 106, 106931.	0.3	6
311	Environmental Methamphetamine Exposures and Health Effects in 25 Case Studies. Toxics, 2020, 8, 61.	1.6	12
312	Application of statistical design of experiments to assess pre-treatment parameters in forensic hair analysis for amphetamine. Forensic Chemistry, 2020, 20, 100265.	1.7	5
313	Hydroxycocaines as Metabolic Indicators of Cocaine Ingestion. Forensic Science International, 2020, 317, 110516.	1.3	3
314	Concentrations of aripiprazole and dehydroaripiprazole in hair segments from deceased individuals with mental disorders. Forensic Science International, 2020, 317, 110523.	1.3	5
315	Determination of Ketamine and Norketamine in Hair and Evaluation of Polydrug Use in Ketamine Abusers Using Hair Analysis in Korea. Journal of Analytical Toxicology, 2020, 45, 993-1005.	1.7	8
316	Long-Term Detection in Hair of Zolpidem, Oxazepam and Flunitrazepam in a Case of Drug-Facilitated Sexual Assault. Journal of Analytical Toxicology, 2020, , .	1.7	7
317	Temporal patterns of tramadol in hair after a single dose. Forensic Science International, 2020, 316, 110546.	1.3	9

#	ARTICLE	IF	CITATIONS
318	The Difficult Interpretation of a Hair Test Result from a 32-Month-Old Child: Administration of Propranolol and Quetiapine or Contamination?. <i>Journal of Analytical Toxicology</i> , 2020, 44, 747-751.	1.7	11
319	Analysis of cannabinoids in plants, marijuana products and biological tissues. <i>Comprehensive Analytical Chemistry</i> , 2020, 90, 65-102.	0.7	6
320	Determination of steroid profile in hair by liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2020, 1624, 461179.	1.8	25
321	Is there an interest for hair analysis in non-intentional pediatric cannabis intoxication?. <i>Forensic Science International</i> , 2020, 313, 110377.	1.3	4
322	Pitfalls of toxicological investigations in hair, bones, and nails in extensively decomposed bodies: illustration with two cases. <i>International Journal of Legal Medicine</i> , 2020, 134, 1339-1344.	1.2	19
323	Comparing self-reported medication adherence measures with hair antiretroviral concentration among people living with HIV in Guangxi, China. <i>AIDS Research and Therapy</i> , 2020, 17, 8.	0.7	20
324	Variability associated with interpreting drugs within forensic hair analysis: A three-stage interpretation. <i>Journal of Applied Toxicology</i> , 2020, 40, 868-888.	1.4	10
325	Hair analysis of antidepressants and antipsychotics—Overview of quantitative data. <i>Drug Testing and Analysis</i> , 2020, 12, 659-676.	1.6	13
326	Development and validation of fast UHPLC-MS/MS screening method for 87 NPS and 32 other drugs of abuse in hair and nails: application to real cases. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 5125-5145.	1.9	40
327	Concentration distribution of more than 100 drugs and metabolites in forensic hair samples. <i>International Journal of Legal Medicine</i> , 2020, 134, 989-995.	1.2	27
328	A Retrospective of Prevalence of Drugs of Abuse by Hair Analysis in Shanghai using LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2020, 44, 482-489.	1.7	13
329	The Effect of Prolonged Storage Time on the Stability of Fatty Acid Ethyl Esters in Hair Samples. <i>Journal of Analytical Toxicology</i> , 2020, 44, 829-833.	1.7	8
330	Development of colorimetric cotton swab using molecular switching hydrazone probe in calcium alginate. <i>Journal of Molecular Structure</i> , 2020, 1216, 128301.	1.8	45
331	The importance of sample size with regard to the robustness of postmortem reference values. <i>Forensic Science International</i> , 2020, 311, 110292.	1.3	12
332	PTCA (1-H-Pyrrole-2,3,5-Tricarboxylic Acid) as a Marker for Oxidative Hair Treatment: Distribution, Gender Aspects, Correlation with EtG and Self-Reports. <i>Journal of Analytical Toxicology</i> , 2021, 45, 513-520.	1.7	2
333	Concerns on the Misinterpretation of Very Low Drug Concentrations in Hair. <i>Journal of Analytical Toxicology</i> , 2021, 44, e6-e8.	1.7	4
334	Underreporting of drug use among electronic dance music party attendees. <i>Clinical Toxicology</i> , 2021, 59, 185-192.	0.8	16
335	Use of Ethanol-Based Hand Disinfectants: Source of Increased Ethyl Glucuronide Levels in Hair?. <i>Alcohol and Alcoholism</i> , 2021, 56, 38-41.	0.9	1

#	ARTICLE	IF	CITATIONS
336	Forensic determination of hair deposition time in crime scenes using electron paramagnetic resonance. <i>Journal of Forensic Sciences</i> , 2021, 66, 72-82.	0.9	2
337	Characterization of letrozole in human hair using LC-MS/MS and confirmation by LC-HRMS: Application to a doping case. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1162, 122495.	1.2	9
338	Identification of furosemide in hair in a post-mortem case by UHPLC-MS/MS with guidance on interpretation. <i>Journal of Forensic Sciences</i> , 2021, 66, 272-277.	0.9	3
339	Hair as a matrix in monitoring drug epilepsy therapy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 419-429.	1.2	1
340	Endogenous 1-H-Pyrrole-2,3,5-Tricarboxylic Acid (PTCA) in Hair and Its Forensic Applications: A Pilot Study on a Wide Multi-Ethnic Population. <i>Journal of Analytical Toxicology</i> , 2021, 45, 269-276.	1.7	3
341	Specific interpretation of hair concentrations in 2 fatal metformin intoxication cases. <i>Legal Medicine</i> , 2021, 48, 101803.	0.6	7
342	Extraction strategies for tackling complete hair metabolome using LC-HRMS-based analysis. <i>Talanta</i> , 2021, 223, 121708.	2.9	14
343	Human hair tests to document drug environmental contamination: Application in a family law case involving N,N-dimethyltryptamine. <i>Drug Testing and Analysis</i> , 2021, 13, 447-450.	1.6	8
344	Shifts in Unintentional Exposure to Drugs Among People Who Use Ecstasy in the Electronic Dance Music Scene, 2016-2019. <i>American Journal on Addictions</i> , 2021, 30, 49-54.	1.3	5
345	Assessing Hair Decontamination Protocols for Diazepam, Heroin, Cocaine and δ^9 -Tetrahydrocannabinol by Statistical Design of Experiments. <i>Journal of Analytical Toxicology</i> , 2021, 45, 498-505.	1.7	5
346	Hair Test Results for Drugs Prone to Contamination Should Not Be Used in Isolation to Avoid False Interpretation: A Case Involving Cocaine. <i>Journal of Analytical Toxicology</i> , 2021, 45, e6-e7.	1.7	2
347	OBSOLETE: Drug Excretion. , 2021, , .		0
348	Physical activity in an air-polluted environment: behavioral, psychological and neuroimaging protocol for a prospective cohort study (Healthy Aging in Industrial Environment study - Program 4). <i>BMC Public Health</i> , 2021, 21, 126.	1.2	10
349	Hair Analysis of Methoxphenidine in a Forensic Chemsex Case. <i>Journal of Analytical Toxicology</i> , 2021, , .	1.7	6
350	Pharmacokinetic study of midazolam and β -hydroxymidazolam in guinea pig blood and hair roots after a single dose of midazolam. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 195, 113890.	1.4	2
351	Quantification of cannabinoids in human hair using a modified derivatization procedure and liquid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2021, 13, 1095-1107.	1.6	6
352	Chronic non-medical prescription opioid use and empathy for pain: Does pain make the difference?. <i>Psychophysiology</i> , 2021, 58, e13776.	1.2	5
353	Evidence of repeated mirtazapine poisoning in children by hair analysis. <i>Journal of Forensic Sciences</i> , 2021, 66, 1165-1170.	0.9	3

#	ARTICLE	IF	CITATIONS
354	Advances in drugs of abuse testing. <i>Clinica Chimica Acta</i> , 2021, 514, 40-47.	0.5	23
355	Endocrine stress response in pregnancy and 12 weeks postpartum – Exploring risk factors for postpartum depression. <i>Psychoneuroendocrinology</i> , 2021, 125, 105122.	1.3	21
356	Greater Pain Severity is Associated with Higher Glucocorticoid Levels in Hair Among a Cohort of People Living with HIV. <i>Journal of Pain Research</i> , 2021, Volume 14, 645-652.	0.8	1
357	Toxic stress, health and nutrition among Brazilian children in shelters. <i>BMC Pediatrics</i> , 2021, 21, 112.	0.7	2
358	Simultaneous testing for anabolic steroids in human hair specimens collected from various anatomic locations has several advantages when compared with the standard head hair analysis. <i>Drug Testing and Analysis</i> , 2021, 13, 1445-1451.	1.6	25
359	Association of Hair Concentrations of Antiretrovirals with Virologic Outcomes Among People Living with HIV in Guangxi, China. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 853-861.	0.8	1
360	Exhumation of a Methamphetamine Body Packer: Pitfalls of Hair Result Interpretation. <i>Journal of Analytical Toxicology</i> , 2022, 46, e60-e64.	1.7	4
361	Association between hair cortisol, hair cortisone, and fatigue in people living with HIV. <i>Stress</i> , 2021, 24, 772-779.	0.8	2
362	The Impact of COVID-19 Pandemic and Lockdown on Alcohol Consumption: A Perspective From Hair Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 632519.	1.3	9
363	Perspectives in Evaluating Selective Androgen Receptor Modulators in Human Hair: A Short Communication. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 298-300.	1.0	8
364	Application of an ultra-performance liquid chromatography-tandem mass spectrometric method for the detection and quantification of cannabis in cerumen samples. <i>Journal of Chromatography A</i> , 2021, 1642, 462035.	1.8	10
365	Use of levamisole-adulterated cocaine is associated with increased load of white matter lesions. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E281-E291.	1.4	11
366	Evidence for the transfer of methadone and EDDP by sweat to children's hair. <i>International Journal of Legal Medicine</i> , 2021, 135, 1799-1811.	1.2	2
367	Unusual Application of Insect-Related Evidence in Two European Unsolved Murders. <i>Insects</i> , 2021, 12, 444.	1.0	3
368	Coronavirus lockdown: Excessive alcohol consumption and illicit substance use in DUI subjects. <i>Traffic Injury Prevention</i> , 2021, 22, 355-360.	0.6	6
369	Global-Scale Metabolomic Profiling of Human Hair for Simultaneous Monitoring of Endogenous Metabolome, Short- and Long-Term Exposome. <i>Frontiers in Chemistry</i> , 2021, 9, 674265.	1.8	16
370	Green sample preparation of alternative biosamples in forensic toxicology. <i>Sustainable Chemistry and Pharmacy</i> , 2021, 20, 100388.	1.6	16
371	LC-MS-MS Analysis of Δ^9 -THC, CBN and CBD in Hair: Investigation of Artifacts. <i>Journal of Analytical Toxicology</i> , 2022, 46, 504-511.	1.7	7

#	ARTICLE	IF	CITATIONS
372	Roadside Drug Testing Approaches. <i>Molecules</i> , 2021, 26, 3291.	1.7	13
373	Emotion recognition in individuals with cocaine use disorder: the role of abstinence length and the social brain network. <i>Psychopharmacology</i> , 2022, 239, 1019-1033.	1.5	4
374	Determination of Drugs of Abuse in Hair by LC-MS-MS: Application to Suicide Attempts Investigation. <i>Journal of Analytical Toxicology</i> , 2021, , .	1.7	5
375	Trends in microextraction approaches for handling human hair extracts - A review. <i>Analytica Chimica Acta</i> , 2021, 1185, 338792.	2.6	4
376	Analysis of 28 hair samples from users of the hallucinogenic beverage ayahuasca. <i>Forensic Science International</i> , 2021, 323, 110790.	1.3	6
378	Assessment of biological matrices for the detection of in utero cannabis exposure. <i>Drug Testing and Analysis</i> , 2021, 13, 1371-1382.	1.6	5
379	Identification of 2C-B in Hair by UHPLC-HRMS/MS. A Real Forensic Case. <i>Toxics</i> , 2021, 9, 170.	1.6	4
380	Current status of hair analysis in forensic toxicology in China. <i>Forensic Sciences Research</i> , 2021, 6, 240-249.	0.9	9
381	Determination of cortisol in hair using liquid chromatography-tandem mass spectrometry: a short review. <i>Bioanalysis</i> , 2021, 13, 1145-1155.	0.6	3
382	Post-mortem distribution of mephedrone and its metabolites in body fluids and organ tissues of an intoxication case. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 201, 114093.	1.4	4
383	Hair Analysis to Evaluate Polydrug Use. <i>Healthcare (Switzerland)</i> , 2021, 9, 972.	1.0	5
384	HOME vs. LAB hair samples for the determination of long-term steroid concentrations: a comparison between hair samples collected by laypersons and trained research staff. <i>Journal of Neural Transmission</i> , 2021, 128, 1371-1380.	1.4	5
385	Detection and confirmation of zilpaterol in equine hair using liquid chromatography-mass spectrometry. <i>Drug Testing and Analysis</i> , 2021, , .	1.6	3
387	Levels of GHB in hair after regular application. <i>Forensic Science International</i> , 2021, 325, 110885.	1.3	6
388	Hepatitis B virus DNA in the fingernails and hair of children with acute hepatitis B. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 82-86.	0.8	5
389	Analysis of cannabinoids in conventional and alternative biological matrices by liquid chromatography: Applications and challenges. <i>Journal of Chromatography A</i> , 2021, 1651, 462277.	1.8	12
390	Significance of Metabolite Ratios in the Interpretation of Segmental Hair Testing Results-Differentiation of Single from Chronic Morphine Use in a Case Series. <i>Metabolites</i> , 2021, 11, 557.	1.3	3
391	Hair analysis for New Psychoactive Substances (NPS): Still far from becoming the tool to study NPS spread in the community?. <i>Toxicology Reports</i> , 2021, 8, 1699-1720.	1.6	11

#	ARTICLE	IF	CITATIONS
392	Ocfentanil testing in hair from a fatality case: Comparative analysis of a lock of hair versus a single hair fiber. <i>Forensic Science International</i> , 2021, 326, 110937.	1.3	1
393	Toxicological detection of pholcodine in blood, urine and hair in three cases of fatal intoxication. <i>Forensic Science International</i> , 2021, 327, 110975.	1.3	1
394	Influence of cosmetic hair treatments on hair of methamphetamine abuser: Bleaching, perming and coloring. <i>Ecotoxicology and Environmental Safety</i> , 2021, 222, 112542.	2.9	11
395	High lead level in the Alps in XIXth century, learning from the analysis of 138 historical hair stands. <i>Chemosphere</i> , 2022, 286, 131658.	4.2	1
396	Drug Excretion. , 2021, , .		3
397	Quality control and quality assurance in forensic science laboratories. , 2021, , 409-423.		0
398	New miniaturized clean-up procedure for hair samples by means of microextraction by packed sorbent: determination of cocaine and metabolites. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 7963-7976.	1.9	9
399	Discrete memory impairments in largely pure chronic users of MDMA. <i>European Neuropsychopharmacology</i> , 2017, 27, 987-999.	0.3	25
400	Liquid chromatography-high resolution mass spectrometry for the determination of three cannabinoids, two (Δ^9 -trans- Δ^8 -9-tetrahydrocannabinol metabolites, and six amphetamine-type stimulants in human hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1149, 122157.	1.2	11
401	On the relevance of cocaine detection in a fingerprint. <i>Scientific Reports</i> , 2020, 10, 1974.	1.6	28
402	Elevated levels of cortisol in hair precede acute myocardial infarction. <i>Scientific Reports</i> , 2020, 10, 22456.	1.6	25
403	Microextraction by Packed Sorbent as a Novel Strategy for Sample Clean-Up in the Determination of Methadone and EDDP in Hair. <i>Journal of Analytical Toxicology</i> , 2020, 44, 840-850.	1.7	12
404	Stable self-serving personality traits in recreational and dependent cocaine users. <i>PLoS ONE</i> , 2017, 12, e0172853.	1.1	13
405	Hair testing of GHB: an everlasting issue in forensic toxicology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 198-208.	1.4	39
406	Negative hair test result after long-term drug use. About a case involving morphine and literature review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 267-273.	1.4	7
407	Recent Trends in Analytical Methods to Determine New Psychoactive Substances in Hair. <i>Current Neuropharmacology</i> , 2017, 15, 663-681.	1.4	36
408	Factors influencing hair lamivudine concentration among people living with HIV in Guangxi, China. <i>Antiviral Therapy</i> , 2020, 25, 143-149.	0.6	3
409	Human biological monitoring of mercury for exposure assessment. <i>AIMS Environmental Science</i> , 2017, 4, 251-276.	0.7	27

#	ARTICLE	IF	CITATIONS
410	The association between chronic stress, hair cortisol, and angiographically documented coronary atherosclerosis, a case-control study. <i>Stress</i> , 2021, 24, 1008-1015.	0.8	6
411	Determination of cortisol in hair using UHPLC-MS/MS: application to patients admitted for ethanol dependence treatment. <i>Bioanalysis</i> , 2021, 13, 1559-1568.	0.6	0
412	Breastfeeding and cortisol in hair in children. <i>International Breastfeeding Journal</i> , 2021, 16, 75.	0.9	2
413	A Systematic Review of Metabolite-to-Drug Ratios of Pharmaceuticals in Hair for Forensic Investigations. <i>Metabolites</i> , 2021, 11, 686.	1.3	9
414	Sensitive determination of 11-nor-9-carboxy- δ^9 -tetrahydrocannabinol and complementary cannabinoids in hair using alkaline digestion and mixed-mode solid phase extraction followed by liquid-chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , 2021, 328, 111047.	1.3	4
416	Identifying and quantifying methamphetamine in hair samples. <i>Asian Biomedicine</i> , 2014, 8, 441-443.	0.2	0
419	Society of Hair Testing. , 2018, , 1-1.		0
421	Society of Hair Testing. Springer Reference Medizin, 2019, , 2177-2178.	0.0	0
422	Fettsäureester. Springer Reference Medizin, 2019, , 859-860.	0.0	0
423	Recent Technological Developments in MALDI-MSI Based Hair Analysis. <i>Advanced Sciences and Technologies for Security Applications</i> , 2019, , 133-149.	0.4	1
425	Diagnostic laboratory investigations. , 2019, , 366-372.		0
426	Prospettiva e Valore della matrice Cheratinica nella valutazione dell'utilizzo di Nuove Sostanze Psicoattive nella popolazione che afferisce ai SERD. <i>Mission</i> , 2020, , 39-44.	0.1	0
427	Clinical Value of Emerging Bioanalytical Methods for Drug Measurements: A Scoping Review of Their Applicability for Medication Adherence and Therapeutic Drug Monitoring. <i>Drugs</i> , 2021, 81, 1983-2002.	4.9	14
428	The health threat of γ -butyrolactone (GBL): Hair analysis in a case of intoxication. <i>Toxicologie Analytique Et Clinique</i> , 2020, 32, 315-318.	0.1	0
429	Analytical Samples. , 2022, , 199-226.		0
430	Hair Drug Testing. , 2020, , 617-628.		0
431	Actualités toxicologiques sur la 3,4-méthylènedioxyamphétamine. <i>Revue Francophone Des Laboratoires</i> , 2021, 2021, 40-47.	0.0	0
432	UPLC-MS/MS method for the simultaneous quantification of caffeine and illicit psychoactive drugs in hair using a single-step high-speed grinding extraction - Insights into a cut-off value for caffeine abuse. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 209, 114489.	1.4	4

#	ARTICLE	IF	CITATIONS
434	Longitudinal monitoring of hair cortisol using liquid chromatography-mass spectrometry to prevent hypercortisolism in patients undergoing glucocorticoid replacement therapy. <i>Therapeutic Drug Monitoring</i> , 2021, Publish Ahead of Print, 438-447.	1.0	1
435	Children's hair cortisol and hair testosterone concentrations in response to environmental changes: from summer holidays to school. <i>Stress</i> , 2021, 24, 998-1007.	0.8	3
436	Predicting Hair Cortisol and Cortisone Concentration in Postpartum Women through Repeated Measurements of Perceived Stress. <i>Metabolites</i> , 2021, 11, 815.	1.3	11
437	Brief Report: Above and Beyond Safety: Psychosocial and Biobehavioral Impact of Autism-Assistance Dogs on Autistic Children and their Families. <i>Journal of Autism and Developmental Disorders</i> , 2023, 53, 468-483.	1.7	6
438	Biomarkers and Clinical Laboratory Detection of Acute and Chronic Ethanol Use. <i>Clinical Chemistry</i> , 2022, 68, 635-645.	1.5	14
439	Rapid characterization of drugs in a single hair using thermal desorption ionization mass spectrometry. <i>Analytical Methods</i> , 2022, , .	1.3	4
440	Hair analysis interpretation in post-mortem situations: Key considerations and proposals to overcome main hurdles. <i>Legal Medicine</i> , 2022, 56, 102032.	0.6	8
441	Development of an LC-MS/MS Method for Non-Invasive Biomonitoring of Neonicotinoid and Systemic Herbicide Pesticide Residues in Bat Hair. <i>Toxics</i> , 2022, 10, 73.	1.6	4
443	Methoxpropamine (MXPr) in powder, urine and hair samples: Analytical characterization and metabolite identification of a new threat. <i>Forensic Science International</i> , 2022, 333, 111215.	1.3	5
444	Detection of maternal and fetal stress from the electrocardiogram with self-supervised representation learning. <i>Scientific Reports</i> , 2021, 11, 24146.	1.6	17
445	Towards a Comprehensive Sample Treatment Workflow for Determination of Multi-Class Drugs of Abuse in Hair by Liquid Chromatography-Tandem Mass Spectrometry. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
446	Concentrations of Citalopram and Escitalopram in Postmortem Hair Segments. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
447	The impact of levamisole and alcohol on white matter microstructure in adult chronic cocaine users. <i>Addiction Biology</i> , 2022, 27, e13149.	1.4	8
448	The relationship of hair glucocorticoid levels to immunological and virological outcomes in a large cohort of combination antiretroviral therapy treated people living with HIV. <i>BMC Infectious Diseases</i> , 2022, 22, 268.	1.3	2
450	A Resilience-Based Intervention to Mitigate the Effect of HIV-Related Stigma: Protocol for a Stepped Wedge Cluster Randomized Trial. <i>Frontiers in Public Health</i> , 2022, 10, 857635.	1.3	11
451	Development and Validation of a GC-EI-MS/MS Method for Ethyl Glucuronide Quantification in Human Hair. <i>Frontiers in Chemistry</i> , 2022, 10, 858205.	1.8	6
452	Exploration of long-term exposure markers for phthalate esters in human hair using liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2022, 1200, 339610.	2.6	12
453	Determination of cannabinoids in hair: Indicators for illegal vs CBD-rich cannabis use. <i>Forensic Science International</i> , 2022, 333, 111237.	1.3	6

#	ARTICLE	IF	CITATIONS
454	Substance use onset in high-risk 9â€“13-year-olds in the ABCD study. <i>Neurotoxicology and Teratology</i> , 2022, 91, 107090.	1.2	6
455	The Parental Pesticide and Offspringâ€™s Epigenome Study: Towards an Integrated Use of Human Biomonitoring of Exposure and Effect Biomarkers. <i>Toxics</i> , 2021, 9, 332.	1.6	1
456	Analysis of vitamin D metabolic markers by mass spectrometry: Recent progress regarding the â€œgold standardâ€•method and integration into clinical practice. <i>Mass Spectrometry Reviews</i> , 2023, 42, 1647-1687.	2.8	19
457	Mapping the Chemistry of Hair Strands by Mass Spectrometry Imagingâ€”A Review. <i>Molecules</i> , 2021, 26, 7522.	1.7	3
458	A quantitative ultra-performance liquid chromatography high-resolution mass spectrometry analysis of steroids from human scalp hair. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 215, 114768.	1.4	7
462	Evaluation of extraction parameters in authentic hair reference material using statistical design of experiments. <i>Journal of Forensic Sciences</i> , 2022, , .	0.9	3
463	Sample preparation techniques for extraction of vitamin D metabolites from non-conventional biological sample matrices prior to LCâ€”MS/MS analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 4613-4632.	1.9	14
464	Development and Validation of a Rapid Method for Identification of New Synthetic Cannabinoids in Hair Based on High-Performance Liquid Chromatographyâ€”Ion Trap Mass Spectrometry Using a Simplified User Interface. <i>Journal of Analytical Toxicology</i> , 2023, 47, 72-80.	1.7	2
465	Supramolecular solvent-based sample treatment workflow for determination of multi-class drugs of abuse in hair by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2022, 1673, 463100.	1.8	8
466	A retrospective analysis of data from illicit drug abuse cases in Beijing between 2018 and 2020. <i>Legal Medicine</i> , 2022, 58, 102086.	0.6	2
468	Measurement of 7-dehydrocholesterol and cholesterol in hair can be used in the diagnosis of Smith-Lemli-Opitz syndrome. <i>Journal of Lipid Research</i> , 2022, , 100228.	2.0	4
469	Retrospective analysis of laboratory data from 19,275 hair samples submitted for drug abuse/misuse analysis from February 2019 to June 2021. <i>Forensic Science International</i> , 2022, , 111350.	1.3	0
470	Concentrations of citalopram and escitalopram in postmortem hair segments. <i>Forensic Science International</i> , 2022, 336, 111349.	1.3	2
471	Fast and Sensitive Method for the Determination of 17 Designer Benzodiazepines in Hair by Liquid Chromatographyâ€”Tandem Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2022, 46, 852-859.	1.7	2
472	Current analytical trends of abuse of tramadol and its forensic significance. <i>Toxicology and Environmental Health Sciences</i> , 2022, 14, 111-129.	1.1	1
473	Rapid On-Site Detection of Various Amphetamine-Type Drugs in Human Urine and Hair by Portable Pulsed Direct Current Electrospray Ionization Mass Spectrometry. <i>Journal of Analytical Chemistry</i> , 2022, 77, 733-747.	0.4	0
474	Is Cannabis Legalization Eliciting Abusive Behaviors in Parents? A Case Report. <i>Journal of Pediatric Pharmacology and Therapeutics</i> , 2022, 27, 470-475.	0.3	1
475	Evaluation of Pretreatment and Extraction Parameters for the Analysis of Fentanyl in Hair Using Statistical Design of Experiments (DoE). <i>Journal of Analytical Toxicology</i> , 2022, 46, 932-939.	1.7	3

#	ARTICLE	IF	CITATIONS
476	Analysis of conventional and nonconventional forensic specimens in drug-facilitated sexual assault by liquid chromatography and tandem mass spectrometry. <i>Talanta</i> , 2022, 250, 123713.	2.9	7
477	Citius, Altius, Fortiusâ€”Advanced Mass Spectrometry in Service of Forensic Analysis. <i>Chemosensors</i> , 2022, 10, 324.	1.8	1
478	Hair cortisol as a viable tool for the assessment of an association between environmental noise exposure and chronic stress. <i>Journal of the Acoustical Society of America</i> , 2022, 152, 866-876.	0.5	2
479	Amphetamine, methamphetamine, and MDMA in hair samples from a rehabilitation facility: Validation and applicability of HF-LPME-GC-MS. <i>Journal of Pharmacological and Toxicological Methods</i> , 2023, 119, 107212.	0.3	1
480	Complex metabolic interactions between ovary, plasma, urine, and hair in ovarian cancer. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	5
481	Hair levels of steroid, endocannabinoid, and the ratio biomarkers predict viral suppression among people living with HIV/AIDS in China. <i>Clinica Chimica Acta</i> , 2022, 535, 143-152.	0.5	1
482	Sex determination of mummies through multi-elemental analysis of head hair using electrothermal vaporization coupled to inductively coupled plasma optical emission spectrometry. <i>RSC Advances</i> , 2022, 12, 27064-27071.	1.7	2
483	Manipulation of THC Hair Concentrations by Commercially Available Products. <i>Metabolites</i> , 2022, 12, 900.	1.3	4
484	The Conditions and Quality of Post-Mortem Hair Sampling May Have a Subsequent Impact on the Interpretation of Toxicological Results in Hair. <i>Journal of Analytical Toxicology</i> , 0, , .	1.7	0
485	Analysis of 2,5-dimethoxy-amphetamines and 2,5-dimethoxy-phenethylamines aiming their determination in biological matrices: a review. <i>Forensic Toxicology</i> , 0, , .	1.4	0
488	Target Analysis of NPS in Alternative Matrix Hair. <i>Methods in Pharmacology and Toxicology</i> , 2023, , 125-144.	0.1	0
489	Hair Toxicology. , 2023, , 99-106.		0
490	Environmental Noise Exposure and Sleep Habits among Children in a Cohort from Northern Spain. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16321.	1.2	2
491	Does chronic use of amphetamine-type stimulants impair interference control? â€” A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2023, 146, 105020.	2.9	1
492	Pulverization Is a Crucial Stepâ€”A Comparative Study of Different Pretreatments in Hair Drug Testing. <i>Journal of Analytical Toxicology</i> , 2023, 47, 346-352.	1.7	3
493	Metabolomic profiling identifies hair as a robust biological sample for identifying women with cervical cancer. , 2023, 40, .		2
494	Atypical maternal interaction is associated with elevated levels of hair cortisol in children. <i>Frontiers in Pediatrics</i> , 0, 10, .	0.9	0
495	The duration of ketamine detection in hair after treatment cessation: Case study and review of the literature in forensic and clinical casework. <i>Drug Testing and Analysis</i> , 2023, 15, 971-979.	1.6	5

#	ARTICLE	IF	CITATIONS
496	Measuring cortisol concentration in hair month-by-month two years retrospectively. <i>International Journal of Transgender Health</i> , 2023, 16, .	1.1	2
497	Direct evidence of the use of multiple drugs in Bronze Age Menorca (Western Mediterranean) from human hair analysis. <i>Scientific Reports</i> , 2023, 13, .	1.6	4
498	Morphological and chemical profiling for forensic hair examination: A review of quantitative methods. <i>Forensic Science International</i> , 2023, 346, 111622.	1.3	2
499	Determination of 5 synthetic cannabinoids in hair by Segmental analysis using UHPLC-MS/MS and its application to eight polydrug abuse cases. <i>Forensic Science International</i> , 2023, 346, 111611.	1.3	1
500	Detection of scopolamine in urine and hair in a drug-facilitated sexual assault. <i>Forensic Science International</i> , 2023, 347, 111678.	1.3	6
501	Cortisol: Analytical and clinical determinants. <i>Advances in Clinical Chemistry</i> , 2023, , 235-271.	1.8	1
502	Chronic stress is associated with specific path integration deficits. <i>Behavioural Brain Research</i> , 2023, 442, 114305.	1.2	3
503	Hair Testing in Forensic Toxicology. , 2016, , 411-425.		1
504	Introduction to Forensic Toxicology and the Value of a Nationwide Database. , 2016, , 1-29.		0
505	The Usefulness of Metabolites in the Interpretation of Drug Test Results. , 2017, , 305-324.		0
506	Analysis of Cannabinoids in Biological Specimens: An Update. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2312.	1.2	10
507	Concordance between substance use self-report and hair analysis in community-based adolescents. <i>American Journal of Drug and Alcohol Abuse</i> , 2023, 49, 76-84.	1.1	5
508	Discovering Hair Biomarkers of Alzheimer's Disease Using High Resolution Mass Spectrometry-Based Untargeted Metabolomics. <i>Molecules</i> , 2023, 28, 2166.	1.7	1
509	Recent Trends in MALDI-MS Drugs Analysis in Human Hair: Pre-Analytical and Analytical Challenges and Pitfalls. <i>Journal of Analytical Toxicology</i> , 2023, 47, 417-428.	1.7	4
510	Drug testing and adherence monitoring. , 2023, , 323-332.		0
511	Identifying Hair Biomarker Candidates for Alzheimer's Disease Using Three High Resolution Mass Spectrometry-Based Untargeted Metabolomics Strategies. <i>Journal of the American Society for Mass Spectrometry</i> , 2023, 34, 550-561.	1.2	1
512	A Longitudinal Investigation of Blood Neurofilament Light Chain Levels in Chronic Cocaine Users. <i>Molecular Neurobiology</i> , 2023, 60, 3935-3944.	1.9	5
513	Children victims of drug abuser parents: Hair testing as a forensic tool to assess exposure—A cohort of 37 cases from Spain. <i>Drug Testing and Analysis</i> , 2023, 15, 941-952.	1.6	2

#	ARTICLE	IF	CITATIONS
514	Epidemiology of drug use in Perugia (Italy) through the analysis of the Keratin Matrix. , 2022, 13, .		0
515	In the case of extensively putrefied bodies, the analysis of entomological samples may support and complement the toxicological results obtained with other alternative matrices. Legal Medicine, 2023, 63, 102261.	0.6	2
536	Steroid determinationâ€”Sample preparation. , 2023, , 291-318.		0
546	Insight Into Drug Extraction from the Keratin Matrix. , 2023, , 75-113.		0
547	Controversies in Hair Analysisâ€” or 30 Years of Challenges and Issues. , 2023, , 338-352.		0
548	Hair Analysis in Asia. , 2023, , 279-302.		0
549	Interpretation: Incorporation of Xenobiotics Into Hair. , 2023, , 19-50.		0
550	Metals in Hair. , 2023, , 303-337.		0