

CITATION REPORT

List of articles citing

Review on thermal energy storage with phase change materials (PCMs) in building applications

DOI: 10.1016/j.apenergy.2011.08.025
Applied Energy, 2012, 92, 593-605.

Source: <https://exaly.com/paper-pdf/54500678/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1225	Microencapsulation of a PCM through membrane emulsification and nanocompression-based determination of microcapsule strength. 2012 , 1, 1		8
1224	Analytical modeling of PCM solidification in a shell and tube finned thermal storage for air conditioning systems. 2012 , 49, 356-361		113
1223	Applications of Phase Change Material in highly energy-efficient houses. 2012 , 50, 49-62		93
1222	Dynamic thermal performance analysis of fiber insulations containing bio-based phase change materials (PCMs). 2012 , 52, 122-131		92
1221	Polyethylene glycol-sugar composites as shape stabilized phase change materials for thermal energy storage. 2012 , 33, 1728-1736		19
1220	Thermal behavior of building material containing microencapsulated PCM. 2012 , 550, 42-47		28
1219	Field thermal performance of naturally ventilated solar roof with PCM heat sink. 2012 , 86, 2504-2514		94
1218	The effects of thermistor linearization techniques on the T-history characterization of phase change materials. 2012 , 44, 78-84		13
1217	Sustainable thermal energy storage technologies for buildings: A review. 2012 , 16, 2394-2433		212
1216	Organic phase change materials and their textile applications: An overview. 2012 , 540, 7-60		444
1215	Performance of a new solar air heater with packed-bed latent storage energy for nocturnal use. <i>Applied Energy</i> , 2013 , 110, 267-275	10.7	91
1214	Modeling phase change materials embedded in building enclosure: A review. 2013 , 21, 659-673		191
1213	Effects of various carbon nanofillers on the thermal conductivity and energy storage properties of paraffin-based nanocomposite phase change materials. <i>Applied Energy</i> , 2013 , 110, 163-172	10.7	298
1212	Summer comfort in a low-inertia building with a new free-cooling system. <i>Applied Energy</i> , 2013 , 112, 338-349	10.7	14
1211	Characterization and experimental investigation of phase change materials for chilled food refrigerated cabinet applications. <i>Applied Energy</i> , 2013 , 112, 1376-1382	10.7	47
1210	Preparation of a novel PEG composite with halogen-free flame retardant supporting matrix for thermal energy storage application. <i>Applied Energy</i> , 2013 , 106, 321-327	10.7	62
1209	On the importance of the location of PCMs in building walls for enhanced thermal performance. <i>Applied Energy</i> , 2013 , 106, 72-78	10.7	129

1208	Improved measurement technique for the characterization of organic and inorganic phase change materials using the T-history method. <i>Applied Energy</i> , 2013 , 109, 433-440	10.7	33
1207	Ventilated active façades with PCM. <i>Applied Energy</i> , 2013 , 109, 530-537	10.7	52
1206	Numerical modeling for solid-liquid phase change phenomena in porous media: Shell-and-tube type latent heat thermal energy storage. <i>Applied Energy</i> , 2013 , 112, 1222-1232	10.7	202
1205	Influence of the use of PCM drywall and the fenestration in building retrofitting. 2013 , 65, 464-476		30
1204	Thermal performance of a multiple PCM thermal storage unit for free cooling. 2013 , 67, 1-7		133
1203	Characterization of panels containing micro-encapsulated Phase Change Materials. 2013 , 74, 261-268		31
1202	On the Efficacy of PCM to Shave Peak Temperature of Crystalline Photovoltaic Panels: An FDM Model and Field Validation. 2013 , 6, 6188-6210		28
1201	Circulating fluidized bed heat recovery/storage and its potential to use coated phase-change-material (PCM) particles. <i>Applied Energy</i> , 2013 , 109, 505-513	10.7	49
1200	A review of potential materials for thermal energy storage in building applications. 2013 , 18, 327-349		365
1199	A review of PCM technology for thermal energy storage in the built environment: Part I. 2013 , 8, 147-158		30
1198	A review of PCM technology for thermal energy storage in the built environment: Part II. 2013 , 8, 159-164		19
1197	Novel low melting point quaternary eutectic system for solar thermal energy storage. <i>Applied Energy</i> , 2013 , 102, 1422-1429	10.7	89
1196	Experimental investigation on melting heat transfer characteristics of lauric acid in a rectangular thermal storage unit. 2013 , 50, 201-212		138
1195	Physico-chemical and mechanical properties of microencapsulated phase change material. <i>Applied Energy</i> , 2013 , 109, 441-448	10.7	58
1194	An adaptive-grid model for dynamic simulation of thermocline thermal energy storage systems. 2013 , 76, 865-873		41
1193	An effectiveness study of enhanced heat transfer in phase change materials (PCMs). 2013 , 60, 459-468		17
1192	Thermal performance optimization of free cooling systems using enhanced latent heat thermal storage unit. 2013 , 59, 473-479		31
1191	Numerical investigation of free-cooling system using plate type PCM storage. 2013 , 48, 155-163		49

1190	Phase change material: Optimizing the thermal properties and thermal conductivity of myristic acid/palmitic acid eutectic mixture with acid-based surfactants. 2013 , 60, 261-265	41
1189	Experimental thermal characterization of a Mediterranean residential building with PCM gypsum board walls. 2013 , 61, 93-103	97
1188	Melting with convection and radiation in a participating phase change material. <i>Applied Energy</i> , 2013 , 109, 454-461	10.7 26
1187	Review of passive PCM latent heat thermal energy storage systems towards buildings energy efficiency. 2013 , 59, 82-103	610
1186	Experimental research on the use of phase change materials in perforated brick rooms for cooling storage. 2013 , 62, 597-604	67
1185	Curbing global warming with phase change materials for energy storage. 2013 , 18, 23-30	112
1184	Coupled TRNSYS-CFD simulations evaluating the performance of PCM plate heat exchangers in an airport terminal building displacement conditioning system. 2013 , 65, 132-145	60
1183	Structure and thermal performance of poly(styrene-co-maleic anhydride)-g-alkyl alcohol comb-like copolymeric phase change materials. 2013 , 564, 34-38	31
1182	Performance assessment of heat storage by phase change materials containing MWCNTs and graphite. 2013 , 50, 637-644	67
1181	Effectiveness of CFD simulation for the performance prediction of phase change building boards in the thermal environment control of indoor spaces. 2013 , 59, 612-625	54
1180	Enhanced performance and interfacial investigation of mineral-based composite phase change materials for thermal energy storage. 2013 , 3, 1908	59
1179	Study on Manufacturing Technology of Phase Change Materials and Smart Thermo-Regulated Textiles. 2013 , 821-822, 130-138	3
1178	Numerical Investigation of the Thermal Management Performance of MEPCM Modules for PV Applications. 2013 , 6, 3922-3936	24
1177	Rocks, Clays, Water, and Salts: Highly Durable, Infinitely Rechargeable, Eminently Controllable Thermal Batteries for Buildings. 2013 , 3, 63-101	24
1176	Gypsum plasterboards enhanced with phase change materials: A fire safety assessment using experimental and computational techniques. 2013 , 9, 06002	1
1175	Feasibility of using phase change materials to control the heat of hydration in massive concrete structures. 2014 , 2014, 781393	22
1174	Polyols as Phase Change Materials for Low-grade Excess Heat Storage. 2014 , 61, 664-669	11
1173	Performance Demonstration and Evaluation of the Synergetic Application of Thermochromic Window and Phase Change Material in Passive Buildings. 2014 , 61, 941-944	1

1172	Phase-change hybrids for thermo-responsive sensors and actuators. 2014 , 6, e137-e137		41
1171	Applications of organic phase change materials for thermal comfort in buildings. 2014 , 30,		9
1170	The Analysis of Storage Efficiency in VMware Virtualization Environment. 2014 , 697, 438-441		
1169	Proceedings of the 8th International Symposium on Heating, Ventilation and Air Conditioning. 2014		3
1168	Fabrication of Phase-Change Polymer Colloidal Photonic Crystals. 2014 , 2014, 1-7		4
1167	Thermal behavior of PCM building material under periodic convection boundary conditions. 2014 ,		
1166	Numerical Analysis of the Energy Improvement of Plastering Mortars with Phase Change Materials. 2014 , 2014, 1-12		7
1165	Stearic acid eutectic/activated-attapulgiate composite as form-stable phase change material for thermal energy storage. 2014 , 81, 306-311		107
1164	Finite difference thermal model of a latent heat storage system coupled with a photovoltaic device: Description and experimental validation. 2014 , 68, 181-193		54
1163	Study on phase diagram of fatty acids mixtures to determine eutectic temperatures and the corresponding mixing proportions. <i>Applied Energy</i> , 2014 , 115, 483-490	10.7	66
1162	Multi-walled carbon nanotubes added to Na ₂ CO ₃ /MgO composites for thermal energy storage. 2014 , 15, 56-60		72
1161	Numerical modelling and experimental studies of thermal behaviour of building integrated thermal energy storage unit in a form of a ceiling panel. <i>Applied Energy</i> , 2014 , 113, 548-557	10.7	40
1160	Experimental Investigation of the Properties of Lime-Based Plaster-Containing PCM for Enhancing the Heat-Storage Capacity of Building Envelopes. 2014 , 35, 767-782		39
1159	Structure and properties of mixtures based on long chain polyacrylate and 1-alcohol composites. 2014 , 143, 1069-1074		10
1158	A work procedure of utilising PCMs as thermal storage systems based on air- TES systems. 2014 , 77, 608-627		45
1157	Microencapsulation of n-octadecane phase change material with calcium carbonate shell for enhancement of thermal conductivity and serving durability: Synthesis, microstructure, and performance evaluation. <i>Applied Energy</i> , 2014 , 114, 632-643	10.7	305
1156	Parametric analysis of influencing factors in Phase Change Material Wallboard (PCMW). <i>Applied Energy</i> , 2014 , 119, 33-42	10.7	76
1155	Phase change materials for thermal energy storage. 2014 , 65, 67-123		1083

1154	Phase change materials integrated in building walls: A state of the art review. 2014 , 31, 870-906		389
1153	Solar Space Heating and Cooling. 2014 , 323-395		2
1152	Assessment of the greenhouse climate with a new packed-bed solar air heater at night, in Tunisia. 2014 , 35, 31-41		47
1151	Comprehensive thermodynamic analysis of a renewable energy sourced hybrid heating system combined with latent heat storage. 2014 , 84, 311-325		18
1150	Long term thermal stability of organic PCMs. <i>Applied Energy</i> , 2014 , 122, 11-16	10.7	41
1149	A review of phase change materials for vehicle component thermal buffering. <i>Applied Energy</i> , 2014 , 113, 1525-1561	10.7	244
1148	Energy refurbishment of existing buildings through the use of phase change materials: Energy savings and indoor comfort in the cooling season. <i>Applied Energy</i> , 2014 , 113, 990-1007	10.7	211
1147	Numerical evaluation of a phase change material chiller using solar energy for winter nighttime indoor heating. 2014 , 37, 367-394		17
1146	Multi-dimensional optimization of the incorporation of PCM-drywalls in lightweight steel-framed residential buildings in different climates. 2014 , 70, 411-421		98
1145	Experimental assessment of position of macro encapsulated phase change material in concrete walls on indoor temperatures and humidity levels. 2014 , 71, 80-87		99
1144	A review of available technologies for seasonal thermal energy storage. 2014 , 103, 610-638		334
1143	A novel sebacic acid/expanded graphite composite phase change material for solar thermal medium-temperature applications. 2014 , 99, 283-290		95
1142	Energy-Efficient Building Envelopes with Phase-Change Materials: New Understanding and Related Research. 2014 , 35, 970-984		25
1141	From biomass to high performance solar thermal and electric thermal energy conversion and storage materials. 2014 , 2, 7759-7765		166
1140	Preparation and characterization of expanded perlite/paraffin composite as form-stable phase change material. 2014 , 108, 460-466		115
1139	Performance demonstration and evaluation of the synergetic application of vanadium dioxide glazing and phase change material in passive buildings. <i>Applied Energy</i> , 2014 , 136, 89-97	10.7	46
1138	Combined experimental and numerical evaluation of a prototype nano-PCM enhanced wallboard. <i>Applied Energy</i> , 2014 , 131, 517-529	10.7	135
1137	Micro/nano encapsulation of some paraffin eutectic mixtures with poly(methyl methacrylate) shell: Preparation, characterization and latent heat thermal energy storage properties. <i>Applied Energy</i> , 2014 , 136, 217-227	10.7	156

1136	Cooling of air using heptadecane phase change material in shell and tube arrangement: Analytical and experimental study. 2014 , 85, 98-106		16
1135	Low-cost phase change material as an energy storage medium in building envelopes: Experimental and numerical analyses. 2014 , 88, 1020-1031		70
1134	Dissipative particle dynamics study of nano-encapsulated thermal energy storage phase change material. 2014 , 4, 39552-39557		17
1133	The thermal physical properties and stability of the eutectic composition in a Na ₂ CO ₃ /NaCl binary system. 2014 , 596, 14-20		29
1132	Reducing a semiarid city's peak electrical demand using distributed cold thermal energy storage. <i>Applied Energy</i> , 2014 , 134, 35-44	10.7	34
1131	Paraffin/diatomite/multi-wall carbon nanotubes composite phase change material tailor-made for thermal energy storage cement-based composites. 2014 , 72, 371-380		142
1130	Discussion of the performance improvement of thermochromic smart glazing applied in passive buildings. 2014 , 107, 236-244		29
1129	Application of dynamic programming to study load shifting in buildings. 2014 , 82, 57-64		39
1128	On the placement of a phase change material thermal shield within the cavity of buildings walls for heat transfer rate reduction. 2014 , 73, 780-786		81
1127	Stearic acid hybridizing coal/kaolin composite phase change material for thermal energy storage. 2014 , 101, 277-281		58
1126	Thermal behavior of cement based plastering mortar containing hybrid microencapsulated phase change materials. 2014 , 84, 526-536		67
1125	New approach for sol-gel synthesis of microencapsulated n-octadecane phase change material with silica wall using sodium silicate precursor. 2014 , 67, 223-233		155
1124	Self-Assembly Synthesis of Microencapsulated n-Eicosane Phase-Change Materials with Crystalline-Phase-Controllable Calcium Carbonate Shell. 2014 , 28, 3519-3529		77
1123	Understanding the Energy Implications of Phase-Change Materials in Concrete Walls through Finite-Element Analysis. 2014 , 140, 04013009		15
1122	Organic, cross-linking, and shape-stabilized solar thermal energy storage materials: A reversible phase transition driven by broadband visible light. <i>Applied Energy</i> , 2014 , 113, 59-66	10.7	34
1121	The performance evaluation of shape-stabilized phase change materials in building applications using energy saving index. <i>Applied Energy</i> , 2014 , 113, 1118-1126	10.7	82
1120	Phase change in modified hierarchically porous monolith: An extra energy increase. 2014 , 193, 69-76		22
1119	Yield stress fluids method to determine the pore size distribution of a porous medium. 2014 , 204, 87-93		11

1118	Improving the supercooling degree of titanium dioxide nanofluids with sodium dodecylsulfate. <i>Applied Energy</i> , 2014 , 124, 248-255	10.7	45
1117	Environmental profile of latent energy storage materials applied to industrial systems. 2014 , 473-474, 565-75		21
1116	An optimal design analysis method for heat recovery devices in building applications. <i>Applied Energy</i> , 2014 , 129, 364-372	10.7	15
1115	Thermal performance of building element containing phase change material (PCM) integrated with ventilation system [An experimental study. 2014 , 70, 665-674		50
1114	Life cycle assessment (LCA) of phase change materials (PCMs) used in buildings. 2014 , 287-310		3
1113	A metric for characterizing the effectiveness of thermal mass in building materials. <i>Applied Energy</i> , 2014 , 128, 156-163	10.7	20
1112	Thermal properties measurement and heat storage analysis of paraffin/graphite composite phase change material. 2014 , 66, 518-525		36
1111	Energy saving potential of phase change materials in major Australian cities. 2014 , 78, 192-201		110
1110	Heating and cooling building energy demand evaluation; a simplified model and a modified degree days approach. <i>Applied Energy</i> , 2014 , 128, 217-229	10.7	130
1109	Mathematical solutions and numerical models employed for the investigations of PCMs? phase transformations. 2014 , 33, 659-674		67
1108	The effect of the dry glass transition temperature on the synthesis of paraffin microcapsules obtained by suspension-like polymerization. 2014 , 54, 208-214		7
1107	Storage of solar energy in PCM building construction. 2015 ,		1
1106	Anwendung hygrothermischer Gebäudesimulation. 2015 , 189-225		0
1105	Application of calcium chloride as an additive for secondary refrigerant in the air conditioning system type chiller to minimized energy consumption. 2015 , 88, 012035		3
1104	Performance comparison of three models for thermal property determination from experimental phase change data. 2015 , 616, 69-78		11
1103	Predicting Mechanical and Thermal Behavior of Multiphase Composite Containing Phase Change Material (PCM) by Micromechanical Approaches. 2015 , 798, 430-434		
1102	. 2015 ,		5
1101	Numerical analysis on thermal performance of roof contained PCM of a single residential building. 2015 , 100, 147-156		145

1100	Novel high thermal stability $\text{LiF-Na}_2\text{CO}_3\text{-K}_2\text{CO}_3$ eutectic ternary system for thermal energy storage applications. 2015 , 140, 366-375		36
1099	Latent Heat Thermal Storage (LHTS) for Energy Sustainability. 2015 , 245-263		3
1098	Thermal characteristics of room temperature inorganic phase change system containing calcium chloride. 2015 , 31, 452-456		1
1097	Comparison of phase change slurries: Physicochemical and thermal properties. 2015 , 87, 223-227		21
1096	Solar domestic hot water systems using latent heat energy storage medium: A review. 2015 , 49, 517-533		102
1095	Synthesis and performances of novel solid-solid phase change materials with hexahydroxy compounds for thermal energy storage. <i>Applied Energy</i> , 2015 , 152, 198-206	10.7	81
1094	Thermal storage exchanger based on phase change material applying to solar fresh air system. 2015 , 19, S5-530-S5-535		1
1093	Latent Heat Storage in Plasters with Incorporated PCM Water Dispersion. 2015 , 824, 1-6		0
1092	The effect of high thermal insulation on high thermal mass: Is the dynamic behaviour of traditional envelopes in Mediterranean climates still possible?. 2015 , 88, 367-383		44
1091	Fire safety aspects of PCM-enhanced gypsum plasterboards: An experimental and numerical investigation. 2015 , 72, 50-58		31
1090	Temperature-dependent thermal properties of solid/liquid phase change even-numbered n-alkanes: n-Hexadecane, n-octadecane and n-eicosane. <i>Applied Energy</i> , 2015 , 143, 383-394	10.7	155
1089	Effect of thermal conductivities of shape stabilized PCM on under-floor heating system. <i>Applied Energy</i> , 2015 , 144, 10-18	10.7	80
1088	One-step extraction of antimony from low-grade stibnite in Sodium Carbonate-Sodium Chloride binary molten salt. 2015 , 93, 134-139		38
1087	Study on the thermal storage performance of a gravity-assisted heat-pipe thermal storage unit with granular high-temperature phase-change materials. 2015 , 81, 754-765		20
1086	Development of bifunctional microencapsulated phase change materials with crystalline titanium dioxide shell for latent-heat storage and photocatalytic effectiveness. <i>Applied Energy</i> , 2015 , 138, 661-674	10.7	149
1085	Experimental study of the heat transfer through a vertical stack of rectangular cavities filled with phase change materials. <i>Applied Energy</i> , 2015 , 142, 192-205	10.7	26
1084	Diurnal thermal analysis of microencapsulated PCM-concrete composite walls. 2015 , 93, 215-227		95
1083	Parametric investigations of using a PCM curtain for energy efficient buildings. 2015 , 94, 33-42		16

1082	Developments in organic solid-liquid phase change materials and their applications in thermal energy storage. 2015 , 95, 193-228		456
1081	Phase change materials and products for building applications: A state-of-the-art review and future research opportunities. 2015 , 94, 150-176		316
1080	Performance of a free-air cooling system for telecommunications base stations using phase change materials (PCMs): In-situ tests. <i>Applied Energy</i> , 2015 , 147, 325-334	10.7	31
1079	The preparation of the hydrotalcite-based composite phase change material. <i>Applied Energy</i> , 2015 , 156, 207-212	10.7	12
1078	Multi-objective geometric optimization of a PCM based matrix type composite heat sink. <i>Applied Energy</i> , 2015 , 156, 703-714	10.7	55
1077	Peak load shifting with energy storage and price-based control system. 2015 , 92, 505-514		78
1076	Influence of thermal storage mass on summer thermal stability in a passive wooden house in the Czech Republic. 2015 , 107, 68-75		16
1075	Uncertainty propagation and sensitivity analysis of thermo-physical properties of phase change materials (PCM) in the energy demand calculations of a test cell with passive latent thermal storage. 2015 , 90, 596-608		26
1074	Energy Sustainability Through Green Energy. 2015 ,		8
1073	Thermal performance analysis of a solar energy sourced latent heat storage. 2015 , 50, 1213-1225		47
1072	Ultrafast thermal charging of inorganic nano-phase change material composites for solar thermal energy storage. 2015 , 5, 56541-56548		36
1071	Preparation of erythritol-graphite foam phase change composite with enhanced thermal conductivity for thermal energy storage applications. 2015 , 94, 266-276		115
1070	Solar-absorbing metamaterial microencapsulation of phase change materials for thermo-regulating textiles. 2015 , 6, 105-112		9
1069	Effect of barium-based phase change material (PCM) to control the heat of hydration on the mechanical properties of mass concrete. 2015 , 613, 100-107		42
1068	PCM incorporation in a concrete core slab as a thermal storage and supply system: Proof of concept. 2015 , 103, 70-82		58
1067	Application of phase change materials to improve the thermal performance of cementitious material. 2015 , 103, 83-95		47
1066	RT100/expand graphite composite phase change material with excellent structure stability, photo-thermal performance and good thermal reliability. 2015 , 140, 158-166		94
1065	Reduction of carbon dioxide emissions by solar water heating systems and passive technologies in social housing. 2015 , 83, 138-150		25

1064	Development of structural-functional integrated concrete with macro-encapsulated PCM for thermal energy storage. <i>Applied Energy</i> , 2015 , 150, 245-257	10.7	81
1063	Fabrication and thermal characterization of kaolin-based composite phase change materials for latent heat storage in buildings. 2015 , 96, 193-200		77
1062	Energy efficient thermal storage montmorillonite with phase change material containing exfoliated graphite nanoplatelets. 2015 , 139, 65-70		61
1061	DHFMA Method for Dynamic Thermal Property Measurement of PCM-integrated Building Materials. 2015 , 2, 41-46		9
1060	Review of solid-liquid phase change materials and their encapsulation technologies. 2015 , 48, 373-391		456
1059	Application of PCM underfloor heating in combination with PCM wallboards for space heating using price based control system. <i>Applied Energy</i> , 2015 , 148, 39-48	10.7	83
1058	Numerical study of PCM solidification in a finned tube thermal storage including natural convection. 2015 , 84, 320-330		108
1057	Fabrication of paraffin@SiO ₂ shape-stabilized composite phase change material via chemical precipitation method for building energy conservation. 2015 , 108, 373-380		60
1056	A review of thermal performance improving methods of lithium ion battery: Electrode modification and thermal management system. 2015 , 299, 557-577		178
1055	Paraffin/expanded vermiculite composite phase change material as aggregate for developing lightweight thermal energy storage cement-based composites. <i>Applied Energy</i> , 2015 , 160, 358-367	10.7	127
1054	A new validated TRNSYS module for simulating latent heat storage walls. 2015 , 109, 274-290		39
1053	Fabrication of multifunctional microcapsules containing n -eicosane core and zinc oxide shell for low-temperature energy storage, photocatalysis, and antibiosis. 2015 , 106, 873-885		96
1052	Simulation of melting of a nano-enhanced phase change material (NePCM) in a square cavity with two heat source/sink pairs. 2015 , 54, 1003-1017		51
1051	Development and thermal characterization of an innovative gypsum-based composite incorporating phase change material as building energy storage system. 2015 , 107, 93-102		17
1050	Reliability verification of a solar-air source heat pump system with PCM energy storage in operating strategy transition. 2015 , 84, 46-55		27
1049	Performance analyses of building energy on phase transition processes of VO ₂ windows with an improved model. <i>Applied Energy</i> , 2015 , 159, 502-508	10.7	21
1048	Review on phase change material based free cooling of buildings—the way toward sustainability. 2015 , 4, 74-88		57
1047	Solubility of Sb in binary Na ₂ CO ₃ -NaCl molten salt. 2015 , 25, 3146-3151		5

1046	A novel paraffin/expanded perlite composite phase change material for prevention of PCM leakage in cementitious composites. <i>Applied Energy</i> , 2015 , 157, 85-94	10.7	185
1045	Large-Scale Experimental Study of a Phase Change Material: Shape Identification for the Solid-Liquid Interface. 2015 , 36, 2897-2915		8
1044	Novel solid-solid phase change materials with biodegradable trihydroxy surfactants for thermal energy storage. 2015 , 5, 68881-68889		54
1043	Reductive smelting of spent lead-acid battery colloid sludge in a molten Na ₂ CO ₃ salt. 2015 , 22, 798-803		5
1042	Application of PCM energy storage in combination with night ventilation for space cooling. <i>Applied Energy</i> , 2015 , 158, 412-421	10.7	112
1041	Optical properties of a liquid paraffin-filled double glazing unit. 2015 , 108, 381-386		31
1040	The development of metal hydrides using as concentrating solar thermal storage materials. 2015 , 9, 317-331		17
1039	Design and fabrication of dual-functional microcapsules containing phase change material core and zirconium oxide shell with fluorescent characteristics. 2015 , 133, 56-68		80
1038	Effect of phase change materials on indoor thermal environment under different weather conditions and over a long time. <i>Applied Energy</i> , 2015 , 140, 329-337	10.7	52
1037	Combining thermal energy storage with buildings – a review. 2015 , 42, 1305-1325		200
1036	Thermal properties of smart microencapsulated paraffin/plaster composites for the thermal regulation of buildings. 2015 , 88, 183-192		41
1035	Novel form stable phase change materials based on the composites of polyethylene glycol/polymeric solid-solid phase change material. 2015 , 134, 80-88		113
1034	Utilization of macro encapsulated phase change materials for the development of thermal energy storage and structural lightweight aggregate concrete. <i>Applied Energy</i> , 2015 , 139, 43-55	10.7	114
1033	Rigid polyurethane foams incorporated with phase change materials: A state-of-the-art review and future research pathways. 2015 , 87, 25-36		89
1032	Potential of residential buildings as thermal energy storage in district heating systems – Results from a pilot test. <i>Applied Energy</i> , 2015 , 137, 773-781	10.7	137
1031	Corrosion of metals and salt hydrates used for thermochemical energy storage. 2015 , 75, 519-523		64
1030	Assessing the integration of a thin phase change material (PCM) layer in a residential building wall for heat transfer reduction and management. <i>Applied Energy</i> , 2015 , 137, 699-706	10.7	190
1029	Phase-change characteristics and thermal performance of form-stable n-alkanes/silica composite phase change materials fabricated by sodium silicate precursor. 2015 , 74, 689-698		68

1028	Overview of current development in electrical energy storage technologies and the application potential in power system operation. <i>Applied Energy</i> , 2015 , 137, 511-536	10.7	1921
1027	The latest advancements on thermochemical heat storage systems. 2015 , 41, 356-367		318
1026	A review of research and development work on solar dryers with heat storage. 2016 , 35, 583-605		31
1025	Phase Change Materials. 2016 , 249-272		11
1024	. 2016 ,		5
1023	A Study on a Novel Phase Change Material Panel Based on Tetradecanol/Lauric Acid/Expanded Perlite/Aluminium Powder for Building Heat Storage. 2016 , 9,		14
1022	Empirical Validation of a Thermal Model of a Complex Roof Including Phase Change Materials. 2016 , 9, 9		4
1021	An Integer Linear Programming Model for an Ecovat Buffer. 2016 , 9, 592		4
1020	Preparation and Characterization of Microencapsulated Phase Change Materials for Use in Building Applications. 2015 , 9,		25
1019	Building Energy Storage Panel Based on Paraffin/Expanded Perlite: Preparation and Thermal Performance Study. 2016 , 9,		41
1018	Macro-Encapsulated PCM Cylinder Module Based on Paraffin and Float Stones. 2016 , 9,		7
1017	Effect of Phase Change Materials (PCMs) Integrated into a Concrete Block on Heat Gain Prevention in a Hot Climate. 2016 , 8, 1009		23
1016	Micro-Encapsulated Phase Change Materials: A Review of Encapsulation, Safety and Thermal Characteristics. 2016 , 8, 1046		57
1015	Nano-based phase change materials for building energy efficiency*. 2016 , 183-211		4
1014	Modification of heat storage ability and adhesive properties of core/shell structured phase change material nanocapsules. 2016 , 24, 556-561		6
1013	Solar-thermal conversion and thermal energy storage of graphene foam-based composites. 2016 , 8, 14600-7		135
1012	Thermal performance of a window shutter containing PCM: Numerical validation and experimental analysis. <i>Applied Energy</i> , 2016 , 179, 64-84	10.7	62
1011	Solar air heater with phase change material: An energy analysis and a comparative study. 2016 , 107, 1057-106485		

1010	Heat transfer performance of paraffin wax based phase change materials applicable in building industry. 2016 , 107, 1313-1323	38
1009	Study of improving the thermal response of a construction material containing a phase change material. 2016 , 745, 032131	2
1008	The role of phase change materials for the sustainable energy. 2016 , 10, 00068	4
1007	Nanotechnologies for sustainable construction. 2016 , 55-78	14
1006	The roles of thermal insulation and heat storage in the energy performance of the wall materials: a simulation study. 2016 , 6, 24181	24
1005	Solar Greenhouse With Thermal Energy Storage: a Review. 2016 , 3, 58-66	21
1004	PCM-enhanced Lime Plasters for Vernacular and Contemporary Architecture. 2016 , 97, 539-545	16
1003	One-step extraction of bismuth from bismuthinite in sodium carbonate-sodium chloride molten salt using ferric oxide as sulfur-fixing agent. 2016 , 6, 49717-49723	6
1002	Phase Change Materials for Passive TMSs. 2016 , 93-144	
1001	Measurement of Multiscale Thermal Transport Phenomena in Li-Ion Cells: A Review. 2016 , 13,	43
1000	Hybrid diagnosis to characterise the energy and environmental enhancement of photovoltaic modules using smart materials. 2016 , 101, 174-189	40
999	Thermal conductivity enhancement of polyethylene glycol/expanded vermiculite shape-stabilized composite phase change materials with silver nanowire for thermal energy storage. 2016 , 295, 427-435	223
998	Thermal performance of a PCM-filled double glazing unit with different optical properties of phase change material. 2016 , 119, 143-152	55
997	Novel microstructured polyol-polystyrene composites for seasonal heat storage. <i>Applied Energy</i> , 2016 , 172, 96-106	10.7 38
996	Electric energy storage design decision method for demand responsive buildings. 2016 , 126, 139-145	11
995	Numerical analysis on thermal performance of a PCM-filled double glazing roof. 2016 , 125, 267-275	50
994	Indicators evaluating thermal inertia performance of envelopes with phase change material. 2016 , 122, 175-184	31
993	Diurnal performance analysis of phase change material walls. 2016 , 102, 1-8	29

992	Bio-inspired effective and regenerable building cooling using tough hydrogels. <i>Applied Energy</i> , 2016 , 168, 332-339	10.7	27
991	Phase change materials (PCM) for cooling applications in buildings: A review. 2016 , 129, 396-431		384
990	Ultrafine lauric/myristic acid eutectic/poly (meta-phenylene isophthalamide) form-stable phase change fibers for thermal energy storage by electrospinning. <i>Applied Energy</i> , 2016 , 173, 168-176	10.7	26
989	Early-age shrinkage and temperature optimization for cement paste by using PCM and MgO based on FBG sensing technique. 2016 , 117, 58-62		17
988	Thermal performance analysis of PCM components heat storage using mechanical ventilation: Experimental results. 2016 , 123, 169-178		14
987	A review on phase change material (PCM) for sustainable passive cooling in building envelopes. 2016 , 60, 1470-1497		486
986	Phenolic resin/PEO-PPO block copolymer composite materials as phase change materials (PCM) for latent heat thermal energy storage (LHTES). 2016 , 6, 173-177		7
985	Solidification of fluid saturated in open-cell metallic foams with graded morphologies. 2016 , 98, 60-69		57
984	Experimental study of evacuated tube collector/storage system containing paraffin as a PCM. 2016 , 114, 1063-1072		58
983	Industrial waste heat recovery using an enhanced conductivity latent heat thermal energy storage. <i>Applied Energy</i> , 2016 , 183, 491-503	10.7	80
982	Modelling relationship among energy demand, climate and office building features: A cluster analysis at European level. <i>Applied Energy</i> , 2016 , 183, 1021-1034	10.7	36
981	A Model to Determine Thermal Performance of a Non-ventilated Double Glazing Unit with PCM and Experimental Validation. 2016 , 157, 293-300		5
980	Experimental investigation of transient thermal response of phase change material embedded by Graphene nanoparticles in energy storage module. 2016 ,		0
979	Recent progresses and achievements in photovoltaic-phase change material technology: A review with special treatment on photovoltaic thermal-phase change material systems. 2016 , 126, 177-204		99
978	Modelling and simulation of phase change material latent heat storages applied to a solar-powered Organic Rankine Cycle. <i>Applied Energy</i> , 2016 , 179, 378-388	10.7	57
977	Development of medium-temperature composite phase change material with high thermal stability and conductivity. 2016 , 155, 341-347		15
976	Thermal property investigation of multi walled carbon nanotubes (MWCNTs) embedded Phase Change Materials (PCMs). 2016 ,		1
975	Development of granular expanded perlite/paraffin phase change material composites and prevention of leakage. 2016 , 137, 179-188		70

974	Review of Nanocoatings for Building Application. 2016 , 145, 1541-1548		25
973	Latent heat storage using renewable saturated diesters as phase change materials. 2016 , 115, 924-930		21
972	A new insight into opaque envelopes in a passive solar house: Properties and roles. <i>Applied Energy</i> , 2016 , 183, 685-699	10.7	21
971	Analysis and design of a drain water heat recovery storage unit based on PCM plates. <i>Applied Energy</i> , 2016 , 179, 1006-1019	10.7	20
970	A numerical study on the thermal performance of night ventilated hollow core slabs cast with micro-encapsulated PCM concrete. 2016 , 127, 892-906		24
969	A fault-tolerant approach to the control of a battery assembly system. 2016 , 55, 139-148		26
968	Behaviour of a SPD switchable glazing in an outdoor test cell with heat removal under varying weather conditions. <i>Applied Energy</i> , 2016 , 180, 695-706	10.7	39
967	Incorporating environmental evaluation and thermal properties of concrete mix designs. 2016 , 128, 422-435		25
966	Fabrication and characterization of microcapsulated phase change materials with an additional function of thermochromic performance. 2016 , 139, 591-598		62
965	Temperature regulation of PV solar cell under PCM cooling system. 2016 ,		0
964	Small-Scale Thermal Energy Storage With Capillary Conductivity Enhancement. 2016 ,		
963	Preparation and performance of novel form-stable composite phase change materials based on polyethylene glycol/White Carbon Black assisted by super-ultrasound-assisted. 2016 , 638, 35-43		36
962	Energy and economic analysis of building integrated with PCM in different cities of China. <i>Applied Energy</i> , 2016 , 175, 324-336	10.7	122
961	Performance study of latent heat accumulators: Numerical and experimental study. 2016 , 102, 604-614		10
960	Inhibition of carbon steel corrosion in phase-change-materials solution by methionine and proline. 2016 , 111, 675-689		42
959	Thermal properties and morphologies of MABA eutectics/CNTs as composite PCMs in thermal energy storage. 2016 , 127, 603-610		48
958	Polyethylene glycol/Cu/SiO ₂ form stable composite phase change materials: preparation, characterization, and thermal conductivity enhancement. 2016 , 6, 58740-58748		37
957	Experimental investigation on the thermal performance of heat storage walls coupled with active solar systems. 2016 , 52, 2747-2757		2

956	Using novel compressed-air energy storage systems as a green strategy in sustainable power generation—review. 2016 , 40, 1595-1610		21
955	Preparation and characterization of capric-myristic-stearic acid eutectic mixture/modified expanded vermiculite composite as a form-stable phase change material. <i>Applied Energy</i> , 2016 , 178, 616-623	10.7	66
954	Experimental evaluation of a concrete core slab with phase change materials for cooling purposes. 2016 , 116, 411-419		23
953	Experimental evaluation of the heat transfer through small PCM-based thermal energy storage units for building applications. 2016 , 116, 18-34		32
952	Research on the preparation and properties of lauric acid/expanded perlite phase change materials. 2016 , 110, 108-111		55
951	Development and thermal performance of pumice/organic PCM/gypsum composite plasters for thermal energy storage in buildings. 2016 , 149, 19-28		122
950	Solvent-free synthesis and properties of novel solid-solid phase change materials with biodegradable castor oil for thermal energy storage. 2016 , 147, 177-184		77
949	Production of hollow and porous Fe ₂ O ₃ from industrial mill scale and its potential for large-scale electrochemical energy storage applications. 2016 , 4, 2597-2604		61
948	Energy performance of building envelopes integrated with phase change materials for cooling load reduction in tropical Singapore. <i>Applied Energy</i> , 2016 , 162, 207-217	10.7	195
947	Thermal energy storage characteristics of bentonite-based composite PCMs with enhanced thermal conductivity as novel thermal storage building materials. 2016 , 117, 132-141		126
946	Synthesis and characterization of lauric acid/expanded vermiculite as form-stabilized thermal energy storage materials. 2016 , 116, 677-683		83
945	Stable, low-cost phase change material for building applications: The eutectic mixture of decanoic acid and tetradecanoic acid. <i>Applied Energy</i> , 2016 , 168, 457-464	10.7	51
944	Hybrid ground coupled heat exchanger systems for space heating/cooling applications: A review. 2016 , 60, 724-738		60
943	Numerical analysis on thermal performance of naturally ventilated roofs with different influencing parameters. 2016 , 22, 86-93		33
942	Solar thermal energy storage and heat pumps with phase change materials. 2016 , 99, 1212-1224		97
941	Thermal performance evaluation of macro-packed phase change materials (PCMs) using heat transfer analysis device. 2016 , 117, 120-127		24
940	Experimental study on enhancement of thermal energy storage with phase-change material. <i>Applied Energy</i> , 2016 , 169, 164-176	10.7	115
939	A new calorimetric technique for phase change materials and its application to alkane-based PCMs. 2016 , 5, 1		13

938	Magnetic microencapsulated phase change materials with an organo-silica shell: Design, synthesis and application for electromagnetic shielding and thermal regulating polyimide films. 2016 , 98, 225-239	35
937	Thermal analysis of phase change material board (PCMB) under weather conditions in the summer. 2016 , 99, 690-702	19
936	Use of phase change material to improve thermal properties of lightweight geopolymer panel. 2016 , 49, 4637-4645	21
935	Energy efficient concrete with n-octadecane/xGnP SSPCM for energy conservation in infrastructure. 2016 , 106, 543-549	24
934	Thermosetting solid-solid phase change materials composed of poly(ethylene glycol)-based two components: Flexible application for thermal energy storage. 2016 , 291, 138-148	90
933	Microencapsulation of n-dodecane into zirconia shell doped with rare earth: Design and synthesis of bifunctional microcapsules for photoluminescence enhancement and thermal energy storage. 2016 , 97, 113-126	56
932	Physical-chemical properties evolution and thermal properties reliability of a paraffin wax under solar radiation exposure in a real-scale PCM window system. 2016 , 119, 41-50	19
931	Latent heat storage in building elements: A systematic review on properties and contextual performance factors. 2016 , 60, 852-866	50
930	Simulating the Inter-Building Effect on energy consumption from embedding phase change materials in building envelopes. 2016 , 27, 287-295	39
929	Optimal operation of energy storage in buildings: Use of the hot water system. 2016 , 5, 102-112	5
928	Phase change materials based on polyethylene glycol supported by graphene-based mesoporous silica sheets. 2016 , 101, 217-223	38
927	Advanced energy storage materials for building applications and their thermal performance characterization: A review. 2016 , 57, 916-928	105
926	Design and Application of Concrete Tiles Enhanced with Microencapsulated Phase-Change Material. 2016 , 22, 05015003	17
925	Preparation and properties of β -cyclodextrin/4,4'-diphenylmethane diisocyanate/polyethylene glycol (ECD/MDI/PEG) crosslinking copolymers as polymeric solid-solid phase change materials. 2016 , 145, 238-247	62
924	An experimental investigation of shell and tube latent heat storage for solar dryer using paraffin wax as heat storage material. 2016 , 19, 619-631	51
923	Optimal behavior of responsive residential demand considering hybrid phase change materials. <i>Applied Energy</i> , 2016 , 163, 81-92	10.7 43
922	Temperature of a metallic nanoparticle embedded in a phase change media exposed to radiation. 2016 , 93, 980-990	4
921	Passive thermal control in residential buildings using phase change materials. 2016 , 55, 371-398	182

920	Mechanical response evaluation of microcapsules from different slurries. 2016 , 85, 732-739	13
919	Thermal energy storage and retrieval properties of form-stable phase change nanofibrous mats based on ternary fatty acid eutectics/polyacrylonitrile composite by magnetron sputtering of silver. 2016 , 123, 1293-1307	37
918	Preparation and thermal properties of stearic acid/diatomite composites as form-stable phase change materials for thermal energy storage via direct impregnation method. 2016 , 123, 1173-1181	75
917	A hierarchical scheduling and control strategy for thermal energy storage systems. 2016 , 110, 94-107	46
916	Literature review on the use of phase change materials in glazing and shading solutions. 2016 , 53, 515-535	109
915	Numerical simulation on the thermal performance of hydraulic floor heating system with phase change materials. 2016 , 93, 900-907	21
914	Solar energy materials for glazing technologies. 2016 , 144, 559-578	75
913	Polyols as phase change materials for surplus thermal energy storage. <i>Applied Energy</i> , 2016 , 162, 1439-1457	74
912	Smart macroencapsulated resin/wax composite for energy conservation in the built environment: Thermophysical and numerical investigations. 2017 , 30, 887-914	3
911	An investigation into the use of the heat pipe technology in thermal energy storage heat exchangers. 2017 , 136, 163-172	42
910	Heat storage materials, geometry and applications: A review. 2017 , 90, 1-11	109
909	Properties, Functions, Chemical Transformation, Nano-, and Hybrid Materials of Poly(diphenylacetylene)s toward Sensor and Actuator Applications. 2017 , 57, 175-199	37
908	Theoretical analysis of the potential for thermochemical heat storage under Mediterranean climate conditions: Northern Cyprus Case. 2017 , 1, 2	3
907	District heating and cooling optimization and enhancement \square towards integration of renewables, storage and smart grid. 2017 , 72, 281-294	80
906	Energy-Efficient Heat Storage using Gypsum Board with Fatty Acid Ester as Layered Phase Change Material. 2017 , 5, 1392-1398	7
905	Analysis of the thermal performance of flat plate PCM heat exchangers for heating systems. 2017 , 116, 11-23	22
904	Thermally Stable Phase Change Material with High Latent Heat and Low Cost based on an Adipic Acid/Boric Acid Binary Eutectic System. 2017 , 5, 1322-1327	5
903	Adaptability research on phase change materials based technologies in China. 2017 , 73, 145-158	29

902	Preparation and characterization of spherical Cyclodextrin/urea formaldehyde microcapsules modified by nano-titanium oxide. 2017 , 7, 7857-7863	12
901	Simulation-based analysis of the use of PCM-wallboards to reduce cooling energy demand and peak-loads in low-rise residential heavyweight buildings in Kuwait. 2017 , 10, 481-495	33
900	Zinc-rich eutectic alloys for high energy density latent heat storage applications. 2017 , 705, 714-721	26
899	Heat transfer enhancement of phase change materials for thermal energy storage applications: A critical review. 2017 , 74, 26-50	284
898	A review on insulation materials for energy conservation in buildings. 2017 , 73, 1352-1365	298
897	In-situ preparation of a shape stable phase change material. 2017 , 108, 244-249	17
896	Benefits of PCM underfloor heating with PCM wallboards for space heating in winter. <i>Applied Energy</i> , 2017 , 191, 593-602	10.7 97
895	Methodologies for Selection of Thermal Insulation Materials for Cost-Effective, Sustainable, and Energy-Efficient Retrofitting. 2017 , 23-55	2
894	Phase Change Materials for Application in Energy-Efficient Buildings. 2017 , 57-118	21
893	Critical analysis of the T-history method: A fundamental approach. 2017 , 650, 95-105	27
892	Numerical Study of Phase Change of PCM in Spherical Cavities. 2017 , 372, 21-30	1
891	Effect of PCM thickness and melting temperature on thermal performance of double glazing units. 2017 , 11, 87-95	41
890	Micro-encapsulated phase change material (MPCM) slurries: Characterization and building applications. 2017 , 77, 246-262	57
889	Fabrication and characterization of microencapsulated PA with SiO ₂ shell through sol-gel synthesis via sodium silicate precursor. 2017 , 28, 9990-9997	13
888	Evaluating the passive and free cooling application methods of phase change materials in residential buildings: A comparative study. 2017 , 148, 238-256	28
887	A review on current advances in the energy and environmental performance of buildings towards a more sustainable built environment. 2017 , 77, 845-860	119
886	Energy efficiency and thermal performance of lightweight steel-framed (LSF) construction: A review. 2017 , 78, 194-209	66
885	Constant mass model for the liquid-solid phase transition on a one-dimensional Stefan problem: Transient and steady state regimes. 2017 , 118, 40-52	12

884	Design and fabrication of bifunctional microcapsules for solar thermal energy storage and solar photocatalysis by encapsulating paraffin phase change material into cuprous oxide. 2017 , 168, 146-164	80
883	Solar systems integrated with absorption heat pumps and thermal energy storages: state of art. 2017 , 70, 492-505	60
882	Preparation and thermal reliability of N-butyl stearate/methyl palmitate composite phase change material. 2017 , 128, 1273-1278	5
881	Experimental study on operation characteristics of a novel refrigeration system using phase change material. 2017 , 150, 516-526	10
880	Passive cooling potential in buildings under various climatic conditions in India. 2017 , 78, 1236-1252	49
879	A Comparative Study on the Effectiveness of Passive and Free Cooling Application Methods of Phase Change Materials for Energy Efficient Retrofitting in Residential Buildings. 2017 , 180, 993-1002	15
878	Effects of different parameters on the discharging of double-layer PCM through the porous channel. 2017 , 123, 592-602	17
877	Phase change materials and carbon nanostructures for thermal energy storage: A literature review. 2017 , 79, 1212-1228	119
876	Multi-layer PCM solidification in a finned triplex tube considering natural convection. 2017 , 123, 901-916	41
875	Thermal performance assessment of phase change material integrated cementitious composites in buildings: Experimental and numerical approach. <i>Applied Energy</i> , 2017 , 207, 654-664	10.7 69
874	Thermal and electrical performance of a PV module integrated with double layers of water-saturated MEPCM. 2017 , 123, 1120-1133	11
873	Numerical study on energy efficiency and economy of a pipe-embedded glass envelope directly utilizing ground-source water for heating in diverse climates. 2017 , 150, 878-889	22
872	Energy assessment of a novel dynamic PCMs based solar shading: results from an experimental campaign. 2017 , 150, 608-624	16
871	Phase Change Materials as Smart Nanomaterials for Thermal Energy Storage in Buildings. 2017 , 247-293	1
870	Topology optimization for heat transfer enhancement in Latent Heat Thermal Energy Storage. 2017 , 113, 875-888	57
869	Novel phase change materials based on fatty acid eutectics and triallyl isocyanurate composites for thermal energy storage. 2017 , 134, 44866	13
868	The Energy Saving and Indoor Comfort Improvements with Latent Thermal Energy Storage in Building Retrofits in Canada. 2017 , 111, 462-471	18
867	Salt impregnated desiccant matrices for open thermochemical energy conversion and storage □ Improving energy density utilisation through hydrodynamic & thermodynamic reactor design. 2017 , 142, 426-440	25

866	Experimental investigation of the performance of cool storage shelf for vertical open refrigerated display cabinet. 2017 , 110, 789-795	18
865	Experimental study on the thermal stability of a paraffin mixture with up to 10,000 thermal cycles. 2017 , 1, 78-87	22
864	Diatom silica, an emerging biomaterial for energy conversion and storage. 2017 , 5, 8847-8859	60
863	Energy performance evaluation of heat-storage gypsum board with hybrid SSPCM composite. 2017 , 51, 237-243	17
862	Heat transfer study of phase change materials with graphene nano particle for thermal energy storage. 2017 , 146, 453-463	114
861	Synthesis and thermal properties of novel solid-solid phase change materials with comb-polyurethane block copolymer structure for thermal energy storage. 2017 , 651, 58-64	10
860	A review for phase change materials (PCMs) in solar absorption refrigeration systems. 2017 , 76, 105-137	111
859	Fast charging of thermal energy storage systems enabled by phase change materials mixed with expanded graphite. 2017 , 109, 1052-1058	32
858	Preparation and characterization of form-stable paraffin/polycaprolactone composites as phase change materials for thermal energy storage. 2017 , 97, 01094	3
857	Enhanced Thermal Energy Storage Performance of Polyethylene Glycol by Using Interfacial Interaction of Copper-Based Metal Oxide . 2017 , 19, 1600601	14
856	Hygrothermal performance improvement of the Korean wood frame walls using macro-packed phase change materials (MPPCM). 2017 , 114, 457-465	35
855	Energy saving potential of pipe-embedded building envelope utilizing low-temperature hot water in the heating season. 2017 , 138, 318-331	31
854	Synthesis of Graphene-like mesoporous carbons for shape-stabilized phase change materials with high loading capacity and improved latent heat. 2017 , 5, 24321-24328	54
853	Improvement of the performance of metal hydride pump by using phase change heat exchanger. 2017 , 42, 26343-26361	12
852	Development of novel composite PCM for thermal energy storage using $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}$ with graphene oxide and $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$. 2017 , 156, 163-172	31
851	Melting of nanoparticles-enhanced phase-change materials in an enclosure: Effect of hybrid nanoparticles. 2017 , 134, 85-97	86
850	Energy in buildings Policy, materials and solutions. 2017 , 4, 1	11
849	Low molecular weight paraffin, as phase change material, in physical and micro-structural changes of novel LLDPE/LDPE/paraffin composite pellets and films. 2017 , 26, 885-893	2

848	Thermal characterization of polyurethane foams with phase change material. 2017 , 29, 1-7		6
847	Urea additives for reduction of hydration heat in cement composites. 2017 , 156, 790-798		17
846	Nano-enhanced Phase Change Material for thermal management of BICPV. <i>Applied Energy</i> , 2017 , 208, 719-733	10.7	109
845	Microencapsulation of n-heptadecane phase change material with starch shell. 2017 , 113, 31-38		33
844	Magnesium phosphate cements formulated with low grade magnesium oxide incorporating phase change materials for thermal energy storage. 2017 , 155, 209-216		16
843	Evaluation of building heating loads with dimensional analysis: Application of the Buckingham π theorem. 2017 , 154, 479-490		19
842	Experimental study on thermal performance of phase change material passive and active combined using for building application in winter. <i>Applied Energy</i> , 2017 , 206, 293-302	10.7	59
841	The optimal allocation of the PCM within a composite wall for surface temperature and heat flux reduction: An experimental Approach. 2017 , 127, 1488-1494		53
840	Review on application of phase change material in water tanks. 2017 , 9, 168781401770359		15
839	Modeling Coupled Conduction-Convection Ice Formation on Horizontal Axially Finned and Unfinned Tubes. 2017 , 139,		3
838	Research on composite-phase change materials (PCMs)-bricks in the west wall of room-scale cubicle: Mid-season and summer day cases. 2017 , 123, 494-503		43
837	Advanced control strategy on battery storage system for energy management and bidirectional power control in electrical networks. 2017 , 138, 520-528		11
836	Improvements in the thermal conductivity and mechanical properties of phase-change microcapsules with oxygen-plasma-modified multiwalled carbon nanotubes. 2017 , 134, 45269		12
835	Effect of PCM application inside an evacuated tube collector on the thermal performance of a domestic hot water system. 2017 , 152, 558-567		63
834	Energy and exergy analysis of a heat storage tank with a novel eutectic phase change material layer of a solar heater system. 2017 , 14, 1073-1080		18
833	Experimental analysis of thermal performance in buildings with shape-stabilized phase change materials. 2017 , 152, 524-533		34
832	Preparation and investigation on tetradecanol and myristic acid/cellulose form-stable phase change material. 2017 , 130, 781-790		14
831	Solution behavior of ZnS and ZnO in eutectic Na ₂ CO ₃ -NaCl molten salt used for Sb smelting. 2017 , 24, 1269-1274		2

830	Development and thermal performance of an expanded perlite-based phase change material wallboard for passive cooling in building. 2017 , 152, 547-557		50
829	Design and Preparation of the Phase Change Materials Paraffin/Porous Al ₂ O ₃ @Graphite Foams with Enhanced Heat Storage Capacity and Thermal Conductivity. 2017 , 5, 7594-7603		65
828	Graphite foam as interpenetrating matrices for phase change paraffin wax: A candidate composite for low temperature thermal energy storage. 2017 , 172, 324-334		58
827	Polyurethane foams with microencapsulated phase change material: Comparative analysis of thermal conductivity characterization approaches. 2017 , 153, 392-402		27
826	Thermal analysis of a Phase Change Material for a Solar Organic Rankine Cycle. 2017 , 923, 012042		6
825	Dynamic tuning of optical absorbers for accelerated solar-thermal energy storage. 2017 , 8, 1478		101
824	A Review of Phase Change Materials as an Alternative for Solar Thermal Energy Storage. 2017 , 4, 10264-10267	10	
823	Method for the Thermal Characterization of PCM Systems in the Volume Range from 100 ml to 1000 ml. 2017 , 38, 1		5
822	Advances in thermal energy storage materials and their applications towards zero energy buildings: A critical review. <i>Applied Energy</i> , 2017 , 203, 219-239	10.7	184
821	Design, construction and performance testing of a PV blind-integrated Trombe wall module. <i>Applied Energy</i> , 2017 , 203, 643-656	10.7	56
820	Direct Numerical Simulation on Melting Phase Change Behavior in Open-cell Metal Foam. 2017 , 105, 4254-4259		7
819	Effects of sodium chloride on the thermal behavior of oxalic acid dihydrate for thermal energy storage. <i>Applied Energy</i> , 2017 , 185, 762-767	10.7	15
818	Transient freezing of molten salts in pipe-flow systems: Application to the direct reactor auxiliary cooling system (DRACS). <i>Applied Energy</i> , 2017 , 186, 56-67	10.7	7
817	Enhanced thermal conductivity of phase change nanocomposite in solid and liquid state with various carbon nano inclusions. 2017 , 114, 1240-1246		41
816	Influence of internal thermal mass on the indoor thermal dynamics and integration of phase change materials in furniture for building energy storage: A review. 2017 , 69, 19-32		77
815	A complex roof incorporating phase change material for improving thermal comfort in a dedicated test cell. 2017 , 101, 450-461		13
814	Thermal Conductivity of Biocomposite Materials. 2017 , 129-153		2
813	Thermal performance of cascaded thermal storage with phase-change materials (PCMs). Part I: Steady cases. 2017 , 106, 932-944		54

812	Microencapsulated dimethyl terephthalate phase change material for heat transfer fluid performance enhancement. 2017 , 41, 252-262	12
811	Thermal conductivity of cementitious composites containing microencapsulated phase change materials. 2017 , 104, 71-82	52
810	The role of porous metal foam on the unidirectional solidification of saturating fluid for cold storage. <i>Applied Energy</i> , 2017 , 194, 508-521	10.7 62
809	Novel hybrid form-stable polyether phase change materials with good fire resistance. 2017 , 6, 46-52	30
808	Composite of wood-plastic and micro-encapsulated phase change material (MEPCM) used for thermal energy storage. 2017 , 112, 82-88	38
807	Thermal performance of cascaded thermal storage with phase-change materials (PCMs). Part II: Unsteady cases. 2017 , 106, 945-957	45
806	Experimental study on the thermal performance of graphene and exfoliated graphite sheet for thermal energy storage phase change material. 2017 , 647, 15-21	76
805	A polyethylene glycol/hydroxyapatite composite phase change material for thermal energy storage. 2017 , 113, 1475-1482	57
804	Review of current state of research on energy storage, toxicity, health hazards and commercialization of phase changing materials. 2017 , 67, 581-596	152
803	Thermal behavior of a hybrid PCM/plaster: A numerical and experimental investigation. 2017 , 111, 49-59	61
802	High Thermal Resistance Versus High Thermal Capacity. 2017 , 1-18	2
801	Phase change materials for improving the building thermal inertia. 2017 , 139, 744-749	19
800	An Artificial Simulation Environment Experimental Method for Wallboard Experiments. 2017 , 205, 101-107	
799	Numerical modelling of phase-change material used for PV panels cooling. 2017 , 132, 1	5
798	Study on improving the heat storage property of Ba(OH) ₂ ·8H ₂ O with paraffin. 2017 , 4, 125502	2
797	Review on solid-solid phase change materials for thermal energy storage: Molecular structure and thermal properties. 2017 , 127, 1427-1441	180
796	Thermoelectric cooling in combination with photovoltaics and thermal energy storage. 2017 , 125, 02032	1
795	Heat transfer characteristics of coconut oil as phase change material to room cooling application. 2017 , 60, 012027	5

794	Thermal properties of polyacrylonitrile and lauric acid and stearic acid composite fibers. 2017 , 81, 012006	
793	Review on the Applications of Phase Change Materials (PCMs) for Building Envelopes. 2017 , 577-584	
792	Thermal Performance Study of Composite Phase Change Material with Polyacrylicand Conformal Coating. 2017 , 10,	12
791	Synergistically-Enhanced Thermal Conductivity of Shape-Stabilized Phase Change Materials by Expanded Graphite and Carbon Nanotube. 2017 , 7, 574	19
790	Inorganic Salt Hydrate for Thermal Energy Storage. 2017 , 7, 1317	55
789	PCMs for Residential Building Applications: A Short Review Focused on Disadvantages and Proposals for Future Development. 2017 , 7, 78	62
788	Phase Change Material Based Accumulation Panels in Combination with Renewable Energy Sources and Thermoelectric Cooling. 2017 , 10, 152	25
787	Thermal Analysis of a Thermal Energy Storage Unit to Enhance a Workshop Heating System Driven by Industrial Residual Water. 2017 , 10, 219	8
786	A Method for Thermal Dimensioning and for Energy Behavior Evaluation of a Building Envelope PCM Layer by Using the Characteristic Days. 2017 , 10, 659	27
785	The Mutual Impact of Demand Response Programs and Renewable Energies: A Survey. 2017 , 10, 1353	10
784	Improving an Integer Linear Programming Model of an Ecovat Buffer by Adding Long-Term Planning. 2017 , 10, 2039	4
783	The Influence of Thermal Mass on the Cooling off Process of Buildings. 2017 ,	6
782	A NEW PHASE-CHANGE MATERIAL EXPERIMENTAL METHOD AND THERMAL BEHAVIOR CALCULATION METHOD. 2017 , 82, 853-862	
781	SIMULATION OF THERMAL ENERGY STORAGE: STUDY OF SYSTEM OF PHASE CHANGE MATERIALS INCORPORATED INTO BUILDING BRICKS. 2017 , 41, 417-431	2
780	Foamlike 3D Graphene Coatings for Cooling Systems Involving Phase Change. 2018 , 3, 2804-2811	22
779	An innovative apparatus for simulating daily temperature for investigating thermal performance of wallboards incorporating PCMs. 2018 , 167, 1-7	12
778	Experimental heat transfer analysis of macro packed neopentylglycol with CuO nano additives for building cooling applications. 2018 , 17, 1-10	25
777	Design and functionality of a segmented heat-storage prototype utilizing stable supercooling of sodium acetate trihydrate in a solar heating system. <i>Applied Energy</i> , 2018 , 221, 522-534	10.7 34

776	Storing solar energy within Ag-Paraffin@Halloysite microspheres as a novel self-heating catalyst. <i>Applied Energy</i> , 2018 , 222, 180-188	10.7	65
775	Fabrication of shape-stable composite phase change materials based on lauric acid and graphene/graphene oxide complex aerogels for enhancement of thermal energy storage and electrical conduction. 2018 , 664, 1-15		45
774	Investigating the effect of graphene nanoplatelets on the thermal conductivity of $KAl(SO_4)_2 \cdot 12H_2O$. 2018 , 5, 045513		2
773	Optimal chiller loading for saving energy by exchange market algorithm. 2018 , 169, 245-253		36
772	Thermal field and heat storage in a cyclic phase change process caused by several moving melting and solidification interfaces in the layer. 2018 , 129, 462-488		27
771	Numerical study on the effects of fins and nanoparticles in a shell and tube phase change thermal energy storage unit. <i>Applied Energy</i> , 2018 , 216, 142-156	10.7	90
770	Using silicagel industrial wastes to synthesize polyethylene glycol/silica-hydroxyl form-stable phase change materials for thermal energy storage applications. 2018 , 178, 139-145		42
769	Fabrication and characterization of diethylene glycol hexadecyl ether-grafted graphene oxide as a form-stable phase change material. 2018 , 661, 166-173		8
768	Multifunctional smart concretes with novel phase change materials: Mechanical and thermo-energy investigation. <i>Applied Energy</i> , 2018 , 212, 1448-1461	10.7	69
767	Experimental Study of Thermal Performance of a Reduced Scale Cavity Equipped With Phase Change Material: Study of the Optimal Phase Change Material Layer Location. 2018 , 140,		1
766	Energy benefits of cement-based plaster containing hybrid phase-change material. 2018 , 171, 117-125		1
765	Improving indoor thermal comfort by using phase change materials: A review. 2018 , 42, 2084-2103		53
764	Temperature stabilization using salt hydrate storage system to achieve thermal comfort in prefabricated wooden houses. 2018 , 164, 48-60		14
763	Solar energy latent thermal storage by phase change materials (PCMs) in a honeycomb system. 2018 , 6, 410-420		21
762	Paraffin/expanded graphite phase change composites with enhanced thermal conductivity prepared by implanted SiC nanowires with chemical vapor deposition method. 2018 , 5, 025503		4
761	A basic study on Thermosyphon-type thermal storage unit (TSU) using Nanofluid as the heat transfer medium. 2018 , 54, 1427-1440		1
760	Size-dependent thermal properties of multi-walled carbon nanotubes embedded in phase change materials. 2018 , 132, 631-641		17
759	Effectiveness of the phase change material-based thermal energy storage integrated with the conventional cooling systems of the buildings [A review]. 2018 , 232, 735-766		5

758	Thermal and optical characterisation of dynamic shading systems with PCMs through laboratory experimental measurements. 2018 , 163, 92-110	12
757	Productivity enhancement of solar still by PCM and Nanoparticles miscellaneous basin absorbing materials. 2018 , 433, 186-198	58
756	Latent Heat Thermal Energy Storage Systems with Solid-Liquid Phase Change Materials: A Review. 2018 , 20, 1700753	177
755	Preparation and properties of fatty acids based thermal energy storage aggregate concrete. 2018 , 165, 1-10	39
754	Prediction of the properties of eutectic fatty acid phase change materials. 2018 , 660, 94-100	32
753	The role of vegetable oil in water based phase change materials for medium temperature refrigeration. 2018 , 15, 368-378	12
752	Study of the Crystallization and Melting Behavior of a Latent Heat Storage by Computed Tomography. 2018 , 90, 366-371	2
751	Concrete as a thermal mass material for building applications - A review. 2018 , 19, 14-25	56
750	Confinement effect on enthalpy of fusion and melting point of organic phase change materials in cylindrical nanospace of mesoporous silica and carbon. 2018 , 24, 345-355	12
749	Study of Phase Change materials and its domestic application. 2018 , 5, 3411-3417	26
748	Thermal enhancement of paraffin/hydrophobic expanded perlite granular phase change composite using graphene nanoplatelets. 2018 , 169, 206-215	37
747	Fabrication of polymer capsules by an original multifunctional, active, amphiphilic macromolecule, and its application in preparing PCM microcapsules. 2018 , 42, 6457-6463	9
746	Using Phase Change Materials (PCMs) to Reduce Energy Consumption in Buildings. 2018 , 464-471	
745	Fabrication of $\text{CaCl}_2 \cdot 6\text{H}_2\text{O}/\text{Na}_2\text{SiO}_3 \cdot 9\text{H}_2\text{O}$ composite phase change material for floor heating system. 2018 , 5, 065524	6
744	Fundamental incorporation of the density change during melting of a confined phase change material. 2018 , 123, 085105	7
743	Experimental validation of an electrical and thermal energy demand model for rapid assessment of rural health centers in sub-Saharan Africa. <i>Applied Energy</i> , 2018 , 218, 382-390	10.7 5
742	Assessing domestic heat storage requirements for energy flexibility over varying timescales. 2018 , 136, 602-616	11
741	Impact of solar energy on the energy balance of attic rooms in high latitude countries. 2018 , 136, 548-559	9

740	Enhanced thermal conductivity of phase change material nanocomposites based on MnO ₂ nanowires and nanotubes for energy storage. 2018 , 180, 158-167	43
739	Occupational heat stress assessment and protective strategies in the context of climate change. 2018 , 62, 359-371	68
738	Experimental investigation of free cooling using phase change material-filled air heat exchanger for energy efficiency in buildings. 2018 , 12, 139-149	14
737	Preparation and characterization of capric-palmitic-stearic acid ternary eutectic mixture/expanded vermiculite composites as form-stabilized thermal energy storage materials. 2018 , 34, 379-386	34
736	Experimental Study of Heat Transfer in a Reduced Scale Cavity Incorporating Phase Change Material Into Its Vertical Walls. 2018 , 10,	8
735	Thermal characterization of insulating materials. 2018 , 82, 1765-1773	20
734	Preparation and Properties of Stearic Acid/Acetamide Eutectic Mixture/Expanded Graphite Composite Phase-Change Material for Thermal Energy Storage. 2018 , 6, 153-160	10
733	Applications of low temperature calorimetry in material research. 2018 , 29, 664-670	5
732	Microencapsulated myristic acid fly ash with TiO ₂ shell as a novel phase change material for building application. 2018 , 131, 2373-2380	22
731	Thermodynamic analysis and optimization of multistage latent heat storage unit under unsteady inlet temperature based on entransy theory. <i>Applied Energy</i> , 2018 , 227, 488-496	10.7 14
730	Active and passive cooling methods for dwellings: A review. 2018 , 82, 531-544	71
729	Thermal inertia in buildings: A review of impacts across climate and building use. 2018 , 82, 2300-2318	158
728	Solid-liquid phase change investigation through a double pipe heat exchanger dealing with time-dependent boundary conditions. 2018 , 128, 725-736	13
727	Preparation, Thermophysical Studies, and Corrosion Analysis of a Stable Capric Acid/Cetyl Alcohol Binary Eutectic Phase Change Material for Cold Thermal Energy Storage. 2018 , 6, 397-405	20
726	Advances in low to medium temperature non-concentrating solar thermal technology. 2018 , 82, 2066-2093	14
725	Optical properties of paraffin at temperature range from 40 to 80 °C. 2018 , 157, 184-189	10
724	Two- and three-dimensional graphene-based hybrid composites for advanced energy storage and conversion devices. 2018 , 6, 702-734	106
723	Life cycle analysis (LCA) and life cycle cost analysis (LCCA) of phase change materials (PCM) for thermal applications: A review. 2018 , 42, 3068-3077	29

722	Numerical and experimental research of cold storage for a novel expanded perlite-based shape-stabilized phase change material wallboard used in building. 2018 , 155, 20-31	89
721	Critical review of latent heat storage systems for free cooling in buildings. 2018 , 82, 2843-2868	114
720	Advanced low-carbon energy measures based on thermal energy storage in buildings: A review. 2018 , 82, 3705-3749	62
719	PCM thermal energy storage in solar heating of ventilation air—Experimental and numerical investigations. 2018 , 37, 104-115	38
718	Water insensitive and solvent-free synthesis of biodegradable solid-solid phase change materials based on poly (ethylene glycol) for thermal energy storage. 2018 , 37, 3818-3830	3
717	Preparation and hygrothermal performance of composite phase change material wallboard with humidity control based on expanded perlite/diatomite/paraffin. 2018 , 25, 2387-2398	9
716	A Numerical Method for Analysing Heat Conduction in Composites Containing Encapsulated Phase Change Materials. 2018 , 237, 02012	
715	Energy security and energy storage technologies. 2018 , 155, 237-258	40
714	A Heuristic Approach to Control the Ecovat System. 2018 ,	0
713	Fluid Properties of Microencapsulated Phase Change Material Slurries. 2018 ,	
712	Numerical investigation on the utilization of phase change material (PCM) to reduce building HVAC energy consumption. 2018 ,	0
711	Effective Separation of a Water in Oil Emulsion from a Direct Contact Latent Heat Storage System. 2018 , 11, 2264	4
710	Preparation and Thermal Performance Enhancement of Low Temperature Eutectic Composite Phase Change Materials Based on NaBO ₂ ·OH ₂ . 2018 , 11,	13
709	. 2018 ,	5
708	Impregnation of Wood with Microencapsulated Bio-Based Phase Change Materials for High Thermal Mass Engineered Wood Flooring. 2018 , 8, 2696	18
707	uHuMEB: Design, Construction, and Management Methodology of Minimum Energy Buildings in Subtropical Climates. 2018 , 11, 2745	11
706	Integration of the PCM with intra-ventilation for improved thermal and inertial characteristics of the building envelope. 2018 , 84, 30901	
705	. 2018 ,	

704	Numerical Investigation of Energy Saving Characteristic in Building Roof Coupled with PCM Using Lattice Boltzmann Method with Economic Analysis. 2018 , 8, 1739	4
703	Crystallization by local cooling of supercooled sodium acetate trihydrate composites for long-term heat storage. 2018 , 180, 159-171	19
702	Numerical Thermal Characterization and Performance Metrics of Building Envelopes Containing Phase Change Materials for Energy-Efficient Buildings. 2018 , 10, 2657	6
701	Experimental, quantum chemical calculations and molecular dynamics (MD) simulation studies of methionine and valine as corrosion inhibitors on carbon steel in phase change materials (PCMs) solution. 2018 , 272, 528-538	25
700	Model predictive control strategy applied to different types of building for space heating. <i>Applied Energy</i> , 2018 , 231, 959-971	10.7 32
699	A methodological concept for phase change material selection based on multi-criteria decision making (MCDM): A case study. 2018 , 165, 1085-1096	41
698	An experimental study on the effect of a rock-bed heating system on the microclimate and the crop development under canarian greenhouse. 2018 , 176, 42-50	27
697	The Use of the Photovoltaic System in Combination With a Thermal Energy Storage for Heating and Thermoelectric Cooling. 2018 , 8, 1750	6
696	Fabrication and characterization of polyurethane foams containing phase change materials for thermal energy storage. 2018 , 670, 55-60	7
695	Theoretical and Experimental Contributions on the Use of Smart Composite Materials in the Construction of Civil Buildings with Low Energy Consumption. 2018 , 11, 2310	12
694	A comprehensive review on a passive (phase change materials) and an active (thermoelectric cooler) battery thermal management system and their limitations. 2018 , 401, 224-237	88
693	Solar-driven phase change microencapsulation with efficient Ti4O7 nanoconverter for latent heat storage. 2018 , 53, 579-586	85
692	Nanoconfinement effects on thermal properties of nanoporous shape-stabilized composite PCMs: A review. 2018 , 53, 769-797	178
691	Progress in thermochemical energy storage for concentrated solar power: A review. 2018 , 42, 4546-4561	30
690	Financial viability of PCMs in countries with low energy cost: A case study of different climates in Iran. 2018 , 173, 128-137	30
689	Experimental and computational investigation of a latent heat energy storage system with a staggered heat exchanger for various phase change materials. 2018 , 7, 87-98	35
688	Experimental investigation of the charge/discharge process for an organic PCM macroencapsulated in an aluminium rectangular cavity. 2018 , 32, 01004	7
687	Graphene embedded form stable phase change materials for drawing the thermo-electric energy harvesting. 2018 , 169, 88-96	54

686	Synthesis and thermal properties of poly(acrylonitrile-co-allyl glycidyl ether)-graft-methoxypoly(ethylene glycol) copolymers as novel solid-solid phase-change materials for thermal energy storage. 2018 , 135, 46641	4
685	A Review of Internet of Energy Based Building Energy Management Systems: Issues and Recommendations. 2018 , 6, 38997-39014	95
684	Investigation of different materials for macroencapsulation of salt hydrate phase change materials for building purposes. 2018 , 180, 512-518	21
683	Energy Analysis of a Complementary Heating System Combining Solar Energy and Coal for a Rural Residential Building in Northwest China. 2018 , 2018, 2158205	
682	Coupled cooling method for multiple latent heat thermal storage devices combined with pre-cooling of envelope: Model development and operation optimization. 2018 , 159, 508-524	7
681	Preparation, properties and characterisation of microemulsion PCM slurry. 2018 , 13, 1132-1135	4
680	Liquid Crystals as Phase Change Materials for Thermal Stabilization. 2018 , 2018, 1-8	
679	Flexible phase change materials for thermal storage and temperature control. 2018 , 353, 920-929	45
678	Nanoclay and polymer-based nanocomposites: Materials for energy efficiency. 2018 , 75-103	6
677	Virtual energy storage capacity estimation using ANN-based kWh modelling of refrigerators. 2018 , 1, 31-39	10
676	Phase Change Materials in Transparent Building Envelopes: A Strengths, Weakness, Opportunities and Threats (SWOT) Analysis. 2018 , 11, 111	27
675	Nanoparticles and Metal Foam in Thermal Control and Storage by Phase Change Materials. 2018 , 859-883	4
674	Application of a PCM-rich concrete overlay to control thermal induced curling stresses in concrete pavements. 2018 , 183, 502-512	19
673	A practical ranking system for evaluation of industry viable phase change materials for use in concrete. 2018 , 177, 272-286	16
672	Novel Formulations of Phase Change Materials-Epoxy Composites for Thermal Energy Storage. 2018 , 11,	16
671	Preparation and Performance Analysis of Modified Sodium Acetate Trihydrate. 2018 , 11,	11
670	A Comprehensive Review of Thermal Energy Storage. 2018 , 10, 191	368
669	Lattice Boltzmann simulation of melting in a cubical cavity with a local heat-flux source. 2018 , 127, 497-506	18

668	Study on Graphene Oxide Modified Inorganic Phase Change Materials and Their Packaging Behavior. 2018 , 33, 788-792	8
667	Passive Building Walls. 2018 , 1165-1201	
666	On a theory for system-level cooling of close electronics enclosures by PCM-filled heat sinks: Exact solution and second law performance limits. 2018 , 127, 535-543	1
665	Parametric analysis of using PCM walls for heating loads reduction. 2018 , 172, 328-336	50
664	Transient thermal response of phase change material embedded with graphene nanoplatelets in an energy storage unit. 2018 , 133, 907-918	13
663	Front tracking in modelling of latent heat thermal energy storage: Assessment of accuracy and efficiency, benchmarking and GPU-based acceleration. 2018 , 155, 297-311	7
662	Fabrication and characterization of poly(melamine-formaldehyde)/silicon carbide hybrid microencapsulated phase change materials with enhanced thermal conductivity and light-heat performance. 2018 , 183, 82-91	49
661	A review on macro-encapsulated phase change material for building envelope applications. 2018 , 144, 281-294	117
660	Inclusion of Phase-Change Materials in Submicron Silica Capsules Using a Surfactant-Free Emulsion Approach. 2018 , 34, 10397-10406	17
659	A comprehensive study of properties of paraffin phase change materials for solar thermal energy storage and thermal management applications. 2018 , 162, 1169-1182	73
658	Thermal and microstructural properties of paraffin/diatomite composite. 2018 , 157, 136-144	21
657	Binary shape-stabilized phase change materials based on poly(ethylene glycol)/polyurethane composite with dual-phase transition. 2018 , 53, 16539-16556	15
656	Laboratory assessment of residential building walls containing pipe-encapsulated phase change materials for thermal management. 2018 , 163, 383-391	34
655	Lauric Acid Hybridizing Fly Ash Composite for Thermal Energy Storage. 2018 , 8, 161	8
654	Copper foam/PCMs based heat sinks: An experimental study for electronic cooling systems. 2018 , 127, 381-393	130
653	Experimental investigation on nEctadecane/polystyrene/expanded graphite composites as formEtable thermal energy storage materials. 2018 , 157, 625-632	42
652	Experimental and numerical study of thermal performance of the PCM wall with solar radiation. 2018 , 177, 443-456	17
651	A literature review of night ventilation strategies in buildings. 2018 , 173, 337-352	66

650	Multiresponsive Graphene-Aerogel-Directed Phase-Change Smart Fibers. 2018 , 30, e1801754	172
649	A shape-stabilized MgCl ₂ ·6H ₂ O/Mg(NO ₃) ₂ ·6H ₂ O/expanded graphite composite phase change material with high thermal conductivity and stability. 2018 , 48, 1131-1138	6
648	4.3 Heat Pipes. 2018 , 70-97	4
647	Numerical and experimental study on the use of microencapsulated phase change materials (PCMs) in textile reinforced concrete panels for energy storage. 2018 , 41, 455-468	54
646	Enhancement of thermal conductivity of Ba(OH) ₂ ·8H ₂ O phase change material by graphene nanoplatelets. 2018 , 5, 065522	10
645	Predicting microcapsules morphology and encapsulation efficiency by combining the spreading coefficient theory and polar surface energy component. 2018 , 554, 49-59	7
644	Energy demand flexibility in buildings and district heating systems – a literature review. 2019 , 13, 241-263	3
643	Numerical Study of Convection Melting Inside Ice Storage Systems by the Lattice Boltzmann Model. 2019 , 40, 1709-1721	1
642	Impregnation of PCMs in Building Materials. 2019 , 17-34	
641	Application and sensitivity analysis of the phase change material hysteresis method in EnergyPlus: A case study. 2019 , 162, 114222	25
640	The use of a PCM heat accumulator to improve the efficiency of the district heating substation. 2019 , 187, 115885	12
639	Symmetrical Fatty Dialkyl Carbonates as Potential Green Phase Change Materials: Synthesis and Characterisation. 2019 , 89, 1513-1518	0
638	Thermal performance and energy efficiency of building integrated with PCMs in hot desert climate region. 2019 , 189, 357-371	41
637	Comparative study of natural convection melting inside a cubic cavity using an improved two-relaxation-time lattice Boltzmann model. 2019 , 143, 118449	14
636	Recent developments in the synthesis of microencapsulated and nanoencapsulated phase change materials. 2019 , 24, 100821	48
635	Design of diatomite-based hydrated salt composites with low supercooling degree and enhanced heat transfer for thermal energy storage. 2019 , 43, 7058-7074	13
634	Thermal performance enhancement of a phase change material with expanded graphite via ultrasonication. 2019 , 79, 437-442	14
633	Potential of macroencapsulated PCM for thermal energy storage in buildings: A comprehensive review. 2019 , 225, 723-744	133

632	Experimental and numerical study on the performance of a built-middle PV Trombe wall system. 2019 , 200, 47-57	21
631	Experimental investigation of thermal properties and moisture buffering performance of composite interior finishing materials under different airflow conditions. 2019 , 160, 106175	9
630	Thermal performance difference of phase change energy storage units based on tubular macro-encapsulation. 2019 , 50, 101662	6
629	Development of a math module of shell and tube phase-change energy storage system used in TRNSYS. 2019 , 183, 428-436	4
628	Effect of accumulation elements on the energy consumption of wood constructions. 2019 , 198, 160-169	15
627	Micro/nano-encapsulated phase change materials (PCMs) as emerging materials for the food industry. 2019 , 91, 116-128	94
626	Precise time-domain expanding boundary element method for solving phase change problems. 2019 , 76, 203-223	3
625	A novel multiwalled LiF@GO@SiO ₂ microcapsule with high phase change temperature. 2019 , 203, 110188	6
624	Synthesis of organic phase change materials (PCM) for energy storage applications: A review. 2019 , 20, 100399	72
623	Thermal behavior of a vertical green facade and its impact on the indoor and outdoor thermal environment. 2019 , 204, 109502	37
622	. 2019 ,	13
621	The influence of building material, windows and insulators on energy saving in different climate zones in Iran. 2019 , 3, 283-289	1
620	Numerical Study of Application of PCM for a Passive Thermal Energy Storage System for Space Cooling in Residential Buildings. 2019 , 603, 042011	2
619	A numerical model to investigate non-gray photothermal characteristics of paraffin-containing glazed windows. 2019 , 194, 225-238	13
618	The impact of ETC/PCM solar energy storage on the energy performance of a building. 2019 , 116, 00073	2
617	Polyethylene glycol supported by phosphorylated polyvinyl alcohol/graphene aerogel as a high thermal stability phase change material. 2019 , 179, 107545	56
616	Overheating mitigation in buildings: a computational exploration of the potential of phase change materials. 2019 , 282, 02028	1
615	Current Diatom Research in China. 2019 , 43-98	1

614	Thermal and mechanical properties of PCM-incorporated normal and lightweight concretes containing silica fume. 2019 , 46, 643-656	5
613	Advanced functional materials for soft robotics: tuning physicochemical properties beyond rigidity control. 2019 , 2, 042001	6
612	A PCM based cooling system for office buildings: a state of the art review. 2019 , 111, 01026	1
611	Research Status and Development Trend of Solar Heating Technology. 2019 , 300, 042081	0
610	Phase Change Materials (PCM) for Solar Energy Usages and Storage: An Overview. 2019 , 12, 3167	108
609	Effects of Pressure-Induced Density Changes in the Thermal Energy Absorbed by a Micro-Encapsulated Phase-Change Material. 2019 , 24,	5
608	The influence of channels per square inch on the freezing progress of the square copper column array water composite PCM. 2019 , 26, 100848	4
607	Synthesis and characterization of microencapsulated sodium sulfate decahydrate as phase change energy storage materials. <i>Applied Energy</i> , 2019 , 255, 113830	10.7 16
606	Preparation of a PCM Microcapsule with a Graphene Oxide Platelet-Patched Shell and Its Thermal Camouflage Applications. 2019 , 58, 19090-19099	13
605	Effect of water flow in a solar still using novel materials. 2019 , 1	10
604	Effect of microencapsulated phase change materials on the flow behavior of cement composites. 2019 , 202, 353-362	17
603	Compounding $MgCl_2 \cdot 6H_2O$ with $NH_4Al(SO_4)_2 \cdot 12H_2O$ or $KAl(SO_4)_2 \cdot 12H_2O$ to Obtain Binary Hydrated Salts as High-Performance Phase Change Materials. 2019 , 24,	9
602	Form-stable phase change materials based on castor oil and palmitic acid for renewable thermal energy storage. 2019 , 137, 1225-1232	14
601	Dynamic simulation of a cooling, heating and power system based on adiabatic compressed air energy storage. 2019 , 138, 326-339	23
600	Reviewing Theoretical and Numerical Models for PCM-embedded Cementitious Composites. 2019 , 9, 3	14
599	Preparation of porous carbonized woods impregnated with lauric acid as shape-stable composite phase change materials. 2019 , 150, 967-976	46
598	Polyethylene glycol/halloysite@Ag nanocomposite PCM for thermal energy storage: Simultaneously high latent heat and enhanced thermal conductivity. 2019 , 193, 237-245	69
597	Facile Preparation of Calcium Stearoyl Lactylate as Solid-Liquid Phase Change Materials with Improved Form Stability and Adjustable Phase Transition Temperature for Thermal Comfort. 2019 , 38, 13136	2

596	Thermal building control using active ventilated block integrating phase change material. 2019 , 187, 50-63		29
595	Lauric-stearic acid eutectic mixture/carbonized biomass waste corn cob composite phase change materials: Preparation and thermal characterization. 2019 , 674, 21-27		36
594	Comparative study on dynamic heat transfer characteristics of CaCl ₂ ·6H ₂ O and Na ₂ SO ₄ ·10H ₂ O used in PCM-filled glass window. 2019 , 25, 905-913		0
593	Latent heat storage biocomposites of phase change material-biochar as feasible eco-friendly building materials. 2019 , 172, 637-648		34
592	Thermo and light-responsive phase change nanofibers with high energy storage efficiency for energy storage and thermally regulated on/off drug release devices. 2019 , 375, 121979		35
591	Thermal enhanced cement-lime mortars with phase change materials (PCM), lightweight aggregate and cellulose fibers. 2019 , 221, 586-594		28
590	Carbon Soot/nCarboxylic Acids Composites As Form-stable Phase Change Materials For Thermal Energy Storage. 2019 , 4, 7108-7115		1
589	Synthesis and characterization of ditetradecyl succinate and dioctadecyl succinate as novel phase change materials for thermal energy storage. 2019 , 200, 110006		4
588	Exergy and energy comparison of organic phase change materials based thermal energy storage system integrated with engine exhaust. 2019 , 24, 100773		12
587	A numerical study on optimizing the designs of applying PCMs to a disaster-relief prefabricated temporary-house (PTH) to improve its summer daytime indoor thermal environment. 2019 , 181, 239-249		12
586	Multifunctional Metallic Nanowires in Advanced Building Applications. 2019 , 12,		13
585	Carbon-Filled Organic Phase-Change Materials for Thermal Energy Storage: A Review. 2019 , 24,		27
584	System performance and economic assessment of a thermal energy storage based air-conditioning unit for transport applications. <i>Applied Energy</i> , 2019 , 251, 113254	10.7	16
583	Thermal behaviour of wallboard incorporating a binary mixture as a phase change material. 2019 , 25, 100820		4
582	Passive cooling techniques for building and their applicability in different climatic zones—the state of art. 2019 , 198, 467-490		88
581	Thermal and dynamic mechanical properties of polyethylene glycol/quartz composites for phase change materials. 2019 , 136, 48130		9
580	Experimental Study of the Thermal Properties of Microencapsulated Palmitic Acid Composites with CuCO ₃ Shell as Thermal Energy Storage Materials. 2019 , 4, 6501-6505		4
579	The micro-/nano-PCMs for thermal energy storage systems: A state of art review. 2019 , 43, 5572-5620		47

578	Phase Change Materials for Energy Efficiency in Buildings and Their Use in Mortars. 2019 , 12,	53
577	Physical properties of high-temperature solid alkali chlorides by molecular dynamics simulation using a recent EIM interatomic potential. 2019 , 33, 1950088	2
576	Epoxy?PCM Composites with Nanocarbons or Multidimensional Boron Nitride as Heat Flow Enhancers. 2019 , 24,	8
575	Design Considerations for Borehole Thermal Energy Storage (BTES): A Review with Emphasis on Convective Heat Transfer. 2019 , 2019, 1-26	24
574	Integrating phase change materials in construction materials: Critical review. 2019 , 217, 36-49	86
573	Efficient Solar-to-Thermal Energy Conversion and Storage with High-Thermal-Conductivity and Form-Stabilized Phase Change Composite Based on Wood-Derived Scaffolds. 2019 , 12, 1283	8
572	Encapsulated Phase Change Material Embedded by Graphene Powders for Smart and Flexible Thermal Response. 2019 , 20, 545-554	14
571	Optimization and sensitivity analysis of design parameters for a ventilation system using phase change materials. 2019 , 12, 961-971	5
570	Influence of NiTi alloy phase change heat-storage particles on thermophysical parameters, phase change heat-storage thermoregulation effect, and pavement performance of asphalt mixture. 2019 , 141, 431-443	16
569	Effect of Dy ₂ O ₃ on thermal properties of adipic acid (AA) as phase-change materials. 2019 , 138, 2999-3005	2
568	Analysis of underfloor electrical heating system integrated with coconut oil-PCM plates. 2019 , 158, 113778	13
567	Efficient Characterization of Macroscopic Composite Cement Mortars with Various Contents of Phase Change Material. 2019 , 9, 1104	9
566	Experimental Research on Using Form-stable PCM-Integrated Cementitious Composite for Reducing Overheating in Buildings. 2019 , 9, 57	12
565	Rheological Issues of Phase Change Materials Obtained by the Complex Coacervation of Butyl Stearate in Poly Methyl Methacrylate Membranes. 2019 , 12, 917	6
564	Tetradecyl oxalate and octadecyl oxalate as novel phase change materials for thermal energy storage. 2019 , 185, 341-349	3
563	Thermal and rheological characterization of bitumen modified with microencapsulated phase change materials. 2019 , 215, 171-179	25
562	Applications of cascaded phase change materials in solar water collector storage tanks: A review. 2019 , 199, 24-49	78
561	Review on micro/nano phase change materials for solar thermal applications. 2019 , 140, 513-538	109

560	Thermal conductivity and mechanical properties of a shape-stabilized paraffin/recycled cement paste phase change energy storage composite incorporated into inorganic cementitious materials. 2019 , 99, 165-174		14
559	Development of new nano-enhanced phase change materials (NEPCM) to improve energy efficiency in buildings: Lab-scale characterization. 2019 , 192, 75-83		26
558	Wearable and Smart Responsive Textiles. 2019 , 439-473		
557	Thermal expansion effects on the one-dimensional liquid-solid phase transition in high temperature phase change materials. 2019 , 9, 025125		5
556	Experimental investigation on CO ₂ hydrate formation/dissociation for cold thermal energy harvest and transportation applications. <i>Applied Energy</i> , 2019 , 242, 1358-1368	10.7	19
555	A real-time experimental investigation of building integrated thermal energy storage with air-conditioning system for indoor temperature regulation. 2019 , 1, e43		9
554	A solar combi-system utilizing stable supercooling of sodium acetate trihydrate for heat storage: Numerical performance investigation. <i>Applied Energy</i> , 2019 , 242, 1108-1120	10.7	17
553	Thermal characteristics on melting/solidification of low temperature PCM balls packed bed with air charging/discharging. 2019 , 14, 100431		15
552	Phase Change Material Wallboard (PCMW) melting temperature optimisation for passive indoor temperature control. 2019 , 139, 507-514		31
551	Red-mud geopolymers composite encapsulated phase change material for thermal comfort in built-sector. 2019 , 181, 464-474		23
550	Energy saving performance assessment and lessons learned from the operation of an active phase change materials system in a multi-storey building in Melbourne. <i>Applied Energy</i> , 2019 , 238, 1582-1595	10.7	36
549	Evaluation of the potential use of form-stable phase change materials to improve the freeze-thaw resistance of concrete. 2019 , 203, 621-632		11
548	Self-luminous wood composite for both thermal and light energy storage. 2019 , 18, 15-22		29
547	Preparation, characterization, thermal energy storage properties and temperature control performance of form-stabilized sepiolite based composite phase change materials. 2019 , 188-189, 111-119		50
546	Thermal performance of a packed bed double pass solar air heater with a latent heat storage system: an experimental investigation. 2019 , 17, 203-213		8
545	Novel PCM Integration with Electrical Heat Pump for Demand Response. 2019 ,		1
544	The Influence of an Integrated Driving on the Performance of Different Passive Heating and Cooling Methods for Buildings. 2019 , 9, 224		4
543	Thermally-pressurized sorption heat storage cycle with low charging temperature. 2019 , 189, 116304		8

542	Demand side management in district heating systems by innovative control. 2019 , 188, 116037	20
541	Experimental study on thermal performance of xylitol in a latent heat storage combined with sensible heat storage. 2019 ,	1
540	Thermal Performance and Interfacial Aspects of Kaolinite-Based Stearic Acid Composite in the Presence of Nitric Acid. 2019 , 4, 13109-13114	
539	Thermal Energy Storage with Phase Change Materials. 2019 ,	8
538	Thermal energy storage characterization of cement-based systems containing microencapsulated-PCMs. 2019 , 199, 307-320	24
537	Development of vacuum impregnation equipment and preparation of mass/uniform shape-stabilized phase change materials. 2019 , 132, 817-824	9
536	Developing a poly(ethylene glycol)/cellulose phase change reactive composite for cooling application. 2019 , 191, 345-349	20
535	Alkenones as renewable phase change materials. 2019 , 134, 89-94	15
534	Effects of various carbon additives on the thermal storage performance of form-stable PCM integrated cementitious composites. 2019 , 148, 491-501	38
533	Thermal energy storage system for efficient diesel exhaust aftertreatment at low temperatures. <i>Applied Energy</i> , 2019 , 235, 874-887	10.7 27
532	Experiment study on thermal performance of building integrated with double layers shape-stabilized phase change material wallboard. 2019 , 167, 1164-1180	42
531	Preparation of beeswax/multi-walled carbon nanotubes as novel shape-stable nanocomposite phase-change material for thermal energy storage. 2019 , 21, 32-39	67
530	Analysis of walls of functional gypsum board added with porous material and phase change material to improve hygrothermal performance. 2019 , 183, 803-816	27
529	Review and selection of EPCM as TES materials for building applications. 2019 , 38, 561-582	1
528	Energetic and exergetic investigation on lauric and stearic acid phase-change materialBased thermal energy storage system integrated with engine exhaust. 2019 , 48, 1093-1108	6
527	Thermal performance analysis of phase change materials composed of double layers considering heating and cooling period. 2019 , 72, 255-264	6
526	EG-based coatings for flame retardance of shape stabilized phase change materials. 2019 , 161, 114-120	21
525	Melting and solidification characteristics of a double-pipe latent heat storage system with sinusoidal wavy channels embedded in a porous medium. 2019 , 171, 751-769	49

524	Thermal conductivity enhancement of phase change materials with 3D porous diamond foam for thermal energy storage. <i>Applied Energy</i> , 2019 , 233-234, 208-219	10.7	132
523	vegetable fat: A low-cost bio-based phase change material for thermal energy storage in buildings. 2019 , 21, 222-229		28
522	Evaluation of the Energy-Efficiency of an Aerated Slurry-Infiltrated Mesh Building System with Biomass-Based Insulation. 2019 , 133, 797-806		4
521	Synthesis and thermal properties of a capric acid-modified expanded vermiculite phase change material. 2019 , 54, 2231-2240		14
520	Life cycle and life cycle cost implications of integrated phase change materials in office buildings. 2019 , 43, 150-166		23
519	Lattice Boltzmann simulation of melting of a phase change material confined within a cylindrical annulus with a conductive inner wall using a body-fitted non-uniform mesh. 2019 , 136, 549-561		2
518	Preparation and performance of shape-stable phase change materials based on carbonized-abandoned orange peel and paraffin. 2019 , 27, 289-298		5
517	Ethylene-Propylene Terpolymer-Modified Polyethylene-Based Phase Change Material with Enhanced Mechanical and Thermal Properties for Building Application. 2019 , 58, 179-186		11
516	Performance of glass fiber-reinforced cement composites containing phase change materials. 2019 , 38, e13061		3
515	Thermally activated wall panels with microencapsulated PCM: comparison of 1D and 3D models. 2019 , 12, 404-419		6
514	Effect of particle size on the thermal performance of NaNO ₃ /SiO ₂ /C composite phase-change materials. 2019 , 44, 169-175		3
513	An innovative PCM system for thermal comfort improvement and energy demand reduction in building under different climate conditions. 2019 , 44, 120-129		70
512	Preparation of modified sodium acetate trihydrate and the thermodynamic analysis. 2019 , 136, 1173-1183		9
511	Review on heat transfer analysis in thermal energy storage using latent heat storage systems and phase change materials. 2019 , 43, 29-64		96
510	A Novel Thermal Energy Storage System in Smart Building Based on Phase Change Material. 2019 , 10, 2846-2857		27
509	Thermal energy storage. <i>Applied Energy</i> , 2019 , 240, A1-A6	10.7	10
508	Numerical study of PCM integration impact on overall performances of a highly building-integrated solar collector. 2019 , 137, 10-19		19
507	Modeling of solidification including supercooling effects in a fin-tube heat exchanger based latent heat storage. 2020 , 200, 10-21		18

506	Adjustment of indoor temperature using internal thermal mass under different tropical weather conditions. 2020 , 26, 115-127	3
505	Study on thermal insulation characteristics and optimized design of pipe-embedded ventilation roof with outer-layer shape-stabilized PCM in different climate zones. 2020 , 147, 1609-1622	15
504	Solar Energy. 2020 ,	3
503	Climatic and seasonal suitability of phase change materials coupled with night ventilation for office buildings in Western China. 2020 , 147, 356-373	34
502	Thermal performance evaluation and optimal design of building roof with outer-layer shape-stabilized PCM. 2020 , 145, 2538-2549	35
501	Numerical modelling of phase change material melting process embedded in porous media: Effect of heat storage size. 2020 , 234, 365-383	28
500	Effect of phase change material integration in clay hollow brick composite in building envelope for thermal management of energy efficient buildings. 2020 , 43, 351-364	16
499	Review of Encapsulated Salt Hydrate Core-Shell Phase Change Materials. 2020 , 37, 85-96	14
498	Performance analysis of concrete block integrated with PCM for thermal management. 2020 , 22, 370-374	7
497	Numerical simulation and thermal performance of hybrid brick walls embedding a phase change material for passive building applications. 2020 , 140, 965-978	15
496	Efficiency assessment of a solar heating cooling system applied to the greenhouse microclimate. 2020 , 24, 151-159	2
495	Demonstration of a solar combi-system utilizing stable supercooling of sodium acetate trihydrate for heat storage. 2020 , 166, 114647	14
494	Investigation of using multi-layer PCMs in the tubular heat exchanger with periodic heat transfer boundary condition. 2020 , 147, 118970	67
493	Review of metallic phase change materials for high heat flux transient thermal management applications. <i>Applied Energy</i> , 2020 , 258, 113955	10.7 50
492	Phase change material thermal energy storage systems for cooling applications in buildings: A review. 2020 , 119, 109579	110
491	Principles of solar energy storage. 2020 , 2, e96	6
490	Phase change material with flexible crosslinking for thermal energy storage. 2020 , 137, 48497	6
489	Sustainable polymer-based Phase Change Materials for energy efficiency in buildings and their application in aerial lime mortars. 2020 , 231, 117149	20

488	An experimental evaluation of thermal behavior of the building envelope using macroencapsulated PCM for energy savings. 2020 , 149, 1300-1313	58
487	Thermo-mechanical properties of compaction molded cement-based composite containing a high mass fraction of phase change material for thermal energy storage. 2020 , 128, 105657	9
486	Recapitulation on latent heat hybrid buildings. 2020 , 44, 1370-1407	11
485	Nanoparticles favorable effects on performance of thermal storage units. 2020 , 300, 112329	85
484	Experimental assessment of Phase Change Material (PCM) embedded bricks for passive conditioning in buildings. 2020 , 149, 587-599	54
483	Experimental study on the melting behavior of a phase change material in a conical coil latent heat thermal energy storage unit. 2020 , 175, 114684	16
482	Selection of a phase change material and its thickness for application in walls of buildings for solar-assisted steam curing of precast concrete. 2020 , 150, 808-820	16
481	Modelling, simulation and comparison of phase change material storage based direct and indirect solar organic Rankine cycle systems. 2020 , 170, 114780	25
480	Experimental and numerical simulation of phase change process for paraffin in three-dimensional graphene aerogel. 2020 , 167, 114773	13
479	Preparation of low-temperature composite phase change materials (C-PCMs) from modified blast furnace slag (MBFS). 2020 , 238, 117717	8
478	Contact melting of a rectangular block with temperature-dependent properties. 2020 , 150, 106218	2
477	Study on a novel solid-solid phase change materials: solvent-free preparation, thermal properties and phase separation behaviors. 2020 , 141, 1305-1315	5
476	A state of the art on solar-powered vapor absorption cooling systems integrated with thermal energy storage. 2020 , 27, 158-189	5
475	High thermal conductive shape-stabilized phase change materials of polyethylene glycol/boron nitride@chitosan composites for thermal energy storage. 2020 , 129, 105710	53
474	Performance of form-stable myristic acid/polymethyl methacrylate composite phase-change material coated with nitrile butadiene rubber/polyacrylic acid layered coatings. 2020 , 137, 48642	3
473	Experimental investigation of a tank-in-tank heat storage unit utilizing stable supercooling of sodium acetate trihydrate. 2020 , 167, 114709	7
472	Buoyancy-driven melting and heat transfer around a horizontal cylinder in square enclosure filled with phase change material. 2020 , 181, 115990	10
471	A review of melting and freezing processes of PCM/nano-PCM and their application in energy storage. 2020 , 211, 118698	124

470	Review on phase change materials for cold thermal energy storage applications. 2020 , 134, 110340	56
469	Preparation and thermophysical performance of diatomite-based composite PCM wallboard for thermal energy storage in buildings. 2020 , 32, 101753	11
468	Experimental study on phase transition behaviour of shape stable phase change material for application in vacuum insulation panel. 2020 , 32, 101825	8
467	Experimental and Numerical Study on Energy Piles with Phase Change Materials. 2020 , 13, 4699	8
466	Impact of a Composite Trombe Wall Incorporating Phase Change Materials on the Thermal Behavior of an Individual House with Low Energy Consumption. 2020 , 13, 4872	10
465	Heat Transfer Characteristics of Paraffin in Staggered Fins Heat Exchanger for the Cooling Process to Room Cooling Applications. 2020 , 520, 012009	0
464	Thermal performance based optimization of an office wall containing PCM under intermittent cooling operation. 2020 , 179, 115750	47
463	Improving thermal energy storage efficiency of solar collector tanks by placing phase change materials in novel finned-type cells. 2020 , 19, 100618	6
462	Future trends and main concepts of adaptive facade systems. 2020 , 8, 3255-3272	13
461	Thermal and Thermochemical Energy Conversion and Storage. 2020 , 257-301	
460	Computer Simulation of Passive Cooling of Wooden House Covered by Phase Change Material. 2020 , 13, 6065	2
459	Using PCM in Two Proposed Residential Buildings in Christchurch, New Zealand. 2020 , 13, 6025	3
458	Preparation and characterization of nanoencapsulated synthetic soybean oil derivative-an abundant and environmentally friendly phase change material-heat transfer analysis and applications. 2020 , 41, 100794	1
457	Preparation and characterization of isopropyl palmitate/expanded perlite and isopropyl palmitate/nanoclay composites as form-stable thermal energy storage materials for buildings. 2020 , 32, 101679	11
456	Flow and heat transfer characteristics of microencapsulated phase change slurry in thermal energy systems: A review. 2020 , 134, 110101	17
455	Thermal properties of sonicated graphene in coconut oil as a phase change material for energy storage in building applications1. 2020 , 15, 629-636	2
454	Solvation and diffusion of poly(vinyl alcohol) chains in a hydrated inorganic ionic liquid. 2020 , 22, 17705-17712	4
453	Parametric analysis and design optimisation of PCM thermal energy storage system for space cooling of buildings. 2020 , 224, 110288	23

452	Paraffin wax as self-sealing insulation material of seasonal sensible heat storage systems-A laboratory study. 2020 , 15, e0236056	0
451	Erythritol impregnated within surface-roughened hydrophilic metal foam for medium-temperature solar-thermal energy harvesting. 2020 , 222, 113241	11
450	Improving performance of solar roof tiles by incorporating phase change material. 2020 , 207, 1308-1320	14
449	A generalized lattice Boltzmann model for solid-liquid phase change with variable density and thermophysical properties. 2020 , 104, 106250	6
448	A review on thermal energy storage using phase change materials in passive building applications. 2020 , 32, 101563	32
447	Usage strategy of phase change materials in plastic greenhouses, in hot summer and cold winter climate. <i>Applied Energy</i> , 2020 , 277, 115416	10.7 5
446	A comparison between passive and active PCM systems applied to buildings. 2020 , 162, 112-123	24
445	GPU-accelerated lattice Boltzmann simulation of heat transfer characteristics of porous brick roof filled with phase change materials. 2020 , 119, 104911	2
444	Stable microencapsulated phase change materials with ultrahigh payload for efficient cooling of mobile electronic devices. 2020 , 223, 113478	20
443	Preparation and evaluation of micro-encapsulated thermal control materials for oil well cement slurry. 2020 , 208, 118175	8
442	A rapid screening method for thermal conductivity properties of thermal insulation materials by a thermochemiluminescence probe. 2020 , 56, 12781-12784	1
441	Poly(ethylene glycol)s grafted celluloses as solid-solid phase change materials for different thermal energy storage application temperatures and through isophorone linkage. 2020 , 146, 1511	2
440	Experimental Analysis of the Function of a Window with a Phase Change Heat Accumulator. 2020 , 13,	4
439	Temperature Distribution in Insulated Temperature-Controlled Container by Numerical Simulation. 2020 , 13, 4765	1
438	Effects of nanoparticles on phase change heat transfer rate in the presence of Rayleigh-Benard convection. 2020 , 156, 119831	10
437	Numerical study of melting and solidification in a wavy double-pipe latent heat thermal energy storage system. 2020 , 141, 1785-1799	26
436	Thermal, microstructural and numerical analysis of hempcrete-microencapsulated phase change material composites. 2020 , 178, 115520	9
435	High Phase Change Enthalpy Enabled by Nanocellulose Enhanced Shape Stable Boron Nitride Aerogel. 2020 , 2, 3001-3009	14

434	Novel materials and concepts for regulating infra-red radiation: radiative cooling and cool paint. 2020 , 113-131	0
433	Strategies in Absorbing Materials Productivity (H ₂ O) of Renewable Energy Utilization by a Solar Still to Enhancement of Water Flowing over Glass Cover with the Influence of PCM and Nanoparticles. 2020 ,	
432	Experimental study of the thermal performance of a novel plate type heat exchanger with phase change material. 2020 , 178, 115630	18
431	An improved layered thermal resistance model for solid-liquid phase change time estimation. 2020 , 156, 106496	2
430	Electrospun Polyethylene Glycol/Polyvinyl Alcohol Composite Nanofibrous Membranes as Shape-Stabilized Solid-Solid Phase Change Materials. 2020 , 2, 167-177	12
429	Fabrication and characterization of the blend of Polyurethane (PU) and Phase Change Materials (PCM) for energy storage and release. 2020 , 1, 024803	2
428	Transient temperature change within a wall embedded insulation with variable thermal conductivity. 2020 , 20, 100645	3
427	Valuation of the Energy Performance of a Greenhouse with an Electric Heater Using Numerical Simulations. 2020 , 8, 600	7
426	Synthesis and characterization of salt-impregnated anodic aluminum oxide composites for low-grade heat storage. 2020 , 27, 112-118	5
425	Form-stable phase change materials based on polyolefin elastomer and octadecylamine-functionalized graphene for thermal energy storage. 2020 , 31, 245402	4
424	Review of Passive Cooling Methods for Buildings. 2020 , 1473, 012054	1
423	Methods for Determining the Thermal Transfer in Phase-Changing Materials (PCMs). 2020 , 12,	2
422	Incorporation of phase change material and carbon nanofibers into lightweight aggregate concrete for thermal energy regulation in buildings. 2020 , 197, 117262	22
421	Pore-scale investigation on effects of void cavity distribution on melting of composite phase change materials. <i>Applied Energy</i> , 2020 , 275, 115302	10.7 9
420	An experimental investigation of the thermal effect due to discharging of phase change material in a room fitted with a windcatcher. 2020 , 61, 102277	11
419	Hydroxyl group functionalized graphene oxide nanosheets as additive for improved erythritol latent heat storage performance: A comprehensive evaluation on the benefits and challenges. 2020 , 215, 110658	9
418	Performance Analysis of PCM Ceiling Coupling with Earth-Air Heat Exchanger for Building Cooling. 2020 , 13,	10
417	Optimising graphite composites and plate heat exchangers for latent thermal energy storage using measurements and simulation. 2020 , 29, 101347	2

4 ¹⁶	Investigation of phase state and heat storage form of the phase change material (PCM) layer integrated into the exterior walls of the residential-apartment during heating season. 2020 , 207, 118176		20
4 ¹⁵	Experimental investigation of thermal degradation of phase change materials for medium-temperature thermal energy storage and tightness during cycling inside metal spheres. 2020 , 31, 101618		6
4 ¹⁴	Enhanced Infrared Emission by Thermally Switching the Excitation of Magnetic Polariton with Scalable Microstructured VO ₂ Metasurfaces. 2020 , 7, 2219-2227		20
4 ¹³	Investigation of heat transfer of a building wall in the presence of phase change material (PCM). 2020 , 1, 199-206		51
4 ¹²	Design criterion based on the cohesive energy and defect patterns of VO ₂ thermally induced phase transition materials. 2020 , 46, 13615-13621		4
4 ¹¹	Thermal properties characterization of chloride salts/nanoparticles composite phase change material for high-temperature thermal energy storage. <i>Applied Energy</i> , 2020 , 264, 114674	10.7	40
4 ¹⁰	A comparative study of energy and exergy performances of a PCM-augmented cement and fired-brick Trombe wall systems. 2020 , 1-17		0
4 ⁰⁹	Optimized emulsifier combination based microencapsulated phase change materials (MicroPCMs): Preparation, characterization, and applications. 2020 , 12, 014102		3
4 ⁰⁸	The Application of Courtyard and Settlement Layouts of the Traditional Diyarbakır Houses to Contemporary Houses: A Case Study on the Analysis of Energy Performance. 2020 , 13, 587		2
4 ⁰⁷	Experimental and numerical study of latent heat thermal energy storage with high porosity metal matrix under intermittent heat loads. <i>Applied Energy</i> , 2020 , 263, 114649	10.7	10
4 ⁰⁶	Dynamic tuning of magnetic phase change composites for solar-thermal conversion and energy storage. <i>Applied Energy</i> , 2020 , 263, 114570	10.7	30
4 ⁰⁵	Development of reversible and durable thermochromic phase-change microcapsules for real-time indication of thermal energy storage and management. <i>Applied Energy</i> , 2020 , 264, 114729	10.7	29
4 ⁰⁴	A prediction model of surface heat transfer coefficient in insulating packaging with phase change materials. 2020 , 24, 100474		3
4 ⁰³	Development of a stable inorganic phase change material for thermal energy storage in buildings. 2020 , 208, 110420		15
4 ⁰²	Impact of using a PCM-metal foam composite on charging/discharging process of bundled-tube LHTES units. 2020 , 150, 119320		42
4 ⁰¹	Adjustable insulation for enhancing the performance of phase change materials in buildings. 2020 , 44, 3674-3686		1
4 ⁰⁰	The Effects of Fin Parameters on the Solidification of PCMs in a Fin-Enhanced Thermal Energy Storage System. 2020 , 13, 198		19
399	Apparent heat capacity method to investigate heat transfer in a composite phase change material. 2020 , 28, 101239		19

398	Cellulose nanocrystals-composited poly (methyl methacrylate) encapsulated n-eicosane via a Pickering emulsion-templating approach for energy storage. 2020 , 234, 115934	14
397	Cooling performance of a thermal energy storage-based portable box for cold chain applications. 2020 , 28, 101238	21
396	Experimental Investigation on Mechanism of Latent Heat Reduction of Sodium Acetate Trihydrate Phase Change Materials. 2020 , 13,	7
395	Phase change materials based on comb-like polynorbornenes and octadecylamine-functionalized graphene oxide nanosheets for thermal energy storage. 2020 , 389, 124318	20
394	Thermophysical properties and applications of nano-enhanced PCMs: An update review. 2020 , 214, 112876	106
393	Carbonized wood flour matrix with functional phase change material composite for magnetocaloric-assisted photothermal conversion and storage. 2020 , 202, 117636	26
392	Thermal performance and corrosion resistance of structural-functional concrete made with inorganic PCM. 2020 , 249, 118768	18
391	Gulf Conference on Sustainable Built Environment. 2020 ,	1
390	Effect of temperature on geopolymer and Portland cement composites modified with Micro-encapsulated Phase Change materials. 2020 , 252, 119055	12
389	Enhancing the thermal response of a latent heat storage system for suppressing temperature fluctuation of dusty flue gas. <i>Applied Energy</i> , 2020 , 266, 114870	10.7 7
388	Magnetic regulating the phase change process of Fe ₃ O ₄ -paraffin wax nanocomposites in a square cavity. 2020 , 213, 112829	13
387	A detailed review on heat transfer rate, supercooling, thermal stability and reliability of nanoparticle dispersed organic phase change material for low-temperature applications. 2020 , 16, 100408	24
386	Passive room conditioning using phase change materials Demonstration of a long-term real size experiment. 2020 , 44, 7047-7056	4
385	A Comparative Study on the Thermal Energy Storage Performance of Bio-Based and Paraffin-Based PCMs Using DSC Procedures. 2020 , 13,	19
384	Solidification of Cascaded PCM Storages Embedded Within a Channel Under Various Forced Air Flow Strategies. 2021 , 45, 683-697	
383	Utilisation of zeolite in concrete flatbed for open sun drying: a case of drying pistachios. 2021 , 42, 458-464	
382	Temperature control of star sensor baffle using 3D printing and PCM thermal energy storage technology. 2021 , 165, 120644	6
381	Performance improvement of vapour compression refrigeration system using different phase changing materials. 2021 , 44, 3540-3543	1

380	Review on optimization of phase change parameters in phase change material building envelopes. 2021 , 35, 101979	11
379	High thermal energy storage and thermal conductivity of few-layer graphene platelets loaded phase change materials: A thermally conductive additive for thermal energy harvesting. 2021 , 3, e199	2
378	A review on phase change materials for thermal energy storage in buildings: Heating and hybrid applications. 2021 , 33, 101913	50
377	Ranking PCMs for building façade applications using multi-criteria decision-making tools combined with energy simulations. 2021 , 215, 119102	22
376	Thermally buffering polyethylene/halloysite/phase change material nanocomposite packaging films for cold storage of foods. 2021 , 292, 110351	17
375	Optically smart thin materials for building cooling. 2021 , 355-399	
374	Graphite-based shape-stabilized composites for phase change material applications. 2021 , 167, 580-590	15
373	Enhancing building energy performance by effectively using phase change material and dynamic insulation in walls. <i>Applied Energy</i> , 2021 , 283, 116306	10.7 25
372	Progress and application of phase change material in solar thermal energy: An overview. 2021 , 44, 271-281	4
371	Utilising Latent Thermal Energy Storage in Building Envelopes to Minimise Thermal Loads and Enhance Comfort. 2021 , 33, 102119	5
370	Evaluating the thermal efficiency of microencapsulated phase change materials for thermal energy storage in cementitious composites. 2021 , 116, 103891	7
369	Experimental investigation and thermodynamic evaluation of the CsNO ₃ -LiNO ₃ -NaNO ₃ ternary system. 2021 , 864, 158131	
368	Facial synthesis of K ₂ BWO ₃ /Ag nanocomposites for self-cleaning energy efficient window coatings. 2021 , 856, 157069	2
367	A review on opportunities for implementation of solar energy technologies in agricultural greenhouses. 2021 , 285, 124807	43
366	Experimental study on thermal performance of an integrated PCM Trombe wall. 2021 , 163, 1932-1941	22
365	Polymer based phase change material for photo-thermal utilization. 2021 , 220, 110852	8
364	Calibrated simulation study for efficient sizing and operating strategies for the thermal storage integrated air conditioning system. 2021 , 40, 389-411	1
363	An Experimental Analysis of the Thermal Performance of Solar Air Heater (SAH) Having Two Different Absorber Plate Along with (PCM)-Based Energy Storage. 2021 , 11-22	

362	Thermal energy storage and management applications through engineered fibrous material. 2021 , 277-306	1
361	Thermal Energy Storage. 2021 , 559-627	0
360	Numerical Investigation of a Phase Change Material Including Natural Convection Effects. 2021 , 14, 348	1
359	Study of Thermal Properties of Eutectic Phase Change Materials for Energy Storage. 2021 , 23-31	
358	Phase change material-integrated latent heat storage systems for sustainable energy solutions.	32
357	Food Conservation into 03 Dimension Models of Cold Stores Operated by 03 Refrigeration Systems in Biskra Region (Classic, Absorption, Adsorption). 406, 182-191	
356	Energy consumption and environmental consequences. 2021 , 1-55	
355	Effect of variation in thickness of phase change material on temperature across the composite building wall. 2021 , 46, 10221-10226	0
354	A review on phase change materials for different applications. 2021 , 46, 10980-10986	3
353	Application of Phase Change Materials in Construction Materials for Thermal Energy Storage Systems in Buildings. 2021 , 1-20	
352	A review of the application and effectiveness of heat storage system using phase change materials in the built environment. 2021 ,	2
351	Experimental Feasibility Study of a Direct Contact Latent Heat Storage Using an Ester as a Bio-Based Storage Material. 2021 , 14, 511	3
350	State of the Art in PEG-Based Heat Transfer Fluids and Their Suspensions with Nanoparticles. 2021 , 11,	8
349	Nanostructures encapsulated phase change materials for sustained thermal energy storage in concrete: An overall assessment. 2021 , 42, 2457-2463	1
348	n-Octadecane/Fumed Silica Phase Change Composite as Building Envelope for High Energy Efficiency. 2021 , 11,	10
347	Rate capability and Ragone plots for phase change thermal energy storage. 2021 , 6, 295-302	30
346	A Critical Review on the Control Strategies Applied to PCM-Enhanced Buildings. 2021 , 14, 1929	9
345	Solar Cell Cooling with Phase Change Material (PCM) for Enhanced Efficiency: A Review. 2021 , 1096, 012052	

344	Thermal energy storage: An overview of papers published in Applied Energy 2009-2018. <i>Applied Energy</i> , 2021 , 285, 116397	10.7	6
343	Localized heating element distribution in composite metal foam-phase change material: Fourier's law and creeping flow effects. 2021 , 45, 13380-13396		12
342	Adsorption of adipic acid in Al/B-N/P nanocages: DFT investigations. 2021 , 27, 113		14
341	Thermal Energy Harvest and Reutilization by the Combination of Thermal Conducting Reactive Mesogens and Heat-Storage Mesogens. 2021 , 13, 13637-13647		1
340	Influence of aspect ratios for a tilted cavity on the melting heat transfer of phase change materials embedded in metal foam. 2021 , 122, 105127		35
339	A technical, financial and CO2 emission analysis of the implementation of metal foam in a thermal battery for cold chain transport. 2021 , 35, 102324		3
338	A comprehensive study on the complete charging-discharging cycle of a phase change material using intermediate boiling fluid to control energy flow. 2021 , 35, 102235		10
337	Recent Developments in Nanocellulose-Based Aerogels in Thermal Applications: A Review. 2021 , 15, 3849-3874		35
336	Carbon-Based Composite Phase Change Materials for Thermal Energy Storage, Transfer, and Conversion. 2021 , 8, 2001274		45
335	Study on a Novel Filter Media Incorporating with Core Shell Nanoencapsulated Phase Change Material: Fabrication and Evaluation. 2021 , 9, 731		3
334	Energy saving potential of phase change materials-enhanced building envelope considering the six Moroccan climate zones. 174425912110064		6
333	Enhanced thermophysical properties of organic PCM through shape stabilization for thermal energy storage in buildings: A state of the art review. 2021 , 236, 110799		48
332	Effects of aspect ratio and mushy-zone parameter on melting performance of a thermal energy storage unit filled with phase change material. 2021 , 19, 817-827		1
331	Scientometric review of international research trends on thermal energy storage cement based composites via integration of phase change materials from 1993 to 2020. 2021 , 278, 122344		9
330	Effect of melting point on thermodynamics of thin PCM reinforced residential frame walls in different climate zones. 2021 , 188, 116615		14
329	Hygrothermal performance of temperature-humidity controlling materials with different compositions. 2021 , 236, 110792		4
328	Solar assisted thermal storage system for free heating applications in moderate climates: A case study. 2021 , 220, 119781		1
327	Numerical Study of Heat Transfer Characteristics of mPCM Slurry During Freezing. 2021 , 46, 7977		1

- 326 Amassing of Cold Thermal Energy by Utilizing Phase Shift Material: A Review. **2021**, 1130, 012013
- 325 Highly Efficient Thermal Energy Storage Using a Hybrid Hypercrosslinked Polymer**. **2021**, 133, 14097-14106 2
- 324 Shape-Stable Hydrated Salts/Polyacrylamide Phase-Change Organohydrogels for Smart Temperature Management. **2021**, 13, 21810-21821 11
- 323 Preparation and Characterization of Paraffin/Mesoporous Silica Shape-Stabilized Phase Change Materials for Building Thermal Insulation. **2021**, 14, 3
- 322 Seasonal thermal energy storage: A techno-economic literature review. **2021**, 139, 110732 27
- 321 Highly Efficient Thermal Energy Storage Using a Hybrid Hypercrosslinked Polymer*. **2021**, 60, 13978-13987 13
- 320 Energy analysis and simulation of PCM-enhanced building envelopes in commercial buildings: A case study. **2021**, 3, e246 1
- 319 What about greener phase change materials? A review on biobased phase change materials for thermal energy storage applications. **2021**, 10, 100081 14
- 318 Thermal storage performance of building envelopes for nearly-zero energy buildings during cooling season in Western China: An experimental study. **2021**, 194, 107709 13
- 317 Formulation of highly stable PCM nano-emulsions with reduced supercooling for thermal energy storage using surfactant mixtures. **2021**, 223, 110983 9
- 316 Phase Change Materials Technologies Review and Future Application in Lebanon: Part 1. 886, 228-240
- 315 Fabrication of thermal energy storage wood composite based on shape-stable phase change material. **2021**, 8, 055304 3
- 314 An Experimental Study on Electrical Conductivity of Several Oxide Nanoparticle Enhanced PEG 400 Fluid. **2021**, 42, 1 3
- 313 Effect of phase change materials on the performance of direct vapor generation solar organic Rankine cycle system. **2021**, 223, 120006 2
- 312 A review of solar-driven short-term low temperature heat storage systems. **2021**, 141, 110824 8
- 311 Phase change materials effect on the thermal radius and energy storage capacity of energy piles: Experimental and numerical study. **2021**, 10, 100094 2
- 310 Magnetic field effects on melting and solidification of PCMs in an isosceles triangular cavity. 1 1
- 309 Recent developments of thermal energy storage applications in the built environment: A bibliometric analysis and systematic review. **2021**, 189, 116666 28

308	A Review on Thermal Properties Improvement of Phase Change Materials and Its Combination with Solar Thermal Energy Storage. 2021 , 9, 2100169	1
307	Multi-scale modeling and investigation of thermo-fluidic performance of microencapsulated phase-change material slurry. 2021 , 37, 102502	3
306	Phase Change Materials Technologies Review and Future Application in Lebanon: Part II. 886, 256-270	
305	Enhancing the thermal performance of PCM in a shell and tube latent heat energy storage system by utilizing innovative fins. 2021 , 7, 120-126	11
304	Review on cold thermal energy storage applied to refrigeration systems using phase change materials. 2021 , 22, 100807	23
303	A review on integration and design of desiccant air-conditioning systems for overall performance improvements. 2021 , 141, 110809	5
302	Biodegradable Polyurethane Solid-Solid Phase Change Materials. 2021 , 6, 6280-6285	2
301	Analysis of Incorporating a Phase Change Material in a Roof for the Thermal Management of School Buildings in Hot-Humid Climates. 2021 , 11, 248	2
300	Mechanical and thermal characterizations of various thermal energy storage concretes including low-cost bio-sourced PCM. 2021 , 241, 110878	13
299	Recent progress on Carbon-based nanomaterial for phase change materials: Prospects and challenges. 2021 , 23, 100920	5
298	Thermal energy regulation with 3D printed polymer-phase change material composites. 2021 , 4, 1975-1989	13
297	Numerical study on melting of phase change material in an enclosure subject to Neumann boundary condition in the presence of Rayleigh-Bénard convection. 2021 , 171, 121103	5
296	Impact of dynamic thermal conductivity change of EPS insulation on temperature variation through a wall assembly. 2021 , 25, 100917	2
295	Fabrication of a Novel Highly Thermal Conductive Shape-Stabilized Phase-Change Material Using Cheap and Easily Available Cabbage Mustard Biochar as the Matrix. 2021 , 73, 2487-2494	0
294	A complete numerical model for low temperature composite form-stable phase change material slab based on dynamically simplified temperature transforming method. 1-26	3
293	Heat transfer enhancement in latent heat thermal energy storage using copper foams with varying porosity. 2021 , 221, 75-86	15
292	Natural convection melting in a cubic cavity with internal fins: A lattice Boltzmann study. 2021 , 25, 100919	7
291	Testing a Gypsum Composite Based on Raw Gypsum with a Direct Admixture of Paraffin and Polymer to Improve Thermal Properties. 2021 , 14,	2

290	Life Cycle Assessment of the Use of Phase Change Material in an Evacuated Solar Tube Collector. 2021 , 14, 4146	4
289	Selection of a PCM for a Vehicle's Rooftop by Multicriteria Decision Methods and Simulation. 2021 , 11, 6359	3
288	Form-stable phase change composites: Preparation, performance, and applications for thermal energy conversion, storage and management. 2021 , 42, 380-380	38
287	Lattice Boltzmann simulation of natural convection melting in a cubic cavity with an internal cylindrical heat source. 2021 , 165, 106917	5
286	Effect of metal foam with two-dimensional porosity gradient on melting behavior in a rectangular cavity. 2021 , 172, 802-815	4
285	Investigation of transient heat transfer in multi-scale PCM composites using a semi-analytical model. 2021 , 175, 121389	5
284	Temperature Control to Improve Performance of Hempcrete-Phase Change Material Wall Assemblies in a Cold Climate. 2021 , 14, 5343	1
283	Evaluation of the energy storage performance of PCM nano-emulsion in a small tubular heat exchanger. 2021 , 26, 101156	6
282	Synthesis and properties of thermally enhanced aerated geopolymer concrete using form-stable phase change composite. 2021 , 40, 102756	7
281	Experimental and Numerical Analyses of Thermal Storage Tile-Bricks for Efficient Thermal Management of Buildings. 2021 , 11, 357	0
280	Study on dynamic thermal behavior of double glazing unit filled with phase change materials. 2021 , 45, 20672	2
279	Experimental and Numerical Investigation of Composite Phase Change Materials for Building Energy Saving. 2021 , 9,	0
278	A novel method to obtain solid-liquid equilibrium and eutectic points for hydrocarbon mixtures by using differential scanning calorimetry and numerical integration. 2021 , 297, 120788	2
277	Passive cooling designs to improve heat resilience of homes in underserved and vulnerable communities. 2021 , 252, 111383	4
276	High-efficiency solar heat storage enabled by adaptive radiation management. 2021 , 2, 100533	4
275	Performance of double pass unglazed transpired collectors with energy storage in phase change materials during days with different radiative regimes. 2021 , 46, 101309	1
274	Preparation and Energy Storage Properties of a Lauric acid/Octadecanol Eutectic Mixture. 2021 , 6, 23542-23550	
273	Development of Heat Storage Device Assisted with Heat Pipe. 2022 , 103-112	

272	Preparation and thermal storage performance of phase change ceramsite sand and thermal storage light-weight concrete. 2021 , 175, 143-152	5
271	An Explicit Finite Element Method for Thermal Simulations of Buildings with Phase Change Materials. 2021 , 14, 6194	1
270	New techniques for the energy saving of sustainable buildings by using phase change materials. 2021 , 41, 102418	6
269	Applicability assessment of stearic acid/palmitic acid binary eutectic phase change material in cooling pavement. 2021 , 175, 748-759	16
268	Potential Phase Change Materials in Building Wall Construction-A Review. 2021 , 14,	1
267	Defensive behaviour of building envelopes in terms of mechanical and thermal responsiveness by incorporating PCMs in cement mortar layers. 2021 , 47, 101349	3
266	Computational analysis of the melting process of Phase change material-metal foam-based latent thermal energy storage unit: The heat exchanger configuration. 2021 , 42, 103071	5
265	Simultaneous and consecutive charging and discharging of a PCM-based domestic air heater with metal foam. 2021 , 197, 117408	9
264	Multivariate analysis of effects of microencapsulated phase change materials on mechanical behaviors in light-weight aggregate concrete. 2021 , 42, 102783	13
263	In situ polymerization of organic and inorganic phase change microcapsule and enhancement of infrared stealth via nano iron. 2021 , 627, 127124	4
262	Potential use of smart coatings for icephobic applications: A review. 2021 , 424, 127656	3
261	PCM embedded radiant chilled ceiling: A state-of-the-art review. 2021 , 151, 111601	6
260	Thermal and mechanical performance of a novel 3D printed macro-encapsulation method for phase change materials. 2021 , 43, 103124	2
259	Miniature microbial fuel cells integrated with triggered power management systems to power wastewater sensors in an uninterrupted mode. <i>Applied Energy</i> , 2021 , 302, 117556	10.7 2
258	Phase change microcapsules with high encapsulation efficiency using Janus silica particles as stabilizers and their application in cement. 2021 , 307, 124971	0
257	Parametric analysis of the phase change material wall combining with micro-channel heat pipe and sky radiative cooling technology. 2021 , 178, 1057-1069	5
256	Experimental investigations of high-temperature shell and multi-tube latent heat storage system. 2021 , 198, 117491	2
255	Numerical investigation of a shell-and-tube latent heat thermal energy storage system for urban heating network. 2021 , 43, 103216	2

- 254 Temperature dependence of orientationally disordered SO₄ tetrahedra in mirabilite (Na₂SO₄·10H₂O). **2021**, 304, 122574
- 253 Robust, double-layered phase-changing microcapsules with superior solar-thermal conversion capability and extremely high energy storage density for efficient solar energy storage. **2021**, 180, 725-733 2
- 252 Implementation of the panel data regression analysis in PCM integrated buildings located in a humid subtropical climate. **2021**, 237, 121651 12
- 251 Graft poly(ethylene glycol)-based thermosetting phase change materials networks with ultrahigh encapsulation fraction and latent heat efficiency. **2021**, 179, 1076-1084 3
- 250 Influence of wall thermal performance on the contribution efficiency of the Phase-Change Material (PCM) layer. **2021**, 28, 101398 5
- 249 A review on the outlook of thermal management of photovoltaic panel using phase change material. **2021**, 2, 100033 5
- 248 Preparation and properties of capric acid: Stearic acid/hydrophobic expanded perlite-aerogel composite phase change materials. **2021**, 179, 1027-1035 3
- 247 Thermally conductive and form-stable phase change composite for building thermal management. **2022**, 239, 121938 3
- 246 Thermal properties of a cement composite containing phase change materials (PCMs) with post-pyrolytic char obtained from spent tyres as a carrier. **2022**, 239, 121936 4
- 245 Performance Requirements, Challenges and Existing Solutions of PCM in Massive Concrete for Temperature Control. **2021**, 93-103
- 244 Thermal Energy Storage Characterization of Environmental-Friendly Bio-Based PCMs as an Alternative to Petroleum-Based Paraffin Waxes. **2021**, 191-203 1
- 243 3D Numerical Modeling for Assessing the Energy Performance of Single-Zone Buildings with and Without Phase Change Materials. **2020**, 419-438 2
- 242 Review on PCM Application for Cooling Load Reduction in Indian Buildings. **2020**, 247-275 2
- 241 Numerical investigation of an innovative discontinuous distribution of fins for solidification rate enhancement in PCM with and without nanoparticles. **2020**, 176, 115017 27
- 240 Analysis of the thermal response of a dual phase change material embedded in a multi-layered building envelope. **2020**, 179, 115502 11
- 239 Preparation and properties of capric-stearic acid/White Carbon Black composite for thermal storage in building envelope. **2018**, 158, 1781-1789 24
- 238 Facile synthesis and thermal performance of cety palmitate/nickel foam composite phase change materials for thermal energy storage. **2020**, 28, 101179 12
- 237 Effect of phase change and ambient temperatures on the thermal performance of a solid-liquid phase change material based heat sinks. **2020**, 30, 101327 9

236	Enhancement of PCM melting rate via internal fin and nanoparticles. 2020 , 156, 119845	52
235	Thermal storage material enhanced refrigerated display cabinet. 2020 , 28, 510-514	2
234	A calcium chloride hexahydrate/expanded perlite composite with good heat storage and insulation properties for building energy conservation. 2017 , 114, 733-743	66
233	Form-stable phase-change elastomer gels derived from thermoplastic elastomer copolyesters swollen with fatty acids. 2020 , 686, 178566	7
232	Shape-Stabilized Phase Change Material by a Synthetic/Natural Hybrid Composite Foam with Cell-Wall Pores. 2021 , 4, 416-424	4
231	Synthesis and Characterization of the Paraffin/Expanded Perlite Loaded With Graphene Nanoparticles as a Thermal Energy Storage Material in Buildings. 2020 , 142,	19
230	Numerical and Experimental Investigation of Phase Change Heat Transfer in the Presence of Rayleigh-Benard Convection. 2020 , 142,	5
229	Lab-Scale Dynamic Thermal Testing of PCM-Enhanced Building Materials. 2014 , 1-13	4
228	Preparation and characterization of mortar mixes containing organic acid/expanded vermiculite composite PCM. 2017 , 24, 005-489	2
227	Harvesting of the infrared energy: Direct collection, up-conversion, and storage. 2019 , 22, 457-469	2
226	Long-chain Diesters of Fatty Alcohols as Novel Phase Change Materials for Thermal Energy Storage. 2020 , 41, 269-280	2
225	Performance Evaluation of an Active PCM Thermal Energy Storage System for Space Cooling in Residential Buildings. 2019 , 23, 74-89	12
224	More than Color: Pigments with Thermal Storage Capacity; Processing and Degradation Behavior. 2015 , 05, 171-184	1
223	Evaluation of Thermal Effect of PCM Wallboards by Coupling Simplified Phase Change Model with Design Tool. 2014 , 02, 12-29	1
222	Thermal management materials for energy-efficient and sustainable future buildings. 2021 , 57, 12236-12253	2
221	Numerical Analysis and Performance Evaluation of Cast Steel Based Sensible Heat Energy Storage System. 2022 , 563-576	
220	NPGTRIS Thermal Storage System. Quantification of the Limiting Processes: Sublimation and Water Adsorption. 2021 , 11, 1200	0
219	Using Phase Change Materials (PCMs) in a Hot and Humid Climate to Reduce Heat Gain and Energy Consumption. 2021 , 13, 10965	0

- 218 Effect of geometrical design on the latent heat cooling properties of a lightweight two-phase composite. **2021**, 119, 141908 1
- 217 Study of a novel hollow ceramsite compounded with paraffin phase change materials for energy storage. **2021**, 309, 125042 0
- 216 Improving latent heat storage capacity of polyethylene glycol/cement composite prepared via solution blending method. **2021**, 230, 355-364 0
- 215 Study on Thermal Storage Performance of Phase Change Heat Storage Type Air Conditioning Cooling Reservoir in Civil Air Defense Engineering. **2014**, 497-508
- 214 Investigation of Latent-Heat Storage Systems for Green Building Applications. **2014**, 517-525
- 213 An Experimental Investigation of Solar-Assisted Heat Pump Combined with A Latent Heat Storage. **2016**, 591-603
- 212 Nanoparticles and Metal Foam in Thermal Control and Storage by Phase Change Materials. **2017**, 1-25
- 211 Case of Energy System in Northwest China. **2017**, 1-34
- 210 Characterization of MEPCM-Incorporated Paint as Latent Heat Storage System. **2017**, 8, 203-209 1
- 209 Passive Building Walls. **2018**, 1-37
- 208 Case of Energy System in Northwest China. **2018**, 1811-1844
- 207 Preparation of Lead, Lead Alloy(S) And Other Salts from Exhausted Rechargeable Lead Batteries. **2019**, 4, 529-538
- 206 Grafen Nanoparçik Boyutunun Katkısı ve Enerji Depolama Malzemelerinin Termal Özelliklerine Etkisi. **2019**, 6, 1-6 1
- 205 Characteristic study of modified nano CuO powder-based paraffin composite and its experimental investigation of melting/solidification behavior for mobilized cold thermal storage systems. 095440622110473¹
- 204 Phase Change Materials: From Fundamentals and Melting Process to Thermal Energy Storage System for Buildings Application. **2021**, 1-46
- 203 Microencapsulated phase change material via Pickering emulsion stabilized by cellulose nanofibrils for thermal energy storage. **2022**, 276, 118745 1
- 202 Thermal storage effect of radiant floor cooling system using phase change materials in the hot and humid climate of Indonesia. **2022**, 207, 108442 4
- 201 T-history analysis of aspect ratio effect on subcooling and solidification behaviour of phase change material in vertical glass tubes. **2020**, 326-326

200	Heat transfer study of phase change material incorporated into a cavity of a hollow brick during melting. 2020 , 330, 01049		
199	Enhancement of latent heat energy storage system using nanomaterials for different applications: A review. 2020 , 26, 883-886		1
198	An Experimental Investigation of Moisture Buffering Value for Composite Hygroscopic Materials under Different Air-Flow Conditions. 2020 , 187-198		
197	A strategy for enhancing heat transfer in phase change material-based latent thermal energy storage unit via nano-oxides addition: A study applied to a shell-and-tube heat exchanger. 2021 , 106744		2
196	Faz Değerli Malzemelerin Bina Kabuğunda Kullanılması		
195	Estimating the state of charge in a latent thermal energy storage heat exchanger based on inlet/outlet and surface measurements. 2022 , 201, 117806		1
194	A comparative study of linear polyurea and crosslinked polyurea as supports to stabilize polyethylene glycol for thermal energy storage. 2022 , 183, 535-547		1
193	The comprehensive performance analysis on a novel high-performance air-purification-sterilization type PV-Trombe wall. 2022 , 182, 1201-1218		1
192	Integration of form-stable phase change material into pyroelectric energy harvesting system. <i>Applied Energy</i> , 2022 , 307, 118212	10.7	4
191	Fabrication of castor oil-derived polyurethane mortar composites with energy saving and sound absorption characteristics. 2021 , 28, 1		1
190	Biomass Derived Porous Carbons Support in Phase Change Materials for Building Energy Efficiency: A Review. 2021 , 100905		6
189	Integration of Active Solar Thermal Technologies in Greenhouses: A Mini Review. 2021 , 9,		
188	Thermal insulation effect of green façades based on calculation of heat transfer and long wave infrared radiative exchange. 2022 , 188, 110555		0
187	Expanded graphite/paraffin/silica phase change composites with high thermal conductivity and low permeability prepared by the solid-state wet grinding method. 2022 , 236, 111484		1
186	Application of phase change material in improving trombe wall efficiency: An up-to-date and comprehensive overview. 2022 , 258, 111824		7
185	Advanced thermal regulating materials and systems for energy saving and thermal comfort in buildings. 2022 , 24, 100925		3
184	Developing building enhanced with PCM to reduce energy consumption. 2022 , 48, 103923		2
183	Havalandırma Duvar Konstrüksiyonlarında Faz Değerli Malzeme Kullanımının Konut Binalarında Enerji Yönelimine Etkisinin İncelenmesi.		

182	Development and Assessment of Beeswax/Expanded Graphite Composite Phase Change Material for Thermal Energy Storage. 1	2
181	Triazine derivatives as organic phase change materials with inherently low flammability.	2
180	Bench-scale demonstration of thermochemical energy storage using the Magnesium-Manganese-Oxide redox system. 2022 , 45, 103682	1
179	Nanostructures encapsulated phase-change materials for sustained thermal energy storage in concrete. 2022 , 477-507	
178	Modeling and Validation of the Enthalpy-Temperature Curve for Phase Change Materials. 1050, 149-159	
177	Phase change materials. 2022 , 503-535	0
176	Thermal and Moisture Buffering Properties of Novel Hemp-Lime Composites Integrated with Microencapsulated Phase Change Materials.	
175	Building energy efficiency and load flexibility optimization using phase change materials under futuristic grid scenario. 2022 , 339, 130561	4
174	Stable salt hydrate-based thermal energy storage materials. 2022 , 233, 109621	1
173	Supercooling of phase change materials: A review. 2022 , 158, 112172	2
172	Dynamic melting of encapsulated PCM in various geometries driven by natural convection of surrounding air: A modelling-based parametric study. 2022 , 48, 103975	0
171	Phase Change Material Evolution in Thermal Energy Storage Systems for the Building Sector, with a Focus on Ground-Coupled Heat Pumps.. 2022 , 14,	0
170	Influence of surfactants and organic polymers on monolithic shape-stabilized phase change materials synthesized via sol-gel route. 2022 , 49, 104127	1
169	Dynamic coupled heat transfer and energy conservation performance of multilayer glazing window filled with phase change material in summer day. 2022 , 49, 104183	5
168	Thermal insulation of buildings through classical materials and nanomaterials. 2022 , 277-303	
167	Effect of Paraffin Composite Phase Change Materials on Thermal Performance of Salt Gradient Solar Pond.	
166	Experimental Study on Heat Transfer Performance of Mpcm Slurry Flow in Microchannels.	
165	Application of phase change energy storage in buildings: Classification of phase change materials and packaging methods. 2022 , 45-45	

164	Increased Heat Transfer Characteristics of Molten Salt-Synthesized Titania Nanoparticles Embedded in Palmitic Acid. 2022 , 103-110	
163	Analysis of Heat Transfer Rate for Different Annulus Shape Properties-Enhanced Beeswax-Based Phase Change Material for Thermal Energy Storage. 2022 , 2022, 1-21	1
162	Numerical investigation of heat and mass transfer during hydrogen desorption in a large-scale metal hydride reactor coupled to a phase change material with nano-oxide additives. 2022 ,	1
161	A REVIEW OF PV COOLING AND THERMAL ENERGY STORAGE IN PV/T SYSTEMS BASED PHASE CHANGE MATERIALS.	
160	Phase change material infiltrated 3D porous carbon interconnected composites for thermal energy storage. 2022 , 44, 2133-2152	
159	Performance Evaluation of Phase Change Materials to Reduce the Cooling Load of Buildings in a Tropical Climate. 2022 , 14, 3171	1
158	Enhanced Thermal Energy Storage of -Octadecane-Impregnated Mesoporous Silica as a Novel Shape-Stabilized Phase Change Material.. 2022 , 7, 12222-12230	1
157	Nano additive enhanced salt hydrate phase change materials for thermal energy storage. 1-44	2
156	Effects of Volume Changes on the Thermal Performance of PCM Layers Subjected to Oscillations of the Ambient Temperature: Transient and Steady Periodic Regimes.. 2022 , 27,	0
155	A Numerical Simulation of an Experimental Melting Process of a Phase-Change Material without Convective Flows. 2022 , 12, 3640	0
154	Property-enhanced paraffin-based composite phase change material for thermal energy storage: a review.. 2022 , 1	1
153	Thermo-physical characterization of Hexadecane during the solid/liquid phase change. 2022 , 710, 179180	0
152	Application of phase change materials in building components and the use of nanotechnology for its improvement. 2022 , 262, 112018	2
151	BPNN-based optimal strategy for dynamic energy optimization with providing proper thermal comfort under the different outdoor air temperatures. <i>Applied Energy</i> , 2022 , 313, 118899	10.7 2
150	Thermal behavior evaluation of a radiant floor heating system incorporates a microencapsulated phase change material. 2022 , 330, 127293	1
149	A composite of cross-linked polyurethane as solid-solid phase change material and plaster for building application. 2022 , 262, 111945	2
148	Thermal and mechanical properties of cement based-composite phase change material of butyl stearate/isopropyl palmitate/expanded graphite for low temperature solar thermal applications. 2022 , 50, 104547	1
147	Values of latent heat and thermochemical energy storage technologies in low-carbon energy systems: Whole system approach. 2022 , 50, 104126	0

146	Preparation and properties of lauric acid-octadecanol/expanded graphite shape-stabilized phase change energy storage material. 2022 , 31, 103325	0
145	Encapsulation of dodecane in gasification biochar for its prolonged thermal/shape stability, reliability, and ambient enthalpy storage. 2022 , 437, 135407	0
144	The performance of hydrogen desorption from a metal hydride with heat supply by a phase change material incorporated in porous media (metal foam): Heat and mass transfer assessment. 2022 , 51, 104449	1
143	Assessment of loading phase change material into net meter building to boost excess electricity generation. 2022 , 52, 104386	0
142	Copper foam effectively improves the thermal performance of graphene-aerogel composite phase-change materials for thermal storage. 2022 , 51, 104485	0
141	Selection of a phase change material for energy storage by multi-criteria decision method regarding the thermal comfort in a vehicle. 2022 , 51, 104437	2
140	Effect of dual-rotation on MHD natural convection of NEPCM in a hexagonal-shaped cavity based on time-fractional ISPH method. 2021 , 11, 22687	0
139	Phase change materials for thermal energy storage: A perspective on linking phonon physics to performance. 2021 , 130, 220903	1
138	Preparation and characterization of polyethylene glycol/polyurea composites for shape stabilized phase change materials. 2022 , 62, 664-676	0
137	Numerical investigation of the indoor thermal behaviour based on PCMs in a hot climate. 1-21	1
136	Preparation and Characterization of Sodium Sulfate Decahydrate/Sodium Acetate Trihydrate Shape-Stabilized Phase Change Materials.	0
135	Evaluation of the energy storage capacity of Phase Change Material cement-lime mortars by using heat flux meters and ultrasonic pulse transmission. 2022 , 50, 104674	1
134	Experimental study on lauryl alcohol/expanded graphite composite phase change materials for thermal regulation in building. 2022 , 335, 127400	0
133	Polyethylene Glycol / Nanofibrous Kevlar Aerogel Composite: Fabrication, Confinement Effect, Thermal Energy Storage and Insulation Performance.	
132	Thermal Properties and Reliabilities of Lauric Acid-Based Binary Eutectic Fatty Acid as a Phase Change Material for Building Energy Conservation.. 2022 , 7, 16097-16108	1
131	A mini review on paraffin-graphene and related hybrid phase change materials for building energy applications.	
130	Structure of Aqueous CaCl ₂ Solutions by X-ray Scattering and Density Functional Theory. 2022 , 96, S68-S76	1
129	Fabrication and Thermal Performance of 3D Copper-Mesh-Sintered Foam/Paraffin Phase Change Materials for Solar Thermal Energy Storage. 2022 , 10, 897	1

128	Heat and mass transfer characteristics of charging in a metal hydride-phase change material reactor with nano oxide additives: The large scale-approach. 2022 , 118622		1
127	Investigation of the Ice Melting Process in a Simplified Gas Diffusion Layer of Fuel Cell by the Lattice Boltzmann Method.		
126	Phase change materials in thermally activated building systems: A comprehensive review.		1
125	Hierarchical aluminum fumarate metal-organic framework - alumina host matrix: Design and application to CaCl ₂ composites for thermochemical heat storage. 2022 , 50, 104702		1
124	Sprayable cellulose nanofibrils stabilized phase change material Pickering emulsion for spray coating application. 2022 , 291, 119583		2
123	Determination of phase change temperature of materials from adiabatic scanning calorimetry data.		0
122	Effect of double rotating cylinders on the MHD mixed convection and entropy generation of a 3D cubic enclosure filled by nano-PCM.		0
121	Emerging Solid-to-solid Phase Change Materials for Thermal Energy Harvesting, Storage and Utilization. 2202457		4
120	Thermal energy storage composites with preformed expanded graphite matrix and paraffin wax for long-term cycling stability and tailored thermal properties. 2022 , 52, 104856		0
119	Charging and discharging characteristics of cascaded latent heat storage (CLHS) tank for low-temperature applications. 2022 , 213, 118698		0
118	The Concept of Nano Insulation Materials Challenges, Opportunities, and Experimental Investigations. 2022 , 347-392		
117	Thermally Controlled Concrete Incorporating Waste Materials and Byproducts. 2023 , 63-75		
116	Study of the structural-functional lightweight concrete containing novel hollow ceramsite compounded with paraffin. 2022 , 342, 127954		1
115	Melting assessment on the effect of nonuniform Y-shaped fin upon solid-liquid phase change in a thermal storage tank. <i>Applied Energy</i> , 2022 , 321, 119330	10.7	1
114	Using of heat thermal storage of PCM and solar energy for distributed clean building heating: A multi-level scale-up research. <i>Applied Energy</i> , 2022 , 321, 119345	10.7	1
113	Application of phase change material in thermal energy storage systems. 2022 ,		0
112	Experimental study on the effect of rotation on melting performance of shell-and-tube latent heat thermal energy storage unit. 2022 , 118877		0
111	Phase-change materials reinforced intelligent paint for efficient daytime radiative cooling. 2022 , 25, 104584		0

110	Comfort and economic aspects of phase change materials integrated with heavy-structure buildings in hot climates. 2022 , 213, 118785	0
109	Energy consumption of a building with phase change material walls [The effect of phase change material properties. 2022 , 52, 105080	0
108	Thermal behaviors of energy storage process of eutectic hydrated salt phase change materials modified by Nano-TiO ₂ . 2022 , 53, 105077	1
107	Solid-liquid phase change subjected to unipolar charge injection from a circular wire electrode. 2022 , 194, 123120	0
106	Conjugated polymer and phase-change materials for energy storage and green buildings. 2022 , 313-334	
105	Thermodynamics and kinetics analysis of hydrogen absorption in large-scale metal hydride reactor coupled to phase change material-metal foam-based latent heat storage system. 2022 ,	1
104	Multifunctional Carbon-Based Hybrid Foams for Shape-Stabilization of Phase Change Materials, Thermal Energy Storage, and Electromagnetic Interference Shielding Functions. 2022 , 2, 390-409	
103	A State of the Art Review on Sensible and Latent Heat Thermal Energy Storage Processes in Porous Media: Mesoscopic Simulation. 2022 , 12, 6995	1
102	Properties of eco-friendly foam concrete containing PCM impregnated rice husk ash for thermal management of buildings. 2022 , 104961	1
101	Thermomechanical Performance Analysis of Novel Cement-Based Building Envelopes with Enhanced Passive Insulation Properties. 2022 , 15, 4925	0
100	pH-responsive wood-based phase change material for thermal energy storage building material application.	0
99	Combination of Passive and Active Solar Heating with Thermal Energy Storage. 2022 , 27, 4386	1
98	Polyethylene glycol / nanofibrous Kevlar aerogel composite: Fabrication, confinement effect, thermal energy storage and insulation performance. 2022 , 32, 104011	
97	Simultaneous use of porous medium and phase change material as coolant of photovoltaic modules; thermodynamic analysis. 2022 , 54, 105276	0
96	Enhancement of the metal hydride hydraulic pump efficiency by integrating a phase change material.	0
95	Energy performance enhancement of residential buildings in Pakistan by integrating phase change materials in building envelopes. 2022 , 8, 9290-9307	2
94	Review on applications of microencapsulated phase change material in buildings for thermal storage system. 2022 , 29,	1
93	A novel bionic packed bed latent heat storage system filled with encapsulated PCM for thermal energy collection. 2022 , 101449	

92	Coupled Heat and Moisture Transfer in Walls Featuring Moisture-Buffering Materials and Ventilating Layers: An Experimental Study. 2022,	0
91	Synthesis and characterization of biopolyurethane crosslinked with castor oil-based hyperbranched polyols as polymeric solid-solid phase change materials. 2022, 12,	0
90	Synthesis and characterization of FSPCM based coatings to improve the energy efficiency in buildings. 2022,	
89	Microstructure-guided computational model for predicting effective thermal conductivity of cementitious composites filled with phase change particles. 2022, 38, 102339	
88	A study on energy transport performance of Microencapsulated Phase Change Materials (MPCM) slurry. 2022, 138, 106321	
87	Measuring the maximum capacity and thermal resistances in phase-change thermal storage devices. 2022, 55, 105514	0
86	Shape-stabilization of organic phase change materials as mechanically stable silica boards with high latent heats synthesized via sol-gel route. 2022, 60, 105198	0
85	Variation in cooling performance of a bio-based phase change material by adding graphene nanoplatelets with surfactants. 2022, 16, 100201	0
84	The effect of multi-walled carbon nanotubes on the thermo-physical properties of shape stabilised phase change materials for buildings based on high density polyethylene and paraffin wax. 2022, 55, 105601	0
83	Lattice Boltzmann simulation of the melting enhancement of composite phase change material with highly conductive additives - Effect of discrete particulate phase and continuous conductive network. 2022, 217, 119211	0
82	An intelligent icephobic coating based on encapsulated phase change materials (PCM). 2022, 655, 130157	0
81	Electrospraying poly(lactic acid) microcapsules loaded with n-hexadecane for thermal energy storage systems. 2022, 33, 104443	0
80	Preparation and characterization of lauric acid/stearic acid/expanded perlite as a composite phase change material. 2022, 12, 23860-23868	0
79	Review on Organic Phase Change Materials for Sustainable Energy Storage.	2
78	Design and Optimization of Composite Phase Change Material for Cylindrical Thermal Energy Storage.	1
77	PCM Modified Gypsum Hempcrete with Increased Heat Capacity for Nearly Zero Energy Buildings. 2022, 26, 524-534	3
76	A Comprehensive Review on Building Energy Saving During the Past Decade. 2022, 489-502	0
75	A study on recent advances in phase change material and its experimental assessments in masonry construction technology. 2022, 7,	0

74	Construction and application of biochar-based composite phase change materials. 2022 , 139441	0
73	Viscoelastic and thixotropic characterization of paraffin/photopolymer composites for extrusion-based printing. 2022 , 34, 093106	0
72	Numerical analysis on phase change progress and thermal performance of different roofs integrated with phase change material (PCM) in Moroccan semi-arid and Mediterranean climates.	0
71	Molecular Dynamics Simulation of Thermophysical Properties and the Microstructure of Na ₂ CO ₃ Heat Storage Materials. 2022 , 15, 7080	0
70	Preparation and Performance Analysis of Form-Stable Composite Phase Change Materials with Different EG Particle Sizes and Mass Fractions for Thermal Energy Storage. 2022 , 7, 34436-34448	0
69	A comprehensive state-of-the-art review of sustainable thermal insulation system used in external walls for reduction in energy consumption in buildings. 1-19	0
68	Thermal, mechanical and microstructural properties of sustainable concrete incorporating Phase change materials. 2022 , 356, 129300	0
67	Performance investigation of flat plate solar collector with nanoparticle enhanced integrated thermal energy storage system. 2022 , 55, 105681	1
66	A Review of Solar Energy Use in Biogas Digester Heating. 9, 70-81	0
65	Eutectic Fatty Acids Phase Change Materials Improved with Expanded Graphite. 2022 , 15, 6856	1
64	Multivariate analysis for assessing the thermal performance of vertical opaque envelopes in extended regions. 174425912211272	1
63	Melting processes of phase change materials in a horizontally placed rectangular cavity. 2022 , 950,	0
62	Numerical simulation of radiant floor cooling systems using PCM for naturally ventilated buildings in a hot and humid climate. 2022 , 109762	0
61	Comprehensive review on cascaded latent heat storage technology: Recent advances and challenges. 2022 , 55, 105713	0
60	Combined use of phase change material and thermal insulation to improve energy efficiency of residential buildings. 2022 , 56, 105880	0
59	Description of phase change materials (PCMs) used in buildings under various climates: A review. 2022 , 56, 105760	2
58	Progress in research and development of phase change materials for thermal energy storage in concentrated solar power. 2023 , 219, 119546	1
57	A systematic review of passive energy consumption optimisation strategy selection for buildings through multiple criteria decision-making techniques. 2023 , 171, 113013	1

56	Prospects and Challenges of Solar Thermal for Process Heating: A Comprehensive Review. 2022 , 15, 8501	1
55	Development of phase change materials for low-temperature thermal energy storage application. 11, 1295	0
54	Solar and Thermal Radiation-Modulation Materials for Building Applications. 2202932	0
53	Performance improvement of adsorptive hydrogen storage on activated carbon: Effects of phase change material and inconstant mass flow rate. 2022 , 56, 105930	0
52	Effects of paraffin additives, as phase change materials, on the behavior of a traditional lime mortar. 2022 , 361, 129734	0
51	Effects of porous silicon carbide supports prepared from pyrolyzed precursors on the thermal conductivity and energy storage properties of paraffin-based composite phase change materials. 2022 , 56, 106046	0
50	Cooling enhancement of portable computers processor by a heat pipe assisted with phase change materials. 2022 , 56, 106074	0
49	Research Progress of Phase Change Energy Storage Materials with Solar-Thermal Conversion. 2022 , 12, 352-361	0
48	A numerical assessment of a latent heat storage system for district heating substations. 2023 , 57, 106210	1
47	An approximate analytical solution for the movement of the phase change front in latent thermal energy storage heat exchangers. 2023 , 57, 106132	0
46	Effective estimation of the state-of-charge of latent heat thermal energy storage for heating and cooling systems using non-linear state observers. 2023 , 331, 120448	0
45	Preparation of hierarchical porous microspheres composite phase change material for thermal energy storage concrete in buildings. 2023 , 232, 106771	0
44	Numerical analysis of heat flux passing through an anti-theft door armed by phase change materials.	0
43	A review on the micro-encapsulation of phase change materials: classification, study of synthesis technique and their applications. 2023 , 30,	0
42	A cross-scale material-component-system framework for transition towards zero-carbon buildings and districts with low, medium and high-temperature phase change materials. 2022 , 104378	1
41	Heat storage material: a hope in solar thermal.	0
40	Numerical analysis of PCM integrated year-round thermal energy savings building for composite climatic conditions. 2022 , 1100, 012004	0
39	Experimental study and assessment of thermal energy storage mortar with paraffin/recycled brick powder composite phase change materials.	0

- 38 Passive Solar Systems for the Promotion of Thermal Comfort in African Countries: A Review. **2022**, 15, 9167 1
- 37 n-Heptadecane-Impregnated Wood as a Potential Material for Energy-Saving Buildings. **2022**, 13, 2137 0
- 36 Thermal Performance Enhancement of Triplex Tube Heat Storage Using Metal Foam. 62-71 0
- 35 Architectural Design Strategies for Enhancement of Thermal and Energy Performance of PCMs-Embedded Envelope System for an Office Building in a Typical Arid Saharan Climate. **2023**, 15, 1196 1
- 34 Identification of the pore size distribution of a porous medium using oscillating Newtonian fluids. **2023**, 460, 128615 0
- 33 Global trends, performance metrics, and energy reduction measures in datacom facilities. **2023**, 174, 113149 0
- 32 Adsorption air conditioning: a comprehensive review in desiccant materials, system progress, and recent studies on different configurations of hybrid solid desiccant air conditioning systems. 0
- 31 Study on optimization of thermal property parameters of phase change wallboard and its application simulation in the building. **2023**, 61, 106773 0
- 30 Adaptive dynamic building envelope integrated with phase change material to enhance the heat storage and release efficiency: A state-of-the-art review. **2023**, 286, 112928 0
- 29 Amine-based thermal energy storage system towards industrial application. **2023**, 283, 116954 0
- 28 Encapsulating an inorganic phase change material within emulsion-templated polymers: Thermal energy storage and release. **2023**, 276, 125947 0
- 27 Experimental and molecular dynamic simulation of supercooling phenomenon of sodium acetate trihydrate. **2023**, 62, 106956 0
- 26 A comprehensive approach combining gradient porous metal foam and the magnetic field to regulate latent heat storage performance. **2023**, 227, 120380 0
- 25 Design and optimization of composite phase change material for cylindrical thermal energy storage. **2023**, 208, 123995 0
- 24 Melting behavior of an organic phase change material in a square thermal energy storage capsule with an array of wire electrodes. **2023**, 228, 120492 0
- 23 3D printed lattice metal structures for enhanced heat transfer in latent heat storage systems. **2023**, 65, 107350 0
- 22 Development of artificial shape-setting energy storage phosphorous building gypsum aggregate. **2023**, 18, e02016 0
- 21 Wet spinning of strong cellulosic fibres with incorporation of phase change material capsules stabilized by cellulose nanocrystals. **2023**, 312, 120734 0

20 Recyclable Solid-Solid Phase Change Materials with Excellent Reprocessing Properties Based on Dynamic Disulfide Bonds. **2023**, 5, 1499-1508 ○

19 Standardised methods for the determination of key performance indicators for thermal energy storage heat exchangers. **2023**, 176, 113139 ○

18 Encapsulated Phase Change Material Slurries as Working Fluid in Novel Photovoltaic Thermal Liquid Systems: A Comprehensive Review. ○

17 A conceptual framework for phase change material integration in building components. 1420326X2311539 ○

16 Urea-Derived Graphitic Carbon Nitride/Polyethylene Glycol Form-Stable Composite for Thermal Energy Storage. **2023**, 37, 4058-4068 ○

15 High thermal inertia mortars: New method to incorporate phase change materials (PCMs) while enhancing strength and thermal design models. **2023**, 370, 130621 ○

14 PCM-based ceiling panels for passive cooling in buildings: A CFD modelling. **2023**, 285, 112898 1

13 Energy analysis of the building integrated with a double PCM wallboard system in various climate regions of Iran. ○

12 Thermal energy storage using phase change materials in building applications: A review of the recent development. **2023**, 285, 112908 ○

11 Facile synthesis of SmSe supported on multiwalled carbon nanotubes for supercapacitor applications. ○

10 Thermal energy storage for enhanced building energy flexibility. **2023**, 89-119 ○

9 A review of phase change materials in multi-designed tubes and buildings: Testing methods, applications, and heat transfer enhancement. **2023**, 63, 106990 ○

8 A Review of the Performance Improvement Methods of Phase Change Materials: Application for the Heat Pump Heating System. **2023**, 16, 2676 ○

7 Microencapsulation of thermochromic color switching and phase change materials. **2023**, 229-253 ○

6 Phase change materials (PCMs) in buildings. **2023**, 507-567 ○

5 Mechanical and Thermal Properties of Thermally Conductive Enhanced Paraffin/Gypsum Composites. **2023**, 11, 999 ○

4 Energy, exergy, and economic (3E) analyses of nanoparticle-enriched phase change material in an air-PCM heat exchanger applied for buildings free cooling. ○

3 Thermal performance of different construction materials used in New Zealand dwellings comparatively to international practice [A systematic literature review. **2023**, 106346 ○

- 2 Performance Evaluation of Novel Concentrating Photovoltaic Thermal Solar Collector under Quasi-Dynamic Conditions. **2023**, 3, 195-212 ○
- 1 Colloidal inorganic nano- and microparticles for passive daytime radiative cooling. **2023**, 10, ○