

CITATION REPORT

List of articles citing

American Geriatrics Society updated Beers Criteria for potentially inappropriate medication use in older adults

DOI: 10.1111/j.1532-5415.2012.03923.x

Journal of the American Geriatrics Society, 2012, 60, 616-31.

Source: <https://exaly.com/paper-pdf/54549338/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1670	Inhaled anticholinergic agents and acute urinary retention in men with lower urinary tract symptoms or benign prostatic hyperplasia. 2012 , 46, 1245-9		12
1669	CAM and the Aging Population: Trends and Clinical Implications. 2012 , 18, 314-318		2
1668	Diabetes in older adults. 2012 , 35, 2650-64		745
1667	Clinical pharmacology in old persons. 2012 , 2012, 723678		28
1666	Looks vestibular: irrational prescribing of antivertiginous drugs for older dizzy patients in general practice. 2012 , 62, 518-20		5
1665	Validation of prescribing appropriateness criteria for older Australians using the RAND/UCLA appropriateness method. <i>BMJ Open</i> , 2012 , 2,	3	47
1664	Histamine-1 receptor antagonism for treatment of insomnia. 2012 , 52, e210-9		44
1663	Polypharmacy in older adults at home: what it is and what to do about it--implications for home healthcare and hospice. 2012 , 30, 474-85; quiz 486-7		23
1662	The role of family caregivers and inappropriate medication use in the community-dwelling older adults with dementia. 2012 , 8, 457-460		3
1661	Improving medication safety with accurate preadmission medication lists and postdischarge education. 2012 , 38, 452-8		25
1660	Is it possible to identify risks for injurious falls in hospitalized patients?. 2012 , 38, 408-13		39
1659	Patient-centered care for older adults with multiple chronic conditions: a stepwise approach from the American Geriatrics Society: American Geriatrics Society Expert Panel on the Care of Older Adults with Multimorbidity. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1957-68	5.6	221
1658	Guiding principles for the care of older adults with multimorbidity: an approach for clinicians: American Geriatrics Society Expert Panel on the Care of Older Adults with Multimorbidity. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, E1-E25	5.6	454
1657	Brains, bones, and aging: psychotropic medications and bone health among older adults. 2012 , 10, 303-11		8
1656	Polypharmacy and incontinence. 2012 , 45, 464-7		13
1655	Tools in polypharmacy. Current evidence from observational and controlled studies. 2012 , 45, 468-72		12
1654	Inappropriate prescribing in hospitalised Australian elderly as determined by the STOPP criteria. <i>International Journal of Clinical Pharmacy</i> , 2012 , 34, 855-62	2.3	56

1653	Optimal preoperative assessment of the geriatric surgical patient: a best practices guideline from the American College of Surgeons National Surgical Quality Improvement Program and the American Geriatrics Society. 2012 , 215, 453-66		539
1652	Reducing cost by reducing polypharmacy: the polypharmacy outcomes project. 2012 , 13, 818.e11-5		51
1651	Testamentary capacity and guardianship assessments. 2012 , 35, 915-27		2
1650	Updated 2012 Beers Criteria: what's noteworthy and cautionary?. 2012 , 13, 768-9		1
1649	[Polypharmacy in old age--too much of a good thing?]. 2012 , 154, 46-9		1
1648	[Potentially inappropriate medication: the quality of pharmacotherapy in the elderly]. 2012 , 53, 1125-30		10
1647	Atypical antipsychotic use in patients with dementia: managing safety concerns. 2012 , 169, 900-6		138
1646	Commentary on the new American Geriatric Society Beers criteria for potentially inappropriate medication use in older adults. 2012 , 10, 151-9		35
1645	Medication-related falls in the elderly: causative factors and preventive strategies. 2012 , 29, 359-76		222
1644	Credulous fondness for celecoxib. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2190; author reply 2190-1	5.6	2
1643	2012 updated Beers Criteria: greater applicability to Europe?. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2188-9; author reply 2189-90	5.6	17
1642	Response Letter to Finucane. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2190-2191	5.6	
1641	Diabetes in older adults: a consensus report. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2342-56	5.6	329
1640	Geriatric assessment for the nephrologist. 2012 , 25, 623-7		8
1639	Drug-induced atrial fibrillation. 2012 , 72, 1617-30		43
1638	Geriatric gynecology: promoting health and avoiding harm. 2012 , 207, 355-67		12
1637	The impact of family caregivers on potentially inappropriate medication use in noninstitutionalized older adults with dementia. 2012 , 10, 230-41		42
1636	FDA drug safety communications: a narrative review and clinical considerations for older adults. 2012 , 10, 264-71		45

1635	Adverse effects of analgesics commonly used by older adults with osteoarthritis: focus on non-opioid and opioid analgesics. 2012 , 10, 331-42		146
1634	[Review of the medication in polymedicated elderly patients]. 2012 , 44, 461-2		2
1633	2012 Beers criteria update: how should practicing nurses use the criteria?. 2012 , 33, 253-5		4
1632	Effects of a drug minimization guide on prescribing intentions in elderly persons with polypharmacy. 2012 , 29, 659-67		7
1631	Erratum to: Abiraterone acetate: a guide to its use in metastatic castration-resistant prostate cancer. 2012 , 29, 659-667		7
1630	Explicit criteria for potentially inappropriate medications to reduce the risk of adverse drug reactions in elderly people: from Beers to STOPP/START criteria. 2012 , 35 Suppl 1, 21-8		28
1629	Adverse drug events as a cause of hospitalization in older adults. 2012 , 35 Suppl 1, 29-45		98
1628	Inappropriateness of medication prescriptions to elderly patients in the primary care setting: a systematic review. 2012 , 7, e43617		148
1627	Pain treatment in arthritis-related pain: beyond NSAIDs. 2012 , 6, 320-30		74
1626	Medication management: a case of brown bag-identified medication hoarding. 2012 , 27, 729-36		2
1625	[Drug-related problems in the elderly]. 2012 , 153, 1926-36		3
1624	Nonprescription antihistamines: Geriatric considerations. 2012 , 18, 24		
1623	Factors associated with potentially inappropriate medication use by the elderly in the Brazilian primary care setting. <i>International Journal of Clinical Pharmacy</i> , 2012 , 34, 626-32	2.3	26
1622	Treatment of type 2 diabetes in the elderly. 2012 , 12, 239-45		10
1621	2012 Beers Criteria. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 612-3	5.6	24
1620	Uncovering the source of new benzodiazepine prescriptions in community-dwelling older adults'. 2013 , 28, 248-55		18
1619	An educational intervention to reduce the use of potentially inappropriate medications among older adults (EMPOWER study): protocol for a cluster randomized trial. 2013 , 14, 80		30
1618	Late Onset Hypogonadism, Testosterone Replacement Therapy, and Sexual Health in Elderly Men. 2013 , 2, 76-83		

1617	Prescription patterns of anticholinergic agents and their associated factors in Korean elderly patients with dementia. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 711-8	2.3	12
1616	New prescriptions of spironolactone associated with angiotensin-converting-enzyme inhibitors and/or angiotensin receptor blockers and their laboratory monitoring from 2001 to 2008: a population study on older people living in the community in Italy. 2013 , 69, 909-17		4
1615	Potentially inappropriate medications in a large cohort of patients in geriatric units: association with clinical and functional characteristics. 2013 , 69, 975-84		13
1614	Treating older people. 2013 , 69 Suppl 1, 53-7		1
1613	Altered mental status in older patients in the emergency department. 2013 , 29, 101-36		84
1612	Geriatric dizziness: evolving diagnostic and therapeutic approaches for the emergency department. 2013 , 29, 181-204		15
1611	Potentially inappropriate medications used by the elderly: prevalence and risk factors in Brazilian care homes. <i>BMC Geriatrics</i> , 2013 , 13, 52	4.1	35
1610	High risk prescribing in older adults: prevalence, clinical and economic implications and potential for intervention at the population level. 2013 , 13, 115		25
1609	Receipt of high risk medications among elderly enrollees in Medicare Advantage plans. 2013 , 28, 546-53		19
1608	From physiology to pharmacy: developments in the pathogenesis and treatment of recurrent urinary tract infections. 2013 , 14, 448-56		50
1607	Prevalence and associations of potentially inappropriate prescriptions in Austrian nursing home residents: secondary analysis of a cross-sectional study. 2013 , 125, 180-8		26
1606	Detrusor Underactivity and Urinary Retention in Geriatric Patients: Evaluation, Management and Recent Research. 2013 , 8, 92-100		2
1605	Prevalence and determinants of anticholinergic medication use in elderly dementia patients. 2013 , 30, 837-44		32
1604	Rationalizing prescribing for older patients with multimorbidity: considering time to benefit. 2013 , 30, 655-66		88
1603	The next therapeutic challenge in HIV: polypharmacy. 2013 , 30, 613-28		155
1602	Polypharmacy and potentially inappropriate medication in the adult, community-dwelling population in Switzerland. 2013 , 30, 561-8		48
1601	Benzodiazepine use among older adults with chronic obstructive pulmonary disease: a population-based cohort study. 2013 , 30, 183-92		35
1600	A prevalence study of potentially inappropriate prescribing in Irish long-term care residents. 2013 , 30, 39-49		59

1599	Megestrol acetate for treatment of anorexia-cachexia syndrome. 2013 , CD004310		112
1598	A drug education tool developed for older adults changes knowledge, beliefs and risk perceptions about inappropriate benzodiazepine prescriptions in the elderly. 2013 , 92, 81-7		37
1597	Optimizing sleep in older adults: treating insomnia. 2013 , 76, 247-52		39
1596	[Inappropriate prescribing of drugs in older people attending primary care health centres: detection using STOPP-START criteria]. 2013 , 48, 265-8		6
1595	Lower-dose prescribing: minimizing "side effects" of pharmaceuticals on society and the environment. 2013 , 443, 324-37		77
1594	Practical geriatric assessment. 2013 , 9, 579-591		2
1593	Inappropriate prescribing in the elderly: A comparison of two validated screening tools. 2013 , 4, 109-114		13
1592	Priorities of health care outcomes for the elderly. 2013 , 14, 479-84		50
1591	Inappropriate medication prescriptions in elderly adults surviving an intensive care unit hospitalization. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1128-34	5.6	77
1590	Perioperative management of delirium and dementia in the geriatric surgical patient. 2013 , 398, 947-55		6
1589	Pathophysiology of pain. 2013 , 59, 330-58		15
1588	The medication appropriateness index at 20: where it started, where it has been, and where it may be going. 2013 , 30, 893-900		116
1587	Longitudinal use of complementary and alternative medicine among older adults with radiographic knee osteoarthritis. 2013 , 35, 1690-702		35
1586	[Benzodiazepines in geriatrics]. 2013 , 46, 769-76; quiz 776		6
1585	Medication pain management in the elderly: unique and underutilized analgesic treatment options. 2013 , 35, 1669-89		35
1584	A comparison of prescribing criteria when applied to older community-based patients. 2013 , 30, 935-43		24
1583	Epidemiological strategies for adapting clinical practice guidelines to the needs of multimorbid patients. 2013 , 13, 352		16
1582	Drug-related emergency department visits by elderly patients presenting with non-specific complaints. 2013 , 21, 15		49

1581	Drug-related problems in type 2 diabetes mellitus patients with dyslipidemia. 2013 , 13, 1192		31
1580	Comment on: the effects of fall-risk-increasing drugs on postural control: a literature review. 2013 , 30, 1039		1
1579	Safety and efficacy of once-daily gastroretentive gabapentin in patients with postherpetic neuralgia aged 75 years and over. 2013 , 30, 999-1008		11
1578	The history of benzodiazepines. 2013 , 28, 538-48		75
1577	Geriatric Pharmacotherapy. 2013 , 65-91		
1576	Reliability of a questionnaire for pharmacological treatment appropriateness in patients with multiple chronic conditions. 2013 , 24, 420-4		4
1575	Potential clinical impact of medication discrepancies at hospital admission. 2013 , 24, 530-5		72
1574	Milnacipran for fibromyalgia: a useful addition to the treatment armamentarium. 2013 , 14, 905-16		5
1573	Students delivering health care to a vulnerable Appalachian population through interprofessional service-learning. 2013 , 34, 43-59		10
1572	Guidelines abstracted from the American Geriatrics Society Guidelines for Improving the Care of Older Adults with Diabetes Mellitus: 2013 update. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 2020-6	5.6	208
1571	Medicatie en duizeligheid. 2013 , 29, 39-45		0
1570	Geriatrische medebehandeling bij oudere patiënten met een heup- of wervelfractuur. 2013 , 21, 78-84		
1569	Medication prescribing in frail older people. 2013 , 69, 319-26		155
1568	It's time to change the way we manage nursing home residents with diabetes. 2013 , 34, 412-5		
1567	Efficacy of periosteal stimulation for chronic pain associated with advanced knee osteoarthritis: a randomized, controlled clinical trial. 2013 , 35, 1703-20.e5		25
1566	[Methods for measuring the suitability of pharmacological treatment in the elderly with multiple conditions and on multiple drugs]. 2013 , 45, 19-20		5
1565	Loving and lamenting the role of medications in long term care. 2013 , 14, 384-5		
1564	The Choosing Wisely() campaign and nurses role in dissemination. 2013 , 34, 179-80		0

1563	Emergency department observation units and the older patient. 2013 , 29, 71-89		30
1562	Reducing polypharmacy: evidence from a simple quality improvement initiative. 2013 , 14, 152-6		15
1561	Potentiality of STOPP/START criteria used in primary care to effectively change inappropriate prescribing in elderly patients. 2013 , 4, 293-298		8
1560	Life-threatening hyperkalemia after 2 days of ibuprofen. 2013 , 31, 465.e1-2		7
1559	Psychotropic medications and falls in nursing homes: a cross-sectional study. 2013 , 14, 213-7		43
1558	Common curbsides and conundrums in geriatric medicine. 2013 , 88, 630-5		5
1557	Acute pain management in older adults in the emergency department. 2013 , 29, 151-64		21
1556	Delirium superimposed on Charles Bonnet syndrome: a case study. 2013 , 34, 453-6		1
1555	[Adequacy of drug prescriptions in elderly patients admitted to a convalescence unit according Beers criteria]. 2013 , 28, 391-3		0
1554	Long-term anticholinergic use and the aging brain. 2013 , 9, 377-85		117
1553	Revisiting hypoglycemia in diabetes. 2013 ,		
1552	Prescribing opioids in older people. 2013 , 74, 123-9		23
1551	Drug related problems in type 2 diabetes patients with hypertension: a cross-sectional retrospective study. 2013 , 13, 2		41
1550	National trends in emergency department use, care patterns, and quality of care of older adults in the United States. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 12-7	5.6	199
1549	Cognitive risks of anticholinergics in the elderly. 2013 , 9, 159-166		11
1548	Geriatric dermatology: Part I. Geriatric pharmacology for the dermatologist. 2013 , 68, 521.e1-521.e10		22
1547	Clinical pharmacokinetics of antiretroviral drugs in older persons. 2013 , 9, 573-88		27
1546	Ineffectiveness and adverse events of nitrofurantoin in women with urinary tract infection and renal impairment in primary care. 2013 , 69, 1701-7		32

1545	The quality of quality measures: HEDIS quality measures for medication management in the elderly and outcomes associated with new exposure. 2013 , 30, 645-54		18
1544	Studies to reduce unnecessary medication use in frail older adults: a systematic review. 2013 , 30, 285-307		111
1543	Hypoglycemia and diabetes: a report of a workgroup of the American Diabetes Association and the Endocrine Society. 2013 , 98, 1845-59		158
1542	Improving the quality of pharmacotherapy in elderly primary care patients through medication reviews: a randomised controlled study. 2013 , 30, 235-46		97
1541	Application of the STOPP/START criteria: a systematic review of the prevalence of potentially inappropriate prescribing in older adults, and evidence of clinical, humanistic and economic impact. 2013 , 38, 360-72		232
1540	L'hypertension artérielle chez le sujet âgé : prise en charge thérapeutique en intégrant les dernières recommandations européennes et nord-américaines. 2013 , 5, 234-244		
1539	Adverse drug events after hospital discharge in older adults: types, severity, and involvement of Beers Criteria Medications. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1894-9	5.6	72
1538	The effect of community pharmacy-based interventions on patient health outcomes: a systematic review. 2013 , 70, 235-66		58
1537	Prevention of inappropriate prescribing in hospitalized older patients using a computerized prescription support system (INTERcheck®). 2013 , 30, 821-8		55
1536	Complexity perplexity: a systematic review to describe the measurement of medication regimen complexity. 2013 , 12, 829-40		36
1535	Evaluation of type 2 diabetes mellitus medication management and control in older adults. 2013 , 28, 296-306		3
1534	Polypharmacy in older adults at home: what it is and what to do about it-implications for home healthcare and hospice, part 2. 2013 , 31, 65-77; quiz 78-9		13
1533	Anticipating and managing opioid side effects in the elderly. 2013 , 28, 150-9		8
1532	Resistant hypertension in the elderly: optimizing outcomes while avoiding adverse effects. 2013 , 28, 307-12		2
1531	Pharmacogenetics: has the time come for pharmacists to embrace and implement the science?. 2013 , 28, 696-711		5
1530	Discontinuation of risperidone in Alzheimer's disease. 2013 , 368, 187-8		4
1529	Antidepressant medication augmented with cognitive-behavioral therapy for generalized anxiety disorder in older adults. 2013 , 170, 782-9		54
1528	Guidelines for pharmacists integrating into primary care teams. 2013 , 146, 342-52		55

1527	Polypharmacy and the management of the older cancer patient. 2013 , 24 Suppl 7, vii36-40		69
1526	Use of potentially inappropriate medications in hospitalized elderly at a teaching hospital: a comparison between Beers 2003 and 2012 criteria. 2013 , 45, 603-7		14
1525	Evidence-based guidance for the management of postherpetic neuralgia in primary care. 2013 , 125, 191-202		39
1524	2012 -- That was the year that was. 2013 , 42, 140-4		3
1523	Risk of injury associated with skeletal muscle relaxant use in older adults. 2013 , 47, 993-8		33
1522	Frequency of medication errors in primary care patients with polypharmacy. 2013 , 30, 313-9		68
1521	Addressing pharmacology challenges in older adults. 2013 , 43, 58-60		1
1520	Evidence-based recommendations for GERD treatment. 2013 , 38, 26-34; quiz 34-5		4
1519	Cognitive effects of reducing anticholinergic drug burden in a frail elderly population: a randomized controlled trial. 2013 , 68, 271-8		84
1518	Association between sedating medications and delirium in older inpatients. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 923-30	5.6	49
1517	Hypoglycemia and diabetes: a report of a workgroup of the American Diabetes Association and the Endocrine Society. 2013 , 36, 1384-95		920
1516	[Impact of benzodiazepine dependence on the use of health services: study of the health of seniors]. 2013 , 32, 21-30		
1515	Home medication reviews by community pharmacists: Reaching out to homebound patients. 2013 , 146, 139-42		12
1514	Comanagement of geriatric patients with hip fractures: a retrospective, controlled, cohort study. 2013 , 4, 10-5		87
1513	Deciding when to stop: towards evidence-based deprescribing of drugs in older populations. 2013 , 18, 121-4		75
1512	Geriatric patient care by U.S. pharmacists in healthcare teams: systematic review and meta-analyses. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1119-27	5.6	59
1511	Development of a level 1 geriatric outpatient pharmacy screen. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 654-5	5.6	3
1510	Update of studies on drug-related problems in older adults. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1365-8	5.6	11

1509	Management of insomnia and long-term use of sedative-hypnotic drugs in older patients. 2013 , 185, 1499-505		27
1508	Demography is destiny: an agenda for geriatric emergency medicine in Australasia. 2013 , 25, 271-8		24
1507	Incidence of cholinesterase inhibitor therapy initiation among hospitalized patients. 2013 , 8, 304-8		1
1506	Association of potentially inappropriate medication use with patient and prescriber characteristics in Medicare Part D. 2013 , 22, 728-34		38
1505	Advice from professional societies: appropriate use of NSAIDs. 2013 , 14 Suppl 1, S3-10		10
1504	Strategies to reduce the risk of iatrogenic illness in complex older adults. 2013 , 42, 284-91		89
1503	Quality improvement in neurology: dementia management quality measures. 2013 , 81, 1545-9		45
1502	American Geriatrics Society identifies five things that healthcare providers and patients should question. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 622-31	5.6	76
1501	The expanding scope of pharmacists' practice: implications for physicians. 2013 , 185, 1228-32		40
1500	Identifying Inappropriate Prescribing for Older People. 2013 , 43, 312-319		9
1499	Appropriateness of medication prescribing using the STOPP/START criteria in veterans receiving home-based primary care. 2013 , 28, 361-9		10
1498	'Patient-centered care' for complex patients with type 2 diabetes mellitus-analysis of two cases. 2013 , 6, 47-61		4
1497	Myofascial pain syndrome. 243-248		
1496	Geriatric pain. 347-352		
1495	Improving medication management for older adult clients residing in long-term care facilities. 2013 , 39, 11-7		3
1494	The medication regimen review: building rapport with the consultant pharmacist. 2013 , 39, 3-4		4
1493	Physical performance measures: an important component of the comprehensive geriatric assessment. 2013 , 38, 48-53		5
1492	Lessons learned from hospice care. 2013 , 28, 605-12		1

1491	Work System Barriers to Providing Safe Over-the-Counter (OTC) Medication Recommendations for Older Adults. 2013 , 57, 1098-1102	0
1490	Medicine Use among Older Australians Before and After Hip Fracture. 2013 , 43, 265-268	4
1489	Predicting toxicity in advanced lung cancer patients treated with platinum-based chemotherapy. 2013 , 2, 281-293	
1488	Overview of geriatric emergency medicine. 1-7	
1487	General approach to the geriatric patient. 20-30	
1486	Pharmacology in the elderly. 41-50	
1485	Pain management in the elderly. 69-76	1
1484	Chest pain in the elderly. 77-85	
1483	Altered mental status in the elderly. 102-113	
1482	Prescription peer academic detailing to reduce inappropriate prescribing for older patients: a cluster randomised controlled trial. 2013 , 63, e554-62	35
1481	Palliative Care in Advanced Dementias. 2013 , 121-136	1
1480	Senile dementia and pharmacological drugs. 2013 , 7, 176-180	
1479	Diagnosis and treatment of dementia in primary care. 2013 , 56, 1104	13
1478	Potentially inappropriate medication use among institutionalized elderly individuals in southeastern Brazil. 2013 , 49, 709-717	2
1477	Interactive approach by pharmacy students to educate older adults on the safe use of over-the-counter medications. 2013 , 28, 168-75	4
1476	Frequency of inappropriate medication prescription in hospitalized elderly patients in Italy. 2013 , 8, e82359	23
1475	The impact of cancer therapy on cognition in the elderly. 2013 , 4, 48	16
1474	Management of chronic pain in elderly, frail patients: finding a suitable, personalized method of control. 2013 , 8, 37-46	61

1473	Prescription pattern and prevalence of potentially inappropriate medications among elderly patients in a Nigerian rural tertiary hospital. 2013 , 9, 115-20	34
1472	Treatment of insomnia in older adults: re-evaluating the benefits and risks of sedative hypnotic agents. 2013 , 39, 48-54	14
1471	Tramadol/Paracetamol fixed-dose combination for chronic pain management in family practice: a clinical review. 2013 , 2013, 638469	5
1470	Pharmacoepidemiological profile and polypharmacy indicators in elderly outpatients. 2013 , 49, 443-452	6
1469	Polypharmacy in the HIV-infected older adult population. 2013 , 8, 749-63	47
1468	Extending the ABCDE bundle to the post-intensive care unit setting. 2013 , 39, 39-51	16
1467	Experience with DPP-4 inhibitors in the management of patients with type 2 diabetes fasting during Ramadan. 2014 , 10, 15-24	13
1466	Self-care options for sleep disorders in older adults. 2013 , 19, 34	
1465	Geriatric clinical pharmacology and clinical trials in the elderly. 2014 , 22, 64	4
1464	Identification of drug-related problems of elderly patients discharged from hospital. 2014 , 8, 155-65	48
1463	Multiple medication use in older patients in post-acute transitional care: a prospective cohort study. 2014 , 9, 1453-62	28
1462	Drug-related problems in patients with benign prostatic hyperplasia: a cross sectional retrospective study. 2014 , 9, e86215	15
1461	POPI (Pediatrics: Omission of Prescriptions and Inappropriate prescriptions): development of a tool to identify inappropriate prescribing. 2014 , 9, e101171	13
1460	Potentially inappropriate medication use in older patients in Swiss managed care plans: prevalence, determinants and association with hospitalization. 2014 , 9, e105425	78
1459	[Use of potentially inappropriate medication by the elderly in São Paulo, Brazil: SABE Study]. 2014 , 30, 1708-20	18
1458	[Drug prescriptions of patients treated in a geriatric outpatient ward of a university hospital: a descriptive cross-sectional study]. 2014 , 19, 3355-64	6
1457	Predicting adverse drug reactions in older adults; a systematic review of the risk prediction models. 2014 , 9, 1581-93	39
1456	Practical considerations in the pharmacological treatment of postherpetic neuralgia for the primary care provider. 2014 , 7, 125-32	38

1455	Iatrogenesis in older adults. 2014 , 418-422		0
1454	Drug Burden Index in older adults: theoretical and practical issues. 2014 , 9, 1503-15		74
1453	Optimization of decision support tool using medication regimens to assess rehospitalization risks. 2014 , 5, 773-88		14
1452	Risk Factors and Specific Prescriptions Related to Inappropriate Prescribing among Japanese Elderly Home Care Patients. 2014 , 15, 117-125		2
1451	Safety assessment of essential medicines for elderly people: a bibliographic survey. 2014 , 50, 269-284		4
1450	Recurrent urinary tract infection in older women. 2014 , 12, 608-613		1
1449	Influence of Admission to a Tertiary Care Hospital after a Fall on Use of Potentially Inappropriate Medications among Older Patients. 2014 , 67, 429-35		4
1448	Providing quality services to improve patient outcomes. 2014 , 20, 38		
1447	Transcatheter aortic valve replacement program development: recommendations for best practice. 2014 , 84, 859-67		25
1446	High prevalence of poor quality drug prescribing in older individuals: a nationwide report from the Italian Medicines Agency (AIFA). 2014 , 69, 430-7		68
1445	Multiple anticholinergic medication use and risk of hospital admission for confusion or dementia. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1916-22	5.6	76
1444	Promoting safe and effective use of OTC medications: CHPA-GSA National Summit. 2014 , 54, 909-18		26
1443	STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. 2015 , 44, 213-8		1210
1442	Benzodiazepine in der Geriatrie. 2014 , 11, 49-55		
1441	Prescribing quality in older veterans: a multifocal approach. 2014 , 29, 1379-86		48
1440	Temporary cognitive impairment related to administration of newly developed anticholinergic medicines for overactive bladder: two case reports. 2014 , 7, 672		7
1439	Risk factors for the prescription of potentially inappropriate medication (PIM) in the elderly : an analysis of sickness fund routine claims data from Germany. 2014 , 126, 604-12		18
1438	The development of the PROMPT (PRescribing Optimally in Middle-aged People's Treatments) criteria. 2014 , 14, 484		25

1437	Tools for primary care patient safety: a narrative review. 2014 , 15, 166		27
1436	Chronic Digoxin Toxicity Precipitated by Dronedarone. 2014 , 48, 923-927		5
1435	Efficacy and tolerability of benzodiazepines for the treatment of behavioral and psychological symptoms of dementia: a systematic review of randomized controlled trials. 2014 , 29, 565-74		53
1434	Hospitalization of Home Care Patients: Adverse Drug Events. 2014 , 26, 11-16		3
1433	Auditory hallucinations associated with nitrofurantoin use: case report and review of the literature. 2014 , 126, 549-52		0
1432	Individualization of drug therapy in older people. 2014 , 24, 145-157		6
1431	Diabetes self-care and the older adult. 2014 , 36, 1272-98		35
1430	Scopolamine-induced "cholinergic stress test" in the elderly. 2014 , 5, 182		2
1429	Drug utilization pattern and pharmacoeconomic analysis in geriatric medical in-patients of a tertiary care hospital of India. 2014 , 5, 15-20		11
1428	Utilization of potentially inappropriate medications in elderly patients in a tertiary care teaching hospital in India. 2014 , 5, 184-9		16
1427	A Serious Risk: Excessive and Inappropriate Antipsychotic Prescribing. 2014 , 24, 1-4		3
1426	Quality of prescribing in Belgian nursing homes: an electronic assessment of the medication chart. 2014 , 26, 93-9		16
1425	Discontinuing inappropriate medication in nursing home residents (DIM-NHR Study): protocol of a cluster randomised controlled trial. <i>BMJ Open</i> , 2014 , 4, e006082	3	14
1424	Educational needs, practice patterns and quality indicators to improve geriatric pharmacy care. 2014 , 147, 110-7		9
1423	Views of general practitioners on the use of STOPP&START in primary care: a qualitative study. 2014 , 69, 251-61		14
1422	Glycemic targets and medication limitations for type 2 diabetes mellitus in the older adult. 2014 , 29, 110-23		8
1421	The PREDICT (increasing the participation of the elderly in clinical trials) study: the charter and beyond. 2014 , 7, 457-68		32
1420	Physiological Changes in Older Adults and Their Effect on Diabetes Treatment. 2014 , 27, 20-8		9

1419	Comprehensive geriatric assessment in the older cancer patient: coming of age in clinical cancer care. 2014 , 11, 749-762		30
1418	Management of Type 1 Diabetes in Older Adults. 2014 , 27, 9-20		39
1417	Improving medication management competency of clinical trainees in geriatrics. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1568-74	5.6	13
1416	Unveiling adrenal insufficiency can make a difference in elderly adults. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2456-7	5.6	1
1415	Efficacy and safety of low-dose submicron diclofenac for the treatment of osteoarthritis pain: a 12 week, phase 3 study. 2014 , 30, 1883-93		23
1414	Validation of a patient-level medication regimen complexity index as a possible tool to identify patients for medication therapy management intervention. 2014 , 34, 826-35		54
1413	Potentially inappropriate medication use in older people with cancer: prevalence and correlates. 2014 , 5, 439-46		29
1412	Effect of age on the profile of psychotropic users: results from the 2010 National Ambulatory Medical Care Survey. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 358-64	5.6	21
1411	La conciliation m ^e dicamenteuse en g ^e riatrie : un moyen de p ^r enniser lâoptimisation th ^e rapeutique apr ^e s la sortie d ^e l'hospitalisation ?. 2014 , 49, e126		1
1410	Pharmacological treatment of diabetes in older people. 2014 , 16, 1192-203		35
1409	Anticholinergic drug burden in older people's brain - how well is it measured?. 2014 , 114, 151-9		76
1408	Are older Western Australians exposed to potentially inappropriate medications according to the Beers Criteria? A 13-year prevalence study. 2014 , 33, E39-48		17
1407	Are we shortchanging frail older people when it comes to the pharmacological treatment of urgency urinary incontinence?. 2014 , 68, 1165-73		11
1406	A new version of the STOPP-START criteria, a new step towards improving drug prescription in older patients. 2014 , 5, 363-364		1
1405	Guidance statement on appropriate medical services for the elderly. 2014 , 14, 518-525		5
1404	Benzodiazepine and sedative-hypnotic use among older seriously ill veterans: choosing wisely?. 2014 , 36, 1547-54		16
1403	Potentially inappropriate medication in older persons in Austria: A nationwide prevalence study. 2014 , 5, 399-405		5
1402	Measuring frailty using claims data for pharmacoepidemiologic studies of mortality in older adults: evidence and recommendations. 2014 , 23, 891-901		95

1401	Misuse of Beers criteria. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1411	5.6	9
1400	American Geriatrics Society identifies another five things that healthcare providers and patients should question. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 950-60	5.6	65
1399	Quality improvement in neurology: dementia management quality measures. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 558-61	5.6	22
1398	Interventions to improve the appropriate use of polypharmacy for older people. 2014 , CD008165		174
1397	Hypoglycemia from a cardiologist's perspective. 2014 , 37, 499-504		31
1396	Pro re nata prescribing in a population receiving palliative care: a prospective consecutive case note review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1736-40	5.6	11
1395	Medication reviews for nursing home residents to reduce mortality and hospitalization: systematic review and meta-analysis. 2014 , 78, 488-97		57
1394	Integrating Nutrition in the Comprehensive Geriatric Assessment. 2014 , 29, 420-427		15
1393	A profile of acute care in an aging America: snowball sample identification and characterization of United States geriatric emergency departments in 2013. 2014 , 21, 337-46		43
1392	Deprescribing for older patients. 2014 , 186, 1369-76		54
1391	Transdermal clonidine in patients with swallowing dysfunction. 2014 , 17, 1042-4		3
1390	E-learning module on chronic low back pain in older adults: evidence of effect on medical student objective structured clinical examination performance. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1161-7	5.6	23
1389	A systematic review of prescribing criteria to evaluate appropriateness of medications in frail older people. 2014 , 24, 304-318		6
1388	Benzodiazepine & nonbenzodiazepine prescriptions for Taiwanese elderly with type 2 diabetes contributes to cognitive dysfunction. 2014 , 26, 1719-27		3
1387	The medication minefield: using computerized decision support systems to reduce preventable adverse drug events and hospitalizations. 2014 , 37, 226-40		3
1386	Using process improvement methodology to address the complex issue of falls in the inpatient setting. 2014 , 29, 204-14		5
1385	Patient-centered care for people living with multimorbidity. 2014 , 9, 419-27		24
1384	High-risk medication use by nursing home residents before and after hospitalization. 2014 , 52, 884-90		9

1383	Proactive delirium prevention for case managers. 2014 , 19, 151-5		
1382	Recent Advances in Late-Life Mood Disorders. 2014 , 3, 245-252		
1381	The efficacy and tolerability of the β -adrenoceptor agonist mirabegron for the treatment of symptoms of overactive bladder in older patients. 2014 , 43, 666-75		79
1380	Use of medications of questionable benefit in advanced dementia. 2014 , 174, 1763-71		82
1379	How to implement a geriatric assessment in your clinical practice. 2014 , 19, 1056-68		48
1378	Safeguarding older adults from inappropriate over-the-counter medications: the role of community pharmacists. 2014 , 54, 989-1000		26
1377	Inappropriate drug use among older persons: is it time for action?. 2014 , 43, 737-9		6
1376	Effects of "Fit FOR The Aged" (FORTA) on pharmacotherapy and clinical endpoints--a pilot randomized controlled study. 2014 , 70, 1261-7		43
1375	Potentially driver-impairing (PDI) medication use in medically impaired adults referred for driving evaluation. 2014 , 48, 476-82		16
1374	Special Considerations for Older Adults With Diabetes Residing in Skilled Nursing Facilities. 2014 , 27, 37-43		6
1373	Temporal trends in anticholinergic medication prescription in older people: repeated cross-sectional analysis of population prescribing data. 2014 , 43, 515-21		67
1372	Electronic surveillance and pharmacist intervention for vulnerable older inpatients on high-risk medication regimens. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2148-52	5.6	22
1371	Appropriate prescribing in older people. 2014 , 24, 58-77		5
1370	Focused assessment in the care of the older adult. 2014 , 26, 15-20		5
1369	Benzodiazepine (BZD) use in community-dwelling older adults: Longitudinal associations with mobility, functioning, and pain. 2014 , 59, 331-7		9
1368	Optimizing drug therapy in patients with advanced dementia: A patient-centered approach. 2014 , 5, 66-71		26
1367	Knowledge and attitudes regarding geriatric care and training among student pharmacists. 2014 , 6, 226-232		1
1366	Development of a comprehensive multidisciplinary geriatric oncology center, the Thomas Jefferson University Experience. 2014 , 5, 164-70		40

1365	[Polypharmacy and drug prescription in the elderly. Strategies for optimization]. 2014 , 47, 293-301	6
1364	Reducing potentially inappropriate medications in palliative cancer patients: evidence to support deprescribing approaches. 2014 , 22, 1113-9	45
1363	Diabetes in long-term care facilities. 2014 , 14, 464	5
1362	Complexity in graduate medical education: a collaborative education agenda for internal medicine and geriatric medicine. 2014 , 29, 940-6	16
1361	Influence of urban residence on use of psychotropic medications in Pennsylvania, USA: cross-sectional comparison of older adults attending senior centers. 2014 , 31, 141-8	4
1360	Consensus validation of the FORTA (Fit FOR The Aged) List: a clinical tool for increasing the appropriateness of pharmacotherapy in the elderly. 2014 , 31, 131-40	93
1359	An inter-rater reliability study of the prescribing indicated medications quality indicators of the Assessing Care Of Vulnerable Elders (ACOVE) 3 criteria as a potentially inappropriate prescribing tool. 2014 , 58, 460-4	11
1358	Potentially inappropriate prescribing in elderly outpatients in Croatia. 2014 , 70, 737-44	15
1357	Drug Burden Index score and anticholinergic risk scale as predictors of readmission to the hospital. 2014 , 29, 158-68	18
1356	An interdisciplinary memory clinic: a novel practice setting for pharmacists in primary care. 2014 , 48, 785-95	15
1355	Geriatric emergency department guidelines. 2014 , 63, e7-25	148
1354	Zolpidem Use in the Elderly and Recent Safety Data. 2014 , 10, 140-141	1
1353	Associations of drug burden index with falls, general practitioner visits, and mortality in older people. 2014 , 23, 753-8	90
1352	Peri-operative care of the elderly 2014: Association of Anaesthetists of Great Britain and Ireland. 2014 , 69 Suppl 1, 81-98	94
1351	Cognition in Late Life Depression: Treatment Considerations. 2014 , 1, 1-14	16
1350	Factors associated with potentially inappropriate medications use by the elderly according to Beers criteria 2003 and 2012. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 316-24	2-3 38
1349	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. 2014 , 26, 435-43	8
1348	Inappropriate prescribing: a systematic overview of published assessment tools. 2014 , 70, 1-11	137

1347	Potentially inappropriate prescribing to the elderly: comparison of new protocol to Beers criteria with relation to hospitalizations for ADRs. 2014 , 70, 483-90		18
1346	Inappropriate prescribing among elderly home care patients in Japan: prevalence and risk factors. 2014 , 5, 90-6		25
1345	2012 American Geriatrics Society Beers criteria: enhanced applicability for detecting potentially inappropriate medications in European older adults? A comparison with the Screening Tool of Older Person's Potentially Inappropriate Prescriptions. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1217-23	5.6	57
1344	Prescribing for older people discharged from the acute sector to residential aged-care facilities. 2014 , 44, 1034-7		11
1343	Use of nonsteroidal anti-inflammatory drugs in the older adult. 2014 , 26, 414-423		22
1342	Back to basics: importance of nursing interventions in the elderly critical care patient. 2014 , 26, 433-46		2
1341	Polypharmacy in AML: the tip of the iceberg. 2014 , 38, 1378-9		
1340	Clinical implications of ageing for the management of IBD. 2014 , 11, 128-38		33
1339	Non-steroidal anti-inflammatory drug use in chronic pain conditions with special emphasis on the elderly and patients with relevant comorbidities: management and mitigation of risks and adverse effects. 2014 , 70, 1159-72		102
1338	JAMDA: The Future History of the Journal. 2014 , 15, 775-779		1
1337	A comparison of beers and STOPP criteria in assessing potentially inappropriate medications in nursing home residents attending the emergency department. 2014 , 15, 830-4		27
1336	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. 2014 , 39, 511-5		50
1335	Importance of frailty in patients with cardiovascular disease. 2014 , 35, 1726-31		159
1334	Inappropriate prescribing in older fallers presenting to an Irish emergency department. 2014 , 43, 44-50		52
1333	Identification of inappropriate medication use in elderly patients with frequent emergency department visits. 2014 , 147, 248-56		11
1332	Potentially inappropriate drug use among hospitalised older adults: results from the CRIME study. 2014 , 43, 767-73		84
1331	Urine specimen detection of zolpidem use in patients with pain. 2014 , 38, 322-6		1
1330	Risk versus risk: a review of benzodiazepine reduction in older adults. 2014 , 13, 919-34		51

1329	Clinical practice. Depression in the elderly. 2014 , 371, 1228-36		171
1328	Inappropriate prescribing to older patients admitted to hospital: a comparison of different tools of misprescribing and underprescribing. 2014 , 25, 710-6		34
1327	Cognitive deficit reversal as shown by changes in the Veterans Affairs Saint Louis University Mental Status (SLUMS) examination scores 7.5 years later. 2014 , 15, 687.e5-10		27
1326	Recomendaciones terapéuticas para el abordaje de los síntomas psicológicos y conductuales en el paciente mayor. 2014 , 21, 411-423		
1325	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. 2014 , 43, 773-8		15
1324	Combining quality improvement and geriatrics training: the nursing home polypharmacy outcomes project. 2014 , 35, 395-408		6
1323	Developing dementia-capable health care systems: a 12-step program. 2014 , 30, 395-420		47
1322	A systematic approach to pharmacotherapy for geriatric major depression. 2014 , 30, 517-34		58
1321	International Society of Geriatric Oncology consensus on geriatric assessment in older patients with cancer. 2014 , 32, 2595-603		959
1320	Polypharmacy, drug-drug interactions, and potentially inappropriate medications in older adults with human immunodeficiency virus infection. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 447-53 ^{5,6}		93
1319	Management of osteoporosis of the oldest old. 2014 , 25, 2507-29		52
1318	Common GI Drug Interactions in the Elderly. 2014 , 12, 292-309		5
1317	Potentially inappropriate prescribing among older people in the United Kingdom. <i>BMC Geriatrics</i> , 2014 , 14, 72	4.1	78
1316	Medication in nursing homes in Alsace: a preferential list of drugs obtained by consensus. 2014 , 3, 413		2
1315	Adherence to therapy and adverse drug reactions: is there a link?. 2014 , 13 Suppl 1, S41-55		63
1314	Medications, renal function, and kidney injury: a complex interplay, wherein prevention is easier than cure!. 2014 , 15, 692-6		5
1313	[Gait disorders in the elderly]. 2014 , 85, 761-70; quiz 771-2		3
1312	The effect of age on complications in women undergoing minimally invasive sacral colpopexy. 2014 , 25, 1251-6		26

1311	Content validation of a tool for assessing risks for drug-related problems to be used by practical nurses caring for home-dwelling clients aged ≥5 years: a Delphi survey. 2014 , 70, 991-1002		17
1310	[Drug therapy in the elderly]. 2014 , 47, 276-8		
1309	[Tools for optimizing pharmacotherapy for geriatric patients with multimorbidity at the end of life: helpful oder just raising awareness?]. 2014 , 164, 189-94		1
1308	Frequency of potentially inappropriate prescriptions in older people at discharge according to Beers and STOPP criteria. <i>International Journal of Clinical Pharmacy</i> , 2014 , 36, 596-603	2.3	18
1307	[Review of functional impairment associated with acute illness in the elderly]. 2014 , 49, 77-89		6
1306	Relecture pluridisciplinaire d'ordonnances : retour d'expérience d'un hôpital ^ propos d'une optimisation concrète de la prise en charge m' dicamenteuse du sujet g' e. 2014 , 6, 73-78		1
1305	Approches d'identification des m' dicaments potentiellement inappropri' s chez la personne g' e. 2014 , 6, 44-52		2
1304	Impact of specific Beers Criteria medications on associations between drug exposure and unplanned hospitalisation in elderly patients taking high-risk drugs: a case-time-control study in Western Australia. 2014 , 31, 311-25		13
1303	Chronic hepatitis C in the aged: much ado about nothing or nothing to do?. 2014 , 31, 339-47		5
1302	Prescriber variation in potentially inappropriate prescribing in older populations in Ireland. 2014 , 15, 59		15
1301	Fall risk-increasing drugs and falls: a cross-sectional study among elderly patients in primary care. <i>BMC Geriatrics</i> , 2014 , 14, 40	4.1	89
1300	Polypharmacy and potentially inappropriate medication use in older adults with cancer undergoing chemotherapy: effect on chemotherapy-related toxicity and hospitalization during treatment. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1505-12	5.6	93
1299	Depression, antidepressants, and bone health in older adults: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1434-41	5.6	37
1298	Potentially inappropriate prescribing and vulnerability and hospitalization in older community-dwelling patients. 2014 , 48, 1546-54		33
1297	The prognostic importance of polypharmacy in older adults treated for acute myelogenous leukemia (AML). 2014 , 38, 1184-90		53
1296	Association between potentially inappropriate medications from the Beers criteria and the risk of unplanned hospitalization in elderly patients. 2014 , 48, 6-16		77
1295	Potentially inappropriate prescribing in older patients discharged from acute care hospitals to residential aged care facilities. 2014 , 48, 1425-33		23
1294	The prescribing cascade game: Applying geriatric pharmacotherapy principles in the classroom. 2014 , 6, 646-651		4

1293	Development of a questionnaire to assess health profession students' knowledge of older adults. 2014 , 6, 233-244		5
1292	La fragilité : un concept robuste mais une méthode d'évaluation encore fragile. 2014 , 14, 43-49		
1291	Potential health implications of racial and ethnic disparities in meeting MTM eligibility criteria. <i>Research in Social and Administrative Pharmacy</i> , 2014 , 10, 106-25	2.9	8
1290	[Benzodiazepine prescription in the elderly in different health care levels: characteristics and related factors]. 2014 , 49, 24-8		1
1289	Words of wisdom. Re: Comparative efficacy and safety of medical treatments for the management of overactive bladder: a systematic literature review and mixed treatment comparison. 2014 , 65, 1220-1		
1288	New IDF Guideline for managing type 2 diabetes in older people. 2014 , 103, 538-40		88
1287	Feasibility and baseline findings of an educational intervention in a randomized trial to optimize drug treatment among residents in assisted living facilities. 2014 , 5, 195-199		1
1286	Medical management of inflammatory bowel disease in the elderly: balancing safety and efficacy. 2014 , 30, 67-78		10
1285	Petroleum jelly (vaseline balls) for the treatment of constipation: a survey of hospice and palliative care practitioners. 2014 , 31, 797-803		6
1284	Would It Matter to Expose Elderly Patients Who Took Digoxin to Chinese Medications?. 2014 , 3, 211-221		1
1283	Palliative care in advanced dementia. 2014 , 30, 469-92		9
1282	Structured pharmaceutical analysis of the Systematic Tool to Reduce Inappropriate Prescribing is an effective method for final-year medical students to improve polypharmacy skills: a randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1353-9	5.6	23
1281	Partnering with caregivers. 2014 , 30, 493-515		33
1280	[Use of ineffective practices in Primary Health Care: professional opinions]. 2014 , 29, 220-8		
1279	[Potentially inappropriate prescribing in patients over 65 years-old in a primary care health centre]. 2014 , 46, 290-7		14
1278	The impact of combined use of fall-risk medications and antithrombotics on injury severity and intracranial hemorrhage among older trauma patients. 2014 , 35, 20-5		6
1277	Potentially inappropriate medicines in a cohort of community-dwelling older people in New Zealand. 2014 , 14, 89-93		37
1276	Prevalence and determinants of use of potentially inappropriate medications in elderly inpatients: a prospective study in a tertiary healthcare setting. 2014 , 14, 251-8		13

1275	Medicare star ratings: stakeholder proceedings on community pharmacy and managed care partnerships in quality. 2014 , 54, 228-40		61
1274	[Medical treatment of the elderly in residential care: a multicenter cross-sectional study]. 2014 , 69, 419-26		
1273	Preventing harm: medication management. 2014 , 16, 622-627		2
1272	National use of prescription medications for insomnia: NHANES 1999-2010. 2014 , 37, 343-9		207
1271	Inappropriate use of anticoagulant drugs in older adults. 2014 , 40, 3-4		14
1270	The development and testing of the quality use of medications in dementia (QUM-D): a tool for quality prescribing for behavioral and psychological symptoms of dementia (BPSD). 2015 , 27, 1313-22		2
1269	JAMDA: The Journal Continues to Have a High Impact. 2015 , 16, 804-807		0
1268	AORN position statement on care of the older adult in perioperative settings. 2015 , 101, 460-3		
1267	Consensus Validated List of Potentially Inappropriate Medication for the Elderly and Their Prevalence in South Korea. 2015 , 9, 136-141		13
1266	Sleep Health and Appropriate Use of OTC Sleep Aids in Older Adults-Recommendations of a Gerontological Society of America Workgroup. 2017 , 57, 163-170		22
1265	Deconstructing chronic low back pain in the older adult--step by step evidence and expert-based recommendations for evaluation and treatment: part I: Hip osteoarthritis. 2015 , 16, 886-97		27
1264	Relationships Among Adverse Events, Disease Characteristics, and Demographics in Treatment of Postherpetic Neuralgia With Gastroretentive Gabapentin. 2015 , 31, 983-91		1
1263	Association between drug-specific indicators of prescribing quality and quality of drug treatment: a validation study. 2015 , 24, 906-14		12
1262	Prevalence of potentially inappropriate medication use in older adults using the 2012 Beers criteria. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 486-500	5.6	90
1261	Efficacy and safety of lixisenatide in elderly (≥65 years old) and very elderly (≥75 years old) patients with type 2 diabetes: an analysis from the GetGoal phase III programme. 2015 , 31, 204-11		30
1260	Alternative Medications for Medications in the Use of High-Risk Medications in the Elderly and Potentially Harmful Drug-Disease Interactions in the Elderly Quality Measures. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, e8-e18	5.6	78
1259	Potentially inappropriate anticholinergic medication use in older adults with dementia. 2015 , 55, 603-612		19
1258	Overactive bladder in older people. 2015 , 203-221		

1257	Diagnostic processes and therapeutic decision-making. 2015 , 13, 407-412		1
1256	Pharmacist-led medication review in an acute admissions unit: a systematic procedure description. 2015 , 22, 202-206		9
1255	Assessing potentially inappropriate prescribing (PIP) and predicting patient outcomes in Ontario's older population: a population-based cohort study applying subsets of the STOPP/START and Beers' criteria in large health administrative databases. <i>BMJ Open</i> , 2015 , 5, e010146	3	14
1254	Application of three different sets of explicit criteria for assessing inappropriate prescribing in older patients: a nationwide prevalence study of ambulatory care visits in Taiwan. <i>BMJ Open</i> , 2015 , 5, e008214	3	15
1253	Care transitions: a leverage point for safe and effective medication use in older adults--a mini-review. 2015 , 61, 32-40		15
1252	Anticholinergic drugs and health-related quality of life in older adults with dementia. 2015 , 55, 282-7		10
1251	Lifestyle management, including nutrition, of diabetes in older people. 2015 , 218-228		
1250	Prescription of potentially inappropriate drugs for geriatric patients in long-term care: improvement through pharmacist's intervention. 2015 , 22, 198-201		8
1249	[Impact of Geriatric Drug Guidelines on the Quality Requirement of Elderly Patients]. 2015 , 70, 515-21		1
1248	Potentially Inappropriate Medications in the Elderly in Korean Long-Term Care Facilities. 2015 , 2, 355-361		14
1247	Les critères STOPP-START.v2 seront bientôt disponibles en français!. 2015 , 15, 125-128		
1246	Indication for pharmacological treatment is often lacking: a cross-sectional study on the quality of drug therapy among the elderly. <i>BMC Geriatrics</i> , 2015 , 15, 117	4.1	5
1245	Register-based indicators for potentially inappropriate medication in high-cost patients with excessive polypharmacy. 2015 , 24, 610-8		18
1244	Applying the Beers and STOPP Criteria to Care of the Critically Ill Older Adult. 2015 , 38, 231-6		2
1243	Challenges in the Pharmacological Management of Nursing Home Residents with Overactive Bladder or Urinary Incontinence. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2298-307	5.6	13
1242	Healthcare system intervention for safer use of medicines in elderly patients in primary care-a qualitative study of the participants' perceptions of self-assessment, peer review, feedback and agreement for change. 2015 , 16, 117		6
1241	Any versus long-term prescribing of high risk medications in older people using 2012 Beers Criteria: results from three cross-sectional samples of primary care records for 2003/4, 2007/8 and 2011/12. <i>BMC Geriatrics</i> , 2015 , 15, 146	4.1	12
1240	Detection of potentially inappropriate prescribing in the very old: cross-sectional analysis of the data from the BELFRAIL observational cohort study. <i>BMC Geriatrics</i> , 2015 , 15, 156	4.1	22

1239	A consumer-targeted, pharmacist-led, educational intervention to reduce inappropriate medication use in community older adults (D-PRESCRIBE trial): study protocol for a cluster randomized controlled trial. 2015 , 16, 266		19
1238	Evaluating medication-related quality of care in residential aged care: a systematic review. 2015 , 4, 220		19
1237	High risk use of OTC NSAIDs and ASA in family medicine: A retrospective chart review. 2015 , 27, 191-9		5
1236	NICHE Recommended Care of the Critically Ill Older Adult. 2015 , 38, 223-30		7
1235	A patient-centered research agenda for the care of the acutely ill older patient. 2015 , 10, 318-27		8
1234	Risk of major morbidity and death in older adults with suicidal intent: a cross-sectional analysis from the National Poison Data System, 2000-2009. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 501-7	5.6	4
1233	Prevalence of Potentially Inappropriate Prescribing Among Hong Kong Older Adults: A Comparison of the Beers 2003, Beers 2012, and Screening Tool of Older Person's Prescriptions and Screening Tool to Alert doctors to Right Treatment Criteria. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1471-2	5.6	9
1232	Using a Clinical Surveillance System to Detect Drug-Associated Hypoglycemia in Nursing Home Residents. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2125-9	5.6	4
1231	Management of Menopausal Symptoms. 2015 , 126, 859-876		84
1230	Racial differences in anticholinergic use among community-dwelling elders. 2015 , 30, 240-5		10
1229	Assessment and Management of Delirium in Older Adults in the Emergency Department: Literature Review to Inform Development of a Novel Clinical Protocol. 2015 , 37, 183-96; quiz E3		27
1228	Evaluation of prescribing and patient use of target-specific oral anticoagulants in the outpatient setting. 2015 , 40, 525-530		21
1227	Risk of Injury in Older Adults Using Gastrointestinal Antispasmodic and Anticholinergic Medications. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1197-202	5.6	11
1226	Mental Health Care Delivered to Younger and Older Adults by Office-Based Physicians Nationally. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1364-72	5.6	10
1225	Benzodiazepine Prescribing in Older Adults in U.S. Ambulatory Clinics and Emergency Departments (2001-10). <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2074-81	5.6	29
1224	Community pharmacists' role in benzodiazepine supply in Ireland: a questionnaire of pharmacists' views and experiences. 2015 , 23, 415-22		8
1223	Development of an age-dependent antibiogram in a Veterans Affairs community. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 186-8	5.6	1
1222	American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2227-46	5.6	1769

1221	Trends in benzodiazepine prescribing under Medicare Part D in USA: outpatient settings 2005-2009. 2015 , 6, 133-138		4
1220	Drug-Related-Problem Outcomes and Program Satisfaction from a Comprehensive Brown Bag Medication Review. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1900-5	5.6	18
1219	Alert fatigue in electronic health records. 2015 , 28, 41-2		14
1218	Behavioral Management in Long-Term Care. 2015 , 1-6		1
1217	Do OTC anticholinergic drugs impair cognition?. 2015 , 21, 26		
1216	Older age and steroid use are associated with increasing polypharmacy and potential medication interactions among patients with inflammatory bowel disease. 2015 , 21, 1392-400		33
1215	Prescriç�o inadequada de medicamentos a idosos portadores de doenas cr�nicas em um plano de sa�de no munic�pio de S�o Paulo, Brasil. 2015 , 18, 151-164		9
1214	Appetite stimulants for older persons. 2015 , 58, 1027		1
1213	Prevalence, Clinical Correlates, and Use of Glucose-Lowering Drugs among Older Patients with Type 2 Diabetes Living in Long-Term Care Facilities. 2015 , 2015, 174316		5
1212	Management of HIV/AIDS in older patients-drug/drug interactions and adherence to antiretroviral therapy. 2015 , 7, 251-64		24
1211	Solve the case: Urinary frequency and recurrent urinary tract symptoms. 2015 , 13, 458-463		3
1210	Acute care of older patients in the emergency department: strategies to improve patient outcomes. 2015 , 7, 45-54		30
1209	Geriatrician interventions on medication prescribing for frail older people in residential aged care facilities. 2015 , 10, 1043-51		16
1208	Bridging the gap between education and appropriate use of benzodiazepines in psychiatric clinical practice. 2015 , 11, 1885-909		37
1207	Recruitment of rural healthcare professionals for live continuing education. 2015 , 20, 28958		2
1206	Continued Use of Benzodiazepines in Older Adults. 2015 , 50, 557-8		0
1205	Application of the Beers Criteria to Alternate Level of Care Patients in Hospital Inpatient Units. 2015 , 68, 218-25		9
1204	Potential drug-drug interactions in Alzheimer patients with behavioral symptoms. 2015 , 10, 1457-66		52

1203	[Use of potentially inappropriate medications in the elderly in Viçosa, Minas Gerais State, Brazil: a population-based survey]. 2015 , 31, 2401-12	16
1202	Uso de anti-inflamatórios e analgésicos por uma população de idosos atendida na Estratégia Saúde da Família. 2015 , 18, 475-485	6
1201	What are priorities for deprescribing for elderly patients? Capturing the voice of practitioners: a modified delphi process. 2015 , 10, e0122246	109
1200	Optimizing pharmacotherapy in elderly patients: the role of pharmacists. 2015 , 4, 101-111	19
1199	Association between use of warfarin with common sulfonylureas and serious hypoglycemic events: retrospective cohort analysis. 2015 , 351, h6223	18
1198	Issues around the Prescription of Half Tablets in Northern Switzerland: The Irrational Case of Quetiapine. 2015 , 2015, 602021	8
1197	Updated Beers Criteria: A more comprehensive guide to medication safety in older adults. 2015 , 21, 39-40	
1196	An approach to increase adverse drug events reports in Mercosur. 2015 , 9, 1062-1070	1
1195	Mental Health and Aging. 2015 , 82-90	
1194	Potentially inappropriate drug use in older people: a nationwide comparison of different explicit criteria for population-based estimates. 2015 , 80, 315-24	45
1193	Use of information technology for medication management in residential care facilities: correlates of facility characteristics. 2015 , 39, 70	3
1192	The EU(7)-PIM list: a list of potentially inappropriate medications for older people consented by experts from seven European countries. 2015 , 71, 861-75	208
1191	Benzodiazepines and Muscle Relaxants. 2015 , 167-178	1
1190	[Appropriate medication prescribing in older people]. 2015 , 36, 677-89	9
1189	Incidence and risk factors for postoperative cognitive dysfunction in older adults undergoing major noncardiac surgery: A prospective study. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2015 , 31, 30-6 ¹⁻³	66
1188	Computerized Decision Support Improves Medication Review Effectiveness: An Experiment Evaluating the STRIP Assistant's Usability. 2015 , 32, 495-503	51
1187	Trauma in the geriatric population. 2015 , 27, 183-97	5
1186	Prevalence and predictors of potentially inappropriate medications among home care elderly patients in Qatar. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 815-21	2.3 25

1185	Perioperative Care of Elderly Patients. 2015 , 243-250		
1184	Inappropriate prescribing to the oldest old patients admitted to hospital: prevalence, most frequently used medicines, and associated factors. <i>BMC Geriatrics</i> , 2015 , 15, 42	4-1	55
1183	Persistent nonmalignant pain management using nonsteroidal anti-inflammatory drugs in older patients and use of inappropriate adjuvant medications. 2015 , 7, 43-50		4
1182	Polypharmacy: geriatric oncology evaluation should become mainstream. 2015 , 33, 1422-3		17
1181	Antihypertensive Use and Recurrent Falls in Community-Dwelling Older Adults: Findings From the Health ABC Study. 2015 , 70, 1562-8		20
1180	Postanesthesia Care for the Elderly Patient. 2015 , 37, 2651-65		7
1179	Examining trends in the administration of "as needed" medications to inpatients with behavioral and psychological symptoms of dementia. 2015 , 30, 247-56		8
1178	Majority of drug-related problems identified during medication review are not associated with STOPP/START criteria. 2015 , 71, 1255-62		35
1177	Nurse Practitioner-led Medication Reconciliation in Critical Access Hospitals. 2015 , 11, 511-518		1
1176	Back to Basics: Health and Wellness Benefits of Gardening in Older Adults. 2015 , 39, 291-306		9
1175	Medication reconciliation: A shared responsibility. 2015 , 145, 298-300		1
1174	Les critères STOPP/START.v2: adaptation en langue française. 2015 , 15, 323-336		12
1173	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders. 2015 , 49, 1087-206		461
1172	Interventions to improve the appropriate use of polypharmacy in older people: a Cochrane systematic review. <i>BMJ Open</i> , 2015 , 5, e009235	3	181
1171	A patient-centered prescription model assessing the appropriateness of chronic drug therapy in older patients at the end of life. 2015 , 6, 565-569		17
1170	Nurse Education to Reduce Harmful Medication Use in Assisted Living Facilities: Effects of a Randomized Controlled Trial on Falls and Cognition. 2015 , 32, 947-55		11
1169	Decreasing the load? Is a Multidisciplinary Multistep Medication Review in older people an effective intervention to reduce a patient's Drug Burden Index? Protocol of a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e009213	3	13
1168	A pharmacist-led medication assessment used to determine a more precise estimation of the prevalence of complementary and alternative medication (CAM) use among ambulatory senior adults with cancer. 2015 , 6, 411-7		33

1167	Introduction to Special Series: Deconstructing chronic low back pain in the older adult: shifting the paradigm from the spine to the person. 2015 , 16, 881-5	27
1166	Deconstructing Chronic Low Back Pain in the Older Adult-Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment: Part II: Myofascial Pain. 2015 , 16, 1282-9	22
1165	Deconstructing Chronic Low Back Pain in the Older Adult: Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment: Part IV: Depression. 2015 , 16, 2098-108	33
1164	Approaches to Gradual Dose Reduction of Chronic Off-Label Antipsychotics Used for Behavioral and Psychological Symptoms of Dementia. 2015 , 30, 599-611	6
1163	Farmacología del insomnio: valoración de las distintas opciones. 2015 , 32, 36-43	
1162	Nitrofurantoin and older women. 2015 , 187, 1236	1
1161	Pruritus in Older Patients. 2015 , 31-39	1
1160	Potentially Inappropriate Prescribing in Disabled Older Patients with Chronic Diseases: A Screening Tool of Older Persons' Potentially Inappropriate Prescriptions versus Beers 2012 Criteria. 2015 , 24, 565-70	8
1159	Medication Use Among Nursing Home Residents With Severe Dementia: Identifying Categories of Appropriateness and Elements of a Successful Intervention. 2015 , 16, 629.e1-17	24
1158	Re: Prevalence and determinants of use of potentially inappropriate medications in elderly inpatients: a prospective study in a tertiary healthcare setting. 2015 , 193, 955	
1157	Melatonin therapy for REM sleep behavior disorder: a critical review of evidence. 2015 , 16, 19-26	105
1156	Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. 2015 , 187, E130-E137	112
1155	Prevention of post-operative delirium in older patients with cancer undergoing surgery. 2015 , 6, 60-9	21
1154	Management of diabetes in the elderly. 2015 , 99, 351-77	27
1153	Appropriate prescribing and important drug interactions in older adults. 2015 , 99, 295-310	42
1152	Clinical and practical considerations in the pharmacologic management of narcolepsy. 2015 , 16, 9-18	86
1151	Statin treatment for older adults: the impact of the 2013 ACC/AHA cholesterol guidelines. 2015 , 32, 87-93	5
1150	Side effects related to potentially inappropriate medications in elderly psychiatric patients under everyday pharmacotherapy. 2015 , 71, 165-72	17

1149	Adverse drug reactions in special populations - the elderly. 2015 , 80, 796-807		240
1148	Impact of multiple low-level anticholinergic medications on anticholinergic load of community-dwelling elderly with and without dementia. 2015 , 32, 159-67		39
1147	Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. 2015 , 14, 162-73		1971
1146	American Geriatrics Society abstracted clinical practice guideline for postoperative delirium in older adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 142-50	5.6	253
1145	Use of Selected Antibiotics in the Elderly. 2015 , 4, 105-115		1
1144	Longitudinal prevalence of potentially inappropriate medicines and potential prescribing omissions in a cohort of community-dwelling older people. 2015 , 71, 473-82		45
1143	Drugs in the elderly with chronic kidney disease: beware of potentially inappropriate medications. 2015 , 30, 342-4		10
1142	Cognitive-behavioral therapy for insomnia in knee osteoarthritis: a randomized, double-blind, active placebo-controlled clinical trial. 2015 , 67, 1221-33		88
1141	Drug management in the elderly adult with chronic kidney disease: a review for the primary care physician. 2015 , 90, 633-45		27
1140	Evaluation and Management of Back Pain in the Elderly. 2015 , 4, 117-123		1
1139	Wantedâ€”Measurement in Home Health Needed: Focus on Medication Risk. 2015 , 27, 91-94		
1138	Inappropriate benzodiazepine use in elderly patients and its reduction. 2015 , 40, E27-8		23
1137	Hypertension and Polypharmacy in Elderly Nursing Home Residents: When Less is More. 2015 , 66, 561-3		1
1136	Sulfonylurea monotherapy and emergency room utilization among elderly patients with type 2 diabetes. 2015 , 109, 507-12		6
1135	Evaluation of older Adults with obesity for bariatric surgery: Geriatricians' perspective. 2015 , 6, 45-53		22
1134	Eight-Year Trends in the Use of Opioids, Other Analgesics, and Psychotropic Medications Among Institutionalized Older People in Finland. 2015 , 16, 973-8		27
1133	Recommendations to support deprescribing medications late in life. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 678-81	2.3	35
1132	Developmental evaluation as a strategy to enhance the uptake and use of deprescribing guidelines: protocol for a multiple case study. 2015 , 10, 91		18

1131	Re: Are high-care nursing home residents at greater risk of unplanned hospital admission than other elderly patients when exposed to beers potentially inappropriate medications?. 2015 , 193, 2058		
1130	Chronic Pain in Older Adults. 2015 , 33, 577-90		47
1129	Pain Management Issues for the Geriatric Surgical Patient. 2015 , 33, 563-76		33
1128	Elderly benzodiazepine users at increased risk of activity limitations: influence of chronicity, indications, and duration of action--the three-city cohort. 2015 , 23, 840-51		15
1127	Deprescripci3n de medicamentos. 2015 , 22, 9-33		
1126	Geriatric Assessment of Older Adults With Cancer During Unplanned Hospitalizations: An Opportunity in Disguise. 2015 , 20, 767-72		21
1125	Preoperative Assessment of Geriatric Patients. 2015 , 33, 471-80		5
1124	A tool for prediction of risk of rehospitalisation and mortality in the hospitalised elderly: secondary analysis of clinical trial data. <i>BMJ Open</i> , 2015 , 5, e007259	3	26
1123	Enhancing cognitive aging: clinical highlights of a report from the Institute of Medicine. 2015 , 163, 307-10		2
1122	Polypharmacy in patients with advanced cancer and the role of medication discontinuation. 2015 , 16, e333-41		97
1121	Predictors of Physical Restraint Use in Hospitalized Veterans at End of Life: An Analysis of Data from the BEACON Trial. 2015 , 18, 520-6		7
1120	Older adults recently started on psychotropic medication: where are the symptoms?. 2015 , 30, 580-6		6
1119	Evaluation of a pharmacist-led medication assessment used to identify prevalence of and associations with polypharmacy and potentially inappropriate medication use among ambulatory senior adults with cancer. 2015 , 33, 1453-9		154
1118	Psychology Consult. 2015 , 107-134		
1117	Exposure to atropinic drugs and frailty status. 2015 , 16, 253-7		30
1116	Prescripci3n de medicamentos. 2015 , 22, 9-32		
1115	Trends in prevalence, incidence and pharmacologic management of diabetes mellitus among seniors newly admitted to long-term care facilities in Saskatchewan between 2003 and 2011. 2015 , 39, 138-45		5
1114	[Implementation of a patient safety strategy in primary care of the Community of Madrid]. 2015 , 30, 31-7		

1113	Mindfulness meditation in older adults with postherpetic neuralgia: a randomized controlled pilot study. 2015 , 36, 154-60		11
1112	Estimating kidney function and use of oral antidiabetic drugs in elderly. 2015 , 29, 321-8		14
1111	Comorbidity burden assessment in older people admitted to a Portuguese University Hospital. 2015 , 27, 323-8		12
1110	Associations of Potentially Inappropriate Medicine Use with Fall-Related Hospitalisations and Primary Care Visits in Older New Zealanders: A Population-Level Study Using the Updated 2012 Beers Criteria. 2015 , 2, 137-141		18
1109	Association of skeletal muscle relaxers and antihistamines on mortality, hospitalizations, and emergency department visits in elderly patients: a nationwide retrospective cohort study. <i>BMC Geriatrics</i> , 2015 , 15, 2	4.1	23
1108	A comparison of estimated drug costs of potentially inappropriate medications between older patients receiving nurse home visit services and patients receiving pharmacist home visit services: a cross-sectional and propensity score analysis. 2015 , 15, 73		8
1107	Excessive polypharmacy and survival in polypathological patients. 2015 , 71, 733-739		30
1106	Managing anxiety associated with neurodegenerative disorders. 2015 , 7, 05		6
1105	Prescription of potentially inappropriate medication in older persons in Switzerland: does the dispensing channel make a difference?. 2015 , 8, 73-80		9
1104	Geriatric assessment as predictors of hospital readmission in older adults with cancer. 2015 , 6, 254-61		36
1103	Identification and evaluation of potentially inappropriate medications (PIMs) in hospitalized geriatric patients using Beers criteria. 2015 , 26, 403-10		11
1102	National indicators for quality of drug therapy in older persons: the Swedish experience from the first 10 years. 2015 , 32, 189-99		46
1101	Impact of computerized physician order entry alerts on prescribing in older patients. 2015 , 32, 227-33		5
1100	Reduction in the use of potentially inappropriate drugs among old people living in geriatric care units between 2007 and 2013. 2015 , 71, 507-15		23
1099	Geriatricians Involvement in Healthcare Changes. 2015 , 1-11		
1098	The Geriatric ICU Patient. 2015 , 773-785		
1097	Effect of age on drug metabolism in women with breast cancer. 2015 , 11, 757-66		9
1096	Nonopioid medications for pain. 2015 , 26, 219-48		18

1095	Prevalence of potentially inappropriate medicine use in older New Zealanders: a population-level study using the updated 2012 Beers criteria. 2015 , 21, 633-41		19
1094	The Elderly are Different: Initiating Dialysis in Frail Geriatric Patients. 2015 , 28, 221-3		2
1093	Cumulative use of strong anticholinergics and incident dementia: a prospective cohort study. 2015 , 175, 401-7		612
1092	Adverse cognitive effects of medications: turning attention to reversibility. 2015 , 175, 408-9		10
1091	A practical approach to dementia in the outpatient primary care setting. 2015 , 42, 195-204		3
1090	Potentially inappropriate anticholinergic medication use in community-dwelling older adults: a national cross-sectional study. 2015 , 32, 379-89		26
1089	Recognizing depression in late life. 2015 , 40, 36-42; quiz 42-3		5
1088	Update on therapy for narcolepsy. <i>Current Treatment Options in Neurology</i> , 2015 , 17, 347	4-4	25
1087	Management of chronic spontaneous urticaria in the elderly. 2015 , 32, 271-82		10
1086	Group music interventions for dementia-associated anxiety: A systematic review. 2015 , 52, 1775-84		24
1085	Potentially inappropriate prescribing in community-dwelling older people across Europe: a systematic literature review. 2015 , 71, 1415-27		163
1084	Anticholinergic Medication Use and Fractures in Postmenopausal Women: Findings from the Women's Health Initiative. 2015 , 32, 755-63		6
1083	Missed Opportunities for Intervention in a Patient With Prolonged Postoperative Delirium. 2015 , 37, 2706-10		6
1082	The Pharmacology and Clinical Use of the Antidepressants Vilazodone, Levomilnacipran, and Vortioxetine for Depression in the Elderly. 2015 , 4, 301-311		2
1081	Routine deprescribing of chronic medications to combat polypharmacy. 2015 , 6, 212-33		75
1080	Avoidance of polypharmacy and excessive blood pressure control is associated with improved renal function in older patients. 2015 , 37, 961-5		3
1079	Age-Related Changes in Hepatic Function: An Update on Implications for Drug Therapy. 2015 , 32, 999-1008		54
1078	Drug-induced cerebral glucose metabolism resembling Alzheimer's Disease: a case study. <i>BMC Psychiatry</i> , 2015 , 15, 157	4-2	6

1077	Immigrant patients with dementia and memory impairment in primary health care in Norway: a national registry study. 2015 , 39, 321-31		36
1076	The Norwegian General Practice--Nursing Home criteria (NORGEP-NH) for potentially inappropriate medication use: A web-based Delphi study. 2015 , 33, 134-41		32
1075	Demographic and clinical factors associated with benzodiazepine prescription at discharge from psychiatric inpatient treatment. 2015 , 37, 595-600		13
1074	Potentially inappropriate prescribing detected by STOPP-START criteria: are they really inappropriate?. 2015 , 44, 861-6		20
1073	A comparison of the Beers and STOPP criteria for identifying the use of potentially inappropriate medications among elderly patients in primary care. 2015 , 21, 320-5		28
1072	Epidemiology of drug-disease interactions in older veteran nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 77-84	5.6	13
1071	Association between potentially inappropriate medication use in elderly adults and hospital-related outcomes. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 185-6	5.6	12
1070	Access of elderly adults to potentially inappropriate medications in the Brazilian health system. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 420-1	5.6	2
1069	Pharmacist calls to older adults with cognitive difficulties after discharge in a Tertiary Veterans Administration Medical Center: a quality improvement program. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 571-7	5.6	16
1068	Effect of hospitalization on inappropriate prescribing in elderly Medicare beneficiaries. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 699-707	5.6	14
1067	Anticholinergic medications and risk of community-acquired pneumonia in elderly adults: a population-based case-control study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 476-85	5.6	19
1066	Enhancing the Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department (EQUIPPED): Preliminary Results from Enhancing Quality of Prescribing Practices for Older Veterans Discharged from the Emergency Department, a Novel Multicomponent Intervention. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1025-9	5.6	21
1065	The American Geriatrics Society/National Institute on Aging Bedside-to-Bench Conference: Research Agenda on Delirium in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 843-52	5.6	41
1064	Pills and ills: methodological problems in pharmacological research. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 829-30	5.6	2
1063	Nonsurgical Treatment of Urinary Incontinence in Elderly Women. 2015 , 31, 471-85		8
1062	Anticholinergic burden in Parkinson's disease inpatients. 2015 , 71, 1271-7		17
1061	Stabilizing and Managing Patients with Altered Mental Status and Delirium. 2015 , 33, 753-64		8
1060	Potentially inappropriate prescribing (PIP) in long-term care (LTC) patients: validation of the 2014 STOPP-START and 2012 Beers criteria in a LTC population--a protocol for a cross-sectional comparison of clinical and health administrative data. <i>BMJ Open</i> , 2015 , 5, e009715	3	6

1059	Deconstructing chronic low back pain in the older adult--Step by step evidence and expert-based recommendations for evaluation and treatment part III: Fibromyalgia syndrome. 2015 , 16, 1709-19		18
1058	Initiation of Antidepressant Medication After Hip Fracture in Community-Dwelling Older Adults. 2015 , 23, 1007-15		11
1057	Dipeptidyl Peptidase-4 Inhibitors in Diverse Patient Populations With Type 2 Diabetes. 2015 , 41, 19S-31S		5
1056	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). 2015 , 44, 745-55		71
1055	Changing Patterns of Glucose-Lowering Medication Use in VA Nursing Home Residents With Diabetes, 2005 to 2011. 2015 , 16, 898.e9-14		6
1054	Role of community pharmacists in the detection of potentially inappropriate benzodiazepines prescriptions for insomnia. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 1004-8	2.3	13
1053	A Pharmacist-Physician Intervention Model Using a Computerized Alert System to Reduce High-Risk Medication Use in Elderly Inpatients. 2015 , 32, 663-70		11
1052	What to Expect From the Evolving Field of Geriatric Cardiology. 2015 , 66, 1286-1299		72
1051	Use of Benzodiazepines in Alzheimer's Disease: A Systematic Review of Literature. 2015 , 18, pyv055		64
1050	Sleep Disturbances in the Elderly. 2015 , 38, 723-41		41
1049	Summary of factors contributing to falls in older adults and nursing implications. 2015 , 36, 397-406		36
1048	Irregular Sleep-Wake Rhythm Disorder. 2015 , 10, 517-22		19
1047	Clinical impact of potentially inappropriate medications during hospitalization of acutely ill older patients with multimorbidity. 2015 , 33, 243-51		25
1046	Case 3-2015: preventing adverse outcomes in the very elderly cardiac surgical patients. 2015 , 29, 510-21		0
1045	[Medication reconciliation: a shared responsibility]. 2015 , 145, 298-300		
1044	Lower Urinary Tract Infections in the Elderly. 2015 , 10, 370-375		
1043	Dermato-pharmacology in Older Patients. 2015 , 1-30		1
1042	Liposomal forms of anticancer agents beyond anthracyclines: present and future perspectives. 2015 , 25, 166-73		5

1041	Metamizole-induced agranulocytosis revisited: results from the prospective Berlin Case-Control Surveillance Study. 2015 , 71, 219-27	45
1040	[Improving drug prescribing in the elderly: a new edition of STOPP/START criteria]. 2015 , 50, 89-96	42
1039	Potentially suboptimal prescribing for older veteran nursing home patients with dementia. 2015 , 49, 20-8	13
1038	Cause or Effect? Selective Serotonin Reuptake Inhibitors and Falls in Older Adults: A Systematic Review. 2015 , 23, 1016-28	50
1037	[Inappropriate prescribing in polymedicated patients over 64 years-old in primary care]. 2015 , 47, 38-47	12
1036	Prescription of potentially inappropriate medications to elderly hemodialysis patients: prevalence and predictors. 2015 , 30, 498-505	20
1035	Operative risk stratification in the older adult. 2015 , 95, 149-72	15
1034	Antidiabetic medications and polypharmacy. 2015 , 31, 17-27, vii	52
1033	Evaluation of a high-risk case management pilot program for Medicare beneficiaries with Medigap coverage. 2015 , 18, 93-103	15
1032	Treatment of Psychiatric Disorders in Chronic Kidney Disease Patients. 2015 , 725-737	1
1031	Characterization of fibromyalgia symptoms in patients 55-95 years old: a longitudinal study showing symptom persistence with suboptimal treatment. 2015 , 27, 75-82	20
1030	Patients Aged 80 Years or Older are Encountered More Potentially Inappropriate Medication Use. 2016 , 129, 22-7	22
1029	Monitoring Polypharmacy in Healthcare Systems Through a Multi-Setting Survey: Should We Put More Attention on Long Term Care Facilities?. 2016 , 5, 745	6
1028	Pain and side effects in older people. 2016 , 14, 44-49	
1027	Does hospital admission provide an opportunity for improving pharmacotherapy among elderly inpatients?. 2016 , 52, 391-401	2
1026	A Study on Polypharmacy and Potential Drug-Drug Interactions among Elderly Patients Admitted in Department of Medicine of a Tertiary Care Hospital in Puducherry. 2016 , 10, FC06-10	16
1025	Potential utility of precision medicine for older adults with polypharmacy: a case series study. 2016 , 9, 31-45	18
1024	Prescriç� de medicamentos potencialmente inapropriados para idosos em institui� especializada em sa�de mental. 2016 , 65, 245-250	0

1023	Prescriç� de medicamentos potencialmente inapropriados para idosos: um estudo transversal em instituiç� psiqui�trica. 2016 , 65, 149-154	2
1022	Do fall-risk-increasing drugs have an impact on mortality in older hip fracture patients? A population-based cohort study. 2016 , 11, 489-96	12
1021	Use of potentially inappropriate medications by the elderly at home. 2016 , 21, 3429-3438	17
1020	Antidepressants and Driving in Older Adults: A Systematic Review. 2016 , 35 Suppl 1, 7-14	4
1019	Estimated Budget Impact of Increased Use of Mirabegron, A Novel Treatment for Overactive Bladder. 2016 , 22, 1072-84	7
1018	Impact of Clinical Pharmacy Specialists on the Design and Implementation of a Quality Improvement Initiative to Decrease Inappropriate Medications in a Veterans Affairs Emergency Department. 2016 , 22, 74-80	13
1017	Inappropriate prescribing of antithrombotic therapy in Ethiopian elderly population using updated 2015 STOPP/START criteria: a cross-sectional study. 2016 , 11, 819-27	15
1016	Physicians' use of computerized clinical decision supports to improve medication management in the elderly - the Seniors Medication Alert and Review Technology intervention. 2016 , 11, 73-81	17
1015	Underestimated factors may also precipitate delirium and can lead to the misinterpretation of frailty in these patients. 2016 , 11, 761-5	
1014	Prevalence of potentially inappropriate medications and prescription cost analysis among older cardiac patients in an outpatient department of a tertiary care hospital in India. 2016 , 7, 110-115	6
1013	Determinants of self-medication with NSAIDs in a Portuguese community pharmacy. 2016 , 14, 648	8
1012	Protecting Our Elderly Patients from Adverse Drug Reactions. 2016 , 69, 265-6	2
1011	Prescription of benzodiazepines for adults and older adults from a mental health clinic. 2016 , 21, 1267-76	11
1010	Driving and transportation: Dementia as a model for evaluation, decision making, and planning. 2016 , 331-349	
1009	Association between Potentially Inappropriate Medication (PIM) Use and Risk of Hospitalization in Older Adults: An Observational Study Based on Routine Data Comparing PIM Use with Use of PIM Alternatives. 2016 , 11, e0146811	45
1008	Genome Sequence Variability Predicts Drug Precautions and Withdrawals from the Market. 2016 , 11, e0162135	14
1007	Prediction of Hospitalization due to Adverse Drug Reactions in Elderly Community-Dwelling Patients (The PADR-EC Score). 2016 , 11, e0165757	36
1006	Adoption of Evidence-Based Fall Prevention Practices in Primary Care for Older Adults with a History of Falls. 2016 , 4, 190	13

1005	Postherpetic neuralgia: epidemiology, pathophysiology, and pain management pharmacology. 2016 , 9, 447-454		88
1004	Potentially inappropriate prescribing and the risk of adverse drug reactions in critically ill older adults. 2016 , 14, 818		14
1003	Outpatient Medication Use in Chinese Geriatric Patients Admitted for Falls: A Case-Control Study at an Acute Hospital in Hong Kong. 2016 , 23, e1729-e1735		3
1002	Medication use and potentially inappropriate medications in those with limited prognosis living in residential aged care. 2016 , 35, E18-24		20
1001	Benzodiazepine use associated with co-morbid post-traumatic stress syndrome and depression in older adults seeking services in general medical settings. 2016 , 28, 913-20		2
1000	Prevalence and factors associated with potentially inappropriate prescriptions among older patients at hospital discharge. 2016 , 22, 707-13		23
999	Effect of Potentially Inappropriate Use of Antimuscarinic Medications on Healthcare Use and Cost in Individuals with Overactive Bladder. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 779-87	5.6	18
998	Cheaper Options in the Prevention of Chemotherapy-Induced Nausea and Vomiting. 2016 , 2, 145-153		11
997	Acute abdominal pain in the elderly: Surgical causes. 2016 , 83-98		
996	Pressure ulcers induced by drug administration: A new concept and report of four cases in elderly patients. 2016 , 43, 436-8		7
995	Inappropriate prescribing in elderly people with diabetes admitted to hospital. 2016 , 33, 655-62		25
994	Medication Utilization and the Impact of Continued Corticosteroid Use on Patient-reported Outcomes in Older Patients with Inflammatory Bowel Disease. 2016 , 22, 1435-41		20
993	Potentially inappropriate prescribing in older patients admitted to psychiatric hospital. 2016 , 31, 137-45		22
992	Deconstructing Chronic Low Back Pain in the Older Adult-Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment: Part IX: Anxiety. 2016 , 17, 1423-35		12
991	Outcomes of clinical decision support (CDS) and correlates of CDS use for home care patients with high medication regimen complexity: a randomized trial. 2016 , 22, 10-19		10
990	Rural-Urban Differences in Chronic Disease and Drug Utilization in Older Oregonians. 2016 , 32, 269-79		15
989	Medication regimen complexity and readmissions after hospitalization for heart failure, acute myocardial infarction, pneumonia, and chronic obstructive pulmonary disease. 2016 , 4, 2050312116632426		19
988	Algorithm of medication review in frail older people: Focus on minimizing the use of high-risk medications. 2016 , 16, 1002-13		14

987	Impact of potentially inappropriate medication and continuity of care in a sample of Taiwan elderly patients with diabetes mellitus who have also experienced heart failure. 2016 , 16, 1117-1126		11
986	Polytherapy and the risk of potentially inappropriate prescriptions (PIPs) among elderly and very elderly patients in three different settings (hospital, community, long-term care facilities) of the Friuli Venezia Giulia region, Italy: are the very elderly at higher risk of PIPs?. 2016 , 25, 1070-8		18
985	Risk Factors for Hip Fracture in Older Men: The Osteoporotic Fractures in Men Study (MrOS). 2016 , 31, 1810-1819		77
984	Attitudes Toward Use of Benzodiazepines among U.S. Hospice Clinicians: Survey and Review of the Literature. 2016 , 19, 516-22		6
983	General assessment of the elderly patient. 2016 , 1-12		
982	Potentially inappropriate medications in a sample of Portuguese nursing home residents: Does the choice of screening tools matter?. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 1103-11	2.3	15
981	Medications associated with geriatric syndromes and their prevalence in older hospitalized adults discharged to skilled nursing facilities. 2016 , 11, 694-700		33
980	Improving the Effectiveness of Medication Review: Guidance from the Health Literacy Universal Precautions Toolkit. 2016 , 29, 18-23		17
979	Frequency, nature and outcomes of hospital admissions in centenarians in an area of North-East England. 2016 , 16, 969-75		4
978	Exploring the prevalence of and factors associated with pain: a cross-sectional study of community-dwelling people with dementia. 2016 , 24, 270-82		17
977	Impact of an Integrated Hip Fracture Inpatient Program on Length of Stay and Costs. 2016 , 30, 647-652		28
976	Protocol for the Electroencephalography Guidance of Anesthesia to Alleviate Geriatric Syndromes (ENGAGES) study: a pragmatic, randomised clinical trial. <i>BMJ Open</i> , 2016 , 6, e011505	3	37
975	Frequency and cost of potentially inappropriate prescribing for older adults: a cross-sectional study. 2016 , 4, E346-51		65
974	Risks of long-term use of nitrofurantoin for urinary tract prophylaxis in the older patient. 2016 , 27, 193-198		6
973	Defining polypharmacy in the elderly: a systematic review protocol. <i>BMJ Open</i> , 2016 , 6, e010989	3	74
972	Incorporating Shared Decision Making into Perioperative Care of Older Adults. 2016 , 4, 1		
971	Delirium: a guide for the general physician. 2016 , 16, s98-s103		1
970	Diagnosis, Treatment, and Prevention of Urinary Tract Infection. 2016 , 4,		19

969	Dermatology Medications in Older Adults: Common Medications and Considerations. 2016 , 5, 259-265		
968	Sedative hypnotic use among veterans with a newly reported mental health disorder. 2016 , 28, 1391-8		6
967	Essential principles in the care of the elderly. 2016 , 1-16		
966	Surgical care of the elderly. 2016 , 607-612		
965	Antidepressant-Associated Hyponatremia in the Elderly. 2016 , 36, 545-549		15
964	The effect of benzodiazepine and nonbenzodiazepine prescriptions for diabetes mellitus type 2 in elderly Taiwanese with depressive symptoms. <i>Psychogeriatrics</i> , 2016 , 16, 93-101	1.8	2
963	The frequency of inappropriate nonformulary medication alert overrides in the inpatient setting. 2016 , 23, 924-33		12
962	Trends in older adult nonmedical prescription drug use prevalence: Results from the 2002-2003 and 2012-2013 National Survey on Drug Use and Health. 2016 , 60, 219-22		51
961	De la prescription en g ^{er} iatrieâ 2016 , 16, 181-182		
960	Models of Care in Geriatric Oncology Nursing. 2016 , 32, 24-32		11
959	Re: Long-Term Cognitive and Functional Effects of Potentially Inappropriate Medications in Older Women. 2016 , 195, 422-3		
958	National Trends in Treatment Initiation for Nursing Home Residents With Diabetes Mellitus, 2008 to 2010. 2016 , 17, 602-8		4
957	Supportive care in older adults with cancer - An update of research in 2015. 2016 , 7, 397-403		10
956	Sex differences in the risk of receiving potentially inappropriate prescriptions among older adults. 2016 , 45, 535-42		45
955	Drug Prescribing in the Elderly Receiving Home Care. 2016 , 352, 134-40		1
954	Barricades and brickwalls--a qualitative study exploring perceptions of medication use and deprescribing in long-term care. <i>BMC Geriatrics</i> , 2016 , 16, 15	4.1	61
953	Anticholinergic medication use and falls in postmenopausal women: findings from the women's health initiative cohort study. <i>BMC Geriatrics</i> , 2016 , 16, 76	4.1	30
952	Targeting Low Disease Activity in Elderly-Onset Rheumatoid Arthritis: Current and Future Roles of Biological Disease-Modifying Antirheumatic Drugs. 2016 , 33, 97-107		24

951	Predictors of Prolonged Length of Stay and Adverse Events among Older Adults with Behavioral Health-Related Emergency Department Visits: A Systematic Medical Record Review. 2016 , 50, 143-52		16
950	[Consensus validation of a tool to identify inappropriate prescribing in pediatrics (POPI)]. 2016 , 23, 481-90		3
949	Geriatric Cardiology: An Emerging Discipline. 2016 , 32, 1056-64		20
948	Medication Adherence: Truth and Consequences. 2016 , 351, 387-99		126
947	Pro re nata (as needed) medication in nursing homes: the longer you stay, the more you get?. 2016 , 72, 995-1001		26
946	Should Your Older Adult Patient Be Driving?. 2016 , 91-103		
945	The Psychosocial Challenges and Care of Older Adults with Diabetes: "Can't Do What I Used To Do; Can't Be Who I Once Was". 2016 , 16, 48		9
944	Trends in the Concomitant Prescribing of Opioids and Benzodiazepines, 2002-2014. 2016 , 51, 151-160		117
943	What doctors need to know: Prescribing or not for the oldest old. 2016 , 90, 9-16		3
942	Prescribing cascade in an elderly woman. 2016 , 149, 122-4		15
941	Influence of Studies Published by the Journal of the American Geriatrics Society: Top 20 Articles from 2000-2015. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1763-8	5.6	2
940	The Management of Polypharmacy in People with Cancer and Chronic Conditions. 2016 , 261-286		
939	Screening Tool for Older Persons' Appropriate Prescriptions for Japanese: Report of the Japan Geriatrics Society Working Group on "Guidelines for medical treatment and its safety in the elderly". 2016 , 16, 983-1001		83
938	EPIDEMIOLOGÍA DEL USO DE MEDICAMENTOS EN EL ADULTO MAYOR. 2016 , 27, 660-670		3
937	Commemorating key research that shaped geriatrics since the new millennium. 2016 , 37, 417-418		
936	Older Adults' Perspectives on Clinical Research: A Focus Group and Survey Study. 2016 , 24, 893-902		5
935	Anticholinergic medication use and dementia: latest evidence and clinical implications. 2016 , 7, 217-224		40
934	A Simple Tool to Predict Development of Delirium After Elective Surgery. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e149-e153	5.6	23

933	Comparative risk of death in older adults treated with antipsychotics: A population-based cohort study. 2016 , 26, 1390-1400		18
932	Identifying Explicit Criteria for the Prevention of Falls. 2016 , 179-189		
931	Abdominal Pain in the Geriatric Patient. 2016 , 34, 559-74		20
930	Too many, too few, or too unsafe? Impact of inappropriate prescribing on mortality, and hospitalization in a cohort of community-dwelling oldest old. 2016 , 82, 1382-1392		63
929	Using two tools to identify Potentially Inappropriate Medications (PIM) in elderly patients in Southern Chile. 2016 , 67, 139-44		9
928	Medicines optimisation in older people: Taking age and sex into account. 2016 , 93, 114-120		9
927	Prevalence of pseudobulbar affect symptoms and clinical correlates in nursing home residents. 2016 , 31, 694-701		7
926	Predictive Validity of the Beers and Screening Tool of Older Persons' Potentially Inappropriate Prescriptions (STOPP) Criteria to Detect Adverse Drug Events, Hospitalizations, and Emergency Department Visits in the United States. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 22-30	5.6	59
925	Drug Utilization and Inappropriate Prescribing in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1079-84	5.6	11
924	Incident opioid drug use among older adults with chronic obstructive pulmonary disease: a population-based cohort study. 2016 , 81, 161-70		35
923	E-learning in order to improve drug prescription for hospitalized older patients: a cluster-randomized controlled study. 2016 , 82, 53-63		25
922	Anticholinergic Drug Burden in Persons with Dementia Taking a Cholinesterase Inhibitor: The Effect of Multiple Physicians. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 492-500	5.6	27
921	Pharmacology of Drugs in Aging. 2016 , 55-66		1
920	Prevalence of Potentially Inappropriate Medication Use in Older Adults Living in Nursing Homes: A Systematic Review. 2016 , 17, 862.e1-9		138
919	The pharmacotherapy of cirrhosis: concerns and proposed investigations and solutions. 2016 , 41, 587-591		4
918	Benzodiazepine Misuse in the Elderly: Risk Factors, Consequences, and Management. 2016 , 18, 89		75
917	Can we document the practice of dispensing? A systematic review. 2016 , 41, 634-644		8
916	Expected and actual adverse drug-drug interactions in elderly patients accessing the emergency department: data from the ANCESTRAL-ED study. 2016 , 15, 45-50		11

915	Adverse drug reactions associated with off-label use of ketorolac, with particular focus on elderly patients. An analysis of the Italian pharmacovigilance database and a population based study. 2016 , 15, 61-67		8
914	Knowledge Translation Strategy to Reduce the Use of Potentially Inappropriate Medications in Hospitalized Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2487-2494	5.6	13
913	[Potentially inappropriate medications in geriatrics: Which tools to detect them?]. 2016 , 45, 957-970		14
912	Pharmacokinetic and pharmacodynamic changes in older adults and implications for palliative care. 2016 , 24, 255-261		4
911	Pain Treatment of Underserved Older African Americans. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2116-2121	5.6	17
910	The Ethics of Deprescribing in Older Adults. 2016 , 13, 581-590		22
909	Benzodiazepines and Geriatrics: What Clinical Practice Strategies Can Be Used to Reduce the Inappropriate Prescribing?. 2016 , 41, 270-5		4
908	Management of the Critically Ill Geriatric Patient. 2016 , 743-758		
907	[Strategies of age-adapted pharmacotherapy in renal failure]. 2016 , 49, 494-9		1
906	Pharmacological Agents to Decrease New Episodes of Recurrent Lower Urinary Tract Infections in Postmenopausal Women. A Systematic Review. 2016 , 22, 63-9		22
905	Pramipexole in the treatment of REM sleep behaviour disorder: A critical review. 2016 , 243, 365-72		10
904	Drug dispensings among elderly in the year before colon cancer diagnosis versus matched cancer-free controls. 2016 , 41, 538-45		2
903	Antidepressant Drugs in Elderly. 2016 , 445-463		
902	Elderly and Pharmacological Treatment of PTSD. 2016 , 1445-1462		
901	Benzodiazepines. 2016 , 125-133		
900	Psychosis in Parkinson Disease: A Review of Etiology, Phenomenology, and Management. 2016 , 33, 855-863		18
899	Factors associated with potentially inappropriate medication use in elderly Koreans in an outpatient setting: a population-based study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, e21-3	5.6	3
898	. 2016 , 737-757		

897	Review of Safety and Efficacy of Sleep Medicines in Older Adults. 2016 , 38, 2340-2372		177
896	Age-related Disparity: Breast Cancer in the Elderly. 2016 , 18, 69		19
895	Proton Pump Inhibitors and the Prescribing Cascade. 2016 , 42, 23-31; quiz 32-3		9
894	Nonbenzodiazepine Sedative Hypnotics and Risk of Fall-Related Injury. 2016 , 39, 1009-14		32
893	Data feedback and behavioural change intervention to improve primary care prescribing safety (EFIPPS): multicentre, three arm, cluster randomised controlled trial. 2016 , 354, i4079		36
892	Improving geriatric prescribing in the ED: a qualitative study of facilitators and barriers to clinical decision support tool use. 2017 , 29, 117-123		11
891	Managing multimorbidity in primary care in patients with chronic respiratory conditions. 2016 , 26, 16043		18
890	Potentially inappropriate medications in elderly ambulatory and institutionalized patients: an observational study. 2016 , 17, 38		9
889	A Systematic Review of the Impact of Potentially Inappropriate Medication on Health Care Utilization and Costs Among Older Adults. 2016 , 54, 950-64		68
888	Improving Identification of Potentially Inappropriate Medications among Older Patients: a Preliminary Report of a Single-Blind, Controlled Trial Teaching Fourth Year Medical Students Value- and Preference-Based Prescribing/De-Prescribing. 2016 , 26, 431-435		
887	Trends in Medication Use Over 11 Years in Patients Presenting to a Rural and Remote Memory Clinic. 2016 , 43, 815-818		4
886	Infections. 2016 , 218-233		
885	High prevalence of risk factors in elderly patients using drugs associated with acquired torsades de pointes chronically in Colombia. 2016 , 82, 504-11		18
884	In geriatric patients, delirium symptoms are related to the anticholinergic burden. 2016 , 16, 424-31		31
883	Trends in Prevalence and Determinants of Potentially Inappropriate Prescribing in the United States: 2007 to 2012. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 788-97	5.6	56
882	Basic Geriatrics Knowledge Among Internal Medicine Trainees in a Teaching Hospital in Saudi Arabia. 2016 , 31, 213-20		2
881	Application of STOPP/START and Beers criteria: Compared analysis on identification and relevance of potentially inappropriate prescriptions. 2016 , 7, 416-423		12
880	Intensive Treatment and Severe Hypoglycemia Among Adults With Type 2 Diabetes. 2016 , 176, 969-78		82

879	Changing Pattern of Sedative Use in Older Adults: A Population-Based Cohort Study. 2016 , 33, 523-33		33
878	A Systematic Review of Opioid and Benzodiazepine Misuse in Older Adults. 2016 , 24, 949-963		65
877	Mirabegron for the treatment of overactive bladder: cost-effectiveness from US commercial health-plan and Medicare Advantage perspectives. 2016 , 19, 1135-1143		14
876	Identifying and Managing Pain in People with Alzheimer's Disease and Other Types of Dementia: A Systematic Review. 2016 , 30, 481-97		83
875	[Long-term treatment of lower urinary tract symptoms in elderly]. 2016 , 42, e167-e168		
874	Improvements in the prescribing of antipsychotics in dementia and psychogeriatric units in New Zealand. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 941-9	2.3	5
873	[Medication reconciliation at admission and discharge. A consolidated experience]. 2016 , 31 Suppl 1, 45-54		2
872	Drugs prescribed for patients hospitalized in a geriatric oncology unit: Potentially inappropriate medications and impact of a clinical pharmacist. 2016 , 7, 463-470		28
871	How do I best manage insomnia and other sleep disorders in older adults with cancer?. 2016 , 7, 413-421		7
870	Adjuvant Agents in Chronic Pain Therapy. 2016 , 111-134		
869	The safety of meperidine prescribing in older adults: A longitudinal population-based study. <i>BMC Geriatrics</i> , 2016 , 16, 100	4.1	7
868	Prevalence of Beers Criteria Medications Among Elderly Patients in a Military Hospital. 2016 , 2, 2333721416637790		
867	Development of the Tool to Reduce Inappropriate Medications (TRIM): A Clinical Decision Support System to Improve Medication Prescribing for Older Adults. 2016 , 36, 694-701		24
866	Polypharmacy and potentially inappropriate prescriptions identified by Beers and STOPP criteria in co-morbid older patients at hospital discharge. 2016 , 22, 189-93		30
865	A Geriatric Perspective on Benign Paroxysmal Positional Vertigo. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 378-85	5.6	34
864	Development and Validation of a Brief Interactive Educational Video to Improve Outpatient Treatment of Older Adults' Acute Musculoskeletal Pain. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 880-1	5.6	6
863	Direct oral anticoagulants: New drugs with practical problems. How can nurses help prevent patient harm?. 2016 , 18, 408-11		3
862	Prescription of potentially inappropriate medication in Korean older adults based on 2012 Beers Criteria: a cross-sectional population based study. <i>BMC Geriatrics</i> , 2016 , 16, 118	4.1	30

861	Assessing prescribing of NSAIDs, antiplatelets, and anticoagulants in Canadian family medicine using chart review. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 1094-102	2.3	6
860	[Consumption of drugs in over 65 in Porto (Portugal) and risk of potentially inappropriate medication prescribing]. 2016 , 48, 110-20		10
859	The 2015 updated Beers Criteria: The evolution continues. 2016 , 37, 61-2		
858	Predictors of New Onset Sleep Medication and Treatment Utilization Among Older Adults in the United States. 2016 , 71, 954-60		18
857	Optimal Perioperative Management of the Geriatric Patient: A Best Practices Guideline from the American College of Surgeons NSQIP and the American Geriatrics Society. 2016 , 222, 930-47		301
856	Health economics of insomnia treatments: The return on investment for a good night's sleep. 2016 , 30, 72-82		109
855	Anticholinergic Risk and Frequency of Anticholinergic Drug Prescriptions in a Population Older Than 65. 2016 , 17, 275.e1-4		8
854	Availability and actual use in the Belgian market of potentially inappropriate medications (PIMs) from the EU(7)-PIM list. 2016 , 72, 243-5		10
853	Improving the appropriateness of prescribing in older patients: a systematic review and meta-analysis of pharmacists' interventions in secondary care. 2016 , 45, 201-9		49
852	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. 2016 , 142, 1031-40		30
851	Polypharmacy cut-points in older people with cancer: how many medications are too many?. 2016 , 24, 1831-40		87
850	[Optimization of information on the medication of polypharmacy patients in primary care]. 2016 , 30, 69-72		4
849	Potentially Inappropriate Medications and Anticholinergic Burden in Older People Attending Memory Clinics in Australia. 2016 , 33, 37-44		31
848	Development, validation and evaluation of an electronic pharmacological tool: The Drug Burden Index Calculator'. <i>Research in Social and Administrative Pharmacy</i> , 2016 , 12, 865-875	2.9	18
847	Inappropriate Medication Use Among Underserved Elderly African Americans. 2016 , 28, 118-38		13
846	[Risk/benefit assessment in the treatment of Alzheimer's disease. Drug interactions]. 2016 , 51, 191-5		1
845	Changes in Prescription and Over-the-Counter Medication and Dietary Supplement Use Among Older Adults in the United States, 2005 vs 2011. 2016 , 176, 473-82		320
844	Potentially inappropriate drug prescribing in elderly hospitalized patients: an analysis and comparison of explicit criteria. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 462-8	2.3	26

843	Improving the Care of Dual Eligible Patients in Rural Federally Qualified Health Centers: The Impact of Care Coordinators and Clinical Pharmacists. 2016 , 7, 118-21		6
842	Primary Care for the Older Adult Patient: Common Geriatric Issues and Syndromes. 2016 , 43, 367-79		1
841	Burden of Potentially Harmful Medications and the Association With Quality of Life and Mortality Among Institutionalized Older People. 2016 , 17, 276.e9-14		18
840	Abdominal Pain in the Geriatric Patient. 2016 , 34, 363-75		17
839	Drug-Related Problems Identified in a Sample of Portuguese Institutionalised Elderly Patients and Pharmacists' Interventions to Improve Safety and Effectiveness of Medicines. 2016 , 3, 89-97		17
838	[Point of view of older adults on the potentially inappropriate medications prescribing in primary care facilities in Bobo-Dioulasso, Burkina Faso]. 2016 , 64, 15-21		1
837	Optimization of Geriatric Pharmacotherapy: Role of Multifaceted Cooperation in the Hospital Setting. 2016 , 33, 179-88		29
836	Mortality, hospitalisation, institutionalisation in community-dwelling oldest old: The impact of medication. 2016 , 65, 9-16		22
835	An exploration of health professionals' experiences of medicines management in elderly, hospitalised patients in Abu Dhabi. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 107-18	2.3	10
834	The Effect of Sleep Medication Use and Poor Sleep Quality on Risk of Falls in Community-Dwelling Older Adults in the US: A Prospective Cohort Study. 2016 , 33, 151-8		19
833	A New Computer-Based Tool to Reduce Potentially Inappropriate Prescriptions in Hospitalized Geriatric Patients. 2016 , 33, 267-75		9
832	Oral pharmacotherapy for overactive bladder in older patients: mirabegron as a potential alternative to antimuscarinics. 2016 , 32, 621-38		44
831	VALFORTA: a randomised trial to validate the FORTA (Fit FOR The Aged) classification. 2016 , 45, 262-7		83
830	Management of Diabetes in Long-term Care and Skilled Nursing Facilities: A Position Statement of the American Diabetes Association. 2016 , 39, 308-18		117
829	Impact of a Clinical Pharmacy Specialist in an Emergency Department for Seniors. 2016 , 67, 177-88		6
828	Medicating the "Out of Control" Older Adult. 2016 , 42, 75-7		1
827	Benzodiazepine use and risk of incident dementia or cognitive decline: prospective population based study. 2016 , 352, i90		117
826	Use of nonsteroidal anti-inflammatory drugs and renal failure in nursing home residents-results of the study "Inappropriate Medication in Patients with Renal Insufficiency in Nursing Homes". 2016 , 128, 287-90		9

825	[Inappropriate prescription and administration of medications in 10 nursing homes in Alsace, France]. 2016 , 64, 95-101	6
824	Reducing Polypharmacy from the Perspectives of General Practitioners and Older Patients: A Synthesis of Qualitative Studies. 2016 , 33, 249-66	50
823	Deconstructing Chronic Low Back Pain in the Older Adult-Step by Step Evidence and Expert-Based Recommendations for Evaluation and Treatment. Part VI: Lumbar Spinal Stenosis. 2016 , 17, 501-10	13
822	Preoperative Assessment of Geriatric Patients. 2016 , 34, 171-83	15
821	Pharmaceutical strategies towards optimising polypharmacy in older people. 2016 , 512, 360-365	14
820	Elderly patients treated with psychotropic medicines admitted to hospital: associated characteristics and inappropriate use. 2016 , 72, 755-64	9
819	Risk Stratification for Older Adults with Myocardial Infarction. 2016 , 10, 1	3
818	Dementia: A complex disease with multiple etiologies and multiple treatments. 2016 , 51, 171-81	10
817	Pharmacist-Led Home Medicines Review and Residential Medication Management Review: The Australian Model. 2016 , 33, 199-204	73
816	Geriatric assessment in daily oncology practice for nurses and allied health care professionals: Opinion paper of the Nursing and Allied Health Interest Group of the International Society of Geriatric Oncology (SIOG). 2016 , 7, 315-24	36
815	[Prevalence of potentially inappropriate drug prescription in the elderly]. 2016 , 31, 279-84	1
814	Antiepileptic drug use and epileptic seizures in nursing home residents in the Province of Pavia, Italy: A reappraisal 12 years after a first survey. 2016 , 119, 41-8	9
813	Predicting risk of adverse drug reactions in older adults. 2016 , 7, 11-22	145
812	10. Older Adults. 2016 , 39 Suppl 1, S81-5	50
811	Aspirin Use for the Primary Prevention of Cardiovascular Disease in the Elderly. 2016 , 31, 24-32	9
810	Safety of Psychotropic Drugs in the Elderly. 2016 , 285-297	2
809	Altered Pharmacology and Pill Burden in Older Adults: A Balancing Act. 2016 , 123-146	
808	The Association Between Potentially Inappropriate Prescribing and Medication-Related Hospital Admissions in Older Patients: A Nested Case Control Study. 2016 , 39, 79-87	44

807	Comparative Cognitive Profile of Second-Generation Antidepressants in Elderly Nursing Home Residents With Depression. 2016 , 50, 96-105		2
806	Perceived anxiety control is associated with sleep disturbance in young and older adults. 2016 , 20, 856-60		8
805	Treatment of Dementia: Pharmacological Approaches. 2016 , 73-95		1
804	Palliative Care and Symptom Management in Older Patients with Cancer. 2016 , 32, 45-62		27
803	Older patients' prescriptions screening in the community pharmacy: development of the Ghent Older People's Prescriptions community Pharmacy Screening (GheOPPS) tool. 2016 , 38, e158-70		38
802	Effects of a pilot multidisciplinary clinic for frequent attending elderly patients on deprescribing. 2016 , 40, 86-91		22
801	Antipsychotic and Benzodiazepine Drug Changes Affect Acute Falls Risk Differently in the Nursing Home. 2016 , 71, 273-8		35
800	Systemic model of chronic benzodiazepine use among mature adults. 2016 , 20, 380-90		5
799	Médicaments potentiellement inappropriés (MPI) chez la personne âgée : état des lieux dans un service de cardiologie. 2017 , 52, 3-9		0
798	A preliminary examination of over-the-counter medication misuse rates in older adults. <i>Research in Social and Administrative Pharmacy</i> , 2017 , 13, 187-192	2.9	26
797	Incidence of antidepressant use in community-dwelling persons with and without Alzheimer's disease: 13-year follow-up. 2017 , 32, 94-101		19
796	Potentially inappropriate medications and drug-drug interactions in home-dwelling people with mild dementia. 2017 , 32, 183-192		19
795	Aging, Genetic Variations, and Ethnopharmacology: Building Cultural Competence Through Awareness of Drug Responses in Ethnic Minority Elders. 2017 , 28, 56-62		1
794	Trends in Pharmacotherapy for Bladder Dysfunction Among Children in the United States, 2000 to 2013. 2017 , 56, 55-64		5
793	Evaluating the Impact of Medication Safety Alerts on Prescribing of Potentially Inappropriate Medications for Older Veterans in an Ambulatory Care Setting. 2017 , 30, 82-88		13
792	[Pain in herpes zoster: Prevention and treatment]. 2017 , 43, 318-327		0
791	Medication use and potentially high-risk prescribing in older patients hospitalized for diabetes: a missed opportunity to improve care?. 2017 , 34, 432-439		13
790	Anticholinergic effect on cognition (AEC) of drugs commonly used in older people. 2017 , 32, 650-656		32

789	The association of change in medication regimen and use of inappropriate medication based on beers criteria with adverse outcomes in Japanese long-term care facilities. 2017 , 17, 591-597	17
788	Prescriptions for Bedtime Sedatives After the Introduction of a General Admission Order Set at an Academic Health Center: The Potential and Pitfalls of Order Sets. 2017 , 13, 232-236	2
787	Potentially inappropriate medications: predictor for mortality in a cohort of community-dwelling older adults. 2017 , 73, 615-621	28
786	Improving over-the-counter medication safety for older adults: A study protocol for a demonstration and dissemination study. <i>Research in Social and Administrative Pharmacy</i> , 2017 , 13, 930-937	18
785	The Association of Potentially Inappropriate Medication at Older Age With Cardiovascular Events and Overall Mortality: A Systematic Review and Meta-Analysis of Cohort Studies. 2017 , 18, 211-220	64
784	Antipsychotics, Antidepressants, Anticonvulsants, Melatonin, and Benzodiazepines for Behavioral and Psychological Symptoms of Dementia: a Systematic Review of Meta-analyses. 2017 , 4, 55-79	8
783	Deprescribing: A narrative review of the evidence and practical recommendations for recognizing opportunities and taking action. 2017 , 38, 3-11	129
782	Association between high cumulative dose of benzodiazepine in Chinese patients and risk of dementia: a preliminary retrospective case-control study. <i>Psychogeriatrics</i> , 2017 , 17, 310-316	1.8 16
781	Delirium: a guide for the general physician. 2017 , 17, 48-53	8
780	Benzodiazepine Use and Risk of Developing Alzheimer's Disease: A Case-Control Study Based on Swiss Claims Data. 2017 , 31, 245-251	24
779	Polypharmacy and potentially inappropriate medications: a cross-sectional analysis among 451 nursing homes in France. 2017 , 73, 601-608	36
778	Comparison of four criteria for potentially inappropriate medications in Brazilian community-dwelling older adults. 2017 , 17, 1628-1635	17
777	Potentially inappropriate medications in Chinese older adults: The beers criteria compared with the screening tool of older persons' prescriptions criteria. 2017 , 17, 1951-1958	16
776	Risk of Mortality in Elderly Nursing Home Patients with Depression Using Paroxetine. 2017 , 37, 287-296	6
775	Cognitive Effects of Anticholinergics in the Geriatric Patient Population: Safety and Treatment Considerations. 2017 , 12, 104-111	1
774	Prevalence of inappropriate medication use in residential long-term care facilities for the elderly: A systematic review. 2017 , 23, 69-77	61
773	Overview of current and future research and clinical directions for drug discontinuation: psychological, traditional and professional obstacles to deprescribing. 2017 , 24, 16-20	8
772	Managing sleep problems using non-prescription medications and the role of community pharmacists: older adults' perspectives. 2017 , 25, 438-446	8

771	Neuroleptic (Antipsychotic) Drugs: An Epidemic of Tardive Dyskinesia and Related Brain Injuries Afflicting Tens of Millions. 2017 , 123-161		
770	Clinical relevance of the STOPP/START criteria in hip fracture patients. 2017 , 73, 499-505		21
769	Review of structured guides for deprescribing. 2017 , 24, 51-57		25
768	Hospital admissions due to adverse drug reactions in the elderly. A meta-analysis. 2017 , 73, 759-770		121
767	Indicators for assessing quality of drug use: A systematic literature review. 2017 , 10, 222-232		6
766	Evaluation of medication-related clinical decision support alert overrides in the intensive care unit. 2017 , 39, 156-161		20
765	Review of a Basal Insulin Regimen in Long-term Care. 2017 , 13, e133-e136		1
764	The use of potentially inappropriate medications among the Lithuanian elderly according to Beers and EU(7)-PIM list - a nationwide cross-sectional study on reimbursement claims data. 2017 , 42, 195-200		33
763	Use of Preventive Medication in Patients With Limited Life Expectancy: A Systematic Review. 2017 , 53, 1097-1110.e1		34
762	Enhancing Quality of Provider Practices for Older Adults in the Emergency Department (EQUIPPED). <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1609-1614	5.6	17
761	[Bladder storage and voiding dysfunctions : Side effects of drug therapy]. 2017 , 56, 456-464		2
760	Health risk appraisal in older people 7: long-acting benzodiazepine use in community-dwelling older adults in London: is it related to physical or psychological factors?. 2017 , 18, 253-260		2
759	Effects of depression screening on diagnosing and treating mood disorders among older adults in office-based primary care outpatient settings: An instrumental variable analysis. 2017 , 100, 101-111		12
758	Potentially Inappropriate Antihypertensive Prescriptions to Elderly Patients: Results of a Prospective, Observational Study. 2017 , 34, 453-466		10
757	Factors associated with adverse drug reactions in older inpatients in teaching hospital. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 679-685	2.3	6
756	Effectiveness of Silexan oral lavender essential oil compared to inhaled lavender essential oil aromatherapy on sleep in adults: a systematic review protocol. 2017 , 15, 961-970		5
755	Use of an e-Learning Educational Module to Better Equip Doctors to Prescribe for Older Patients: A Randomised Controlled Trial. 2017 , 34, 367-374		14
754	The "iatrogenic triad": polypharmacy, drug-drug interactions, and potentially inappropriate medications in older adults. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 818-825	2.3	27

753	Medication management in the older adult: A narrative exploration. 2017 , 29, 186-194		4
752	Combined Use of the Rationalization of Home Medication by an Adjusted STOPP in Older Patients (RASP) List and a Pharmacist-Led Medication Review in Very Old Inpatients: Impact on Quality of Prescribing and Clinical Outcome. 2017 , 34, 123-133		32
751	Reducing Falls in Residents With Dementia by Reducing Psychotropic Medication Use: Does It Work?. 2017 , 13, e191-e194		1
750	Clinician agreement and influence of medication-related characteristics on assessment of polypharmacy. 2017 , 5, e00321		9
749	Some of the CANMAT Recommendations for the Pharmacological Treatment of Late-life Depression Are Not Congruent with Available Evidence or Expert Opinion. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 351-352	4.8	
748	Adverse drug events reported by rural older adults. 2017 , 38, 584-588		1
747	Impact of 2015 Update to the Beers Criteria on Estimates of Prevalence and Costs Associated with Potentially Inappropriate Use of Antimuscarinics for Overactive Bladder. 2017 , 34, 535-543		3
746	Frailty, polypharmacy, and potentially inappropriate medications in old people: findings in a representative sample of the French population. 2017 , 73, 1165-1172		65
745	Effect of the treatment of Type 2 diabetes mellitus on the development of cognitive impairment and dementia. 2017 , 6, CD003804		53
744	Clinical medication review tool for polypharmacy: Mapping approach for pharmacotherapeutic classifications. 2017 , 17, 2025-2033		2
743	Re: Delirium is Not Associated with Anticholinergic Burden or Polypharmacy in Older Patients on Admission to an Acute Hospital: An Observational Case Control Study. 2017 , 197, 1320-1321		
742	Impact of programs to reduce antipsychotic and anticholinergic use in nursing homes. 2017 , 3, 553-561		9
741	Association Between Psychotropic and Cardiovascular Iatrogenic Alerts and Risk of Hospitalizations in Elderly People Treated for Dementia: A Self-Controlled Case Series Study Based on the Matching of 2 French Health Insurance Databases. 2017 , 18, 549.e1-549.e13		4
740	Type 2 Diabetes Care in the Elderly. 2017 , 13, 181-186		5
739	Impact of medication review, within a shared decision-making framework, on deprescribing in people living in care homes. 2017 , 24, 30-33		13
738	Using the Beers criteria to identify potentially inappropriate medication use by older adult dental patients. 2017 , 148, 298-307		8
737	How Common Are Pulmonary and Hepatic Adverse Effects in Older Adults Prescribed Nitrofurantoin?. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1316-1320	5.6	13
736	Evaluation of the "medication fall risk score". 2017 , 74, e32-e39		5

735	Medicine information exchange networks among healthcare professionals and prescribing in geriatric medicine wards. 2017 , 83, 1185-1196		17
734	11. Older Adults. 2017 , 40, S99-S104		55
733	Association between Antidepressants and Fall-Related Injuries among Long-Term Care Residents. 2017 , 25, 1326-1336		14
732	Potentially inappropriate medications in geriatric population: a clinical update for oral medicine and orofacial pain practitioners. 2017 , 124, 600-608		3
731	Subjective-Objective Sleep Discrepancy in Older Adults With MCI and Subsyndromal Depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017 , 30, 316-323	3.8	15
730	Pharmacist intervention acceptance for the reduction of potentially inappropriate drug prescribing in acute psychiatry. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 1228-1236	2.3	11
729	Reduction of anticholinergic burden in older patients admitted to a multidisciplinary geriatric acute care unit. 2017 , 8, 492-495		3
728	Quality of prescribing in community-dwelling elderly patients in France: an observational study in community pharmacies. <i>International Journal of Clinical Pharmacy</i> , 2017 , 39, 1220-1227	2.3	3
727	Abordaje multifactorial del dolor crónico no neoplásico en Atención Primaria. 2017 , 24, 1-55		
726	A Pharmacist-Led Program to Evaluate and Reduce Polypharmacy and Potentially Inappropriate Prescribing in Older HIV-Positive Patients. 2017 , 37, 1498-1506		51
725	Trends in utilization of benzodiazepine and Z-drugs in Israel. 2017 , 26, 1555-1560		7
724	Assessing Prescribing Trends of Adjuvant Medication Therapy in Outpatients With a Diagnosis of Noncancer Chronic Pain. 2017 , 33, 786-792		
723	Sleep in the Elderly: Unanswered Questions. 2017 , 33, 579-596		19
722	Discontinuation of Preventive Medicines in Older People with Limited Life Expectancy: A Systematic Review. 2017 , 34, 767-776		20
721	Safety of Antiplatelet Agents: Analysis of 'Real-World' Data from the Italian National Pharmacovigilance Network. 2017 , 37, 1067-1081		6
720	Comparison of Prescribing Practices with Direct Acting Oral Anticoagulant Protocols. 2017 , 17, 475-479		3
719	Hospitalization Risk and Potentially Inappropriate Medications among Medicare Home Health Nursing Patients. 2017 , 32, 1301-1308		10
718	Pharmacy performance while providing continuous medication monitoring. 2017 , 57, 692-697		11

717	Appropriateness of antiplatelet therapy for primary and secondary cardio- and cerebrovascular prevention in acutely hospitalized older people. 2017 , 83, 2528-2540		14
716	Reduction in targeted potentially inappropriate medication use in elderly inpatients: a pragmatic randomized controlled trial. 2017 , 73, 1237-1245		20
715	Basic considerations for the treatment of geriatric depression in primary care. 2017 , 38, 258-261		2
714	Améliorer la prescription et la surveillance médicamenteuse chez les résidents des EHPAD : rôle du comité thérapeutique villehôpital. 2017 , 52, 269-275		
713	Paroxetine and transient ischemic attack. 2017 , 28, 2-3		
712	Effectiveness of Periosteal Stimulation Therapy and Home Exercise Program in the Rehabilitation of Patients With Advanced Knee Osteoarthritis. 2017 , 33, 254-263		9
711	Journal of the American Geriatrics Society: Evolving Strategies and Processes. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1132-1133	5.6	
710	Determinants of Potentially Inappropriate Medication Use in Long-Term and Acute Care Settings: A Systematic Review. 2017 , 18, 806.e1-806.e17		29
709	Midlife anticholinergic drug use, risk of Alzheimer's disease, and brain atrophy in community-dwelling older adults. 2017 , 3, 471-479		27
708	PIM-Check: development of an international prescription-screening checklist designed by a Delphi method for internal medicine patients. <i>BMJ Open</i> , 2017 , 7, e016070	3	17
707	Potentially Inappropriate Medications and the Time to Full Functional Recovery After Hip Fracture. 2017 , 34, 723-728		20
706	Evidence and decision algorithm for the withdrawal of antipsychotic treatment in the elderly with dementia and neuropsychiatric symptoms. 2017 , 73, 1389-1398		3
705	Medication Use Leading to Hospital Readmission in Frail Elders. 2017 , 13, 708-715		3
704	Potentially Inappropriate Medication, Anticholinergic Burden, and Mortality in People Attending Memory Clinics. 2017 , 60, 349-358		25
703	A methodological protocol for selecting and quantifying low-value prescribing practices in routinely collected data: an Australian case study. 2017 , 12, 58		15
702	Metformin Safety Warnings and Diabetes Drug Prescribing Patterns for Older Nursing Home Residents. 2017 , 18, 879-884.e7		1
701	A prospective evaluation of the depression-nutrient intake reverse causality hypothesis in a cohort of community-dwelling older Canadians. 2017 , 117, 1032-1041		16
700	Acupuncture and Cutaneous Medicine: Is It Effective?. 2017 , 29, 269-275		12

699	Use of potentially inappropriate medications among ambulatory home-dwelling elderly patients with dementia: A review of the literature. 2017 , 150, 169-183		16
698	Polypharmacy and Gait Performance in Community-dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2082-2087	5.6	33
697	Analysis of the evidence-practice gap to facilitate proper medical care for the elderly: investigation, using databases, of utilization measures for National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). 2017 , 22, 51		16
696	Cooperation between geriatricians and general practitioners for improved pharmacotherapy in home-dwelling elderly people receiving polypharmacy - the COOP Study: study protocol for a cluster randomised controlled trial. 2017 , 18, 158		9
695	Optimizing medication appropriateness in older adults: a randomized clinical interventional trial to decrease anticholinergic burden. 2017 , 9, 36		24
694	Risk Factors for Initiation of Potentially Inappropriate Medications in Community-Dwelling Older Adults with and without Alzheimer's Disease. 2017 , 34, 67-77		9
693	The effect of comprehensive geriatric assessment on anticholinergic exposure assessed by four ranked anticholinergic lists. 2017 , 68, 195-201		3
692	Psychiatric Disorders in Older Adults. 2017 , 31-40		
691	Polypharmacy and inappropriate medication use in patients with dementia: an underresearched problem. 2017 , 8, 31-46		52
690	Reduction of diuretics and analysis of water and muscle volumes to prevent falls and fall-related fractures in older adults. 2017 , 17, 262-269		7
689	[Characteristics of potentially inappropriate prescribing of drugs in elderly polypathological patients]. 2017 , 31, 327-331		4
688	Prevalence of potentially inappropriate prescribing among older adults: A comparison of the Beers 2012 and Screening Tool of Older Person's Prescriptions criteria version 2. 2017 , 17, 1245-1251		28
687	Systematic review of traditional Chinese medicine for geriatrics. 2017 , 17, 679-688		35
686	Selected Problems of Aging. 2017 , 305-318		
685	Common Problems of the Elderly. 2017 , 319-337		
684	Alzheimer Disease and Other Dementias. 2017 , 339-346		1
683	A Closer Look at the 2015 Beers Criteria. 2017 , 30, 419-424		10
682	Determinants of Potentially Inappropriate Medication Use among Community-Dwelling Older Adults. 2017 , 52, 1534-1549		41

681	Allergy and asthma medication use in home-dwelling U.S. older adults. 2017 , 7, 192-198		3
680	Impact of Potentially Inappropriate Prescribing on Adverse Drug Events, Health Related Quality of Life and Emergency Hospital Attendance in Older People Attending General Practice: A Prospective Cohort Study. 2017 , 72, 271-277		74
679	High-Risk Medications in Hospitalized Elderly Adults: Are We Making It Easy to Do the Wrong Thing?. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 603-607	5.6	16
678	Severe drug interactions and potentially inappropriate medication usage in elderly cancer patients. 2017 , 25, 229-236		33
677	An Academic-Practice Partnership Model to Grow and Sustain Advanced Practice Nursing. 2017 , 47, 629-635		12
676	Impact of the automated dose dispensing with medication review on geriatric primary care patients drug use in Finland: a nationwide cohort study with matched controls. 2017 , 35, 379-386		9
675	Determinants of follow-up care associated with incident antidepressant use in older adults. 2017 , 10, 419		3
674	Analysis of Adverse Drug Reaction Risk in Elderly Patients Using the Japanese Adverse Drug Event Report (JADER) Database. 2017 , 40, 824-829		12
673	. 2017 , 24, 135-141		
672	Potentially inappropriate prescriptions for elderly people taking antidepressant: comparative tools. <i>BMC Geriatrics</i> , 2017 , 17, 278	4.1	9
671	Diabetes education and the older adult. 2017 , 489-504		
670	Assessment of Clinical Pharmacy Interventions to Reduce Outpatient Use of High-Risk Medications in the Elderly. 2017 , 23, 520-524		10
669	Potentially inappropriate medications among older adults in Pelotas, Southern Brazil. <i>Revista De Saude Publica</i> , 2017 , 51, 52	2.4	13
668	Evaluation of Drug-Disease Interactions and Their Association with Unplanned Hospital Readmission Utilizing STOPP Version 2 Criteria. 2017 , 2,		6
667	Polypharmacy among Underserved Older African American Adults. 2017 , 2017, 6026358		18
666	Rivastigmine as a Symptomatic Treatment for Apathy in Parkinson's Dementia Complex: New Aspects for This Riddle. 2017 , 2017, 6219851		7
665	The utility of the records medical: factors associated with the medication errors in chronic disease. 2017 , 25, e2967		3
664	Potentially inappropriate medications use in community-based aged patients: a cross-sectional study using 2012 Beers criteria. 2017 , 12, 65-73		24

663	Eluxadoline in the treatment of diarrhea-predominant irritable bowel syndrome. 2017 , 11, 2827-2840		7
662	Drug prescription appropriateness in the elderly: an Italian study. 2017 , 12, 325-333		9
661	Anticholinergic burden and cognitive function in a large German cohort of hospitalized geriatric patients. 2017 , 12, e0171353		36
660	Association of benzodiazepine and Z-drug use with the risk of hospitalisation for fall-related injuries among older people: a nationwide nested case-control study in Taiwan. <i>BMC Geriatrics</i> , 2017 , 17, 140	4.1	43
659	Non-adherence to medication regimens among older African-American adults. <i>BMC Geriatrics</i> , 2017 , 17, 163	4.1	42
658	Effectiveness and patient safety of platelet aggregation inhibitors in the prevention of cardiovascular disease and ischemic stroke in older adults - a systematic review. <i>BMC Geriatrics</i> , 2017 , 17, 225	4.1	6
657	Studying de-implementation in health: an analysis of funded research grants. 2017 , 12, 144		44
656	Evaluation of pharmacotherapy complexity in residents of long-term care facilities: a cross-sectional descriptive study. 2017 , 18, 59		13
655	Trends in the prescription of benzodiazepines for the elderly in Korea. <i>BMC Psychiatry</i> , 2017 , 17, 303	4.2	20
654	Off-label indications for antidepressants in primary care: descriptive study of prescriptions from an indication based electronic prescribing system. 2017 , 356, j603		99
653	Factors Associated With Potentially Inappropriate Medication Use in Rural, Community-Dwelling Older Adults. 2017 , 43, 21-30		14
652	. 2017 , 19, 126-132		
651	Medicines, pharmacovigilance, and the importance of undertaking comprehensive assessments and regular medicine reviews. 2017 , 277-297		
650	The growing problem of co-treatment with opioids and benzodiazepines. 2017 , 356, j1224		11
649	Content design and validation of a Standard Operating Procedure to provide pharmacotherapy follow-up for the elderly in Cuba. 2017 , 53,		1
648	Polypharmacy: a challenge for the primary health care of the Brazilian Unified Health System. <i>Revista De Saude Publica</i> , 2017 , 51, 19s	2.4	19
647	Multimorbidity associated with polypharmacy and negative self-perception of health. 2017 , 20, 634-642		12
646	Utilization Pattern of Potentially Inappropriate Medications in Geriatric Patients in a Tertiary Care Hospital: A Retrospective Observational Study. 2017 , 11, FC04-FC08		5

645	Applicability of Anticholinergic Risk Scale in hospitalized elderly persons. 2017 , 20, 123-128		2
644	Treatment of type 2 diabetes mellitus in elderly patients. 2018 , 218, 74-88		3
643	The impact of anaemia, transfusion dependency, comorbidities and polypharmacy in elderly patients with low-risk myelodysplastic syndromes. 2018 , 35, 33		6
642	Targeting potassium channels to treat cerebellar ataxia. 2018 , 5, 297-314		35
641	Uptake of the Medication Assessment Program in Saskatchewan: Tracking claims during the first year. 2018 , 151, 24-28		2
640	Kidney function and use of nonsteroidal anti-inflammatory drugs among elderly people: a cross-sectional study on potential hazards for an at risk population. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 870-877	2.3	9
639	Differential Prescribing of Antimuscarinic Agents in Older Adults with Cognitive Impairment. 2018 , 35, 321-331		6
638	Potentially Inappropriate Prescribing in Older Adults with Hypertension or Diabetes Mellitus and Hypertension in a Primary Care Setting in Bahrain. 2018 , 27, 241-249		8
637	Elucidating the associations between sleep disturbance and depression, fatigue, and pain in older adults with cancer. 2018 , 9, 464-468		25
636	CE: Original Research: Exploring Clinicians' Perceptions About Sustaining an Evidence-Based Fall Prevention Program. 2018 , 118, 24-33		5
635	Recent opioid use and fall-related injury among older patients with trauma. 2018 , 190, E500-E506		54
634	Characteristics of New-Onset and Chronic Sleep Medication Users Among Older Adults: A Retrospective Study of a US Medigap Plan Population using Propensity Score Matching. 2018 , 35, 467-476		6
633	Ensuring safe and optimal medication use in older community residents: Collaboration between a nurse and a pharmacist. 2018 , 39, 554-559		2
632	European repository of explicit criteria of potentially inappropriate medications in old age. 2018 , 18, 1293-1297		6
631	Use of Potentially Inappropriate Medications in People With Dementia in Vietnam and Its Associated Factors. 2018 , 33, 423-432		5
630	Prevalence and factors associated with polypharmacy in the older people: 2006-2014. 2018 , 27, 2942-2952		27
629	A Province-wide, Cross-sectional Study of Demographics and Medication Use of Patients in Hemodialysis Units Across Ontario. 2018 , 5, 2054358118760832		14
628	Sleep Disorders. 2018 , 191-203		

627	One-Year Effect of the Medicare Annual Wellness Visit on Detection of Cognitive Impairment: A Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 969-975	5.6	17
626	Treatment of type 2 diabetes mellitus in elderly patients. 2018 , 218, 74-88		22
625	[Treatment of type 2 diabetes mellitus in elderly patients]. 2018 , 53, 89-99		8
624	Potentially inappropriate medication and hospitalization/emergency department visits among the elderly in Korea. 2018 , 30, 50-56		13
623	Benzodiazepine Use in Older Adults in the United States, Ontario, and Australia from 2010 to 2016. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1180-1185	5.6	24
622	Prescribing for Older Patients. 2018 , 299-313		2
621	Telehealth Alerts and Nurse Response. 2018 , 24, 517-526		1
620	Potentially inappropriate medications in community-dwelling older adults undertaken as a comprehensive geriatric risk assessment. 2018 , 74, 645-653		14
619	Management of diabetes in older adults. 2018 , 28, 206-218		30
618	Évaluation de la polymédication des patients âgés atteints de cancers bronchiques. 2018 , 53, 81-86		
617	Feasibility of a multidisciplinary approach for medical review among elderly patients in four Italian long-term nursing homes. 2018 , 25, 207-209		1
616	Impact of medication reviews on inappropriate prescribing in aged care. 2018 , 34, 833-838		10
615	Uncomplicated and Complicated Urinary Tract Infections in Adults: The Infectious Diseases Specialist Perspective. 2018 , 17-33		1
614	Quality and Safety. 2018 , 151-181		
613	Effects of interdisciplinary collaboration in hospitals on medication errors: an integrative review. 2018 , 17, 259-275		14
612	Pain in Older People Attending Emergency Departments. 2018 , 315-327		2
611	Impact of New Medications and \$4 Generic Programs on Overactive Bladder Treatment Among Older Adults in the United States, 2000-2015. 2018 , 56, 162-170		5
610	Association between industry payments and prescribing costly medications: an observational study using open payments and medicare part D data. 2018 , 18, 236		30

609	Academic Detailing with Provider Audit and Feedback Improve Prescribing Quality for Older Veterans. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 621-627	5.6	11
608	Potentially inappropriate medication use in older patients with breast and colorectal cancer. 2018 , 124, 3000-3007		28
607	Potentially inappropriate medication in the elderly: a systematic review of validated explicit criteria. 2018 , 74, 679-700		95
606	Drug utilization evaluation among an elderly population: a retrospective cross-sectional study in a tertiary care hospital in Pakistan. 2018 , 9, 123-132		5
605	Pharmacotherapy. 2018 , 219-235		2
604	Medications and Prescribing Patterns as Factors Associated with Hospitalizations from Long-Term Care Facilities: A Systematic Review. 2018 , 35, 423-457		32
603	Wisely Choosing: Aging, Precision, and Medicine. 2018 , 131, e63		
602	Individual and Neighborhood Factors Associated With Functional Mobility and Falls in Elderly Residents of Sõ Paulo, Brazil: A Multilevel Analysis. 2018 , 30, 118-139		13
601	Patient, Physician, and Health-System Factors Influencing the Quality of Antidepressant and Sedative Prescribing for Older, Community-Dwelling Adults. 2018 , 53, 405-429		8
600	Influences of Age, Obesity, and Adverse Drug Effects on Balance and Mobility Testing Scores in Ambulatory Older Adults. 2018 , 41, 218-229		10
599	Caregiver Perspectives About Using Antipsychotics and Other Medications for Symptoms of Dementia. 2018 , 58, e35-e45		19
598	Pharmacist comprehensive review of treatment compared with STOPP-START criteria to detect potentially inappropriate prescription in older complex patients. 2018 , 25, 16-20		2
597	A retrospective review of fall risk factors in the bone marrow transplant inpatient service. 2018 , 24, 272-280		5
596	[Identifying potentially inappropriate prescriptions in patients over 65 years-old using original Beers criteria and their Spanish adaptation]. 2018 , 50, 106-113		3
595	Hypertension in Older People. 2018 , 374-382		1
594	Potentially Inappropriate Antidepressant Prescriptions Among Older Adults in Office-Based Outpatient Settings: National Trends from 2002 to 2012. 2018 , 45, 224-235		11
593	Polypharmacy and use of potentially inappropriate medications in long-term care facilities: does coordinated primary care make a difference?. 2018 , 26, 318-324		12
592	Therapeutic challenges in the mature patient. 2018 , 36, 128-139		1

591	Potential Medication-Related Problems in Older Breast, Colon, and Lung Cancer Patients in the United States. 2018 , 27, 41-49		15
590	Drug-related problems identified during medication review before and after the introduction of a clinical decision support system. 2018 , 43, 224-231		15
589	Pharmacology. 2018 , 43-57		
588	Chronic Low Back Pain. 2018 , 662-675.e3		
587	The Geriatric Patient. 2018 , 521-528		
586	Efficacy and safety of atypical antipsychotics for behavioral symptoms of dementia among patients residing in long-term care. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 135-142	2-3	7
585	11. Older Adults:. 2018 , 41, S119-S125		112
584	Systems Addressing Frail Elder Care: Description of a Successful Model. 2018 , 48, 11-17		5
583	Secondary Assessment of Life-Threatening Conditions of Older Patients. 2018 , 49-74		
582	Patterns and predictors of emergency department visits among older patients after breast cancer surgery: A population-based cohort study. 2018 , 9, 204-213		8
581	What can predict and prevent the long-term use of benzodiazepines?. 2018 , 97, 94-100		13
580	[Which factors are associated with the use of potentially inadequate medications (PIM) in the elderly? : Results from the German health interview and examination survey (DEGS1)]. 2018 , 61, 40-51		7
579	Patient-centered care interventions to reduce the inappropriate prescription and use of benzodiazepines and z-drugs: a systematic review. 2018 , 6, e5535		6
578	Analysis of fall-related adverse events among older adults using the Japanese Adverse Drug Event Report (JADER) database. 2018 , 4, 32		11
577	Medications & Polypharmacy Influence on Recurrent Fallers in Community: a Systematic Review. 2018 , 21, 14-25		15
576	Improving inappropriate medication and information transfer at hospital discharge: study protocol for a cluster RCT. 2018 , 13, 155		5
575	An Update on Dual Orexin Receptor Antagonists and Their Potential Role in Insomnia Therapeutics. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 1399-1408	3-1	37
574	A retrospective analysis of prescription medications as it correlates to falls for older adults. 2018 , 16, 1283		0

573	Pharmakotherapie der Herzinsuffizienz im Alter. 2018 , 13, 15-18	
572	Interventions to improve the appropriate use of polypharmacy for older people. 2018 , 9, CD008165	132
571	Benign paroxysmal positional vertigo in the elderly: current insights. 2018 , 13, 2251-2266	32
570	Ingredientes Farmac ^o uticos Activos Potencialmente Inapropiados en Adultos Mayores: Lista IFAsPIAM: Panel de Consenso Argentino. 2018 , 17, 38-55	4
569	Managing antiretroviral therapy in the elderly HIV patient. 2018 , 11, 1171-1181	6
568	Choosing wisely? Quantifying the extent of three low value psychotropic prescribing practices in Australia. 2018 , 18, 1009	6
567	Polypharmacy in older people: The need for deprescribing. 2018 , 29, 390-396	
566	Macrophages in the Aging Liver and Age-Related Liver Disease. 2018 , 9, 2795	49
565	[Deprescribing to increase people health or when deprescribing could be the best pill]. 2018 , 50 Suppl 2, 70-79	1
564	Does a Consumer-Targeted Deprescribing Intervention Compromise Patient-Healthcare Provider Trust?. 2018 , 6,	8
563	Thirty-day hospital readmission rate amongst older adults correlates with an increased number of medications, but not with Beers medications. 2018 , 18, 1513-1518	15
562	Polypharmacy leads to increased prevalence of potentially inappropriate medication in the Indonesian geriatric population visiting primary care facilities. 2018 , 14, 1591-1597	12
561	Cardiovascular Safety of Antihyperglycemic Agents: "Do Good or Do No Harm". 2018 , 78, 1567-1592	1
560	Falls in the elderly: assessment of prevalence and risk factors. 2018 , 16, 1206	26
559	Knowledge and willingness of physicians about deprescribing among older patients: a qualitative study. 2018 , 13, 1401-1408	18
558	The association between frailty and medicines use over time: an analysis using the Australian Longitudinal Study on Ageing population. 2018 , 48, 405-415	
557	A multicomponent frailty intervention for socioeconomically vulnerable older adults: a designed-delay study. 2018 , 13, 1799-1814	34
556	Low-Dose Trazodone, Benzodiazepines, and Fall-Related Injuries in Nursing Homes: A Matched-Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1963-1971	5.6 21

- 555 Promoting the Behavioral Health of Persons with Neurocognitive Disorders. **2018**, 365-382
- 554 [Should the duration of treatment be limited using benzodiazepines?]. **2018**, 47, 892-898 6
- 553 Communication matters: Exploring older adults' current use of patient portals. **2018**, 120, 126-136 12
- 552 Evidence-based indicators for the measurement of quality of primary care using health insurance claims data in Switzerland: results of a pragmatic consensus process. **2018**, 18, 743 4
- 551 The impact of a combined intervention program: an educational and clinical pharmacist's intervention to improve prescribing pattern in hospitalized geriatric patients at King Abdulaziz Medical City in Riyadh, Saudi Arabia. **2018**, 14, 557-564 6
- 550 Pharmacists' interventions to reduce sedative/hypnotic use for insomnia in hospitalized patients. **2018**, 26, 1204-1207 2
- 549 Evaluation of preventable adverse drug reactions by implementation of the nationwide network of prospective drug utilization review program in Korea. **2018**, 13, e0195434 3
- 548 Assessment of prescribing potentially inappropriate medications listed in Beers criteria and its association with the unplanned hospitalization: a cross-sectional study in Lahore, Pakistan. **2018**, 13, 1485-1495 8
- 547 Inappropriate Prescribing in Elderly Inpatients at a University Hospital in Saudi Arabia. **2018**, 5, 211-216 4
- 546 Costs of medication in older patients: before and after comprehensive geriatric assessment. **2018**, 13, 607-613 61
- 545 Association Between Potentially Inappropriate Medications and Frailty in the Early Old Age: A Longitudinal Study in the GAZEL Cohort. **2018**, 19, 967-973.e3 19
- 544 A pilot study of a Medication Rationalization (MERA) intervention. **2018**, 6, E87-E94 4
- 543 Extended Use of Systemic Menopausal Hormone Therapy. **2018**, 61, 517-522 3
- 542 Polimedication: applicability of a computer tool to reduce polypharmacy in nursing homes. **2018**, 30, 1001-1008 7
- 541 Systematic review of the safety of medication use in inpatient, outpatient and primary care settings in the Gulf Cooperation Council countries. **2018**, 26, 977-1011 14
- 540 Polypharmacy and Mobility. **2018**, 121-129 2
- 539 Potentially Inappropriate Medications in Elderly Ambulatory Patients: A Comparative Study between a Primary Health Care Center and a Community Pharmacy. **2018**, 17, 119-125 9
- 538 Effect of frailty on resource use and cost for Medicare patients. **2018**, 7, 817-825 18

537	Effects of the 2009 USPSTF Depression Screening Recommendation on Diagnosing and Treating Mental Health Conditions in Older Adults: A Difference-in-Differences Analysis. 2018 , 24, 769-776		3
536	Surveillance of First-Generation H1-Antihistamine Use for Older Patients with Dementia in Japan: A Retrospective Cohort Study. 2018 , 2018, 3406210		3
535	Treatment of behavioral and psychological symptoms of dementias with psychopharmaceuticals: a review. 2018 , 14, 1211-1220		43
534	Insomnia in Elderly Patients: Recommendations for Pharmacological Management. 2018 , 35, 791-817		42
533	Overlaps in pharmacology for the treatment of chronic pain and mental health disorders. 2018 , 87, 290-297		14
532	Antihistamine use and the risk of injurious falls or fracture in elderly patients: a systematic review and meta-analysis. 2018 , 29, 2163-2170		12
531	A dual intervention in geriatric patients to prevent drug-related problems and improve discharge management. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 1189-1198	2-3	7
530	Impact of Pharmacist-Conducted Comprehensive Medication Reviews for Older Adult Patients to Reduce Medication Related Problems. 2017 , 6,		5
529	The Introduction of a Full Medication Review Process in a Local Hospital: Successes and Barriers of a Pilot Project in the Geriatric Ward. 2018 , 6,		6
528	Geriatric Helper: An mHealth Application to Support Comprehensive Geriatric Assessment. 2018 , 18,		6
527	Association Between Psychotropic Medication Polypharmacy and an Objective Measure of Balance Impairment Among Middle-Aged Adults: Results from the US National Health and Nutrition Examination Survey. 2018 , 32, 863-871		5
526	Health system costs of potentially inappropriate prescribing in Ontario, Canada: a protocol for a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e021727	3	3
525	Delirium and Dementia. 2018 , 34, 327-354		14
524	Prevalence of potentially inappropriate medications at admission and discharge among hospitalised elderly patients with acute medical illness at a single centre in Japan: a retrospective cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e021152	3	20
523	Polypharmacy in the oldest old (≥80 years of age) patients in China: a cross-sectional study. <i>BMC Geriatrics</i> , 2018 , 18, 64	4-1	15
522	Anesthesia for the Elderly Patient. 2018 , 9-29		2
521	Hospital readmissions, mortality and potentially inappropriate prescribing: a retrospective study of older adults discharged from hospital. 2018 , 84, 1757-1763		39
520	Prescription Drugs Used in Insomnia. 2018 , 13, 169-182		17

519	Trends in the long-term use of benzodiazepine anxiolytics and hypnotics: A national register study for 2006 to 2014. 2018 , 27, 674-682		28
518	Electronic Medication Administration Records in Long-Term Care Facilities: A Scoping Review. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1428-1436	5.6	7
517	Integrating Innovative Telehealth Solutions into an Interprofessional Team-Delivered Chronic Care Management Pilot Program. 2018 , 24, 813-818		23
516	Gastrointestinal Symptoms: Nausea and Vomiting. 2018 , 1-19		
515	Influence of Education Level of Older Patients on Polypharmacy, Potentially Inappropriate Medications Listed in Beer's Criteria, and Unplanned Hospitalization: A Cross-Sectional Study in Lahore, Pakistan. 2018 , 54,		7
514	Effects of medication reviews on use of potentially inappropriate medications in elderly patients; a cross-sectional study in Swedish primary care. 2018 , 18, 616		22
513	Chronic hypnotic use at 10 years-does the brand matter?. 2018 , 74, 1623-1631		17
512	Discovering interprofessional competencies within a clinical pharmacology curriculum. 2018 , 12, 17-24		
511	Hormone Therapy: Key Points From NAMS 2017 Position Statement. 2018 , 61, 447-453		7
510	Factors associated with the use of potentially inappropriate medications by older adults in primary health care: An analysis comparing AGS Beers, EU(7)-PIM List, and Brazilian Consensus PIM criteria. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 370-377	2.9	27
509	Melatonin as a chronobiotic/cytoprotector: its role in healthy aging. 2019 , 50, 28-45		15
508	The observed effect of adverse drug reactions on the length of hospital stay among medical inpatients in a Nigerian University Teaching Hospital. 2019 , 3, 239784731985045		4
507	Approaches to Risk Assessment Among Older Patients With Diabetes. 2019 , 19, 59		8
506	Retrospective analysis of drug therapy problems identified with a telephonic appointment-based model of medication synchronization. 2019 , 17, 1373		3
505	Potentially inappropriate medications prescribing according to Beers criteria among elderly outpatients in Jordan: a cross sectional study. 2019 , 17, 1439		21
504	Comparisons of potentially inappropriate medications and outcomes in older adults admitted to intensive care unit: A retrospective cohort study. 2019 , 59, 678-685		2
503	2015 Beers Criteria and STOPP v2 for detecting potentially inappropriate medication in community-dwelling older people: prevalence, profile, and risk factors. 2019 , 75, 1459-1466		7
502	Potentially inappropriate medication use and frailty phenotype among community-dwelling older adults: A population-based study. 2019 , 28, 3914-3922		7

501	Barriers and Facilitators of Conducting Medication Reviews in Nursing Home Residents: A Qualitative Study. 2019 , 10, 1026			5
500	Prevalence of Potentially Inappropriate Medication use in older drivers. <i>BMC Geriatrics</i> , 2019 , 19, 260	4.1		7
499	Successful deployment of drug-disease interaction clinical decision support across multiple Kaiser Permanente regions. 2019 , 26, 905-910			5
498	Prescribing issues in older adults living with HIV: thinking beyond drug-drug interactions with antiretroviral drugs. 2019 , 10, 2042098619880122			9
497	Perioperative Management of Delirium in Geriatric Patients. 2019 , 9, 395-405			
496	Aging Back Clinics-a Geriatric Syndrome Approach to Treating Chronic Low Back Pain in Older Adults: Results of a Preliminary Randomized Controlled Trial. 2020 , 21, 274-290			4
495	Dopaminergic impact of cART and anti-depressants on HIV neuropathogenesis in older adults. 2019 , 1723, 146398			9
494	Analgesic drug use in elderly persons: A population-based study in Southern Italy. 2019 , 14, e0222836			6
493	Impact of an intervention program to improve potentially inappropriate prescription in hospitalized elderly patients. 2019 , 219, 375-385			
492	Can screening tools for potentially inappropriate prescriptions in older adults prevent serious adverse drug events?. 2019 , 75, 627-637			12
491	Brief behavioral treatment for insomnia in older adults with late-life treatment-resistant depression and insomnia: a pilot study. 2019 , 17, 287-295			7
490	The Alzheimer's Disease Clinical Spectrum: Diagnosis and Management. 2019 , 103, 263-293			120
489	Potentially Inappropriate Medication Prescriptions for Older Adults with Painful Conditions and Association with Return Emergency Department Visits. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 719-725	5.6		6
488	Detection of potentially inappropriate prescribing in older patients with the GheOPIS-tool: completeness and clinical relevance. 2019 , 74, 126-136			7
487	American Geriatrics Society 2019 Updated AGS Beers Criteria [®] for Potentially Inappropriate Medication Use in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 674-694	5.6		1076
486	Differences in National Diabetes Treatment Patterns and Trends between Older and Younger Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1066-1073	5.6		3
485	A systematic review and novel classification of listing tools to improve medication in older people. 2019 , 75, 619-625			21
484	Constant Observation Practices for Hospitalized Persons With Dementia: A Survey Study. 2019 , 34, 223-230			1

483	Utilization of computerized clinical decision support for potentially inappropriate medications. 2019 , 14, 753-762		6
482	The medicalization of sleeplessness: Results of U.S. office visit outcomes, 2008-2015. 2019 , 8, 100388		9
481	Associations Between Potentially Inappropriate Medications and Adverse Health Outcomes in the Elderly: A Systematic Review and Meta-analysis. 2019 , 53, 1005-1019		38
480	Inappropriate prescription of benzodiazepines in acutely hospitalized older patients. 2019 , 29, 871-879		6
479	Shared Decision-Making in Chronic Patients with Polypharmacy: An Interventional Study for Assessing Medication Appropriateness. 2019 , 8,		4
478	Self-Reported Pain Interference and Analgesic Characteristics in Rural Older Adults. 2019 , 20, 232-238		4
477	Assessment of potentially inappropriate medications using the EU (7)-PIM list and the Swedish quality indicators. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 903-912	2-3	7
476	Identifying potential prescribing safety indicators related to mental health disorders and medications: A systematic review. 2019 , 14, e0217406		4
475	Potentially inappropriate medication prescribing in the elderly: Is the Beers Criteria relevant in the Emergency Department today?. 2019 , 37, 1734-1737		9
474	Prevalence of potentially inappropriate medications in older adults in Argentina using Beers criteria and the IFAsPIAM List. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 913-919	2-3	7
473	Hospitalized burn injury risk associated with benzodiazepines and Z-drugs in elders: A population-based case-control study. 2019 , 34, 1465-1472		1
472	Spanish list of potentially inappropriate drugs in the elderly (ES-PIA project). 2019 , 75, 1161-1176		6
471	General practitioners' concepts on issuing out-of-pocket prescriptions for hypnotics and sedatives in Germany. 2019 , 36, 785-790		0
470	Gastrointestinal Symptoms: Nausea and Vomiting. 2019 , 239-257		
469	Potentially inappropriate medications in older kidney transplant recipients: a Brazilian prevalence study. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 888-894	2-3	3
468	Beneficial effects of Silexan on sleep are mediated by its anxiolytic effect. 2019 , 115, 69-74		15
467	La prescription m ^{dicament} euse chez la personne g ^{er} e. 2019 , 58, 42-48		
466	Consequences of ignoring patient diagnoses when using the 2015 Updated Beers Criteria. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 751-756	2-3	3

465	Balancing medication use in nursing home residents with life-limiting disease. 2019 , 75, 969-977	7
464	Pattern of medication use in geriatric patients at primary health care facilities in Karawang, Indonesia. 2019 , 11, 1-5	4
463	Personality and Alzheimer's disease: An integrative review. 2019 , 10, 4-12	47
462	Assessing Potentially Inappropriate Medications in Nursing Home Residents by NORSEP-NH Criteria. 2019 , 7,	5
461	Depression in primary care: part 2-management. 2019 , 365, 1835	19
460	Cardiovascular Health and Healthy Aging. 2019 , 31-51	
459	Current Agents in Development for Treating Behavioral and Psychological Symptoms Associated with Dementia. 2019 , 36, 589-605	15
458	Endocrine Health and Healthy Aging. 2019 , 201-212	
457	Drug-related problems in patients with rheumatoid arthritis. 2019 , 15, 505-524	22
456	The FORTA (Fit FOR The Aged) List 2018: Third Version of a Validated Clinical Tool for Improved Drug Treatment in Older People. 2019 , 36, 481-484	34
455	All-cause mortality with current and past use of antidepressants or benzodiazepines after major osteoporotic and hip fracture. 2019 , 30, 573-581	3
454	Extent and Predictors of Potentially Inappropriate Antidepressant Use Among Older Adults With Dementia and Major Depressive Disorder. 2019 , 27, 794-805	6
453	Potentially inappropriate medications with risk of cardiovascular adverse events in the elderly: A systematic review of tools addressing inappropriate prescribing. 2019 , 44, 349-360	8
452	Importance of potentially inappropriate medications, number of chronic conditions and medications for the risk of hospitalisation in elderly in Sweden: a case-control study. <i>BMJ Open</i> , 2019 , 9, e029477	3 10
451	Impact of an intervention program to improve potentially inappropriate prescription in hospitalized elderly patients. 2019 , 219, 375-385	4
450	Pain and Inflammation Management in Older Adults: A Brazilian Consensus of Potentially Inappropriate Medication and Their Alternative Therapies. 2019 , 10, 1408	6
449	Exploring how pharmacists engage with patients about over-the-counter medications. 2019 , 59, 852-856	3
448	2019 AGS Beers Criteria for older adults. 2019 , 25, 42-54	8

447	Inpatient Databases. 2019 , 290-304	
446	Individualized Fall Prevention Program in an Acute Care Setting: An Evidence-Based Practice Improvement. 2019 , 34, 127-132	10
445	Detrimental Effects of Psychotropic Medications Differ by Sex in Aging People With HIV. 2019 , 82, 88-95	1
444	Anticholinergic Drugs in Geriatric Psychopharmacology. 2019 , 13, 1309	27
443	Preoperative Sedative-hypnotic Medication Use and Adverse Postoperative Outcomes. 2021 , 274, e108-e114	7
442	Comparative Analysis Of Anticholinergics Prescribed To Elderly Patients At A Korean Long-Term Care Facility According To Beers Criteria 2003, 2012, And 2015 And Anticholinergic-Burden Rating Scales: A Cross-Sectional Retrospective Study. 2019 , 14, 1963-1974	3
441	Aging with HIV. 2019 , 16, 475-481	28
440	Geriatric Syndromes in People Living with HIV Associated with Ageing and Increasing Comorbidities: Implications for Neurocognitive Complications of HIV Infection. 2021 , 50, 301-327	1
439	A Literature Review of Psychotropic Medications and Alcohol as Risk Factors for Falls in Community Dwelling Older Adults. 2019 , 39, 117-139	11
438	The effect of polypharmacy on prefrontal cortex activation during single and dual task walking in community dwelling older adults. 2019 , 139, 113-119	5
437	Racial-Ethnic Variations in Potentially Inappropriate Psychotropic Medication Use Among the Elderly. 2019 , 6, 436-445	2
436	Identifying potentially inappropriate prescribing in older people with dementia: a systematic review. 2019 , 75, 467-481	32
435	Treatment fidelity evidence for BE-ACTIV - a behavioral intervention for depression in nursing homes. 2019 , 23, 1192-1202	3
434	Qualitative analysis of community pharmacists' opinions on their involvement in reducing potentially inappropriate prescribing. 2019 , 75, 265-274	7
433	Use of non-benzodiazepine hypnotics is associated with falls in nursing home residents: a longitudinal cohort study. 2019 , 31, 1087-1095	5
432	Impact of Geriatrician-Performed Comprehensive Geriatric Care on Medication Use and Cognitive Function in Older Adults Referred to a Non-Hospital-Based Rehabilitation Unit. 2019 , 132, 93-102.e2	1
431	Pharmacological treatments of neuropathic pain: The latest recommendations. 2019 , 175, 46-50	61
430	Deprescribing guidelines: An international symposium on development, implementation, research and health professional education. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 780-789	2.9 12

429	Intervention to Prevent Falls: Community-Based Clinics. 2019 , 38, 999-1010		5
428	Psychometric properties of the Saint Louis University Mental Status Examination. 2019 , 26, 101-110		13
427	Anticholinergic burden and risk of cognitive impairment in elderly nursing home residents with depression. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 329-335	2.9	8
426	Medication taking in a national sample of dependent older people. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 299-307	2.9	5
425	Cost Effectiveness of Mirabegron Compared with Antimuscarinic Agents for the Treatment of Adults with Overactive Bladder in Colombia. 2020 , 4, 79-90		3
424	How do cognitive and functional impairment relate to the use of anticholinergic medications in hospitalised patients aged 65 years and over?. 2020 , 32, 423-431		4
423	Correlation between potentially inappropriate medication and Alzheimer's disease among the elderly. 2020 , 87, 103842		3
422	Usability and feasibility of consumer-facing technology to reduce unsafe medication use by older adults. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 54-61	2.9	22
421	A Quality Improvement Initiative to Improve Medication Management in an Acute Care for Elders Program Through Integration of a Clinical Pharmacist. 2020 , 33, 55-62		7
420	Identification of potentially inappropriate cardiovascular prescriptions in the elderly using Beers's criteria. 2020 , 27, 90-96		0
419	Is Benzodiazepine Use Associated With the Risk of Dementia and Cognitive Impairment-Not Dementia in Older Persons? The Canadian Study of Health and Aging. 2020 , 54, 219-225		14
418	Patients beliefs and attitudes towards deprescribing: Can deprescribing success be predicted?. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 599-604	2.9	7
417	Medications and fall risk: a case-control study in nursing home residents in Japan. 2020 , 32, 885-892		5
416	Post-discharge adjustment of medication in geriatric patients : A prospective cohort study. 2020 , 53, 663-670		2
415	Community pharmacists as catalysts for deprescribing: An exploratory study using quality improvement processes. 2020 , 153, 37-45		8
414	Comparing Potentially Inappropriate Prescribing Tools and Their Association With Patient Outcomes. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 526-534	5.6	9
413	Rationalisation of polypharmacy in practice: a survey of physicians and pharmacists. 2020 , 50, 233-241		2
412	Interventions to Reduce Adverse Drug Event-Related Outcomes in Older Adults: A Systematic Review and Meta-analysis. 2020 , 37, 91-98		9

411	Polypharmacy, Inappropriate Medication Use, and Drug Interactions in Older Korean Patients with Cancer Receiving First-Line Palliative Chemotherapy. 2020 , 25, e502-e511		11
410	Impact of pharmacist-led multidisciplinary medication review on the safety and medication cost of the elderly people living in a nursing home: a before-after study. 2020 , 20, 481-490		3
409	Hypertension in older adults: Assessment, management, and challenges. 2020 , 43, 99-107		45
408	Community pharmacy medication review, death and re-admission after hospital discharge: a propensity score-matched cohort study. 2020 , 29, 41-51		13
407	The analysis of the use of potentially inappropriate medications in elderly in the Slovak Republic. <i>International Journal of Clinical Pharmacy</i> , 2020 , 42, 100-109	2.3	0
406	Study of pharmacist intervention in polypharmacy among older patients: Non-randomized, controlled trial. 2020 , 20, 229-237		6
405	Relationships of self-perceived age with geriatric assessment domains in older adults with cancer. 2020 , 11, 1006-1010		3
404	The Double Burden of the COVID-19 Pandemic and Polypharmacy on Geriatric Population - Public Health Implications. 2020 , 16, 1007-1022		12
403	Deprescribing interventions in primary health care mapped to the Behaviour Change Wheel: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 17, 1229-1241	2.9	6
402	A patient-centred approach to deprescribing antiretroviral therapy in people living with HIV. 2020 , 75, 3425-3432		2
401	Brief interventions targeting long-term benzodiazepine and Z-drug use in primary care: a systematic review and meta-analysis. 2020 , 115, 1618-1639		17
400	[Potentially inappropriate medication: Adaptation of EU(7)PIM criteria to the French medical practice]. 2020 , 75, 663-673		3
399	Comprehensive Geriatric Assessment in Older Persons With HIV. 2020 , 7, ofaa485		2
398	Adherence to Beers Criteria in Geriatrics: A Retrospective Study in a Saudi Teaching Hospital. 2020 , 5,		2
397	Head and neck oncological surgery and pearls in the elderly. 2020 , 31, 192-199		
396	Decrease of Anticholinergic Drug Use in Nursing Home Residents in the United States, 2009 to 2017. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2797-2804	5.6	4
395	Relationship between potentially inappropriate medications and functional prognosis in elderly patients with distal radius fracture: a retrospective cohort study. 2020 , 15, 321		3
394	Polypharmacy among adult and older adult users of primary care services delivered through the Unified Health System in Minas Gerais, Brazil. 2020 , 13, 1401-1409		

393	Alzheimer's disease and related dementias risk: Comparing users of non-selective and M3-selective bladder antimuscarinic drugs. 2020 , 29, 1650-1658		1
392	Predictors of Mortality in the Older Population: The Role of Polypharmacy and Other Medication and Chronic Disease-Related Factors. 2020 , 37, 767-776		5
391	Development and Validation of Nine Deprescribing Algorithms for Patients on Hemodialysis to Decrease Polypharmacy. 2020 , 7, 2054358120968674		3
390	Deprescribing in the Home Palliative Setting. 2021 , 24, 1030-1035		1
389	Deprescribing in mental health care. 2020 , 2, 460-465		
388	Association of Medicare Part D Benzodiazepine Coverage Expansion With Changes in Fall-Related Injuries and Overdoses Among Medicare Advantage Beneficiaries. 2020 , 3, e202051		3
387	Epidemiology of Polypharmacy in the General Population: 27-Year Prospective Cohort Study. 2020 , 21, 1177-1179		1
386	Potentially inappropriate medications in older individuals with diabetes: A population-based study in Quebec, Canada. 2020 , 14, 529-537		5
385	Polypharmacy as a prognostic factor in older patients with advanced non-small-cell lung cancer treated with anti-PD-1/PD-L1 antibody-based immunotherapy. 2020 , 146, 2659-2668		12
384	The Effect of Cumulative Anticholinergic Use on the Cognitive Function of Older Adults: Results from the Personality and Total Health (PATH) Through Life Study. 2020 , 75, 1706-1714		2
383	Adverse Outcomes Associated With Inpatient Administration of Beers List Medications Following Total Knee Replacement. 2020 , 42, 592-604.e1		2
382	The Clinical Significance of High Antimicrobial Resistance in Community-Acquired Urinary Tract Infections. 2020 , 2020, 2967260		13
381	Evidence-based quality indicators for primary healthcare in association with the risk of hospitalisation: a population-based cohort study in Switzerland. <i>BMJ Open</i> , 2020 , 10, e032700	3	1
380	Quality of care to institutionalized patients with diabetes in Italy: a national survey. 2020 , 11, 753-759		0
379	Association of Pain and Pain Medication Use with Multiple Characteristics of Older People Living with HIV. 2020 , 36, 663-669		1
378	The Changes in Medication Prescribing Among the Older People with Cognitive Impairment in the Acute Care Setting. 2020 , 15, 865-876		0
377	Integrating the 2019 AGS Beers Criteria into NP practice: A stepwise approach. 2020 , 45, 40-43		
376	Implementing a multidisciplinary approach for older adults with Cancer: geriatric oncology in practice. <i>BMC Geriatrics</i> , 2020 , 20, 231	4.1	15

375	Prescription Drugs Used in Insomnia. 2020 , 15, 133-145		11
374	Differences in the prescribing of potentially inappropriate medicines in older Australians: comparison of community dwelling and residential aged care residents. 2020 , 10, 10170		2
373	Approaches to managing benzodiazepines. 2020 , 26, 41-54		2
372	High-risk medication in community care: a scoping review. 2020 , 76, 623-638		1
371	Disparities in the appropriateness of medication use: Analysis of the REasons for Geographic And Racial Differences in Stroke (REGARDS) population-based cohort study. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 1702-1710	2.9	2
370	Use of potentially inappropriate medication and polypharmacy in older adults: a repeated cross-sectional study. <i>BMC Geriatrics</i> , 2020 , 20, 73	4.1	11
369	Prescription of potentially inappropriate medications in elderly outpatients: a survey using 2015 Japanese Guidelines. <i>International Journal of Clinical Pharmacy</i> , 2020 , 42, 579-587	2.3	6
368	Hormone Therapy for Postmenopausal Women. 2020 , 382, 446-455		57
367	Multimedikation und Kontinenz beim geriatrischen Patienten. 2020 , 27, 12-14		1
366	Medication use in aged care residents in the last year of life: A scoping review. 2020 , 34, 832-850		0
365	Involving older people with multimorbidity in decision-making about their primary healthcare: A Cochrane systematic review of interventions (abridged). 2020 , 103, 2078-2094		3
364	Effects of pharmacist intervention on polypharmacy in patients with type 2 diabetes in Japan. 2020 , 13, 183		0
363	Inappropriate prescribing in intermediate care facilities. 2021 , 33, 1085-1088		3
362	Breast cancer, placing drug interactions in the spotlight: is polypharmacy the cause of everything?. 2021 , 23, 65-73		3
361	Systematic Review and Meta-Analysis on the Associations of Polypharmacy and Potentially Inappropriate Medication With Adverse Outcomes in Older Cancer Patients. 2021 , 76, 1044-1052		11
360	Pharmacist-driven medication recognition/ reconciliation in older medical patients. 2021 , 83, 39-44		3
359	Patient and caregiver agreement on prognosis estimates for older adults with advanced cancer. 2020 , 127, 149-159		2
358	Potentially inappropriate medication in older psychiatric patients. 2021 , 77, 331-339		5

357	Association between anticholinergic burden and hospital readmission in older patients: a prospective analysis. 2021 , 49, 104-109		0
356	Spinal cord injury pain. 2021 , 177, 606-612		4
355	Multicomponent Intervention and Long-Term Disability in Older Adults: A Nonrandomized Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 669-677	5.6	11
354	Impact of Geriatric Pharmacy Specialist Interventions to Reduce Potentially Inappropriate Medication Among Hospitalized Elderly Patients at Medical Wards: A Prospective Quasi-Experimental Study. 2021 , 8, 39-47		1
353	Potential prescribing issues among older HIV-infected subjects in a Mediterranean cohort: Does the current prevalence give cause for concern?. 2021 , 87, 1310-1317		3
352	Exploring instruments used to evaluate potentially inappropriate medication use in hospitalised elderly patients in Kosovo. 2021 , 28, 223-228		
351	Psychiatric Disorders in Older Adults. 2021 , 29-39		
350	The effect of lemborexant for insomnia disorder. 2021 , 9, 20503121211039098		0
349	Respiratory-tract infections among geriatrics: prevalence and factors associated with the treatment outcomes. 2021 , 15, 1753466620971141		1
348	Elderly Patients in Primary Care are Still at Risks of Receiving Potentially Inappropriate Medications. 2021 , 12, 21501327211035088		1
347	Postmenopausal women in gynecological care. 2021 , 20, 88-98		1
346	Delirium due to Anticholinergic Drug Burden in Older Persons. 2021 ,		
345	Neurobiology and Treatment of Sedative-, Hypnotic-, and Anxiolytic-Related Disorders. 2021 ,		
344	Trends in anticholinergic and opioid dispensing in older adults from 2004 to 2015: Results from the Personality and Total Health (PATH) Through Life Study. 2021 , 40, e173-e177		
343	Development of an explicit tool assessing potentially inappropriate medication use in Hong Kong elder patients. <i>BMC Geriatrics</i> , 2021 , 21, 98	4.1	2
342	Research on safety in home care for older adults: A bibliometric analysis. 2021 , 8, 1720-1730		7
341	Evidence for the 4Ms: Interactions and Outcomes across the Care Continuum. 2021 , 33, 469-481		17
340	Pharmacy students knowledge about aging and rational geriatric pharmacotherapy in India: A cross-sectional study. 2021 , 1-14		

339	Effect of Interventions With a Clinical Decision Support System for Hospitalized Older Patients: Systematic Review Mapping Implementation and Design Factors (Preprint).		
338	Utilization and Spending on Potentially Inappropriate Medications by US Older Adults with Multiple Chronic Conditions using Multiple Medications. 2021 , 93, 104326		5
337	Medication Use Review Tools for Community Dwelling Older Patients: A Systematic Review. 2021 , 31, 61-78		1
336	[Prescribing inappropriate medication in the elderly: review of the main therapeutic scales]. 2021 , 26, 40-43		
335	Epidemiology and associated factors of polypharmacy in older patients in primary care: a northern Italian cross-sectional study. <i>BMC Geriatrics</i> , 2021 , 21, 197	4.1	7
334	Potentially inappropriate prescriptions to Brazilian older people with Alzheimer disease: A cross-sectional study. 2021 , 100, e25015		0
333	Elderly and Polypharmacy: Physiological and Cognitive Changes.		0
332	Trends in Use of Low-Value Care in Traditional Fee-for-Service Medicare and Medicare Advantage. 2021 , 4, e211762		7
331	Patient factors associated with new prescribing of potentially inappropriate medications in multimorbid US older adults using multiple medications. <i>BMC Geriatrics</i> , 2021 , 21, 163	4.1	1
330	Potentially inappropriate medication prescribing by nurse practitioners and physicians. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 1916-1924	5.6	1
329	Équilibre postural et risque de chute dans une population marocaine g ^r e. 2021 , 21, 112-117		
328	Reply to "Comment on: Decrease of anticholinergic drug use in nursing home residents in the United States". <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2035-2036	5.6	
327	Quality of opioid prescribing in older adults with or without Alzheimer disease and related dementia. 2021 , 13, 78		1
326	Association between potentially inappropriate medication and adverse drug reactions in hospitalized elderly patients. 2021 , 46, 1139-1147		0
325	Outcomes of adverse drug events reported with potentially inappropriate medications in older adults, 2004-2017. 2021 , 51, 137-144		
324	Opioid and benzodiazepine dispensing and co-dispensing patterns among commercially insured pregnant women in the United States, 2007-2015. 2021 , 21, 350		3
323	Association of low-income subsidy, medicaid dual eligibility, and disability status with high-risk medication use among Medicare Part D beneficiaries. <i>Research in Social and Administrative Pharmacy</i> , 2021 ,	2.9	
322	Potentially inappropriate medications and medication combinations before, during and after hospitalizations: an analysis of pathways and determinants in the Swiss healthcare setting. 2021 , 21, 522		

321	Antimuscarinic Cascade Across Individual Cholinesterase Inhibitors in Older Adults with Dementia. 2021 , 38, 593-602		1
320	Potentially inappropriate medications in Chinese older outpatients in tertiary hospitals according to Beers criteria: A cross-sectional study. 2021 , 75, e14348		4
319	Genitourinary Emergencies in Older Adults. 2021 , 39, 361-378		0
318	Pharmacovigilance in Older Adults.		1
317	Review of Pharmacologic Sleep Agents for Critically Ill Patients. 2021 , 33, 145-153		
316	Development of criteria for identifying potentially inappropriate prescribing in older adults with cancer receiving palliative care (PIP-CPC). 2021 , 12, 1193-1199		0
315	Association of the FRAIL Scale with Geriatric Syndromes and Health-Related Outcomes in Korean Older Adults. 2021 , 25, 79-85		3
314	An update on antidepressant pharmacotherapy in late-life depression. 2021 , 22, 1909-1917		2
313	Geriatrik Cerrahide Ameliyat Sifecindeki Güncel Yaklaşımlar.		
312	Psychotropic Use among Older Adults Living at Home: Use of the Anatomical Therapeutic Chemical (ATC) Drug Classification System and Beers Criteria. 2021 , 1-9		
311	Factors associated with the decision to prescribe and administer antipsychotics for older people with delirium: a qualitative descriptive study. <i>BMJ Open</i> , 2021 , 11, e047247	3	0
310	Potentially Inappropriate Medication Use in the Elderly. 2021 , 1-8		
309	MediQuit, an Electronic Deprescribing Tool for Patients on Polypharmacy: Results of a Feasibility Study in German General Practice. 2021 , 38, 725-733		1
308	Emergent and Non-Emergent Agitation in the Older Adult: Evaluation and Management. 1		
307	Prevalence and determinants of potentially inappropriate medication use in Hong Kong older patients: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e051527	3	0
306	Effect of Interventions With a Clinical Decision Support System for Hospitalized Older Patients: Systematic Review Mapping Implementation and Design Factors. 2021 , 9, e28023		2
305	Association between antidepressants, benzodiazepine and all-cause mortality in elderly hip fracture: A Korean nationwide cohort study. 2021 ,		
304	Prescribing potentially inappropriate medications for the elderly according to Beers Criteria: systematic review. 2021 , 26, 3209-3219		1

303	Use of potentially inappropriate medication in older patients with lung cancer at the end of life. 2021,		2
302	The relationship between insomnia symptoms and frailty in community-dwelling older persons: a path analysis. 2021, 84, 237-243		2
301	Usages et bon usage des benzodiazépines anxiolytiques et hypnotiques. 2021, 179, 748-748		1
300	Expert Consensus on a List of Inappropriate Prescribing after Prescription Review in Pediatric Units in Abidjan, Côte d'Ivoire. 2021, 10, 79-91		
299	The association between physician knowledge and inappropriate medications for older populations. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3584-3594	5.6	1
298	Impacts of 2012 update to the AGS beers criteria on potentially inappropriate antipsychotic medication use among older adults. 2021, 1, 100025		
297	Potentially inappropriate prescriptions: Associations with the health insurance contract and the quality of the patient-physician relationship?. 2021, 125, 1146-1157		
296	Virtual Reality Experience Intervention May Reduce Responsive Behaviors in Nursing Home Residents with Dementia: A Case Series. 2021, 84, 883-893		0
295	Impact of a pilot community pharmacy system redesign on reducing over-the-counter medication misuse in older adults. 2021, 61, 555-564		2
294	Treatment adequacy and remission of depression and anxiety disorders and quality of life in primary care older adults. 2021, 19, 218		3
293	Interventions to Increase Leukocyte Testing during Treatment with Dimethyl Fumarate. 2021, 18,		
292	The effect of footbath on the quality of sleep in older adults: A pilot study. 2021, 42, 1178-1183		1
291	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e050344	3	3
290	Synergistic interaction between amitriptyline and paracetamol in persistent and neuropathic pain models: An isobolographic analysis. 2021, 150, 105160		0
289	[Preclinical and clinical efficacy of orexin receptor antagonist Lemborexant (Dayvigo) on insomnia patients]. 2021, 156, 114-119		0
288	Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. 2019, 2019,		10
287	Deprescribing of chronic benzodiazepine receptor agonists for insomnia in adults.		2
286	Pain Medicine in Older Adults: How Should It Differ?. 2013, 977-1002		2

285	Alzheimer Disease and Other Dementias. 2014 , 1-9		1
284	Acute Care for Elders (ACE) Tracker and e-Geriatrician Telemedicine Programs. 2015 , 51-56		1
283	Age, Frailty and Impaired Wound Healing. 2017 , 1-18		1
282	Utilizing Geriatric Assessments to Fulfill the Medicare Annual Wellness Visits. 2016 , 147-154		1
281	Defining Patient Centric Drug Product Design and Its Impact on Improving Safety and Effectiveness. 2016 , 191-216		1
280	Managing Drug Therapy of Older Patients in Primary and Secondary Care. 2016 , 629-657		1
279	Age, Frailty, and Impaired Wound Healing. 2020 , 465-482		2
278	Medikamentöse Therapie im Alter - spezielle Aspekte der Urologie. 2016 , 2281-2287		2
277	Changes in prescription patterns in older hospitalized patients: the impact of FORTA on disease-related over- and under-treatments. 2018 , 74, 339-347		12
276	Drug-related problems in geriatric rehabilitation patients after discharge - A prevalence analysis and clinical case scenario-based pilot study. <i>Research in Social and Administrative Pharmacy</i> , 2018 , 14, 628-637	2.9	3
275	[What happened after meprobamate's withdrawal? Survey in two nursing homes]. 2016 , 26-30		1
274	â€œMusic Firstâ€ 2018 , 31, 17-30		6
273	Commentary on "Parkinson disease: research update and clinical management". 2012 , 105, 657-8		1
272	Physical Activity and Insomnia Symptoms Over 10 Years in a U.S. National Sample of Late-Middle-Age and Older Adults: Age Matters. 2020 , 1-10		6
271	Minimizing ICU Neurological Dysfunction with Dexmedetomidine-induced Sleep (MINDDS): protocol for a randomised, double-blind, parallel-arm, placebo-controlled trial. <i>BMJ Open</i> , 2018 , 8, e020316		13
270	Pharmacist review and its impact on Singapore nursing homes. 2015 , 56, 493-501		16
269	High Prevalence of Inappropriate Benzodiazepine and Sedative Hypnotic Prescriptions among Hospitalized Older Adults. 2017 , 12, 310-316		25
268	Effects of pharmacists' interventions on appropriateness of prescribing and evaluation of the instruments' (MAI, STOPP and STARTs') ability to predict hospitalization--analyses from a randomized controlled trial. 2013 , 8, e62401		72

267	The views of healthcare professionals, drug developers and regulators on information about older people needed for rational drug prescription. 2013 , 8, e72060	7
266	Potential therapeutic competition in community-living older adults in the U.S.: use of medications that may adversely affect a coexisting condition. 2014 , 9, e89447	55
265	Old habits die hard: a nationwide utilization study of short-acting nifedipine in Taiwan. 2014 , 9, e91858	2
264	Patient- and clinic visit-related factors associated with potentially inappropriate medication use among older home healthcare service recipients. 2014 , 9, e94350	23
263	Nurse-Led Medicines' Monitoring for Patients with Dementia in Care Homes: A Pragmatic Cohort Stepped Wedge Cluster Randomised Trial. 2015 , 10, e0140203	40
262	Assessing Potentially Inappropriate Prescribing in Community-Dwelling Older Patients Using the Updated Version of STOPP-START Criteria: A Comparison of Profiles and Prevalences with Respect to the Original Version. 2016 , 11, e0167586	24
261	International consensus validation of the POPI tool (Pediatrics: Omission of Prescriptions and Inappropriate prescriptions) to identify inappropriate prescribing in pediatrics. 2020 , 15, e0240105	1
260	Uso de benzodiazepínicos entre idosos: o alívio de "jogar água no fogo", não pensar e dormir. 2015 , 18, 249-258	8
259	[The frequency of potentially inappropriate medication use according to the Beers' criteria in elderly people at the therapy departments of a multidisciplinary hospital]. 2015 , 87, 27-30	4
258	Using an Electronic Decision Support Tool to Reduce Inappropriate Polypharmacy and Optimize Medicines: Rationale and Methods. 2016 , 5, e105	6
257	Anticholinergic Burden and Most Common Anticholinergic-acting Medicines in Older General Practice Patients. 2018 , 57, 140-147	16
256	Analyses of oxycodone-induced adverse effects based on the Japanese Adverse Drug Event Report Database. 2015 , 10, 161-168	5
255	Emerging trends and challenges of population-based cardiology. 2020 , 34, 24-38	1
254	Development of a Brazilian anticholinergic activity drug scale. 2019 , 17, eAO4435	6
253	Polypharmacy-an Upward Trend with Unpredictable Effects. 2016 , 113, 627-633	25
252	Assessment of Medications for Geriatric Inpatients based on Revised Inappropriate Medication Criteria and Cost Avoidance by Intervention of Pharmacists. 2014 , 31, 629-637	2
251	Measuring prevalence, reliability and variation in high-risk prescribing in general practice using multilevel modelling of observational data in a population database. 2015 , 3, 1-140	7
250	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. 2019 , 7, 1-238	8

249	Risk evaluation and mitigation strategies for older adults with persistent pain. 2013 , 39, 56-65; quiz 66-7	5
248	The choosing wisely(□) campaign and nurses' role in dissemination. 2013 , 39, 4-6	0
247	Medications and falls: addressing the risk through pharmacist-led quality initiatives. 2014 , 40, 8-12	1
246	Tackling Communication Barriers Between Long-Term Care Facility and Emergency Department Transfers to Improve Medication Safety in Older Adults. 2015 , 41, 8-13	7
245	When a Care Map is Not a True Predictor of Clinical Outcomes. 2015 , 41, 5-7	1
244	Infusing geropsychiatric nursing content into curricula: challenges and solutions. 2014 , 53, 387-94	8
243	Potentially inappropriate medications in community-dwelling older adults. 2014 , 7, 178-92	9
242	Potentially Inappropriate Medications by Beers Criteria in Older Outpatients: Prevalence and Risk Factors. 2016 , 37, 329-333	22
241	Anesthetic management of geriatric patients. 2020 , 73, 8-29	15
240	Clinical practice guidelines for Geriatric Anxiety Disorders. 2018 , 60, S371-S382	16
239	Beers criteria-based assessment of medication use in hospitalized elderly patients in southern Brazil. 2014 , 3, 260-5	2
238	Medication discrepancies and potentially inadequate prescriptions in elderly adults with polypharmacy in ambulatory care. 2017 , 6, 78-82	9
237	Prevalence of potentially inappropriate medication and its correlates in elderly hospitalized patients: A cross-sectional study based on Beers criteria. 2020 , 27, 200-207	8
236	Polypharmacy among the Elderly. 2018 , 9, 97-103	6
235	Applying Beers Criteria for Elderly Patients to Assess Rational Drug Use at a University Hospital in Northern Cyprus. 2019 , 11, 133-141	5
234	Antidepressant Prescribing Patterns in Heart Failure Patients at Residential Aged Care Facilities in Australia: A Cross-sectional Study. 2019 , 8, 69-74	1
233	Comparison Between Beers Criteria and Screening Tool of Older Person's Prescriptions as a Screening Tool for the Detection of Potentially Inappropriate Medicines and Adverse Drug Events in the Elderly Patients. 2013 , 17, 28-36	5
232	Potentially Inappropriate Medications in Elderly Outpatients by the 2012 Version of Beers Criteria: A Single Tertiary Medical Center Experience in South Korea. 2013 , 17, 126-133	8

231	Multimorbidity in Older Adults. 2014 , 18, 65-71	12
230	Semantic and Phonemic Verbal Fluency Performance in Patients with General Anxiety Disorders and Allostatic Load under Alprazolam Treatment. 2019 , 09, 138-152	1
229	Defining 'elderly' in clinical practice guidelines for pharmacotherapy. 2014 , 12, 489	88
228	Quality improvement in neurology: dementia management quality measures (executive summary). 2013 , 67, 704-10	18
227	Effect of Patient Education on Reducing Medication in Spinal Cord Injury Patients With Neuropathic Pain. 2017 , 41, 621-630	6
226	Factors Influencing the Number of Drugs among Elderly Patients Hospitalized in a Rehabilitation Ward. 2016 , 42, 56-62	6
225	Tratamento da Insônia em Atenção Primária em Saúde. 2016 , 11, 1-14	2
224	Geriatric assessment for oncologists. 2015 , 12, 261-74	47
223	Potentially inappropriate medications in older adults: A review of the 2012 Beers Criteria and the implications in persons with dementia. 2014 , 4, 166-169	1
222	Antipsychotic use in elderly patients with dementia: Efficacy and safety concerns. 2014 , 4, 170-176	1
221	Application of STOPP Criteria and Beers Criteria in an inpatient psychiatric facility and impact on utilization of potentially inappropriate medications and adverse outcomes. 2014 , 4, 201-206	1
220	Polypharmacy and potentially inappropriate medications among elderly patients in the geriatric department at a single-center in China: A retrospective cross-sectional study. 2021 , 100, e27494	1
219	Co-utilization of opioids and nonbenzodiazepine hypnotic drugs in U.S. ambulatory care visits, 2006-2016. 2021 ,	
218	An Update on Assessment, Therapeutic Management, and Patents on Insomnia. 2021 , 2021, 6068952	3
217	Factors influencing providers' willingness to deprescribe medications.	
216	Feasibility & Efficacy of Deprescribing rounds in a Singapore rehabilitative hospital- a randomised controlled trial. <i>BMC Geriatrics</i> , 2021 , 21, 584	4.1 0
215	Potentially inappropriate medications use and its associated factors among geriatric patients: a cross-sectional study based on 2019 Beers Criteria. 2021 , 68, 789-795	0
214	Psychopharmacology concerns in older individuals. 2012 , 1, 285-287	

- 213 Aspekte der Polypharmazie beim alten Patienten. **2013**, 473-488 1
- 212 Focus on medication management. **2013**, 39, 3-4
- 211 Anesthesia for Urological Surgery in the Elderly Patient. **2014**, 17-34
- 210 Drug Kinetics, Dosing, and Renal Toxicity in Older Adults. **2014**, 47-58
- 209 Geriatric Psychology and the Injured Elderly. **2014**, 61-74
- 208 References. **2014**,
- 207 Polypharmacy and Adverse Drug Reactions in the Aging Population with Heart Failure. **2014**, 107-116
- 206 Sleep in the Elderly. **2014**, 311-325
- 205 Postoperative Management of the Geriatric Patient. **2014**, 471-486
- 204 How to Develop, Start, and Sustain an Acute Care for Elders Unit. **2014**, 97-116
- 203 Late life insomnia: A brief review. **2014**, 1, 71
- 202 Role of antipsychotics for treating behavioral and psychological symptoms of dementia. **2014**, 3, 174
- 201 Management of multimorbidity in the elderly. **2014**, 57, 743 2
- 200 Guidance statement on appropriate medical services for the elderly by the study group of the Ministry of Health, Labour and Welfare. **2014**, 51, 89-96 0
- 199 Medication Use and Polypharmacy in Older Adults. **2014**, 55-71
- 198 The Future of Geriatric Urology. **2014**, 527-536
- 197 Patterns of Medication Use among Romanian Nursing Home Residents. **2014**, 05, 560-569
- 196 Treating the neuropsychiatric symptoms of dementia: A case based approach. **2014**, 4, 207-210

- 195 Description of a practice model for pharmacist medication review in a general practice setting. **2014**, 12, 420 6
- 194 End-of-Life Care in Skilled Nursing Facilities. **2015**, 121-136
- 193 Pain Medicine in Older Adults: How Should It Differ?. **2015**, 233-258
- 192 The Geriatric Patient. **2015**, 521-538
- 191 Chapter 46: Insomnia, Drowsiness, and Fatigue. **2015**,
- 190 Elderly and Pharmacological Treatment of PTSD. **2015**, 1-15
- 189 Appendix C. Case Study Answer Keys. **2015**,
- 188 Medikamentöse Therapie im Alter - spezielle Aspekte der Urologie. **2015**, 1-9
- 187 Pain Management in Geriatric Patients. **2015**, 245-251
- 186 Urinary Tract Agents. **2015**, 447-451.e1 2
- 185 Chapter 11: Colds and Allergy. **2015**,
- 184 Outpatient Geriatric Evaluation and Management. **2015**, 183-191
- 183 Drug-Induced Long-QT and Torsades de Pointes in Elderly Polymedicated Patients. **2016**, 106, 156-9 2
- 182 Selected Problems of Aging. **2015**, 1-14
- 181 Chapter 19: Nausea and Vomiting. **2015**,
- 180 Chapter 38. Geriatrics and Gerontology. **2015**,
- 179 Common Problems of the Elderly. **2015**, 1-20
- 178 Prescribing Pattern of Drugs in the Geriatric Patients in Jazan Province, KSA. *Pharmacy & Pharmacology International Journal*, **2015**, 2, 0.7 1

177 Alternative methods of pain management for the older adult population: Review of topical pain medications. **2015**, 5, 109-122

176 Psychopharmacologic Agents to Enhance Cognition in Alzheimer's Disease. **2015**, 45,

175 Pharmaceutical Intervention to Manage Polypharmacy in Elderly Patients based on STOPP Criteria. **2016**, 42, 78-86 4

174 Melatonin as a Chronobiotic That Opens the "Gates of Sleep" The 1990s. **2016**, 131-154

173 Psychopharmacological Treatment. **2016**, 155-177

172 Assisted Living and Residential Care. **2016**, 13-35

171 Weight and Nutrition. **2016**, 203-216

170 Dementia Palliative Care. **2016**, 247-260 1

169 Pharmacology: Cultural and Genetic Considerations. **2016**, 353-374

168 Healthcare Provision in an Aging Society The European Perspective. **2016**, 23-44

167 Geriatric Urology and Underactive Bladder. **2016**, 177-188

166 Mittel zur Behandlung der multiplen Sklerose. **2016**, 561-575

165 Why Is Medication Use Less than Appropriate?. **2016**, 55-73

164 Diagnosis, Treatment, and Prevention of Urinary Tract Infection. 41-68 0

163 Estimated Budget Impact of Increased Use of Mirabegron, A Novel Treatment for Overactive Bladder. **2016**, 22, 1076-1090

162 Screening Tools for Geriatric Assessment by Specialists. **2017**, 81-88 0

161 Mittel zur Behandlung der multiplen Sklerose. **2017**, 571-587

160 What Research Has Shaped Geriatrics Since the Start of the New Millennium?. **2017**, 43, 51-52

- 159 Geriatric Psychology and the Injured Elderly. **2017**, 77-88
- 158 Operative Risk Stratification of the Geriatric Patient. **2017**, 107-120
- 157 Geriatric Surgical Quality and Wellness. **2017**, 613-622
- 156 Diabetes in Older Adults. **2017**, 1-18
- 155 Five Decades of Hormone Therapy Research: The Long, the Short, and the Inconclusive. **2017**, 13-43 1
- 154 Medikamentöse Therapie. **2017**, 97-119
- 153 Palliativmedizin im Pflegeheim – wie alte, schwer kranke Menschen leben und sterben. **2017**, 309-347
- 152 Prescriç o de medicamentos potencialmente inapropriados em instituiç es de longa perman cia para idosos. **2017**, 66, 62-63
- 151 Neurocognitive Disorders. **2018**, 257-267 1
- 150 Mittel zur Behandlung der multiplen Sklerose. **2018**, 619-636
- 149 Medicatieafbouw. **2018**, 211-220
- 148 Postoperative Complications. **2018**, 129-146
- 147 Aging. **2018**, 91-109
- 146 Over-the-counter medications potentially inappropriate for the elderly. **2018**, 64, 869-871 1
- 145 Specific features of rational geriatric pharmacotherapy: the role of clinical pharmacists in individualized drug treatment in older age. **2018**, 64, 1028-1037 1
- 144 Recommendations for Classes of Medications in Older Adults. **2019**, 109-130
- 143 Pharmacological Interventions in Older Adults. **2019**, 85-109
- 142 Treating Insomnia in Older Adult Patients: Limiting Benzodiazepine Use. **2019**, 10, 116-129 1

- 141 More Rapid Sleep Onset with Lingual-Spray vs Oral-Tablet Delivery Zolpidem. **2019**, 10, 329-342
- 140 Antispasmodics and Muscle Relaxants. **2019**, 181-189
- 139 Health and Social Care Services Organization for Older Adults. **2019**, 210-210 0
- 138 Evaluation of Polypharmacy and Inappropriate Prescription among Elderly Inpatients at the Department of General Internal Medicine at Sendai Medical Center. **2019**, 42, 9-14
- 137 Late-Life Insomnia. **2020**, 267-278
- 136 An Integrative Review of Methods of Measurement of Polypharmacy. **2019**, 27, 554-574
- 135 Importance of Geriatric Syndrome Screening within 48 Hours of Hospitalization for Identifying Readmission Risk: A Retrospective Study in an Acute-Care Hospital. **2020**, 24, 83-90 2
- 134 Conhecimento de estudantes de medicina sobre medicamentos inapropriados para idosos. **2020**, 8, e34163
- 133 Polypharmacy, inappropriate medication use and associated factors among brazilian older adults. **2020**, 28, 400-408
- 132 Declines, and Pronounced Regional Disparities, in Meperidine Use in the United States.
- 131 Selected Problems of Aging. **2020**, 1-14
- 130 The evaluation of relationship between polypharmacy and anticholinergic burden scales. **2021**, 8, 139-144 1
- 129 Medicamentos potencialmente inapropriados prescritos a pacientes de um Centro de Referência em Atenção à Saúde da Pessoa Idosa. **2020**, 23,
- 128 Medications and Oral Health: Points to Consider in Older People. **2020**, 67-86
- 127 A Cross-Sectional Study on the Use of Anticholinergic Drugs in Elderly Patients. **2020**, 10, 1074-1084
- 126 Diabetes in Older Adults. **2020**, 211-228
- 125 Mood Disorders in Later Life. **2020**,
- 124 Analysis of drug prescription appropriateness according to the STOPP/START criteria of the elderly patients with type 2 diabetes mellitus in the endocrinology department of a multi-speciality hospital. **2020**, 47-56 1

123	Polypharmacy and the Older Patient: The Clinical Pharmacologist Perspective. 2021 , 91-104	
122	Geographic Variation in the Prevalence of High-Risk Medication Use Among Medicare Part D Beneficiaries by Hospital Referral Region. 2020 , 26, 1309-1316	
121	Psychotropic medication use patterns in home-based primary care: A scoping review. 2020 , 10, 282-290	
120	Benzodiazepine and Nonbenzodiazepine Hypnotics (Z-Drugs): The Other Epidemic. 2021 , 141-156	0
119	Evaluation of geriatric drug-disease interactions in seniors in long-term care in the Czech Republic. 2020 , 34, 99-107	1
118	Management of type-2 diabetes mellitus in adults: focus on individualizing non-insulin therapies. 2012 , 37, 687-96	9
117	Identifying knowledge gaps in the labeling of medications for geriatric patients. 2013 , 38, 535-40	3
116	Identifying and managing drug-related causes of common geriatric symptoms. 2014 , 60, 147-53	2
115	Hypertension in the elderly: new blood pressure targets and prescribing tips. 2014 , 60, 453-6	1
114	Turning over the rocks: role of anticholinergics and benzodiazepines in cognitive decline and falls. 2014 , 60, 345-50	6
113	Polypharmacy in older adults: the role of the advanced practitioner in oncology. 2013 , 4, 107-12	4
112	Considerations for the appropriate use of skeletal muscle relaxants for the management of acute low back pain. 2014 , 39, 427-35	20
111	Constipation in older adults: stepwise approach to keep things moving. 2015 , 61, 152-8	27
110	Pharmacotherapy of neuropsychiatric symptoms of dementia. 2015 , 40, 284-7	1
109	Clinical pharmacology relevant to older adults with cardiovascular disease. 2015 , 12, 192-5	5
108	Pharmacological Treatment of Insomnia. 2015 , 40, 759-71	28
107	How healthy is community-dwelling elderly population? Results from Southern Italy. 2015 , 13, 59-64	8
106	Digoxin toxicity: Case for retiring its use in elderly patients?. 2016 , 62, 223-8	7

105	Polypharmacy Review of Vulnerable Elders: Can We IMPROVE Outcomes?. 2016 , 33, 39-41	1
104	[Not Available]. 2016 , 69, 267-8	
103	Implementing the EQUIPPED Medication Management Program at 5 VA Emergency Departments. 2016 , 33, 29-33	1
102	Medication List Discrepancies and Therapeutic Duplications Among Dual Use Veterans. 2016 , 33, 14-20	4
101	Evaluating Outcomes in Patients with Overactive Bladder within an Integrated Healthcare Delivery System Using a Treatment Patterns Analyzer. 2016 , 9, 343-353	4
100	Over-Prescribed Medications, Under-Appreciated Risks: A Review of the Cognitive Effects of Anticholinergic Medications in Older Adults. 2016 , 113, 207-14	14
99	Managing pain in frail elders. 2016 , 11,	2
98	Effect of comorbidities and medications on frequency of primary care visits among older patients. 2017 , 63, 45-50	10
97	Implementing an ICT-Based Polypharmacy Management Program in Italy. 2017 , 16, 24-29	4
96	Optimizing medications in older adults with cognitive impairment: Considerations for primary care clinicians. 2018 , 64, 646-652	4
95	. 2018 , 64, e366-e372	
94	Managing Drug Interactions in Cancer Therapy: A Guide for the Advanced Practitioner. 2017 , 8, 609-620	4
93	Health and health service use of very elderly Newfoundlanders. 2018 , 64, e453-e461	
92	Risk Evaluation for Antipsychotic Agents Used in Elderly Inpatients (REPAIR). 2018 , 71, 370-375	1
91	Reducing Benzodiazepine Prescribing in Older Veterans: A Direct-to-Consumer Educational Brochure. 2018 , 35, 36-43	
90	Impact of Psychotropic Medication Reviews on Prescribing Patterns. 2016 , 33, 22S-25S	1
89	Medication errors: They continue. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2019 , 35, 1-2	1,3 1
88	Comprehensive Geriatric Assessment in Oncology: Best Practices in Caring for Older Patients. 2018 , 9, 640-644	3

87	Prescribing for geriatrics in Tehran; is it appropriate and rational?. 2019 , 33, 143		
86	Chronic lithium toxicity: Considerations and systems analysis. 2020 , 66, 258-261		
85	The complex associations between late life depression, fear of falling and risk of falls. A systematic review and meta-analysis. 2021 , 73, 101532		4
84	Over-The-Counter Remedies in Older Adults: Patterns of Use, Potential Pitfalls, and Proposed Solutions. 2022 , 38, 99-118		o
83	Concurrent Use of Prescription Opioids and Gabapentinoids in Older Adults. 2021 ,		o
82	Providing Medical Care at the End of Life - A Cross-Sectional Study of Long-Term Care Facilities in Switzerland. 2021 , 110, 831-838		o
81	Expert-based medication reviews to reduce polypharmacy in older patients in primary care: a northern-Italian cluster-randomised controlled trial. <i>BMC Geriatrics</i> , 2021 , 21, 659	4.1	4
80	[Anticholinergic scales: Use in psychiatry and update of the anticholinergic impregnation scale]. 2021 ,		
79	An Emergency Department Delirium Screening and Management Initiative: The Development and Refinement of the SCREENED-ED Intervention. 2021 , 47, 13-17		
78	The effects of a pharmacist-led medication review in a nursing home: A randomized controlled trial.. 2021 , 100, e28023		
77	Clinical Guidelines for Cognitive Disorders in Elderly and Older Patients. 2021 , 121, 6		4
76	Adapting Mindfulness-Based Interventions for Residents of Long-Term Care Facilities. 2021 , 7, 23337214211057703		
75	Diabetes. 2021 , 1-24		
74	Polypharmacy Influences the Renal Composite Outcome in Patients Treated with Sodium-Glucose Cotransporter 2 Inhibitors.. <i>Clinical and Translational Science</i> , 2022 ,	4.9	1
73	Analysis of regional differences in the amount of hypnotic and anxiolytic prescriptions in Japan using nationwide claims data.. <i>BMC Psychiatry</i> , 2022 , 22, 44	4.2	o
72	Selected Problems of Aging. 2022 , 315-328		
71	Cognitive of Common. 2022 , 17-25		
70	Trends in the Prescription of Benzodiazepine Receptor Agonists from 2009 to 2020: A Retrospective Study Using Electronic Healthcare Record Data of a University Hospital in Japan.. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	o

69	Where Is All the Deviance? Liminal and Deviant Prescribing in the Prescription Drug Crisis. <i>SSRN Electronic Journal</i> ,		1
68	Principles of Pharmacology in Dementia. 2022 , 15-29		
67	Depression management and pharmacoepigenetics. 2022 , 67-84		
66	A Clinical Review on Paroxetine and Emerging Therapies for the Treatment of Vasomotor Symptoms.. <i>International Journal of Women's Health</i> , 2022 , 14, 353-361	2.8	0
65	Clinical Pharmacist Evaluation of Medication Inappropriateness in a Geriatric Hospital.. <i>Annales Pharmaceutiques Francaises</i> , 2022 ,	1.3	
64	Minimally Adequate Treatment for Depression and Anxiety Associated With Mortality in Primary Care Older Adults.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221082883	4.8	2
63	Development and consensus testing of quality indicators for geriatric pharmacotherapy in primary care using a modified Delphi study.. <i>International Journal of Clinical Pharmacy</i> , 2022 , 44, 517	2.3	0
62	Prescribing trends of proton pump inhibitors, antipsychotics and benzodiazepines of medicare part d providers.. <i>BMC Geriatrics</i> , 2022 , 22, 306	4.1	0
61	Potentially inappropriate prescribing in older adults in Mexico. <i>Revista De Saude Publica</i> , 2021 , 55, 80	2.4	
60	"What else can we do?"-Provider perspectives on treatment-resistant depression in late life. <i>Journal of the American Geriatrics Society</i> , 2021 ,	5.6	0
59	Optimising prescribing practices in older adults with multimorbidity: a scoping review of guidelines.. <i>BMJ Open</i> , 2021 , 11, e049072	3	0
58	Prescribing, monitoring, and deprescribing drugs in geriatric DM patients. <i>Journal of Gerontology and Geriatrics</i> , 2021 , 69, 282-285	0.3	0
57	The efficacy and safety of silodosin-a review of literature. <i>Pharmacy & Pharmacology International Journal</i> , 2021 , 9, 249-256	0.7	
56	DataSheet_1.docx. 2019 ,		
55	DataSheet_2.docx. 2019 ,		
54	DataSheet_3.docx. 2019 ,		
53	Decision-support systems for managing polypharmacy in the elderly: A scoping review.. <i>Journal of Biomedical Informatics</i> , 2022 , 104074	10.2	0
52	Medication errors: They continue. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2019 , 35, 1	1.3	1

51	The Role of the Pharmacist in Clinical Settings (10): The Role of the Pharmacist in Combating Polypharmacy. <i>Nihon Ika Daigaku Igakkai Zasshi</i> , 2022 , 18, 202-211	0	
50	Impact of medication reviews on potentially inappropriate medications and associated costs among older women in aged care.. <i>Research in Social and Administrative Pharmacy</i> , 2022 ,	2.9	
49	Prescription trends at the end of life in a palliative care unit: observational study.. <i>BMC Palliative Care</i> , 2022 , 21, 65	3	3
48	A modern approach to a geriatric patient: Half a century of geriatric medicine in Serbia. 2014 , 48, 48-50		
47	Effect of sedative premedication with oral midazolam on postanesthesia care unit delirium in older adults: a secondary analysis following an uncontrolled before-after design.. <i>Perioperative Medicine (London, England)</i> , 2022 , 11, 18	2.8	1
46	Evaluation and Management of Delirium in Dementia. <i>Current Treatment Options in Neurology</i> ,	4.4	
45	Fractures of the proximal femur. Clinical features, diagnosis and treatment (Clinical guidelines, abridged version). <i>NN Priorov Journal of Traumatology and Orthopedics</i> , 2022 , 28, 49-89	0.1	0
44	Identifying Quality Indicators for Nursing Home Residents with Dementia: A Modified Delphi Method. <i>Journal of Geriatric Psychiatry and Neurology</i> , 089198872211064	3.8	
43	Effectiveness of change from suvorexant to lemborexant drug in the treatment of sleep disorders. <i>Psychogeriatrics</i> ,	1.8	1
42	Declining trend in use of medications for sleep disturbance in the United States from 2013 to 2018. <i>Journal of Clinical Sleep Medicine</i> ,	3.1	1
41	Deprescribing medicines in older people living with multimorbidity and polypharmacy: the TAILOR evidence synthesis. <i>Health Technology Assessment</i> , 2022 , 26, 1-148	4.4	1
40	Evidence-balanced Medicine: âRealâEvidence-based Medicine in the Elderly. 2015 , 44, 1-5		4
39	Medication Reduction Programs. 2022 , 1257-1280		
38	Communication About Fall Risk in Community Oncology Practice: The Role of Geriatric Assessment.		
37	Polymedikation und Neuroleptika in Schweizer Pflegeheimen in den Jahren 2019 und 2020. 2022 , 111, 612-617		
36	Efficacy of geriatric multidisciplinary oncology clinic in the surgical treatment decision-making process for frail elderly patients with colorectal cancer. 2022 , 103, 169		0
35	Potentially Inappropriate Medication Use in Patients with Dementia. 2022 , 19, 11426		0
34	Prevalence of potentially inappropriate prescribing in older adults in Central and Eastern Europe: a systematic review and synthesis without meta-analysis. 2022 , 12,		3

- 33 A Field Study: Partnering with Pharmacists to Develop a Tool for Evaluating Misuse of Over-the-Counter Medications among Older Adults in the Community Pharmacy. **2022**, 66, 2122-2126 ○
- 32 Effect of anxiolytic drug silexan on sleep – narrative review. 1-8 2
- 31 Haloperidol May Be Safely Administered Intravenously in the Emergency Department. **2022**, ○
- 30 Falls 3: how long-term conditions and acute illness increase the risk of falls. **2022**, 16, 444-452 ○
- 29 Inter-expert agreement on indications for antibiotic therapy in older adults admitted to French hospital through an emergency department. **2022**, 8, e11630 ○
- 28 Potential Risk Factors of Drug-Related Problems in Hospital-Based Mental Health Units: A Systematic Review. ○
- 27 Potentially Inappropriate Medications are Associated With Geriatric Trauma Recidivism. **2023**, 283, 581-585 ○
- 26 Perspectives on Using Fast-Dissolving Paracetamol for Mild-to-Moderate Pain Management in Elderly or Diabetic Patients with Delayed Gastric Emptying Rates: An Exploratory Study. Volume 15, 3675-3688^o
- 25 Development of a model predicting cardiac events in heart failure patients with decreased renal function: a retrospective study. ○
- 24 Pronounced Declines in Meperidine in the US: Is the End Imminent?. **2022**, 10, 154 ○
- 23 Understanding older patients' willingness to have medications deprescribed in primary care: a protocol for a cross-sectional survey study in nine European countries. **2022**, 22, ○
- 22 How to manage the initiation of apomorphine therapy without antiemetic pretreatment: a review of the literature. **2022**, 100174 ○
- 21 Where Is All the Deviance? Liminal Prescribing and the Social Networks Underlying the Prescription Drug Crisis. 000183922211376 ○
- 20 Research status and hotspots of medication safety in older adults: A bibliometric analysis. 10, ○
- 19 Potentially inappropriate medication use and associated factors in residents of long-term care facilities: A nationwide cohort study. 13, ○
- 18 Potentially inadequate medications in the elderly: PRISCUS 2.0 – first update of the PRISCUS list. ○
- 17 Medication Appropriateness among Older Persons Admitted to a General Hospital in Malaysia. **2022**, 18, 122-129 ○
- 16 New perspectives in management of diabetes in long-term care facilities. ○

- | | | |
|----|--|---|
| 15 | Validation of quality indicators for evaluating geriatric pharmacotherapy services in primary care: a mixed methods study. 2023 , 13, e066665 | ○ |
| 14 | Potentially Inappropriate Medication Use in Older Adults Intensive Care Patients According to TIME-to-STOP Criteria. 2023 , 5, 66-77 | ○ |
| 13 | Disentangling concepts of inappropriate polypharmacy in old age: a scoping review. 2023 , 23, | ○ |
| 12 | Regional variations in excessive polypharmacy and potentially inappropriate drug use among older adults in Sweden: Trends from 2006 to 2020. 14, | ○ |
| 11 | Specialty-type and state-level variation in paroxetine use among older adult patients. | ○ |
| 10 | Comprehensive Medication Management Services with a Holistic Point of View, a Scoping Review. 2023 , 11, 37 | ○ |
| 9 | Benzodiazepines in the Treatment of Behavioural and Psychological Symptoms Associated with Dementia and Their Impact on Cognitive Impairment: Review of Clinical Evidence. | ○ |
| 8 | Long-Term Use of Insomnia Medications: An Appraisal of the Current Clinical and Scientific Evidence. 2023 , 12, 1629 | ○ |
| 7 | Geriatric Depression. 2023 , 50, 143-158 | ○ |
| 6 | Antidepressant Augmentation versus Switch in Treatment-Resistant Geriatric Depression. 2023 , 388, 1067-1079 | 1 |
| 5 | Polypharmacy and precision medicine. 2023 , 1, | ○ |
| 4 | Drug Burden Index in Older Adults with Psychiatric Illnesses: A Cross-Sectional Study. | ○ |
| 3 | Cancer Pain and Frailty: A Scoping Review of How Cancer Pain Is Evaluated and Treated in the Frail and Elderly. 2023 , 41, 69-77 | ○ |
| 2 | Potentially Inappropriate Medication Use in Community-Dwelling Older Adults Living with Dementia. 2023 , 1-11 | ○ |
| 1 | Effectiveness and safety of pharmacotherapy in elderly patients. Short Review. 2023 , 16-21 | ○ |