

CITATION REPORT

List of articles citing

A Generic Optical Router Design for Photonic Network-on-Chip

DOI: 10.1109/jlt.2011.2178019

Journal of Lightwave Technology, 2012, 30, 368-376.

Source: <https://exaly.com/paper-pdf/54647858/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 75 | On-chip wavelength-routed photonic networks with comb switches. 2012, | | 4 |
| 74 | Exploiting Two-Wavelength Switching Capability of Silicon Photonic Microrings. <i>Journal of Lightwave Technology</i> , 2013 , 31, 975-981 | 4 | 9 |
| 73 | A hybrid packet-circuit switched router for optical network on chip. <i>Computers and Electrical Engineering</i> , 2013 , 39, 2197-2206 | 4.3 | 7 |
| 72 | . <i>IEEE Photonics Journal</i> , 2013 , 5, 7200620-7200620 | 1.8 | 8 |
| 71 | Silicon photonic network-on-chip and enabling components. <i>Science China Technological Sciences</i> , 2013 , 56, 543-553 | 3.5 | 6 |
| 70 | Wavelength-routed optical networks-on-chip built with comb switches. 2013, | | 2 |
| 69 | On Reducing Insertion Loss in Wavelength-Routed Optical Network-on-Chip Architecture. <i>Journal of Optical Communications and Networking</i> , 2014 , 6, 879 | 4.1 | 6 |
| 68 | Analysis of Yb ³⁺ /Er ³⁺ -codoped microring resonator cross-grid matrices. 2014, | | |
| 67 | Optimized design of Yb ³⁺ /Er ³⁺ -codoped cross-coupled integrated microring resonator arrays. 2014, | | |
| 66 | Polymeric N-stage cascaded five-port optical router with scalable 4N channel wavelengths for wideband signal routing. <i>Optics Communications</i> , 2014 , 322, 214-223 | 2 | 6 |
| 65 | Polymeric (N)-stage serial-cascaded four-port optical router with scalable (3N) channel wavelengths for wideband signal routing application. <i>Optical and Quantum Electronics</i> , 2014 , 46, 829-849 | 2.4 | 8 |
| 64 | A Novel Two-Layer Passive Optical Interconnection Network for On-Chip Communication. <i>Journal of Lightwave Technology</i> , 2014 , 32, 1770-1776 | 4 | 20 |
| 63 | A Hierarchical Optical Network-On-Chip Using Central-Controlled Subnet and Wavelength Assignment. <i>Journal of Lightwave Technology</i> , 2014 , 32, 930-938 | 4 | 22 |
| 62 | A Hybrid Optoelectronic Networks-on-Chip Architecture. <i>Journal of Lightwave Technology</i> , 2014 , 32, 991-998 | 4 | 25 |
| 61 | Optimization of a polymer four-port microring optical router with three channel wavelengths. <i>Optoelectronics Letters</i> , 2014 , 10, 91-95 | 0.7 | |
| 60 | Wavelength routed optical network-on-chip architecture with lower insertion loss. 2014, | | |
| 59 | Universal method for constructing N-port non-blocking optical router based on 2 × 2 optical switch for photonic networks-on-chip. <i>Optics Express</i> , 2014 , 22, 12614-27 | 3.3 | 21 |

| | | | |
|----|---|-----|----|
| 58 | Crosstalk analysis for closed ring-based optical network-on-chip. 2015 , | | |
| 57 | RPNOC: A Ring-Based Packet-Switched Optical Network-on-Chip. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 423-426 | 2.2 | 17 |
| 56 | Assessing parameters sensitivity of a WDM Optical Network-on-Chip router via the Morris screening method. <i>Optical and Quantum Electronics</i> , 2015 , 47, 3145-3159 | 2.4 | |
| 55 | Reconfigurable nonblocking 4-port silicon thermo-optic optical router based on Mach-Zehnder optical switches. <i>Optics Letters</i> , 2015 , 40, 1402-5 | 3 | 24 |
| 54 | Votex: A non-blocking optical router design for 3D Optical Network on Chip. 2015 , | | |
| 53 | Wireless network interconnect concept based on dielectric ring resonators. 2015 , | | |
| 52 | Performance Optimization and Evaluation for Torus-Based Optical Networks-on-Chip. <i>Journal of Lightwave Technology</i> , 2015 , 33, 3858-3865 | 4 | 17 |
| 51 | Topology and investigation of a polymer 8-port optical router with scalable 7N channel wavelengths using N-stage cascading structure. <i>Optics Communications</i> , 2015 , 339, 94-107 | 2 | 5 |
| 50 | Non-blocking four-port optical router based on thermo-optic silicon microrings. <i>Optoelectronics Letters</i> , 2016 , 12, 268-272 | 0.7 | 1 |
| 49 | Silicon-microring-based thermo-optic non-blocking four-port optical router for optical networks-on-chip. <i>Optical and Quantum Electronics</i> , 2016 , 48, 1 | 2.4 | 7 |
| 48 | Five-port silicon optical router based on Mach-Zehnder optical switches for photonic networks-on-chip. <i>Journal of Semiconductors</i> , 2016 , 37, 114008 | 2.3 | 6 |
| 47 | A Highly Scalable Optical Network-on-Chip With Small Network Diameter and Deadlock Freedom. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2016 , 24, 3424-3436 | 2.6 | 8 |
| 46 | Panzer: A 6x6 photonic router for optical network on chip. <i>IEICE Electronics Express</i> , 2016 , 13, 20160719-20160719 | | |
| 45 | A crosstalk-aware wavelength assignment method for optical network-on-chip. <i>IEICE Electronics Express</i> , 2016 , 13, 20160821-20160821 | 0.5 | 4 |
| 44 | A non-blocking wavelength routing ONoC based on two-dimension bus architecture. <i>Microelectronics Journal</i> , 2016 , 54, 59-66 | 1.8 | 2 |
| 43 | A 3D multilayer optical network on chip based on mesh topology. <i>Photonic Network Communications</i> , 2016 , 32, 293-299 | 1.7 | 9 |
| 42 | Formal Analysis of Crosstalk Noise in Mesh-Based Optical Networks-on-Chip with WDM. <i>Journal of Lightwave Technology</i> , 2016 , 34, 3550-3562 | 4 | 14 |
| 41 | Universal method for crosstalk noise and transmission loss analysis for N-port nonblocking optical router for photonic networks-on-chip. <i>Optical Engineering</i> , 2016 , 55, 056110 | 1.1 | 0 |

| | | | |
|----|--|-----|----|
| 40 | Comparative study of three wavelength-routed four-port optical routers based on different polymeric microring routing elements. <i>Optical and Quantum Electronics</i> , 2016 , 48, 1 | 2.4 | |
| 39 | Five-Port Optical Router Based on Silicon Microring Optical Switches for Photonic Networks-on-Chip. <i>IEEE Photonics Technology Letters</i> , 2016 , 1-1 | 2.2 | 18 |
| 38 | MRONoC: A Low Latency and Energy Efficient on Chip Optical Interconnect Architecture. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-12 | 1.8 | 11 |
| 37 | Four-Port Optical Switch for Fat-Tree Photonic Network-on-Chip. <i>Journal of Lightwave Technology</i> , 2017 , 35, 3237-3241 | 4 | 16 |
| 36 | Low Polling Time TDM ONoC With Direction-Based Wavelength Assignment. <i>Journal of Optical Communications and Networking</i> , 2017 , 9, 479 | 4.1 | 4 |
| 35 | Software-Defined Silicon-Photonics-Based Metro Node for Spatial and Wavelength Superchannel Switching. <i>Journal of Optical Communications and Networking</i> , 2017 , 9, 342 | 4.1 | 3 |
| 34 | Time-Division-Multiplexing/Wavelength-Division-Multiplexing-Based Architecture for ONoC. <i>Journal of Optical Communications and Networking</i> , 2017 , 9, 351 | 4.1 | 14 |
| 33 | Reliable communications in optical network-on-chip by use of fault tolerance approaches. <i>Optik</i> , 2017 , 137, 186-194 | 2.5 | 8 |
| 32 | Ultracompact graphene-assisted ring resonator optical router. <i>Optics Communications</i> , 2017 , 405, 73-79 | 2 | 7 |
| 31 | Logic programming approaches for routing fault-free and maximally parallel wavelength-routed optical networks-on-chip (Application paper). <i>Theory and Practice of Logic Programming</i> , 2017 , 17, 800-818 | 0.8 | 1 |
| 30 | N-port strictly non-blocking optical router based on Mach-Zehnder optical switch for photonic networks-on-chip. <i>Optics Communications</i> , 2017 , 383, 472-477 | 2 | 6 |
| 29 | LACE: A non-blocking on-chip optical router by utilizing the wavelength routing technology. 2017 , | | 0 |
| 28 | Optical switch compatible with wavelength division multiplexing and mode division multiplexing for photonic networks-on-chip. <i>Optics Express</i> , 2017 , 25, 20698-20707 | 3.3 | 39 |
| 27 | N-port non-Blocking Optical Router for Network-on-Chip. 2017 , | | |
| 26 | Integrated five-port non-blocking optical router based on mode-selective property. <i>Nanophotonics</i> , 2018 , 7, 853-858 | 6.3 | 9 |
| 25 | Review of Photonic and Hybrid On Chip Interconnects for MPSoCs in IoT Paradigm. 2018 , | | 6 |
| 24 | Understanding the Design Space of Wavelength-Routed Optical NoC Topologies for Power-Performance Optimization. 2018 , | | 0 |
| 23 | Multimode silicon photonics. <i>Nanophotonics</i> , 2018 , 8, 227-247 | 6.3 | 94 |

| | | | |
|----|---|-----|----|
| 22 | PlanarONoC: Concurrent Placement and Routing Considering Crossing Minimization for Optical Networks-on-Chip*. 2018 , | | |
| 21 | Six-port optical switch for cluster-mesh photonic network-on-chip. <i>Nanophotonics</i> , 2018 , 7, 827-835 | 6.3 | 8 |
| 20 | PlanarONoC. 2018 , | | 6 |
| 19 | An Algorithmic Framework to Construct Optical Switch via Scaling From N-to-2N Ports for Optical Network on Chip. <i>IEEE Access</i> , 2019 , 7, 101427-101440 | 3.5 | 1 |
| 18 | TAONoC: A Regular Passive Optical Network-on-Chip Architecture Based on Comb Switches. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2019 , 27, 954-963 | 2.6 | 13 |
| 17 | Fat-tree-based optical networks-on-chip with WDM: crosstalk noise exploiting. <i>IET Optoelectronics</i> , 2019 , 13, 85-93 | 1.5 | |
| 16 | NPFONoC: A Low-loss, Non-blocking, Scalable Passive Optical Interconnect Network-on-Chip Architecture. 2019 , | | 1 |
| 15 | Low-power optical network-on-chip using low-loss multilayer silicon wire waveguide. <i>Journal of Optics (India)</i> , 2019 , 48, 557-566 | 1.3 | |
| 14 | A large-scale nesting ring multi-chip architecture for manycore processor systems. <i>Optical Switching and Networking</i> , 2019 , 31, 183-192 | 1.6 | 5 |
| 13 | A High Finesse Serial Coupled Microresonator Filter. <i>Journal of Optical Communications</i> , 2020 , 41, 117-123 | | |
| 12 | Optimized designs of low loss non-blocking optical router for ONoC applications. <i>International Journal of Information Technology (Singapore)</i> , 2020 , 12, 91-96 | 1.4 | 4 |
| 11 | Crosstalk Analysis and Performance Evaluation for Torus-Based Optical Networks-on-Chip Using WDM. <i>Micromachines</i> , 2020 , 11, | 3.3 | 0 |
| 10 | Designing of Optical Filter Based on Modelling Procedure of Multilayer Quadruple Combined Micro Ring Resonator (MQCMRR) Structure with 2 I/O Bus Waveguides. <i>Optik</i> , 2021 , 228, 166175 | 2.5 | 1 |
| 9 | Integrated non-blocking optical router harnessing wavelength- and mode-selective property for photonic networks-on-chip. <i>Optics Express</i> , 2021 , 29, 1251-1264 | 3.3 | 1 |
| 8 | Key Technologies of Photonic Artificial Intelligence Chip Structure and Algorithm. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 5719 | 2.6 | 1 |
| 7 | Universal Method for Constructing the On-Chip Optical Router With Wavelength Routing Technology. <i>Journal of Lightwave Technology</i> , 2020 , 38, 3815-3821 | 4 | 6 |
| 6 | Low-BER communications in optical networks-on-chip using coding technology. 2019 , | | 1 |
| 5 | A Promise for Software-defined Optical Networks: Optical Router Engine Design enabled by Cloud-based Spatio-Temporal Label Computing and Switching Protocol (Invited)1. 2013 , | | |

4 Crosstalk model for Optical Network-on-Chips using WDM. **2013,**

3 Multilayer optical interconnects design: switching components and insertion loss reduction approach. *Journal of Electrical Engineering*, **2018**, 69, 226-232 0.6

2 Series of ultra-low loss and ultra-compact multichannel silicon waveguide crossing. *Optics Express*, **2022**, 30, 27366 3.3 1

1 Design and system implementation of a configurable optical interconnection network. **2022,** 0