

CITATION REPORT

List of articles citing

Differences in weight status and energy-balance related behaviours according to ethnic background among adolescents in seven countries in Europe: the ENERGY

DOI: 10.1111/j.2047-6310.2012.00067.x
Pediatric Obesity, 2012, 7, 399-411.

Source: <https://exaly.com/paper-pdf/54675926/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
70	The LIFE child study: a life course approach to disease and health. <i>BMC Public Health</i> , 2012 , 12, 1021	4.1	110
69	Mediators of the effect of the JUMP-in intervention on physical activity and sedentary behavior in Dutch primary schoolchildren from disadvantaged neighborhoods. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 131	8.4	14
68	Differences in weight status and energy-balance related behaviors among schoolchildren in German-speaking Switzerland compared to seven countries in Europe. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 139	8.4	15
67	Clustering of diet- and activity-related parenting practices: cross-sectional findings of the INPACT study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 36	8.4	30
66	School food policy at Dutch primary schools: room for improvement? Cross-sectional findings from the INPACT study. <i>BMC Public Health</i> , 2013 , 13, 339	4.1	20
65	Clustering of food and activity preferences in primary school children. <i>Appetite</i> , 2013 , 60, 123-132	4.5	22
64	Are associations between the perceived home and neighbourhood environment and children's physical activity and sedentary behaviour moderated by urban/rural location?. <i>Health and Place</i> , 2013 , 24, 44-53	4.6	34
63	[Therapeutic approaches for obesity and comorbidities in young immigrants]. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2013 , 56, 543-50	7.5	5
62	Longer sleep--slimmer kids: the ENERGY-project. <i>PLoS ONE</i> , 2013 , 8, e59522	3.7	12
61	Can ethnic background differences in children's body composition be explained by differences in energy balance-related behaviors? A mediation analysis within the energy-project. <i>PLoS ONE</i> , 2013 , 8, e71848	3.7	4
60	Proximity to sports facilities and sports participation for adolescents in Germany. <i>PLoS ONE</i> , 2014 , 9, e93059	3.7	29
59	Omisi3 del desayuno, estado nutricional y h3bitos alimentarios de ni3s y adolescentes de escuelas p3blicas de Morelos, M3xico. <i>CYTA - Journal of Food</i> , 2014 , 12, 256-262	2.3	2
58	Body mass index, waist circumference and skin-fold thickness in 12- to 14-year-old Dutch adolescents: differences between 2003 and 2011. <i>Pediatric Obesity</i> , 2014 , 9, e137-40	4.6	3
57	Trends and prevalence of overweight and obesity in primary school aged children in the Republic of Ireland from 2002-2012: a systematic review. <i>BMC Public Health</i> , 2014 , 14, 974	4.1	42
56	Recommendations for promoting physical activity for children and adolescents in Germany. A consensus statement. <i>Obesity Facts</i> , 2014 , 7, 178-90	5.1	31
55	Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , 2014 , 14, 275	4.1	14
54	A systematic review of active transportation research in Africa and the psychometric properties of measurement tools for children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 129	8.4	23

53	Comparison of energy balance-related behaviours and measures of body composition between Turkish adolescents in Turkey and Turkish immigrant adolescents in the Netherlands. <i>Public Health Nutrition</i> , 2014 , 17, 2692-9	3.3	5
52	Differences in beliefs and home environments regarding energy balance behaviors according to parental education and ethnicity among schoolchildren in Europe: the ENERGY cross sectional study. <i>BMC Public Health</i> , 2014 , 14, 610	4.1	6
51	Measured sedentary time and physical activity during the school day of European 10- to 12-year-old children: the ENERGY project. <i>Journal of Science and Medicine in Sport</i> , 2014 , 17, 201-6	4.4	66
50	A cross-sectional examination of socio-demographic and school-level correlates of children's school travel mode in Ottawa, Canada. <i>BMC Public Health</i> , 2014 , 14, 497	4.1	30
49	The school nutrition environment and its association with soft drink intakes in seven countries across Europe--the ENERGY project. <i>Health and Place</i> , 2014 , 30, 28-35	4.6	11
48	Cultural variation in early feeding pattern and maternal perceptions of infant growth. <i>British Journal of Nutrition</i> , 2015 , 114, 481-8	3.6	12
47	Distribution of health-related physical fitness in Slovak population. <i>SpringerPlus</i> , 2015 , 4, 691		0
46	Large proportions of overweight and obese children, as well as their parents, underestimate children's weight status across Europe. The ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , 2015 , 18, 2183-90	3.3	26
45	Family sociodemographic characteristics as correlates of children's breakfast habits and weight status in eight European countries. The ENERGY (European Energy balance Research to prevent excessive weight Gain among Youth) project. <i>Public Health Nutrition</i> , 2015 , 18, 774-83	3.3	27
44	Reducing Income Inequalities in Food Consumption: Explorations With an Agent-Based Model. <i>American Journal of Preventive Medicine</i> , 2015 , 49, 605-13	6.1	16
43	Parental modeling, education and children's sports and TV time: the ENERGY-project. <i>Preventive Medicine</i> , 2015 , 70, 96-101	4.3	5
42	Intake of energy-dense snack foods and drinks among Dutch children aged 7-12 years: how many, how much, when, where and which?. <i>Public Health Nutrition</i> , 2016 , 19, 83-92	3.3	23
41	Regular family breakfast was associated with children's overweight and parental education: Results from the ENERGY cross-sectional study. <i>Preventive Medicine</i> , 2016 , 91, 197-203	4.3	13
40	Variation in population levels of sedentary time in European children and adolescents according to cross-European studies: a systematic literature review within DEDIPAC. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 69	8.4	38
39	Actual and perceived weight status and its association with slimming and energy-balance related behaviours in 10- to 12-year-old European children: the ENERGY-project. <i>Pediatric Obesity</i> , 2017 , 12, 1374-145	4.6	1
38	A systematic review of methods to assess intake of sugar-sweetened beverages among healthy European adults and children: a DEDIPAC (DEterminants of Diet and Physical Activity) study. <i>Public Health Nutrition</i> , 2017 , 20, 578-597	3.3	5
37	Perinatal, sociodemographic and lifestyle correlates of increased total and visceral fat mass levels in schoolchildren in Greece: the Healthy Growth Study. <i>Public Health Nutrition</i> , 2017 , 20, 660-670	3.3	12
36	Prevalence and geographic variation of abdominal obesity in 7- and 9-year-old children in Greece; World Health Organization Childhood Obesity Surveillance Initiative 2010. <i>BMC Public Health</i> , 2017 , 17, 126	4.1	27

35	Associations of commuting to school and work with demographic variables and with weight status in eight European countries: The ENERGY-cross sectional study. <i>Preventive Medicine</i> , 2017 , 99, 305-312	4.3	18
34	. <i>Nutrire</i> , 2017 , 42,	2.2	4
33	Children's sugar-sweetened beverages consumption: associations with family and home-related factors, differences within ethnic groups explored. <i>BMC Public Health</i> , 2017 , 17, 195	4.1	26
32	Effect and process evaluation of a kindergarten-based, family-involved intervention with a randomized cluster design on sedentary behaviour in 4- to 6- year old European preschool children: The ToyBox-study. <i>PLoS ONE</i> , 2017 , 12, e0172730	3.7	11
31	Electronic registry for the management of childhood obesity in Greece. <i>European Journal of Clinical Investigation</i> , 2018 , 48, e12887	4.6	8
30	Sedentary Behaviour at the Community Level: Correlates, Theories, and Interventions. <i>Springer Series on Epidemiology and Public Health</i> , 2018 , 509-543	0.4	2
29	Energy Balance-Related Behavior and Anthropometric Measures Among Adolescents Across Three Educational Levels: A Cross-Sectional Study in Dutch Schools. <i>Health Education and Behavior</i> , 2018 , 45, 349-358	4.2	5
28	Mediators of the Effectiveness of an Intervention Promoting Water Consumption in Preschool Children: The ToyBox Study. <i>Journal of School Health</i> , 2018 , 88, 877-885	2.1	1
27	Daily Patterns of Preschoolers' Objectively Measured Step Counts in Six European Countries: Cross-Sectional Results from the ToyBox-Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	3
26	Ethnicity and socioeconomic status are related to dietary patterns at age 5 in the Amsterdam born children and their development (ABCD) cohort. <i>BMC Public Health</i> , 2018 , 18, 115	4.1	22
25	Associations between family and home-related factors and child's snack consumption in a multi-ethnic population. <i>Journal of Public Health</i> , 2019 , 41, 430-438	3.5	1
24	Ethnic inequalities in child and adolescent health in the Scandinavian welfare states: The role of parental socioeconomic status - a systematic review. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 679-689	3	9
23	Trends in overweight, obesity, and waist-to-height ratio among Australian children from linguistically diverse backgrounds, 1997 to 2015. <i>International Journal of Obesity</i> , 2019 , 43, 116-124	5.5	14
22	The association between digit ratio (2D:4D) and overweight or obesity among Chinese children and adolescents: A cross-sectional study. <i>Early Human Development</i> , 2019 , 136, 14-20	2.2	6
21	Childhood obesity and leucocyte telomere length. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13178	4.6	13
20	Characteristics of Canadian Youth Adhering to Physical Activity and Screen Time Recommendations. <i>Journal of School Nursing</i> , 2021 , 37, 421-430	2.1	0
19	Are there disparities in different domains of physical activity between school-aged migrant and non-migrant children and adolescents? Insights from Germany. <i>PLoS ONE</i> , 2019 , 14, e0214022	3.7	8
18	Effect of honey on glucose and insulin concentrations in obese girls. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13042	4.6	7

17	A National e-Health Program for the Prevention and Management of Overweight and Obesity in Childhood and Adolescence in Greece. <i>Nutrients</i> , 2020 , 12,	6.7	3
16	Effectiveness and promising behavior change techniques of interventions targeting energy balance related behaviors in children from lower socioeconomic environments: A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0237969	3.7	6
15	Novel e-Health Applications for the Management of Cardiometabolic Risk Factors in Children and Adolescents in Greece. <i>Nutrients</i> , 2020 , 12,	6.7	5
14	The Unique Extended Selection Cohorts Design for the Evaluation of the School-Based Jump-In Intervention on Dietary Habits: A Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
13	Social inequalities in meal skipping patterns among children and adolescents: The CASPIAN-V study. <i>Obesity Science and Practice</i> , 2021 , 7, 690-698	2.6	1
12	The effect of a cluster-randomized controlled trial on lifestyle behaviors among families at risk for developing type 2 diabetes across Europe: the Feel4Diabetes-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 86	8.4	1
11	Study protocol for the evaluation of long-term effects of the school-based obesity prevention program Lekker Fit! (Enjoy being fit): a retrospective, controlled design. <i>BMJ Open</i> , 2021 , 11, e046940	3	0
10	Energy balance related behaviour: personal, home- and friend-related factors among schoolchildren in Europe studied in the ENERGY-project. <i>PLoS ONE</i> , 2014 , 9, e111775	3.7	11
9	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , 2015 , 10, e0126023	3.7	19
8	Social Inequalities in Young Children's Meal Skipping Behaviors: The Generation R Study. <i>PLoS ONE</i> , 2015 , 10, e0134487	3.7	17
7	Health Related Behaviours in Normal Weight and Overweight Preschoolers of a Large Pan-European Sample: The ToyBox-Study. <i>PLoS ONE</i> , 2016 , 11, e0150580	3.7	15
6	Objectively measured sedentary time among five ethnic groups in Amsterdam: The HELIUS study. <i>PLoS ONE</i> , 2017 , 12, e0182077	3.7	3
5	Diet, Physical Activity, Lifestyle Behaviors, and Prevalence of Childhood Obesity in Irish Children: The Cork Children's Lifestyle Study Protocol. <i>JMIR Research Protocols</i> , 2014 , 3, e44	2	10
4	The Influence of Abdominal Adiposity and Physical Fitness on Obesity Status of Portuguese Adolescents. 2022 , 19, 11213		0
3	The Feel4Diabetes intervention: effectiveness on 24-hour physical behaviour composition in families at risk for diabetes development. 2022 , 37,		0
2	Parental socioeconomic status and childhood sleep: A systematic review and meta-analysis. 2022 , 2, 100047		0
1	Migration as Cultural Phenomenon in a Globalized World: A Pilot Study on Lifestyle and Eating Behaviours of Adolescents Living in Rome. 2023 , 3, 92-109		0