

# CITATION REPORT

List of articles citing

Digital vs. conventional implant impressions:  
efficiency outcomes

DOI: 10.1111/j.1600-0501.2012.02430.x

Clinical Oral Implants Research, 2013, 24, 111-5.

**Source:** <https://exaly.com/paper-pdf/54739533/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
189	Use of implant-supported interim restorations to transfer periimplant soft tissue profiles to a milled polyurethane definitive cast. <i>Journal of Prosthetic Dentistry</i> , <b>2013</b> , 109, 333-7	4	26
188	An evaluation of student and clinician perception of digital and conventional implant impressions. <i>Journal of Prosthetic Dentistry</i> , <b>2013</b> , 110, 420-3	4	53
187	Digitale Zahnmedizin und innovative CAD/CAM-Materialien. <b>2013</b> , 110, 15-20		1
186	The use of a scannable impression coping and digital impression technique to fabricate a customized anatomic abutment and zirconia restoration in the esthetic zone. <i>Journal of Prosthetic Dentistry</i> , <b>2013</b> , 109, 187-91	4	37
185	Patients' preferences when comparing analogue implant impressions using a polyether impression material versus digital impressions (Intraoral Scan) of dental implants. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 1113-8	4.8	99
184	Comparison between clinical and digital soft tissue measurements. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2014</b> , 26, 191-9	3.5	25
183	Use of digital data acquisition and CAD/CAM technology for the fabrication of a fixed complete dental prosthesis on dental implants. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 111, 1-5	4	28
182	Comparison of digital and conventional impression techniques: evaluation of patients' perception, treatment comfort, effectiveness and clinical outcomes. <i>BMC Oral Health</i> , <b>2014</b> , 14, 10	3.7	206
181	Accuracy of computer-aided design/computer-aided manufacturing-generated dental casts based on intraoral scanner data. <b>2014</b> , 145, 1133-40		95
180	Accelerated techniques for a post and core and a crown restoration with intraoral digital scanners and CAD/CAM and rapid prototyping. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 112, 1024-9	4	9
179	Using stereophotogrammetric technology for obtaining intraoral digital impressions of implants. <b>2014</b> , 145, 338-44		30
178	Complete digital workflow for the production of implant-supported single-unit monolithic crowns. <i>Clinical Oral Implants Research</i> , <b>2014</b> , 25, 1304-1306	4.8	58
177	The time efficiency of intraoral scanners: an in vitro comparative study. <b>2014</b> , 145, 542-51		98
176	Application of digital diagnostic impression, virtual planning, and computer-guided implant surgery for a CAD/CAM-fabricated, implant-supported fixed dental prosthesis: a clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 112, 402-8	4	36
175	Applicability and accuracy of an intraoral scanner for scanning multiple implants in edentulous mandibles: a pilot study. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 111, 186-94	4	130
174	Changes in views on digital intraoral scanners among dental hygienists after training in digital impression taking. <i>BMC Oral Health</i> , <b>2015</b> , 15, 151	3.7	22
173	A Comparison of Different Methods to Generate Tooth Surface Models Without Applying Ionizing Radiation for Digital 3-Dimensional Image Fusion With Magnetic Resonance Imaging-Based Data of the Head and Neck Region. <b>2015</b> , 39, 882-9		6

172	Accuracy of Digital Impressions and Fitness of Single Crowns Based on Digital Impressions. <i>Materials</i> , <b>2015</b> , 8, 3945-3957	3.5	22
171	A case report of a surgical guide fabricated via intraoral scanning-based implant planning and wax-based rapid prototyping. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2015</b> , 53, 244	0.2	
170	Digital impressions for fabrication of definitive "all-on-four" restorations. <b>2015</b> , 24, 125-9		33
169	Orthodontic scanners: what's available?. <b>2015</b> , 42, 136-43		48
168	Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 403-6.e1	4	87
167	Digital process for an implant-supported fixed dental prosthesis: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 469-73	4	18
166	Clinical efficacy of polyvinyl siloxane impression materials using the one-step two-viscosity impression technique. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 217-22	4	8
165	Critical appraisal of implant impression accuracies: A systematic review. <i>Journal of Prosthetic Dentistry</i> , <b>2015</b> , 114, 185-92.e1	4	30
164	Digital Impressions. <b>2015</b> , 27-40		
163	Assessment of the Internal Fit of Lithium Disilicate Crowns Using Micro-CT. <i>Journal of Prosthodontics</i> , <b>2015</b> , 24, 381-6	3.9	38
162	Intraoral Digital Impression Technique: A Review. <i>Journal of Prosthodontics</i> , <b>2015</b> , 24, 313-21	3.9	163
161	Accuracy of digital versus conventional implant impressions. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 715-9	4.8	90
160	Comparison of patient satisfaction with digital and conventional impression for prosthodontic treatment. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2016</b> , 54, 379	0.2	2
159	The Prosthetic Workflow in the Digital Era. <i>International Journal of Dentistry</i> , <b>2016</b> , 2016, 9823025	1.9	6
158	Examination of the Position Accuracy of Implant Abutments Reproduced by Intra-Oral Optical Impression. <b>2016</b> , 11, e0164048		24
157	Digital implant impressions by cone-beam computerized tomography: a pilot study. <i>Clinical Oral Implants Research</i> , <b>2016</b> , 27, 1407-1413	4.8	3
156	Clinical Fitting and Adjustment Time for Implant-Supported Crowns Comparing Digital and Conventional Workflows. <b>2016</b> , 18, 946-954		40
155	Intraoral Digital Impression Technique Compared to Conventional Impression Technique. A Randomized Clinical Trial. <i>Journal of Prosthodontics</i> , <b>2016</b> , 25, 282-7	3.9	91

154	Comparison of experience curves between two 3-dimensional intraoral scanners. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 221-30	4	79
153	Ulteriori applicazioni degli scanner intraorali: duplicazione di corone e ponti provvisori funzionalizzati. <b>2016</b> , 84, 388-394		
152	Randomized controlled within-subject evaluation of digital and conventional workflows for the fabrication of lithium disilicate single crowns. Part I: digital versus conventional unilateral impressions. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 777-782	4	38
151	Factors affecting the complexity of dental implant restoration - what is the current evidence and guidance?. <b>2016</b> , 221, 615-622		5
150	Patient-centered outcomes comparing digital and conventional implant impression procedures: a randomized crossover trial. <i>Clinical Oral Implants Research</i> , <b>2016</b> , 27, e185-e189	4.8	102
149	Il workflow estetico funzionale. Il successo tra tradizione e innovazione. <b>2016</b> , 84, 292-301		
148	Intraoral 3D Scanning or Dental Impressions for the Assessment of Dental Arch Relationships in Cleft Care: Which is Superior?. <b>2016</b> , 53, 568-77		21
147	Evaluation of fit and efficiency of CAD/CAM fabricated all-ceramic restorations based on direct and indirect digitalization: a double-blinded, randomized clinical trial. <i>Clinical Oral Investigations</i> , <b>2016</b> , 20, 291-300	4.2	70
146	Accuracy of digital impressions of multiple dental implants: an <i>in vitro</i> study. <i>Clinical Oral Implants Research</i> , <b>2017</b> , 28, 648-653	4.8	103
145	Comparison of digital scanning and polyvinyl siloxane impression techniques by dental students: instructional efficiency and attitudes towards technology. <i>European Journal of Dental Education</i> , <b>2017</b> , 21, 200-205	2.5	26
144	Non-Radiological Method for Fabrication of a Screw-Channel Drilling Guide in Cement-Retained Implant Restorations Using Intraoral Digital Scanning and Imaging Superimposition: A Clinical Report. <i>Journal of Prosthodontics</i> , <b>2017</b> , 26, 88-92	3.9	3
143	Fit of CAD/CAM Tooth-supported Single Crowns and Fixed Dental Prostheses. <b>2017</b> , 4, 142-150		3
142	The Role of CAD/CAM in Modern Dentistry. <b>2017</b> , 188-193		
141	Virtual Reality-Based Technologies in Dental Medicine: Knowledge, Attitudes and Practice Among Students and Practitioners. <b>2017</b> , 22, 199-207		10
140	A combined digital and stereophotogrammetric technique for rehabilitation with immediate loading of complete-arch, implant-supported prostheses: A randomized controlled pilot clinical trial. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 596-603	4	6
139	Efficient digitalization method for dental restorations using micro-CT data. <b>2017</b> , 7, 44577		1
138	Randomized controlled within-subject evaluation of digital and conventional workflows for the fabrication of lithium disilicate single crowns. Part II: CAD-CAM versus conventional laboratory procedures. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 43-48	4	31
137	Digital technology in fixed implant prosthodontics. <b>2017</b> , 73, 178-192		88

136	Dental Students' Perceptions of Digital and Conventional Impression Techniques: A Randomized Controlled Trial. <i>Journal of Dental Education</i> , <b>2017</b> , 81, 1227-1232	1.6	21
135	The reliability and validity of measurements of human dental casts made by an intra-oral 3D scanner, with conventional hand-held digital callipers as the comparison measure. <b>2017</b> , 278, 198-204		10
134	Integration of Digital Dentistry into a Predoctoral Implant Program: Program Description, Rationale, and Utilization Trends. <i>Journal of Dental Education</i> , <b>2017</b> , 81, 986-994	1.6	6
133	A Simple and Automatic Method for Locating Surgical Guide Hole. <b>2017</b> , 8, 1		
132	Digital Impressions for Implant-Supported Fixed Dental Prosthesis. <b>2017</b> , 4, 136-141		2
131	3D RECONSTRUCTION AND SLM SURVEY FOR DENTAL IMPLANTS. <b>2017</b> , 17, 1750084		5
130	Facially generated and cephalometric guided 3D digital design for complete mouth implant rehabilitation: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 117, 577-586	4	38
129	Accuracy of impression scanning compared with stone casts of implant impressions. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 117, 507-512	4	22
128	Comparison of the accuracy of direct and indirect three-dimensional digitizing processes for CAD/CAM systems - An in vitro study. <i>Journal of Prosthodontic Research</i> , <b>2017</b> , 61, 177-184	4.3	47
127	Time efficiency, difficulty, and operator's preference comparing digital and conventional implant impressions: a randomized controlled trial. <i>Clinical Oral Implants Research</i> , <b>2017</b> , 28, 1318-1323	4.8	63
126	Intraoral scanners in dentistry: a review of the current literature. <i>BMC Oral Health</i> , <b>2017</b> , 17, 149	3.7	206
125	A Novel Approach to Determine the Prevalence of Type of Soft Palate Using Digital Intraoral Impression. <i>International Journal of Dentistry</i> , <b>2017</b> , 2017, 3268064	1.9	3
124	Intraoral Scanner Technologies: A Review to Make a Successful Impression. <b>2017</b> , 2017, 8427595		89
123	Evaluating the influence of ambient light on scanning trueness, precision, and time of intra oral scanner. <i>Journal of Prosthodontic Research</i> , <b>2018</b> , 62, 324-329	4.3	35
122	Comparison of two intraoral scanners based on three-dimensional surface analysis. <i>Progress in Orthodontics</i> , <b>2018</b> , 19, 6	3.4	19
121	A Comparative Study of the Accuracy of Dies Made from Digital Intraoral Scanning vs. Elastic Impressions: An In Vitro Study. <i>Journal of Prosthodontics</i> , <b>2018</b> , 27, 88-93	3.9	10
120	Comparison of digital intraoral scanner reproducibility and image trueness considering repetitive experience. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 225-232	4	106
119	Accuracy of multi-unit implant impression: traditional techniques versus a digital procedure. <i>Clinical Oral Investigations</i> , <b>2018</b> , 22, 1253-1262	4.2	42

118	Digital versus conventional implant impressions for partially edentulous arches: An evaluation of accuracy. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 574-579	4	51
117	Accuracy of stereolithography additive casts used in a digital workflow. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 580-585	4	27
116	We're Going Digital: The Current State of CAD/CAM Dentistry in Prosthodontics. <b>2018</b> , 7, 30-5		8
115	A Comparative Study of the Validity and Reproducibility of Mesiodistal Tooth Size and Dental Arch with iTeroTM Intraoral Scanner and the Traditional Method. <b>2018</b> ,		0
114	Is the use of digital technologies for the fabrication of implant-supported reconstructions more efficient and/or more effective than conventional techniques: A systematic review. <i>Clinical Oral Implants Research</i> , <b>2018</b> , 29 Suppl 18, 184-195	4.8	32
113	Number of implants placed for complete-arch fixed prostheses: A systematic review and meta-analysis. <i>Clinical Oral Implants Research</i> , <b>2018</b> , 29 Suppl 16, 154-183	4.8	21
112	Conformity, reliability and validity of digital dental models created by clinical intraoral scanning and extraoral plaster model digitization workflows. <b>2018</b> , 100, 114-122		9
111	Accuracy of 3-dimensional computer-aided manufactured single-tooth implant definitive casts. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 120, 913-918	4	25
110	Accuracy of Implant Casts Generated with Conventional and Digital Impressions-An In Vitro Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	15
109	Digital tools and 3D printing technologies integrated into the workflow of restorative treatment: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 3-8	4	32
108	Accuracy of digital impressions for implant-supported complete-arch prosthesis, using an auxiliary geometry part-An in vitro study. <i>Clinical Oral Implants Research</i> , <b>2019</b> , 30, 1250-1258	4.8	13
107	Integrated Digital and Conventional Treatment Workflow in Guided Complete Mouth Implant Rehabilitation: A Clinical Case Report. <i>Dentistry Journal</i> , <b>2019</b> , 7,	3.1	1
106	Digital Implant Surgery. <b>2019</b> , 181-205		
105	Intrasubject comparison of digital vs. conventional workflow for screw-retained single-implant crowns: Prosthodontic and patient-centered outcomes. <i>Clinical Oral Implants Research</i> , <b>2019</b> , 30, 892-902	4.8	16
104	Is It Cost Effective to Add an Intraoral Scanner to an Oral and Maxillofacial Surgery Practice?. <b>2019</b> , 77, 1687-1694		11
103	Accuracy of 3D digital modeling of dental arches. <b>2019</b> , 24, 38e1-37e7		13
102	Digital Workflow of Auricular Rehabilitation: A Technical Report Using an Intraoral Scanner. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, 596-600	3.9	15
101	Implant impression accuracy of parallel and non-parallel implants: a comparative in-vitro analysis of open and closed tray techniques. <i>International Journal of Implant Dentistry</i> , <b>2019</b> , 5, 4	2.8	5

100	Workflow description of additively manufactured clear silicone indexes for injected provisional restorations: A novel technique. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2019</b> , 31, 213-221	3.5	12
99	Dynamic changes of peri-implant soft tissue after interim restoration removal during a digital intraoral scan. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 122, 288-294	4	9
98	Digital Workflows in the Management of the Esthetically Discriminating Patient. <b>2019</b> , 63, 331-344		9
97	A prospective clinical study on implant impression accuracy. <i>International Journal of Implant Dentistry</i> , <b>2019</b> , 5, 38	2.8	0
96	Accuracy of Intra-Oral Scans Compared to Conventional Impression in Vitro. <b>2019</b> , 8, 34-39		3
95	A new method to measure the accuracy of intraoral scanners along the complete dental arch: A pilot study. <i>Journal of Advanced Prosthodontics</i> , <b>2019</b> , 11, 331-340	2.2	4
94	Trueness of CAD/CAM digitization with a desktop scanner - an in vitro study. <i>BMC Oral Health</i> , <b>2019</b> , 19, 280	3.7	7
93	Comparative study of all-ceramic crowns obtained from conventional and digital impressions: clinical findings. <i>Clinical Oral Investigations</i> , <b>2019</b> , 23, 1745-1751	4.2	11
92	Facially generated and additively manufactured baseplate and occlusion rim for treatment planning a complete-arch rehabilitation: A dental technique. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 741-745	4	16
91	An implant impression technique involving abutment transition from interim prostheses to definitive restorations in the esthetic zone. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 561-565	4	
90	The effect of conventional, half-digital, and full-digital fabrication techniques on the retention and apical gap of post and core restorations. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 364.e1-364.e6	4	4
89	Performance and perception of dental students using three intraoral CAD/CAM scanners for full-arch scanning. <i>Journal of Prosthodontic Research</i> , <b>2019</b> , 63, 167-172	4.3	12
88	Dimensional Accuracy of Surgical Guides Fabricated from Different Materials Using 3D Printer. <i>Lecture Notes in Networks and Systems</i> , <b>2019</b> , 805-813	0.5	
87	Accuracy of 3-unit fixed dental prostheses fabricated on 3D-printed casts. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 123, 135-142	4	18
86	Prosthodontics dental materials: From conventional to unconventional. <i>Materials Science and Engineering C</i> , <b>2020</b> , 106, 110167	8.3	15
85	Accuracy of 3D Printed Models Created by Two Technologies of Printers with Different Designs of Model Base. <i>Journal of Prosthodontics</i> , <b>2020</b> , 29, 124-128	3.9	39
84	A clinical comparison of digital and conventional impression techniques regarding finish line locations and impression time. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2020</b> , 32, 236-243	3.5	7
83	Guided implant scanning: A procedure for improving the accuracy of implant-supported complete-arch fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 135-139	4	5



82	In vitro evaluation of the accuracy and precision of intraoral and extraoral complete-arch scans. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 126, 665-670	4	8
81	Dimensional accuracy and surface characteristics of 3D-printed dental casts. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 126, 427-437	4	11
80	Clinical Evaluation of Time Efficiency and Fit Accuracy of Lithium Disilicate Single Crowns between Conventional and Digital Impression. <i>Materials</i> , <b>2020</b> , 13,	3.5	4
79	Comparative Evaluation of Digitization of Diagnostic Dental Cast (Plaster) Models Using Different Scanning Technologies. <i>Dentistry Journal</i> , <b>2020</b> , 8,	3.1	3
78	Comparison of different intraoral scanning techniques on the completely edentulous maxilla: An in vitro 3-dimensional comparative analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 762.e1-762.e8	4	5
77	Immediate Implant Placement and Provisionalization in the Esthetic Zone Revisited: The Marginal Migration Concept (MMC). <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 8944	2.6	
76	Learning curve of digital intraoral scanning - an in vivo study. <i>BMC Oral Health</i> , <b>2020</b> , 20, 287	3.7	11
75	Digital Intraoral Scanners and Alginate Impressions in Reproducing Full Dental Arches: A Comparative 3D Assessment. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 7637	2.6	1
74	Evaluation of the accuracy of 2 digital intraoral scanners: A 3D analysis study. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 126, 787-792	4	3
73	Effect of saliva isolation and intraoral light levels on performance of intraoral scanners. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2020</b> , 158, 759-766	2.1	3
72	Graphene oxide-coated porous titanium for pulp sealing: an antibacterial and dentino-inductive restorative material. <i>Journal of Materials Chemistry B</i> , <b>2020</b> , 8, 5606-5619	7.3	16
71	Digital Undergraduate Education in Dentistry: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	38
70	Evaluation of the accuracy of the optical scanners used in the modern dental practice. <i>Journal of Physics: Conference Series</i> , <b>2020</b> , 1492, 012017	0.3	0
69	Patient and Operator Centered Outcomes in Implant Dentistry: Comparison between Fully Digital and Conventional Workflow for Single Crown and Three-Unit Fixed-Bridge. <i>Materials</i> , <b>2020</b> , 13,	3.5	2
68	Marginal fit of zirconia copings fabricated after conventional impression making and digital scanning: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 223.e1-223.e6	4	7
67	Effect of distance between the abutment and the adjacent teeth on intraoral scanning: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 911-917	4	4
66	Comparison of conventional, photogrammetry, and intraoral scanning accuracy of complete-arch implant impression procedures evaluated with a coordinate measuring machine. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 470-478	4	13
65	Volumetric changes at implant sites: A systematic appraisal of traditional methods and optical scanning-based digital technologies. <i>Journal of Clinical Periodontology</i> , <b>2021</b> , 48, 315-334	7.7	7



64	The dentist will scan you now: The next generation of digital-savvy graduates. <i>European Journal of Dental Education</i> , <b>2021</b> , 25, 232-237	2.5	2
63	Use of measuring gauges for accuracy analysis of intraoral scanners: a pilot study. <i>Journal of Advanced Prosthodontics</i> , <b>2021</b> , 13, 191-204	2.2	0
62	Effects of inter-implant distance on the accuracy of intraoral scanner: An study. <i>Journal of Advanced Prosthodontics</i> , <b>2021</b> , 13, 107-116	2.2	1
61	Accuracy of impressions for multiple implants: A comparative study of digital and conventional techniques. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	0
60	Accuracy and feasibility of 3D-printed custom open trays for impressions of multiple implants: A self-controlled clinical trial. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	
59	A clinical study comparing digital scanning and conventional impression making for implant-supported prostheses: A crossover clinical trial. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	4
58	Complete-Arch Accuracy of Four Intraoral Scanners: An In Vitro Study. <i>Healthcare (Switzerland)</i> , <b>2021</b> , 9,	3.4	4
57	Effect of Impression Technique and Operator Experience on Impression Time and Operator-Reported Outcomes. <i>Journal of Prosthodontics</i> , <b>2021</b> , 30, 676-683	3.9	1
56	Students' perceptions and attitudes about digital dental technology is associated with their intention to use it. <i>Journal of Dental Education</i> , <b>2021</b> , 85, 1427-1434	1.6	0
55	Accuracy of implant impression techniques with a scannable healing abutment. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	0
54	Trueness of a device for intraoral scanning to capture the angle and distance between implants in edentulous mandibular arches. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	2
53	The Effects of Orthodontic Brackets on the Time and Accuracy of Digital Impression Taking. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	1
52	Clinical Evaluation of Crestal Bone Levels, Peri-Implant Indices, and Mucosal Margin Position of Immediately Impressed Posterior Dental Implants: A Cross-Sectional Study. <i>Journal of Prosthodontics</i> , <b>2021</b> , 30, 763-768	3.9	0
51	Time Efficiency of Digitally and Conventionally Produced Single-Unit Restorations. <i>Dentistry Journal</i> , <b>2021</b> , 9,	3.1	
50	Randomized Clinical Trial comparing clinical adjustment times of CAD/CAM screw-retained posterior crowns on ti-base abutments created with digital or conventional impressions. One-year follow-up. <i>Clinical Oral Implants Research</i> , <b>2021</b> , 32, 962-970	4.8	1
49	Concepts and Clinical Applications of Intraoral 3D Scanning in the Management of Patients with Orofacial Clefts.		
48	Effect of training on time efficiency and marginal adaptation of computer-aided design/computer-aided manufacturing crowns among dental students. <i>European Journal of Dental Education</i> , <b>2021</b> ,	2.5	0
47	Dental students' preference and perception on intraoral scanning and impression making. <i>BMC Medical Education</i> , <b>2021</b> , 21, 501	3.3	1

46	Intraoral scanning reduces procedure time and improves patient comfort in fixed prosthodontics and implant dentistry: a systematic review. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 6517-6531	4.2	2
45	Investigation of the deviation during the information transfer from the prosthetic field to the laboratory scanners. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2021</b> , 1056, 012010	0.4	
44	A completely digital workflow for the transition from a failed dentition to interim complete-arch fixed implant-supported prostheses: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> ,	4	0
43	Comparison of the accuracy of intraoral scans between complete-arch scan and quadrant scan. <i>Progress in Orthodontics</i> , <b>2020</b> , 21, 36	3.4	15
42	The impact of impression coping geometrical design on accuracy of implant impressions: an experimental study. <i>International Journal of Implant Dentistry</i> , <b>2020</b> , 6, 54	2.8	1
41	Accuracy comparison of buccal bite scans by five intra-oral scanners. <i>Journal of Dental Rehabilitation and Applied Science</i> , <b>2018</b> , 34, 17-31	0.2	4
40	Comparison of Intraoral and Extraoral Digital Scanners: Evaluation of Surface Topography and Precision. <i>Dentistry Journal</i> , <b>2020</b> , 8,	3.1	6
39	Clinical accuracy of impression technique using digital superimposition of customized abutment with subgingival margin: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2020</b> , 58, 169	0.2	1
38	Comparison of Digital and Conventional Impression Methods by Preclinical Students: Efficiency and Future Expectations. <i>Journal of International Society of Preventive and Community Dentistry</i> , <b>2020</b> , 10, 402-409	1.1	4
37	Making Teeth Models using 3-axis CNC Milling. <i>Transactions of Materials Processing</i> , <b>2014</b> , 23, 16-22		
36	Digital Implant Abutment and Crowns in the Aesthetic Zone. <b>2017</b> , 369-382		
35	Implant Digital Impression with Intraoral Scanners: A Literature Review. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2017</b> , 21, 2-13	0.3	3
34	3D scanners in orthodontics. <i>Czech Stomatology and Practical Dentistry</i> , <b>2018</b> , 118, 13-24	0	
33	The Effect of the Scanning Number on Accuracy of Digital Impression. <b>2019</b> , 38-41		0
32	A study on the accuracy evaluation of dental die models manufactured by 3D printing method. <i>Journal of Korean Academy of Dental Technology</i> , <b>2019</b> , 41, 287-293	0.3	
31	Patient-related outcomes of conventional impression making versus intraoral scanning for prosthetic rehabilitation: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	0
30	Implant Digital Impression with Intraoral Scanners: A Literature Review Implant Digital Impression with Intraoral Scanners: A Literature Review. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2017</b> , 21, 2-13	0.3	
29	Current Digital Workflow for Implant Therapy: Advantages and Limitations. <b>2021</b> , 79-113		

28	[Precise tooth preparation technique guided by 3D printing guide plate with quantitative hole]. <i>Hua Xi Kou Qiang Yi Xue Za Zhi = Huaxi Kouqiang Yixue Zazhi = West China Journal of Stomatology</i> , <b>2020</b> , 38, 350-355		1
27	Pink Esthetic Score Immediate Impressed Implants Clinical Evaluation of Pink Esthetic Score of Immediately Impressed Posterior Dental Implants.. <i>Journal of Prosthodontics</i> , <b>2022</b> ,	3.9	
26	Effect of Implant Angulation on the Rotational Displacement of a 3-Unit Bridge after Digital Impression.. <i>International Journal of Dentistry</i> , <b>2022</b> , 2022, 8634091	1.9	
25	An In-Vitro Evaluation of Articulation Accuracy for Digitally Milled Models vs. Conventional Gypsum Casts.. <i>Dentistry Journal</i> , <b>2022</b> , 10,	3.1	0
24	Cone-Beam Angle Dependency of 3D Models Computed from Cone-Beam CT Images.. <i>Sensors</i> , <b>2022</b> , 22,	3.8	1
23	Accuracy of Digital Dental Implants Impression Taking with Intraoral Scanners Compared with Conventional Impression Techniques: A Systematic Review of In Vitro Studies.. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19,	4.6	1
22	Influence of customized over-scan body rings on the intraoral scanning effectiveness of a multiple implant edentulous mandibular model.. <i>Journal of Dentistry</i> , <b>2022</b> , 104095	4.8	0
21	Effect of the implant-supported provisional restoration on the accuracy of digital peri-implant mucosa replication - a clinical study.. <i>Clinical Oral Implants Research</i> , <b>2022</b> ,	4.8	0
20	Impact of orthodontic brackets on intraoral and extraoral scans.. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2022</b> ,	2.1	0
19	Positional trueness of abutments by using a digital die-merging protocol compared with complete arch direct digital scans and conventional dental impressions.. <i>Journal of Prosthetic Dentistry</i> , <b>2022</b> ,	4	0
18	Biomedical Devices: Materials, Fabrication and Control. <i>Intelligent Systems, Control and Automation: Science and Engineering</i> , <b>2022</b> , 195-219	0.6	
17	Digital intraoral scanner devices: a validation study based on common evaluation criteria.. <i>BMC Oral Health</i> , <b>2022</b> , 22, 140	3.7	1
16	Effect of custom abutment data superimposition on the accuracy of implant abutment level scanning: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2022</b> ,	4	
15	Effect of scanning speed, scanning pattern, and tip size on the accuracy of intraoral digital scans. <i>Journal of Prosthetic Dentistry</i> , <b>2022</b> ,	4	0
14	Accuracy between intraoral and extraoral scanning: Three-dimensional deviation and effect of distance between implants from two scanning methods. <i>Journal of Indian Prosthodontic Society, The</i> , <b>2022</b> , 22, 279	1.2	
13	The Effect of Scanning Strategy on Intraoral Scanner Accuracy. <i>Dentistry Journal</i> , <b>2022</b> , 10, 123	3.1	0
12	Experience of Saudi Dental Practitioners with Intraoral Scanners.		
11	The Potential of Digital Impression in Orthodontics. <b>2022</b> , 10, 147		0

- 10 Miths and solutions in digital dental impression. **2022**, 9, 025-027 ○
- 9 Comparative analysis of intaglio surface trueness of cement-retained implant-supported prostheses generated by a cast-free digital workflow and a three-dimensionally printed cast workflow. **2022**, ○
- 8 Influence of digital implant analog design on the positional trueness of an analog in additively manufactured models: An in-vitro study. ○
- 7 Procedure Time and Students' Perception Comparing Full Arch Digital Scans with Conventional Impressions: A Cross-Over Randomized Experimental Trial. **2022**, 2022, 1-7 1
- 6 In Vivo Analysis of Intraoral Scanner Precision Using Open-Source 3D Software. **2022**, 4, 554-563 ○
- 5 Occlusal adjustment of 3-unit tooth-supported fixed dental prostheses fabricated with complete-digital and -analog workflows: a non-randomized crossover clinical trial. **2022**, 104365 ○
- 4 Effect of finish line location and saliva contamination on the accuracy of crown finish line scanning. ○
- 3 A Prospective Randomized Controlled Study of Indirect Fiber-reinforced Composite Resin-bonded Bridges with New Clinical Techniques. **2023**, 12, 54-58 ○
- 2 Full mouth implant-supported fixed prosthesis restoration of an edentulous maxillary patient using computer-guided implant surgery. **2023**, 61, 63 ○
- 1 Accuracy of tooth-implant impressions: Comparison of five different techniques. ○