

CITATION REPORT

List of articles citing

Diet-induced obesity promotes depressive-like behaviour that is associated with neural adaptations in brain reward circuitry

DOI: 10.1038/ijo.2012.48

International Journal of Obesity, 2013, 37, 382-9.

Source: <https://exaly.com/paper-pdf/54745295/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
291	Anti-obesity effect of kimchi fermented with <i>Weissella koreensis</i> OK1-6 as starter in high-fat diet-induced obese C57BL/6J mice. 2012 , 113, 1507-16		83
290	Reversal of dopamine system dysfunction in response to high-fat diet. 2013 , 21, 2513-21		47
289	Factors influencing behavior in the forced swim test. <i>Physiology and Behavior</i> , 2013 , 118, 227-39	3.5	223
288	Methylphenidate prevents high-fat diet (HFD)-induced learning/memory impairment in juvenile mice. <i>Psychoneuroendocrinology</i> , 2013 , 38, 1553-64	5	86
287	Streptozotocin-induced diabetes partially attenuates the effects of a high-fat diet on liver and brain fatty acid composition in mice. 2013 , 48, 939-48		10
286	Nutritional controls of food reward. 2013 , 37, 260-268		12
285	Prolonged diet induced obesity has minimal effects towards brain pathology in mouse model of cerebral amyloid angiopathy: implications for studying obesity-brain interactions in mice. 2013 , 1832, 1456-62		15
284	A high-fat diet or galanin in the PVN decreases phosphorylation of CREB in the nucleus accumbens. <i>Neuroscience</i> , 2013 , 248, 61-6	3.9	7
283	The p66(Shc) gene paves the way for healthspan: evolutionary and mechanistic perspectives. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 790-802	9	32
282	Reduced anticipatory dopamine responses to food in rats exposed to high fat during early development. <i>International Journal of Obesity</i> , 2013 , 37, 885-8	5.5	9
281	Diet-regulated anxiety. 2013 , 2013, 701967		16
280	Metabolic disturbances connecting obesity and depression. <i>Frontiers in Neuroscience</i> , 2013 , 7, 177	5.1	179
279	Effect of cafeteria diet history on cue-, pellet-priming-, and stress-induced reinstatement of food seeking in female rats. <i>PLoS ONE</i> , 2014 , 9, e102213	3.7	11
278	Optogenetic and chemogenetic insights into the food addiction hypothesis. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 57	3.5	22
277	Diet and exercise orthogonally alter the gut microbiome and reveal independent associations with anxiety and cognition. 2014 , 9, 36		184
276	Chronic high-fat diet increases acute neuroendocrine stress response independently of prenatal dexamethasone treatment in male rats. 2014 , 26, 8-18		19
275	Stress-induced endocrine response and anxiety: the effects of comfort food in rats. <i>Stress</i> , 2014 , 17, 211-8		19

274	Neuropsychiatric comorbidity in obesity: role of inflammatory processes. 2014 , 5, 74		107
273	QCM-4, a serotonergic type 3 receptor modulator attenuates depression co-morbid with obesity in mice: an approach based on behavioral and biochemical investigations. 2014 , 740, 611-8		16
272	Early experiences: building up the tools to face the challenges of adult life. 2014 , 56, 1661-74		28
271	Obesity attenuates D2 autoreceptor-mediated inhibition of putative ventral tegmental area dopaminergic neurons. 2014 , 2, e12004		12
270	Protein quality and the protein to carbohydrate ratio within a high fat diet influences energy balance and the gut microbiota in C57BL/6J mice. <i>PLoS ONE</i> , 2014 , 9, e88904	3-7	57
269	Exposure to a high-fat high-sugar diet causes strong up-regulation of proopiomelanocortin and differentially affects dopamine D1 and D2 receptor gene expression in the brainstem of rats. 2014 , 559, 18-23		12
268	An application of Pavlovian principles to the problems of obesity and cognitive decline. 2014 , 108, 172-84		64
267	Diet-induced obesity progressively alters cognition, anxiety-like behavior and lipopolysaccharide-induced depressive-like behavior: focus on brain indoleamine 2,3-dioxygenase activation. <i>Brain, Behavior, and Immunity</i> , 2014 , 41, 10-21	16.6	145
266	Effect of a selective cyclooxygenase type 2 inhibitor celecoxib on depression associated with obesity in mice: an approach using behavioral tests. 2014 , 39, 1395-402		11
265	Chronic low-grade inflammation in metabolic disorders: relevance for behavioral symptoms. 2014 , 21, 95-101		81
264	Ondansetron attenuates depression co-morbid with obesity in obese mice subjected to chronic unpredictable mild stress; an approach using behavioral battery tests. <i>Metabolic Brain Disease</i> , 2014 , 29, 701-10	3.9	22
263	If Certain Foods are Addictive, How Might this Change the Treatment of Compulsive Overeating and Obesity?. 2014 , 1, 89-95		61
262	Mood, food, and obesity. 2014 , 5, 925		194
261	Mesolimbic dopamine and its neuromodulators in obesity and binge eating. 2015 , 20, 574-83		40
260	Associations between lifestyle behaviours and optimal wellbeing in a diverse sample of New Zealand adults. 2016 , 16, 62		23
259	Incidental rewarding cues influence economic decisions in people with obesity. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 278	3-5	22
258	Role of neuroinflammation in the emotional and cognitive alterations displayed by animal models of obesity. <i>Frontiers in Neuroscience</i> , 2015 , 9, 229	5-1	110
257	Effects of palatable cafeteria diet on cognitive and noncognitive behaviors and brain neurotrophins' levels in mice. <i>Metabolic Brain Disease</i> , 2015 , 30, 1073-82	3-9	27

256	Is there a "metabolic-mood syndrome"? A review of the relationship between obesity and mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 52, 89-104	9	185
255	The effect of maternal body condition on in vivo production of zygotes and behavior of delivered offspring in mice. 2015 , 83, 577-89		11
254	The effect of the anabolic steroid, nandrolone, in conditioned place preference and D1 dopamine receptor expression in adolescent and adult mice. 2015 , 113, 81-5		9
253	Ondansetron attenuates co-morbid depression and anxiety associated with obesity by inhibiting the biochemical alterations and improving serotonergic neurotransmission. 2015 , 136, 107-16		21
252	Mechanisms linking depression co-morbid with obesity: An approach for serotonergic type 3 receptor antagonist as novel therapeutic intervention. 2015 , 17, 3-9		10
251	Changes in mu-opioid receptor expression and function in the mesolimbic system after long-term access to a palatable diet. 2015 , 154, 110-9		15
250	Body composition and behaviour in adult rats are influenced by maternal diet, maternal age and high-fat feeding. 2015 , 4, e3		6
249	Juvenile obesity enhances emotional memory and amygdala plasticity through glucocorticoids. 2015 , 35, 4092-103		66
248	Neurochemical and electrophysiological deficits in the ventral hippocampus and selective behavioral alterations caused by high-fat diet in female C57BL/6 mice. <i>Neuroscience</i> , 2015 , 297, 170-81	3.9	60
247	Diet-induced obesity and diet-resistant rats: differences in the rewarding and anorectic effects of D-amphetamine. 2015 , 232, 3215-26		23
246	Hippocampal insulin resistance and cognitive dysfunction. 2015 , 16, 660-71		313
245	Gut brain axis: diet microbiota interactions and implications for modulation of anxiety and depression. 2015 , 32, 35-41		179
244	Integrated circuits and molecular components for stress and feeding: implications for eating disorders. 2015 , 14, 85-97		30
243	QCM-4, a 5-HT _{1A} receptor antagonist ameliorates plasma HPA axis hyperactivity, leptin resistance and brain oxidative stress in depression and anxiety-like behavior in obese mice. 2015 , 456, 74-9		19
242	Hippocampal GSK3 β is a Molecular Link Between Obesity and Depression. 2015 , 52, 363-74		29
241	The Effects of Dietary Fat and Iron Interaction on Brain Regional Iron Contents and Stereotypical Behaviors in Male C57BL/6J Mice. <i>Frontiers in Nutrition</i> , 2016 , 3, 20	6.2	6
240	High-fat diet feeding alters olfactory-, social-, and reward-related behaviors of mice independent of obesity. 2016 , 24, 886-94		47
239	Behavioural effects of high fat diet in a mutant mouse model for the schizophrenia risk gene neuregulin 1. 2016 , 15, 295-304		6

238	Nociceptin receptor antagonist SB 612111 decreases high fat diet binge eating. 2016 , 307, 25-34		23
237	Dopamine signalling adaptations by prolonged high-fat feeding. 2016 , 9, 136-143		15
236	Increased intake of fat and cholesterol as a pathogenetic factor of depression: A possible molecular mechanism. 2016 , 10, 26-33		1
235	Behavioral consequences of exposure to a high fat diet during the post-weaning period in rats. <i>Hormones and Behavior</i> , 2016 , 85, 56-66	3-7	17
234	A physiological characterization of the Cafeteria diet model of metabolic syndrome in the rat. <i>Physiology and Behavior</i> , 2016 , 167, 382-391	3-5	56
233	MicroRNA Regulators of Anxiety and Metabolic Disorders. 2016 , 22, 798-812		33
232	High-fat diet-induced metabolic disorders impairs 5-HT function and anxiety-like behavior in mice. 2016 , 173, 2095-110		86
231	HPA Axis Interactions with Behavioral Systems. 2016 , 6, 1897-1934		28
230	Indications for Surgery for Obesity and Weight-Related Diseases: Position Statements from the International Federation for the Surgery of Obesity and Metabolic Disorders (IFSO). 2016 , 26, 1659-96		158
229	The Effect of Maternal Overnutrition on Reward and Anxiety in Offspring. 2016 , 187-200		
228	Association between energy drink intake, sleep, stress, and suicidality in Korean adolescents: energy drink use in isolation or in combination with junk food consumption. 2016 , 15, 87		58
227	MT-diet demo: Demonstration of automated smartphone based diet assessment system. 2016 ,		1
226	Mild Depressive Symptoms Among Americans in Relation to Physical Activity, Current Overweight/Obesity, and Self-Reported History of Overweight/Obesity. 2016 , 23, 553-60		9
225	Emotional profile of female rats showing binge eating behavior. <i>Physiology and Behavior</i> , 2016 , 163, 136-143		9
224	Effect of high-fat diets on mood and learning performance in adolescent mice. 2016 , 311, 167-172		33
223	Hydrolase Domain 6 Deletion Induces Adipose Browning and Prevents Obesity and Type 2 Diabetes. 2016 , 14, 2872-88		47
222	Pioglitazone, a PPAR α agonist rescues depression associated with obesity using chronic unpredictable mild stress model in experimental mice. 2016 , 3, 114-121		23
221	High-Fat Diet Induced Anxiety and Anhedonia: Impact on Brain Homeostasis and Inflammation. 2016 , 41, 1874-87		159

220	Differential effects of a short-term high-fat diet in an animal model of depression in rats treated with the 5-HT ₃ receptor antagonist, ondansetron, the 5-HT ₃ receptor agonist, 2-methyl-5-HT, and the SSRI, fluoxetine. 2016 , 144, 78-84		8
219	Thiodorexin-2 overexpression fails to rescue chronic high calorie diet induced hippocampal dysfunction. <i>Experimental Neurology</i> , 2016 , 275 Pt 1, 126-32	5.7	2
218	Time-dependent behavioral, neurochemical, and metabolic dysregulation in female C57BL/6 mice caused by chronic high-fat diet intake. <i>Physiology and Behavior</i> , 2016 , 157, 196-208	3.5	45
217	Central Agonism of GPR120 Acutely Inhibits Food Intake and Food Reward and Chronically Suppresses Anxiety-Like Behavior in Mice. 2016 , 19,		35
216	Stop signs in hippocampal insulin signaling: the role of insulin resistance in structural, functional and behavioral deficits. 2016 , 9, 47-54		30
215	Enhanced vulnerability to tobacco use in persons with diabetes: A behavioral and neurobiological framework. 2016 , 65, 288-96		15
214	Dampened Mesolimbic Dopamine Function and Signaling by Saturated but not Monounsaturated Dietary Lipids. 2016 , 41, 811-21		69
213	High-fat diet exacerbates cognitive rigidity and social deficiency in the BTBR mouse model of autism. <i>Neuroscience</i> , 2017 , 345, 142-154	3.9	31
212	Addiction-like Synaptic Impairments in Diet-Induced Obesity. <i>Biological Psychiatry</i> , 2017 , 81, 797-806	7.9	56
211	The relationship between emotional regulation and eating behaviour: a multidimensional analysis of obesity psychopathology. 2017 , 22, 105-115		41
210	Role of Adiposity-Driven Inflammation in Depressive Morbidity. 2017 , 42, 115-128		88
209	Vitamin D administration, cognitive function, BBB permeability and neuroinflammatory factors in high-fat diet-induced obese rats. <i>International Journal of Obesity</i> , 2017 , 41, 639-644	5.5	38
208	Novel 5-HT receptor antagonist QCM-4 attenuates depressive-like phenotype associated with obesity in high-fat-diet-fed mice. 2017 , 234, 1165-1179		10
207	Leptin resistance and hippocampal behavioral deficits. <i>Physiology and Behavior</i> , 2017 , 176, 207-213	3.5	57
206	Saturated high-fat feeding independent of obesity alters hypothalamus-pituitary-adrenal axis function but not anxiety-like behaviour. <i>Psychoneuroendocrinology</i> , 2017 , 83, 142-149	5	30
205	Endocannabinoid modulation of homeostatic and non-homeostatic feeding circuits. 2017 , 124, 38-51		47
204	Stress & the gut-brain axis: Regulation by the microbiome. 2017 , 7, 124-136		450
203	A high fat diet-induced decrease in hippocampal newly-born neurons of male mice is exacerbated by mild psychological stress using a Communication Box. 2017 , 209, 209-216		12

202	Effects of Hypericum Scabrum extract on anxiety and oxidative stress biomarkers in rats fed a long-term high-fat diet. <i>Metabolic Brain Disease</i> , 2017 , 32, 503-511	3.9	23
201	Impacts of Maternal High-Fat Diet on Stress-Related Behaviour and the Endocrine Response to Stress in Offspring. 2017 , 213-225		2
200	Simvastatin and Bezafibrate ameliorate Emotional disorder Induced by High fat diet in C57BL/6 mice. 2017 , 7, 2335		17
199	Animal inflammation-based models of depression and their application to drug discovery. 2017 , 12, 995-1009		43
198	Diets rich in saturated fat and fructose induce anxiety and depression-like behaviours in the rat: is there a role for lipid peroxidation?. 2017 , 98, 296-306		26
197	The cannabinoid ligand LH-21 reduces anxiety and improves glucose handling in diet-induced obese pre-diabetic mice. 2017 , 7, 3946		16
196	Withania somnifera leaf alleviates cognitive dysfunction by enhancing hippocampal plasticity in high fat diet induced obesity model. 2017 , 17, 136		28
195	Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. 2017 , 174, 227-234		20
194	The effect of high-fat diet consumption on appetitive instrumental behavior in rats. <i>Appetite</i> , 2017 , 108, 203-211	4.5	27
193	Effects of bingeing on fat during adolescence on the reinforcing effects of cocaine in adult male mice. 2017 , 113, 31-44		26
192	Behavioral changes in male mice fed a high-fat diet are associated with IL-1 β expression in specific brain regions. <i>Physiology and Behavior</i> , 2017 , 169, 130-140	3.5	85
191	Cognitive-Behavioral Management of Obesity. 2017 , 37-63		
190	Sex-specific effects of docosahexaenoic acid (DHA) on the microbiome and behavior of socially-isolated mice. <i>Brain, Behavior, and Immunity</i> , 2017 , 59, 38-48	16.6	57
189	Chronic psychological stress and high-fat high-fructose diet disrupt metabolic and inflammatory gene networks in the brain, liver, and gut and promote behavioral deficits in mice. <i>Brain, Behavior, and Immunity</i> , 2017 , 59, 158-172	16.6	53
188	Association between dietary patterns and mental disorders in pregnant women in Southern Brazil. 2017 , 39, 208-215		16
187	The Relationship between Fatty Acids and Different Depression-Related Brain Regions, and Their Potential Role as Biomarkers of Response to Antidepressants. <i>Nutrients</i> , 2017 , 9,	6.7	37
186	Dopamine Adaptations as a Common Pathway for Neurocognitive Impairment in Diabetes and Obesity: A Neuropsychological Perspective. <i>Frontiers in Neuroscience</i> , 2017 , 11, 134	5.1	16
185	Withania somnifera as a potential candidate to ameliorate high fat diet-induced anxiety and neuroinflammation. <i>Journal of Neuroinflammation</i> , 2017 , 14, 201	10.1	16

184	Adipocyte cannabinoid receptor CB1 regulates energy homeostasis and alternatively activated macrophages. <i>Journal of Clinical Investigation</i> , 2017 , 127, 4148-4162	15.9	87
183	Unlimited sucrose consumption during adolescence generates a depressive-like phenotype in adulthood. 2018 , 43, 2627-2635		10
182	An Electronic Ecological Momentary Assessment Study to Examine the Consumption of High-Fat/High-Sugar Foods, Fruits/Vegetables, and Affective States Among Women. 2018 , 50, 626-631		13
181	BDNF effects on dendritic spine morphology and hippocampal function. 2018 , 373, 729-741		75
180	Nucleus accumbens inflammation mediates anxiodepressive behavior and compulsive sucrose seeking elicited by saturated dietary fat. 2018 , 10, 1-13		41
179	Pattern of access determines influence of junk food diet on cue sensitivity and palatability. <i>Appetite</i> , 2018 , 123, 135-145	4.5	7
178	High-fat diet-induced hyperglutamatergic activation of the hippocampus in mice: A proton magnetic resonance spectroscopy study at 9.4T. <i>Neurochemistry International</i> , 2018 , 114, 10-17	4.4	8
177	The Link Between Obesity and Depression: Exploring Shared Mechanisms. 2018 , 203-220		
176	Effects of paternal high-fat diet and rearing environment on maternal investment and development of defensive responses in the offspring. <i>Psychoneuroendocrinology</i> , 2018 , 91, 20-30	5	13
175	Carbohydrate-enriched diet predispose to anxiety and depression-like behavior after stress in mice. <i>Nutritional Neuroscience</i> , 2018 , 21, 33-39	3.6	23
174	The role of reward circuitry and food addiction in the obesity epidemic: An update. 2018 , 131, 31-42		81
173	Impact of High-Fat Diet and Early Stress on Depressive-Like Behavior and Hippocampal Plasticity in Adult Male Rats. 2018 , 55, 2740-2753		34
172	No calorie comfort: Viewing and drawing "comfort foods" similarly augment positive mood for those with depression. 2018 , 23, 598-607		2
171	Cafeteria diet and probiotic therapy: cross talk among memory, neuroplasticity, serotonin receptors and gut microbiota in the rat. 2018 , 23, 351-361		62
170	Oxidative stress-induced cognitive impairment in obesity can be reversed by vitamin D administration in rats. <i>Nutritional Neuroscience</i> , 2018 , 21, 744-752	3.6	24
169	Effects of obesity on depression: A role for inflammation and the gut microbiota. <i>Brain, Behavior, and Immunity</i> , 2018 , 69, 1-8	16.6	89
168	Bifidobacterium pseudocatenulatum CECT 7765 Ameliorates Neuroendocrine Alterations Associated with an Exaggerated Stress Response and Anhedonia in Obese Mice. 2018 , 55, 5337-5352		44
167	Piceatannol attenuates behavioral disorder and neurological deficits in aging mice via activating the Nrf2 pathway. 2018 , 9, 371-378		26

166	Normal diet Vs High fat diet - A comparative study: Behavioral and neuroimmunological changes in adolescent male mice. <i>Metabolic Brain Disease</i> , 2018 , 33, 177-190	3.9	40
165	The effect of dietary fat on behavior in mice. 2018 , 17, 297-307		5
164	Influence of High-Fat Diets Consumed During the Juvenile Period on Hippocampal Morphology and Function. 2018 , 12, 439		25
163	Proteomics, metabolomics and metagenomics for type 2 diabetes and its complications. 2018 , 212, 194-202		27
162	Roux-en-Y gastric bypass surgery normalizes dopamine D1, D2, and DAT levels. 2018 , 72, e22058		11
161	Role of Inflammation in Neuropsychiatric Comorbidity of Obesity: Experimental and Clinical Evidence. 2018 , 357-375		2
160	Effects of high fat or high sucrose diet on behavioral-response to social defeat stress in mice. 2018 , 9, 1-8		16
159	Depression in people with type 2 diabetes: current perspectives. 2018 , 11, 333-343		44
158	To Do or Not to Do: Dopamine, Affordability and the Economics of Opportunity. 2018 , 12, 6		9
157	High-fat diet suppresses the astrocytic process arborization and downregulates the glial glutamate transporters in the hippocampus of mice. 2018 , 1700, 66-77		28
156	Influence of sex and estrous cycle on blood glucose levels, body weight gain, and depressive-like behavior in streptozotocin-induced diabetic rats. <i>Physiology and Behavior</i> , 2018 , 194, 560-567	3.5	12
155	Maternal High-fat Diet Programs Offspring Emotional Behavior in Adulthood. <i>Neuroscience</i> , 2018 , 388, 87-101	3.9	31
154	A high-refined carbohydrate diet facilitates compulsive-like behavior in mice through the nitric oxide pathway. 2018 , 80, 61-69		2
153	Brain Kynurenine and BH4 Pathways: Relevance to the Pathophysiology and Treatment of Inflammation-Driven Depressive Symptoms. <i>Frontiers in Neuroscience</i> , 2018 , 12, 499	5.1	33
152	The cytoskeleton in 'couch potato-ism': Insights from a murine model of impaired actin dynamics. <i>Experimental Neurology</i> , 2018 , 306, 34-44	5.7	2
151	Gut microbiota modulate neurobehavior through changes in brain insulin sensitivity and metabolism. 2018 , 23, 2287-2301		109
150	Brain-Derived Neurotrophic Factor in Brain Disorders: Focus on Neuroinflammation. 2019 , 56, 3295-3312		206
149	Modeling and testing compulsive eating behaviors in animals. 2019 , 359-388		1

148	Fat rather than sugar diet leads to binge-type eating, anticipation, effort behavior and activation of the corticolimbic system. <i>Nutritional Neuroscience</i> , 2021 , 24, 508-519	3.6	4
147	Effect of Metformin on Short-Term High-Fat Diet-Induced Weight Gain and Anxiety-Like Behavior and the Gut Microbiota. 2019 , 10, 704		16
146	Expression of neural markers of gustatory signaling are differentially altered by continuous and intermittent feeding patterns. <i>Physiology and Behavior</i> , 2019 , 212, 112719	3.5	2
145	Characterization and stability of pitaya pearls from hydrocolloids by reverse spherification. 2019 , 22, 1353-1364		2
144	Modulation of high fat diet-induced microbiome changes, but not behaviour, by minocycline. <i>Brain, Behavior, and Immunity</i> , 2019 , 82, 309-318	16.6	5
143	Impacts of the late adulthood diet-induced obesity onset on behavior, immune function, redox state and life span of male and female mice. <i>Brain, Behavior, and Immunity</i> , 2019 , 78, 65-77	16.6	8
142	Impact of Free-Choice Diets High in Fat and Different Sugars on Metabolic Outcome and Anxiety-Like Behavior in Rats. 2019 , 27, 409-419		8
141	Sugar in mind: Untangling a sweet and sour relationship beyond type 2 diabetes. 2019 , 54, 100769		9
140	A high-fat diet promotes depression-like behavior in mice by suppressing hypothalamic PKA signaling. <i>Translational Psychiatry</i> , 2019 , 9, 141	8.6	40
139	Impact of Brain Insulin Signaling on Dopamine Function, Food Intake, Reward, and Emotional Behavior. 2019 , 8, 83-91		22
138	Targeting opioid dysregulation in depression for the development of novel therapeutics. 2019 , 201, 51-76		37
137	Insulin Resistance as a Shared Pathogenic Mechanism Between Depression and Type 2 Diabetes. 2019 , 10, 57		54
136	High fat diet induces sex-specific differential gene expression in <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , 2019 , 14, e0213474	3.7	10
135	Stressing the importance of choice: Validity of a preclinical free-choice high-caloric diet paradigm to model behavioural, physiological and molecular adaptations during human diet-induced obesity and metabolic dysfunction. 2019 , 31, e12718		12
134	Selective inhibition of intestinal 5-HT improves neurobehavioral abnormalities caused by high-fat diet mice. <i>Metabolic Brain Disease</i> , 2019 , 34, 747-761	3.9	11
133	GLP-1/dexamethasone inhibits food reward without inducing mood and memory deficits in mice. 2019 , 151, 55-63		11
132	Nutritional psychoneuroimmunology: Is the inflammasome a critical convergence point for stress and nutritional dysregulation?. 2019 , 28, 20-24		3
131	Obesity and Depression: Shared Pathophysiology and Translational Implications. 2019 , 169-183		2

130	Effects of DCM Leaf Extract of (Fresen) on Locomotor Activity, Anxiety, and Exploration-Like Behaviors in High-Fat Diet-Induced Obese Rats. 2019 , 2019, 7359235		11
129	Improving Mental Health for the Mother-Infant Dyad by Nutrition and the Maternal Gut Microbiome. 2019 , 48, 433-445		7
128	Brain 5-HT Deficiency Prevents Antidepressant-Like Effects of High-Fat-Diet and Blocks High-Fat-Diet-Induced GSK3 β Phosphorylation in the Hippocampus. 2019 , 12, 298		6
127	Simvastatin therapy in adolescent mice attenuates HFD-induced depression-like behavior by reducing hippocampal neuroinflammation. 2019 , 243, 83-95		17
126	Sufficient intake of high-fat food attenuates stress-induced social avoidance behavior. 2019 , 219, 219-230		5
125	Grandmaternal high-fat diet primed anxiety-like behaviour in the second-generation female offspring. 2019 , 359, 47-55		38
124	Enhanced anxiety-like behavior emerges with weight gain in male and female obesity-susceptible rats. 2019 , 360, 81-93		14
123	Diabesity and mood disorders: Multiple links through the microbiota-gut-brain axis. 2019 , 66, 80-93		24
122	High-fat diet induces depression-like behaviour in mice associated with changes in microbiome, neuropeptide Y, and brain metabolome. <i>Nutritional Neuroscience</i> , 2019 , 22, 877-893	3.6	77
121	"Comfort-foods" chronic intake has different behavioral and neurobiological effects in male rats exposed or not to early-life stress. 2020 , 11, 18-24		0
120	Saturated fatty acid is a principal cause of anxiety-like behavior in diet-induced obese rats in relation to serum lysophosphatidyl choline level. <i>International Journal of Obesity</i> , 2020 , 44, 727-738	5.5	10
119	Atopic dermatitis induces anxiety- and depressive-like behaviors with concomitant neuronal adaptations in brain reward circuits in mice. 2020 , 98, 109818		12
118	Diet-Induced Modification of the Sperm Epigenome Programs Metabolism and Behavior. <i>Trends in Endocrinology and Metabolism</i> , 2020 , 31, 131-149	8.8	19
117	High-refined carbohydrate diet consumption induces neuroinflammation and anxiety-like behavior in mice. 2020 , 77, 108317		19
116	Clinical Evidence of Antidepressant Effects of Insulin and Anti-Hyperglycemic Agents and Implications for the Pathophysiology of Depression-A Literature Review. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
115	Aqueous extract of pomegranate enriched in ellagitannins prevents anxiety-like behavior and metabolic changes induced by cafeteria diet in an animal model of menopause. <i>Neurochemistry International</i> , 2020 , 141, 104876	4.4	1
114	Association between saturated fatty acid intake and depressive symptoms in midlife women: A prospective study. 2020 , 267, 17-22		5
113	Inflammatory Response, a Key Pathophysiological Mechanism of Obesity-Induced Depression. 2020 , 2020, 8893892		1

112	Metformin: A Prospective Alternative for the Treatment of Chronic Pain. 2020 , 11, 558474		7
111	Dysregulated bile acid receptor-mediated signaling and IL-17A induction are implicated in diet-associated hepatic health and cognitive function. 2020 , 8, 59		5
110	High-fat diet negatively impacts both metabolic and behavioral health in outbred heterogeneous stock rats. 2020 , 52, 379-390		5
109	Crosstalk between the microbiota-gut-brain axis and depression. 2020 , 6, e04097		32
108	Synergistic effects of low-level stress and a Western diet on metabolic homeostasis, mood, and myocardial ischemic tolerance. 2020 , 319, R347-R357		6
107	A cross-sectionally analysis of two dietary quality indices and the mental health profile in female adults. 2020 , 1		1
106	DLK1 Expressed in Mouse Orexin Neurons Modulates Anxio-Depressive Behavior but Not Energy Balance. 2020 , 10,		1
105	Effects of obesity on hippocampus function: Synaptic plasticity hypothesis. 2020 , 19, 100246		3
104	Deletion of Synuclein in Prrx1-positive cells causes partial loss of function in the central nervous system (CNS) but does not affect ovariectomy induced bone loss. 2020 , 137, 115428		1
103	Fish oil supplementation alleviates metabolic and anxiodepressive effects of diet-induced obesity and associated changes in brain lipid composition in mice. <i>International Journal of Obesity</i> , 2020 , 44, 1936-1945 ¹⁵		5.5
102	Treading water: mixed effects of high fat diet on mouse behavior in the forced swim test. <i>Physiology and Behavior</i> , 2020 , 223, 112965	3.5	3
101	Gamma Oryzanol Alleviates High-Fat Diet-Induced Anxiety-Like Behaviors Through Downregulation of Dopamine and Inflammation in the Amygdala of Mice. 2020 , 11, 330		4
100	The Role of the Gut Microbiota in Dietary Interventions for Depression and Anxiety. 2020 , 11, 890-907		38
99	Brain alterations in high fat diet induced obesity: effects of tart cherry seeds and juice. <i>Nutrients</i> , 2020 , 12,	6.7	16
98	Effects of Jian Pi Qu Shi Formula on intestinal bacterial flora in patients with idiopathic membranous nephropathy: A prospective randomized controlled trial. 2020 , 6, 124-133		3
97	Preventive and Therapeutic Effects of Astaxanthin on Depressive-Like Behaviors in High-Fat Diet and Streptozotocin-Treated Rats. 2019 , 10, 1621		8
96	Reduced phasic dopamine release and slowed dopamine uptake occur in the nucleus accumbens after a diet high in saturated but not unsaturated fat. <i>Nutritional Neuroscience</i> , 2020 , 1-13	3.6	6
95	Palmitoylethanolamide counteracts brain fog improving depressive-like behaviour in obese mice: Possible role of synaptic plasticity and neurogenesis. 2021 , 178, 845-859		7

94	Traditional Brazilian diet and extra virgin olive oil reduce symptoms of anxiety and depression in individuals with severe obesity: Randomized clinical trial. 2021 , 40, 404-411		11
93	Potentially obesogenic diets alter metabolic and neurobehavioural parameters in Wistar rats: a comparison between two dietary models. 2021 , 279, 451-461		5
92	Effect and mechanism of high-fat diet on the preference for sweeteners on mice. 2021 , 101, 1844-1853		
91	Early life stress induces hyperactivity but not increased anxiety-like behavior or ethanol drinking in outbred heterogeneous stock rats. <i>Alcohol</i> , 2021 , 91, 41-51	2.7	0
90	Effects of chronic stress on depressive-like behaviors and JMJD3 expression in the prefrontal cortex and hippocampus of C57BL/6 and ob/ob mice. <i>Journal of Psychiatric Research</i> , 2021 , 133, 142-155 ^{5.2}		3
89	Tinospora cordifolia ameliorates brain functions impairments associated with high fat diet induced obesity. <i>Neurochemistry International</i> , 2021 , 143, 104937	4.4	7
88	Maternal cafeteria diet exposure primes depression-like behavior in the offspring evoking lower brain volume related to changes in synaptic terminals and gliosis. <i>Translational Psychiatry</i> , 2021 , 11, 53	8.6	4
87	High-Fat Diet-Induced Weight Gain, Behavioral Deficits, and Dopamine Changes in Young C57BL/6J Mice. <i>Frontiers in Nutrition</i> , 2020 , 7, 591161	6.2	2
86	Association Between Systemic Immune-Inflammation Index and Diabetic Depression. <i>Clinical Interventions in Aging</i> , 2021 , 16, 97-105	4	8
85	Neurobiology and Cognitive Neuroscience of Hedonic Eating. 2021 , 109-125		
84	When behaviour meets biology: if obesity is a chronic medical disease what is obesity management?. <i>Clinical Obesity</i> , 2021 , 11, e12443	3.6	0
83	Dietary and metabolic risk of neuropsychiatric disorders: insights from animal models. <i>British Journal of Nutrition</i> , 2021 , 126, 1771-1787	3.6	2
82	Negative Modulation of the Metabotropic Glutamate Receptor Type 5 as a Potential Therapeutic Strategy in Obesity and Binge-Like Eating Behavior. <i>Frontiers in Neuroscience</i> , 2021 , 15, 631311	5.1	1
81	Understanding how gamification influences consumers' dietary preferences. <i>Journal of Social Marketing</i> , 2021 , 11, 82-123	2.4	2
80	Evaluation of the effectiveness of macaBa palm seed kernel (<i>Acrocomia intumescens</i> drude) on anxiolytic activity, memory preservation and oxidative stress in the brain of dyslipidemic rats. <i>PLoS ONE</i> , 2021 , 16, e0246184	3.7	0
79	Effects of high fat diet-induced obesity and pregnancy on prepartum and postpartum maternal mouse behavior. <i>Psychoneuroendocrinology</i> , 2021 , 126, 105147	5	2
78	Melanocortin Signaling Connecting Systemic Metabolism With Mood Disorders. <i>Biological Psychiatry</i> , 2021 ,	7.9	1
77	AMPK in the gut-liver-brain axis and its influence on OP rats in an HSHF intake and WTD rat model. <i>Pflugers Archiv European Journal of Physiology</i> , 2021 , 473, 1199-1211	4.6	1

76	Obesity and dietary fat influence dopamine neurotransmission: exploring the convergence of metabolic state, physiological stress, and inflammation on dopaminergic control of food intake. <i>Nutrition Research Reviews</i> , 2021 , 1-16	7	4
75	Glutamate and depression: Reflecting a deepening knowledge of the gut and brain effects of a ubiquitous molecule. <i>World Journal of Psychiatry</i> , 2021 , 11, 297-315	3	3
74	Replacing a Palatable High-Fat Diet with a Low-Fat Alternative Heightens μ Opioid Receptor Control over Nucleus Accumbens Dopamine. <i>Nutrients</i> , 2021 , 13,	6.7	1
73	Midbrain and Lateral Nucleus Accumbens Dopamine Depletion Affects Free-choice High-fat high-sugar Diet Preference in Male Rats. <i>Neuroscience</i> , 2021 , 467, 171-184	3.9	1
72	Higher-Order Inputs Involved in Appetite Control. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
71	Anxiety-like behavior in female mice is modulated by STAT3 signaling in midbrain dopamine neurons. <i>Brain, Behavior, and Immunity</i> , 2021 , 95, 391-400	16.6	3
70	Palatable high-fat diet intake influences mnemonic and emotional aspects in female rats in an estrous cycle-dependent manner. <i>Metabolic Brain Disease</i> , 2021 , 36, 1717-1727	3.9	2
69	Central administration of endocannabinoids exerts bimodal effects in food intake of rainbow trout. <i>Hormones and Behavior</i> , 2021 , 134, 105021	3.7	2
68	Salivary bacterial signatures in depression-obesity comorbidity are associated with neurotransmitters and neuroactive dipeptides.		0
67	Crème de la Crêture: Dietary Influences on Behavior in Animal Models. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 746299	3.5	1
66	Influence of HFD-induced precocious puberty on neurodevelopment in mice. <i>Nutrition and Metabolism</i> , 2021 , 18, 86	4.6	0
65	Intergenerational effects of a paternal Western diet during adolescence on offspring gut microbiota, stress reactivity and social behavior.		
64	Prolonged saturated, but not monounsaturated, high-fat feeding provokes anxiodepressive-like behaviors in female mice despite similar metabolic consequences. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 16, 100324	5.1	2
63	The role of microbiota-gut-brain axis in neuropsychiatric and neurological disorders. <i>Pharmacological Research</i> , 2021 , 172, 105840	10.2	17
62	High-fat diet alters stress behavior, inflammatory parameters and gut microbiota in Tg APP mice in a sex-specific manner. <i>Neurobiology of Disease</i> , 2021 , 159, 105495	7.5	1
61	Skin and Psyche: Psychoneuroendocrinoimmunology. 2020 , 9-18		1
60	Effects of DCM leaf Extract of <i>Gnidia glauca</i> (Fresen) on Locomotor Activity, Anxiety and Exploration-Like Behaviors in High Fat Diet-Induced Obese Rats.		1
59	Loss of habenular Prkar2a reduces hedonic eating and increases exercise motivation. <i>JCI Insight</i> , 2020 , 5,	9.9	4

58	Impaired hypocretin/orexin system alters responses to salient stimuli in obese male mice. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4985-4998	15.9	9
57	Insulin regulates astrocyte gliotransmission and modulates behavior. <i>Journal of Clinical Investigation</i> , 2018 , 128, 2914-2926	15.9	81
56	Wild blueberries (<i>Vaccinium myrtillus</i>) alleviate inflammation and hypertension associated with developing obesity in mice fed with a high-fat diet. <i>PLoS ONE</i> , 2014 , 9, e114790	3.7	61
55	Increased anxiety-like behavior is associated with the metabolic syndrome in non-stressed rats. <i>PLoS ONE</i> , 2017 , 12, e0176554	3.7	35
54	The Potential Mechanisms of Exercise-induced Cognitive Protection: A Literature Review. <i>Current Pharmaceutical Design</i> , 2018 , 24, 1827-1831	3.3	8
53	Dietary Patterns: A New Therapeutic Approach for Depression?. <i>Current Pharmaceutical Biotechnology</i> , 2019 , 20, 123-129	2.6	5
52	Stress exposure, food intake and emotional state. <i>Stress</i> , 2015 , 18, 381-99	3	86
51	Ondansetron ameliorates depression associated with obesity in high-fat diet fed experimental mice: An investigation-based on the behavioral, biochemical, and molecular approach. <i>Indian Journal of Pharmacology</i> , 2017 , 49, 290-296	2.5	3
50	The impact of a high-fat diet on physical activity and dopamine neurochemistry in the striatum is sex and strain dependent in C57BL/6J and DBA/2J mice. <i>Nutritional Neuroscience</i> , 2021 , 1-15	3.6	1
49	Coordination of metabolism, arousal, and reward by orexin/hypocretin neurons. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4540-4542	15.9	2
48	The menace of obesity to depression and anxiety prevalence. <i>Trends in Endocrinology and Metabolism</i> , 2021 ,	8.8	5
47	Midbrain and lateral nucleus accumbens dopamine depletion affects free-choice high-fat high-sugar diet preference in male rats.		
46	High fat diet-induced obesity leads to depressive and anxiety-like behaviors in mice via AMPK/mTOR-mediated autophagy.. <i>Experimental Neurology</i> , 2021 , 348, 113949	5.7	2
45	High Fat Diet Blunts Stress-Induced Hypophagia and Activation of Glp1r Dorsal Lateral Septum Neurons in Male but not in Female Mice.		
44	Salivary bacterial signatures in depression-obesity comorbidity are associated with neurotransmitters and neuroactive dipeptides.. <i>BMC Microbiology</i> , 2022 , 22, 75	4.5	1
43	Sex and genetic specific effects on behavioral, but not metabolic, responses to a high fat diet in heterogeneous stock rats.		
42	Longitudinal Evidence of a Vicious Cycle Between Nucleus Accumbens Microstructure and Childhood Weight Gain.. <i>Journal of Adolescent Health</i> , 2022 ,	5.8	0
41	Does obesity put your brain at risk?. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022 , 16, 102444	8.9	0

40	Migraine, Brain Glucose Metabolism and the "Neuroenergetic" Hypothesis: A Scoping Review.. <i>Journal of Pain</i> , 2022 ,	5.2	2
39	Linking dietary fatty acids to mesocorticolimbic networks controlling appetite. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2022 , 24, 100338	1.7	
38	Intergenerational effects of a paternal Western diet during adolescence on offspring gut microbiota, stress reactivity, and social behavior.. <i>FASEB Journal</i> , 2022 , 36, e21981	0.9	0
37	A new experimental design to study inflammation-related versus non-inflammation-related depression in mice.. <i>Journal of Neuroinflammation</i> , 2021 , 18, 290	10.1	1
36	Table_1.DOCX. 2019 ,		
35	DataSheet_1.doc. 2020 ,		
34	Image_1.jpg. 2020 ,		
33	Table_1.docx. 2020 ,		
32	Investigation of Behavior and Plasma Levels of Corticosterone in Restrictive- and Ad Libitum-Fed Diet-Induced Obese Mice.. <i>Nutrients</i> , 2022 , 14,	6.7	
31	Global Proteome Profiling of the Temporal Cortex of Female Rats Exposed to Chronic Stress and the Western Diet.. <i>Nutrients</i> , 2022 , 14,	6.7	
30	Maternal High-Energy Diet during Pregnancy and Lactation Impairs Neurogenesis and Alters the Behavior of Adult Offspring in a Phenotype-Dependent Manner. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5564	6.3	1
29	The impact of obesity-related neuroinflammation on postpartum depression: A narrative review. <i>International Journal of Developmental Neuroscience</i> ,	2.7	1
28	Brain regulation of hunger and motivation: The case for integrating homeostatic and hedonic concepts and its implications for obesity and addiction. <i>Appetite</i> , 2022 , 106146	4.5	0
27	Role of the striatal dopamine, GABA and opioid systems in mediating feeding and fat intake. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 139, 104726	9	0
26	Cognitive profile of male mice exposed to a Ketogenic Diet. <i>Physiology and Behavior</i> , 2022 , 254, 113883	3.5	0
25	Exposure to a hypercaloric diet produces long lasting changes in motivation1.		
24	High fat diet blunts stress-induced hypophagia and activation of Glp1r dorsal lateral septum neurons in male but not in female mice. 2022 , 64, 101571		0
23	IL10/AMPK pathway was associated with the hippocampal anti-inflammatory response to high-sugar and high-fat diet withdrawal.		0

- 22 Exposure to a hypercaloric diet produces long lasting changes in motivation. **2022**, 202, 104737 ○
- 21 Abnormal erythrocyte fatty acid composition in first-diagnosed, drug-naïve patients with depression. **2022**, 318, 414-422 ○
- 20 Developmental or adult-onset deletion of neurotensin receptor-1 from dopamine neurons differentially reduces body weight. 16, ○
- 19 Prefrontal Cortical Control of Activity in Nucleus Accumbens Core Is Weakened by High-Fat Diet and Prevented by Co-Treatment with N-Acetylcysteine: Implications for the Development of Obesity. **2022**, 23, 10089 ○
- 18 High-fat diet induces depression-like phenotype via astrocyte-mediated hyperactivation of ventral hippocampal glutamatergic afferents to the nucleus accumbens. 1
- 17 (-)-Epicatechin mitigates anxiety-related behavior in a mouse model of high fat diet-induced obesity. **2022**, 109158 ○
- 16 Insulin modulates emotional behavior through a serotonin-dependent mechanism. ○
- 15 Gut microbiota in anxiety and depression: Pathogenesis and therapeutics. 1, ○
- 14 Neuronal Nitric Oxide Synthase Regulates Depression-like Behaviors in Shortening-Induced Obese Mice. **2022**, 14, 4302 1
- 13 Behavioural disruption in diabetic mice: Neurobiological correlates and influences of dietary linolenic acid. **2022**, 121137 ○
- 12 A one month high fat diet disrupts the gut microbiome and integrity of the colon inducing adiposity and behavioral despair in male Sprague Dawley rats. **2022**, e11194 1
- 11 Hippocampal and amygdalar increased BDNF expression in the extinction of opioid-induced place preference. **2022**, 13, 402-409 ○
- 10 Overcoming Anxiety Disorder by Probiotic Lactiplantibacillus plantarum LZU-J-TSL6 through Regulating Intestinal Homeostasis. **2022**, 11, 3596 ○
- 9 Restricted cafeteria feeding and treadmill exercise improved body composition, metabolic profile and exploratory behavior in obese male rats. **2022**, 12, ○
- 8 The GLP-1 receptor agonist exenatide ameliorates neuroinflammation, locomotor activity, and anxiety-like behavior in mice with diet-induced obesity through the modulation of microglial M2 polarization and downregulation of SR-A4. **2023**, 115, 109653 ○
- 7 Impact of insulin and insulin resistance on brain dopamine signalling and reward processing: an underexplored mechanism in the pathophysiology of depression?. **2023**, 105179 ○
- 6 Thermoregulatory responses, heart rate, and the susceptibility to anxiety in obese animals subjected to stress. **2023**, 266, 114181 ○
- 5 A Preliminary Comparison of Plasma Tryptophan Metabolites and Medium- and Long-Chain Fatty Acids in Adult Patients with Major Depressive Disorder and Schizophrenia. **2023**, 59, 413 ○

- 4 Chronic Exposure to High Fat Diet Affects the Synaptic Transmission That Regulates the Dopamine Release in the Nucleus Accumbens of Adolescent Male Rats. **2023**, 24, 4703
- 3 Effect of high fat diet on maternal behavior, brain-derived neurotrophic factor and neural stem cell proliferation in mice expressing human placental lactogen during pregnancy.
- 2 Lactobacillus rhamnosus attenuates sex-specifically depressive-like behavior and mitigates metabolic consequences in obesity. **2023**,
- 1 Diet-Induced Overweight Conditions: Effect on Brain Structure, Cognitive Function, and Neurogenesis.