

CITATION REPORT

List of articles citing

A new versatile primer set targeting a short fragment of the mitochondrial COI region for metabarcoding metazoan diversity: application for characterizing coral reef fish gut contents

DOI: 10.1186/1742-9994-10-34
Frontiers in Zoology, 2013, 10, 34.

Source: <https://exaly.com/paper-pdf/54756380/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
795	Environmental status assessment using DNA metabarcoding: towards a genetics based Marine Biotic Index (gAMBI). 2014 , 9, e90529		119
794	Simultaneous assessment of the macrobiome and microbiome in a bulk sample of tropical arthropods through DNA metasytematics. 2014 , 111, 8007-12		196
793	Morphological and molecular characterization of salps (<i>Thalia</i> spp.) from the Tristan da Cunha archipelago. 2014 , 36, 883-888		4
792	DNA metabarcoding and the cytochrome c oxidase subunit I marker: not a perfect match. 2014 , 10,		310
791	DNA metabarcoding of insects and allies: an evaluation of primers and pipelines. 2015 , 105, 717-27		90
790	High-throughput sequencing and morphology perform equally well for benthic monitoring of marine ecosystems. 2015 , 5, 13932		132
789	Species- and stage-specific barnacle larval distributions obtained from AUV sampling and genetic analysis in Buzzards Bay, Massachusetts, USA. 2015 , 472, 158-165		19
788	High-throughput monitoring of wild bee diversity and abundance via mitogenomics. 2015 , 6, 1034-1043		97
787	Citizen Science: The First Peninsular Malaysia Butterfly Count. 2015 , e7159		17
786	DNA Barcoding Indonesian freshwater fishes: challenges and prospects. 2015 , 3,		23
785	DNA (meta)barcoding of biological invasions: a powerful tool to elucidate invasion processes and help managing aliens. 2015 , 17, 905-922		91
784	DNA barcoding and metabarcoding of standardized samples reveal patterns of marine benthic diversity. 2015 , 112, 2076-81		297
783	Rare biosphere exploration using high-throughput sequencing: research progress and perspectives. 2015 , 16, 513-522		47
782	Universal and blocking primer mismatches limit the use of high-throughput DNA sequencing for the quantitative metabarcoding of arthropods. 2015 , 15, 819-30		204
781	Exploring Coral Reefs Using the Tools of Molecular Genetics. 2015 , 117-132		5
780	Efficient and sensitive identification and quantification of airborne pollen using next-generation DNA sequencing. 2015 , 15, 8-16		126
779	Benchmarking DNA Metabarcoding for Biodiversity-Based Monitoring and Assessment. 2016 , 3,		98

778	Marine Sediment Sample Pre-processing for Macroinvertebrates Metabarcoding: Mechanical Enrichment and Homogenization. 2016 , 3,	19
777	Uncovering Trophic Interactions in Arthropod Predators through DNA Shotgun-Sequencing of Gut Contents. 2016 , 11, e0161841	34
776	Temporal and spatial trends in prey composition of wahoo <i>Acanthocybium solandri</i> : a diet analysis from the central North Pacific Ocean using visual and DNA bar-coding techniques. 2016 , 88, 1501-23	13
775	Targeted gene enrichment and high-throughput sequencing for environmental biomonitoring: a case study using freshwater macroinvertebrates. 2016 , 16, 1240-54	73
774	Merging DNA metabarcoding and ecological network analysis to understand and build resilient terrestrial ecosystems. 2016 , 30, 1904-1916	93
773	Next-generation freshwater bioassessment: eDNA metabarcoding with a conserved metazoan primer reveals species-rich and reservoir-specific communities. 2016 , 3, 160635	53
772	Advances in DNA metabarcoding for food and wildlife forensic species identification. 2016 , 408, 4615-30	111
771	Discovering hidden biodiversity: the use of complementary monitoring of fish diet based on DNA barcoding in freshwater ecosystems. 2016 , 6, 219-32	26
770	Deserters of <i>Cremnops desertor</i> (Hymenoptera: Braconidae: Agathidinae): Delimiting species boundaries in the <i>C. desertor</i> species-complex. 2016 , 14, 385-393	0
769	The use of DNA barcodes in food web construction-terrestrial and aquatic ecologists unite!. 2016 , 59, 603-28	62
768	Early detection of aquatic invaders using metabarcoding reveals a high number of non-indigenous species in Canadian ports. 2016 , 22, 1045-1059	56
767	DNA Barcoding of Marine Metazoans. 2016 , 1452, 155-68	13
766	Preparation of Amplicon Libraries for Metabarcoding of Marine Eukaryotes Using Illumina MiSeq: The Dual-PCR Method. 2016 , 1452, 197-207	20
765	Deep COI sequencing of standardized benthic samples unveils overlooked diversity of Jordanian coral reefs in the northern Red Sea. 2016 , 59, 724-37	24
764	Sea cucumber (<i>Apostichopus japonicus</i>) eukaryotic food source composition determined by 18s rDNA barcoding. 2016 , 163, 1	5
763	Visualizing Patterns of Marine Eukaryotic Diversity from Metabarcoding Data Using QIIME. 2016 , 1452, 219-35	6
762	Analysis of Illumina MiSeq Metabarcoding Data: Application to Benthic Indices for Environmental Monitoring. 2016 , 1452, 237-49	10
761	Metabarcoding Marine Sediments: Preparation of Amplicon Libraries. 2016 , 1452, 183-96	6

760	Preparation of Amplicon Libraries for Metabarcoding of Marine Eukaryotes Using Illumina MiSeq: The Adapter Ligation Method. 2016 , 1452, 209-18	8
759	Censusing marine eukaryotic diversity in the twenty-first century. 2016 , 371,	111
758	A quantitative protocol for DNA metabarcoding of springtails (Collembola). 2016 , 59, 705-23	24
757	Assembling and auditing a comprehensive DNA barcode reference library for European marine fishes. 2016 , 89, 2741-2754	19
756	A new primer set for DNA metabarcoding of soil Metazoa. 2016 , 77, 53-59	11
755	DNA barcoding identifies a cosmopolitan diet in the ocean sunfish. 2016 , 6, 28762	40
754	Is qualitative and quantitative metabarcoding of dung fauna biodiversity feasible?. 2016 , 35, 1970-7	16
753	Diet analysis of small mammal pests: A comparison of molecular and microhistological methods. 2016 , 11, 98-110	11
752	\$1 DNA barcodes for reconstructing complex phenomes and finding rare species in specimen-rich samples. 2016 , 32, 100-110	90
751	Understanding trophic interactions of Orius spp. (Hemiptera: Anthocoridae) in lettuce crops by molecular methods. 2016 , 72, 272-9	24
750	Using DNA barcoding to improve bat carcass identification at wind farms in the United States. 2016 , 8, 27-34	11
749	Comparison of environmental DNA metabarcoding and conventional fish survey methods in a river system. 2016 , 197, 131-138	143
748	Urban parks: refuges for tropical butterflies in Southeast Asia?. 2016 , 19, 1131-1147	18
747	Molecular trophic markers in marine food webs and their potential use for coral ecology. 2016 , 29, 1-7	8
746	Effect of marker choice and thermal cycling protocol on zooplankton DNA metabarcoding studies. 2017 , 7, 873-883	88
745	A primer to metabarcoding surveys of Antarctic terrestrial biodiversity. 2017 , 29, 3-15	6
744	Coral reef grazer-benthos dynamics complicated by invasive algae in a small marine reserve. 2017 , 7, 43819	15
743	High-throughput sequencing of multiple amplicons for barcoding and integrative taxonomy. 2017 , 7, 41948	59

742	Ecogenomics of Zooplankton Community Reveals Ecological Threshold of Ammonia Nitrogen. 2017 , 51, 3057-3064	53
741	Metazoan mitochondrial gene sequence reference datasets for taxonomic assignment of environmental samples. 2017 , 4, 170027	90
740	Functional ecology of fish: current approaches and future challenges. 2017 , 79, 783-801	141
739	The role of a PSP-producing <i>Alexandrium</i> bloom in an unprecedented diamondback terrapin (<i>Malaclemys terrapin</i>) mortality event in Flanders Bay, New York, USA. 2017 , 129, 36-43	7
738	Patterns of temporal and enemy niche use by a community of leaf cone moths (Caloptilia) coexisting on maples (<i>Acer</i>) as revealed by metabarcoding. 2017 , 26, 3309-3319	6
737	Seafood Identification in Multispecies Products: Assessment of 16SrRNA, cytb, and COI Universal Primers' Efficiency as a Preliminary Analytical Step for Setting up Metabarcoding Next-Generation Sequencing Techniques. 2017 , 65, 2902-2912	20
736	Biogeography and diversity of Collodaria (Radiolaria) in the global ocean. 2017 , 11, 1331-1344	43
735	Transcriptomic profiles of spring and summer populations of the Southern Ocean salp, <i>Salpa thompsoni</i> , in the Western Antarctic Peninsula region. 2017 , 40, 1261-1276	9
734	The importance of molecular markers and primer design when characterizing biodiversity from environmental DNA. 2017 , 60, 358-374	46
733	Ecogenomic responses of benthic communities under multiple stressors along the marine and adjacent riverine areas of northern Bohai Sea, China. 2017 , 172, 166-174	22
732	Detecting invertebrate species in archived collections using next-generation sequencing. 2017 , 17, 915-930	9
731	Comparison of morphological and next generation DNA sequencing methods for assessing zooplankton assemblages. 2017 , 487, 113-126	23
730	Metabarcoding Analyses Enable Differentiation of Both Interspecific Assemblages and Intraspecific Divergence in Habitats With Differing Management Practices. 2017 , 46, 1381-1389	5
729	Developing an Apicomplexan DNA Barcoding System to Detect Blood Parasites of Small Coral Reef Fishes. 2017 , 103, 366-376	9
728	Metabarcoding Techniques for Assessing Biodiversity of Marine Animal Forests. 2017 , 445-473	20
727	Development and validation of a multi-locus DNA metabarcoding method to identify endangered species in complex samples. 2017 , 6, 1-18	43
726	Environmental DNA metabarcoding: Transforming how we survey animal and plant communities. 2017 , 26, 5872-5895	635
725	Early detection monitoring for aquatic non-indigenous species: Optimizing surveillance, incorporating advanced technologies, and identifying research needs. 2017 , 202, 299-310	47

724	Zooplankton Community Profiling in a Eutrophic Freshwater Ecosystem-Lake Tai Basin by DNA Metabarcoding. 2017 , 7, 1773	34
723	Vertical gradients in species richness and community composition across the twilight zone in the North Pacific Subtropical Gyre. 2017 , 26, 6136-6156	26
722	A from-benchtop-to-desktop workflow for validating HTS data and for taxonomic identification in diet metabarcoding studies. 2017 , 17, e146-e159	31
721	An assessment of the genus <i>Columbella</i> Lamarck, 1799 (Gastropoda: Columbellidae) from eastern Atlantic. 2017 , 39, 197-212	5
720	Priming of a DNA metabarcoding approach for species identification and inventory in marine macrobenthic communities. 2017 , 60, 260-271	10
719	PrimerMiner: an R package for development and in silico validation of DNA metabarcoding primers. 2017 , 8, 622-626	60
718	A cost-efficient and simple protocol to enrich prey DNA from extractions of predatory arthropods for large-scale gut content analysis by Illumina sequencing. 2017 , 8, 126-134	50
717	Gutsy genetics: identification of digested piscine prey items in the stomach contents of sympatric native and introduced warmwater catfishes via DNA barcoding. 2017 , 100, 325-336	22
716	Full-length and mini-length DNA barcoding for the identification of seafood commercially traded in Germany. 2017 , 73, 922-929	33
715	A new sequence data set of SSU rRNA gene for Scleractinia and its phylogenetic and ecological applications. 2017 , 17, 1054-1071	6
714	Retrospective on the origin, intent, and impact of the Gutshops and some directions for the future. 2017 , 100, 299-308	4
713	Estimating and mitigating amplification bias in qualitative and quantitative arthropod metabarcoding. 2017 , 7, 17668	107
712	Reconstructing a herbivore's diet using a novel L DNA mini-barcode for plants. 2017 , 9, plx015	35
711	Diet Composition and Variability of Wild and (Cephalopoda) Paralarvae: a Metagenomic Approach. 2017 , 8, 321	32
710	Ground-truthing Phylotype Assignments for Antarctic Invertebrates. 2017 , 5, 1-13	
709	Validation and Development of COI Metabarcoding Primers for Freshwater Macroinvertebrate Bioassessment. 2017 , 5,	59
708	Genetic and Manual Survey Methods Yield Different and Complementary Views of an Ecosystem. 2017 , 3,	74
707	Opening the treasure chest: A DNA-barcoding primer set for most higher taxa of Central European birds and mammals from museum collections. 2017 , 12, e0174449	12

706	The importance of standardization for biodiversity comparisons: A case study using autonomous reef monitoring structures (ARMS) and metabarcoding to measure cryptic diversity on Mo'orea coral reefs, French Polynesia. 2017 , 12, e0175066	44
705	DNA metabarcoding reveals diverse diet of the three-spined stickleback in a coastal ecosystem. 2017 , 12, e0186929	40
704	Planktonic bivalve larvae identification and quantification in Gomso Bay, South Korea, using next-generation sequencing analysis and microscopic observations. 2018 , 490, 297-302	4
703	Omics Advances in Ecotoxicology. 2018 , 52, 3842-3851	71
702	A MinIONbased pipeline for fast and cost-effective DNA barcoding. 2018 , 18, 1035	64
701	Using DNA metabarcoding for simultaneous inference of common vampire bat diet and population structure. 2018 , 18, 1050	42
700	Scrutinizing key steps for reliable metabarcoding of environmental samples. 2018 , 9, 134-147	246
699	Performance of amplicon and shotgun sequencing for accurate biomass estimation in invertebrate community samples. 2018 , 18, 1020	70
698	Pleistocene land bridges act as semipermeable agents of avian gene flow in Wallacea. 2018 , 125, 196-203	17
697	Temporal changes in arthropod activity in tropical anthropogenic forests. 2018 , 108, 792-799	5
696	Optimal extraction methods for the simultaneous analysis of DNA from diverse organisms and sample types. 2018 , 18, 557-569	35
695	Evaluation of marine zooplankton community structure through environmental DNA metabarcoding. 2018 , 16, 209-221	58
694	Assessing the utility of metabarcoding for diet analyses of the omnivorous wild pig (<i>Sus scrofa</i>). 2018 , 8, 185-196	35
693	Sustainability of Fishing Is about Abundance: A Response to Bernatchez et al. 2018 , 33, 307-308	2
692	Under the canopy: Community-wide effects of invasive algae in Marine Protected Areas revealed by metabarcoding. 2018 , 127, 54-66	18
691	Sorting specimen-rich invertebrate samples with cost-effective NGS barcodes: Validating a reverse workflow for specimen processing. 2018 , 18, 490-501	47
690	DNA barcodes for dragonflies and damselflies (Odonata) of Mindanao, Philippines. 2018 , 29, 206-211	6
689	A mechanical piston action may assist pelvicpectoral fin antagonism in tree-climbing fish. 2018 , 98, 2121-2131	4

- 688 A giant squid (*Architeuthis dux*) off Reunion Island, western Indian Ocean: the greatest giant ever?. **2018**, 98, 2087-2093
- 687 Genetic monitoring of open ocean biodiversity: An evaluation of DNA metabarcoding for processing continuous plankton recorder samples. **2018**, 18, 391-406 43
- 686 Biodiversity defrosted: unveiling non-compliant fish trade in ethnic food stores. **2018**, 217, 419-427 4
- 685 Universal mini COI barcode for the identification of fish species in processed products. **2018**, 105, 19-28 49
- 684 A database of metazoan cytochrome c oxidase subunit I gene sequences derived from GenBank with CO-ARBitrator. **2018**, 5, 180156 14
- 683 A comprehensive fungi-specific 18S rRNA gene sequence primer toolkit suited for diverse research issues and sequencing platforms. **2018**, 18, 190 35
- 682 Combining morpho-taxonomy and metabarcoding enhances the detection of non-indigenous marine pests in biofouling communities. **2018**, 8, 16290 27
- 681 Novel Antimicrobial Peptides from the Arctic Polychaeta Provide New Molecular Insight into Biological Role of the BRICHOS Domain. **2018**, 16, 14
- 680 A broadly applicable COI primer pair and an efficient single-tube amplicon library preparation protocol for metabarcoding. **2018**, 8, 12335-12350 13
- 679 Determining diet from faeces: Selection of metabarcoding primers for the insectivore Pyrenean desman (*Galemys pyrenaicus*). **2018**, 13, e0208986 9
- 678 A metabarcoding approach for the feeding habits of European hake in the Adriatic Sea. **2018**, 8, 10435-10447 12
- 677 New Invasive Nemertean Species () in England with High Levels of Tetrodotoxin and a Microbiome Linked to Toxin Metabolism. **2018**, 16, 17
- 676 DNA barcoding of traded shark fins, meat and mobulid gill plates in Singapore uncovers numerous threatened species. **2018**, 19, 1393-1399 21
- 675 Historical DNA Metabarcoding of the Prey and Microbiome of Trematomid Fishes Using Museum Samples. **2018**, 6, 6
- 674 Metabarcoding of marine environmental DNA based on mitochondrial and nuclear genes. **2018**, 8, 14822 33
- 673 Environmental DNA analysis of river herring in Chesapeake Bay: A powerful tool for monitoring threatened keystone species. **2018**, 13, e0205578 14
- 672 An integrated morpho-molecular approach to delineate species boundaries of *Millepora* from the Red Sea. **2018**, 37, 967-984 20
- 671 Range, population structure and morphological characterization of the small range endemic bush-cricket *Lluciapomaresius panteli* (Orthoptera: Tettigoniidae: Bradyporinae). **2018**, 22, 659-674

670	Over 2.5 million COI sequences in GenBank and growing. 2018 , 13, e0200177	66
669	Integrating complementary methods to improve diet analysis in fishery-targeted species. 2018 , 8, 9503-9515	23
668	The future of biotic indices in the ecogenomic era: Integrating (e)DNA metabarcoding in biological assessment of aquatic ecosystems. 2018 , 637-638, 1295-1310	213
667	Cross-shelf investigation of coral reef cryptic benthic organisms reveals diversity patterns of the hidden majority. 2018 , 8, 8090	32
666	Conventional and molecular analysis of the diet of gentoo penguins: contributions to assess scats for non-invasive penguin diet monitoring. 2018 , 41, 2275-2287	5
665	Effects of supplemental wild zooplankton on prey preference, mouth gape, osteological development and survival in first feeding cultured larval yellow tang (<i>Zebrasoma flavescens</i>). 2018 , 495, 738-748	3
664	ITS2 metabarcoding analysis complements lichen mycobiome diversity data. 2018 , 17, 1049-1066	21
663	Instances of erroneous DNA barcoding of metazoan invertebrates: Are universal cox1 gene primers too "universal"?. 2018 , 13, e0199609	25
662	Adapting metabarcoding-based benthic biomonitoring into routine marine ecological status assessment networks. 2018 , 95, 194-202	73
661	Applications of DNA Barcoding in Fisheries. 2018 , 281-292	1
660	Unrevealing Parasitic Trophic Interactions: A Molecular Approach for Fluid-Feeding Fishes. 2018 , 6,	4
659	Scaling up DNA barcoding: Primer sets for simple and cost efficient arthropod systematics by multiplex PCR and Illumina amplicon sequencing. 2018 , 9, 2181-2193	16
658	eDNA metabarcoding as a new surveillance approach for coastal Arctic biodiversity. 2018 , 8, 7763-7777	84
657	Slippage of degenerate primers can cause variation in amplicon length. 2018 , 8, 10999	17
656	DNA metabarcoding of spiders, insects, and springtails for exploring potential linkage between above- and below-ground food webs. 2018 , 4, 4	22
655	Gelatinous plankton is important in the diet of European eel (<i>Anguilla anguilla</i>) larvae in the Sargasso Sea. 2018 , 8, 6156	27
654	Feeding ecology in sea spiders (Arthropoda: Pycnogonida): what do we know?. <i>Frontiers in Zoology</i> , 2018 , 15, 7	2.8 9
653	Evaluating freshwater macroinvertebrates from eDNA metabarcoding: A river Nalā case study. 2018 , 13, e0201741	32

652	NGS barcoding reveals high resistance of a hyperdiverse chironomid (Diptera) swamp fauna against invasion from adjacent freshwater reservoirs. <i>Frontiers in Zoology</i> , 2018 , 15, 31	2.8	14
651	MACSE v2: Toolkit for the Alignment of Coding Sequences Accounting for Frameshifts and Stop Codons. 2018 , 35, 2582-2584		115
650	Multi-marker metabarcoding approach to study mesozooplankton at basin scale. 2018 , 8, 12085		47
649	Metabarcoding using multiplexed markers increases species detection in complex zooplankton communities. 2018 , 11, 1901-1914		52
648	A comparative analysis of metabarcoding and morphology-based identification of benthic communities across different regional seas. 2018 , 8, 8908-8920		32
647	Comparison of environmental DNA and bulk-sample metabarcoding using highly degenerate cytochrome c oxidase I primers. 2018 , 18, 1456-1468		69
646	Why the COI barcode should be the community DNA metabarcode for the metazoa. 2018 , 27, 3968-3975		78
645	Molecular gut content analysis of different spider body parts. 2018 , 13, e0196589		34
644	Effects of sampling effort on biodiversity patterns estimated from environmental DNA metabarcoding surveys. 2018 , 8, 8843		63
643	Biomonitoring for the 21st Century: Integrating Next-Generation Sequencing Into Ecological Network Analysis. 2018 , 58, 1-62		35
642	The effect of DNA degradation bias in passive sampling devices on metabarcoding studies of arthropod communities and their associated microbiota. 2018 , 13, e0189188		18
641	How does marker choice affect your diet analysis: comparing genetic markers and digestion levels for diet metabarcoding of tropical-reef piscivores. 2019 , 70, 8		16
640	The choice of universal primers and the characteristics of the species mixture determine when DNA metabarcoding can be quantitative. 2019 , 28, 407-419		110
639	DNA Barcoding in Forensic Entomology - Establishing a DNA Reference Library of Potentially Forensic Relevant Arthropod Species. 2019 , 64, 593-601		14
638	Detection of introduced and resident marine species using environmental DNA metabarcoding of sediment and water. 2019 , 9, 11559		57
637	Cobble community DNA as a tool to monitor patterns of biodiversity within kelp forest ecosystems. 2019 , 19, 1470-1485		8
636	Non-specific amplification compromises environmental DNA metabarcoding with COI. 2019 , 10, 1985-2001		95
635	Development of quantitative PCR for the detection of <i>Alkalilimnicola ehrlichii</i> , <i>Thioalkalivibrio sulfidophilus</i> and <i>Thioalkalibacter halophilus</i> in gas biodesulfurization processes. 2019 , 9, 99		4

634	Market Basket Survey of Arsenic Species in the Top Ten Most Consumed Seafoods in the United States. 2019 , 67, 8253-8267	13
633	A comparison of droplet digital polymerase chain reaction (PCR), quantitative PCR and metabarcoding for species-specific detection in environmental DNA. 2019 , 19, 1407-1419	44
632	Spatial and temporal dynamics of Antarctic shallow soft-bottom benthic communities: ecological drivers under climate change. 2019 , 19, 27	12
631	Coral reef ecosystem functioning: eight core processes and the role of biodiversity. 2019 , 17, 445-454	71
630	Effects of macroalgal morphology on marine epifaunal diversity. 2019 , 99, 1697-1707	6
629	Assessing different components of diversity across a river network using eDNA. 2019 , 1, 290-301	33
628	The biodiversity benefit of native forests and mixed-species plantations over monoculture plantations. 2019 , 25, 1721-1735	27
627	Non-indigenous fish in protected spaces: Trends in species distribution mediated by illegal stocking. 2019 , 29, 2240-2252	6
626	How can eDNA contribute in riverine macroinvertebrate assessment? A metabarcoding approach in the Nalā River (Asturias, Northern Spain). 2019 , 1, 385-401	17
625	DNA metabarcoding in diet studies: Unveiling ecological aspects in aquatic and terrestrial ecosystems. 2019 , 1, 199-214	56
624	Hidden biodiversity revealed by integrated morphology and genetic species delimitation of spring dwelling water mite species (Acari, Parasitengona: Hydrachnidia). 2019 , 12, 492	11
623	Understanding PCR Processes to Draw Meaningful Conclusions from Environmental DNA Studies. 2019 , 9, 12133	74
622	COI metabarcoding primer choice affects richness and recovery of indicator taxa in freshwater systems. 2019 , 14, e0220953	38
621	Environmental DNA Metabarcoding: A Promising Tool for Ballast Water Monitoring. 2019 , 53, 11849-11859	12
620	Current practice in plankton metabarcoding: optimization and error management. 2019 , 41, 571-582	18
619	Linking Environmental DNA and RNA for Improved Detection of the Marine Invasive Fanworm <i>Sabella spallanzanii</i> . 2019 , 6,	20
618	The devil is in the detail: Metabarcoding of arthropods provides a sensitive measure of biodiversity response to forest stand composition compared with surrogate measures of biodiversity. 2019 , 101, 313-323	28
617	The design and testing of mini-barcode markers in marine lobsters. 2019 , 14, e0210492	8

616	Biodiversity assessments in the 21st century: the potential of insect traps to complement environmental samples for estimating eukaryotic and prokaryotic diversity using high-throughput DNA metabarcoding. 2019 , 62, 147-159	17
615	Multi-locus DNA metabarcoding of zooplankton communities and scat reveal trophic interactions of a generalist predator. 2019 , 9, 281	26
614	Species-level biodiversity assessment using marine environmental DNA metabarcoding requires protocol optimization and standardization. 2019 , 9, 1323-1335	30
613	Utilizing DNA metabarcoding to characterize the diet of marine-phase Arctic lamprey (<i>Lethenteron camtschaticum</i>) in the eastern Bering Sea. 2019 , 76, 1993-2002	9
612	DNA metabarcoding as a tool for invertebrate community monitoring: a case study comparison with conventional techniques. 2019 , 58, 675-686	20
611	Testing different (e)DNA metabarcoding approaches to assess aquatic oligochaete diversity and the biological quality of sediments. 2019 , 106, 105453	9
610	Anacapa Toolkit: An environmental DNA toolkit for processing multilocus metabarcode datasets. 2019 , 10, 1469-1475	39
609	Ring roads and urban biodiversity: distribution of butterflies in urban parks in Beijing city and correlations with other indicator species. 2019 , 9, 7653	5
608	DNA metabarcoding to assess diet partitioning and feeding strategies in generalist vertebrate predators: a case study on three syntopic lacertid lizards from Morocco. 2019 , 127, 800-809	5
607	Reconstructing hyperdiverse food webs: Gut content metabarcoding as a tool to disentangle trophic interactions on coral reefs. 2019 , 10, 1157-1170	34
606	Documenting neotropical diversity of phoronids with DNA barcoding of planktonic larvae. 2019 , 138, e12242	6
605	Beyond the visual: using metabarcoding to characterize the hidden reef cryptobiome. 2019 , 286, 20182697	25
604	Genetic Identification of Species Responsible for Depredation in Commercial and Recreational Fisheries. 2019 , 39, 524-534	8
603	No guts, no glory: Gut content metabarcoding unveils the diet of a flower-associated coastal sage scrub predator. 2019 , 10, e02712	4
602	The diet of red-throated divers (<i>Gavia stellata</i>) overwintering in the German Bight (North Sea) analysed using molecular diagnostics. 2019 , 166, 1	6
601	Food Tracking Perspective: DNA Metabarcoding to Identify Plant Composition in Complex and Processed Food Products. 2019 , 10,	22
600	One-locus-several-primers: A strategy to improve the taxonomic and haplotypic coverage in diet metabarcoding studies. 2019 , 9, 4603-4620	29
599	Metabarcoding for stomach-content analyses of Pygmy devil ray (: Comparing tissue and ethanol preservative-derived DNA. 2019 , 9, 2678-2687	12

598	Evaluating next-generation sequencing (NGS) methods for routine monitoring of wild bees: Metabarcoding, mitogenomics or NGS barcoding. 2019 , 19, 847-862	11
597	Multiplex PCR targeting lineage-specific SNPs: A highly efficient and simple approach to block out predator sequences in molecular gut content analysis. 2019 , 10, 982-993	9
596	Dietary partitioning promotes the coexistence of planktivorous species on coral reefs. 2019 , 28, 2694-2710	19
595	Hyperdiverse Macrofauna Communities Associated with a Common Sponge, <i>Stylissa carteri</i> , Shift across Ecological Gradients in the Central Red Sea. 2019 , 11, 18	2
594	A DNA barcode library for 5,200 German flies and midges (Insecta: Diptera) and its implications for metabarcoding-based biomonitoring. 2019 , 19, 900-928	41
593	Time-series metabarcoding analysis of zooplankton diversity of the NW Atlantic continental shelf. 2019 , 76, 1162-1176	17
592	When phenotypes fail to illuminate underlying genetic processes in fish and fisheries science. 2019 , 76, 999-1006	5
591	Comparing eDNA metabarcoding and species collection for documenting Arctic metazoan biodiversity. 2019 , 1, 342-358	31
590	Unexpected molecular and morphological diversity of hemichordate larvae from the Neotropics. 2019 , 138, e12273	4
589	Rapid, large-scale species discovery in hyperdiverse taxa using 1D MinION sequencing. 2019 , 17, 96	44
588	The pitfalls of biodiversity proxies: Differences in richness patterns of birds, trees and understudied diversity across Amazonia. 2019 , 9, 19205	10
587	Metatranscriptomic reconstruction reveals RNA viruses with the potential to shape carbon cycling in soil. 2019 , 116, 25900-25908	72
586	Increased performance of DNA metabarcoding of macroinvertebrates by taxonomic sorting. 2019 , 14, e0226527	12
585	Biodiversity assessment of tropical shelf eukaryotic communities via pelagic eDNA metabarcoding. 2019 , 9, 14341-14355	21
584	Prospects and challenges of environmental DNA (eDNA) monitoring in freshwater ponds. 2019 , 826, 25-41	79
583	Impacts of DNA extraction and PCR on DNA metabarcoding estimates of soil biodiversity. 2019 , 10, 120-133	27
582	Environmental DNA (eDNA) metabarcoding reveals strong discrimination among diverse marine habitats connected by water movement. 2019 , 19, 426-438	90
581	Diet composition and gut microbiome of 0-group European plaice <i>Pleuronectes platessa</i> L. - Strong homogeneity and subtle spatial and temporal differences. 2019 , 144, 67-77	4

580	Next-generation sequencing analysis of diet composition in different habitats. 2019 , 26, 165-172	5
579	Metabarcoding of shrimp stomach content: Harnessing a natural sampler for fish biodiversity monitoring. 2019 , 19, 206-220	33
578	When to use next generation sequencing or diagnostic PCR in diet analyses. 2019 , 19, 388-399	16
577	Environmental DNA metabarcoding studies are critically affected by substrate selection. 2019 , 19, 366-376	62
576	Bats as potential suppressors of multiple agricultural pests: A case study from Madagascar. 2019 , 269, 88-96	41
575	DNA metabarcoding unveils multiscale trophic variation in a widespread coastal opportunist. 2019 , 28, 232-249	23
574	Detecting host-parasitoid interactions in an invasive Lepidopteran using nested tagging DNA metabarcoding. 2019 , 28, 471-483	38
573	DNA-based diet analysis of mesopelagic fish from the southern Kerguelen Axis. 2020 , 174,	8
572	eDNA metabarcoding in zooplankton improves the ecological status assessment of aquatic ecosystems. 2020 , 134, 105230	20
571	From metabarcoding to metaphylogeography: separating the wheat from the chaff. 2020 , 30, e02036	36
570	Methods for Trophic Ecology Assessment in Fishes: A Critical Review of Stomach Analyses. 2020 , 28, 71-106	12
569	Stream water quality assessment by metabarcoding of invertebrates. 2020 , 111, 105982	18
568	Discerning the dietary habits of the smooth butterfly ray <i>Gymnura lessae</i> using two distinct methods, otolith identification and metagenetics. 2020 , 96, 434-443	0
567	First Report of Co-invasion by the Reptile Nematode <i>Ozolaimus megatyphlon</i> (Nematoda: Pharyngodonidae) with Invasive Green Iguanas (<i>Iguana iguana</i>) in the Asia-Pacific. 2020 , 65, 264-270	3
566	Assessing the impact of the threatened crucian carp (<i>Carassius carassius</i>) on pond invertebrate diversity: A comparison of conventional and molecular tools. 2021 , 30, 3252-3269	4
565	Takeaways from Mobile DNA Barcoding with BentoLab and MinION. 2020 , 11,	13
564	A trophic latitudinal gradient revealed in anchovy and sardine from the Western Mediterranean Sea using a multi-proxy approach. 2020 , 10, 17598	10
563	Fish and crustacean biodiversity in an outer maritime estuary of the Pearl River Delta revealed by environmental DNA. 2020 , 161, 111707	3

562	Nematodes as bioindicators of polluted sediments using metabarcoding and microscopic taxonomy. 2020 , 143, 105922	12
561	Widespread <i>Torix Rickettsia</i> in New Zealand amphipods and the use of blocking primers to rescue host COI sequences. 2020 , 10, 16842	6
560	Pan-regional marine benthic cryptobiome biodiversity patterns revealed by metabarcoding Autonomous Reef Monitoring Structures. 2020 , 29, 4882-4897	5
559	The complete chloroplast genome of <i>Gleditsia sinensis</i> and <i>Gleditsia japonica</i> : genome organization, comparative analysis, and development of taxon specific DNA mini-barcodes. 2020 , 10, 16309	2
558	Are you what you eat? A highly transient and prey-influenced gut microbiome in the grey house spider <i>Badumna longinqua</i> . 2020 , 29, 1001-1015	11
557	Last Glacial Maximum led to community-wide population expansion in a montane songbird radiation in highland Papua New Guinea. 2020 , 20, 82	3
556	Tagsteady: A metabarcoding library preparation protocol to avoid false assignment of sequences to samples. 2020 , 20, 1620-1631	19
555	MARES, a replicable pipeline and curated reference database for marine eukaryote metabarcoding. 2020 , 7, 209	4
554	Environmental DNA Metabarcoding as a Means of Estimating Species Diversity in an Urban Aquatic Ecosystem. 2020 , 10,	1
553	DNA metabarcoding unveils niche overlapping and competition among Caribbean sea urchins. 2020 , 40, 101537	1
552	Decision-making and best practices for taxonomy-free environmental DNA metabarcoding in biomonitoring using Hill numbers. 2021 , 30, 3326-3339	9
551	Capturing open ocean biodiversity: Comparing environmental DNA metabarcoding to the continuous plankton recorder. 2021 , 30, 3140-3157	10
550	Mini-DNA barcoding for the identification of commercial fish sold in the markets along the Taiwan Strait. 2020 , 112, 107143	6
549	Gap Analysis for DNA Barcode Reference Libraries for Aquatic Macroinvertebrate Species in the Apulia Region (Southeast of Italy). 2020 , 8, 538	8
548	Marine water environmental DNA metabarcoding provides a comprehensive fish diversity assessment and reveals spatial patterns in a large oceanic area. 2020 , 10, 7560-7584	14
547	Extreme environmental conditions reduce coral reef fish biodiversity and productivity. 2020 , 11, 3832	15
546	Advances in metabarcoding techniques bring us closer to reliable monitoring of the marine benthos. 2020 , 57, 2234-2245	11
545	Biases in bulk: DNA metabarcoding of marine communities and the methodology involved. 2021 , 30, 3270-3288	23

544	Metabarcoding of native and invasive species in stomach contents of Great Lakes fishes. 2020 , 15, e0236077	4
543	Putting COI Metabarcoding in Context: The Utility of Exact Sequence Variants (ESVs) in Biodiversity Analysis. 2020 , 8,	18
542	Monitoring of biofouling communities in a Portuguese port using a combined morphological and metabarcoding approach. 2020 , 10, 13461	11
541	Revealing the Diet of Generalist Insect Predators in Strawberry Fields: Not Only Pests, But Other Predators Beware. 2020 , 49, 1300-1306	3
540	New eDNA based tool applied to the specific detection and monitoring of the endangered European eel. 2020 , 250, 108750	2
539	Genetic evidence illuminates the origin and global spread of the slug <i>Deroceras invadens</i> . 2020 , 86, 306-322	4
538	Global Systematic Review of Methodological Approaches to Analyze Coastal Shelf Food Webs. 2020 , 7,	2
537	Methodological trends and perspectives of animal dietary studies by noninvasive fecal DNA metabarcoding. 2020 , 2, 391-406	21
536	Diet composition of the Korean wild boar <i>Sus scrofa coreanus</i> (Suidae) at Mt. Jeombongsan, Korea. 2020 , 44,	3
535	Nuisance Algae in Ballast Water Facing International Conventions. Insights from DNA Metabarcoding in Ships Arriving in Bay of Biscay. 2020 , 12, 2168	7
534	Ultraconserved yet informative for species delimitation: Ultraconserved elements resolve long-standing systematic enigma in Central European bees. 2020 , 29, 4203-4220	7
533	The Foreign Oligochaete Species (Smith, 1900) in Lake Geneva: Morphological and Molecular Characterization and Environmental Influences on Its Distribution. 2020 , 9,	
532	DNA-Based Arthropod Diversity Assessment in Amazonian Iron Mine Lands Show Ecological Succession Towards Undisturbed Reference Sites. 2020 , 8,	1
531	Targeted and passive environmental DNA approaches outperform established methods for detection of quagga mussels, in flowing water. 2020 , 10, 13248-13259	6
530	Sponging up diversity: Evaluating metabarcoding performance for a taxonomically challenging phylum within a complex cryptobenthic community. 2020 ,	4
529	Environmental DNA metabarcoding reveals winners and losers of global change in coastal waters. 2020 , 287, 20202424	7
528	Early Alert of Biological Risk in a Coastal Lagoon Through eDNA Metabarcoding. 2020 , 8,	5
527	Feeding intensity and molecular prey identification of the mantis shrimp, <i>Oratosquilla oratoria</i> (De Haan, 1844), in the Tianjin coastal zone of Bohai Bay. 2020 , 41, e12594	1

526	An Assessment of Environmental Metabarcoding Protocols Aiming at Favoring Contemporary Biodiversity in Inventories of Deep-Sea Communities. 2020 , 7,	12
525	Nearest vent, dearest friend: biodiversity of Tiancheng vent field reveals cross-ridge similarities in the Indian Ocean. 2020 , 7, 200110	16
524	Environmental DNA survey captures patterns of fish and invertebrate diversity across a tropical seascape. 2020 , 10, 6729	27
523	Combining a COI Mini-Barcode with Next-Generation Sequencing for Animal Origin Ingredients Identification in Processed Meat Product. 2020 , 2020, 1-9	2
522	Validating environmental DNA metabarcoding for marine fishes in diverse ecosystems using a public aquarium. 2020 , 2, 330-342	8
521	Toward a standardized quantitative and qualitative insect monitoring scheme. 2020 , 10, 4009-4020	18
520	Comparing diversity levels in environmental samples: DNA sequence capture and metabarcoding approaches using 18S and COI genes. 2020 , 20, 1333-1345	12
519	Environmental DNA surveys detect distinct metazoan communities across abyssal plains and seamounts in the western Clarion Clipperton Zone. 2020 , 29, 4588-4604	21
518	Immunochemical methods for identification of prey in freshwater zooplankton. 2020 , 18, 221-234	0
517	DNA barcoding of echinopluteus larvae uncovers cryptic diversity in neotropical echinoids. 2020 , 139, e12292	4
516	DNA-based identification of predators of the corallivorous Crown-of-Thorns Starfish (<i>Acanthaster cf. solaris</i>) from fish faeces and gut contents. 2020 , 10, 8184	5
515	Effect of methanethiol on process performance, selectivity and diversity of sulfur-oxidizing bacteria in a dual bioreactor gas biodesulfurization system. 2020 , 398, 123002	3
514	Environmental DNA from plastic and textile marine litter detects exotic and nuisance species nearby ports. 2020 , 15, e0228811	15
513	Seafood mislabeling in Greek market using DNA barcoding. 2020 , 113, 107213	16
512	Validating metabarcoding-based biodiversity assessments with multi-species occupancy models: A case study using coastal marine eDNA. 2020 , 15, e0224119	13
511	Increasing the phylogenetic coverage for understanding broad-scale diversity gradients. 2020 , 192, 629-639	2
510	Quantifying ecological and economic value of pest control services provided by bats in a vineyard landscape of central Chile. 2020 , 302, 107063	15
509	In silico and empirical evaluation of twelve metabarcoding primer sets for insectivorous diet analyses. 2020 , 10, 6310-6332	7

508	MinION-in-ARMS: Nanopore Sequencing to Expedite Barcoding of Specimen-Rich Macrofaunal Samples From Autonomous Reef Monitoring Structures. 2020 , 7,	16
507	DNA metabarcoding for biodiversity monitoring in a national park: Screening for invasive and pest species. 2020 , 20, 1542-1557	11
506	Zooplankton biogeographic boundaries in the California Current System as determined from metabarcoding. 2020 , 15, e0235159	4
505	Marine DNA Metabarcoding. 2020 , 612-618	1
504	Deep-sea amphipods around cobalt-rich ferromanganese crusts: Taxonomic diversity and selection of candidate species for connectivity analysis. 2020 , 15, e0228483	4
503	Assessing insect biodiversity with automatic light traps in Brazil: Pearls and pitfalls of metabarcoding samples in preservative ethanol. 2020 , 10, 2352-2366	12
502	Using environmental DNA metabarcoding to map invasive and native invertebrates in two Great Lakes tributaries. 2020 , 2, 283-297	7
501	Longer is Not Always Better: Optimizing Barcode Length for Large-Scale Species Discovery and Identification. 2020 , 69, 999-1015	19
500	Considerations for metabarcoding-based port biological baseline surveys aimed at marine nonindigenous species monitoring and risk assessments. 2020 , 10, 2452-2465	17
499	High-throughput sequencing for community analysis: the promise of DNA barcoding to uncover diversity, relatedness, abundances and interactions in spider communities. 2020 , 230, 185-201	17
498	High-throughput DNA barcoding of oligochaetes for abundance-based indices to assess the biological quality of sediments in streams and lakes. 2020 , 10, 2041	9
497	Zooplankton biodiversity monitoring in polluted freshwater ecosystems: A technical review. 2020 , 1, 100008	19
496	Rapid and cost-effective generation of single specimen multilocus barcoding data from whole arthropod communities by multiple levels of multiplexing. 2020 , 10, 78	9
495	Metabarcoding demonstrates dietary niche partitioning in two coexisting blackfish species. 2020 , 71, 512	3
494	Little Red Jellies in Monterey Bay, California (Cnidaria: Hydrozoa: Trachymedusae: Rhopalonematidae). 2020 , 6,	2
493	Dietary and habitat niche partitioning in congeneric cryptobenthic reef fish species. 2020 , 39, 305-317	14
492	Dietary effects on gut microbiota of the mesquite lizard <i>Sceloporus grammicus</i> (Wiegmann, 1828) across different altitudes. 2020 , 8, 6	14
491	MinION sequencing of seafood in Singapore reveals creatively labelled flatfishes, confused roe, pig DNA in squid balls, and phantom crustaceans. 2020 , 112, 107144	16

490	DNA Metabarcoding of Deep-Sea Sediment Communities Using COI: Community Assessment, Spatio-Temporal Patterns and Comparison with 18S rDNA. 2020 , 12, 123	12
489	Applications of environmental DNA (eDNA) in ecology and conservation: opportunities, challenges and prospects. 2020 , 29, 2089-2121	67
488	First Gut Content Analysis of 4th Instar Midge Larvae (Diptera: Chronomidae) In Large-Scale Weirs Using a DNA Meta-Barcoding Approach. 2020 , 17,	1
487	Executing multi-taxa eDNA ecological assessment via traditional metrics and interactive networks. 2020 , 729, 138801	22
486	Global footprint of mislabelled seafood on a small island nation. 2020 , 245, 108557	13
485	DNA metabarcoding and morphological analysis - Assessment of zooplankton biodiversity in transitional waters. 2020 , 160, 104946	16
484	Amphipods from the Wallaby-Zenith Fracture Zone, Indian Ocean: new genus and two new species identified by integrative taxonomy. 2020 , 18, 57-78	4
483	DNA metabarcoding reveals that African leopard diet varies between habitats. 2021 , 59, 37-50	7
482	NextGen molecular barcoding of larval grouper diet in an extensive green-water pond system. 2021 , 531, 735971	1
481	Status and prospects of marine NIS detection and monitoring through (e)DNA metabarcoding. 2021 , 751, 141729	13
480	Discrimination of raw material species in mixed seafood products (surimi) using the next generation sequencing method. 2021 , 41, 100786	3
479	Money spider dietary choice in pre- and post-harvest cereal crops using metabarcoding. 2021 , 46, 249-261	9
478	Metabarcoding as a tool to enhance marine surveillance of nonindigenous species in tropical harbors: A case study in Tahiti. 2021 , 3, 173-189	6
477	Detecting community change in Arctic marine ecosystems using the temporal dynamics of environmental DNA. 2021 , 3, 573-590	1
476	Propylene glycol-based antifreeze is an effective preservative for DNA metabarcoding of benthic arthropods. 2021 , 40, 77-87	7
475	High Dietary Niche Overlap Between Non-native and Native Ant Species in Natural Ecosystems. 2021 , 50, 86-96	2
474	The utility of environmental DNA from sediment and water samples for recovery of observed plant and animal species from four Mojave Desert springs. 2021 , 3, 214-230	5
473	Seeking life in sedimented waters: Environmental DNA from diverse habitat types reveals ecologically significant species in a tropical marine environment. 2021 , 3, 654-668	3

472	Genetic analysis of the diet of red-footed boobies (<i>Sula sula</i>) provisioning chicks at Ulupa'u Crater, O'ahu. 2021 , 31, 324-339	4
471	Metabarcoding of zooplankton diversity within the Chukchi Borderland, Arctic Ocean: improved resolution from multi-gene markers and region-specific DNA databases. 2021 , 51, 1	9
470	OUP accepted manuscript.	0
469	To denoise or to cluster? That is not the question. Optimizing pipelines for COI metabarcoding and metaphylogeography.	4
468	Discovery of a colossal slickhead (Alepocephaliformes: Alepocephalidae): an active-swimming top predator in the deep waters of Suruga Bay, Japan. 2021 , 11, 2490	3
467	Modernizing the Toolkit for Arthropod Bloodmeal Identification. 2021 , 12,	5
466	Diet composition of wild <i>Loligo vulgaris paralarvae</i> along the West Iberian Peninsula coast.	0
465	Atlantic sturgeon (<i>Acipenser oxyrinchus oxyrinchus</i> Mitchill, 1815) early life stage consumption evidenced by high-throughput DNA sequencing. 2021 , 37, 12-19	1
464	Profile hidden Markov model sequence analysis can help remove putative pseudogenes from DNA barcoding and metabarcoding datasets.	1
463	Dietary specialisation in a Critically Endangered pipefish revealed by faecal eDNA metabarcoding.	1
462	Environmental DNA simultaneously informs hydrological and biodiversity characterization of an Alpine catchment. 2021 , 25, 735-753	0
461	Early detection of marine non-indigenous species on Svalbard by DNA metabarcoding of sediment. 2021 , 44, 653-665	5
460	Mitohelper: A mitochondrial reference sequence analysis tool for fish eDNA studies. 2021 , 3, 706-715	2
459	Assessing DNA for fish identifications from reference collections: the good, bad and ugly shed light on formalin fixation and sequencing approaches. 2021 , 98, 1421-1432	3
458	Characterization of Some Commercially Important Octopus (Mollusca: Cephalopoda) from Indonesian Waters using Mitochondrial DNA Cytochrome Oxidase Sub-Unit I (Mt-DNA COI). 2021 , 26, 17-26	
457	Stress resistance for unraveling potential biopollutants. Insights from ballast water community analysis through DNA. 2021 , 163, 111935	3
456	Elucidating shark diets with DNA metabarcoding from cloacal swabs. 2021 , 21, 1056-1067	7
455	Feral swine as sources of fecal contamination in recreational waters. 2021 , 11, 4212	3

454	Detection and monitoring of insect traces in bioaerosols. 2021 , 9, e10862	2
453	Nuisance species in lake constance revealed through eDNA. 2021 , 23, 1619-1636	1
452	Diversity and origins of giant guitarfish and wedgefish products in Singapore. 2021 , 31, 1636-1649	3
451	Assessing Biotic and Abiotic Interactions of Microorganisms in Amazonia through Co-Occurrence Networks and DNA Metabarcoding. 2021 , 82, 746-760	1
450	An Overview of DNA-Based Applications for the Assessment of Benthic Macroinvertebrates Biodiversity in Mediterranean Aquatic Ecosystems. 2021 , 13, 112	4
449	eDNA metabarcoding of small plankton samples to detect fish larvae and their preys from Atlantic and Pacific waters. 2021 , 11, 7224	2
448	Seasonal turnover in community composition of stream-associated macroinvertebrates inferred from freshwater environmental DNA metabarcoding. 2021 , 3, 861-876	4
447	Computational Evaluation of DNA Metabarcoding for Universal Diagnostics of Invasive Insect Pests.	1
446	DNA metabarcoding of prey reveals spatial, temporal and diet partitioning of an island ecosystem by four invasive wasps. 2021 , 58, 1199-1211	2
445	High-throughput sequencing on preservative ethanol is effective at jointly examining infraspecific and taxonomic diversity, although bioinformatics pipelines do not perform equally. 2021 , 11, 5533-5546	2
444	Deciphering the diet of a wandering spider (; Araneae: Ctenidae) by DNA metabarcoding of gut contents. 2021 , 11, 5950-5965	1
443	Metagenomic Snapshots of Viral Components in Guinean Bats. 2021 , 9,	1
442	The CALeDNA program: Citizen scientists and researchers inventory California's biodiversity. 2021 , 75, 20-32	4
441	TaxonTableTools: A comprehensive, platform-independent graphical user interface software to explore and visualise DNA metabarcoding data. 2021 , 21, 1705-1714	7
440	MinION barcodes: biodiversity discovery and identification by everyone, for everyone.	9
439	Testing small-scale ecological gradients and intraspecific differentiation for hundreds of kelp forest species using haplotypes from metabarcoding. 2021 , 30, 3355-3373	5
438	Metabarcoding meiofauna biodiversity assessment in four beaches of Northern Colombia: effects of sampling protocols and primer choice. 2021 , 848, 3407	3
437	The Study of the Diversity of Hydrobionts from Listvennichny Bay of Lake Baikal by DNA Metabarcoding. 2021 , 57, 460-467	1

436	Large-scale Integrative Taxonomy (LIT): resolving the data conundrum for dark taxa.	6
435	A Review on Environmental DNA (eDNA) Metabarcoding Markers for Wildlife Monitoring Research. 2021 , 736, 012054	0
434	Animals, protists and bacteria share marine biogeographic patterns. 2021 , 5, 738-746	8
433	Metabarcoding of marine zooplankton in South Africa. 2021 , 43, 147-159	2
432	Detection of critically endangered marine species with dwindling populations in the wild using eDNA gives hope for sawfishes. 2021 , 168, 1	0
431	The problem of omnivory: A synthesis on omnivory and DNA metabarcoding. 2021 , 30, 2199-2206	12
430	Evaluating sediment and water sampling methods for the estimation of deep-sea biodiversity using environmental DNA. 2021 , 11, 7856	5
429	Bioinformatic pipelines combining denoising and clustering tools allow for more comprehensive prokaryotic and eukaryotic metabarcoding. 2021 , 21, 1904-1921	17
428	Hide B seq: Direct versus indirect metabarcoding of coral reef cryptic communities.	3
427	Foraging behaviour and diet of Brown boobies <i>Sula leucogaster</i> from Tinhosas Islands, Gulf of Guinea. 2021 , 168, 1	0
426	Toward a global reference database of COI barcodes for marine zooplankton. 2021 , 168, 1	6
425	High-throughput identification of non-marine Ostracoda from the Tibetan Plateau: Evaluating the success of various primers on sedimentary DNA samples. 2021 , 3, 982-996	1
424	Coverage and quality of DNA barcode references for Central and Northern European Odonata. 2021 , 9, e11192	2
423	Environmental DNA provides higher resolution assessment of riverine biodiversity and ecosystem function via spatio-temporal nestedness and turnover partitioning. 2021 , 4, 512	6
422	The potential of aquatic haematophagous, liquidosomatophagous and macrophagous leeches as a tool for iDNA characterisation.	
421	Land-use intensity affects the potential for apparent competition within and between habitats. 2021 , 90, 1891-1905	
420	Environmental DNA of preservative ethanol performed better than water samples in detecting macroinvertebrate diversity using metabarcoding. 2021 , 27, 1989-2002	0
419	Biodiversity Soup II: A bulk-sample metabarcoding pipeline emphasizing error reduction. 2021 , 12, 1252	7

418	Profile hidden Markov model sequence analysis can help remove putative pseudogenes from DNA barcoding and metabarcoding datasets. 2021 , 22, 256	7
417	Metabarcoding and ecological interaction networks for selecting candidate biological control agents.	
416	Metabarcoding Malaise traps and soil eDNA reveals seasonal and local arthropod diversity shifts. 2021 , 11, 10498	4
415	Assessment of current taxonomic assignment strategies for metabarcoding eukaryotes. 2021 , 21, 2190-2203	7
414	Development of a multi-primer metabarcoding approach to understand trophic interactions in agroecosystems.	
413	Unearthing the Potential of Soil eDNA Metabarcoding—Towards Best Practice Advice for Invertebrate Biodiversity Assessment. 2021 , 9,	1
412	Unveiling hidden sponge biodiversity within the Hawaiian reef cryptofauna. 1	3
411	Environmental DNA Metabarcoding for Simultaneous Monitoring and Ecological Assessment of Many Harmful Algae. 2021 , 9,	2
410	How does eDNA decay affect metabarcoding experiments?.	4
409	DNA metabarcoding provides insights into the diverse diet of a dominant suspension feeder, the giant plumose anemone <i>Metridium farcimen</i> .	0
408	Dataset complexity impacts both MOTU delimitation and biodiversity estimates in eukaryotic 18S rRNA metabarcoding studies.	
407	Cooking small and large portions of Biodiversity-soup—Miniaturized DNA metabarcoding PCRs perform as good as large-volume PCRs. 2021 , 11, 9092-9099	6
406	How does molecular taxonomy for deriving river health indices correlate with traditional morphological taxonomy?. 2021 , 125, 107537	1
405	Characterizing Industrial and Artisanal Fishing Vessel Catch Composition Using Environmental DNA and Satellite-Based Tracking Data. 2021 , 10,	0
404	Detection of Macrobenthos Species With Metabarcoding Is Consistent in Bulk DNA but Dependent on Body Size and Sclerotization in eDNA From the Ethanol Preservative. 2021 , 8,	2
403	Molecular gut content analysis indicates the inter- and intra-guild predation patterns of spiders in conventionally managed vegetable fields. 2021 , 11, 9543-9552	3
402	Comparative analysis of zooplankton diversities and compositions estimated from complement DNA and genomic DNA amplicons, metatranscriptomics, and morphological identifications.	2
401	Recommendations for interpreting zooplankton metabarcoding and integrating molecular methods with morphological analyses.	1

400	Individual diet specialization drives population trophic niche responses to environmental change in a predator fish population. 2021 , 27, e00193	3
399	Habitat segregation of plate phenotypes in a rapidly expanding population of three-spined stickleback. 2021 , 12, e03561	1
398	Advanced molecular-based surveillance of quagga and zebra mussels: A review of environmental DNA/RNA (eDNA/eRNA) studies and considerations for future directions. 66, 117-159	2
397	Meta-Fish-Lib: A generalised, dynamic DNA reference library pipeline for metabarcoding of fishes. 2021 , 99, 1446-1454	6
396	eDNA metabarcoding illuminates species diversity and composition of three phyla (chordata, mollusca and echinodermata) across Indonesian coral reefs. 2021 , 30, 3087-3114	7
395	Environmental biomonitoring of reef fish community structure with eDNA metabarcoding in the Coral Triangle. 2021 , 104, 887-903	4
394	Molecular diet studies of water mites reveal prey biodiversity. 2021 , 16, e0254598	3
393	Building on gAMBI in ports for a challenging biological invasions scenario: Blue-gNIS as a proof of concept. 2021 , 169, 105340	1
392	Poorer diversity but tougher species in old ballast water: Biosecurity challenges explored from visual and molecular techniques. 2021 , 168, 112465	3
391	DNA metabarcoding illustrates biological pollution threats of Red Sea - Dead Sea water conveyance to Dead Sea biodiversity. 2021 , 168, 112451	0
390	Spatio-temporal patterns of multi-trophic biodiversity and food-web characteristics across a river catchment.	0
389	Oceanographic structure and seasonal variation contribute to high heterogeneity in mesozooplankton over small spatial scales.	0
388	Using zooplankton metabarcoding to assess the efficacy of different techniques to clean-up an oil-spill in a boreal lake. 2021 , 236, 105847	1
387	The ecological impact of pest-induced tree dieback on insect biodiversity in Yunnan pine plantations, China. 2021 , 491, 119173	5
386	Intraspecific differences in the diet of Kuril harbor seals (<i>Phoca vitulina stejnegeri</i>) in Erimo, Hokkaido, using DNA barcoding diet analysis. 2021 , 66, 553-563	
385	Managing human mediated range shifts: understanding spatial, temporal and genetic variation in marine non-native species.	
384	Hidden diversity of Ctenophora revealed by new mitochondrial COI primers and sequences. 2021 ,	0
383	Landscape analyses using eDNA metabarcoding and Earth observation predict community biodiversity in California. 2021 , 31, e02379	3

382	Utility of Occupancy Models with Environmental DNA (eDNA) from Olympic Coast National Marine Sanctuary.	
381	DNA metabarcoding marker choice skews perception of marine eukaryotic biodiversity.	1
380	Morphology and mini-barcodes: The inclusion of larval sampling and NGS-based barcoding improves robustness of ecological analyses of mosquito communities. 2021 , 58, 2087	0
379	Metabarcoding confirms the opportunistic foraging behaviour of Atlantic bluefin tuna and reveals the importance of gelatinous prey. 2021 , 9, e11757	4
378	Application of COI Primers 30F/885R in Rotifers to Regional Species Diversity in (Sub)Tropical China. 2021 , 13, 390	1
377	Effects of consumer surface sterilization on diet DNA metabarcoding data of terrestrial invertebrates in natural environments and feeding trials. 2021 , 11, 12025-12034	3
376	Towards reproducible metabarcoding data: Lessons from an international cross-laboratory experiment. 2021 ,	6
375	Suitability of a dual COI marker for marine zooplankton DNA metabarcoding. 2021 , 170, 105444	0
374	DNA barcoding for the identification of shark lips (??): A nationwide survey for analyzing a never investigated product in the Chinese market. 2021 , 126, 108075	1
373	Using unsorted sweep-net samples to rapidly assess macroinvertebrate biodiversity. 2021 , 40, 551-565	1
372	Environmental DNA gives comparable results to morphology-based indices of macroinvertebrates in a large-scale ecological assessment. 2021 , 16, e0257510	2
371	A molecular-based identification resource for the arthropods of Finland. 2021 ,	3
370	Fine-tuning biodiversity assessments: A framework to pair eDNA metabarcoding and morphological approaches.	2
369	Biodiversity of coral reef cryptobiota shuffles but does not decline under the combined stressors of ocean warming and acidification. 2021 , 118,	4
368	Distinct population histories among three unique species of oceanic skaters Halobates Eschscholtz, 1822 (Hemiptera: Heteroptera: Gerridae) in the Eastern Pacific Ocean. 2021 , 168, 1	1
367	DNA Metabarcoding Methods for the Study of Marine Benthic Meiofauna: A Review. 8,	3
366	Mangroves are an overlooked hotspot of insect diversity despite low plant diversity. 2021 , 19, 202	2
365	ONTbarcoder and MinION barcodes aid biodiversity discovery and identification by everyone, for everyone. 2021 , 19, 217	7

364	Highly comparable metabarcoding results from MGI-Tech and Illumina sequencing platforms. 2021 , 9, e12254	1
363	Feeding habits and novel prey of larval fishes in the northern San Francisco Estuary. 2021 , 3, 1059	0
362	The potential of aquatic bloodfeeding and nonbloodfeeding leeches as a tool for iDNA characterisation. 2021 ,	0
361	Artificial Rearing of Atlantic Salmon Juveniles for Supportive Breeding Programs Induces Long-Term Effects on Gut Microbiota after Stocking. 2021 , 9,	1
360	The network structure of intertidal meiofaunal communities from environmental DNA metabarcoding surveys in Northwest Iberia. 2021 , 83, 1	2
359	Tourmaline: a workflow for rapid and reproducible amplicon sequence analysis using QIIME 2 and Snakemake.	
358	An innovative approach combining metabarcoding and ecological interaction networks for selecting candidate biological control agents. 2021 , 58, 2866	0
357	Evaluating the Efficiency of DNA Metabarcoding to Analyze the Diet of (Teleostea: Syngnathidae). 2021 , 11,	2
356	Using metatranscriptomics to estimate the diversity and composition of zooplankton communities. 2021 ,	1
355	Standardized high-throughput biomonitoring using DNA metabarcoding: Strategies for the adoption of automated liquid handlers. 2021 , 8, 100122	1
354	eDNA metabarcoding revealed differential structures of aquatic communities in a dynamic freshwater ecosystem shaped by habitat heterogeneity. 2021 , 201, 111602	3
353	Environmental DNA sampling protocols for the surveillance of marine non-indigenous species in Irish coastal waters. 2021 , 172, 112893	2
352	Limitations of DNA barcoding in determining the origin of smuggled seahorses and pipefishes. 2021 , 1, 100006	1
351	Connectivity, not short-range endemism, characterises the groundwater biota of a northern Australian karst system. 2021 , 796, 148955	3
350	Assessment of benthic invertebrate diversity and river ecological status along an urbanized gradient using environmental DNA metabarcoding and a traditional survey method. 2022 , 806, 150587	1
349	Integration of DNA-Based Approaches in Aquatic Ecological Assessment Using Benthic Macroinvertebrates. 2021 , 13, 331	6
348	Aligning Protein-Coding Nucleotide Sequences with MACSE. 2021 , 2231, 51-70	1
347	Metabarcoding Techniques for Assessing Biodiversity of Marine Animal Forests. 2016 , 1-29	11

346	Marine environmental DNA: Approaches, applications, and opportunities. 2020 , 86, 141-169	11
345	Detecting host-parasitoid interactions in an invasive Lepidopteran using nested tagging DNA-metabarcoding.	3
344	Targeted and passive environmental DNA approaches outperform established methods for detection of quagga mussels, <i>Dreissena rostriformis bugensis</i> in flowing water.	1
343	Tagsteady: a metabarcoding library preparation protocol to avoid false assignment of sequences to samples.	3
342	Measuring protected-area outcomes with leech iDNA: large-scale quantification of vertebrate biodiversity in Ailaoshan nature reserve.	4
341	Propylene glycol-based antifreeze as an effective preservative for DNA metabarcoding of benthic arthropods.	4
340	Decision making and best practices for taxonomy-free eDNA metabarcoding in biomonitoring using Hill numbers.	4
339	A molecular approach to studying Hymenoptera diets using polistine wasps.	1
338	Interaction capacity underpins community diversity.	2
337	A Biodiversity Composition Map of California Derived from Environmental DNA Metabarcoding and Earth Observation.	3
336	Consistent marine biogeographic boundaries across the tree of life despite centuries of human impacts.	2
335	Biodiversity Soup II: A bulk-sample metabarcoding pipeline emphasizing error reduction.	2
334	Spider webs as eDNA tool for biodiversity assessment of life domains.	0
333	Assessment of current taxonomic assignment strategies for metabarcoding eukaryotes.	2
332	TaxonTableTools - A comprehensive, platform-independent graphical user interface software to explore and visualise DNA metabarcoding data.	0
331	A high-throughput amplicon sequencing approach for population-wide species diversity and composition survey.	3
330	Feeding habits and novel prey of larval fishes in the northern San Francisco Estuary.	1
329	Limitations of DNA barcoding in determining the origin of smuggled seahorses and pipefishes.	1

328	Mangroves are an overlooked hotspot of insect diversity despite low plant diversity.	1
327	A MinION-based pipeline for fast and cost-effective DNA barcoding.	3
326	Over 2.5 million COI sequences in GenBank and growing.	2
325	Detection of introduced and resident marine species using environmental DNA metabarcoding of sediment and water.	3
324	Anacapa Toolkit: an environmental DNA toolkit for processing multilocus metabarcode datasets.	1
323	The California environmental DNA (eDNA) program.	8
322	Mini-barcodes are equally useful for species identification and more suitable for large-scale species discovery in Metazoa than full-length barcodes.	3
321	Metatranscriptomic reconstruction reveals RNA viruses with the potential to shape carbon cycling in soil.	2
320	Rapid, large-scale species discovery in hyperdiverse taxa using 1D MinION sequencing.	5
319	From metabarcoding to metaphylogeography: separating the wheat from the chaff.	5
318	A flexible pipeline combining clustering and correction tools for prokaryotic and eukaryotic metabarcoding.	9
317	Validating metabarcoding-based biodiversity assessments with multi-species occupancy models: a case study using coastal marine eDNA.	1
316	An assessment of environmental metabarcoding protocols aiming at favouring contemporary biodiversity in inventories of deep-sea communities.	1
315	Fish as predators and prey: DNA-based assessment of their role in food webs. 2021 , 98, 367-382	11
314	At Palmyra Atoll, the fish-community environmental DNA signal changes across habitats but not with tides. 2021 , 98, 415-425	13
313	Records of the slugs <i>Ariolimax columbianus</i> (Ariolimacidae) and <i>Prophysaon foliolatum</i> (Arionidae) imported into Sweden. 2017 , 25, 267-271	3
312	ranacapa: An R package and Shiny web app to explore environmental DNA data with exploratory statistics and interactive visualizations. 2018 , 7, 1734	55
311	Using environmental DNA to census marine fishes in a large mesocosm. 2014 , 9, e86175	255

310	Taxonomic resolutions based on 18S rRNA genes: a case study of subclass copepoda. 2015 , 10, e0131498	52
309	High-Throughput Sequencing-The Key to Rapid Biodiversity Assessment of Marine Metazoa?. 2015 , 10, e0140342	37
308	Indexed PCR Primers Induce Template-Specific Bias in Large-Scale DNA Sequencing Studies. 2016 , 11, e0148698	69
307	Species Identification in Malaise Trap Samples by DNA Barcoding Based on NGS Technologies and a Scoring Matrix. 2016 , 11, e0155497	69
306	Molluscs for Sale: Assessment of Freshwater Gastropods and Bivalves in the Ornamental Pet Trade. 2016 , 11, e0161130	44
305	Barcoding Atlantic Canada's mesopelagic and upper bathypelagic marine fishes. 2017 , 12, e0185173	13
304	Indigenous species barcode database improves the identification of zooplankton. 2017 , 12, e0185697	13
303	Harnessing the power of eDNA metabarcoding for the detection of deep-sea fishes. 2020 , 15, e0236540	11
302	Methods for retaining well-preserved DNA with dried specimens of insects. 116, 486-491	7
301	The current state of DNA barcoding of macroalgae in the Mediterranean Sea: presently lacking but urgently required. 2020 , 63, 253-272	13
300	Use of DNA metabarcoding for stomach content analysis in the invasive lionfish <i>Pterois volitans</i> in Puerto Rico. 2016 , 558, 181-191	52
299	Changes in zooplankton assemblages in northern Monterey Bay, California, during a fall transition. 2018 , 604, 99-120	5
298	Exploring Environmental DNA (eDNA) to Assess Biodiversity of Hard Substratum Faunal Communities on the Lucky Strike Vent Field (Mid-Atlantic Ridge) and Investigate Recolonization Dynamics After an Induced Disturbance. 2020 , 6,	9
297	Arthropod and oligochaete assemblages from grasslands of the southern Kenai Peninsula, Alaska. 2017 , e10792	6
296	NGS-based biodiversity and community structure analysis of meiofaunal eukaryotes in shell sand from Hålsö Island, Smögen, and soft mud from Gullmarn Fjord, Sweden. 2017 , e12731	16
295	A DNA barcode-assisted annotated checklist of the spider (Arachnida, Araneae) communities associated to white oak woodlands in Spanish National Parks. 2018 , e29443	13
294	Reference DNA barcodes and other mitochondrial markers for identifying Caribbean Octocorals. 2019 , e30970	3
293	From marine park to future genomic observatory? Enhancing marine biodiversity assessments using a biocode approach. 2019 , 7, e46833	14

292	Towards conserving natural diversity: A biotic inventory by observations, specimens, DNA barcoding and high-throughput sequencing methods. 2020 , 8, e50124	1
291	Biodiversity between sand grains: Meiofauna composition across southern and western Sweden assessed by metabarcoding. 2020 , 8, e51813	3
290	Short COI markers for freshwater macroinvertebrate metabarcoding. 1, e14625	53
289	The influence of macroinvertebrate abundance on the assessment of freshwater quality in The Netherlands. 2,	17
288	A DNA metabarcoding protocol for hyporheic freshwater meiofauna: Evaluating highly degenerate COI primers and replication strategy. 2,	26
287	A molecular approach to study Hymenoptera diets using wasp nests. 63, 57-79	3
286	Revision of the species of from Area de Conservaci3n Guanacaste, northwestern Costa Rica (Hymenoptera, Braconidae, Agathidinae). 2017 , 93-158	3
285	Cryptic diversity in Mediterranean gastropods of the genus <i>Aplus</i> (Neogastropoda: Buccinidae). 2016 , 80, 521	2
284	Rarity is a more reliable indicator of land-use impacts on soil invertebrate communities than other diversity metrics. 2020 , 9,	8
283	Metabarcoding dietary analysis of coral dwelling predatory fish demonstrates the minor contribution of coral mutualists to their highly partitioned, generalist diet. 2015 , 3, e1047	65
282	Sushi barcoding in the UK: another kettle of fish. 2016 , 4, e1891	39
281	Testing the potential of a ribosomal 16S marker for DNA metabarcoding of insects. 2016 , 4, e1966	76
280	Random sampling causes the low reproducibility of rare eukaryotic OTUs in Illumina COI metabarcoding. 2017 , 5, e3006	83
279	Non-native molluscan colonizers on deliberately placed shipwrecks in the Florida Keys, with description of a new species of potentially invasive worm-snail (Gastropoda: Vermetidae). 2017 , 5, e3158	4
278	Metabarcoding analysis of the stomach contents of the Antarctic Toothfish (<i>)</i> collected in the Antarctic Ocean. 2017 , 5, e3977	20
277	The effect of tides on nearshore environmental DNA. 2018 , 6, e4521	37
276	DNA metabarcoding of littoral hard-bottom communities: high diversity and database gaps revealed by two molecular markers. 2018 , 6, e4705	90
275	Can non-destructive DNA extraction of bulk invertebrate samples be used for metabarcoding?. 2018 , 6, e4980	28

274	Preliminary analysis of New Zealand scampi () diet using metabarcoding. 2018 , 6, e5641	11
273	An experimental comparison of composite and grab sampling of stream water for metagenetic analysis of environmental DNA. 2018 , 6, e5871	9
272	Simultaneous preservation of the DNA quality, the community composition and the density of freshwater oligochaetes for the development of genetically based biological indices. 2018 , 6, e6050	5
271	Development of the cephalopod-specific universal primer set and its application for the metabarcoding analysis of planktonic cephalopods in Korean waters. 2019 , 7, e7140	1
270	Diversity and distribution of nearshore barnacle cyprids in southern California through the 2015-16 El Niño. 2019 , 7, e7186	1
269	The effects of spatial and temporal replicate sampling on eDNA metabarcoding. 2019 , 7, e7335	15
268	Larval assemblages over the abyssal plain in the Pacific are highly diverse and spatially patchy. 2019 , 7, e7691	7
267	Validation of COI metabarcoding primers for terrestrial arthropods. 2019 , 7, e7745	68
266	A halo of reduced dinoflagellate abundances in and around eelgrass beds. 2020 , 8, e8869	5
265	Environmental conditions drive zooplankton community structure in the epipelagic oceanic water of the southern Gulf of Mexico: A molecular approach. 2021 ,	0
264	Diversity and composition of macroinvertebrate communities in a rare inland salt marsh. 2021 , 11, 14351-14365	
263	A comparative analysis of spider prey spectra analyzed through the next-generation sequencing of individual and mixed DNA samples. 2021 , 11, 15444-15454	0
262	Experimental validation of taxon-specific mini-barcode primers for metabarcoding of zooplankton. 2021 , e02469	2
261	Population genomic, olfactory, dietary, and gut microbiota analyses demonstrate the unique evolutionary trajectory of feral pigs. 2021 ,	2
260	Comparison of DNA extraction methods for DNA barcoding of non-biting midges. 2016 , 78, 13-26	
259	Patterns of temporal and enemy niche use by a community of leaf cone moths (<i>Caloptilia</i>) coexisting on maples (<i>Acer</i>) as revealed by metabarcoding.	
258	New tools for diet analysis: nanopore sequencing of metagenomic DNA from rat stomach contents to quantify diet.	
257	COI metabarcoding primer choice affects richness and recovery of indicator taxa in freshwater systems.	1

- 256 PROBLEMS OF USING MOLECULAR-GENETIC METHODS FOR THE STUDY OF FISH FEEDING. **2019**, 14, 150-158
- 255 Understanding PCR Processes to Draw Meaningful Conclusions from Environmental DNA Studies.
- 254 Beach environmental DNA fills gaps in photographic biomonitoring to track spatiotemporal community turnover across 82 phyla.
- 253 Considerations for metabarcoding-based port biological baseline surveys aimed at marine non-indigenous species monitoring and risk-assessments.
- 252 A Halo of Reduced Dinoflagellate Abundances In and Around Eelgrass Beds.
- 251 Cannibalism as a feeding strategy for mantis shrimp *Oratosquilla oratoria* (De Haan, 1844) in the Tianjin coastal zone of Bohai Bay.
- 250 MinION sequencing of seafood in Singapore reveals creatively labelled flatfishes, confused roe, pig DNA in squid balls, and phantom crustaceans. 1
- 249 Applications of DNA Barcoding in Fisheries. **2020**, 177-189 0
- 248 Status and prospects of marine NIS detection and monitoring through (e)DNA metabarcoding. 0
- 247 Torix group *Rickettsia* are widespread in New Zealand freshwater amphipods: using blocking primers to rescue host COI sequences. 1
- 246 The rise of the three-spined stickleback *Gasterosteus aculeatus*: eco-evolutionary consequences of a mesopredator release.
- 245 Harnessing the power of eDNA metabarcoding for the detection of deep-sea fishes. 1
- 244 Metabarcoding reveals different zooplankton communities in northern and southern areas of the North Sea. 2
- 243 Revision of Mediterranean and NE Atlantic Raphitomidae (Gastropoda, Conoidea) 8: The genus *Leufroyia* Monterosato, 1884. **2020**, 42, 433
- 242 DNA barcoding and hypopygium shape support delimitation of sympatric species (Hymenoptera, Bethyridae) from the Atlantic rainforest. **2020**, 959, 87-97
- 241 A spatial fingerprint of land-water linkage of biodiversity uncovered by remote sensing and environmental DNA.
- 240 RNA metabarcoding helps reveal zooplankton community response to environmental stressors. **2022**, 292, 118446
- 239 Juvenile Silver Carp and Bighead Carp as Forage for Predatory Fish in the LaGrange Reach of the Illinois River. 1

238	The composition of northeast pacific fishes in a fish tank examined by eDNA metabarcoding.	0
237	DNA metabarcoding provides insights into the diverse diet of a dominant suspension feeder, the giant plumose anemone <i>Metridium farcimen</i> .	0
236	MinION-in-ARMS: Nanopore Sequencing To Expedite Barcoding Of Specimen-Rich Macrofaunal Samples From Autonomous Reef Monitoring Structures.	1
235	Assessing the impact of the threatened crucian carp (<i>Carassius carassius</i>) on pond invertebrate diversity - a comparison of conventional and molecular tools.	
234	Riding into the future on a fly: toward a better understanding of phoresy and avian lice evolution (Phthiraptera) by screening bird carcasses for phoretic lice on hippoboscid flies (Diptera).	0
233	Dataset complexity impacts both MOTU delimitation and biodiversity estimates in eukaryotic 18S rRNA metabarcoding studies.	1
232	Environmental DNA Metabarcoding for Simultaneous Monitoring and Ecological Assessment of Many Harmful Algae.	
231	Environmental DNA Metabarcoding Reveals Winners and Losers of Global Change in Coastal Waters.	
230	Variability in the diet diversity of catfish highlighted through DNA barcoding.	2
229	First report of lionfish prey from Western Florida waters as identified by DNA barcoding. 2020 , 8, e9922	1
228	From feeding habits to food webs: exploring the diet of an opportunistic benthic generalist. 2020 , 655, 107-121	1
227	New records of non-indigenous <i>Branchiomma</i> and <i>Parasabella</i> species (Sabellidae: Annelida) in South Australia highlight the continuing challenges for sabellid taxonomy. 2020 , 54, 2647-2673	
226	Coupling ecological network analysis with high-throughput sequencing-based surveys: Lessons from the next-generation biomonitoring project. 2022 , 65, 367-430	1
225	Factors affecting DNA barcoding classification accuracy for piscine prey: An experimental assessment with invasive lionfish. 2022 , 547, 151675	
224	. 2021 ,	1
223	Adaptation to the hottest spot on earth: Dietary ecology of an enigmatic desert gecko based on DNA metabarcoding. 2021 , 59, 1470-1480	
222	The bacterial hitchhiker's guide to COI: Universal primer-based COI capture probes fail to exclude bacterial DNA, but 16S capture leaves metazoa behind.	
221	Advances and Limitations of Next Generation Sequencing in Animal Diet Analysis.. 2021 , 12,	0

220	Environmental DNA metabarcoding for monitoring metazoan biodiversity in Antarctic nearshore ecosystems. 2021 , 9, e12458	1
219	BeeDNA: microfluidic environmental DNA metabarcoding as a tool for connecting plant and pollinator communities.	1
218	Towards environmental DNA-based bioassessment of freshwater reservoirs with small volumes of water: robust molecular protocols.	0
217	ESTABLISHMENT OF A SPECIMEN/TISSUE BANK AND ASSOCIATED DNA REFERENCE DATA FOR eDNA ANALYSIS v1.	
216	First report of mitochondrial COI in foraminifera and implications for DNA barcoding. 2021 , 11, 22165	1
215	MetaBARFcoding: DNA-barcoding of regurgitated prey yields insights into Christmas shearwater (<i>Puffinus nativitatis</i>) foraging ecology at Hikurangi (Kure Atoll), Hawaii.	1
214	Winter diet of Japanese macaques from Chubu Sangaku National Park, Japan incorporates freshwater biota. 2021 , 11, 23091	0
213	Trophic interactions of vampire catfishes (Siluriformes: Vandelliinae) revealed by metabarcoding analysis of stomach contents.	
212	Artificial Eutrophication Decrease Compositional Dissimilarity in Freshwater Plankton Communities.	
211	Extracting abundance information from DNA-based data.	0
210	Environmental DNA Monitoring of Biodiversity Hotspots in Danish Marine Waters. 2022 , 8,	4
209	DNA-metabarcoding reveals the importance of gelatinous zooplankton in the diet of <i>Pandalus borealis</i> , a keystone species in the Arctic.. 2021 ,	0
208	Predator-prey interactions of terrestrial invertebrates are determined by predator body size and species identity.. 2022 , e3634	3
207	A triad of kicknet sampling, eDNA metabarcoding, and predictive modeling to assess aquatic macroinvertebrate biodiversity.	0
206	Specific gut bacterial responses to natural diets of tropical birds.. 2022 , 12, 713	0
205	A high-throughput amplicon sequencing approach for population-wide species diversity and composition survey.. 2021 ,	1
204	Improved Chironomid Barcode Database Enhances Identification of Water Mite Dietary Content. 2022 , 14, 65	0
203	Development of a multi-primer metabarcoding approach to understanding trophic interactions in agroecosystems.. 2021 ,	0

202	Framing Cutting-Edge Integrative Deep-Sea Biodiversity Monitoring via Environmental DNA and Optoacoustic Augmented Infrastructures. 2022 , 8,	0
201	Metabarcoding of feces and intestinal contents to determine carnivorous diets in red-crowned cranes in eastern Hokkaido, Japan.. 2022 , 84,	0
200	Challenges to Implementing Environmental-DNA Monitoring in Namibia. 2022 , 9,	
199	Overcoming the pitfalls of merging dietary metabarcoding into ecological networks.	1
198	Managing human-mediated range shifts: understanding spatial, temporal and genetic variation in marine non-native species.. 2022 , 377, 20210025	5
197	Climate-induced forest dieback drives compositional changes in insect communities that are more pronounced for rare species.. 2022 , 5, 57	1
196	Observing Phylum-Level Metazoan Diversity by Environmental DNA Analysis at the Ushimado Area in the Seto Inland Sea.. 2022 , 39, 157-165	2
195	Molecular Diet Analysis of Adlie Penguins () in the Ross Sea Using Fecal DNA.. 2022 , 11,	0
194	DNA metabarcoding suggests dietary niche partitioning in the Adriatic European hake.. 2022 , 12, 1343	0
193	Mitochondrial Cytochrome Oxidase Subunit 1: A Promising Molecular Marker for Species Identification in Foraminifera. 2022 , 9,	2
192	New Sets of Primers for DNA Identification of Non-Indigenous Fish Species in the Volga-Kama Basin (European Russia). 2022 , 14, 437	0
191	Eutrophication decrease compositional dissimilarity in freshwater plankton communities.. 2022 , 821, 153434	3
190	Exploring the fish assemblage structure in the process of ecological stocking: A case study of Daye Lake. 2022 , 3, 18-25	
189	Monitoring invasive alien macroinvertebrate species with environmental DNA.	1
188	Re-evaluating the case for poecilogony in the gastropod <i>Planaxis sulcatus</i> (Cerithioidea, Planaxidae).. 2022 , 22, 13	0
187	Using DNA metabarcoding as a novel approach for analysis of platypus diet.. 2022 , 12, 2247	0
186	Metabarcoding versus mapping unassembled shotgun reads for identification of prey consumed by arthropod epigeal predators.. 2022 , 11,	1
185	OUP accepted manuscript.	1

184	Arthropod Communities on Young Vegetated Roofs Are More Similar to Each Other Than to Communities at Ground Level. 2022 , 10,	1
183	Arthropod dark taxa provide new insights into diversity responses to bark beetle infestations.. 2021 , e2516	1
182	Hitchhiking into the future on a fly: Toward a better understanding of phoresy and avian louse evolution (Phthiraptera) by screening bird carcasses for phoretic lice on hippoboscid flies (Diptera).	1
181	What Is in Your Shark Fin Soup? Probably an Endangered Shark Species and a Bit of Mercury.. 2022 , 12,	1
180	Highly sensitive environmental DNA detection of topmouth gudgeon, <i>Pseudorasbora parva</i> : a comparison of qPCR and microfluidic qdPCR. 1	0
179	Spatio-temporal patterns of multi-trophic biodiversity and food-web characteristics uncovered across a river catchment using environmental DNA.. 2022 , 5, 259	3
178	Measuring protected-area effectiveness using vertebrate distributions from leech iDNA.. 2022 , 13, 1555	
177	Development of Mini-Barcode Based on Chloroplast Genome and Its Application in Metabarcoding Molecular Identification of Chinese Medicinal Material Radix (Chishao).. 2022 , 13, 819822	0
176	DNA metabarcoding of benthic algae and associated eukaryotes from Lake Baikal in the face of rapid environmental changes.. 2022 , 26, 86-95	
175	Age, growth and diet of crevalle jack (<i>Caranx hippos</i>) in the Gulf of Mexican.	
174	Multilocus DNA metabarcoding diet analyses of small cetaceans: A case study on highly vulnerable humpback dolphins and finless porpoises from the pearl river estuary, China.. 2022 ,	1
173	Filter-Feeding Bivalve Weakens Food Competition Between Crustaceans (<i>Portunus trituberculatus</i> , <i>Marsupenaeus japonicus</i>) in Integrated Culture Ponds: Evidence From 18S rDNA Barcoding and Stable Isotope Analysis. 2022 , 9,	0
172	Consumption of Non-Native Bigheaded Carps by Native Blue Catfish in an Impounded Bay of the Upper Mississippi River. 2022 , 7, 80	
171	Imprints of latitude, host taxon, and decay stage on fungus-associated arthropod communities.	1
170	Niche separation between two dominant crustacean predators in European estuarine soft-bottom habitats. 2022 , 138, 108839	0
169	Zooplankton diversity monitoring strategy for the urban coastal region using metabarcoding analysis.. 2021 , 11, 24339	1
168	Towards harmonization of DNA metabarcoding for monitoring marine macrobenthos: the effect of technical replicates and pooled DNA extractions on species detection. 5,	1
167	Metabarcoding prey DNA from fecal samples of adult dragonflies shows no predicted sex differences, and substantial inter-individual variation, in diets.. 2021 , 9, e12634	0

166	High-Throughput Sequencing for Life-History Sorting and for Bridging Reference Sequences in Marine Gerromorpha (Insecta: Heteroptera). 2022 , 6,	0
165	Semi-quantitative metabarcoding reveals how climate shapes arthropod community assembly along elevation gradients on Hawaii Island. 2021 ,	1
164	Environmental DNA (eDNA) reveals endangered narrow sawfish across Indonesian Reefs. 2021 , 944, 012020	1
163	Comparing species detection success between molecular markers in DNA metabarcoding of coastal macroinvertebrates. 5,	2
162	MIDORI2: A collection of quality controlled, preformatted, and regularly updated reference databases for taxonomic assignment of eukaryotic mitochondrial sequences.	2
161	Metabarcoding the Antarctic Peninsula biodiversity using a multi-gene approach. 2022 , 2,	0
160	Multi-marker DNA metabarcoding detects suites of environmental gradients from an urban harbour.	1
159	Feces DNA analyses track the rehabilitation of a free-ranging beluga whale.. 2022 , 12, 6412	0
158	Data_Sheet_1.pdf. 2020 ,	
157	Table1.DOC. 2018 ,	
156	Table2.doc. 2018 ,	
155	Table3.doc. 2018 ,	
154	Data_Sheet_1.docx. 2018 ,	
153	Data_Sheet_1.docx. 2020 ,	
152	Image_1.TIF. 2020 ,	
151	Image_2.TIF. 2020 ,	
150	Image_3.tif. 2020 ,	
149	Image_4.TIF. 2020 ,	

148 Image_5.TIF. 2020,

147 Image_6.TIF. 2020,

146 Image_7.TIF. 2020,

145 Image_8.TIF. 2020,

144 Table_1.docx. 2020,

143 Video_1.mp4. 2020,

142 Video_2.MOV. 2020,

141 Video_3.MOV. 2020,

140 Video_4.MOV. 2020,

139 Data_Sheet_1.pdf. 2020,

138 Data_Sheet_2.xlsx. 2020,

137 Table_1.DOCX. 2020,

136 Table_1.DOCX. 2020,

135 Table_2.XLSX. 2020,

134 Data_Sheet_1.pdf. 2019,

133 For all audiences: Incorporating immature stages into standardised spider inventories has a major impact on the assessment of biodiversity patterns.. 2022, ○

132 Towards Large-scale Integrative Taxonomy (LIT): resolving the data conundrum for dark taxa.. 2022, 1

131 COI Metabarcoding of Zooplankton Species Diversity for Time-Series Monitoring of the NW Atlantic Continental Shelf. 2022, 9, ○

- 130 Advancing Mitochondrial Metagenomics: A New Assembly Strategy and Validating the Power of Seed-Based Approach. **2022**, 14, 317
- 129 DNA barcoding of traded shark fins in Peninsular Malaysia. ○
- 128 A triad of kicknet sampling, eDNA metabarcoding, and predictive modeling to assess richness of mayflies, stoneflies and caddisflies in rivers. 6, ○
- 127 Spider webs as eDNA samplers: biodiversity assessment across the tree of life.. **2022**, ○
- 126 Dietary shifts and niche partitioning throughout ontogeny avoid intraspecific competition in a pelagic generalist predator. ○
- 125 DNA barcoding and metabarcoding of highly diverse aquatic mites (Acarina) can improve their use in routine biological monitoring. **2022**,
- 124 Water eDNA metabarcoding is effective in detecting non-native species in marinas, but detection errors still hinder its use for passive monitoring.. **2022**, 1-17 1
- 123 Characterizing the secret diets of siphonophores (Cnidaria: Hydrozoa) using DNA metabarcoding.. **2022**, 17, e0267761
- 122 Implementation of Genetic Markers from Molecular Systematics to DNA Taxonomy and Field Application. **2022**, 339-358
- 121 Genetic and morphological identification of formalin fixed, preserved larval fishes; can we have the best of both worlds?. **2022**, 553, 151763 ○
- 120 Documenting Emerging Insects, Environmental DNA, and Metal Concentrations in a Small Appalachian Stream. **2022**, 29, 1
- 119 Molecular dietary analysis of Adlie (*Pygoscelis adeliae*) and Gentoo (*Pygoscelis papua*) penguins breeding sympatrically on Antarctic Ardley Island using fecal DNA. ○
- 118 Comparing DNA metabarcoding with morphology in the assessment of macrozoobenthos in Portuguese transitional waters in the scope of the Water Framework Directive monitoring. ○
- 117 Environmental DNA reveals invasive crayfish microbial associates and ecosystem-wide biodiversity before and after eradication. 1
- 116 Phylogenetic, Microbiome, and Diet Characterisation of Wall Lizards in the Columbretes Archipelago (Spain): Clues for Their Conservation. **2022**, 14, 408
- 115 The bacterial hitchhiker's guide to COI: Universal primer-based COI capture probes fail to exclude bacterial DNA, but 16S capture leaves metazoa behind. 6, ○
- 114 Seasonal and spatial variability of zooplankton diversity in the Poyang Lake Basin using DNA metabarcoding. **2022**, 12, ○
- 113 The occurrence and feeding of a critically endangered shark species, *Oxynotus centrina* in the Sea of Marmara. ○

- 112 Multi-marker DNA metabarcoding detects suites of environmental gradients from an urban harbour. **2022**, 12, 0
- 111 Seq[and ARMS shall find: DNA (meta)barcoding of Autonomous Reef Monitoring Structures across the tree of life uncovers hidden cryptobiome of tropical urban coral reefs. 0
- 110 Sea Snacks from DNA Tracks: Using DNA Metabarcoding to Characterize The Diet of Green Turtles (*Chelonia Mydas*). 0
- 109 COI amplicon sequence data of environmental DNA collected from the Bronx River Estuary, New York City. 6, 1
- 108 Population structure of the invasive ambrosia beetle, *Euwallacea fornicatus*, indicates multiple introductions into South Africa. 0
- 107 Metabarcoding analysis of marine zooplankton confirms the ecological role of a sheltered bight along an exposed continental shelf. 0
- 106 The bug in a teacup[monitoring arthropod]plant associations with environmental DNA from dried plant material. **2022**, 18, 1
- 105 Using eDNA to Identify the Dynamic Evolution of Multi-Trophic Communities Under the Eco-Hydrological Changes in River. 10, 0
- 104 Environmental DNA sampling detects between-habitat variation in soil arthropod communities, but is a poor indicator of fine-scale spatial and seasonal variation. **2022**, 140, 109040 1
- 103 Niche partitioning between planktivorous fish in the pelagic Baltic Sea assessed by DNA metabarcoding, qPCR and microscopy. **2022**, 12, 1
- 102 Environmental DNA Methods for Ecological Monitoring and Biodiversity Assessment in Estuaries. 1
- 101 DNA Barcoding and Distribution of Gastropods and Malacostracans in the Lower Danube Region. **2022**, 14, 533 1
- 100 Combining eDNA and morphological approaches to reveal the impacts of long-term discharges of shale gas wastewaters on receiving waters. **2022**, 118869 1
- 99 Freshwater connectivity transforms spatially integrated signals of biodiversity. 1
- 98 Quantitative prey species detection in predator guts across multiple trophic levels by mapping unassembled shotgun reads. 1
- 97 Identification of a Novel Species, *Cladonema digitatum* sp. nov. (Cnidaria: Hydrozoa: Cladonematidae), Using DNA Barcoding and Life Cycle Analyses. 9, 1
- 96 DNA metabarcoding reveals impact of local recruitment, dispersal, and hydroperiod on assembly of a zooplankton metacommunity. 1
- 95 Environmental DNA biomonitoring reveals seasonal patterns in coral reef fish community structure. 0

94	Evaluation of primer pairs for eDNA-based assessment of Ephemeroptera, Plecoptera, and Trichoptera across a biogeographically diverse region.	0
93	Network analysis with either Illumina or MinION reveals that detecting vertebrate species requires metabarcoding of iDNA from a diverse fly community.	0
92	Metabarcoding survey of meroplankton communities in the South China Sea and Philippine Sea: Shedding light on inter-basin biogeography in the West Pacific. 9,	0
91	Seasonal and ontological variation in diet and age-related differences in prey choice, by an insectivorous songbird. 2022 , 12,	
90	Global convergence of dominance and neglect in flying insect diversity.	0
89	Skimming for barcodes: rapid production of mitochondrial genome and nuclear ribosomal repeat reference markers through shallow shotgun sequencing. 10, e13790	1
88	Assessment of short-term spatio-temporal variability in the structure of mesozooplankton communities integrating microscopy and multigene high-throughput sequencing. 2022 , 276, 108038	
87	Mitochondrial cytochrome c oxidase subunit I (COI) metabarcoding of Foraminifera communities using taxon-specific primers. 10, e13952	1
86	DNA metabarcoding confirms primary targets and breadth of diet for coral reef butterflyfishes.	0
85	Detection of community-wide impacts of bottom trawl fishing on deep-sea assemblages using environmental DNA metabarcoding. 2022 , 183, 114062	0
84	Metabarcoding data of mitochondrial cytochrome c oxidase subunit 1 gene from bulk community of aquatic organisms collected from Nara Prefecture, Japan. 2022 , 45, 108599	0
83	Toward global integration of biodiversity big data: a harmonized metabarcode data generation module for terrestrial arthropods. 2022 , 11,	0
82	Tourmaline: A containerized workflow for rapid and iterable amplicon sequence analysis using QIIME 2 and Snakemake. 2022 , 11,	0
81	Environmental DNA for Biodiversity Monitoring of Coral Reefs. 2022 , 203-224	0
80	Evaluating biodiversity for coral reef reformation and monitoring on complex 3D structures using environmental DNA (eDNA) metabarcoding. 2023 , 856, 159051	0
79	Spatial assortment of soil organisms supports the size-plasticity hypothesis.	0
78	DNA metabarcoding the diet of Podarcis lizards endemic to the Balearic Islands.	2
77	Assessing a megadiverse but poorly known community of fishes in a tropical mangrove estuary through environmental DNA (eDNA) metabarcoding. 2022 , 12,	0

- 76 Disentangling arthropod and plant resources consumed by *Orius* spp. in peach and alfalfa crops by metagenomic analysis. **2022**, 95, 1543-1556 ○
- 75 Linking mesozooplankton and SAR11 bacteria in Oxygen Deficient Zones and the open ocean. ○
- 74 Comparative Analysis of In Situ Eukaryotic Food Sources in Three Tropical Sea Cucumber Species by Metabarcoding. **2022**, 12, 2303 ○
- 73 Distinguishing Signal from Noise: Understanding Patterns of Non-Detections to Inform Accurate Quantitative Metabarcoding. ○
- 72 Non-destructive collection and metabarcoding of arthropod environmental DNA remained on a terrestrial plant. ○
- 71 Blood in the water: DNA barcoding of traded shark fins in Singapore. 9, ○
- 70 Eukaryotic diversity of marine biofouling from coastal to offshore areas. 9, ○
- 69 Comparative visual and DNA-based diet assessment extends the prey spectrum of polar cod *Boreogadus saida*. **2022**, 698, 139-154 ○
- 68 Environmental RNA as a Tool for Marine Community Biodiversity Assessments. **2022**, 12, ○
- 67 Net overboard: Comparing marine eDNA sampling methodologies at sea to unravel marine biodiversity. ○
- 66 Fluctuating insect diversity, abundance and biomass across agricultural landscapes. **2022**, 12, 1
- 65 Mesozooplankton biodiversity, vertical assemblages, and diel migration in the western tropical Pacific Ocean revealed by eDNA metabarcoding and morphological methods. 9, ○
- 64 Environmental DNA (eDNA) detects temporal and habitat effects on community composition and endangered species in ephemeral ecosystems: A case study in vernal pools. ○
- 63 An automated workflow to assess completeness and curate GenBank for eDNA metabarcoding: the marine fish assemblage as case study. ○
- 62 Trophic ecology of *Octopus vulgaris* paralarvae along the Iberian Canary current eastern boundary upwelling system. ○
- 61 Spatial assortment of soil organisms supports the size-plasticity hypothesis. **2022**, 2, ○
- 60 Arthropod Community Responses Reveal Potential Predators and Prey of Entomopathogenic Nematodes in a Citrus Orchard. **2022**, 12, 2502 ○
- 59 Environmental transcriptomics under heat stress: Can environmental RNA reveal changes in gene expression of aquatic organisms?. ○

- 58 Evaluating a species phylogeny using ddRAD SNPs: cytonuclear discordance and introgression in the salmonid genus *Thymallus* (Salmonidae). **2022**, 107654 ○
- 57 Environmental DNA from archived leaves reveals widespread temporal turnover and biotic homogenization in forest arthropod communities. 11, ○
- 56 A manager's guide to using eDNA metabarcoding in marine ecosystems. 10, e14071 ○
- 55 Human access and deterministic processes play a major role in structuring planktonic and sedimentary bacterial and eukaryotic communities in lakes. 10, e14378 ○
- 54 Using DNA Metabarcoding to Characterize the Prey Spectrum of Two Co-Occurring *Themisto* Amphipods in the Rapidly Changing Atlantic-Arctic Gateway Fram Strait. **2022**, 13, 2035 ○
- 53 Benthic invertebrates in Svalbard fjords when metabarcoding does not outperform traditional biodiversity assessment. 10, e14321 ○
- 52 *Dolioletta advena* sp. nov., a New Species of Doliolid (Tunicata, Thaliacea) from the Adriatic Sea. **2022**, 14, 959 ○
- 51 Exploring the Biodiversity of a European NATURA 2000 Mediterranean Lagoon through eDNA Metabarcoding. **2022**, 14, 991 1
- 50 Effect of diet on gut microbiota diversity in mandarin ducks (*Aix galericulata*) revealed by Illumina high-throughput sequencing. **2022**, 204, ○
- 49 Composition and metabolic potential of microbiomes associated with mesopelagic animals from Monterey Canyon. **2022**, 2, ○
- 48 How Many Abalone Species Live in the Mediterranean Sea?. **2022**, 14, 1107 ○
- 47 Neither slugs nor snails: a molecular reappraisal of the gastropod family Velutinidae. ○
- 46 A metabarcoding framework for wild bee assessment in Luxembourg. 94, 215-246 ○
- 45 DNA High-Throughput Sequencing for Arthropod Gut Content Analysis to Evaluate Effectiveness and Safety of Biological Control Agents. ○
- 44 A rapid phylogeny-based method for accurate community profiling of large-scale metabarcoding datasets. ○
- 43 DNA metabarcoding reveals the dietary profiles of a benthic marine crustacean, *Nephrops norvegicus*. ○
- 42 Non-native species in the north Gulf of Aqaba (Red Sea) revealed from environmental DNA. 9, ○
- 41 Gauging DNA degradation among common insect trap preservatives. ○

40	Comparison of metabarcoding taxonomic markers to describe fungal communities in fermented foods.	0
39	Encapsulated in sediments: eDNA deciphers the ecosystem history of one of the most polluted European marine sites. 2023 , 172, 107738	1
38	Macrozoobenthos monitoring in Portuguese transitional waters in the scope of the water framework directive using morphology and DNA metabarcoding. 2023 , 281, 108207	0
37	A spatial fingerprint of land-water linkage of biodiversity uncovered by remote sensing and environmental DNA. 2023 , 867, 161365	0
36	A new species of the genus <i>Cephalodella</i> (Rotifera, Monogononta) from Korea, with reports of four additional cephalodellid species. 1141, 185-199	0
35	Understanding the impact of wild boar on the European wild rabbit and red-legged partridge populations using a diet metabarcoding approach. 2023 , 69,	0
34	Compilation, Revision, and Annotation of DNA Barcodes of Marine Invertebrate Non-Indigenous Species (NIS) Occurring in European Coastal Regions. 2023 , 15, 174	0
33	Environmental DNA Reveals Patterns of Biological Invasion in an Inland Sea.	0
32	Evidence of the Intrusion of the Oceanic Lightfish (<i>Vinciguerria nimbaria</i>) into Korean Waters Based on High-Throughput Sequencing of Mixed Fish Eggs. 2023 , 11, 257	0
31	Extending deep-sea benthic biodiversity inventories with environmental DNA metabarcoding. 2023 , 170,	0
30	Aquatic environmental DNA: A review of the macro-organismal biomonitoring revolution. 2023 , 873, 162322	0
29	Aquatic invertebrate diversity profiling in heterogeneous wetland habitats by environmental DNA metabarcoding. 2023 , 150, 110126	0
28	Diets of two non-native praying mantids (<i>Tenodera sinensis</i> and <i>Mantis religiosa</i>) show consumption of arthropods across all ecological roles. 2023 , 35, e00280	0
27	DNA metabarcoding on repeat: Sequencing data of marine macrobenthos are reproducible and robust across labs and protocols. 2023 , 150, 110207	0
26	Environmental DNA metabarcoding of intertidal meiofauna sheds light on its potential for habitat discovery. 2023 , 150, 110223	0
25	Feeding ecology of two deep-sea skates bycaught on demersal longlines off Kerguelen Islands, Southern Indian Ocean. 2023 , 194, 103980	0
24	Diet of the Insular Lizard, <i>Podarcis lilfordi</i> (Güther, 1874): Complementary Morphological and Molecular Approaches. 2023 , 13, 507	1
23	Metabarcoding to monitor the crustacean zooplankton of a lake improves when using a reference DNA library from local samples. 82,	0

- 22 DNA metabarcoding reveals the diet of the invasive fish *Oreochromis mossambicus* in mangroves of São Tomé Island (Gulf of Guinea)..
- 21 Winter Dietary Analysis Reveals the Foraging Differences of Wild Boar (*Sus scrofa*) in Different Regions of a Karst Mountainous Area. **2023**, 13, 727
- 20 Maximizing the reliability and the number of species assignments in metabarcoding studies using a curated regional library and a public repository. 7,
- 19 Small-organelle-enriched metagenomics: An improved method for environmental DNA-based identification of marine plankton. **2023**, 21, 178-191
- 18 Environmental DNA metabarcoding describes biodiversity across marine gradients.
- 17 100 years of anthropogenic impact causes changes in freshwater functional biodiversity.
- 16 Comparison of fish prey contribution in the diet of European hake by visual assessment of stomach contents and DNA metabarcoding. **2023**, 106, 613-625
- 15 *Hippocampus guttulatus* diet based on DNA metabarcoding. 10,
- 14 Eukaryotic food sources analysis in situ of tropical common sea cucumber *Holothuria leucospilota* based on 18S rRNA gene high-throughput sequencing.
- 13 Metabarcoding the zooplankton species of the Saudi Arabian Gulf: A study employing mock communities and two gene markers. **2023**,
- 12 Perennial alternative crops for biogas production increase arthropod abundance and diversity after harvest - results of suction sampling and metabarcoding. 120, 59-69
- 11 A comparison of live versus kill pitfall traps to assess the diet of carabids through a metabarcoding approach.
- 10 Assessing arthropod diversity metrics derived from stream environmental DNA: spatiotemporal variation and paired comparisons with manual sampling. 11, e15163
- 9 Ecological divergence of a mesocosm in an eastern boundary upwelling system assessed with multi-marker environmental DNA metabarcoding. **2023**, 20, 1277-1298
- 8 Metabarcoding the eukaryotic community of a threatened, iconic Mediterranean habitat: *Posidonia oceanica* seagrass meadows. 10,
- 7 Different approaches to processing environmental DNA samples in turbid waters have distinct effects for fish, bacterial and archaea communities. 3,
- 6 Single-specimen systematics resolves the phylogeny and diversity conundrum of enigmatic crustacean γ-larvae. **2023**, 107780
- 5 Integrative taxonomy reveals two new narrowly-endemic crayfish species (Decapoda: Cambaridae) from the Yadkin River Basin in western North Carolina, USA. **2023**, 5270, 207-230

- 4 Characterising the herbivore community and its impact on *Sonchus oleraceus* (Asterales: Asteraceae) in its invaded range in Australia. ○
- 3 *Isoperla riverae*, a new stonefly species from the southeast Nearctic, with notes on sympatric species including the larval description of *Isoperla lenati* Szczytko & Kondratieff, 2015 (Plecoptera: Perlodidae). **2023**, 5270, 437-470 ○
- 2 Assessing without harvesting: Pros and cons of environmental DNA sampling and image analysis for marine biodiversity evaluation. **2023**, 188, 106004 ○
- 1 Metabarcoding of ichthyoplankton communities associated with a highly dynamic shelf region of the southwest Indian Ocean. **2023**, 18, e0284961 ○