

# CITATION REPORT

List of articles citing

Measurement properties of the EQ-5D-5L compared to the EQ-5D-3L across eight patient groups: a multi-country study

DOI: 10.1007/s11136-012-0322-4

Quality of Life Research, 2013, 22, 1717-27.

**Source:** <https://exaly.com/paper-pdf/54794984/citation-report.pdf>

**Version:** 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
970	Introducing the composite time trade-off: a test of feasibility and face validity. <b>2013</b> , 14 Suppl 1, S5-13		73
969	"Pre-schoolers in the playground" an outdoor physical activity intervention for children aged 18 months to 4 years old: study protocol for a pilot cluster randomised controlled trial. <b>2013</b> , 14, 326		13
968	Recognition of depression and anxiety and their association with quality of life, hospitalization and mortality in primary care patients with heart failure - study protocol of a longitudinal observation study. <b>2013</b> , 14, 180		13
967	A qualitative assessment of the content validity of the ICECAP-A and EQ-5D-5L and their appropriateness for use in health research. <b>2013</b> , 8, e85287		48
966	Young Onset Dementia study [A Prospective Cohort Study of Quality of Life and Specific Needs in Persons with Young Onset Dementia and their Families. <b>2014</b> , 05,		1
965	Health-related quality of life in patients with melanoma expressed as utilities and disability weights. <b>2014</b> , 171, 1443-50		22
964	Validation and comparison of EuroQoL-5 dimension (EQ-5D) and Short Form-6 dimension (SF-6D) among stable angina patients. <b>2014</b> , 12, 156		47
963	Long-Term Outcomes in Sinus Surgery: A New Tool for Measuring Health-Related Quality of Life. <b>2014</b> , 151, 164-70		25
962	Interim EQ-5D-5L Value Set for Poland: First Crosswalk Value Set in Central and Eastern Europe. <b>2014</b> , 4, 19-23		24
961	The applicability of the international classification of functioning, disability, and health to study lifestyle and quality of life of colorectal cancer survivors. <b>2014</b> , 23, 1394-405		38
960	Developing a core outcome set for hip fracture trials. <b>2014</b> , 96-B, 1016-23		101
959	Initial cholecystectomy vs sequential common duct endoscopic assessment and subsequent cholecystectomy for suspected gallstone migration: a randomized clinical trial. <b>2014</b> , 312, 137-44		44
958	Cost-effectiveness of a community-integrated home-based depression intervention in older African Americans. <b>2014</b> , 62, 2288-95		12
957	A comparison of the validity of two indirect utility instruments as measures of postoperative recovery. <b>2014</b> , 190, 79-86		16
956	Measuring health-related quality of life in chronic obstructive pulmonary disease: properties of the EQ-5D-5L and PROMIS-43 short form. <b>2014</b> , 14, 78		39
955	The impact of weight loss on health-related quality-of-life: implications for cost-effectiveness analyses. <i>Quality of Life Research</i> , <b>2014</b> , 23, 1371-6	3.7	32
954	Mapping EQ-5D utility scores from the PedsQL <sup>®</sup> generic core scales. <b>2014</b> , 32, 693-706		48

953	Comparing the EQ-5D 3L and 5L: measurement properties and association with chronic conditions and multimorbidity in the general population. <b>2014</b> , 12, 74	95
952	Cost-effectiveness of eye care services in Zambia. <b>2014</b> , 12, 6	10
951	Health problems are more common, but less severe when measured using newer EQ-5D versions. <b>2014</b> , 67, 93-9	52
950	Comparison between the EQ-5D-5L and the EQ-5D-3L in patients with hepatitis B. <i>Quality of Life Research</i> , <b>2014</b> , 23, 2355-63	3.7 64
949	Long-term Results After Ankle Syndesmosis Injuries. <b>2015</b> , 38, e1001-6	27
948	[The EQ-5D as a measure of health outcomes]. <b>2015</b> , 29, 401-3	10
947	A qualitative examination of the content validity of the EQ-5D-5L in patients with type 2 diabetes. <b>2015</b> , 13, 192	17
946	Effect of manual versus mechanically assisted manipulations of the thoracic spine in neck pain patients: study protocol of a randomized controlled trial. <b>2015</b> , 16, 233	7
945	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <b>2015</b> , 16, 348	20
944	Assessing the health of the general population in England: how do the three- and five-level versions of EQ-5D compare?. <b>2015</b> , 13, 171	102
943	Mapping and direct valuation: do they give equivalent EQ-5D-5L index scores?. <b>2015</b> , 13, 166	13
942	A systematic review of instruments for measuring outcomes in economic evaluation within aged care. <b>2015</b> , 13, 179	70
941	EQ-5D-derived health utility values in patients undergoing surgery for chronic rhinosinusitis. <b>2015</b> , 125, 1056-61	43
940	Development and Validation of the Keele Musculoskeletal Patient Reported Outcome Measure (MSK-PROM). <b>2015</b> , 10, e0124557	8
939	The Relative Impacts of Disease on Health Status and Capability Wellbeing: A Multi-Country Study. <b>2015</b> , 10, e0143590	43
938	Efficacy and Safety of Pregabalin in Patients with Fibromyalgia and Comorbid Depression Taking Concurrent Antidepressant Medication: A Randomized, Placebo-controlled Study. <b>2015</b> , 42, 1237-44	24
937	The EQ-5D: a new tool for studying clinical outcomes in chronic rhinosinusitis. <b>2015</b> , 125, 7-15	49
936	Convergent validation of EQ-5D-5L in patients with Parkinson's disease. <b>2015</b> , 358, 53-7	15

935	Pain exposure physical therapy (PEPT) compared to conventional treatment in complex regional pain syndrome type 1: a randomised controlled trial. <b>2015</b> , 5, e008283		37
934	Health status and quality of life: results from a national survey in a community-dwelling sample of elderly people. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1687-96	3.7	37
933	Multiple imputation to deal with missing EQ-5D-3L data: Should we impute individual domains or the actual index?. <i>Quality of Life Research</i> , <b>2015</b> , 24, 805-15	3.7	42
932	Clinical and cost-effectiveness of therapist-guided internet-delivered cognitive behavior therapy for older adults with symptoms of depression: a randomized controlled trial. <b>2015</b> , 46, 193-205		101
931	Examining self-guided internet-delivered cognitive behavior therapy for older adults with symptoms of anxiety and depression: Two feasibility open trials. <b>2015</b> , 2, 17-23		27
930	Psychological Health and Aims of Aesthetic Surgery Seekers. <b>2015</b> , 3, 877-891		4
929	Measuring changes in health over time using the EQ-5D 3L and 5L: a head-to-head comparison of measurement properties and sensitivity to change in a German inpatient rehabilitation sample. <i>Quality of Life Research</i> , <b>2015</b> , 24, 829-35	3.7	29
928	Validity of EQ-5D-5L in stroke. <i>Quality of Life Research</i> , <b>2015</b> , 24, 845-50	3.7	116
927	Do health preferences contradict ordering of EQ-5D labels?. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1759-65	3.7	10
926	Mapping the disease-specific LupusQoL to the SF-6D. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1749-58	3.7	10
925	The EQ-5D-5L Improves on the EQ-5D-3L for Health-related Quality-of-life Assessment in Patients Undergoing Total Hip Arthroplasty. <b>2015</b> , 473, 3383-90		42
924	Long-term association between frailty and health-related quality of life among survivors of critical illness: a prospective multicenter cohort study. <b>2015</b> , 43, 973-82		137
923	Cost-effectiveness analysis alongside clinical trials II-An ISPOR Good Research Practices Task Force report. <b>2015</b> , 18, 161-72		371
922	Comparing responsiveness of the EQ-5D-5L, EQ-5D-3L and EQ VAS in stroke patients. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1555-63	3.7	83
921	The EQ-5D-5L index score is more discriminative than the EQ-5D-3L index score in diabetes patients. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1767-74	3.7	50
920	Reliability and validity of the EQ-5D-5L compared to the EQ-5D-3L in patients with osteoarthritis referred for hip and knee replacement. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1775-84	3.7	105
919	Measurement properties of the EQ-5D-5L compared to EQ-5D-3L in the Thai diabetes patients. <b>2015</b> , 13, 14		74
918	An educational review of the statistical issues in analysing utility data for cost-utility analysis. <b>2015</b> , 33, 355-66		60

917	Pharmacist-led management of chronic pain in primary care: costs and benefits in a pilot randomised controlled trial. <b>2015</b> , 5, e006874	16
916	Capecitabine and irinotecan with bevacizumab 2-weekly for metastatic colorectal cancer: the phase II AVAXIRI study. <b>2015</b> , 15, 327	12
915	Cross-cultural measurement equivalence of the 5-level EQ-5D (EQ-5D-5L) in patients with type 2 diabetes mellitus in Singapore. <b>2015</b> , 13, 103	17
914	Impact of diabetes mellitus and its complications: survival and quality-of-life in critically ill patients. <b>2015</b> , 29, 1130-5	16
913	Interpretation and use of the 5-level EQ-5D response labels varied with survey language among Asians in Singapore. <b>2015</b> , 68, 1195-204	12
912	Clinical and cost-effectiveness of therapist-guided internet-delivered cognitive behavior therapy for older adults with symptoms of anxiety: a randomized controlled trial. <b>2015</b> , 46, 206-17	72
911	Esperanza de Vida Ajustada por la Calidad en España: una aproximación. <b>2016</b> , 1, 28	
910	While We Waited: Incidence and Predictors of Falls in Older Adults With Cataract. <b>2016</b> , 57, 6003-6010	15
909	Functional dynamic bracing and functional rehabilitation for Achilles tendon ruptures: A case series. <b>2016</b> , 37, 119-125	2
908	Validation of the Oxford Participation and Activities Questionnaire. <b>2016</b> , 7, 73-80	17
907	EQ-5D-5L in the General German Population: Comparison and Evaluation of Three Yearly Cross-Section Surveys. <b>2016</b> , 13,	25
906	Models of reablement evaluation (MoRE): a study protocol of a quasi-experimental mixed methods evaluation of reablement services in England. <b>2016</b> , 16, 375	9
905	Comparing the performance of the EQ-5D-3L and the EQ-5D-5L in young Portuguese adults. <b>2016</b> , 14, 89	34
904	Where's WALY? : A proof of concept study of the 'wellbeing adjusted life year' using secondary analysis of cross-sectional survey data. <b>2016</b> , 14, 126	10
903	Social Rhythm and Mental Health: A Cross-Cultural Comparison. <b>2016</b> , 11, e0150312	41
902	A comparison of EuroQol 5-Dimension health-related utilities using Italian, UK, and US preference weights in a patient sample. <b>2016</b> , 8, 267-74	17
901	Reducing neuropsychiatric symptoms in persons with dementia and associated burden in family caregivers using tailored activities: Design and methods of a randomized clinical trial. <b>2016</b> , 49, 92-102	47
900	Factors impacting on patient perception of procedural success and satisfaction following treatment for varicose veins. <b>2016</b> , 103, 382-90	2

899	An exploration of men's experiences of undergoing active surveillance for favourable-risk prostate cancer: A mixed methods study protocol. <b>2016</b> , 16, 586	4
898	Improving the well-being of men by Evaluating and Addressing the Gastrointestinal Late Effects (EAGLE) of radical treatment for prostate cancer: study protocol for a mixed-method implementation project. <b>2016</b> , 6, e011773	7
897	The CARE Plus study - a whole-system intervention to improve quality of life of primary care patients with multimorbidity in areas of high socioeconomic deprivation: exploratory cluster randomised controlled trial and cost-utility analysis. <b>2016</b> , 14, 88	53
896	Abstracts of the AAGBI Annual Congress, 14-16 September 2016, Birmingham, UK. <b>2016</b> , 71 Suppl 4, 9-79	3
895	Effectiveness and cost-effectiveness of an in-home respite care program in supporting informal caregivers of people with dementia: design of a comparative study. <b>2016</b> , 16, 207	12
894	Web-based computer-tailoring for practice nurses aimed to improve smoking cessation guideline adherence: A study protocol for a randomized controlled effectiveness trial. <b>2016</b> , 48, 125-32	11
893	Dutch Tariff for the Five-Level Version of EQ-5D. <b>2016</b> , 19, 343-52	400
892	The EQ-5D-5L is More Discriminative Than the EQ-5D-3L in Patients with Diabetes in Singapore. <b>2016</b> , 9, 57-62	30
891	Measuring Health and Broader Well-Being Benefits in the Context of Opiate Dependence: The Psychometric Performance of the ICECAP-A and the EQ-5D-5L. <b>2016</b> , 19, 820-828	27
890	Specialist-Led Diabetes Registries and Prevalence of Poor Glycemic Control in Type 2 Diabetes: The Diabetes Registry Outcomes Project for A1C Reduction (DROP A1C). <b>2016</b> , 39, 1711-7	19
889	Comparison of health-related quality of life and functional recovery measurement tools in out-of-hospital cardiac arrest survivors. <b>2016</b> , 107, 57-64	17
888	EQ-5D in Central and Eastern Europe: 2000-2015. <i>Quality of Life Research</i> , <b>2016</b> , 25, 2693-2710	3.7 66
887	Open-label randomized trial of titrated disease management for patients with hypertension: Study design and baseline sample characteristics. <b>2016</b> , 50, 5-15	3
886	Health-Related Quality of Life of Patients with HIV/AIDS in Bogotá-Colombia. <b>2016</b> , 11, 68-72	12
885	Choosing the right outcome measurement instruments for patients with low back pain. <b>2016</b> , 30, 1003-1020	46
884	Health-related quality of life measured using the EQ-5D-5L: South Australian population norms. <b>2016</b> , 14, 133	148
883	Culturally-adapted Family Intervention (CaFI) for African-Caribbeans diagnosed with schizophrenia and their families: a feasibility study protocol of implementation and acceptability. <b>2016</b> , 2, 39	20
882	Validation of a questionnaire for orthostatic hypotension for routine clinical use. <b>2016</b> , 16, 785-90	8

881	A review of health-related quality of life patient-reported outcome measures in cardiovascular nursing. <b>2016</b> , 15, 114-25		22
880	Assessing the feasibility of evaluating and delivering a physical activity intervention for pre-school children: a pilot randomised controlled trial. <b>2016</b> , 2, 12		14
879	Diabetes Attitudes, Wishes and Needs Second Study (DAWN2): Understanding Diabetes-Related Psychosocial Outcomes for Canadians with Diabetes. <b>2016</b> , 40, 234-41		12
878	Effectiveness of blended depression treatment for adults in specialised mental healthcare: study protocol for a randomised controlled trial. <b>2016</b> , 16, 113		29
877	Integration of Patient-Reported Health-Related Quality of Life Measures for Low Back Pain into Clinical Practice: An Overview of Validated, Frequently Utilized Instruments. <b>2016</b> , 4, 12-18		2
876	How much is enough? An investigation of the relationship between haemodialysis adequacy and quality of life of elderly patients. <b>2016</b> , 21, 314-20		3
875	Changes in Bone Mineral Density in the Year after Critical Illness. <b>2016</b> , 193, 736-44		30
874	Cardiff cardiac ablation patient-reported outcome measure (C-CAP): validation of a new questionnaire set for patients undergoing catheter ablation for cardiac arrhythmias in the UK. <i>Quality of Life Research</i> , <b>2016</b> , 25, 1571-83	3.7	7
873	Comparison of EQ-5D and 15D instruments for assessing the health-related quality of life in cardiac surgery patients. <b>2016</b> , 2, 193-200		10
872	A Head-to-Head Comparison of the EQ-5D-5L and AQoL-8D Multi-Attribute Utility Instruments in Patients Who Have Previously Undergone Bariatric Surgery. <b>2016</b> , 9, 311-22		22
871	Effectiveness of Standardized Physical Therapy Exercises for Patients With Difficulty Returning to Usual Activities After Decompression Surgery for Subacromial Impingement Syndrome: Randomized Controlled Trial. <b>2016</b> , 96, 787-96		6
870	Validity, responsiveness, and minimal clinically important difference of EQ-5D-5L in stroke patients undergoing rehabilitation. <i>Quality of Life Research</i> , <b>2016</b> , 25, 1585-96	3.7	84
869	Japanese population norms for preference-based measures: EQ-5D-3L, EQ-5D-5L, and SF-6D. <i>Quality of Life Research</i> , <b>2016</b> , 25, 707-19	3.7	142
868	Normative values of EQ-5D-5L: in a Spanish representative population sample from Spanish Health Survey, 2011. <i>Quality of Life Research</i> , <b>2016</b> , 25, 1313-21	3.7	47
867	Investigating the preferences of older people for telehealth as a new model of health care service delivery: A discrete choice experiment. <b>2017</b> , 23, 301-313		33
866	Validation of the Spine Oncology Study Group-Outcomes Questionnaire to assess quality of life in patients with metastatic spine disease. <b>2017</b> , 17, 768-776		30
865	Exploring the Relationship between Quality of Life (EQ-5D) and Clinical Measures in Adult Attention Deficit Hyperactivity Disorder (ADHD). <b>2017</b> , 12, 409-424		3
864	Measuring knee arthroplasty outcomes. <b>2017</b> , 31, 41-46		1

863	Assessment of the construct validity and responsiveness of preference-based quality of life measures in people with Parkinson's: a systematic review. <i>Quality of Life Research</i> , <b>2017</b> , 26, 1-23	3.7	10
862	Effectiveness and cost-effectiveness of a guided Internet- and mobile-based intervention for the indicated prevention of major depression in patients with chronic back pain-study protocol of the PROD-BP multicenter pragmatic RCT. <b>2017</b> , 17, 36		26
861	Effectiveness of a multicomponent exercise program in the attenuation of frailty in long-term nursing home residents: study protocol for a randomized clinical controlled trial. <b>2017</b> , 17, 60		21
860	Health status and psychological distress among in-hospital cardiac arrest survivors in relation to gender. <b>2017</b> , 114, 27-33		21
859	A Head-to-Head Comparison of UK SF-6D and Thai and UK EQ-5D-5L Value Sets in Thai Patients with Chronic Diseases. <b>2017</b> , 15, 669-679		10
858	Respiratory health status is impaired in UK HIV-positive adults with virologically suppressed HIV infection. <b>2017</b> , 18, 604-612		7
857	Development and Preliminary Psychometrics of the Exercise Therapy Burden Questionnaire for Patients With Chronic Conditions. <b>2017</b> , 98, 2188-2195.e6		9
856	Views of the UK General Public on Important Aspects of Health Not Captured by EQ-5D. <b>2017</b> , 10, 701-709		19
855	Further evidence on EQ-5D-5L preference inversion: a Brazil/U.S. collaboration. <i>Quality of Life Research</i> , <b>2017</b> , 26, 2489-2496	3.7	8
854	Study protocol for a randomised controlled multicentre study: the Foraminotomy ACDF Cost-Effectiveness Trial (FACET) in patients with cervical radiculopathy. <b>2017</b> , 7, e012829		10
853	Singapore Healthy Older People Everyday (HOPE) Study: Prevalence of Frailty and Associated Factors in Older Adults. <b>2017</b> , 18, 734.e9-734.e14		58
852	Assessment of the psychometric properties of the EQ-5D-3L and EQ-5D-5L instruments in psoriasis. <b>2017</b> , 309, 357-370		27
851	The scapular dyskinesia test: Reliability, agreement, and predictive value in patients with subacromial impingement syndrome. <b>2017</b> , 30, 208-213		8
850	Comparative performance of the EQ-5D-5L and SF-6D index scores in adults with type 2 diabetes. <i>Quality of Life Research</i> , <b>2017</b> , 26, 2057-2066	3.7	22
849	Exploring the feasibility of delivering standardized genomic care using ophthalmology as an example. <b>2017</b> , 19, 1032-1039		11
848	Economic Studies in Motor Neurone Disease: A Systematic Methodological Review. <b>2017</b> , 35, 397-413		5
847	Behaviours, thoughts and perceptions around mealtime insulin usage and wastage among people with type 1 and type 2 diabetes mellitus: A cross-sectional survey study. <b>2017</b> , 126, 30-42		8
846	The impact of age, gender and severity of overactive bladder wet on quality of life, productivity, treatment patterns and satisfaction. <b>2017</b> , 10, 513-522		2



845	Study protocol for a randomised controlled trial of meniscal surgery compared with exercise and patient education for treatment of meniscal tears in young adults. <b>2017</b> , 7, e017436		9
844	Measurement properties of the EQ-5D-5L compared to the EQ-5D-3L in psoriasis patients. <i>Quality of Life Research</i> , <b>2017</b> , 26, 3409-3419	3.7	37
843	Comparison of health state values derived from patients and individuals from the general population. <i>Quality of Life Research</i> , <b>2017</b> , 26, 3353-3363	3.7	7
842	Community treatment orders and social outcomes for patients with psychosis: a 48-month follow-up study. <b>2017</b> , 52, 1375-1384		8
841	A review of rate control in atrial fibrillation, and the rationale and protocol for the RATE-AF trial. <b>2017</b> , 7, e015099		29
840	The cost-effectiveness of deep brain stimulation for patients with treatment-resistant obsessive-compulsive disorder. <b>2017</b> , 96, e7397		11
839	Association between chronic conditions and health-related quality of life: differences by level of urbanization in Peru. <i>Quality of Life Research</i> , <b>2017</b> , 26, 3439-3447	3.7	12
838	Econometric modelling of multiple self-reports of health states: The switch from EQ-5D-3L to EQ-5D-5L in evaluating drug therapies for rheumatoid arthritis. <b>2017</b> , 55, 139-152		26
837	The Influence of Clinical and Patient-Reported Outcomes on Post-surgery Satisfaction in Cholecystectomy Patients. <b>2017</b> , 41, 1752-1761		7
836	Using Patient-Reported Outcome Measures for Quality Improvement in Clinical Genetics: an Exploratory Study. <b>2017</b> , 26, 1017-1028		15
835	Use of large-scale HRQoL datasets to generate individualised predictions and inform patients about the likely benefit of surgery. <i>Quality of Life Research</i> , <b>2017</b> , 26, 2497-2505	3.7	14
834	Patient preference as a predictor of outcomes in a pilot trial of person-centred counselling versus low-intensity cognitive behavioural therapy for persistent sub-threshold and mild depression. <b>2017</b> , 1-17		1
833	Mindfulness-based stress reduction for people with multiple sclerosis - a feasibility randomised controlled trial. <b>2017</b> , 17, 94		57
832	A protocol for a cluster-randomized controlled trial of a self-help psycho-education programme to reduce diagnosis delay in women with breast cancer symptoms in Indonesia. <b>2017</b> , 17, 284		5
831	Assessing the validity of the ICECAP-A capability measure for adults with depression. <b>2017</b> , 17, 46		26
830	A randomised controlled trial to determine the clinical and cost effectiveness of thulium laser transurethral vaporessection of the prostate (ThuVAP) versus transurethral resection of the prostate (TURP) in the National Health Service (NHS) - the UNBLOCS trial: a study protocol for a randomised controlled trial. <b>2017</b> , 18, 173		13
829	Supporting Looked After Children and Care Leavers In Decreasing Drugs, and alcohol (SOLID): protocol for a pilot feasibility randomised controlled trial of interventions to decrease risky substance use (drugs and alcohol) and improve mental health of looked after children and care leavers aged 12-20 years. <b>2017</b> , 3, 25		4
828	The impact of hepatitis C virus outside the liver: Evidence from Asia. <b>2017</b> , 37, 159-172		31

827	Validation and comparison of the psychometric properties of the EQ-5D-3L and EQ-5D-5L instruments in Greece. <b>2017</b> , 18, 519-531		36
826	Body Mass Index Class Is Independently Associated With Health-Related Quality of Life After Primary Total Hip Arthroplasty: An Institutional Registry-Based Study. <b>2017</b> , 32, 143-149		14
825	Portable electronic vision enhancement systems in comparison with optical magnifiers for near vision activities: an economic evaluation alongside a randomized crossover trial. <b>2017</b> , 95, e415-e423		17
824	Mapping Between the Sydney Asthma Quality of Life Questionnaire (AQLQ-S) and Five Multi-Attribute Utility Instruments (MAUIs). <b>2017</b> , 35, 111-124		13
823	Quality of life measurement in atopic dermatitis. Position paper of the European Academy of Dermatology and Venereology (EADV) Task Force on quality of life. <b>2017</b> , 31, 576-593		33
822	Does the EQ-5D capture the effects of physical and mental health status on life satisfaction among older people? A path analysis approach. <i>Quality of Life Research</i> , <b>2017</b> , 26, 1177-1186	3-7	6
821	Recent viral infection in US blood donors and health-related quality of life (HRQOL). <i>Quality of Life Research</i> , <b>2017</b> , 26, 349-357	3-7	11
820	Collection of daily patient reported outcomes is feasible and demonstrates differential patient experience in chronic kidney disease. <b>2017</b> , 21, 265-273		20
819	A Comparison of the Validity and Responsiveness of the EQ-5D-5L and SF-6D for Measuring Health Spillovers: A Study of the Family Impact of Meningitis. <b>2017</b> , 37, 882-893		18
818	Health state utilities associated with attributes of weekly injection devices for treatment of type 2 diabetes. <b>2017</b> , 17, 774		16
817	Prevalence of Mental Health Problems and Factors Associated with Psychological Distress in Mountain Exercisers: A Cross-Sectional Study in Austria. <b>2017</b> , 8, 1237		11
816	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <b>2017</b> , 8, 244		8
815	EQ-5D-5L Polish population norms. <b>2017</b> , 13, 191-200		57
814	Mapping the SRS-22r questionnaire onto the EQ-5D-5L utility score in patients with adolescent idiopathic scoliosis. <b>2017</b> , 12, e0175847		21
813	Generalised joint hypermobility and shoulder joint hypermobility, - risk of upper body musculoskeletal symptoms and reduced quality of life in the general population. <b>2017</b> , 18, 226		12
812	General practitioners' awareness of depressive symptomatology is not associated with quality of life in heart failure patients - cross-sectional results of the observational RECODE-HF Study. <b>2017</b> , 18, 100		4
811	A falls prevention programme to improve quality of life, physical function and falls efficacy in older people receiving home help services: study protocol for a randomised controlled trial. <b>2017</b> , 17, 559		21
810	Evaluating a Dutch cardiology primary care plus intervention on the Triple Aim outcomes: study design of a practice-based quantitative and qualitative research. <b>2017</b> , 17, 628		2

809	Psychometric validation of a multi-dimensional capability instrument for outcome measurement in mental health research (OxCAP-MH). <b>2017</b> , 15, 250		15
808	The HUMTICK study: protocol for a prospective cohort study on post-treatment Lyme disease syndrome and the disease and cost burden of Lyme borreliosis in Belgium. <b>2017</b> , 75, 42		4
807	Economic evaluation of stepped-care versus usual care for depression and anxiety in older adults with vision impairment: randomized controlled trial. <b>2017</b> , 17, 280		17
806	LEAK study: design of a nationwide randomised controlled trial to find the best way to treat wound leakage after primary hip and knee arthroplasty. <b>2017</b> , 7, e018673		13
805	Health-Related Quality of Life Measurement Inpatient Geriatric Rehabilitation: A Comparison of the Feasibility and Suitability Between the SF-36 and EQ-5D-5L Questionnaires. <b>2017</b> , 06,		3
804	Improved health-related quality of life, participation, and autonomy in patients with treatment-resistant chronic pain after an intensive social cognitive intervention with the participation of support partners. <b>2017</b> , 10, 2725-2738		11
803	Quality of Life Assessment. <b>2018</b> , 223-251		
802	Responsiveness of the anxiety/depression dimension of the 3- and 5-level versions of the EQ-5D in assessing mental health. <i>Quality of Life Research</i> , <b>2018</b> , 27, 1625-1633	3.7	13
801	3L, 5L, What the L? A NICE Conundrum. <b>2018</b> , 36, 637-640		22
800	Is EQ-5D-5L Better Than EQ-5D-3L? A Head-to-Head Comparison of Descriptive Systems and Value Sets from Seven Countries. <b>2018</b> , 36, 675-697		134
799	Comparing the UK EQ-5D-3L and English EQ-5D-5L Value Sets. <b>2018</b> , 36, 699-713		56
798	Once Bitten Twice Shy: Thinking Carefully Before Adopting the EQ-5D-5L. <b>2018</b> , 36, 641-643		9
797	Health status and most distressing concerns at admission and discharge reported by patients cared for at an internal medical care ward. <b>2018</b> , 32, 1168-1178		4
796	Validation of the Spanish version of the Bladder Pain/Interstitial Cystitis-Symptom Score (BPIC-SS) questionnaire. A useful tool for the diagnosis of bladder pain syndrome. <b>2018</b> , 42, 457-464		1
795	Application and measurement properties of EQ-5D to measure quality of life in patients with upper extremity orthopaedic disorders: a systematic literature review. <b>2018</b> , 138, 953-961		28
794	Head-to-Head Comparison of EQ-5D-3L and EQ-5D-5L Health Values. <b>2018</b> , 36, 715-725		19
793	Comparing the validity and responsiveness of the EQ-5D-5L to the Oxford hip and knee scores and SF-12 in osteoarthritis patients 1 year following total joint replacement. <i>Quality of Life Research</i> , <b>2018</b> , 27, 1311-1322	3.7	19
792	Pain Exposure Physical Therapy versus conventional treatment in complex regional pain syndrome type 1-a cost-effectiveness analysis alongside a randomized controlled trial. <b>2018</b> , 32, 790-798		8

791	Health-related quality of life in outpatients with schizophrenia: factors that determine changes over time. <b>2018</b> , 53, 239-248	5
790	Fatigue is a relevant outcome in patients with myasthenia gravis. <b>2018</b> , 58, 197-203	21
789	Effects of a program of cognitive-behavioural group therapy, vestibular rehabilitation, and psychoeducational explanations on patients with dizziness and no quantified balance deficit, compared to patients with dizziness and a quantified balance deficit. <b>2018</b> , 105, 21-30	10
788	Utility-Based Instruments for People with Dementia: A Systematic Review and Meta-Regression Analysis. <b>2018</b> , 21, 471-481	12
787	Outcome measures following hip arthroplasty. <b>2018</b> , 32, 34-37	3
786	Cross-cultural adaptation and validation of a patient-reported hip outcome score. <b>2018</b> , 42, 1001-1006	8
785	Quantifying the Relationship between Capability and Health in Older People: Can't Map, Won't Map. <b>2018</b> , 38, 79-94	7
784	Internet-based self-help smoking cessation and alcohol moderation interventions for cancer survivors: a study protocol of two RCTs. <b>2018</b> , 18, 364	9
783	Investigating the effectiveness and cost-effectiveness of FITNET-NHS (Fatigue In Teenagers on the interNET in the NHS) compared to Activity Management to treat paediatric chronic fatigue syndrome (CFS)/myalgic encephalomyelitis (ME): protocol for a randomised controlled trial. <b>2018</b> , 19, 136	15
782	A feasibility study for NON-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. <b>2018</b> , 19, 172	3
781	Cost and outcomes of open versus laparoscopic cholecystectomy in Mongolia. <b>2018</b> , 229, 186-191	10
780	A Systematic Review of Studies Comparing the Measurement Properties of the Three-Level and Five-Level Versions of the EQ-5D. <b>2018</b> , 36, 645-661	103
779	Measuring and assessing risk of quality of life loss following a road traffic injury: A proposed methodology for use of a composite score. <b>2018</b> , 115, 151-159	7
778	MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <b>2018</b> , 378, 1767-1777	1250
777	German Value Set for the EQ-5D-5L. <b>2018</b> , 36, 663-674	152
776	Tailoring of the Tell-us Card communication tool for nurses to increase patient participation using Intervention Mapping. <b>2018</b> , 27, 621-630	10
775	Selecting Health States for EQ-5D-3L Valuation Studies: Statistical Considerations Matter. <b>2018</b> , 21, 456-461	13
774	The Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre randomised controlled trial: baseline patient characteristics. <b>2018</b> , 102, 599-603	16

773	Health-Related Quality of Life of Patients with HPV-Related Cancers in Indonesia. <b>2018</b> , 15, 63-69	12
772	Core outcome measurement instruments for clinical trials in nonspecific low back pain. <b>2018</b> , 159, 481-495	156
771	Emerging adulthood and Type 1 diabetes: insights from the DAWN2 Study. <b>2018</b> , 35, 203-213	16
770	Economic evidence for nonpharmacological asthma management interventions: A systematic review. <b>2018</b> , 73, 1182-1195	9
769	Validation of the Psoriatic Arthritis Impact of Disease (PsAID) Questionnaire and its potential as a single-item outcome measure in clinical practice. <b>2018</b> , 77, 343-347	24
768	Midterm outcomes after postoperative delirium on cognition and mood in patients after cardiac surgery. <b>2018</b> , 155, 660-667.e2	12
767	Health economics and quality of life in a feasibility RCT of paediatric acute appendicitis: a protocol study. <b>2018</b> , 2, e000347	2
766	Randomised controlled feasibility trial of the Active Communication Education programme plus hearing aid provision versus hearing aid provision alone (ACE to HEAR): a study protocol. <b>2018</b> , 8, e021502	5
765	Eq5Dmap: A Command for Mapping between EQ-5D-3L and EQ-5D-5L. <b>2018</b> , 18, 395-415	15
764	Development, acceptability and feasibility of a communication skills training package for therapeutic radiographers to reduce fear of recurrence development in breast cancer patients (FORECAST2). <b>2018</b> , 4, 148	2
763	Literature review to assemble the evidence for response scales used in patient-reported outcome measures. <b>2017</b> , 2, 41	21
762	Parallel Valuation: A Direct Comparison of EQ-5D-3L and EQ-5D-5L Societal Value Sets. <b>2018</b> , 38, 968-982	14
761	Comparison of a group-delivered and individually delivered lifestyle-integrated functional exercise (LiFE) program in older persons: a randomized noninferiority trial. <b>2018</b> , 18, 267	15
760	Obstetric brachial plexus injuries (OBPIs): health-related quality of life in affected adults and parents. <b>2018</b> , 16, 212	5
759	Home interventions and light therapy for the treatment of vitiligo (HI-Light Vitiligo Trial): study protocol for a randomised controlled trial. <b>2018</b> , 8, e018649	7
758	Selecting the optimal position of CDK4/6 inhibitors in hormone receptor-positive advanced breast cancer - the SONIA study: study protocol for a randomized controlled trial. <b>2018</b> , 18, 1146	19
757	Cost-effectiveness of care for people with psychosis in the community and psychiatric hospitals in the Czech Republic: an economic analysis. <b>2018</b> , 5, 1023-1031	17
756	EQ-5D-5L norms for the urban Chinese population in China. <b>2018</b> , 16, 210	47

755	Trajectories of functional ability over the life course: a conceptual model of the interaction of stressor-induced functional loss and resilience. <b>2018</b> , 34, 481-502	4
754	Development of the Wheelchair outcomes Assessment Tool for Children (WATCH): A patient-centred outcome measure for young wheelchair users. <b>2018</b> , 13, e0209380	7
753	Increased Physical Activity Post-Myocardial Infarction Is Related to Reduced Mortality: Results From the SWEDEHEART Registry. <b>2018</b> , 7, e010108	22
752	Identifying value-based quality indicators for general hospital psychiatry. <b>2018</b> , 55, 27-37	4
751	Nutrition and physical performance in older people-effects of marine protein hydrolysates to prevent decline in physical performance: a randomised controlled trial protocol. <b>2018</b> , 8, e023845	10
750	Impact of successful treatment with direct-acting antiviral agents on health-related quality of life in chronic hepatitis C patients. <b>2018</b> , 13, e0205277	28
749	Postpartum quality of life in Indian women after vaginal birth and cesarean section: a pilot study using the EQ-5D-5L descriptive system. <b>2018</b> , 18, 427	18
748	Evaluation of a Brief Intervention for Promoting Mental Health among Employees in Social Enterprises: A Cluster Randomized Controlled Trial. <b>2018</b> , 15,	3
747	Brief intervention on Smoking, Nutrition, Alcohol and Physical (SNAP) inactivity for smoking relapse prevention after release from smoke-free prisons: a study protocol for a multicentre, investigator-blinded, randomised controlled trial. <b>2018</b> , 8, e021326	2
746	Foot pain and foot health in an educated population of adults: results from the Glasgow Caledonian University Alumni Foot Health Survey. <b>2018</b> , 11, 48	5
745	Alcohol Screening and Brief Intervention in Police Custody Suites: Pilot Cluster Randomised Controlled Trial (AcCePT). <b>2018</b> , 53, 548-559	7
744	Protocol for a clinical trial of text messaging in addition to standard care versus standard care alone in prevention of type 2 diabetes through lifestyle modification in India and the UK. <b>2018</b> , 18, 63	2
743	The effectiveness of a stratified care model for non-specific low back pain in Danish primary care compared to current practice: study protocol of a randomised controlled trial. <b>2018</b> , 19, 315	4
742	WITHDRAWN: Evaluating the Impact of Using a Generic versus a Disease-Specific Quality-of-Life Instrument in Cost-Utility Analyses: A Case Study in Severe Asthma. <b>2018</b> ,	
741	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <b>2018</b> , 13, e0201533	26
740	The INCLUDE study: INtegrating and improving Care for patients with inflAmmatory rheUmatological DisordERs in the community; identifying multimorbidity: Protocol for a pilot randomized controlled trial. <b>2018</b> , 8, 2235042X18792373	4
739	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY Home-MCT). <b>2018</b> , 19, 444	6
738	Real-world patient- and caregiver-reported outcomes in advanced breast cancer. <b>2018</b> , 25, e282-e290	8

737	"EspaiJove.net"- a school-based intervention programme to promote mental health and eradicate stigma in the adolescent population: study protocol for a cluster randomised controlled trial. <b>2018</b> , 18, 939		10
736	Peer effects in health valuation: the relation between rating of contemporaries' health and own health. <b>2018</b> , 16, 148		1
735	Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. <b>2018</b> , 16, 14		18
734	The Utility of 5 Hypothetical Health States in Heart Failure Using Time Trade-Off (TTO) and EQ-5D-5L in Korea. <b>2018</b> , 38, 727-736		4
733	Validity of the EQ-5D-5L and reference norms for the Spanish population. <i>Quality of Life Research</i> , <b>2018</b> , 27, 2337-2348	3-7	44
732	Symptom Burden of Atrial Fibrillation and Its Relation to Interventions and Outcome in Europe. <b>2018</b> , 7,		9
731	Psychometric properties of the EQ-5D-5L in patients with hip or knee osteoarthritis: reliability, validity and responsiveness. <i>Quality of Life Research</i> , <b>2018</b> , 27, 2897-2908	3-7	63
730	Self-Management of Postnatal Hypertension: The SNAP-HT Trial. <b>2018</b> , 72, 425-432		38
729	The value of 3D images in the aesthetic evaluation of breast cancer conservative treatment. Results from a prospective multicentric clinical trial. <b>2018</b> , 41, 19-24		5
728	Evidence on the measurement properties of health-related quality of life instruments is largely missing in patients with low back pain: A systematic review. <b>2018</b> , 102, 23-37		32
727	The EQ-5D-5L Valuation study in Thailand. <b>2018</b> , 18, 551-558		52
726	Effect of early and intensive nutrition care, delivered via telephone or mobile application, on quality of life in people with upper gastrointestinal cancer: study protocol of a randomised controlled trial. <b>2018</b> , 18, 707		16
725	Promoting Alcohol Reduction in Non-Treatment Seeking parents (PARENTS): a protocol for a pilot feasibility cluster randomised controlled trial of alcohol screening and brief interventions to reduce parental alcohol use disorders in vulnerable families. <b>2018</b> , 4, 111		4
724	Validation of the Spanish version of the Bladder Pain/Interstitial Cystitis-Symptom Score (BPIC-SS) questionnaire. A useful tool for the diagnosis of bladder pain syndrome. <b>2018</b> , 42, 457-464		
723	Chronic fatigue syndrome and quality of life. <b>2018</b> , 9, 253-262		8
722	Utility Values for Health States in Ireland: A Value Set for the EQ-5D-5L. <b>2018</b> , 36, 1345-1353		43
721	Quality of life of the Indonesian general population: Test-retest reliability and population norms of the EQ-5D-5L and WHOQOL-BREF. <b>2018</b> , 13, e0197098		47
720	The impact of depression on health-related quality of life and wellbeing: identifying important dimensions and assessing their inclusion in multi-attribute utility instruments. <i>Quality of Life Research</i> , <b>2018</b> , 27, 2873-2884	3-7	9

719	Prospective associations between illness perceptions and health outcomes in patients with systemic sclerosis and systemic lupus erythematosus: a cross-lagged analysis. <b>2018</b> , 2, rky007	4
718	Does Selecting Covariates Using Factor Analysis in Mapping Algorithms Improve Predictive Accuracy? A Case of Predicting EQ-5D-5L and SF-6D Utilities from the Women's Health Questionnaire. <b>2018</b> , 21, 1205-1217	3
717	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <b>2018</b> , 5, 633-643	42
716	Psychotropic medications in older people in residential care facilities and associations with quality of life: a cross-sectional study. <b>2018</b> , 18, 60	20
715	Effectiveness of a transdiagnostic individually tailored Internet-based and mobile-supported intervention for the indicated prevention of depression and anxiety (ICare Prevent) in Dutch college students: study protocol for a randomised controlled trial. <b>2018</b> , 19, 118	13
714	The preliminary effect of whole-body vibration intervention on improving the skeletal muscle mass index, physical fitness, and quality of life among older people with sarcopenia. <b>2018</b> , 18, 17	22
713	Economic evaluation of an extended nutritional intervention in older Australian hospitalized patients: a randomized controlled trial. <b>2018</b> , 18, 41	8
712	Neoadjuvant chemoradiotherapy plus surgery versus active surveillance for oesophageal cancer: a stepped-wedge cluster randomised trial. <b>2018</b> , 18, 142	91
711	Evaluation of health status in patients with hepatitis c treated with and without interferon. <b>2018</b> , 16, 17	9
710	Invasive urodynamic testing prior to surgical treatment for stress urinary incontinence in women: cost-effectiveness and value of information analyses in the context of a mixed methods feasibility study. <b>2018</b> , 4, 67	4
709	Care-related Quality of Life of informal caregivers of the elderly after a hip fracture. <b>2017</b> , 2, 23	9
708	Self-tracking of Physical Activity in People With Type 2 Diabetes: A Randomized Controlled Trial. <b>2018</b> , 36, 340-349	24
707	Efficacy and cost-effectiveness of a blended cognitive behavioral therapy for depression in Spanish primary health care: study protocol for a randomised non-inferiority trial. <b>2018</b> , 18, 74	4
706	Falls prevention through physical and cognitive training (falls PACT) in older adults with mild cognitive impairment: a randomized controlled trial protocol. <b>2018</b> , 18, 193	12
705	Psychometric properties of a new intake questionnaire for visually impaired young adults: The Participation and Activity Inventory for Young Adults (PAI-YA). <b>2018</b> , 13, e0201701	6
704	Living in uncertainty due to floods and pollution: the health status and quality of life of people living on an unhealthy riverbank. <b>2018</b> , 18, 782	6
703	Measuring health-related quality of life of care home residents, comparison of self-report with staff proxy responses for EQ-5D-5L and HowRu: protocol for assessing proxy reliability in care home outcome testing. <b>2018</b> , 8, e022127	9
702	Impact of comprehensive geriatric assessment on quality of life, overall survival, and unplanned admission in patients with non-small cell lung cancer treated with stereotactic body radiotherapy. <b>2018</b> , 9, 575-582	11



701	Daclatasvir and asunaprevir improves health-related quality of life in Japanese patients infected with hepatitis C virus. <b>2018</b> , 2, 87-92	6
700	Cross-cultural adaptation and validation of the Romanian Oxford Shoulder Score. <b>2018</b> , 97, e10926	9
699	Prophylactic incisional negative pressure wound therapy reduces the risk of surgical site infection after caesarean section in obese women: a pragmatic randomised clinical trial. <b>2019</b> , 126, 628-635	48
698	Impact of hypertension on health-related quality of life among different age subgroups in Shanghai: the subpopulation treatment effect pattern plot analysis. <b>2019</b> , 33, 78-86	6
697	Development and prospective evaluation of CAPLET, a cancer ambulatory patient physical function longitudinal evaluation tool for routine clinical practice. <b>2019</b> , 27, 521-530	2
696	Cost-Utility Analysis Using EQ-5D-5L Data: Does How the Utilities Are Derived Matter?. <b>2019</b> , 22, 45-49	20
695	United States Valuation of EQ-5D-5L Health States Using an International Protocol. <b>2019</b> , 22, 931-941	80
694	Patient-reported outcome measurement in community-acquired pneumonia: feasibility of routine application in an elderly hospitalized population. <b>2019</b> , 5, 97	1
693	Can the Routine Use of Patient-Reported Outcome Measures Improve the Delivery of Person-Centered Diabetes Care? A Review of Recent Developments and a Case Study. <b>2019</b> , 19, 84	20
692	Evaluation of the clinical effectiveness of a work-based mentoring programme to develop clinical reasoning on patient outcome: A stepped wedge cluster randomised controlled trial. <b>2019</b> , 14, e0220110	5
691	Health-related quality of life in patients with rheumatoid arthritis. <b>2019</b> , 3, 34	23
690	What are the influencing factors in self-rated health status after hip fracture? A prospective study on 402 patients. <b>2019</b> , 14, 92	4
689	Normative Profile of Health-Related Quality of Life for Hong Kong General Population Using Preference-Based Instrument EQ-5D-5L. <b>2019</b> , 22, 916-924	26
688	RebiQoL: A randomized trial of telemedicine patient support program for health-related quality of life and adherence in people with MS treated with Rebif. <b>2019</b> , 14, e0218453	6
687	Development, feasibility, acceptability and potential effectiveness of a healthy lifestyle programme delivered in churches in urban and rural South Africa. <b>2019</b> , 14, e0219787	1
686	Conservative vs liberal fluid therapy in septic shock (CLASSIC) trial-Protocol and statistical analysis plan. <b>2019</b> , 63, 1262-1271	16
685	Prevalence of sarcopenic obesity in adults with end-stage knee osteoarthritis. <b>2019</b> , 27, 1735-1745	12
684	Consensus on treatment for residents in long-term care facilities: perspectives from relatives and care staff in the PACE cross-sectional study in 6 European countries. <b>2019</b> , 18, 73	1

683	Frailty Prevalence and Association with Health-Related Quality of Life Impairment among Rural Community-Dwelling Older Adults in Vietnam. <b>2019</b> , 16,		16
682	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <b>2019</b> , 62, 116-123		4
681	Trajectory classes of opioid use among individuals in a randomized controlled trial comparing extended-release naltrexone and buprenorphine-naloxone. <b>2019</b> , 205, 107649		9
680	The types of caregiving reactions experienced by the older spouse caregivers. <b>2019</b> , 28, 4538-4548		4
679	Covered stents versus Bare-metal stents in chronic atherosclerotic Gastrointestinal Ischemia (CoBaGI): study protocol for a randomized controlled trial. <b>2019</b> , 20, 519		8
678	Cognitive deficits in vasculitis of the nervous system: a cross-sectional study. <b>2019</b> , 131, 546-549		1
677	Investigating Gains in Neurocognition in an Intervention Trial of Exercise (IGNITE): Protocol. <b>2019</b> , 85, 105832		17
676	[Development of the German version of EQ-5D-Y-5L to measure health-related quality of life in children and adolescents: Identification of response labels and pilot testing]. <b>2019</b> , 144-145, 24-34		0
675	The Oxford Participation and Activities Questionnaire (Ox-PAQ): development of a short form and index measure. <b>2019</b> , 10, 227-232		1
674	Targeted hypothermia versus targeted Normothermia after out-of-hospital cardiac arrest (TTM2): A randomized clinical trial-Rationale and design. <b>2019</b> , 217, 23-31		39
673	Stabilization of Early Duchenne Cardiomyopathy With Aldosterone Inhibition: Results of the Multicenter AIDMD Trial. <b>2019</b> , 8, e013501		23
672	Differential Psychometric Properties of EuroQoL 5-Dimension 5-Level and Short-Form 6-Dimension Utility Measures in Low Back Pain. <b>2019</b> , 44, E679-E686		15
671	Health-related quality of life in hepatitis C patients who achieve sustained virological response to direct-acting antivirals: a comparison with the general population. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1477-1484	3,7	8
670	Measuring health-related quality of life of care home residents: comparison of self-report with staff proxy responses. <b>2019</b> , 48, 407-413		16
669	Reducing 9-1-1 Emergency Medical Service Calls By Implementing A Community Paramedicine Program For Vulnerable Older Adults In Public Housing In Canada: A Multi-Site Cluster Randomized Controlled Trial. <b>2019</b> , 23, 718-729		17
668	An observational cohort study to produce and evaluate an improved tool to screen older women with back pain for osteoporotic vertebral fractures (Vfrac): study protocol. <b>2019</b> , 14, 11		1
667	A prospective, randomized, multicenter study of intraosseous basivertebral nerve ablation for the treatment of chronic low back pain. <b>2019</b> , 19, 1620-1632		28
666	Valuation of EQ-5D-5L Health States in Poland: the First EQ-VT-Based Study in Central and Eastern Europe. <b>2019</b> , 37, 1165-1176		32

665	Health related quality of life 5-7 years after minor and severe burn injuries: a multicentre cross-sectional study. <b>2019</b> , 45, 1291-1299		19
664	Exploring the Impact of Adding a Respiratory Dimension to the EQ-5D-5L. <b>2019</b> , 39, 393-404		9
663	Converting EORTC QLQ-C30 scores to utility scores in the brigatinib ALTA study. <b>2019</b> , 22, 924-935		5
662	A prospective, open-label, single-arm, multi-center study of intraosseous basivertebral nerve ablation for the treatment of chronic low back pain. <b>2019</b> , 28, 1594-1602		13
661	Nonclosure of the Peritoneum during Appendectomy May Cause Less Postoperative Pain: A Randomized, Double-Blind Study. <b>2019</b> , 2019, 9392780		0
660	Wanna Get Away? Maintenance Treatments and Chemotherapy Holidays in Gynecologic Cancers. <b>2019</b> , 39, e152-e166		8
659	Effectiveness and cost-effectiveness of a virtual multidisciplinary stroke care clinic for community-dwelling stroke survivors and caregivers: a randomised controlled trial protocol. <b>2019</b> , 9, e026500		9
658	Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus. <b>2019</b> , 10, 721-733		56
657	Study protocol of a multicenter randomized controlled trial of mindfulness-based cognitive therapy and treatment as usual in bipolar disorder. <b>2019</b> , 19, 130		5
656	Health-related quality of life and health status in persons with haemophilia A with inhibitors: A prospective, multicentre, non-interventional study (NIS). <b>2019</b> , 25, 382-391		20
655	Independent prescribing by advanced physiotherapists for patients with low back pain in primary care: protocol for a feasibility trial with an embedded qualitative component. <b>2019</b> , 9, e027745		2
654	The long-term effects of an implantable drop foot stimulator on gait in hemiparetic patients. <b>2019</b> , 14, e0214991		3
653	Understanding patient-reported outcome measures in colorectal cancer. <b>2019</b> , 15, 1135-1146		5
652	Health-related quality of life in injury patients: the added value of extending the EQ-5D-3L with a cognitive dimension. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1941-1949	3.7	8
651	Measuring Health Spillover Effects in Caregivers of Children with Autism Spectrum Disorder: A Comparison of the EQ-5D-3L and SF-6D. <b>2019</b> , 37, 609-620		12
650	COMPARE Family (Children of Mentally Ill Parents at Risk Evaluation): A Study Protocol for a Preventive Intervention for Children of Mentally Ill Parents (Triple P, Evidence-Based Program That Enhances Parentings Skills, in Addition to Gold-Standard CBT With the Mentally Ill Parent) in a Multicenter RCT-Part II. <b>2019</b> , 10, 54		12
649	The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1931-1939	3.7	21
648	A randomised feasibility study using an acupuncture protocol to the Achilles tendon in Achilles tendinopathy. <b>2019</b> , 40, 59-67		3

647	Comparison of the EQ-5D 3L and the SF-6D (SF-36) contemporaneous utility scores in patients with chronic kidney disease in Sri Lanka: a cross-sectional survey. <b>2019</b> , 9, e024854		9
646	Does the Time Trade-Off Method Reflect Health-Related Quality of Life? A Mixed-Methods Analysis of Preference Measures 10 Years After Aneurysmal Subarachnoid Hemorrhage. <b>2019</b> , 126, 11-20		
645	Home-Based Exercise in Patients Awaiting Liver Transplantation: A Feasibility Study. <b>2019</b> , 25, 995-1006		32
644	The (cost-) effectiveness of exergaming in people living with dementia and their informal caregivers: protocol for a randomized controlled trial. <b>2019</b> , 19, 50		6
643	Improvements in health-related quality of life and function in middle-aged women with chronic diseases of lifestyle after participating in a non-pharmacological intervention programme: A pragmatic randomised controlled trial. <b>2019</b> , 8, 428		3
642	Effects of Dementia Care Mapping on well-being and quality of life of older people with intellectual disability: A quasi-experimental study. <b>2019</b> , 32, 849-860		2
641	A head-to-head comparison of EQ-5D-5 L and SF-6D in Chinese patients with low back pain. <b>2019</b> , 17, 57		15
640	Paraplegia prevention in aortic aneurysm repair by thoracoabdominal staging with 'minimally invasive staged segmental artery coil embolisation' (MIS <sup>2</sup> ACE): trial protocol for a randomised controlled multicentre trial. <b>2019</b> , 9, e025488		19
639	Evaluation of two vaginal, uterus sparing operations for pelvic organ prolapse: modified Manchester operation (MM) and sacrospinous hysteropexy (SSH), a study protocol for a multicentre randomized non-inferiority trial (the SAM study). <b>2019</b> , 19, 49		4
638	Persistent Postsurgical Pain Following Thoracotomy: A Comparison of Thoracic Epidural and Paravertebral Blockade as Preventive Analgesia. <b>2019</b> , 20, 1796-1802		4
637	Vegetarian diet and mental health: Cross-sectional and longitudinal analyses in culturally diverse samples. <b>2019</b> , 248, 147-154		21
636	Health-related quality of life among children, adolescents, and adults with bladder exstrophy-epispadias complex: a systematic review of the literature and recommendations for future research. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1389-1412	3-7	6
635	Link-me: Protocol for a randomised controlled trial of a systematic approach to stepped mental health care in primary care. <b>2019</b> , 78, 63-75		2
634	Efficacy of ultrasound-guided suprascapular nerve block treatment in patients with painful hemiplegic shoulder. <b>2019</b> , 40, 985-991		13
633	EQ-5D-Y-5L: developing a revised EQ-5D-Y with increased response categories. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1951-1961	3-7	23
632	Estimation of Health Utilities Based on the Response to Treatment in Atopic Dermatitis: a Population-based Study. <b>2019</b> , 41, 700-713		
631	COMPARISON OF EQ-5D-3L AND EQ-5D-5L FOR HEALTH-RELATED QUALITY OF LIFE MEASUREMENT IN INDONESIAN POPULATION WITH SEVERAL CONDITIONS. <b>2019</b> , 10, 25-31		
630	SAT0495 PHENOTYPE OF PATIENTS WITH JUVENILE DERMATOMYOSITIS ASSOCIATED WITH ANTI-FACTOR H AUTO-ANTIBODY : A SEVERITY FACTOR?. <b>2019</b> ,		

629	SAT0494 HOME MONITORING OF INACTIVE DISEASE IN CHILDREN WITH JUVENILE IDIOPATHIC ARTHRITIS: PREDICTIVE VALUE OF EQ-5D-5L-Y. <b>2019,</b>		
628	SAT0493 THE CHALLENGE OF TREATING PULMONARY VASCULITIS IN BEHET'S DISEASE: TWO PEDIATRIC CASES. <b>2019,</b>		
627	HORIZONS protocol: a UK prospective cohort study to explore recovery of health and well-being in adults diagnosed with cancer. <b>2019, 9, e029662</b>		2
626	Towards Prepared mums (TOP-mums) for a healthy start, a lifestyle intervention for women with overweight and a child wish: study protocol for a randomised controlled trial in the Netherlands. <b>2019, 9, e030236</b>		5
625	Can smartphone technology be used to support an effective home exercise intervention to prevent falls amongst community dwelling older adults?: the TOGETHER feasibility RCT study protocol. <b>2019, 9, e028100</b>		7
624	Evaluation of the impact of the GRACE risk score on the management and outcome of patients hospitalised with non-ST elevation acute coronary syndrome in the UK: protocol of the UKGRIS cluster-randomised registry-based trial. <b>2019, 9, e032165</b>		12
623	'Optimising Pharmacotherapy In the multimorbid elderly in primary CARE' (OPTICA) to improve medication appropriateness: study protocol of a cluster randomised controlled trial. <b>2019, 9, e031080</b>		6
622	Health-related quality of life in patients with diabetic foot ulceration: study protocol for adaptation and validation of patient-reported outcome measurements (PROMs) in Dutch-speaking patients. <b>2019, 9, e034491</b>		1
621	Pragmatic cluster randomised double-blind pilot and feasibility trial of an active behavioural physiotherapy intervention for acute non-specific neck pain: a mixed-methods protocol. <b>2019, 9, e029795</b>		3
620	The Odom Criteria: Validated at Last: A Clinimetric Evaluation in Cervical Spine Surgery. <b>2019, 101, 1301-1308</b>		14
619	Results of the feasibility phase of the managed activity graded exercise in teenagers and pre-adolescents (MAGENTA) randomised controlled trial of treatments for chronic fatigue syndrome/myalgic encephalomyelitis. <b>2019, 5, 151</b>		0
618	The EQ-5D-5L Is Superior to the -3L Version in Measuring Health-related Quality of Life in Patients Awaiting THA or TKA. <b>2019, 477, 1632-1644</b>		16
617	The prevalence and clinical correlates of adverse childhood experiences in a cross-sectional study of primary care patients with cardiometabolic disease or risk factors. <b>2019, 19, 304</b>		6
616	Right Dose Right Now: bedside data-driven personalized antibiotic dosing in severe sepsis and septic shock - rationale and design of a multicenter randomized controlled superiority trial. <b>2019, 20, 745</b>		15
615	Development of the Health Awareness and Behaviour Tool (HABiT): reliability and suitability for a Canadian older adult population. <b>2019, 38, 40</b>		0
614	Standards as applied in reality: a case study on the translation of standards in eHealth evaluation practice. <b>2019, 19, 247</b>		1
613	Validity of the EQ-5D-5L and EQ-5D-3L in patients with Crohn's disease. <i>Quality of Life Research</i> , <b>2019, 28, 141-152</b>	3.7	25
612	Quality of life and participation of young adults with a visual impairment aged 18-25 years: comparison with population norms. <b>2019, 97, 165-172</b>		6

611	A Retrospective Analysis of 25 Cases With Peripheral Nerve Field Stimulation for Chronic Low Back Pain and the Predictive Value of Transcutaneous Electrical Nerve Stimulation for Patient Selection. <b>2019</b> , 22, 607-614		4
610	Health related quality of life aspects not captured by EQ-5D-5L: Results from an international survey of patients. <b>2019</b> , 123, 159-165		26
609	A head-to-head comparison of five-level (EQ-5D-5L-Y) and three-level EQ-5D-Y questionnaires in paediatric patients. <b>2019</b> , 20, 647-656		19
608	First real-world experience with mobile health telemonitoring in adult patients with congenital heart disease. <b>2019</b> , 27, 30-37		18
607	JAVELIN Head and Neck 100: a Phase III trial of avelumab and chemoradiation for locally advanced head and neck cancer. <b>2019</b> , 15, 687-694		29
606	The effect of emicizumab prophylaxis on health-related outcomes in persons with haemophilia A with inhibitors: HAVEN 1 Study. <b>2019</b> , 25, 33-44		43
605	Long-term follow-up after cystectomy for bladder pain syndrome: pain status, sexual function and quality of life. <b>2019</b> , 37, 1597-1603		4
604	Sense of Coherence, Disability, and Health-Related Quality of Life: A Cross-Sectional Study of Rehabilitation Patients in Norway. <b>2019</b> , 100, 448-457		5
603	Functional outcome of two-stage reimplantation in patients with periprosthetic joint infection after primary total knee arthroplasty. <b>2019</b> , 43, 2503-2509		12
602	EQ-5D-5L is More Responsive than EQ-5D-3L to Treatment Benefit of Cataract Surgery. <b>2019</b> , 12, 383-392		13
601	Psychometric performance assessment of Malay and Malaysian English version of EQ-5D-5L in the Malaysian population. <i>Quality of Life Research</i> , <b>2019</b> , 28, 153-162	3-7	12
600	Up to a quarter of patients with certain chronic recalcitrant tendinopathies may have central sensitisation: a prospective cohort of more than 300 patients. <b>2019</b> , 13, 137-144		3
599	Generalised joint hypermobility and knee joint hypermobility: prevalence, knee joint symptoms and health-related quality of life in a Danish adult population. <b>2019</b> , 22, 288-296		9
598	Dosage of pain rehabilitation programmes for patients with chronic musculoskeletal pain: a non-inferiority randomised controlled trial. <b>2020</b> , 42, 814-821		2
597	Body Mass Index Classification Is Independently Associated with Health-Related Quality of Life after Primary Total Knee Arthroplasty: An Institutional Registry-Based Study. <b>2020</b> , 33, 399-409		3
596	The longitudinal relationships between pain severity and disability versus health-related quality of life and costs among chronic low back pain patients. <i>Quality of Life Research</i> , <b>2020</b> , 29, 275-287	3-7	16
595	The impact of intestinal transplantation on quality of life. <b>2020</b> , 39, 1958-1967		6
594	The impact of comprehensive geriatric assessment for optimal treatment of older patients with cancer: A randomized parallel-group clinical trial. <b>2020</b> , 11, 488-495		10

593	Psychological outcomes of left ventricular assist device long-term treatment: A 2-year follow-up study. <b>2020</b> , 44, 67-71		7
592	Mapping WOMAC Onto the EQ-5D-5L Utility Index in Patients With Hip or Knee Osteoarthritis. <b>2020</b> , 23, 379-387		3
591	EXPLORE: A Prospective, Multinational, Natural History Study of Patients with Acute Hepatic Porphyria with Recurrent Attacks. <b>2020</b> , 71, 1546-1558		50
590	Evaluation of health-related quality of life in adults with and without dyslipidaemia in rural areas of central China. <i>Quality of Life Research</i> , <b>2020</b> , 29, 925-939	3-7	6
589	IMPROVE-IT2: implementing noninvasive circulating tumor DNA analysis to optimize the operative and postoperative treatment for patients with colorectal cancer - intervention trial 2. Study protocol. <b>2020</b> , 59, 336-341		10
588	A vision 'bolt-on' increases the responsiveness of EQ-5D: preliminary evidence from a study of cataract surgery. <b>2020</b> , 21, 501-511		6
587	A French Value Set for the EQ-5D-5L. <b>2020</b> , 38, 413-425		28
586	Associations between the measures of physical function, risk of falls and the quality of life in haemodialysis patients: a cross-sectional study. <b>2020</b> , 21, 7		7
585	Factors associated with and cutoff points for Patient Acceptable Symptom State (PASS) in rheumatoid arthritis. <b>2020</b> , 39, 779-786		4
584	Spinal cord stimulation for the treatment of complex regional pain syndrome leads to improvement of quality of life, reduction of pain and psychological distress: a retrospective case series with 24 months follow up. <b>2020</b> , 20, 253-259		7
583	Rationale and design of the British Heart Foundation (BHF) Coronary Microvascular Function and CT Coronary Angiogram (CorCTCA) study. <b>2020</b> , 221, 48-59		15
582	Motor outcome, executive functioning, and health-related quality of life of children, adolescents, and young adults after ventricular assist device and heart transplantation. <b>2020</b> , 24, e13631		2
581	The development and first results of a health-related outcomes set in familial hypercholesterolemia (FH) patients: Knowledge is health. <b>2020</b> , 293, 11-17		5
580	An Open-label Study With Pirfenidone on Chronic Hypersensitivity Pneumonitis. <b>2020</b> , 56, 163-169		11
579	Estimation of direct cost of managing rheumatoid arthritis treatment to Pakistani patients using real-world follow-up data. <b>2020</b> , 23, 325-333		2
578	Withdrawing gluten-free food from prescriptions in England: a mixed-methods study to examine the impact of policy changes on quality of life. <b>2020</b> , 33, 453-464		3
577	Generic and vision related quality of life associated with different types of cataract surgeries and different types of intraocular lens implantation. <b>2020</b> , 15, e0240036		3
576	Determining meaningful health-related quality-of-life improvement in persons with haemophilia A using the Haemophilia Quality of Life Questionnaire for Adults (Haem-A-QoL). <b>2020</b> , 26, 1019-1030		4

575	Evolving Evidence in Support of Sentinel Lymph Node Biopsy for Early-Stage Oral Cavity Cancer. <b>2020</b> , 38, 3983-3986	10
574	Enjoying Breathing Program: A National Prospective Study Protocol to Improve Chronic Obstructive Pulmonary Disease Management in Chinese Primary Health Care. <b>2020</b> , 15, 2179-2187	2
573	Design and rationale of FLAVOUR: A phase IIa efficacy study of the 5-lipoxygenase activating protein antagonist AZD5718 in patients with recent myocardial infarction. <b>2020</b> , 19, 100629	4
572	Meniscal tear outcome Study (METRO Study): a study protocol for a multicentre prospective cohort study exploring the factors which affect outcomes in patients with a meniscal tear. <b>2020</b> , 10, e038681	2
571	More Severe Radiographic Osteoarthritis Is Associated With Increased Improvement in Patients' Health State Following a Total Knee Arthroplasty. <b>2020</b> , 35, 3131-3137	3
570	Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <b>2020</b> , 46, 1696-1706	7
569	Heavy shoulder strengthening exercise in people with hypermobility spectrum disorder (HSD) and long-lasting shoulder symptoms: a feasibility study. <b>2020</b> , 6, 97	6
568	Developing Smartphone-Based Objective Assessments of Physical Function in Rheumatoid Arthritis Patients: The PARADE Study. <b>2020</b> , 4, 26-43	8
567	Case management after acquired brain injury compared to care as usual: study protocol for a 2-year pragmatic randomized controlled superiority trial with two parallel groups. <b>2020</b> , 21, 928	1
566	Eye movement desensitization and reprocessing therapy for psychosis (EMDRp): Protocol of a feasibility randomized controlled trial with early intervention service users. <b>2021</b> , 15, 1224-1233	2
565	A randomised controlled trial of heavy shoulder strengthening exercise in patients with hypermobility spectrum disorder or hypermobile Ehlers-Danlos syndrome and long-lasting shoulder complaints: study protocol for the Shoulder-MOBILEX study. <b>2020</b> , 21, 992	1
564	Europa Uomo Patient Reported Outcome Study (EUPROMS): Descriptive Statistics of a Prostate Cancer Survey from Patients for Patients. <b>2021</b> , 7, 987-994	5
563	How to Include Patient-Reported Outcome Measures in Clinical Trials. <b>2020</b> , 18, 480-485	5
562	Psychometric properties comparison between EQ-5D-5L and EQ-5D-3L in the general Thai population. <i>Quality of Life Research</i> , <b>2020</b> , 29, 3407-3417	3-7
561	Vitamin K for kidney transplant organ recipients: investigating vessel stiffness (ViKTORIES): study rationale and protocol of a randomised controlled trial. <b>2020</b> , 7,	5
560	Normative Estimates and Agreement Between 2 Measures of Health-Related Quality of Life in Older People With Frailty: Findings From the Community Ageing Research 75+ Cohort. <b>2020</b> , 23, 1056-1062	1
559	The MIPAM trial: a 12-week intervention with motivational interviewing and physical activity monitoring to enhance the daily amount of physical activity in community-dwelling older adults - a study protocol for a randomized controlled trial. <b>2020</b> , 20, 412	1
558	Text message-based lifestyle intervention in primary care patients with hypertension: a randomized controlled pilot trial. <b>2020</b> , 38, 300-307	5



557	Does intraoperative contamination during primary knee arthroplasty affect patient-reported outcomes for patients who are uninfected 1 year after surgery? A prospective cohort study of 714 patients. <b>2020</b> , 91, 750-755	0
556	Clinical screening and identification of sarcopenic obesity in adults with advanced knee osteoarthritis. <b>2020</b> , 40, 340-348	1
555	Study protocol for a nationwide questionnaire survey of physical activity among breast cancer survivors in Japan. <b>2020</b> , 10, e032871	1
554	Enhanced Recovery after Intensive Care (ERIC): study protocol for a German stepped wedge cluster randomised controlled trial to evaluate the effectiveness of a critical care telehealth program on process quality and functional outcomes. <b>2020</b> , 10, e036096	3
553	Reaching methadone users attending community pharmacies with HCV: an international cluster randomised controlled trial protocol (REACH HCV). <b>2020</b> , 10, e036501	3
552	Cohort profile: Oxford Pain, Activity and Lifestyle (OPAL) Study, a prospective cohort study of older adults in England. <b>2020</b> , 10, e037516	2
551	Measuring shared decision-making and collaborative goal setting in community rehabilitation: a focused ethnography using cross-sectional surveys in Canada. <b>2020</b> , 10, e034745	5
550	Parallel Valuation of the EQ-5D-3L and EQ-5D-5L by Time Trade-Off in Hungary. <b>2020</b> , 23, 1235-1245	17
549	Chinese Herbal Formula Xuefu Zhuyu for Tension-Type Headache with -Stagnation and Blood-Stasis Pattern (CheruXTH): Study Protocol for a Randomized Controlled Trial. <b>2020</b> , 2020, 5653169	0
548	Changes in health-related quality of life before and after a 12-month enhanced primary care model among chronically ill primary care patients in Australia. <b>2020</b> , 18, 288	1
547	Measuring health-related quality of life in patients treated for substance dependence: differences among instruments and methods of eliciting preferences. <b>2021</b> , 21, 683-690	0
546	Follow-up after surgical treatment for intermittent claudication (FASTIC): a study protocol for a multicentre randomised controlled clinical trial. <b>2020</b> , 19, 45	5
545	A New Medical Device for Improved Rotation of Insulin Injections in Type 1 Diabetes Mellitus: A Proof-of-Concept Study. <b>2021</b> , 15, 1111-1120	0
544	Waiting lists for symptomatic joint arthritis are not benign: prioritizing patients for surgery in the setting of COVID-19. <b>2020</b> , 1, 508-511	18
543	Evaluating Health Related Quality of Life in Older People at Risk of Osteoporotic Fracture: A Head-to-Head Comparison of the EQ-5D-5L and AQoL-6D. <b>2020</b> , 1	0
542	Chinese Herbal Formula Xuefu Zhuyu for Stable Angina (CheruSA): Study Protocol for a Multicenter Randomized Controlled Trial. <b>2020</b> , 2020, 7612721	1
541	Evaluating the Minimal Clinically Important Difference of EQ-5D-3L in Patients With Degenerative Lumbar Spinal Stenosis: A Swiss Prospective Multicenter Cohort Study. <b>2020</b> , 45, 1309-1316	7
540	Effects of a Vegetarian Diet on Cardiometabolic Risk Factors, Gut Microbiota, and Plasma Metabolome in Subjects With Ischemic Heart Disease: A Randomized, Crossover Study. <b>2020</b> , 9, e016518	20

539	A pilot feasibility randomised controlled trial of two behaviour change interventions compared to usual care to reduce substance misuse in looked after children and care leavers aged 12-20 years: The SOLID study. <b>2020</b> , 15, e0238286	3
538	Improving patient experience and safety at transitions of care through the Your Care Needs You (YCNy) intervention: a study protocol for a cluster randomised controlled feasibility trial. <b>2020</b> , 6, 123	3
537	A randomized controlled trial comparing the clinical efficacy and cost-effectiveness of eye movement desensitization and reprocessing (EMDR) and integrated EMDR-Dialectical Behavioural Therapy (DBT) in the treatment of patients with post-traumatic stress disorder and comorbid (Sub)clinical borderline personality disorder: study design. <b>2020</b> , 20, 396	4
536	EQ-5D-5L Bulgarian population norms. <b>2020</b> , 21, 1169-1178	9
535	Comparing Quality of Life of General Population and Orthopedic Patients in Slovenia. <b>2020</b> , 22, 93-98	3
534	Health related quality of life and its impacts by chronic diseases in urban community population, Shanghai, China in 2015. <b>2021</b> , 26, 931-939	
533	Expectations of family nurses among residents of a midsize eastern European city: A population-based cohort study in Poland. <b>2020</b> ,	
532	Relationship Between Clinical Control, Respiratory Symptoms and Quality of Life for Patients with COPD. <b>2020</b> , 15, 2683-2693	
531	Adult Measures of General Health and Health-Related Quality of Life. <b>2020</b> , 72 Suppl 10, 522-564	7
530	Bimagrumab vs Optimized Standard of Care for Treatment of Sarcopenia in Community-Dwelling Older Adults: A Randomized Clinical Trial. <b>2020</b> , 3, e2020836	28
529	Targeted hypothermia versus targeted normothermia after out-of-hospital cardiac arrest: a statistical analysis plan. <b>2020</b> , 21, 831	2
528	Proceedings from the Consensus Conference on Trauma Patient-Reported Outcome Measures. <b>2020</b> , 230, 819-835	13
527	Measuring intangible cost-of-morbidity due to substance dependence: implications of using alternative preference-based instruments. <b>2020</b> , 21, 1039-1048	2
526	Protocol for a randomised controlled trial of Subacromial spacer for Tears Affecting Rotator cuff Tendons: a Randomised, Efficient, Adaptive Clinical Trial in Surgery (START:REACTS). <b>2020</b> , 10, e036829	6
525	Validation of the Functional Assessment of Cancer Therapy-Leukemia instrument in patients with acute myeloid leukemia who are not candidates for intensive therapy. <b>2020</b> , 126, 3542-3551	4
524	How does the EQ-5D-5L perform in asthma patients compared with an asthma-specific quality of life questionnaire?. <b>2020</b> , 20, 168	3
523	Conservative Management of Type II Odontoid Fractures in Older People: A Retrospective Observational Comparison of Osseous Union Versus Nonunion. <b>2020</b> , 87, E648-E654	3
522	Lengthening adalimumab dosing interval in quiescent Crohn's disease patients: protocol for the pragmatic randomised non-inferiority LADI study. <b>2020</b> , 10, e035326	0

521	Randomized controlled trial of multi-modular motion-assisted memory desensitization and reconsolidation (3MDR) for male military veterans with treatment-resistant post-traumatic stress disorder. <b>2020</b> , 142, 141-151	11
520	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive AppRoaches to coMBatting Suicidality) randomised controlled trial protocol. <b>2020</b> , 20, 306	4
519	Post-hospital medical respite care for homeless people in Denmark: a randomized controlled trial and cost-utility analysis. <b>2020</b> , 20, 508	6
518	Does intensive glycaemic control promote healing in diabetic foot ulcers? - a feasibility study. <b>2020</b> , 10, e029009	3
517	Treating anxiety in autistic adults: study protocol for the Personalised Anxiety Treatment-Autism (PAT-A* ) pilot randomised controlled feasibility trial. <b>2020</b> , 21, 265	4
516	A Comparison of the EQ-5D-3L and EQ-5D-5L. <b>2020</b> , 38, 575-591	27
515	Assertive outreach treatment versus care as usual for the treatment of high-need, high-cost alcohol related frequent attenders: study protocol for a randomised controlled trial. <b>2020</b> , 20, 332	1
514	Independent prescribing by advanced physiotherapists for patients with low back pain in primary care: A feasibility trial with an embedded qualitative component. <b>2020</b> , 15, e0229792	3
513	Low-dose strength training in addition to neuromuscular exercise and education in patients with knee osteoarthritis in secondary care - a randomized controlled trial. <b>2020</b> , 28, 744-754	2
512	The coMforT study of a trauma-informed mindfulness intervention for women who have experienced domestic violence and abuse: a protocol for an intervention refinement and individually randomized parallel feasibility trial. <b>2020</b> , 6, 33	3
511	Accuracy of detecting residual disease after neoadjuvant chemoradiotherapy for esophageal squamous cell carcinoma (preSINO trial): a prospective multicenter diagnostic cohort study. <b>2020</b> , 20, 194	9
510	A psychosocial intervention for stroke survivors and carers: 12-month outcomes of a randomized controlled trial. <b>2020</b> , 27, 563-576	6
509	The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. <b>2020</b> , 21, 183	3
508	Relation of anxiety and other psychometric measures, balance deficits, impaired quality of life, and perceived state of health to dizziness handicap inventory scores for patients with dizziness. <b>2020</b> , 18, 204	1
507	Trends in idiopathic inflammatory myopathies: cross-sectional data from the German National Database. <b>2020</b> , 40, 1639-1647	2
506	Conventional and retrospective change in health-related quality of life of trauma patients: an explorative observational follow-up study. <b>2020</b> , 18, 157	8
505	Psychiatric hospital reform in low-income and middle-income countries Structured Individualised inTervention And Recovery (SITAR): a two-arm pragmatic randomised controlled trial study protocol. <b>2020</b> , 10, e035753	1
504	Measurement properties of the musculoskeletal health questionnaire (MSK-HQ): a between country comparison. <b>2020</b> , 18, 200	3

503	Fasting in diabetes treatment (FIT) trial: study protocol for a randomised, controlled, assessor-blinded intervention trial on the effects of intermittent use of a fasting-mimicking diet in patients with type 2 diabetes. <b>2020</b> , 20, 94		2
502	Do people with private health insurance attach a higher value to health than those without insurance? Results from an EQ-5D-5 L valuation study in Ireland. <b>2020</b> , 124, 639-646		3
501	Well-being of Older People (WOOP): Quantitative validation of a new outcome measure for use in economic evaluations. <b>2020</b> , 259, 113109		4
500	Comparing the EQ-5D-3 L and EQ-5D-5 L: studying measurement and scores in Indonesian type 2 diabetes mellitus patients. <b>2020</b> , 18, 22		10
499	The Possible Impact of Aortic Stiffness on Quality of Late Life: An Exploratory Study. <b>2020</b> , 15, 133-140		2
498	Comparing the EQ-5D-5L crosswalks and value sets for England, the Netherlands and Spain: Exploring their impact on cost-utility results. <b>2020</b> , 29, 640-651		5
497	Needs and treatment options in chronic traumatic brain injury: A feasibility trial of a community-based intervention. <b>2020</b> , 7,		1
496	An Open-label Study With Pirfenidone on Chronic Hypersensitivity Pneumonitis. <b>2020</b> , 56, 163-169		2
495	Preventing relapse with personalized smart-messaging after cognitive behavioural therapy: A proof-of-concept evaluation. <b>2020</b> , 59, 241-259		5
494	Cost-effectiveness of basic vision rehabilitation (The basic VRS-effect study): study protocol for a randomised controlled trial. <b>2020</b> , 40, 350-364		3
493	Efficacy of Transcranial Direct Current Stimulation-Enhanced Mindfulness-Based Program for Chronic Pain: a Single-Blind Randomized Sham Controlled Pilot Study. <b>2020</b> , 11, 895-904		1
492	Experiences of fatigue in daily life of people with acquired brain injury: a qualitative study. <b>2021</b> , 43, 2866-2874		4
491	Protocol for a multicenter observational prospective study of functional recovery from stroke beyond inpatient rehabilitation - The Interdisciplinary Platform for Rehabilitation Research and Innovative Care of Stroke Patients (IMPROVE). <b>2020</b> , 2, 10		4
490	Online cognitive behavioral therapy enhanced for binge eating disorder: study protocol for a randomized controlled trial. <b>2020</b> , 20, 190		1
489	Comparing the performance of the EQ-5D-3 L and the EQ-5D-5 L in an elderly Chinese population. <b>2020</b> , 18, 97		3
488	Factors associated with social isolation in community-dwelling older adults: a cross-sectional study. <i>Quality of Life Research</i> , <b>2020</b> , 29, 2375-2381	3-7	10
487	Individuals with Persistent Greater Trochanteric Pain Syndrome Exhibit Impaired Pain Modulation, as well as Poorer Physical and Psychological Health, Compared with Pain-Free Individuals: A Cross-Sectional Study. <b>2020</b> , 21, 2964-2974		7
486	Effect of vitamin D supplementation on pain and physical function in patients with knee osteoarthritis (OA): an OA Trial Bank protocol for a systematic review and individual patient data (IPD) meta-analysis. <b>2020</b> , 10, e035302		8

485	A Pilot Randomised Clinical Trial of a Novel Approach to Reduce Sedentary Behaviour in Care Home Residents: Feasibility and Preliminary Effects of the GET READY Study. <b>2020</b> , 17,		2
484	Severe Fatigue is Highly Prevalent in Patients with IPF or Sarcoidosis. <b>2020</b> , 9,		10
483	Does the EQ-5D-5L benefit from extension with a cognitive domain: Testing a multi-criteria psychometric strategy in trauma patients. <i>Quality of Life Research</i> , <b>2020</b> , 29, 2541-2551	3.7	5
482	Health-related quality of life measured using the EQ-5D-5 L: population norms for the capital of Iran. <b>2020</b> , 18, 108		14
481	Supporting patients and carers affected by pancreatic cancer: A feasibility study of a counselling intervention. <b>2020</b> , 46, 101729		2
480	How do EQ-5D-3L and EQ-5D-5L compare in a Swedish total hip replacement population?. <b>2020</b> , 91, 272-278		4
479	Effectiveness and cost-effectiveness of stratified blended physiotherapy in patients with non-specific low back pain: study protocol of a cluster randomized controlled trial. <b>2020</b> , 21, 265		7
478	Chronic intractable lumbosacral radicular pain, is there a remedy? Pulsed radiofrequency treatment and volumetric modifications of the lumbar dorsal root ganglia. <b>2021</b> , 126, 124-132		2
477	Quality of life with pharmacological treatment in patients with benign prostatic enlargement: results from the Evolution European Prospective Multicenter Multi-National Registry Study. <b>2021</b> , 39, 517-526		1
476	Quality of Life and Well-being of Carers of People With Dementia: Are There Differences Between Working and Nonworking Carers? Results From the IDEAL Program. <b>2021</b> , 40, 752-762		2
475	Do Rural Residents in China Understand EQ-5D-5L as Intended? Evidence From a Qualitative Study. <b>2021</b> , 5, 101-109		6
474	Instruments to measure outcomes of post-intensive care syndrome in outpatient care settings - Results of an expert consensus and feasibility field test. <b>2021</b> , 22, 159-174		11
473	A head-to-head comparison of measurement properties of the EQ-5D-3L and EQ-5D-5L in acute myeloid leukemia patients. <i>Quality of Life Research</i> , <b>2021</b> , 30, 855-866	3.7	7
472	The added value of extending the EQ-5D-5L with an itching item for the assessment of health-related quality of life of burn patients: an explorative study. <b>2021</b> , 47, 873-879		1
471	Population norms of health-related quality of life in Moscow, Russia: the EQ-5D-5L-based survey. <i>Quality of Life Research</i> , <b>2021</b> , 30, 831-840	3.7	10
470	Beyond severe acute maternal morbidity: a mixed-methods study on the long-term consequences of (severe pre-)eclampsia in rural Tanzania. <b>2021</b> , 26, 33-44		1
469	SymTrak-8 as a Brief Measure for Assessing Symptoms in Older Adults. <b>2021</b> , 36, 1197-1205		
468	Psychometric properties of the EQ-5D-5L: a systematic review of the literature. <i>Quality of Life Research</i> , <b>2021</b> , 30, 647-673	3.7	50

467	Intravenous immunoglobulins as first-line treatment in idiopathic inflammatory myopathies: a pilot study. <b>2021</b> , 60, 1784-1792		10
466	Validity of the EQ-5D-5L questionnaire among the general population of Poland. <i>Quality of Life Research</i> , <b>2021</b> , 30, 817-829	3-7	9
465	Monitorization of Timed Up and Go Phases in Elderly. <b>2021</b> , 39, 169-181		
464	Comparing EQ-5D-3L and EQ-5D-5L performance in common cancers: suggestions for instrument choosing. <i>Quality of Life Research</i> , <b>2021</b> , 30, 841-854	3-7	13
463	The impact of symptoms and comorbidity on health utility scores and health-related quality of life in small cell lung cancer using real world data. <i>Quality of Life Research</i> , <b>2021</b> , 30, 445-454	3-7	1
462	Evaluating functional disability in clinical trials of lisdexamfetamine dimesylate in binge eating disorder using the Sheehan Disability Scale. <b>2021</b> , 30, e1849		1
461	Rasch analysis of the EQ-5D-3L and the EQ-5D-5L in persons with back and neck pain receiving physiotherapy in a primary care context. <b>2021</b> , 23, 102-109		4
460	Interpretation and timing of death: The development and initial validation of the interpretation of death (IOD) scale and the attitudes toward medical interventions in the timing of death (AMITOD) scale. <b>2021</b> , 45, 282-295		2
459	Comparing the cumulative live birth rate of cleavage-stage versus blastocyst-stage embryo transfers between IVF cycles: a study protocol for a multicentre randomised controlled superiority trial (the ToF trial). <b>2021</b> , 11, e042395		1
458	A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. <b>2021</b> , 22, e22		1
457	Economic model to examine the cost-effectiveness of FlowOx home therapy compared to standard care in patients with peripheral artery disease. <b>2021</b> , 16, e0244851		1
456	Long-term Functional Outcomes, Quality of Life, and Patient Trajectory in Trauma Survivors: A Study Protocol. <b>2021</b> , 3, 59-66		
455	Is convention hip precaution necessary after total hip arthroplasty?. <b>2021</b> , 28, 221049172110068		
454	Comparison of the sensitivity of patient-reported outcomes for detecting the benefit of biologics in severe asthma. <b>2021</b> , 18, 14799731211043530		1
453	A pilot study of a nurse-led integrated care review (the INCLUDE review) for people with inflammatory rheumatological conditions in primary care: feasibility study findings. <b>2021</b> , 7, 9		1
452	Health-related quality of life of patients with HIV/AIDS at a tertiary care teaching hospital in Ethiopia. <b>2021</b> , 19, 24		3
451	Chinese herbal formula Xuefu Zhuyu for primary dysmenorrhea patients (CheruPDYS): a study protocol for a randomized placebo-controlled trial. <b>2021</b> , 22, 95		0
450	Investigating online psychological treatment for adolescents with a visible difference in the Dutch YP Face IT study: protocol of a randomised controlled trial. <b>2021</b> , 11, e041449		6

449	Protocol for systematic review: patient decision aids for total hip and knee arthroplasty decision-making. <b>2021</b> , 10, 8		2
448	Conversion of PROMIS global health to EQ-5D health state values in patients undergoing lumbar spine surgery: A psychometric evaluation. <b>2021</b> , 23, 67-72		0
447	Psychometric properties of the EQ-5D-5L in patients with major depression: factor analysis and Rasch analysis. <b>2021</b> , 1-11		4
446	Quality of life after intestinal transplantation. <b>2021</b> , 26, 200-206		0
445	Utility Decrements Associated With Diabetes and Related Complications: Estimates From a Population-Based Study in Germany. <b>2021</b> , 24, 274-280		2
444	M.I.C.E-Mental Health Intervention for Children with Epilepsy: a randomised controlled, multi-centre clinical trial evaluating the clinical and cost-effectiveness of MATCH-ADTC in addition to usual care compared to usual care alone for children and young people with common mental health disorders and epilepsy study protocol. <b>2021</b> , 22, 132		2
443	Does scrolling affect measurement equivalence of electronic patient-reported outcome measures (ePROM)? Results of a quantitative equivalence study. <b>2021</b> , 5, 23		1
442	The Danish EQ-5D-5L Value Set: A Hybrid Model Using cTTO and DCE Data. <b>2021</b> , 19, 579-591		19
441	The association between sarcopenia and quality of life in patients undergoing colorectal cancer surgery: an exploratory study. <b>2021</b> , 29, 3411-3420		0
440	Two-year migration characteristics of a novel cementless femoral stem: a radiostereometric analysis and clinical outcomes study. <b>2021</b> , 91, 398-403		1
439	Sinonasal Symptoms and Self-Reported Health before and after Endoscopic Pituitary Surgery: A Prospective Study.		
438	Evaluation of FindMyApps: protocol for a randomized controlled trial of the effectiveness and cost-effectiveness of a tablet-based intervention to improve self-management and social participation of community-dwelling people with mild dementia, compared to usual tablet use. <b>2021</b> , 21, 133		2
437	A comparison of the acceptability and psychometric properties of scales assessing the impact of type 1 diabetes on quality of life-Results of 'YourSAY: Quality of Life'. <b>2021</b> , 38, e14524		2
436	The measurement performance of the EQ-5D-5L versus EQ-5D-3L in patients with hidradenitis suppurativa. <i>Quality of Life Research</i> , <b>2021</b> , 30, 1477-1490	3-7	6
435	Comparative analysis of the Memorial Sloan Kettering Bowel Function Instrument and the Low Anterior Resection Syndrome Questionnaire for assessment of bowel dysfunction in rectal cancer patients after low anterior resection. <b>2021</b> , 23, 451-460		5
434	Utility Index and Patient-Reported Outcome Measures in Glaucomatous Patients Comparing with Normal Participants. <b>2021</b> , 15, 835-843		0
433	Effectiveness of low-dose theophylline for the management of biomass-associated COPD (LODOT-BCOPD): study protocol for a randomized controlled trial. <b>2021</b> , 22, 213		0
432	Efficacy and safety of eslicarbazepine acetate as a first or later adjunctive therapy in patients with focal seizures. <b>2021</b> , 171, 106561		2

431	Cross-cultural adaptation and validation of the Finnish version of the central sensitization inventory and its relationship with dizziness and postural control. <b>2021</b> , 21, 141	2
430	Implementation, efficacy, costs and processes of inpatient equivalent home-treatment in German mental health care (AKtiV): protocol of a mixed-method, participatory, quasi-experimental trial. <b>2021</b> , 21, 173	1
429	TEXT4myBACK: A Text Message Intervention to Improve Function in People With Low Back Pain-Protocol of a Randomized Controlled Trial. <b>2021</b> , 101,	1
428	Effect of routinely assessing and addressing depression and diabetes distress using patient-reported outcome measures in improving outcomes among adults with type 2 diabetes: a systematic review protocol. <b>2021</b> , 11, e044888	3
427	Assistive technology and telecare to maintain independent living at home for people with dementia: the ATTILA RCT. <b>2021</b> , 25, 1-156	5
426	Investigating the Self-Reported Health Status of Domestic and Overseas Chinese Populations during the COVID-19 Pandemic. <b>2021</b> , 18,	1
425	Monitoring patients with juvenile idiopathic arthritis using health-related quality of life. <b>2021</b> , 19, 40	2
424	Reducing sedentary behaviour and cognitive function in community-dwelling older people: Study protocol for a randomized feasibility study. <b>2021</b> , 1, 100005	
423	Mobile Diary App Versus Paper-Based Diary Cards for Patients With Borderline Personality Disorder: Economic Evaluation. <b>2021</b> , 23, e28874	1
422	Predicting the EQ-5D utilities from the Kansas City Cardiomyopathy Questionnaire in patients with heart failure. <b>2021</b> , 7, 388-396	3
421	Economic Evaluation of a Mobile Diary App versus Paper-based Diary Cards for Patients with Borderline Personality Disorder (Preprint).	
420	Health-related quality of life of multiple sclerosis patients: a European multi-country study. <b>2021</b> , 79, 39	4
419	The EQ-5D-5L Valuation Study in Egypt. <b>2021</b> , 39, 549-561	5
418	Role of an e-Health Intervention in Holistic Healthcare: A Quasiexperiment in Patients Undergoing Cardiac Catheterization in Taiwan. <b>2021</b> , 2021, 6692952	
417	Quality of Life and Work Productivity Improvements with Upadacitinib: Phase 2b Evidence from Patients with Moderate to Severe Crohn's Disease. <b>2021</b> , 38, 2339-2352	1
416	A cross-sectional study on the determinants of health-related quality of life in the Philippines using the EQ-5D-5L. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2137-2147	3-7 0
415	BLEND-A: blending internet treatment into conventional face-to-face treatment for alcohol use disorder - a study protocol. <b>2021</b> , 21, 131	1
414	Health-related quality of life and its related factors in coronary heart disease patients: results from the Henan Rural Cohort study. <b>2021</b> , 11, 5011	5



413	Psychometric properties of the EQ-5D-5L for aboriginal Australians: a multi-method study. <b>2021</b> , 19, 81		0
412	Comparing the EQ-5D-3L anxiety or depression domain to the Hospital Anxiety and Depression Scale to identify anxiety or depression after stroke. <b>2021</b> , 1-10		2
411	How to measure fluctuating impairments in people with MS: development of an ambulatory assessment version of the EQ-5D-5L in an exploratory study. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2081-2096	3.7	1
410	Patient Preferences to Assess Value IN Gene Therapies: Protocol Development for the PAVING Study in Hemophilia. <b>2021</b> , 8, 595797		2
409	Probiotics to reduce antibiotic administration in care home residents aged 65 years and older: the PRINCESS RCT. <b>2021</b> , 8, 1-128		
408	A comparison of six approaches for measuring utility values among patients with locally advanced cervical cancer. <b>2021</b> , 1-11		1
407	Feasibility of a prehabilitation programme dedicated to older patients with cancer before complex medical-surgical procedures: the PROADAPT pilot study protocol. <b>2021</b> , 11, e042960		2
406	Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). <b>2021</b> , 11, e043364		
405	Incidence and risk factors for poor ankle functional recovery, and the development and progression of posttraumatic ankle osteoarthritis after significant ankle ligament injury (SALI): the SALI cohort study protocol. <b>2021</b> , 22, 362		0
404	Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. <b>2021</b> , 11, e041152		2
403	The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. <b>2021</b> , 19, 135		3
402	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial. <b>2021</b> , 24, 100369		1
401	Comparing the measurement properties of the EQ-5D-5L and the EQ-5D-3L in hypertensive patients living in rural China. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2045-2060	3.7	1
400	Assessment of activities of daily living in patients post COVID-19: a systematic review. <b>2021</b> , 9, e11026		18
399	Psychometric assessment of EQ-5D-5L and ReQoL measures in patients with anxiety and depression: construct validity and responsiveness. <i>Quality of Life Research</i> , <b>2021</b> , 30, 2633-2647	3.7	5
398	Acceptability of intravitreal injections in geographic atrophy: protocol for a mixed-methods pilot study. <b>2021</b> , 11, e049495		1
397	Validity of EQ-5D-5L health-related quality of life questionnaire in self-reported diabetes: evidence from a general population survey. <b>2021</b> , 19, 138		4
396	Translation and adaptation of the German version of the Veterans Rand-36/12 Item Health Survey. <b>2021</b> , 19, 137		2

395	Prospective cohort study comparing a triceps-sparing and triceps-detaching approach in total elbow arthroplasty: a protocol. <b>2021</b> , 11, e046098	
394	A Comparison of the SF-6Dv2 and SF-6D UK Utility Values in a Mixed Patient and Healthy Population. <b>2021</b> , 39, 929-940	2
393	The ViKTORIES trial: A randomized, double-blind, placebo-controlled trial of vitamin K supplementation to improve vascular health in kidney transplant recipients. <b>2021</b> , 21, 3356-3368	5
392	The Use of SMS Text Messaging to Improve the Hospital-to-Community Transition in Patients With Acute Coronary Syndrome (Txt2Prevent): Results From a Pilot Randomized Controlled Trial. <b>2021</b> , 9, e24530	1
391	Validation Study and Outcomes of the Diabetes Quality of Life in Youth Instrument in Haitian Youth With Type 1 Diabetes Residing in Haiti. <b>2021</b> ,	
390	Translation, cross-cultural adaptation and psychometric validation of the Thai version of the STarT Back Screening Tool in patients with non-specific low back pain. <b>2021</b> , 22, 454	2
389	The effect of emicizumab prophylaxis on long-term, self-reported physical health in persons with haemophilia A without factor VIII inhibitors in the HAVEN 3 and HAVEN 4 studies. <b>2021</b> , 27, 854-865	5
388	The effects of cancer therapies on physical fitness before oesophagogastric cancer surgery: a prospective, blinded, multi-centre, observational, cohort study [version 1; peer review: 2 approved].. <b>2021</b> , 1, 1	0
387	Improved survival after pancreatic re-resection of positive neck margin in pancreatic cancer patients. A systematic review and network meta-analysis. <b>2021</b> , 47, 1258-1266	2
386	Short-term health-related quality of life, physical function and psychological consequences of severe COVID-19. <b>2021</b> , 11, 91	14
385	Hand Osteoarthritis: investigating Pain Effects of estrogen-containing therapy (HOPE-e): a protocol for a feasibility randomised placebo-controlled trial. <b>2021</b> , 7, 133	0
384	What matters in treating non-oncological rare diseases? Eliciting experts' preferences in Poland with PAPRIKA.	0
383	Participation in exercise-based cardiac rehabilitation is related to reduced total mortality in both men and women: results from the SWEDEHEART registry. <b>2021</b> ,	6
382	Isatuximab, carfilzomib, and dexamethasone in relapsed multiple myeloma (IKEMA): a multicentre, open-label, randomised phase 3 trial. <b>2021</b> , 397, 2361-2371	46
381	What Does the Future Hold? Health-Related Quality of Life 3-12 Years Following a Youth Sport-Related Knee Injury. <b>2021</b> , 18,	0
380	Patient-Reported Outcomes in the Phase III BRIGHT E Trial of the HIV-1 Attachment Inhibitor Prodrug Fostemsavir in Heavily Treatment-Experienced Individuals. <b>2021</b> , 1	1
379	Palliative Care Intervention Trials for Adults Living With Progressive Central Nervous System Diseases and Their Caregivers: A Systematic Review. <b>2021</b> ,	0
378	Evidence on the relationship between PROMIS-29 and EQ-5D: a literature review. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7 1

377	Sarcopenia in patients following stroke: an overlooked problem. <b>2021</b> , 44, 269-275	1
376	Systematic geriatric assessment for older patients with frailty in the emergency department: a randomised controlled trial. <b>2021</b> , 21, 408	0
375	Effectiveness of stratified treatment for back pain in Danish primary care: A randomized controlled trial. <b>2021</b> , 25, 2020-2038	2
374	Validity of the Utrecht scale for evaluation of rehabilitation-participation restrictions scale in a hospital-based stroke population 3 months after stroke. <b>2021</b> , 1-10	1
373	Long-term costs and cost-effectiveness of adjunctive corticosteroids for patients with septic shock in New Zealand. <b>2021</b> ,	0
372	Effects of technology-based physical activity interventions for women after bariatric surgery: study protocol for a three-arm randomised controlled trial. <b>2021</b> , 11, e046184	0
371	Measuring Patient Quality of Life Following Treatment for Alopecia. <b>2021</b> , 15, 1601-1610	2
370	The MIPAM trial - motivational interviewing and physical activity monitoring to enhance the daily level of physical activity among older adults - a randomized controlled trial. <b>2021</b> , 18, 12	0
369	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <b>2021</b> , 93, 103113	0
368	Cement augmentation of internal fixation for trochanteric fracture: a systematic review and meta-analysis. <b>2021</b> , 1	0
367	Comparison between EQ-5D-5L and PROMIS-10 to evaluate health-related quality of life 3 months after stroke: a cross-sectional multicenter study. <b>2021</b> , 57, 337-346	2
366	Patient Activation for Self-Management in Patients with Idiopathic Pulmonary Fibrosis or Sarcoidosis. <b>2021</b> , 1-8	0
365	Ageing, Health-Related Quality of Life and Physical Activity [Evidence Based on the EQ-5D-5L. 1	
364	How to assess quality of life in persons with chronic kidney disease. <b>2021</b> , 30, 547-554	0
363	PROState Pathway Embedded Comparative Trial: The IP3-PROSPECT study. <b>2021</b> , 107, 106485	0
362	Psychometric Properties of EQ-5D-3L and EQ-5D-5L in Cognitively Impaired Patients Living with Dementia. <b>2021</b> , 83, 77-87	0
361	Quality of Life Experienced by Major Lower Extremity Amputees. <b>2021</b> , 13, e17440	2
360	Psychometric properties of the Dutch version Adult Strabismus-20 Questionnaire (AS-20). <b>2021</b> , 41, 1007-1020	0

359	Cost-effectiveness of hydroxychloroquine placebo for hand osteoarthritis: economic evaluation of the HERO trial.. <b>2021</b> , 10, 821		1
358	Yoga, cognitive-behavioural therapy versus education to improve quality of life and reduce healthcare costs in people with endometriosis: a randomised controlled trial. <b>2021</b> , 11, e046603		1
357	Implementation of a digital cognitive behavioral therapy for insomnia pathway in primary care. <b>2021</b> , 107, 106484		1
356	The ICECAP-A instrument for capabilities: assessment of construct validity and test-retest reliability in a general Dutch population. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7	0
355	Economic Analysis of a Diabetes Health Coaching Intervention for Adults Living With Type 2 Diabetes: A Single-Centre Evaluation From a Community-Based Randomized Controlled Trial.. <b>2021</b> ,		0
354	Results from a cross-sectional, observational study to assess inadequate pain relief in patients with knee and/or hip osteoarthritis in Mexico. <b>2021</b> , 17, 397-403		1
353	Effectiveness of autogenic relaxation training in addition to usual physiotherapy on emotional state and functional independence of stroke survivors. <b>2021</b> , 100, e26924		
352	Prediction of walking ability following posterior decompression for lumbar spinal stenosis. <b>2021</b> , 30, 3307-3318		2
351	Patient characteristics and outcome in three different working models of home-based rehabilitation: a longitudinal observational study in primary health care in Norway. <b>2021</b> , 21, 887		
350	Health-related quality of life in women with autoimmune thyroid disease during pregnancy and postpartum: systematic review including 321,850 pregnancies. <b>2021</b> , 21, 1179-1193		0
349	Results from a cross-sectional, observational study to assess inadequate pain relief in patients with knee and/or hip osteoarthritis in Mexico. <b>2021</b> , 17, 397-403		1
348	Associations of health-related quality of life with sociodemographic characteristics, health, pain, and lifestyle factors, and motivation for changing lifestyle in adults living with chronic pain: a cross-sectional exploratory study. <b>2021</b> ,		1
347	Evaluation of cost-effectiveness among open, laparoscopic and robotic distal pancreatectomy: A systematic review and meta-analysis. <b>2021</b> , 222, 513-520		1
346	EQ-5D-5L-based quality of life normative data for patients with self-reported diabetes in Poland. <b>2021</b> , 16, e0257998		0
345	Comparison of the EQ-5D-5L and the EQ-5D-3L using individual patient data from the REFORM trial. 10, 974		1
344	Acceptance and commitment therapy for older people with treatment-resistant generalised anxiety disorder: the FACTOID feasibility study. <b>2021</b> , 25, 1-150		
343	Retrospectively Collected EQ-5D-5L Data as Valid Proxies for Imputing Missing Information in Longitudinal Studies. <b>2021</b> , 24, 1720-1727		1
342	Internet-based treatment for vulvodynia (EMBLA) - Study protocol for a randomised controlled study. <b>2021</b> , 25, 100396		1

341	Web-based vestibular rehabilitation in persistent postural-perceptual dizziness. <b>2021</b> , 11, e2346	4
340	Assessment of Quality of Life 8-Dimension (AQoL-8D): translation, validation, and application in two Dutch trials in patients with epilepsy and schizophrenia. <b>2021</b> , 1-9	
339	The EORTC QLU-C10D was more efficient in detecting clinical known group differences in myelodysplastic syndromes than the EQ-5D-3L. <b>2021</b> , 137, 31-44	3
338	Health-related quality of life and return to work 1 year after major trauma from a network perspective. <b>2021</b> , 1	0
337	Comparison of the Psychometric Properties of the EQ-5D-3L-Y and EQ-5D-5L-Y Instruments in Spanish Children and Adolescents. <b>2021</b> , 24, 1799-1806	3
336	Health-related quality of life, uncertainty and coping strategies in solid organ transplant recipients during shielding for the COVID-19 pandemic. <b>2021</b> , 34, 2122-2137	0
335	Relapse prevention group therapy via video-conferencing for substance use disorder: protocol for a multicentre randomised controlled trial in Indonesia. <b>2021</b> , 11, e050259	
334	The comparison of fatigue, sleep quality, physical activity, quality of life, and psychological status in multiple sclerosis patients with or without COVID-19. <b>2021</b> , 55, 103180	2
333	Psychological, mobility, and satisfaction variables mediate the relationship between baseline back pain intensity and long-term outcomes in individuals who underwent lumbar spine surgery. <b>2021</b> , 55, 102424	
332	Effectiveness of patient decision aids for total hip and knee arthroplasty decision-making: a systematic review. <b>2021</b> , 29, 1399-1411	0
331	Head and neck lymphoedema-research challenges during the COVID-19 pandemic. <b>2021</b> , 26, S6-S15	0
330	Functional Outcomes and Health-Related Quality of Life Following Glioma Surgery. <b>2021</b> , 88, 720-732	10
329	Three Sessions of Radial Extracorporeal Shockwave Therapy Gives No Additional Benefit Over "Minimal-Dose" Radial Extracorporeal Shockwave Therapy for Patients With Chronic Greater Trochanteric Pain Syndrome: A Double-Blinded, Randomized, Controlled Trial. <b>2021</b> ,	3
328	Identifying Health Economic Considerations to Include in the Research Protocol of a Randomized Controlled Trial (the REDUCE-RISK Trial): Systematic Literature Review and Assessment. <b>2021</b> , 5, e13888	
327	Costs and cost-effectiveness of the meeting centres support programme for people living with dementia and carers in Italy, Poland and the UK: The MEETINGDEM study. <b>2021</b> , 29, 1756-1768	2
326	A prospective, single arm study of intraosseous basivertebral nerve ablation for the treatment of chronic low back pain: 12-month results.. <b>2020</b> , 3, 100030	3
325	Aufsuchende Krisenbehandlung mit teambasierter und integrierter Versorgung (AKtiV). <b>2020</b> , 39, 739-745	2
324	A cross sectional survey on health-related quality of life among parents of children with allergic symptoms using the EQ-5D-5L. <b>2019</b> , 56, 1239-1245	5

323	Multi-organ impairment in low-risk individuals with long COVID.	51
322	Work-related stress among health professionals in Swiss acute care and rehabilitation hospitals-A cross-sectional study. <b>2020</b> , 29, 3064-3081	15
321	Randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website: cost-effectiveness analysis. <b>2017</b> , 7, e014577	8
320	Protocol for a multicentre randomised controlled trial to investigate the effect on asthma-related quality of life from breathing retraining in patients with incomplete asthma control attending specialist care in Denmark. <b>2019</b> , 9, e032984	2
319	Multiorgan impairment in low-risk individuals with post-COVID-19 syndrome: a prospective, community-based study. <b>2021</b> , 11, e048391	92
318	Efficacy and cost-utility of the eHealth self-management application 'Oncokompas', helping partners of patients with incurable cancer to identify their unmet supportive care needs and to take actions to meet their needs: a study protocol of a randomized controlled trial. <b>2020</b> , 21, 124	6
317	The health of the residents of Ireland: Population norms for Ireland based on the EQ-5D-5L descriptive system - a cross sectional study. <b>2018</b> , 1, 22	14
316	Examining the construct and known-group validity of a composite endpoint for The Older Persons and Informal Caregivers Survey Minimum Data Set (TOPICS-MDS); A large-scale data sharing initiative. <b>2017</b> , 12, e0173081	12
315	Defining health-related quality of life for young wheelchair users: A qualitative health economics study. <b>2017</b> , 12, e0179269	13
314	Facebook Addiction Disorder (FAD) among German students-A longitudinal approach. <b>2017</b> , 12, e0189719	76
313	Dimensions and predictors of disability-A baseline study of patients entering somatic rehabilitation in secondary care. <b>2018</b> , 13, e0193761	11
312	Behavioral measures to fight COVID-19: An 8-country study of perceived usefulness, adherence and their predictors. <b>2020</b> , 15, e0243523	45
311	Efficacy and safety of Sijunzi Decoction for chronic fatigue syndrome with spleen deficiency pattern: study protocol for a randomized, double-blind, placebo-controlled trial. <b>2019</b> , 7, 587	5
310	Use of Smart Technology for the Early Diagnosis of Complications After Cardiac Surgery: The Box 2.0 Study Protocol. <b>2020</b> , 9, e16326	4
309	Extended Support Within a Person-Centered Practice After Surgery for Patients With Pituitary Tumors: Protocol for a Quasiexperimental Study. <b>2020</b> , 9, e17697	2
308	Daily Self-Monitoring of Symptoms and Skills Learning in Patients With Borderline Personality Disorder Through a Mobile Phone App: Protocol for a Pragmatic Randomized Controlled Trial. <b>2020</b> , 9, e17737	6
307	Development of an International, Multicenter, Hyperbaric Oxygen Treatment Registry and Research Consortium: Protocol for Outcome Data Collection and Analysis. <b>2020</b> , 9, e18857	2
306	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial (Preprint).	1

305	A Cluster-Randomized Controlled Trial Evaluating the Effectiveness and Cost-Effectiveness of Tobacco Cessation on Prescription in Swedish Primary Health Care: A Protocol of the Motivation 2 Quit (M2Q) Study. <b>2016</b> , 5, e188	3
304	Implementation and Evaluation of a Smartphone-Based Telemonitoring Program for Patients With Heart Failure: Mixed-Methods Study Protocol. <b>2018</b> , 7, e121	10
303	NUC-1031/cisplatin versus gemcitabine/cisplatin in untreated locally advanced/metastatic biliary tract cancer (NuTide:121). <b>2020</b> , 16, 1069-1081	12
302	Culturally adapted Family Intervention (CaFI) for African-Caribbean people diagnosed with schizophrenia and their families: a mixed-methods feasibility study of development, implementation and acceptability. <b>2018</b> , 6, 1-316	11
301	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <b>2019</b> , 7, 1-238	8
300	Reablement services for people at risk of needing social care: the MoRe mixed-methods evaluation. <b>2019</b> , 7, 1-218	7
299	Tackling obesity in areas of high social deprivation: clinical effectiveness and cost-effectiveness of a task-based weight management group programme - a randomised controlled trial and economic evaluation. <b>2016</b> , 20, 1-150	15
298	The Age of BLOOD Evaluation (ABLE) randomised controlled trial: description of the UK-funded arm of the international trial, the UK cost-utility analysis and secondary analyses exploring factors associated with health-related quality of life and health-care costs during the 12-month follow-up. <b>2017</b> , 21, 1-118	14
297	Home-based health promotion for older people with mild frailty: the HomeHealth intervention development and feasibility RCT. <b>2017</b> , 21, 1-128	29
296	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <b>2019</b> , 23, 1-144	6
295	C-reactive protein point-of-care testing for safely reducing antibiotics for acute exacerbations of chronic obstructive pulmonary disease: the PACE RCT. <b>2020</b> , 24, 1-108	16
294	Home-based narrowband UVB, topical corticosteroid or combination for children and adults with vitiligo: HI-Light Vitiligo three-arm RCT. <b>2020</b> , 24, 1-128	3
293	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <b>2019</b> , 7, 1-140	3
292	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <b>2020</b> , 8, 1-144	3
291	Preschoolers in the Playground: a pilot cluster randomised controlled trial of a physical activity intervention for children aged 18 months to 4 years. <b>2015</b> , 3, 1-210	3
290	Behaviour change interventions to reduce risky substance use and improve mental health in children in care: the SOLID three-arm feasibility RCT. <b>2020</b> , 8, 1-162	0
289	Validation of the EuroQol Five-dimensions - Three-Level Quality of Life Instrument in a Classical Indian Language (Odia) and Its Use to Assess Quality of Life and Health Status of Cancer Patients in Eastern India. <b>2015</b> , 21, 282-8	21
288	Polymer-Free Drug-Coated Coronary Stents Are Cost-Effective in Patients at High Bleeding Risk: Economic Evaluation of the LEADERS FREE Trial. <b>2018</b> , 13, 1688-1695	3

- 287 Assessment of Quality of Life in Bronchial Asthma Patients. **2020**, 12, e10845 2
- 286 The association of general practitioners' awareness of depression and anxiety with change in quality of life in heart failure patients: results of the prospective observational RECODE-HF cohort study. **2021**,
- 285 Feasibility of the EQ-5D in the elderly population: a systematic review of the literature. *Quality of Life Research*, **2021**, 1 3.7 2
- 284 Effects of a nurse-led transitional burns rehabilitation programme (4Cs-TBuRP) for adult burn survivors: protocol for a randomised controlled trial. **2021**, 22, 698
- 283 Cross-Cultural Adaptation, Reliability, and Psychophysical Validation of the Pain and Sleep Questionnaire Three-Item Index in Finnish. **2021**, 10, 0
- 282 A mixed-methods feasibility study of an intervention to improve men's mental health and wellbeing during their transition to fatherhood. **2021**, 21, 1813 2
- 281 Virtual reality cognitive-behavioural therapy versus cognitive-behavioural therapy for paranoid delusions: a study protocol for a single-blind multi-Centre randomised controlled superiority trial. **2021**, 21, 496 1
- 280 Mid-term results of the Latitude primary total elbow arthroplasty. **2021**, 1
- 279 The clinical and cost-effectiveness of a self-management intervention for patients with persistent depressive disorder and their partners/caregivers: study protocol of a multicenter pragmatic randomized controlled trial. **2021**, 22, 731
- 278 Applications. **2012**, 131-144
- 277 Clinical Outcomes, Stroke Trials, and Cognitive Outcome. **2014**, 283-314 1
- 276 Mapping the EQ-5D-5L Utility Scores: A Pilot Study in Orthopaedic Patients. **2015**, 05, 67-81
- 275 Disability and Quality of Life after Surgery for Cancer. **2017**, 1,
- 274 Implementation and Evaluation of a Smartphone-Based Telemonitoring Program for Patients With Heart Failure: Mixed-Methods Study Protocol (Preprint). 0
- 273 Comparing manual and mechanically assisted manipulations of the thoracic spine in neck pain patients: A pilot study. 7, 156
- 272 Quality of life study in asymptomatic patients with hepatitis C. **2020**, 112, 520-524
- 271 Use of Smart Technology for the Early Diagnosis of Complications After Cardiac Surgery: The Box 2.0 Study Protocol (Preprint).
- 270 The impact of community-based health promotion on quality of life: The need to control for general health trends. The Northern Sweden MONICA Study in 2014.



269	Quality Assessment of an Integrated Care Pathway Using Telemonitoring in Patients with Chronic Heart Failure and Chronic Obstructive Pulmonary Disease: Protocol for a Quasi-Experimental Study (Preprint).		
268	Impact of Interferon-Based Treatment on Quality of Life and Work-Related Productivity of Korean Patients with Chronic Hepatitis C. <b>2020</b> , 14, 368-376		0
267	Sex-Specific Mediation Effects of Workplace Bullying on Associations between Employees' Weight Status and Psychological Health Impairments. <b>2021</b> , 13,		0
266	Quality of life among women with symptomatic, screen-detected, and interval breast cancer, and for women without breast cancer: a retrospective cross-sectional study from Norway. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7	2
265	Rehabilitation supported by technology: Protocol for an international co-creation and user experience study (Preprint).		0
264	An EQ-5D-5L value set for Italy using videoconferencing interviews and feasibility of a new mode of administration. <b>2021</b> , 292, 1145-19		3
263	Reducing cardiovascular disease risk among families with familial hypercholesterolaemia by improving diet and physical activity: a randomised controlled feasibility trial. <b>2020</b> , 10, e044200		1
262	Evaluating specialist autism teams—provision of care and support for autistic adults without learning disabilities: the SHAPE mixed-methods study. <b>2020</b> , 8, 1-200		2
261	Outcome measures used in intervention studies for the rehabilitation of mid-portion achilles tendinopathy; a scoping review. <b>2021</b> , 4, 250-267		
260	Health-Related Utility of EQ-5D in Korean Adults With Chronic Urticaria: Mapping From Urticaria Outcome Measures. <b>2020</b> , 12, 599-607		0
259	Enhanced Recovery after Intensive Care (ERIC): study protocol for a stepped-wedge cluster randomized controlled trial to evaluate the effectiveness of a critical care telehealth program on process quality and functional outcomes.		
258	Extended Support Within a Person-Centered Practice After Surgery for Patients With Pituitary Tumors: Protocol for a Quasiexperimental Study (Preprint).		
257	Daily Self-Monitoring of Symptoms and Skills Learning in Patients With Borderline Personality Disorder Through a Mobile Phone App: Protocol for a Pragmatic Randomized Controlled Trial (Preprint).		
256	Technostress and Digital Competence Among Health Professionals in Swiss Psychiatric Hospitals: Cross-sectional Study (Preprint).		0
255	Development of an International, Multicenter, Hyperbaric Oxygen Treatment Registry and Research Consortium: Protocol for Outcome Data Collection and Analysis (Preprint).		
254	Assessment of Biological Parameters that (Influence) Affect the Quality of Life in a Group of Patients with Metabolic Syndrome. <b>2021</b> , 26, 18-23		
253	Total hip arthroplasty versus progressive resistance training in patients with severe hip osteoarthritis: protocol for a multicentre, parallel-group, randomised controlled superiority trial. <b>2021</b> , 11, e051392		0
252	Technostress and Digital Competence Among Health Professionals in Swiss Psychiatric Hospitals: Cross-sectional Study. <b>2021</b> , 8, e31408		3

251	Music and low-frequency vibrations for the treatment of chronic musculoskeletal pain in elderly: A pilot study. <b>2021</b> , 16, e0259394	1
250	Mechanistically informed non-invasive peripheral nerve stimulation for peripheral neuropathic pain: a randomised double-blind sham-controlled trial. <b>2021</b> , 19, 458	0
249	Clinical Evaluation of Scar Quality Following the Use of Prophylactic Negative Pressure Wound Therapy in Obese Women Undergoing Cesarean Delivery: A Trial-Based Scar Evaluation. <b>2020</b> , 85, e59-e65	2
248	Do Peers Increase Older Adults' Participation in Strength Training? Pilot Randomized Trial. <b>2020</b> , 1-9	1
247	Quality Assessment of an Integrated Care Pathway Using Telemonitoring in Patients with Chronic Heart Failure and Chronic Obstructive Pulmonary Disease: Protocol for a Quasi-Experimental Study. <b>2020</b> , 9, e20571	
246	Outcome tools for diabetes-specific quality of life: Study performed in a private family practice clinic. <b>2017</b> , 63, e310-e315	7
245	A Cross-sectional Assessment of Health-related Quality of Life among Patients with Chronic Obstructive Pulmonary Disease. <b>2017</b> , 46, 1046-1053	5
244	Economic evaluation of an e-mental health intervention for patients with retinal exudative diseases who receive intraocular anti-VEGF injections (E-PsEYE): protocol for a randomised controlled trial. <b>2017</b> , 7, e018149	5
243	Effect of Endovascular Treatment on Quality of Life in Patients with Recurrent Symptoms Associated with Vertebral, Subclavian, or Innominate Arterial Stenosis. <b>2018</b> , 10, 7-13	
242	Cohort profile: Design and implementation of the Danish Physiotherapy Research Database for patients receiving primary care with chronic disease. <b>2020</b> , 10, e040207	1
241	Effects of a mindfulness-based and acceptance-based group programme followed by physical activity for patients with fibromyalgia: a randomised controlled trial. <b>2021</b> , 11, e046943	
240	Cost-effectiveness of adding a non-invasive acoustic rule-out test in the evaluation of patients with symptoms suggestive of coronary artery disease: rationale and design of the prospective, randomised, controlled, parallel-group multicenter FILTER-SCAD trial. <b>2021</b> , 11, e049380	
239	The impact of community-based prevention on quality of life-The necessity to control for general health trends the Northern Sweden MONICA study in 2014. <b>2021</b> , 16, e0256872	
238	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2x2 factorial randomised controlled trial. <b>2021</b> , 11, e045448	0
237	Home-Based Exercise Program for Patients With Combined Advanced Chronic Cardiac and Pulmonary Diseases: Exploratory Study (Preprint).	
236	How is and how should healthcare for people with multiple sclerosis in Germany be designed?-The rationale and protocol for the mixed-methods study Multiple Sclerosis-Patient-Oriented Care in Lower Saxony (MS-PoV). <b>2021</b> , 16, e0259855	0
235	Investigating 5-Level EQ-5D (EQ-5D-5L) Values Based on Preferences of Patients With Heart Disease.. <b>2022</b> , 25, 451-460	0
234	Danish population health measured by the EQ-5D-5L. <b>2021</b> , 14034948211058060	2

233	Effectiveness of Oxycodone Hydrochloride (Strong Opioid) vs Combination Acetaminophen and Codeine (Mild Opioid) for Subacute Pain After Fractures Managed Surgically: A Randomized Clinical Trial. <b>2021</b> , 4, e2134988	3
232	The EQ-5D-5L Valuation Study in Egypt. <b>2021</b> , 40, 433	2
231	Developing the EQ-5D-5L Value Set for Uganda Using the 'Lite' Protocol. <b>2021</b> , 40, 309	1
230	Comparing measurement properties of EQ-5D-Y-3L and EQ-5D-Y-5L in paediatric patients. <b>2021</b> , 19, 256	1
229	Home-Based Exercise Program for Patients With Combined Advanced Chronic Cardiac and Pulmonary Diseases: Exploratory Study. <b>2021</b> , 5, e28634	1
228	Reliability and aspects of validity of the Swedish version of self-efficacy for exercise scale for patients with chronic pain. <b>2021</b> , 1-11	1
227	The effect of twice-weekly versus once-weekly sessions of either imagery rescripting or eye movement desensitization and reprocessing for adults with PTSD from childhood trauma (IREM-Freq): a study protocol for an international randomized clinical trial. <b>2021</b> , 22, 848	1
226	The Economic and societal burden of multiple sclerosis on lebanese society: a cost-of-illness and quality of life study protocol. <b>2021</b> , 1-8	0
225	Primary trabeculectomy versus primary glaucoma eye drops for newly diagnosed advanced glaucoma: TAGS RCT. <b>2021</b> , 25, 1-158	1
224	A randomized controlled trial of cognitive control training (CCT) as an add-on treatment for late-life depression: a study protocol. <b>2021</b> , 21, 596	
223	Use, cost-effectiveness, and end user perspectives of a home solar lighting intervention in rural Uganda: a mixed methods, randomized controlled trial.. <b>2022</b> , 17,	2
222	Health State and Functional Capacity for Community-Dwelling Elders in Malawi. <b>2021</b> , 83-97	
221	Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population.. <b>2022</b> , 6, 1	0
220	COVID-19 lockdowns' effects on the quality of life, perceived health and well-being of healthy elderly individuals: A longitudinal comparison of pre-lockdown and lockdown states of well-being.. <b>2021</b> , 99, 104606	6
219	Long-term clinical outcome after anterior cervical discectomy with polymethylmethacrylate (PMMA) as intervertebral spacer: A propensity score matched analysis. <b>2022</b> , 28, 101474	
218	De haalbaarheid van een stepped care-interventie ter vermindering van de kwetsbaarheid van chronisch zieke werknemers. <b>2020</b> , 98, 18-25	
217	Cohort profile: Design and implementation of the Danish Physiotherapy Research Database for patients receiving primary care with chronic disease. <b>2020</b> , 10, e040207	1
216	The impact of community-based prevention on quality of lifeThe necessity to control for general health trends the Northern Sweden MONICA study in 2014. <b>2021</b> , 16, e0256872	

215	Rehabilitation Supported by Technology: Protocol for an International Cocreation and User Experience Study.. <b>2022</b> , 11, e34537	0
214	Preoperative predictors of health-related quality of life changes (EQ-5D and EQ VAS) after total hip and knee replacement: a systematic review.. <b>2022</b> , 23, 58	2
213	Achieving Quality and Effectiveness in Dementia Using Crisis Teams (AQUEDUCT): a study protocol for a randomised controlled trial of a Resource Kit.. <b>2022</b> , 23, 54	
212	Effect of a postoperative home-based exercise and self-management programme on physical function in people with lung cancer (CAPACITY): protocol for a randomised controlled trial.. <b>2022</b> , 9,	
211	Assessment of the properties of the EQ-5D-5L in patients with type 2 diabetes mellitus: a systematic review and meta-analysis.. <b>2022</b> , 1-14	
210	Long COVID Optimal Health Programme (LC-OHP) to enhance psychological and physical health: a feasibility randomised controlled trial protocol (Preprint).	
209	Therapeutic Drug Monitoring-Guided Adjuvant Tamoxifen Dosing in Patients with Early Breast Cancer: A Cost-Effectiveness Analysis from the Prospective TOTAM Trial.. <b>2022</b> ,	1
208	Urinary Incontinence and Its Association with Physical and Psycho-Cognitive Factors: A Cross-Sectional Study in Older People Living in Nursing Homes.. <b>2022</b> , 19,	0
207	Psychometric properties of the EQ-5D-3L in South Australia: a multi-method non-preference-based validation study.. <b>2022</b> , 1-30	1
206	Effectiveness and acceptability of a pragmatic exercise intervention for patients with type 2 diabetes in specialized care.. <b>2021</b> , 183, 109176	1
205	Doctor-led intensive diet education on health-related quality of life in patients with chronic renal failure and hyperphosphatemia.. <b>2022</b> , 10, 1217-1225	
204	Autologous Blood Injection With Dry-Needling vs Dry-Needling Alone Treatment for Chronic Plantar Fasciitis: A Randomized Controlled Trial.. <b>2022</b> , 10711007211061365	2
203	Exploring the ability of self-report measures to identify risk of high treatment burden in chronic disease patients: a cross-sectional study.. <b>2022</b> , 22, 163	0
202	Impact of patient-reported outcomes on symptom monitoring during treatment with checkpoint inhibitors: health-related quality of life among melanoma patients in a randomized controlled trial.. <b>2022</b> , 6, 8	0
201	Assessment of the Relative Performance of the EQ-5D-3L, ICIQ-UI SF and POP-SS Using Data from the OPAL Trial.. <b>2022</b> , 19,	
200	Does obesity affect patient-reported outcomes following total knee arthroplasty?. <b>2022</b> , 23, 55	1
199	Clinical Characteristics of 100 Patients with Hypermobility Spectrum Disorders and Shoulder Complaints With or Without Mechanical Symptoms: A Cross-Sectional Study.. <b>2022</b> ,	0
198	Reducing sedentary behaviour and cognitive function in older people with Mild Cognitive Impairment: Results of a randomized feasibility study. <b>2022</b> , 2, 100057	

197	Towards optimal treatment selection for borderline personality disorder patients (BOOTS): a study protocol for a multicenter randomized clinical trial comparing schema therapy and dialectical behavior therapy.. <b>2022</b> , 22, 89	1
196	ICONIC study-conservative versus conventional oxygenation targets in intensive care patients: study protocol for a randomized clinical trial.. <b>2022</b> , 23, 136	
195	The effect of combined action observation therapy and eccentric exercises in the treatment of mid-portion Achilles tendinopathy: study protocol for a feasibility pilot randomised controlled trial.. <b>2022</b> , 8, 30	0
194	Preferred Attributes of Care Pathways for Obstructive Sleep Apnoea from the Perspective of Diagnosed Patients and High-Risk Individuals: A Discrete Choice Experiment.. <b>2022</b> , 1	0
193	Health-Related Quality of Life in Metastatic, Hormone-Sensitive Prostate Cancer: ENZAMET (ANZUP 1304), an International, Randomized Phase III Trial Led by ANZUP.. <b>2021</b> , JCO2100941	7
192	Long COVID Optimal Health Programme (LC-OHP) to enhance psychological and physical health: a feasibility randomised controlled trial protocol.. <b>2022</b> ,	0
191	PROM a contemporary approach to assessing the quality of life of patients with cancer. <b>2022</b> , 94, 122-128	
190	Client and service factors associated with changes in health-related quality of life following community rehabilitation.. <b>2022</b> , 1-11	
189	Health-related quality of life of COVID-19 two and 12 months after intensive care unit admission.. <b>2022</b> , 12, 16	2
188	Cross-cultural adaptation of the Spanish MINICHAL instrument into English for use in the United Kingdom.. <b>2022</b> , 20, 39	1
187	Assessing Health-Related Quality of Life of Adult Patients with Intermediate Burns: The Added Value of an Itching and Cognition Item for the EQ-5D: A Retrospective Observational Study. <b>2022</b> , 3, 264-277	
186	Exercise and rehabilitation in people with Ehlers-Danlos syndrome: A systematic review. <b>2022</b> , 100189	1
185	Emergency Nursing-Care Patient Satisfaction Scale (Enpss): Development and Validation of a Patient Satisfaction Scale with Emergency Room Nursing.. <b>2022</b> , 10,	
184	Electronic Health Record-Triggered Research Infrastructure Combining Real-world Electronic Health Record Data and Patient-Reported Outcomes to Detect Benefits, Risks, and Impact of Medication: Development Study.. <b>2022</b> , 10, e33250	
183	Effectiveness and cost-effectiveness of a combined lifestyle intervention compared with usual care for patients with early-stage knee osteoarthritis who are overweight (LITE): protocol for a randomised controlled trial.. <b>2022</b> , 12, e059554	
182	Cost-effectiveness of ambulatory care management of primary spontaneous pneumothorax: an open-label, randomised controlled trial.. <b>2022</b> ,	0
181	Comorbidities and quality of life in Australian men and women with diagnosed and undiagnosed high risk obstructive sleep apnea.. <b>2022</b> ,	2
180	A systematic review and network meta-analysis of randomized controlled trials on choice of central venous access device for delivery of chemotherapy.. <b>2022</b> ,	

179	Economic Burden and Health-Related Quality of Life of Respiratory Syncytial Virus and Influenza Infection in European Community-Dwelling Older Adults.	0
178	Development and external validation of a prediction model for patient-relevant outcomes in patients with chronic widespread pain and fibromyalgia.. <b>2022</b> ,	0
177	The Impact of Hypoglycemia on Productivity Loss and Utility in Patients With Type 2 Diabetes Treated With Insulin in Real-world Canadian Practice: Protocol for a Prospective Study.. <b>2022</b> , 11, e35461	0
176	Operationalising treatment success in aphasia rehabilitation. 1-40	1
175	A prospective, double-blind, pilot randomized controlled trial of an 'embodied' virtual reality intervention for chronic low back pain in adults.. <b>2022</b> ,	1
174	Evaluation of a health and social care programme to improve outcome following critical illness: a multicentre study.. <b>2022</b> ,	1
173	Physical activity, mental and physical health during the Covid-19 outbreak: longitudinal predictors of suicide ideation in Germany.. <b>2022</b> , 1-11	1
172	Health-Related Quality of Life and Its Related Factors in Survivors of Stroke in Rural China: A Large-Scale Cross-Sectional Study.. <b>2022</b> , 10, 810185	1
171	Internet- and mobile-based intervention for depression in adults with chronic back pain: A health economic evaluation.. <b>2022</b> ,	
170	Pre-Operative Prediction of postoperative DELirium by appropriate SCreening (PROPDESC) development and validation of a pragmatic POD risk screening score based on routine preoperative data.. <b>2022</b> , 78, 110684	0
169	The use of predefined scales and scores with eye-tracking devices for symptom identification in critically ill non-verbal patients.. <b>2021</b> , 92,	0
168	E-nergEYEze, a vision-specific eHealth intervention based on cognitive behavioral therapy and self-management to reduce fatigue in adults with visual impairment: study protocol for a randomized controlled trial.. <b>2021</b> , 22, 966	1
167	Bump2Baby and Me: protocol for a randomised trial of mHealth coaching for healthy gestational weight gain and improved postnatal outcomes in high-risk women and their children.. <b>2021</b> , 22, 963	1
166	Protocol for a randomized controlled trial of electroacupuncture in the management of patients with axial spondyloarthritis in Singapore (E-AcuSpA). <b>2021</b> , 1, 104-114	
165	The Impact of Hypoglycemia on Productivity Loss and Utility in Patients With Type 2 Diabetes Treated With Insulin in Real-world Canadian Practice: Protocol for a Prospective Study (Preprint).	
164	Non-disease specific patient-reported outcome measures of health-related quality of life in juvenile idiopathic arthritis: a systematic review of current research and practice.. <b>2021</b> , 42, 191	
163	Testing a breast cancer prevention and a multiple disease prevention weight loss programme amongst women within the UK NHS breast screening programme-a randomised feasibility study.. <b>2021</b> , 7, 220	0
162	EQ-VT protocol: one-size-fits-all? Challenges and innovative adaptations used in Egypt: a cross-sectional study.. <b>2021</b> , 11, e051727	1

161	A sexual rehabilitation intervention for women with gynaecological cancer receiving radiotherapy (SPARC study): design of a multicentre randomized controlled trial. <b>2021</b> , 21, 1295	1
160	Development and validation of a novel patient-reported outcome measure in people with episodic migraine and chronic migraine: The Activity Impairment in Migraine Diary.. <b>2021</b> ,	3
159	Cost-Effectiveness of perioperative Vaginally Administered estrogen in postmenopausal women undergoing prolapse surgery (EVA trial): study protocol for a multicenter double-blind randomized placebo-controlled trial.. <b>2021</b> , 21, 439	1
158	Comparing the psychometric properties of the EQ-5D-3L and EQ-5D-5L descriptive systems and utilities in atopic dermatitis.. <b>2022</b> ,	0
157	System Integrated Digital Empowerment and Rehabilitation to promote patient Activation and well-Being (SIDERA^B): Protocol for a Randomized Crossover Trial on Effectiveness and Implementation..	0
156	Methodological similarities and variations among EQ-5D-5L value set studies: a systematic review.. <b>2022</b> , 1-20	
155	Comparing Measurement Properties of the English EQ-5D-Y 3-Level Version With the 5-Level Version in South Africa.. <b>2022</b> , 30, 140-147	0
154	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease.. <b>2022</b> , 41, 366-377	0
153	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2x2 factorial randomised controlled trial. <b>2021</b> , 11, e045448	0
152	Effects of a mindfulness-based and acceptance-based group programme followed by physical activity for patients with fibromyalgia: a randomised controlled trial. <b>2021</b> , 11, e046943	1
151	Cost-effectiveness of adding a non-invasive acoustic rule-out test in the evaluation of patients with symptoms suggestive of coronary artery disease: rationale and design of the prospective, randomised, controlled, parallel-group multicenter FILTER-SCAD trial. <b>2021</b> , 11, e049380	0
150	Validity of balance measures in cerebellar ataxia: A prospective study with 12-month follow-up.. <b>2022</b> ,	0
149	Exploration of Symptom Scale as an Outcome for Deprescribing: A Medication Review Study in Nursing Homes. <b>2022</b> , 15, 505	0
148	Postural sway does not differentiate individuals with chronic low back pain, single and multisite chronic musculoskeletal pain, or pain free controls: a cross-sectional study of 229 subjects.. <b>2022</b> ,	0
147	Adapting MultiPLe behavior Interventions that eEffectively Improve (AMPLIFI) cancer survivor health: program project protocols for remote lifestyle intervention and assessment in 3 inter-related randomized controlled trials among survivors of obesity-related cancers.. <b>2022</b> , 22, 471	1
146	Health literacy and long-term health outcomes following myocardial infarction: protocol for a multicentre, prospective cohort study (ENHEARTEN study).. <b>2022</b> , 12, e060480	0
145	The outcomes of a vocational rehabilitation and mentorship program in unemployed young adults with acquired brain injury.. <b>2022</b> ,	
144	Comparing EQ-5D-3L and EQ-5D-5L in measuring the HRQoL burden of 4 health conditions in China.. <b>2022</b> , 1	0

- 143 Uncovering the effects of gender affirming hormone therapy on skeletal muscle and epigenetics: protocol for a prospective matched cohort study in transgender individuals (the GAME study).. **2022**, 12, e060869 ○
- 142 Feasibility properties of the EQ-5D-3L and 5L in the general population: evidence from the GP Patient Survey on the impact of age.. **2022**, 12, 28 ○
- 141 Chin tuck against resistance exercise with feedback to improve swallowing, eating and drinking in frail older people admitted to hospital with pneumonia: protocol for a feasibility randomised controlled study.. **2022**, 8, 105
- 140 Health-related Quality of Life INstrument with 8 Items for Use in Patients with Type 2 Diabetes Mellitus: A Validation Study. ○
- 139 Music and Movement for Health: Protocol for a pragmatic cluster-randomised feasibility pilot trial of an arts-based programme for the health and wellbeing of older adults. 5, 42 1
- 138 Feasibility and validity of the EQ-5D-3L in the elderly Europeans: a secondary data analysis using SHARE(d) data. *Quality of Life Research*, 3-7 ○
- 137 Anticipatory care planning for community-dwelling older adults at risk of functional decline: a feasibility cluster randomized controlled trial. **2022**, 22, ○
- 136 The Impact of ADHD on Maternal Quality of Life. ○
- 135 Short-term effectiveness of high-load compared with low-load strengthening exercise on self-reported function in patients with hypermobile shoulders: a randomised controlled trial. *bjsports-2021-105223* ○
- 134 Prehabilitation of elderly frail or pre-frail patients prior to elective surgery (PRAEP-GO): study protocol for a randomized, controlled, outcome assessor-blinded trial. **2022**, 23, ○
- 133 Improved health-related quality of life in patients 6 and 12 months after surgical aortic valve replacement. **2022**, 56, 121-126
- 132 Physical Activity Impacts of an Activity-Friendly Community: A Natural Experiment Study Protocol. 10, ○
- 131 Use of a Non-parametric Bayesian Method to Model Health State Preferences: An Application to Polish and Irish EQ-5D-5L Valuations. 10, ○
- 130 Effects of Tai Chi on the quality of life, mental wellbeing, and physical function of adults with chronic diseases: Protocol for a single-blind, two-armed, randomised controlled trial. **2022**, 17, e0270212 ○
- 129 Colchicine and quality of life in patients with acute coronary syndromes: Results from the COPS randomized trial. **2022**, ○
- 128 Protocol for EXICODE: the EXistential health COhort DENmark register and survey study of adult Danes. **2022**, 12, e058257 ○
- 127 Managing the delivery of venous leg ulcer services: A willingness to pay study. **2022**, 5, ○
- 126 Participants' experiences of the management of screen-detected complex polyps within a structured bowel cancer screening programme. ○




125	Open Reduction Internal Fixation (ORIF) vs Distal Femoral Replacement (DFR) for Treatment of OTA/AO 33C Fractures in the Elderly: A Review of Functional Outcomes and Cost Analysis.. <b>2022</b> , Publish Ahead of Print,	
124	Validity of the Activities-specific Balance Confidence Scale in individuals with chronic obstructive pulmonary disease. 1-8	0
123	Radial Extracorporeal Shockwave Therapy (rESWT) is not superior to minimal-dose rESWT for patients with chronic plantar fasciopathy; a double-blinded randomised controlled trial. <b>2022</b> ,	
122	A Comparison of EQ-5D-3L, EQ-5D-5L, and SF-6D Utilities of Patients with Musculoskeletal Disorders of Different Severity: A Health-Related Quality of Life Approach. <b>2022</b> , 11, 4097	0
121	Patient-reported outcome measures for assessing health-related quality of life in people with type 2 diabetes: A systematic review.	1
120	A patient-reported outcome measure for patients with pituitary adenoma undergoing transsphenoidal surgery.	
119	Nearly half of patients with chronic tendinopathy may have a neuropathic pain component, with significant differences seen between different tendon sites: a prospective cohort of more than 300 patients. <b>2022</b> , 8, e001297	
118	Reliability and Validity of the English-, Chinese- and Malay-Language Versions of the World Health Organization Quality of Life (WHOQOL-BREF) Questionnaire in Singapore. <b>2017</b> , 46, 461-469	14
117	Correction: Pekmezi et al. Rationale and Methods for a Randomized Controlled Trial of a Dyadic, Web-Based, Weight Loss Intervention among Cancer Survivors and Partners: The DUET Study. <i>Nutrients</i> 2021, 13, 3472. <b>2022</b> , 14, 3141	
116	Psychometric properties of the Spanish version of the EuroQol-5D-5L in previously hospitalized COVID-19 survivors with long COVID. <b>2022</b> , 12,	1
115	Health inequities as measured by the EQ-5D-5L during COVID-19: Results from New York in healthy and diseased persons. <b>2022</b> , 17, e0272252	1
114	Measurement properties of the EQ-5D in populations with a mean age of 75 years: a systematic review.	
113	An EQ-5D-5L Value Set for Belgium.	0
112	The impact of fibrodysplasia ossificans progressiva (FOP) on patients and their family members: results from an international burden of illness survey.	
111	Mobile health vs. standard care after cardiac surgery: results of The Box 2.0 study.	
110	The assessment of psychometric properties for the subjective wellbeing-5 dimensions (SWB-5D) questionnaire in the general Dutch population.	
109	A seniors exercise park program for older adults with mild balance dysfunction: a feasibility study. 1-12	1
108	Mild Cognitive Impairment Is Associated with Poorer Nutritional Status on Hospital Admission and after Discharge in Acutely Hospitalized Older Patients. <b>2022</b> , 7, 95	0

107	Psychometric Properties of the Spanish Versions of EQ-5D-Y-3L and EQ-5D-Y-5L in Children with Cancer: A Comparative Study. <b>2022</b> , 19, 11420	1
106	Protocol for the POMELO (Prevention Of MuscLE Loss in Osteoarthritis) randomized pilot feasibility trial. <b>2022</b> , 4, 100312	0
105	The role of a multidisciplinary heart failure clinic in optimization of guideline-directed medical therapy: HF-optimize. <b>2023</b> , 57, 95-101	0
104	Effects of a nurse-led Tai Chi programme on improving quality of life, mental wellbeing, and physical function of women with breast cancer: Protocol for a randomized controlled trial. <b>2022</b> , 18, 174550572211278	0
103	Factors Influencing Mobility During the COVID-19 Pandemic in Community-Dwelling Older Adults. <b>2022</b> ,	0
102	Physical Effects, Safety and Feasibility of Prehabilitation in Patients Awaiting Orthotopic Liver Transplantation, a Systematic Review. 35,	2
101	Outcomes at least 90 days since onset of myocarditis after mRNA COVID-19 vaccination in adolescents and young adults in the USA: a follow-up surveillance study. <b>2022</b> ,	5
100	The Effect of an Integrated Care Intervention of Multidisciplinary Mental Health Treatment and Employment Services for Trauma-affected Refugees; Study Protocol for a Randomised Controlled Trial.	0
99	Exploring acceptability of emerging intravitreal therapies for Geographic Atrophy: a mixed-methods study.	0
98	EQ-5D-5L measurement properties are superior to EQ-5D-3L across the continuum of health using US value sets. <b>2022</b> , 20,	0
97	Healthy Eating for Successful Living in Older Adults—community education program—evaluation of lifestyle behaviors: A randomized controlled trial. 3,	0
96	Where do measures of health, social care and wellbeing fit within a wider measurement framework? Implications for the measurement of quality of life and the identification of bolt-ons. <b>2022</b> , 115370	0
95	A prospective observational cohort study examining the development of head and neck lymphedema from the time of diagnosis.	0
94	Cost-Effectiveness of a Specialized Breathlessness Service Versus Usual Care for Patients With Advanced Diseases. <b>2022</b> ,	0
93	Recovery Colleges Characterisation and Testing in England (RECOLLECT): rationale and protocol. <b>2022</b> , 22,	0
92	Non-specific symptoms and post-treatment Lyme disease syndrome in patients with Lyme borreliosis: a prospective cohort study in Belgium (2016–2020). <b>2022</b> , 22,	0
91	Occupational therapy lifestyle intervention added to multidisciplinary treatment for adults living with chronic pain: a feasibility study. <b>2022</b> , 12, e060920	0
90	Cultural Adaptation and Validation of the HPQ Health and Work Performance Questionnaire in German. Publish Ahead of Print,	0

89	Comparing the psychometric properties of EQ-5D-3L and EQ-5D-5L proxy ratings by informal caregivers and a health professional for people with dementia. <b>2022</b> , 20,	○
88	Improving the safety and experience of transitions from hospital to home: a cluster randomised controlled feasibility trial of the 'Your Care Needs You' intervention versus usual care. <b>2022</b> , 8,	○
87	Critical COVID-19 disease: Clinical course and rehabilitation of neurological deficits. 13,	○
86	Tailored exercise management (TEMPO) versus usual care for people aged 80 years or older with hip/knee osteoarthritis: study protocol for a feasibility randomised controlled trial..	○
85	Patient preferences for active surveillance vs standard surgery after neoadjuvant chemoradiotherapy in oesophageal cancer treatment: The NOSANO -study.	○
84	Effect of risankizumab on health-related quality of life in patients with Crohn's disease: results from phase 3 MOTIVATE , ADVANCE and FORTIFY clinical trials.	○
83	The effect of an integrated care intervention of multidisciplinary mental health treatment and employment services for trauma-affected refugees: study protocol for a randomised controlled trial. <b>2022</b> , 23,	1
82	Health-Related Quality of Life and Associated Factors Among Covid-19 Survivors. Experience from Ethiopian Treatment Centers. Volume 15, 6143-6153	○
81	Statistical analysis plan for the stepped wedge clinical trial Healing Right WayEnhancing rehabilitation services for Aboriginal Australians after brain injury. <b>2022</b> , 23,	○
80	Health-related quality of life in persons post-COVID-19 infection in comparison to normative controls and chronic pain patients. 10,	○
79	Feasibility of Patient Reported Outcome Measures in Psychosocial Palliative Care: Observational Cohort Study of Hospice Day Care and Social Support Groups. <b>2022</b> , 19, 13258	○
78	Health-related Quality of Life using the EQ-5D-5L: normative utility scores in a Dutch female population.	○
77	Optimizing Prescribing in Older Adults with Multimorbidity and Polypharmacy in Primary Care: A Cluster Randomized Clinical Trial (OPTICA Trial).	○
76	To what extent does the use of crosswalks instead of EQ-5D value sets impact reimbursement decisions?: a simulation study.	○
75	mHealth intervention to improve quality of life in patients with chronic diseases during the COVID-19 crisis in Paraguay: A study protocol for a randomized controlled trial. <b>2022</b> , 17, e0273290	○
74	Culturally adapted cognitive behavioural group therapy for mental disorders in refugees plus problem solving training (ReTreat): study protocol for a multicentre randomised controlled trial. <b>2022</b> , 12, e061274	○
73	Shared decision-making interventions for people with mental health conditions. <b>2022</b> , 2022,	○
72	An Item-Response Mapping from General Health Questionnaire Responses to EQ-5D-3L Using a General Population Sample from England.	○

71	Safety and efficacy of long-term emicizumab prophylaxis in hemophilia A with factor VIII inhibitors: A phase 3b, multicenter, single-arm study ( STASEY ). <b>2022</b> , 6,	0
70	Remote constraint induced therapy of the upper extremity (ReCITE): A feasibility study protocol. 13,	0
69	The evolving landscape of pulmonary arterial hypertension clinical trials. <b>2022</b> , 400, 1884-1898	0
68	Trauma-specific mindfulness-based cognitive therapy for women with post-traumatic stress disorder and a history of domestic abuse: intervention refinement and a randomised feasibility trial (coMforT study).	0
67	Effectiveness of Adjuvant Pembrolizumab vs High-Dose Interferon or Ipilimumab for Quality-of-Life Outcomes in Patients With Resected Melanoma.	1
66	Health-Related Quality of Life in Migraine: EQ-5D-5L-Based Study in Routine Clinical Practice. <b>2022</b> , 11, 6925	0
65	Whole-Head Functional Near-Infrared Spectroscopy as an Ecological Monitoring Tool for Assessing Cortical Activity in Parkinson's Disease Patients at Different Stages. <b>2022</b> , 23, 14897	0
64	Protocol for a pre-post, mixed-methods feasibility study of the Brain Bootcamp behaviour change intervention to promote healthy brain ageing in older adults. <b>2022</b> , 17, e0272517	0
63	Protocol of identical exercise programs with and without specific breathing techniques for the treatment of chronic low back pain: randomized feasibility trial with two-month follow-up..	0
62	Integration of a personalised mobile health (mHealth) application into the care of patients with brain tumours: proof-of-concept study (IDEAL stage 1). <b>2022</b> , 4, e000130	0
61	Motivation 2 Quit (M2Q): A cluster randomized controlled trial evaluating the effectiveness of Tobacco Cessation on Prescription in Swedish primary healthcare. <b>2022</b> , 17, e0278369	0
60	Fatigue and perceived fatigability, not objective fatigability, are prevalent in people with post-COVID-19.	1
59	Patient Satisfaction With a Nurse Practitioner-Led Heart Failure Clinic. <b>2022</b> ,	0
58	Economic evaluation of upper limb prostheses in the Netherlands including the cost-effectiveness of multi-grip versus standard myoelectric hand prostheses. 1-11	0
57	Early Clinical Outcomes and Complications of Transfibular Total Ankle Arthroplasty: The Australian Experience. 107110072211318	0
56	Psychometric properties of the EQ-5D-5L compared with EQ-5D-3L in cancer patients in Iran. 12,	3
55	Navigator programme for hospitalised adults experiencing homelessness: protocol for a pragmatic randomised controlled trial. <b>2022</b> , 12, e065688	0
54	U-PAIN cohort study among patients with chronic pain in specialised pain care: a feasibility study. <b>2022</b> , 12, e062265	0

53	Quality of Life in Patients with Acute Severe Ulcerative Colitis: Long-Term Follow-Up Results from the CONSTRUCT Trial. <b>2022</b> , 12, 2039	○
52	What matters and influence resuscitation preference? Development, field testing, and structural validation of items among older patients in the emergency department. <b>2022</b> , 22,	○
51	Knee function, quality of life, pain, and living conditions after distal femoral resection knee arthroplasty for non-tumor indications. <b>2023</b> , 24,	○
50	Impacts of the preceding cancer-specific health-related quality of life instruments on the responses to the subsequent EQ-5D-5L. <b>2023</b> , 21,	○
49	Protocol for a hybrid II study exploring the feasibility of delivering, evaluating, and implementing a self-management programme for people with neuromuscular diseases at a specialist neuromuscular centre. <b>2023</b> , 9,	○
48	Comparing health status after major trauma across different levels of trauma care. <b>2023</b> ,	○
47	Personalised exercise therapy and self-management support for people with multimorbidity: feasibility of the MOBILIZE intervention. <b>2023</b> , 9,	1
46	A structured, telephone-delivered intervention to reduce methamphetamine use: Study protocol for a parallel group randomised controlled trial.	○
45	Association of health literacy with short-term postoperative outcomes in older adult patients with abdominal tumors undergoing surgery and perioperative rehabilitation program: A prospective cohort study. <b>2023</b> , 14, 101422	○
44	Development of a Digital Healthcare Management System for Lower-Extremity Amputees: A Pilot Study. <b>2023</b> , 11, 106	○
43	A landscape assessment of the use of patient reported outcome measures in research, quality improvement and clinical care across a healthcare organisation. <b>2023</b> , 23,	○
42	NEW Soul in the neighborhoodReach and effectiveness of a dissemination and implementation feasibility study.	○
41	Protocol for a MULTI-centre feasibility study to assess the use of <sup>99m</sup> Tc-sestaMIBI SPECT/CT in the diagnosis of kidney tumours (MULTI-MIBI study). <b>2023</b> , 13, e067496	○
40	Induction and Maintenance Treatment With Upadacitinib Improves Health-Related Quality of Life in Patients With Moderately to Severely Active Ulcerative Colitis: Phase 3 Study Results.	○
39	A retrospective evaluation of the Brain and Body Fitness Studio service on functional capacity and quality of life in people with neurological disorders. 13,	○
38	Module 2. <b>2023</b> , 15-37	○
37	A comparison of mental health of student and not student emerging adults living in Ecuador. <b>2023</b> , 13,	○
36	Capability, Opportunity, and MotivationIdentifying Constructs for Increasing Physical Activity Behaviours in Women with Polycystic Ovary Syndrome (PCOS). <b>2023</b> , 20, 2309	○

35	Emicizumab in people with moderate or mild haemophilia A (HAVEN 6): a multicentre, open-label, single-arm, phase 3 study. <b>2023</b> , 10, e168-e177	1
34	Lidocaine for Neuropathic Cancer Pain (LiCPain): study protocol for a mixed-methods pilot study. <b>2023</b> , 13, e066125	0
33	Integrated care for older multimorbid heart failure patients: protocol for the ESCAPE randomized trial and cohort study.	0
32	Smartphone-assisted training with education for patients with hip and/or knee osteoarthritis (SmArt-E): study protocol for a multicentre pragmatic randomized controlled trial. <b>2023</b> , 24,	0
31	A head-to-head comparison of well-being of older people (WOOP) and EQ-5D-5L in patients, carers and general public in China. <b>2023</b> , 13,	0
30	Study protocol for a multicenter randomized controlled trial of personalized exercise therapy and self-management support for people with multimorbidity: The MOBILIZE study. <b>2023</b> , 13, 263355652311544	0
29	Feasibility and potential cognitive impact of a cognitive-motor dual-task training program using a custom exergame in older adults: A pilot study. 15,	0
28	Disjunctive answer options complicate communication  linguistic analysis of the danish EQ-5D (5L) version.	0
27	Using Self-Regulation Assessment to Explore Associations between Self-Regulation, Participation and Health-Related Quality of Life in a Rehabilitation Population. 55, jrm00369	0
26	Association of Employment Status With Symptom Burden and Health-Related Quality of Life in People Living With Primary CNS Tumors. <b>2023</b> , 100, e1723-e1736	0
25	Health-related quality of life in patients with primary sclerosing cholangitis: A longitudinal population-based cohort study.	0
24	Economic evaluation of interventions for treatment-resistant depression: A systematic review. 14,	0
23	Health-related quality of life among Indian population: The EQ-5D population norms for India. 13,	0
22	The evaluation of an online nurse-assisted eye-screening tool in older adults receiving home healthcare.	0
21	The multi-grip and standard myoelectric hand prosthesis compared: does the multi-grip hand live up to its promise?. <b>2023</b> , 20,	0
20	Latent Class Analysis for Health-Related Quality of Life in Nurses in China.	0
19	Cost-effectiveness of a cardiac rehabilitation program specifically designed for patients with obesity within the OPTICARE XL randomized controlled trial. <b>2023</b> ,	0
18	The Impact of Subclinical Hypothyroidism on the Quality of Life During Pregnancy: Mapping 5-Level Version of EQ-5D and ThyPRO-39. <b>2023</b> ,	0

- 17 Measurement properties of the EQ-5D-5L in sub-health: evidence based on primary health care workers in China. **2023**, 21, ○
- 16 Psychometric performance of the Chichewa versions of the EQ-5D-Y-3L and EQ-5D-Y-5L among healthy and sick children and adolescents in Malawi. **2023**, 7, ○
- 15 Time trade-off study to establish utility decrements in individuals with a spinal cord injury who perform intermittent catheterization. **2023**, 26, 430-440 ○
- 14 Evaluating the content validity of the Single Assessment Numeric Evaluation (SANE) in shoulder pathologies. **2023**, ○
- 13 Frail2Fit study protocol: a feasibility and acceptability study of a virtual multimodal intervention delivered by volunteers to improve functional outcomes in older adults with frailty after discharge from hospital. **2023**, 13, e069533 ○
- 12 Investigating survival, quality of life and cognition in PROton versus photon therapy for IDH-mutated diffuse grade 2 and 3 GLIOMas (PRO-GLIO): a randomised controlled trial in Norway and Sweden. **2023**, 13, e070071 ○
- 11 The importance of disability representation to address implicit bias in the workplace. 4, ○
- 10 Development of a UK core dataset for geriatric medicine research: a position statement and results from a Delphi consensus process. **2023**, 23, ○
- 9 Music and Movement for Health: Protocol for a pragmatic cluster-randomised feasibility pilot trial of an arts-based programme for the health and wellbeing of older adults. 5, 42 ○
- 8 A structured, telephone-delivered intervention to reduce methamphetamine use: study protocol for a parallel-group randomised controlled trial. **2023**, 24, ○
- 7 Measurement Properties of the Dutch Multifactor Fatigue Scale in Early and Late Rehabilitation of Acquired Brain Injury in Denmark. **2023**, 12, 2587 ○
- 6 Tailored exercise management (TEMPO) versus usual care for people aged 80 years or older with hip/knee osteoarthritis: study protocol for a feasibility randomised controlled trial. **2023**, 9, ○
- 5 Reducing scratching behavior in atopic dermatitis patients using the EMDR treatment protocol for urge: A pilot study. 10, ○
- 4 Impact of a social prescribing intervention in North East England on adults with type 2 diabetes: the SPRING\_NE multimethod study. **2023**, 11, 1-185 ○
- 3 Health economic evaluation of a randomized controlled trial (EMBLA study), an internet-based treatment for provoked vulvodynia. **2023**, 13, ○
- 2 A community-based Advanced Nurse Practitioner-led integrated oncology care model for adults receiving oral anticancer medication: A pilot study. ○
- 1 A randomised trial of [ 18 F]PSMA-1007-PET/CT versus NaF -PET/CT for staging primary prostate cancer: A trial protocol. ○