

User-interactive electronic skin for instantaneous press

Nature Materials

12, 899-904

DOI: [10.1038/nmat3711](https://doi.org/10.1038/nmat3711)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Human Skin Based Triboelectric Nanogenerators for Harvesting Biomechanical Energy and as Self-Powered Active Tactile Sensor System. ACS Nano, 2013, 7, 9213-9222.	7.3	667
3	Carbon Nanotube Active-Matrix Backplanes for Mechanically Flexible Visible Light and X-ray Imagers. Nano Letters, 2013, 13, 5425-5430.	4.5	86
4	Piezotronics and piezo-phototronics “ From single nanodevices to array of devices and then to integrated functional system. Nano Today, 2013, 8, 619-642.	6.2	141
5	Sophisticated skin. Nature Materials, 2013, 12, 871-872.	13.3	210
6	Contact with what?. Nature Materials, 2013, 12, 872-873.	13.3	40
7	Light-emitting electronic skin. Nature Photonics, 2013, 7, 769-771.	15.6	82
8	25th Anniversary Article: The Evolution of Electronic Skin (E ² Skin): A Brief History, Design Considerations, and Recent Progress. Advanced Materials, 2013, 25, 5997-6038.	11.1	2,001
9	Imperceptible Electronic Skin. Information Display, 2014, 30, 20-25.	0.1	4
10	Skin-inspired electronic devices. Materials Today, 2014, 17, 321-331.	8.3	487
11	Parylene C-Based Flexible Electronics for pH Monitoring Applications. Sensors, 2014, 14, 11629-11639.	2.1	24
12	Modeling and Analysis of a Flexible Capacitive Tactile Sensor Array for Normal Force Measurement. IEEE Sensors Journal, 2014, 14, 4095-4103.	2.4	37
13	Contact resistance and overlapping capacitance in flexible sub-micron long oxide thin-film transistors for above 100%MHz operation. Applied Physics Letters, 2014, 105, .	1.5	57
14	Two-dimensional flexible nanoelectronics. Nature Communications, 2014, 5, 5678.	5.8	1,533
15	Facile Photo-crosslinking of Azide-containing Hole-transporting Polymers for Highly Efficient, Solution-processed, Multilayer Organic Light Emitting Devices. Advanced Functional Materials, 2014, 24, 7588-7596.	7.8	68
16	Fabrication-based Integrated Energy Devices for Wearable Activity Monitors. Advanced Materials, 2014, 26, 6329-6334.	11.1	311
17	Stretchable silicon nanoribbon electronics for skin prosthesis. Nature Communications, 2014, 5, 5747.	5.8	1,145
18	Reverse-micelle-induced Porous Pressure-sensitive Rubber for Wearable Human-machine Interfaces. Advanced Materials, 2014, 26, 4825-4830.	11.1	564
19	High-performance, Stretchable, Wire-shaped Supercapacitors. Angewandte Chemie - International Edition, 2015, 54, 618-622.	7.2	173

#	ARTICLE	IF	CITATIONS
20	Transparent, Low-Power Pressure Sensor Matrix Based on Coplanar-Gate Graphene Transistors. <i>Advanced Materials</i> , 2014, 26, 4735-4740.	11.1	185
21	Transparent hydrogel with enhanced water retention capacity by introducing highly hydratable salt. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	292
22	Flexible and sensitive foot pad for sole distributed force detection. , 2014, , .		6
23	Fully Printed Flexible Fingerprint-like Three-Axis Tactile and Slip Force and Temperature Sensors for Artificial Skin. <i>ACS Nano</i> , 2014, 8, 12851-12857.	7.3	285
24	Ultrasensitive Piezoresistive Pressure Sensors Based on Interlocked Micropillar Arrays. <i>BioNanoScience</i> , 2014, 4, 349-355.	1.5	29
25	From automation to tangible interactive objects. <i>Annual Reviews in Control</i> , 2014, 38, 1-11.	4.4	17
26	Flexible organic field-effect transistors based on electrospun conjugated polymer nanofibers with high bending stability. <i>Organic Electronics</i> , 2014, 15, 1056-1061.	1.4	21
27	Multifunctional wearable devices for diagnosis and therapy of movement disorders. <i>Nature Nanotechnology</i> , 2014, 9, 397-404.	15.6	1,246
28	Soft Microfluidic Assemblies of Sensors, Circuits, and Radios for the Skin. <i>Science</i> , 2014, 344, 70-74.	6.0	982
29	Tunable, Ultralow-Power Switching in Memristive Devices Enabled by a Heterogeneous Graphene-Oxide Interface. <i>Advanced Materials</i> , 2014, 26, 3275-3281.	11.1	69
30	Wearable, Human-Interactive, Health-Monitoring, Wireless Devices Fabricated by Macroscale Printing Techniques. <i>Advanced Functional Materials</i> , 2014, 24, 3299-3304.	7.8	392
31	Flexible and Transparent Nanocomposite of Reduced Graphene Oxide and P(VDF-TrFE) Copolymer for High Thermal Responsivity in a Field-Effect Transistor. <i>Advanced Functional Materials</i> , 2014, 24, 3438-3445.	7.8	110
32	Highly Stretchable Transistors Using a Microcracked Organic Semiconductor. <i>Advanced Materials</i> , 2014, 26, 4253-4259.	11.1	200
33	Highly Stretchable Piezoresistive Graphene-Nanocellulose Nanopaper for Strain Sensors. <i>Advanced Materials</i> , 2014, 26, 2022-2027.	11.1	1,009
34	Controlled Doping of Carbon Nanotubes with Metallocenes for Application in Hybrid Carbon Nanotube/Si Solar Cells. <i>Nano Letters</i> , 2014, 14, 3388-3394.	4.5	53
35	Review of carbon nanotube nanoelectronics and macroelectronics. <i>Semiconductor Science and Technology</i> , 2014, 29, 073001.	1.0	106
36	Entrapping electrode materials within ultrathin carbon nanotube network for flexible thin film lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 20010-20016.	1.7	39
37	A wearable and highly sensitive pressure sensor with ultrathin gold nanowires. <i>Nature Communications</i> , 2014, 5, 3132.	5.8	1,731

#	ARTICLE	IF	CITATIONS
38	Materials capability and device performance in flexible electronics for the Internet of Things. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1220-1232.	2.7	150
39	Tactile-Direction-Sensitive and Stretchable Electronic Skins Based on Human-Skin-Inspired Interlocked Microstructures. <i>ACS Nano</i> , 2014, 8, 12020-12029.	7.3	516
40	Stretchable Energy-Harvesting Tactile Electronic Skin Capable of Differentiating Multiple Mechanical Stimuli Modes. <i>Advanced Materials</i> , 2014, 26, 7324-7332.	11.1	481
41	Direct Light Pattern Integration of Low-Temperature Solution-Processed All-Oxide Flexible Electronics. <i>ACS Nano</i> , 2014, 8, 9680-9686.	7.3	128
42	Fully Printed, Highly Sensitive Multifunctional Artificial Electronic Whisker Arrays Integrated with Strain and Temperature Sensors. <i>ACS Nano</i> , 2014, 8, 3921-3927.	7.3	286
44	A Low-Power Multifunctional CMOS Sensor Node for an Electronic Facade. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014, 61, 2550-2559.	3.5	14
45	Paper memory by all printing technology. , 2014, , .		2
46	All-Printed Paper Memory. <i>ACS Nano</i> , 2014, 8, 7613-7619.	7.3	137
47	Electret Film-Enhanced Triboelectric Nanogenerator Matrix for Self-Powered Instantaneous Tactile Imaging. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 3680-3688.	4.0	118
48	Adaptive optoelectronic camouflage systems with designs inspired by cephalopod skins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12998-13003.	3.3	197
49	Design of Surfactant-Substrate Interactions for Roll-to-Roll Assembly of Carbon Nanotubes for Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2014, 136, 11188-11194.	6.6	60
50	Highly deformable liquid-state heterojunction sensors. <i>Nature Communications</i> , 2014, 5, 5032.	5.8	221
52	Oscillating Friction on Shape-Tunable Wrinkles. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 10121-10131.	4.0	27
53	Human Interactive Wearable Devices: Applications of Artificial Electronic Skins and Smart Bandages. <i>Lecture Notes in Computer Science</i> , 2014, , 710-718.	1.0	2
54	Dual functional transparent film for proximity and pressure sensing. <i>Nano Research</i> , 2014, 7, 1488-1496.	5.8	122
55	Carbon nanotubes and graphene towards soft electronics. <i>Nano Convergence</i> , 2014, 1, 15.	6.3	112
56	Fully-printed high-performance organic thin-film transistors and circuitry on one-micron-thick polymer films. <i>Nature Communications</i> , 2014, 5, 4147.	5.8	337
57	Fiber-Based Generator for Wearable Electronics and Mobile Medication. <i>ACS Nano</i> , 2014, 8, 6273-6280.	7.3	543

#	ARTICLE	IF	CITATIONS
58	Understanding Lattice Strain-Controlled Charge Transport in Organic Semiconductors: A Computational Study. <i>Advanced Functional Materials</i> , 2014, 24, 5531-5540.	7.8	36
59	Epidermal photonic devices for quantitative imaging of temperature and thermal transport characteristics of the skin. <i>Nature Communications</i> , 2014, 5, 4938.	5.8	227
60	Manufacturable Conducting Rubber Ambers and Stretchable Conductors from Copper Nanowire Aerogel Monoliths. <i>ACS Nano</i> , 2014, 8, 5707-5714.	7.3	240
61	Highly Stable Hysteresis-Free Carbon Nanotube Thin-Film Transistors by Fluorocarbon Polymer Encapsulation. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8441-8446.	4.0	87
62	Microstructured Graphene Arrays for Highly Sensitive Flexible Tactile Sensors. <i>Small</i> , 2014, 10, 3625-3631.	5.2	540
63	Design of conductive composite elastomers for stretchable electronics. <i>Nano Today</i> , 2014, 9, 244-260.	6.2	246
64	Facile Green Chemistry-Based Synthesis and Properties of Free-Standing Au ⁺ and Ag ⁺ PMMA Films. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 1453-1460.	3.2	11
65	Large-scale complementary macroelectronics using hybrid integration of carbon nanotubes and IGZO thin-film transistors. <i>Nature Communications</i> , 2014, 5, 4097.	5.8	233
66	Giant Tunneling Piezoresistance of Composite Elastomers with Interlocked Microdome Arrays for Ultrasensitive and Multimodal Electronic Skins. <i>ACS Nano</i> , 2014, 8, 4689-4697.	7.3	726
67	Hybrid sensors based on colour centres in diamond and piezoactive layers. <i>Nature Communications</i> , 2014, 5, 4065.	5.8	67
68	Recent Progress in Electronic Skin. <i>Advanced Science</i> , 2015, 2, 1500169.	5.6	789
69	Highly Stretchable Electrodes on Wrinkled Polydimethylsiloxane Substrates. <i>Scientific Reports</i> , 2015, 5, 16527.	1.6	101
70	High resolution skin-like sensor capable of sensing and visualizing various sensations and three dimensional shape. <i>Scientific Reports</i> , 2015, 5, 12997.	1.6	29
71	Scalability of carbon-nanotube-based thin film transistors for flexible electronic devices manufactured using an all roll-to-roll gravure printing system. <i>Scientific Reports</i> , 2015, 5, 14459.	1.6	54
72	Piezo-phototronic Boolean Logic and Computation Using Photon and Strain Dual-Gated Nanowire Transistors. <i>Advanced Materials</i> , 2015, 27, 940-947.	11.1	46
73	Room Temperature Oxide Deposition Approach to Fully Transparent, All-Oxide Thin-Film Transistors. <i>Advanced Materials</i> , 2015, 27, 6090-6095.	11.1	57
74	Fully Printed Foldable Integrated Logic Gates with Tunable Performance Using Semiconducting Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2015, 25, 5698-5705.	7.8	52
76	Supramolecular Macrostructures of UPy-Functionalized Carbon Nanotubes. <i>Chemistry - A European Journal</i> , 2015, 21, 14179-14185.	1.7	12

#	ARTICLE	IF	CITATIONS
77	Controlling the Behavior of Single Live Cells with High Density Arrays of Microscopic OLEDs. <i>Advanced Materials</i> , 2015, 27, 7657-7661.	11.1	31
78	Fully Drawn All-Organic Flexible Transistors Prepared by Capillary Pen Printing on Flexible Planar and Curvilinear Substrates. <i>Advanced Electronic Materials</i> , 2015, 1, 1500301.	2.6	26
79	A High-Capacitance Salt-Free Dielectric for Self-Healable, Printable, and Flexible Organic Field Effect Transistors and Chemical Sensor. <i>Advanced Functional Materials</i> , 2015, 25, 3745-3755.	7.8	113
80	Stress memory polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 893-898.	2.4	24
81	Highly Stable Liquid-Solid Metal Contact Toward Multilayered Detachable Flexible Devices. <i>Advanced Electronic Materials</i> , 2015, 1, 1500080.	2.6	15
82	Flexible, Stretchable and Wearable Multifunctional Sensor Array as Artificial Electronic Skin for Static and Dynamic Strain Mapping. <i>Advanced Electronic Materials</i> , 2015, 1, 1500142.	2.6	226
83	Cellular Polypropylene Piezoelectret for Human Body Energy Harvesting and Health Monitoring. <i>Advanced Functional Materials</i> , 2015, 25, 4788-4794.	7.8	159
84	Temperature Dependence of the Piezophototronic Effect in CdS Nanowires. <i>Advanced Functional Materials</i> , 2015, 25, 5277-5284.	7.8	50
85	Sensitive Flexible Magnetic Sensors using Organic Transistors with Magnetic-Functionalized Suspended Gate Electrodes. <i>Advanced Materials</i> , 2015, 27, 7979-7985.	11.1	52
86	Transparent Electrodes Printed with Nanocrystal Inks for Flexible Smart Devices. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9760-9774.	7.2	135
87	Convergent Science Physical Oncology. <i>Convergent Science Physical Oncology</i> , 2015, 1, 010201.	2.6	0
88	Biomimetic systems. , 0, , 241-244.		0
89	Review on Physically Flexible Nonvolatile Memory for Internet of Everything Electronics. <i>Electronics (Switzerland)</i> , 2015, 4, 424-479.	1.8	118
90	Piezoresistive Tactile Sensor Discriminating Multidirectional Forces. <i>Sensors</i> , 2015, 15, 25463-25473.	2.1	61
91	Silver nanowire-embedded PDMS with a multiscale structure for a highly sensitive and robust flexible pressure sensor. <i>Nanoscale</i> , 2015, 7, 6208-6215.	2.8	323
92	Flexible pressure sensing film based on ultra-sensitive SWCNT/PDMS spheres for monitoring human pulse signals. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5436-5441.	2.9	48
93	Wearable energy-dense and power-dense supercapacitor yarns enabled by scalable graphene-metallic textile composite electrodes. <i>Nature Communications</i> , 2015, 6, 7260.	5.8	534
94	Wearable and Flexible Sensor Sheets toward Periodic Health Monitoring. <i>Smart Sensors, Measurement and Instrumentation</i> , 2015, , 175-191.	0.4	3

#	ARTICLE	IF	CITATIONS
95	Syringe-injectable electronics. <i>Nature Nanotechnology</i> , 2015, 10, 629-636.	15.6	543
96	Resistive Switching Memory Devices Based on Proteins. <i>Advanced Materials</i> , 2015, 27, 7670-7676.	11.1	140
97	Wearable Electronics Sensors. <i>Smart Sensors, Measurement and Instrumentation</i> , 2015, , .	0.4	32
98	Celluloseâ€Derivativeâ€Based Gate Dielectric for Highâ€Performance Organic Complementary Inverters. <i>Advanced Materials</i> , 2015, 27, 7645-7656.	11.1	69
99	Nanotechnologies for biomedical science and translational medicine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 14436-14443.	3.3	76
100	Conjugated polymer sorting of semiconducting carbon nanotubes and their electronic applications. <i>Nano Today</i> , 2015, 10, 737-758.	6.2	111
101	Ultra-high density out-of-plane strain sensor 3D architecture based on sub-20 nm PMOS FinFET. , 2015, , .		3
102	Stretchable Selfâ€Powered Fiberâ€Based Strain Sensor. <i>Advanced Functional Materials</i> , 2015, 25, 1798-1803.	7.8	155
103	Advanced Physical Chemistry of Carbon Nanotubes. <i>Annual Review of Physical Chemistry</i> , 2015, 66, 331-356.	4.8	42
104	Highly Stable and Imperceptible Electronics Utilizing Photoactivated Heterogeneous Solâ€Gel Metalâ€Oxide Dielectrics and Semiconductors. <i>Advanced Materials</i> , 2015, 27, 1182-1188.	11.1	127
105	Eardrumâ€Inspired Active Sensors for Selfâ€Powered Cardiovascular System Characterization and Throatâ€Attached Antiâ€Interference Voice Recognition. <i>Advanced Materials</i> , 2015, 27, 1316-1326.	11.1	487
106	Largeâ€Area Compliant Tactile Sensors Using Printed Carbon Nanotube Activeâ€Matrix Backplanes. <i>Advanced Materials</i> , 2015, 27, 1561-1566.	11.1	198
107	Tattooâ€Based Wearable Electrochemical Devices: A Review. <i>Electroanalysis</i> , 2015, 27, 562-572.	1.5	265
108	Lowâ€Temperature Liquid Precursors of Crystalline Metal Oxides Assisted by Heterogeneous Photocatalysis. <i>Advanced Materials</i> , 2015, 27, 2608-2613.	11.1	36
109	Diketopyrrolopyrrole (DPP)â€Based Donorâ€Acceptor Polymers for Selective Dispersion of Largeâ€Diameter Semiconducting Carbon Nanotubes. <i>Small</i> , 2015, 11, 2946-2954.	5.2	47
110	Flexible and Highly Sensitive Strain Sensors Fabricated by Pencil Drawn for Wearable Monitor. <i>Advanced Functional Materials</i> , 2015, 25, 2395-2401.	7.8	439
111	Multifunctional nano-accordion structures for stretchable transparent conductors. <i>Materials Horizons</i> , 2015, 2, 486-494.	6.4	29
112	A highly sensitive, low-cost, wearable pressure sensor based on conductive hydrogel spheres. <i>Nanoscale</i> , 2015, 7, 14766-14773.	2.8	126

#	ARTICLE	IF	CITATIONS
113	The effects of compressive stress on the performance of organic light-emitting diodes. <i>Organic Electronics</i> , 2015, 24, 272-279.	1.4	14
114	Tunable threshold voltage in solution-processed single-walled carbon nanotube thin-film transistors. <i>Current Applied Physics</i> , 2015, 15, S8-S11.	1.1	9
115	Ultrasensitive tactile sensors based on planar liquid crystal-gated-organic field-effect transistors with polymeric dipole control layers. <i>RSC Advances</i> , 2015, 5, 56904-56907.	1.7	6
116	Defining the light emitting area for displays in the unipolar regime of highly efficient light emitting transistors. <i>Scientific Reports</i> , 2015, 5, 8818.	1.6	35
117	Capacitance-Voltage Characteristics of Thin-film Transistors Fabricated with Solution-Processed Semiconducting Carbon Nanotube Networks. <i>Nanoscale Research Letters</i> , 2015, 10, 999.	3.1	12
118	Stretchable Carbon Nanotube Charge-Trap Floating-Gate Memory and Logic Devices for Wearable Electronics. <i>ACS Nano</i> , 2015, 9, 5585-5593.	7.3	124
119	Tunable strain gauges based on two-dimensional silver nanowire networks. <i>Nanotechnology</i> , 2015, 26, 195504.	1.3	17
120	Wearable red-green-blue quantum dot light-emitting diode array using high-resolution intaglio transfer printing. <i>Nature Communications</i> , 2015, 6, 7149.	5.8	536
121	High-Resolution Dynamic Pressure Sensor Array Based on Piezo-phototronic Effect Tuned Photoluminescence Imaging. <i>ACS Nano</i> , 2015, 9, 3143-3150.	7.3	122
122	Highly selective flexible tactile strain and temperature sensors against substrate bending for an artificial skin. <i>RSC Advances</i> , 2015, 5, 30170-30174.	1.7	128
123	Si membrane based tactile sensor with active matrix circuitry for artificial skin applications. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	28
124	Flexible suspended gate organic thin-film transistors for ultra-sensitive pressure detection. <i>Nature Communications</i> , 2015, 6, 6269.	5.8	473
125	Active Matrix Electronic Skin Strain Sensor Based on Piezopotential-Powered Graphene Transistors. <i>Advanced Materials</i> , 2015, 27, 3411-3417.	11.1	287
126	Flexible and printable sensors. <i>Nanotechnologies in Russia</i> , 2015, 10, 165-180.	0.7	14
127	Nonplanar Nanoscale Fin Field Effect Transistors on Textile, Paper, Wood, Stone, and Vinyl <i>via</i> Soft Material-Enabled Double-Transfer Printing. <i>ACS Nano</i> , 2015, 9, 5255-5263.	7.3	26
128	In-Depth Studies on Rapid Photochemical Activation of Various Sol-Gel Metal Oxide Films for Flexible Transparent Electronics. <i>Advanced Functional Materials</i> , 2015, 25, 2807-2815.	7.8	172
129	Elastomeric Electronic Skin for Prosthetic Tactile Sensation. <i>Advanced Functional Materials</i> , 2015, 25, 2287-2295.	7.8	321
130	Ultra-stretchable and skin-mountable strain sensors using carbon nanotubes-Ecoflex nanocomposites. <i>Nanotechnology</i> , 2015, 26, 375501.	1.3	646

#	ARTICLE	IF	CITATIONS
131	Flexible and self-powered temperature–pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. <i>Nature Communications</i> , 2015, 6, 8356.	5.8	453
132	Stretchable Array of Highly Sensitive Pressure Sensors Consisting of Polyaniline Nanofibers and Au-Coated Polydimethylsiloxane Micropillars. <i>ACS Nano</i> , 2015, 9, 9974-9985.	7.3	361
133	Fingertip skin–inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. <i>Science Advances</i> , 2015, 1, e1500661.	4.7	704
134	Epidermal devices for noninvasive, precise, and continuous mapping of macrovascular and microvascular blood flow. <i>Science Advances</i> , 2015, 1, e1500701.	4.7	189
135	Printable Ultrathin Metal Oxide Semiconductor-Based Conformal Biosensors. <i>ACS Nano</i> , 2015, 9, 12174-12181.	7.3	126
136	Carbon Nanotube Flexible and Stretchable Electronics. <i>Nanoscale Research Letters</i> , 2015, 10, 1013.	3.1	119
138	A chameleon-inspired stretchable electronic skin with interactive colour changing controlled by tactile sensing. <i>Nature Communications</i> , 2015, 6, 8011.	5.8	749
139	Solution-processed carbon nanotube thin-film complementary static random access memory. <i>Nature Nanotechnology</i> , 2015, 10, 944-948.	15.6	184
140	Piezotronic Effect in Strain-Gated Transistor of <i>c</i> -Axis GaN Nanobelt. <i>ACS Nano</i> , 2015, 9, 9822-9829.	7.3	43
141	New materials and advances in making electronic skin for interactive robots. <i>Advanced Robotics</i> , 2015, 29, 1359-1373.	1.1	155
142	Toward Flexible and Wearable Human–Interactive Health–Monitoring Devices. <i>Advanced Healthcare Materials</i> , 2015, 4, 487-500.	3.9	289
144	Highly Uniform and Stable n-Type Carbon Nanotube Transistors by Using Positively Charged Silicon Nitride Thin Films. <i>Nano Letters</i> , 2015, 15, 392-397.	4.5	92
145	A highly sensitive and flexible pressure sensor with electrodes and elastomeric interlayer containing silver nanowires. <i>Nanoscale</i> , 2015, 7, 2926-2932.	2.8	249
146	Zinc Oxide Nanowire-Poly(Methyl Methacrylate) Dielectric Layers for Polymer Capacitive Pressure Sensors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 45-50.	4.0	64
147	Versatile hole injection of VO ₂ : Energy level alignment at N,N'-di(1-naphthyl)-N,N'-diphenyl-(1,1'-biphenyl)-4,4'-diamine/VO ₂ /fluorine-doped tin oxide. <i>Organic Electronics</i> , 2015, 16, 133-138.	1.4	10
148	Transparent and Stretchable Interactive Human Machine Interface Based on Patterned Graphene Heterostructures. <i>Advanced Functional Materials</i> , 2015, 25, 375-383.	7.8	496
149	Advances of flexible pressure sensors toward artificial intelligence and health care applications. <i>Materials Horizons</i> , 2015, 2, 140-156.	6.4	995
150	Flexible electronics based on inorganic nanowires. <i>Chemical Society Reviews</i> , 2015, 44, 161-192.	18.7	429

#	ARTICLE	IF	CITATIONS
151	The Design and Characterization of a Flexible Tactile Sensing Array for Robot Skin. <i>Sensors</i> , 2016, 16, 2001.	2.1	52
152	Nanowire Thin Films for Flexible Macroelectronics. , 2016, , .		0
153	Design, Assembly, and Fabrication of Two-Dimensional Nanomaterials into Functional Biomimetic Device Systems. , 0, , .		1
154	Physicochemical modeling of tumorigenic homeorhesis: a system-dynamics interpretation of computer simulations. <i>Convergent Science Physical Oncology</i> , 2016, 2, 035001.	2.6	0
155	Synthesis of a Free-Standing Monolayer of Covalently Bonded Gold Nanoparticles. <i>Chemistry of Materials</i> , 2016, 28, 5304-5313.	3.2	22
156	Theoretical Study of Cellular Piezoelectret Generators. <i>Advanced Functional Materials</i> , 2016, 26, 1964-1974.	7.8	58
157	CMOSâ€Technologyâ€Enabled Flexible and Stretchable Electronics for Internet of Everything Applications. <i>Advanced Materials</i> , 2016, 28, 4219-4249.	11.1	179
158	Stretchable, Skinâ€Mountable, and Wearable Strain Sensors and Their Potential Applications: A Review. <i>Advanced Functional Materials</i> , 2016, 26, 1678-1698.	7.8	2,340
159	Sensor Devices Inspired by the Five Senses: A Review. <i>Electroanalysis</i> , 2016, 28, 1201-1241.	1.5	33
160	Extraordinarily Sensitive and Lowâ€Voltage Operational Clothâ€Based Electronic Skin for Wearable Sensing and Multifunctional Integration Uses: A Tactileâ€Induced Insulatingâ€toâ€Conducting Transition. <i>Advanced Functional Materials</i> , 2016, 26, 1286-1295.	7.8	134
161	Recent Progress in Materials and Devices toward Printable and Flexible Sensors. <i>Advanced Materials</i> , 2016, 28, 4415-4440.	11.1	643
162	Stretchable and Waterproof Self-Charging Power System for Harvesting Energy from Diverse Deformation and Powering Wearable Electronics. <i>ACS Nano</i> , 2016, 10, 6519-6525.	7.3	182
163	A Wearable Electrochemical Platform for Noninvasive Simultaneous Monitoring of Ca ²⁺ and pH. <i>ACS Nano</i> , 2016, 10, 7216-7224.	7.3	480
164	Enhancing the Sensitivity of Percolative Graphene Films for Flexible and Transparent Pressure Sensor Arrays. <i>Advanced Functional Materials</i> , 2016, 26, 5061-5067.	7.8	87
165	Doubleâ€Twisted Conductive Smart Threads Comprising a Homogeneously and a Gradientâ€Coated Thread for Multidimensional Flexible Pressureâ€Sensing Devices. <i>Advanced Functional Materials</i> , 2016, 26, 4078-4084.	7.8	65
166	Charge Transport in Organic and Polymeric Semiconductors for Flexible and Stretchable Devices. <i>Advanced Materials</i> , 2016, 28, 4513-4523.	11.1	185
167	Fabrication of Transparent Multilayer Circuits by Inkjet Printing. <i>Advanced Materials</i> , 2016, 28, 1420-1426.	11.1	172
168	An Epidermal Stimulation and Sensing Platform for Sensorimotor Prosthetic Control, Management of Lower Back Exertion, and Electrical Muscle Activation. <i>Advanced Materials</i> , 2016, 28, 4462-4471.	11.1	240

#	ARTICLE	IF	CITATIONS
169	Soft capacitive tactile sensing arrays fabricated via direct filament casting. <i>Smart Materials and Structures</i> , 2016, 25, 075009.	1.8	37
170	Stretchable Triboelectric Fiber for Self-powered Kinematic Sensing Textile. <i>Scientific Reports</i> , 2016, 6, 35153.	1.6	111
171	Piezopotential-Programmed Multilevel Nonvolatile Memory As Triggered by Mechanical Stimuli. <i>ACS Nano</i> , 2016, 10, 11037-11043.	7.3	37
173	Dispersion of High-Purity Semiconducting Arc-Discharged Carbon Nanotubes Using Backbone Engineered Diketopyrrolopyrrole (DPP)-Based Polymers. <i>Advanced Electronic Materials</i> , 2016, 2, 1500299.	2.6	35
174	Stretchable Bioelectronics for Medical Devices and Systems. <i>Microsystems and Nanosystems</i> , 2016, , .	0.1	90
175	Ultrathin, Skin-Like Devices for Precise, Continuous Thermal Property Mapping of Human Skin and Soft Tissues. <i>Microsystems and Nanosystems</i> , 2016, , 117-132.	0.1	6
176	High-Performance Wearable Bioelectronics Integrated with Functional Nanomaterials. <i>Microsystems and Nanosystems</i> , 2016, , 151-171.	0.1	2
177	Layer-by-Layer Assembled 2D Montmorillonite Dielectrics for Solution-Processed Electronics. <i>Advanced Materials</i> , 2016, 28, 63-68.	11.1	72
178	The mechanical bond on carbon nanotubes: diameter-selective functionalization and effects on physical properties. <i>Nanoscale</i> , 2016, 8, 9254-9264.	2.8	33
179	CARBON NANOTUBE FLEXIBLE ELECTRONICS. , 2016, , 1-44.		0
180	Wearable Microsensor Array for Multiplexed Heavy Metal Monitoring of Body Fluids. <i>ACS Sensors</i> , 2016, 1, 866-874.	4.0	297
181	Graphene oxide/graphene vertical heterostructure electrodes for highly efficient and flexible organic light emitting diodes. <i>Nanoscale</i> , 2016, 8, 10714-10723.	2.8	49
182	Recent advances in flexible organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9116-9142.	2.7	254
183	Flexible and biocompatible polypropylene ferroelectret nanogenerator (FENG): On the path toward wearable devices powered by human motion. <i>Nano Energy</i> , 2016, 30, 649-657.	8.2	78
184	Electric Eel-Inspired Mechanically Durable and Super-Stretchable Nanogenerator for Deformable Power Source and Fully Autonomous Conformable Electronics-Skin Applications. <i>Advanced Materials</i> , 2016, 28, 10024-10032.	11.1	273
186	Piezoresistive Sensor with High Elasticity Based on 3D Hybrid Network of Sponge@CNTs@Ag NPs. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 22374-22381.	4.0	176
187	Paper Skin Multisensory Platform for Simultaneous Environmental Monitoring. <i>Advanced Materials Technologies</i> , 2016, 1, 1600004.	3.0	93
188	Thin-film organic semiconductor devices: from flexibility to ultraflexibility. <i>Science China Materials</i> , 2016, 59, 589-608.	3.5	32

#	ARTICLE	IF	CITATIONS
189	Soft Thermal Sensor with Mechanical Adaptability. <i>Advanced Materials</i> , 2016, 28, 9175-9181.	11.1	201
190	All-inkjet-printed low-pass filters with adjustable cutoff frequency consisting of resistors, inductors and transistors for sensor applications. <i>Organic Electronics</i> , 2016, 38, 205-212.	1.4	38
191	Review on thin-film transistor technology, its applications, and possible new applications to biological cells. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 04EA08.	0.8	53
192	Electric Field-aided Selective Activation for Indium-Gallium-Zinc-Oxide Thin Film Transistors. <i>Scientific Reports</i> , 2016, 6, 35044.	1.6	20
193	Soft piezoresistive pressure sensing matrix from copper nanowires composite aerogel. <i>Science Bulletin</i> , 2016, 61, 1624-1630.	4.3	31
194	An Inherent Multifunctional Sellotape Substrate for High-Performance Flexible and Wearable Organic Single-Crystal Nanowire Array-Based Transistors. <i>Advanced Electronic Materials</i> , 2016, 2, 1600129.	2.6	8
195	Large-Area Compliant, Low-Cost, and Versatile Pressure-Sensing Platform Based on Microcrack-Designed Carbon Black@Polyurethane Sponge for Human-Machine Interfacing. <i>Advanced Functional Materials</i> , 2016, 26, 6246-6256.	7.8	481
197	Self-Powered Multimodal Temperature and Force Sensor Based On a Liquid Droplet. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15864-15868.	7.2	32
198	Tribotronic Transistor Array as an Active Tactile Sensing System. <i>ACS Nano</i> , 2016, 10, 10912-10920.	7.3	112
199	Decoupling optical function and geometrical form using conformal flexible dielectric metasurfaces. <i>Nature Communications</i> , 2016, 7, 11618.	5.8	215
200	Self-Powered Multimodal Temperature and Force Sensor Based On a Liquid Droplet. <i>Angewandte Chemie</i> , 2016, 128, 16096-16100.	1.6	4
201	Self-powered liquid triboelectric microfluidic sensor for pressure sensing and finger motion monitoring applications. <i>Nano Energy</i> , 2016, 30, 450-459.	8.2	157
202	A high-resolution strain-gauge nanolaser. <i>Nature Communications</i> , 2016, 7, 11569.	5.8	60
203	Highly Sensitive Pressure Sensor Based on Bioinspired Porous Structure for Real-Time Tactile Sensing. <i>Advanced Electronic Materials</i> , 2016, 2, 1600356.	2.6	264
204	Elucidating the influences of mechanical bending on charge transport at the interfaces of organic light-emitting diodes. <i>Thin Solid Films</i> , 2016, 619, 281-287.	0.8	9
205	Progress in piezo-phototronic effect enhanced photodetectors. <i>Journal of Materials Chemistry C</i> , 2016, 4, 11341-11354.	2.7	47
206	Carbon Nanotube Macroelectronics for Active Matrix Polymer-Dispersed Liquid Crystal Displays. <i>ACS Nano</i> , 2016, 10, 10068-10074.	7.3	44
207	Arrays of microscopic organic LEDs for high-resolution optogenetics. <i>Science Advances</i> , 2016, 2, e1600061.	4.7	69

#	ARTICLE	IF	CITATIONS
208	Outputting Olfactory Bionic Electric Impulse by PANI/PTFE/PANI Sandwich Nanostructures and their Application as Flexible, Smelling Electronic Skin. <i>Advanced Functional Materials</i> , 2016, 26, 3128-3138.	7.8	102
209	Design of Strain-Limiting Substrate Materials for Stretchable and Flexible Electronics. <i>Advanced Functional Materials</i> , 2016, 26, 5345-5351.	7.8	92
210	Biomimetic and Bioinspired Synthesis of Nanomaterials/Nanostructures. <i>Advanced Materials</i> , 2016, 28, 2099-2147.	11.1	323
211	Recent Advances in Flexible and Stretchable Bio-Electronic Devices Integrated with Nanomaterials. <i>Advanced Materials</i> , 2016, 28, 4203-4218.	11.1	894
212	Extremely Stretchable Electroluminescent Devices with Ionic Conductors. <i>Advanced Materials</i> , 2016, 28, 4490-4496.	11.1	193
213	Printed Carbon Nanotube Electronics and Sensor Systems. <i>Advanced Materials</i> , 2016, 28, 4397-4414.	11.1	369
214	Self-Powered High-Resolution and Pressure-Sensitive Triboelectric Sensor Matrix for Real-Time Tactile Mapping. <i>Advanced Materials</i> , 2016, 28, 2896-2903.	11.1	344
215	Stretchable Active Matrix Temperature Sensor Array of Polyaniline Nanofibers for Electronic Skin. <i>Advanced Materials</i> , 2016, 28, 930-935.	11.1	364
216	Ultrahigh Detective Heterogeneous Photosensor Arrays with In-Pixel Signal Boosting Capability for Large-Area and Skin-Compatible Electronics. <i>Advanced Materials</i> , 2016, 28, 3078-3086.	11.1	76
217	Highly Stretchable Anisotropic Structures for Flexible Micro/nano-electrode Applications. <i>Nanoscale Research Letters</i> , 2016, 11, 112.	3.1	9
218	Controlled n-Type Doping of Carbon Nanotube Transistors by an Organorhodium Dimer. <i>Nano Letters</i> , 2016, 16, 4329-4334.	4.5	48
219	Stretchable carbon nanotube conductors and their applications. <i>Korean Journal of Chemical Engineering</i> , 2016, 33, 2771-2787.	1.2	23
220	Three-dimensional mapping and regulation of action potential propagation in nanoelectronics-innervated tissues. <i>Nature Nanotechnology</i> , 2016, 11, 776-782.	15.6	160
221	Radio Frequency Transistors Using Aligned Semiconducting Carbon Nanotubes with Current-Gain Cutoff Frequency and Maximum Oscillation Frequency Simultaneously Greater than 70 GHz. <i>ACS Nano</i> , 2016, 10, 6782-6790.	7.3	63
222	The rapid and dense assembly of solution-processed single-wall carbon nanotube semiconducting films via an acid-based additive in the aqueous dispersion. <i>Journal of Materials Chemistry C</i> , 2016, 4, 5461-5468.	2.7	19
223	Highly Sensitive, Flexible, and Wearable Pressure Sensor Based on a Giant Piezocapacitive Effect of Three-Dimensional Microporous Elastomeric Dielectric Layer. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16922-16931.	4.0	404
224	Bio-based graphene/sodium alginate aerogels for strain sensors. <i>RSC Advances</i> , 2016, 6, 64056-64064.	1.7	42
225	High-Performance Flexible Multilayer MoS ₂ Transistors on Solution-Based Polyimide Substrates. <i>Advanced Functional Materials</i> , 2016, 26, 2426-2434.	7.8	75

#	ARTICLE	IF	CITATIONS
226	Flexible and Stretchable Physical Sensor Integrated Platforms for Wearable Human Activity Monitoring and Personal Healthcare. <i>Advanced Materials</i> , 2016, 28, 4338-4372.	11.1	1,594
227	Skin-Inspired Haptic Memory Arrays with an Electrically Reconfigurable Architecture. <i>Advanced Materials</i> , 2016, 28, 1559-1566.	11.1	173
228	Stretchable and Multimodal All Graphene Electronic Skin. <i>Advanced Materials</i> , 2016, 28, 2601-2608.	11.1	493
229	Linearly and Highly Pressure-Sensitive Electronic Skin Based on a Bioinspired Hierarchical Structural Array. <i>Advanced Materials</i> , 2016, 28, 5300-5306.	11.1	523
230	A transparent bending-insensitive pressure sensor. <i>Nature Nanotechnology</i> , 2016, 11, 472-478.	15.6	680
231	Fully integrated wearable sensor arrays for multiplexed in situ perspiration analysis. <i>Nature</i> , 2016, 529, 509-514.	13.7	3,508
232	Generalized Redox-Responsive Assembly of Carbon-Sheathed Metallic and Semiconducting Nanowire Heterostructures. <i>Nano Letters</i> , 2016, 16, 1179-1185.	4.5	20
233	Radio frequency transistors based on ultra-high purity semiconducting carbon nanotubes with superior extrinsic maximum oscillation frequency. <i>Nano Research</i> , 2016, 9, 363-371.	5.8	26
234	Imperceptible and Ultraflexible p-Type Transistors and Macroelectronics Based on Carbon Nanotubes. <i>ACS Nano</i> , 2016, 10, 199-206.	7.3	43
235	Deformable devices with integrated functional nanomaterials for wearable electronics. <i>Nano Convergence</i> , 2016, 3, 4.	6.3	54
236	Self-Powered Analogue Smart Skin. <i>ACS Nano</i> , 2016, 10, 4083-4091.	7.3	153
237	Direct-write printing of reactive oligomeric alkoxy silanes as an affordable and highly efficient route for promoting local adhesion of silver inks on polymer substrates. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2211-2218.	2.7	16
238	An electrochemical sensor for nitrobenzene using π -conjugated polymer-embedded nanosilver. <i>Analyst</i> , 2016, 141, 2259-2269.	1.7	62
239	High performance thin film solar cells on plastic substrates with nanostructure-enhanced flexibility. <i>Nano Energy</i> , 2016, 22, 539-547.	8.2	66
240	A wearable multiplexed silicon nonvolatile memory array using nanocrystal charge confinement. <i>Science Advances</i> , 2016, 2, e1501101.	4.7	139
241	Removable and Recyclable Conjugated Polymers for Highly Selective and High-Yield Dispersion and Release of Low-Cost Carbon Nanotubes. <i>Journal of the American Chemical Society</i> , 2016, 138, 802-805.	6.6	152
242	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. <i>Macromolecules</i> , 2016, 49, 433-444.	2.2	58
243	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2999-3018.	2.9	116

#	ARTICLE	IF	CITATIONS
244	Progress and Prospects in Stretchable Electroluminescent Devices. <i>Nanophotonics</i> , 2017, 6, 435-451.	2.9	35
245	Freeform Compliant CMOS Electronic Systems for Internet of Everything Applications. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 1894-1905.	1.6	17
246	Flexible, Cuttable, and Self-Waterproof Bending Strain Sensors Using Microcracked Gold Nanofilms@Paper Substrate. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 4151-4158.	4.0	107
247	Spatially Pressure-Mapped Thermo-chromic Interactive Sensor. <i>Advanced Materials</i> , 2017, 29, 1606120.	11.1	86
248	Flexible All-Inorganic Perovskite CsPbBr ₃ Nonvolatile Memory Device. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6171-6176.	4.0	179
249	Full Dynamic-Range Pressure Sensor Matrix Based on Optical and Electrical Dual-Mode Sensing. <i>Advanced Materials</i> , 2017, 29, 1605817.	11.1	176
250	Microfluidic capacitive sensors with ionic liquid electrodes and CNT/PDMS nanocomposites for simultaneous sensing of pressure and temperature. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1910-1919.	2.7	65
251	Self-powered artificial electronic skin for high-resolution pressure sensing. <i>Nano Energy</i> , 2017, 32, 389-396.	8.2	125
252	Light in diagnosis, therapy and surgery. <i>Nature Biomedical Engineering</i> , 2017, 1, .	11.6	523
253	Scanning Approaches of 2-D Resistive Sensor Arrays: A Review. <i>IEEE Sensors Journal</i> , 2017, 17, 914-925.	2.4	35
254	Self-powered wireless smart patch for healthcare monitoring. <i>Nano Energy</i> , 2017, 32, 479-487.	8.2	90
255	Electronic Devices for Human-Machine Interfaces. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600709.	1.9	76
256	Paper: A promising material for human-friendly functional wearable electronics. <i>Materials Science and Engineering Reports</i> , 2017, 112, 1-22.	14.8	128
257	Radiation-Hard Complementary Integrated Circuits Based on Semiconducting Single-Walled Carbon Nanotubes. <i>ACS Nano</i> , 2017, 11, 2992-3000.	7.3	33
258	Ultrasensitive 2D ZnO Piezotronic Transistor Array for High Resolution Tactile Imaging. <i>Advanced Materials</i> , 2017, 29, 1606346.	11.1	79
259	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. <i>Advanced Materials</i> , 2017, 29, 1605973.	11.1	147
260	Designing an electron-transport layer for highly efficient, reliable, and solution-processed organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3097-3106.	2.7	33
261	Recent advances in wearable tactile sensors: Materials, sensing mechanisms, and device performance. <i>Materials Science and Engineering Reports</i> , 2017, 115, 1-37.	14.8	557

#	ARTICLE	IF	CITATIONS
262	Variable structural colouration of composite interphases. <i>Materials Horizons</i> , 2017, 4, 389-395.	6.4	16
264	Electronic Skin with Multifunction Sensors Based on Thermosensation. <i>Advanced Materials</i> , 2017, 29, 1606151.	11.1	194
265	Sol-gel metal oxide dielectrics for all-solution-processed electronics. <i>Materials Science and Engineering Reports</i> , 2017, 114, 1-22.	14.8	180
266	Top-Contact Self-Aligned Printing for High-Performance Carbon Nanotube Thin-Film Transistors with Sub-Micron Channel Length. <i>ACS Nano</i> , 2017, 11, 2008-2014.	7.3	38
267	Organic light emitting board for dynamic interactive display. <i>Nature Communications</i> , 2017, 8, 14964.	5.8	80
268	A paper-based electrode using a graphene dot/PEDOT:PSS composite for flexible solar cells. <i>Nano Energy</i> , 2017, 36, 260-267.	8.2	135
269	Ultrasensitive Vertical Piezotronic Transistor Based on ZnO Twin Nanoplatelet. <i>ACS Nano</i> , 2017, 11, 4859-4865.	7.3	45
270	Autonomous sweat extraction and analysis applied to cystic fibrosis and glucose monitoring using a fully integrated wearable platform. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4625-4630.	3.3	573
271	Transparent Flexible Multifunctional Nanostructured Architectures for Non-optical Readout, Proximity, and Pressure Sensing. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15015-15021.	4.0	58
272	Graphene for flexible and wearable device applications. <i>Carbon</i> , 2017, 120, 244-257.	5.4	137
273	A carbon nanotube non-volatile memory device using a photoresist gate dielectric. <i>Carbon</i> , 2017, 124, 700-707.	5.4	10
274	Carbon-Based Pressure Sensors With Wavy Configuration. <i>IEEE Electron Device Letters</i> , 2017, 38, 979-982.	2.2	7
275	Nanogenerator-based dual-functional and self-powered thin patch loudspeaker or microphone for flexible electronics. <i>Nature Communications</i> , 2017, 8, 15310.	5.8	169
276	Biocompatible and totally disintegrable semiconducting polymer for ultrathin and ultralightweight transient electronics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5107-5112.	3.3	347
277	Visualization Recording and Storage of Pressure Distribution through a Smart Matrix Based on the Piezotronic Effect. <i>Advanced Materials</i> , 2017, 29, 1701253.	11.1	59
278	A skin-integrated transparent and stretchable strain sensor with interactive color-changing electrochromic displays. <i>Nanoscale</i> , 2017, 9, 7631-7640.	2.8	160
279	Parametric investigation of scalable tactile sensors. , 2017, , .		7
280	Characterization of large-area pressure sensitive robot skin. , 2017, , .		3

#	ARTICLE	IF	CITATIONS
281	A Planar, Multisensing Wearable Health Monitoring Device Integrated with Acceleration, Temperature, and Electrocardiogram Sensors. <i>Advanced Materials Technologies</i> , 2017, 2, 1700057.	3.0	35
282	Roughâ€‘Surfaceâ€‘Enabled Capacitive Pressure Sensors with 3D Touch Capability. <i>Small</i> , 2017, 13, 1700368.	5.2	142
283	Flexible Nanowire Cluster as a Wearable Colorimetric Humidity Sensor. <i>Small</i> , 2017, 13, 1700109.	5.2	46
284	A Retinaâ€‘Like Dual Band Organic Photosensor Array for Filterâ€‘Free Nearâ€‘Infraredâ€‘toâ€‘Memory Operations. <i>Advanced Materials</i> , 2017, 29, 1701772.	11.1	95
285	Flexible Dual-Mode Tactile Sensor Derived from Three-Dimensional Porous Carbon Architecture. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 22685-22693.	4.0	41
286	Self-assembled three dimensional network designs for soft electronics. <i>Nature Communications</i> , 2017, 8, 15894.	5.8	325
287	Optimization of compound serpentineâ€‘spiral structure for ultra-stretchable electronics. <i>Extreme Mechanics Letters</i> , 2017, 15, 44-50.	2.0	27
288	A self-powered flexible vision electronic-skin for image recognition based on a pixel-addressable matrix of piezophototronic ZnO nanowire arrays. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6005-6013.	2.7	30
289	Low-temperature activation under 150Â°C for amorphous IGZO TFTs using voltage bias. <i>Journal of Information Display</i> , 2017, 18, 131-135.	2.1	21
290	Fabrication of strain gauge based sensors for tactile skins. , 2017, , .		10
291	Sensitivity-Enhanced Wearable Active Voiceprint Sensor Based on Cellular Polypropylene Piezoelectret. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23716-23722.	4.0	48
292	Carbon black functionalized stretchable conductive fabrics for wearable heating applications. <i>RSC Advances</i> , 2017, 7, 19174-19180.	1.7	68
293	From Dual-Mode Triboelectric Nanogenerator to Smart Tactile Sensor: A Multiplexing Design. <i>ACS Nano</i> , 2017, 11, 3950-3956.	7.3	136
294	Fully printed flexible carbon nanotube photodetectors. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	23
295	Enhancing the Mechanical Durability of an Organic Field Effect Transistor through a Fluoroelastomer Substrate with a Crosslinkingâ€‘Induced Selfâ€‘Wrinkled Structure. <i>Advanced Electronic Materials</i> , 2017, 3, 1600477.	2.6	22
296	Versatile Electronic Skins for Motion Detection of Joints Enabled by Aligned Fewâ€‘Walled Carbon Nanotubes in Flexible Polymer Composites. <i>Advanced Functional Materials</i> , 2017, 27, 1606604.	7.8	119
297	Separation of Semiconducting Carbon Nanotubes for Flexible and Stretchable Electronics Using Polymer Removable Method. <i>Accounts of Chemical Research</i> , 2017, 50, 1096-1104.	7.6	128
298	Micropatterned Pyramidal Ionic Gels for Sensing Broad-Range Pressures with High Sensitivity. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 10128-10135.	4.0	272

#	ARTICLE	IF	CITATIONS
299	Highly Sensitive and Bendable Capacitive Pressure Sensor and Its Application to 1 V Operation Pressure-Sensitive Transistor. <i>Advanced Electronic Materials</i> , 2017, 3, 1600455.	2.6	78
300	Pressure-sensitive strain sensor based on a single percolated Ag nanowire layer embedded in colorless polyimide. <i>Physica B: Condensed Matter</i> , 2017, 514, 8-12.	1.3	6
301	Energy-Autonomous, Flexible, and Transparent Tactile Skin. <i>Advanced Functional Materials</i> , 2017, 27, 1606287.	7.8	264
302	Tribotronic Tuning Diode for Active Analog Signal Modulation. <i>ACS Nano</i> , 2017, 11, 882-888.	7.3	30
303	Soft Elastomers with Ionic Liquid-Filled Cavities as Strain Isolating Substrates for Wearable Electronics. <i>Small</i> , 2017, 13, 1602954.	5.2	82
304	Harnessing Three Dimensional Anatomy of Graphene Foam to Induce Superior Damping in Hierarchical Polyimide Nanostructures. <i>Small</i> , 2017, 13, 1603473.	5.2	39
305	One-Dimensional Nanomaterials for Soft Electronics. <i>Advanced Electronic Materials</i> , 2017, 3, 1600314.	2.6	271
306	Nonlinear Frameworks for Reversible and Pluripotent Wetting on Topographic Surfaces. <i>Advanced Materials</i> , 2017, 29, 1605078.	11.1	18
307	Biocompatible, optically transparent, patterned, and flexible electrodes and radio-frequency antennas prepared from silk protein and silver nanowire networks. <i>RSC Advances</i> , 2017, 7, 574-580.	1.7	30
308	Designing Thin, Ultrastretchable Electronics with Stacked Circuits and Elastomeric Encapsulation Materials. <i>Advanced Functional Materials</i> , 2017, 27, 1604545.	7.8	42
309	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. <i>Nano Energy</i> , 2017, 32, 42-49.	8.2	123
310	Heat-Depolymerizable Polypropylene Carbonate as a Temporary Bonding Adhesive for Fabrication of Flexible Silicon Sensor Chips. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2017, 7, 1751-1758.	1.4	4
311	Recent Progress of Self-Powered Sensing Systems for Wearable Electronics. <i>Small</i> , 2017, 13, 1701791.	5.2	223
312	Dual-Mode Electronic Skin with Integrated Tactile Sensing and Visualized Injury Warning. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37493-37500.	4.0	110
313	A super stretchable and sensitive strain sensor based on a carbon nanocoil network fabricated by a simple peeling-off approach. <i>Nanoscale</i> , 2017, 9, 16404-16411.	2.8	48
314	Stretchable Electrode Based on Laterally Combed Carbon Nanotubes for Wearable Energy Harvesting and Storage Devices. <i>Advanced Functional Materials</i> , 2017, 27, 1704353.	7.8	110
315	Review of Electronics Based on Single-Walled Carbon Nanotubes. <i>Topics in Current Chemistry</i> , 2017, 375, 75.	3.0	43
316	Large-Area All-Textile Pressure Sensors for Monitoring Human Motion and Physiological Signals. <i>Advanced Materials</i> , 2017, 29, 1703700.	11.1	558

#	ARTICLE	IF	CITATIONS
317	Metal-elastic elastomer bilayered switches by utilizing the superexponential behavior of crack widening. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10920-10925.	2.7	15
318	Paper/Carbon Nanotube-Based Wearable Pressure Sensor for Physiological Signal Acquisition and Soft Robotic Skin. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37921-37928.	4.0	230
319	Transparent and Flexible Triboelectric Sensing Array for Touch Security Applications. <i>ACS Nano</i> , 2017, 11, 8364-8369.	7.3	90
320	Piezoelectric Phototronic Matrix via a Nanowire Array. <i>Small</i> , 2017, 13, 1702377.	5.2	14
321	Wearable Electrocardiogram Monitor Using Carbon Nanotube Electronics and Color-Tunable Organic Light-Emitting Diodes. <i>ACS Nano</i> , 2017, 11, 10032-10041.	7.3	197
322	Ultrathin Quantum Dot Display Integrated with Wearable Electronics. <i>Advanced Materials</i> , 2017, 29, 1700217.	11.1	187
323	Thermomechanical Analysis of Epidermal Electronic Devices Integrated With Human Skin. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2017, 84, .	1.1	28
324	A Sandwiched/Cracked Flexible Film for Multithermal Monitoring and Switching Devices. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32184-32191.	4.0	15
325	A Flexible Capacitive Pressure Sensor for Wearable Respiration Monitoring System. <i>IEEE Sensors Journal</i> , 2017, , 1-1.	2.4	75
326	A Highly Stretchable Nanofiber-Based Electronic Skin with Pressure-, Strain-, and Flexion-Sensitive Properties for Health and Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 42951-42960.	4.0	147
327	Polarized Electrode-Bridged Electroluminescent Displays: 2D Sensors Remotely Communicating Optically. <i>Advanced Materials</i> , 2017, 29, 1703552.	11.1	49
328	Low-voltage, high-sensitivity and high-reliability bimodal sensor array with fully inkjet-printed flexible conducting electrode for low power consumption electronic skin. <i>Nano Energy</i> , 2017, 41, 301-307.	8.2	104
329	Flexible strain sensors with high performance based on metallic glass thin film. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	55
330	A flexible and highly sensitive capacitive pressure sensor based on conductive fibers with a microporous dielectric for wearable electronics. <i>Journal of Materials Chemistry C</i> , 2017, 5, 10068-10076.	2.7	123
331	Flexible and Degradable Paper-Based Strain Sensor with Low Cost. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 10538-10543.	3.2	131
332	A Biocompatible Sheath Fiber Sensor for Giant Tensile and Torsional Displacements. <i>Advanced Functional Materials</i> , 2017, 27, 1702134.	7.8	100
333	Integration of graphene sensor with electrochromic device on modulus-gradient polymer for instantaneous strain visualization. <i>2D Materials</i> , 2017, 4, 035020.	2.0	19
334	An All-Solution-Based Hybrid CMOS-Like Quantum Dot/Carbon Nanotube Inverter. <i>Advanced Materials</i> , 2017, 29, 1701764.	11.1	33

#	ARTICLE	IF	CITATIONS
335	Bioinspired stretchable triboelectric nanogenerator as energy-harvesting skin for self-powered electronics. <i>Nano Energy</i> , 2017, 39, 429-436.	8.2	147
336	Determination of individual contact interfaces in carbon nanotube network-based transistors. <i>Scientific Reports</i> , 2017, 7, 5453.	1.6	7
337	Efficient and Reversible Electron Doping of Semiconductor-Enriched Single-Walled Carbon Nanotubes by Using Decamethylcobaltocene. <i>Scientific Reports</i> , 2017, 7, 6751.	1.6	36
338	Surface Modification of Anisotropic Dielectric Elastomer Actuators with Uni- and Bi-axially Wrinkled Carbon Electrodes for Wettability Control. <i>Scientific Reports</i> , 2017, 7, 6091.	1.6	26
339	All solution-processed micro-structured flexible electrodes for low-cost light-emitting pressure sensors fabrication. <i>Scientific Reports</i> , 2017, 7, 6921.	1.6	9
340	Shape-Configurable Aluminum-Air Batteries. <i>Advanced Functional Materials</i> , 2017, 27, 1702244.	7.8	33
341	A Self-Powered Wearable Noninvasive Electronic-Skin for Perspiration Analysis Based on Piezo-Biosensing Unit Matrix of Enzyme/ZnO Nanoarrays. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 29526-29537.	4.0	119
342	Electronic Muscles and Skins: A Review of Soft Sensors and Actuators. <i>Chemical Reviews</i> , 2017, 117, 11239-11268.	23.0	418
343	Wearable Microfluidic Diaphragm Pressure Sensor for Health and Tactile Touch Monitoring. <i>Advanced Materials</i> , 2017, 29, 1701985.	11.1	431
344	Mechanical response of spiral interconnect arrays for highly stretchable electronics. <i>Applied Physics Letters</i> , 2017, 111, 214102.	1.5	25
345	Unprecedented sensitivity towards pressure enabled by graphene foam. <i>Nanoscale</i> , 2017, 9, 19346-19352.	2.8	40
346	Highly Sensitive Flexible Pressure Sensors Based on Printed Organic Transistors with Centro-Apically Self-Organized Organic Semiconductor Microstructures. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 42996-43003.	4.0	53
347	Research on flexible display at Ulsan National Institute of Science and Technology. <i>Npj Flexible Electronics</i> , 2017, 1, .	5.1	59
348	Vertically stacked nanocellulose tactile sensor. <i>Nanoscale</i> , 2017, 9, 17212-17219.	2.8	55
349	Transparent Perovskite Light-Emitting Touch-Responsive Device. <i>ACS Nano</i> , 2017, 11, 11368-11375.	7.3	39
350	Flexible, transferable and conformal egg albumen based resistive switching memory devices. <i>RSC Advances</i> , 2017, 7, 32114-32119.	1.7	51
351	Capacitive behavior of carbon nanotube thin film induced by deformed ZnO microspheres. <i>Nanotechnology</i> , 2017, 28, 395101.	1.3	3
352	Folding state recognition for multi-foldable mobile devices. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
353	Multi-vinyl linked benzothiadiazole conjugated polymers: high performance, low crystalline material for transistors. <i>Chemical Communications</i> , 2017, 53, 8176-8179.	2.2	8
354	A wearable and highly sensitive strain sensor based on a polyethylenimine-rGO layered nanocomposite thin film. <i>Journal of Materials Chemistry C</i> , 2017, 5, 7746-7752.	2.7	64
355	Assembly and Electronic Applications of Colloidal Nanomaterials. <i>Advanced Materials</i> , 2017, 29, 1603895.	11.1	98
356	Wearable strain sensor made of carbonized cotton cloth. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 3535-3541.	1.1	30
357	A flexible self-powered T-ZnO/PVDF/fabric electronic-skin with multi-functions of tactile-perception, atmosphere-detection and self-clean. <i>Nano Energy</i> , 2017, 31, 37-48.	8.2	172
358	Carbon Nanotubes for Displaying. , 2017, , 101-127.		2
359	Graphene Tribotronics for Electronic Skin and Touch Screen Applications. <i>Advanced Materials</i> , 2017, 29, 1603544.	11.1	214
360	A pressure-induced bending sensitive capacitor based on an elastomer-free, extremely thin transparent conductor. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3221-3229.	5.2	26
361	Oxygen separation membrane derived from aquatic weed: A novel bio-inspired approach to synthesize BaBi _{0.2} Co _{0.35} Fe _{0.45} O _{3-δ} perovskite from water hyacinth (<i>Eichhornia crassipes</i>). <i>Journal of Membrane Science</i> , 2017, 522, 168-174.	4.1	5
362	Transforming the short-term sensing stimuli to long-term e-skin memory. , 2017, , .		1
363	Biochar: A "green" carbon source for pressure sensors. , 2017, , .		0
364	Flexible Organic Single-Crystal Field-Effect Transistor for Ultra-Sensitivity Strain Sensing. <i>IEEE Electron Device Letters</i> , 2017, 38, 1598-1601.	2.2	24
365	The Growing Influence of Nanotechnology in Our Lives. , 2017, , 1-20.		5
366	Arrayed Force Sensors Made of Paper, Elastomer, and Hydrogel Particles. <i>Micromachines</i> , 2017, 8, 356.	1.4	6
367	Large-Scale and Flexible Self-Powered Triboelectric Tactile Sensing Array for Sensitive Robot Skin. <i>Polymers</i> , 2017, 9, 586.	2.0	19
368	Nanowire FET Based Neural Element for Robotic Tactile Sensing Skin. <i>Frontiers in Neuroscience</i> , 2017, 11, 501.	1.4	97
369	A machine learning algorithm for the automatic detection of ictal activity using energy and synchronization features. , 2017, , .		3
370	Novel Patterning Method for Nanomaterials and Its Application to Flexible Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 9704-9717.	4.0	22

#	ARTICLE	IF	CITATIONS
371	Process design kit for flexible hybrid electronics. , 2018, , .		21
372	High-Throughput Fabrication of Flexible and Transparent All-Carbon Nanotube Electronics. <i>Advanced Science</i> , 2018, 5, 1700965.	5.6	34
377	A novel evaluation strategy for fatigue reliability of flexible nanoscale films. <i>Materials Research Express</i> , 2018, 5, 035012.	0.8	18
378	Through-Layer Buckle Wavelength-Gradient Design for the Coupling of High Sensitivity and Stretchability in a Single Strain Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 9653-9662.	4.0	29
379	Flexible active-matrix organic light-emitting diode display enabled by MoS ₂ thin-film transistor. <i>Science Advances</i> , 2018, 4, eaas8721.	4.7	163
381	Block copolymer structural color strain sensor. <i>NPG Asia Materials</i> , 2018, 10, 328-339.	3.8	97
382	Methylxanthine Drug Monitoring with Wearable Sweat Sensors. <i>Advanced Materials</i> , 2018, 30, e1707442.	11.1	226
383	A Self-Powered Brain-Linked Vision Electronic-Skin Based on Triboelectric-Photodetecting Pixel-Addressable Matrix for Visual-Image Recognition and Behavior Intervention. <i>Advanced Functional Materials</i> , 2018, 28, 1800275.	7.8	76
384	Highly sensitive wearable sensor based on a flexible multi-layer graphene film antenna. <i>Science Bulletin</i> , 2018, 63, 574-579.	4.3	97
385	Flexible quantum dot light-emitting diodes for next-generation displays. <i>Npj Flexible Electronics</i> , 2018, 2, .	5.1	261
386	Sensor Embodiment and Flexible Electronics. , 2018, , 197-279.		5
387	Skin-Inspired Hierarchical Polymer Architectures with Gradient Stiffness for Spacer-Free, Ultrathin, and Highly Sensitive Triboelectric Sensors. <i>ACS Nano</i> , 2018, 12, 3964-3974.	7.3	218
388	Self-powered vision electronic-skin basing on piezo-photodetecting Ppy/PVDF pixel-patterned matrix for mimicking vision. <i>Nanotechnology</i> , 2018, 29, 255501.	1.3	13
389	Toward Self-Control Systems for Neurogenic Underactive Bladder: A Triboelectric Nanogenerator Sensor Integrated with a Bistable Micro-Actuator. <i>ACS Nano</i> , 2018, 12, 3487-3501.	7.3	96
390	Color-Changing Microfiber-Based Multifunctional Window Screen for Capture and Visualized Monitoring of NH ₃ . <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15065-15072.	4.0	22
391	Printed Wheatstone bridge with embedded polymer based piezoresistive sensors for strain sensing applications. <i>Additive Manufacturing</i> , 2018, 20, 119-125.	1.7	31
392	Deformable conductors for human-machine interface. <i>Materials Today</i> , 2018, 21, 508-526.	8.3	163
393	Wearable and robust triboelectric nanogenerator based on crumpled gold films. <i>Nano Energy</i> , 2018, 46, 73-80.	8.2	86

#	ARTICLE	IF	CITATIONS
394	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. <i>Advanced Materials</i> , 2018, 30, e1706738.	11.1	315
395	Large-Area High-Performance Flexible Pressure Sensor with Carbon Nanotube Active Matrix for Electronic Skin. <i>Nano Letters</i> , 2018, 18, 2054-2059.	4.5	172
396	Transparent, Flexible, Conformal Capacitive Pressure Sensors with Nanoparticles. <i>Small</i> , 2018, 14, 1703432.	5.2	112
397	3D, Reconfigurable, Multimodal Electronic Whiskers via Directed Air Assembly. <i>Advanced Materials</i> , 2018, 30, 1706733.	11.1	45
398	Flexible Interconnects for Electronic Textiles. <i>Advanced Materials Technologies</i> , 2018, 3, 1700277.	3.0	109
399	Self-Assembly of Enzyme-Like Nanofibrous C-Molecular Hydrogel for Printed Flexible Electrochemical Sensors. <i>Advanced Materials</i> , 2018, 30, e1706887.	11.1	198
400	Skin-inspired highly stretchable and conformable matrix networks for multifunctional sensing. <i>Nature Communications</i> , 2018, 9, 244.	5.8	1,034
401	Rehealable, fully recyclable, and malleable electronic skin enabled by dynamic covalent thermoset nanocomposite. <i>Science Advances</i> , 2018, 4, eaaq0508.	4.7	375
402	Graphene-based stretchable and transparent moisture barrier. <i>Nanotechnology</i> , 2018, 29, 125705.	1.3	19
403	Molecular Dual-Rotators with Large Consecutive Emission Chromism for Visualized and High-Pressure Sensing. <i>ACS Omega</i> , 2018, 3, 717-723.	1.6	1
404	A wearable pressure sensor based on ultra-violet/ozone microstructured carbon nanotube/polydimethylsiloxane arrays for electronic skins. <i>Nanotechnology</i> , 2018, 29, 115502.	1.3	94
405	Soft, smart contact lenses with integrations of wireless circuits, glucose sensors, and displays. <i>Science Advances</i> , 2018, 4, eaap9841.	4.7	465
406	Recent Developments in Graphene-Based Tactile Sensors and e-Skins. <i>Advanced Materials Technologies</i> , 2018, 3, 1700248.	3.0	153
407	Ultra-high-frequency microwave response from flexible transparent Au electromagnetic metamaterial nanopatterned antenna. <i>Nanotechnology</i> , 2018, 29, 06LT01.	1.3	6
408	Ferroelectric polarization effect on hysteresis behaviors of single-walled carbon nanotube network field-effect transistors with lead zirconate-titanate gating. <i>Current Applied Physics</i> , 2018, 18, 324-328.	1.1	1
409	A Light Harvesting, Self-Powered Monolith Tactile Sensor Based on Electric Field Induced Effects in MAPbI ₃ Perovskite. <i>Advanced Materials</i> , 2018, 30, 1705778.	11.1	51
410	Multifunctional Sensor Based on Porous Carbon Derived from Metal-Organic Frameworks for Real Time Health Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 3986-3993.	4.0	134
411	Printable Skin-Driven Mechanoluminescence Devices via Nanodoped Matrix Modification. <i>Advanced Materials</i> , 2018, 30, e1800291.	11.1	178

#	ARTICLE	IF	CITATIONS
412	A strain induced subwavelength-structure for a haze-free and highly transparent flexible plastic substrate. <i>Nanoscale</i> , 2018, 10, 14868-14876.	2.8	12
413	An ultrasensitive flexible pressure sensor for multimodal wearable electronic skins based on large-scale polystyrene ball@reduced graphene-oxide core-shell nanoparticles. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5514-5520.	2.7	88
414	Electroluminescent Pressure-Sensing Displays. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 13757-13766.	4.0	56
415	Improved FRZPC for the two-dimensional resistive sensor array. <i>IET Science, Measurement and Technology</i> , 2018, 12, 278-282.	0.9	7
416	Piezoresistive effect observed in flexible amorphous carbon films. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 175304.	1.3	3
417	Stretchable Triboelectric-Photonic Smart Skin for Tactile and Gesture Sensing. <i>Advanced Materials</i> , 2018, 30, e1800066.	11.1	205
418	Flexible Highly Sensitive Pressure Sensor Based on Ionic Liquid Gel Film. <i>ACS Omega</i> , 2018, 3, 3014-3021.	1.6	66
419	Energy absorption capacity of ferroelectrets based on porous polypropylene. <i>Polymer Engineering and Science</i> , 2018, 58, 300-309.	1.5	10
420	Extremely Vivid, Highly Transparent, and Ultrathin Quantum Dot Light-Emitting Diodes. <i>Advanced Materials</i> , 2018, 30, 1703279.	11.1	157
421	Nanomaterial-Enabled Wearable Sensors for Healthcare. <i>Advanced Healthcare Materials</i> , 2018, 7, 1700889.	3.9	412
422	Ultrasensitive and Highly Stable Resistive Pressure Sensors with Biomaterial-Incorporated Interfacial Layers for Wearable Health-Monitoring and Human-Machine Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1067-1076.	4.0	84
423	Development of wearable and flexible insole type capacitive pressure sensor for continuous gait signal analysis. <i>Organic Electronics</i> , 2018, 53, 213-220.	1.4	54
424	Self-Powered Noncontact Electronic Skin for Motion Sensing. <i>Advanced Functional Materials</i> , 2018, 28, 1704641.	7.8	83
425	A self-powered brain multi-perception receptor for sensory-substitution application. <i>Nano Energy</i> , 2018, 44, 43-52.	8.2	44
426	Core-shell nanofiber mats for tactile pressure sensor and nanogenerator applications. <i>Nano Energy</i> , 2018, 44, 248-255.	8.2	216
427	CVD growth of fingerprint-like patterned 3D graphene film for an ultrasensitive pressure sensor. <i>Nano Research</i> , 2018, 11, 1124-1134.	5.8	185
428	A Pilot Study of Neural Stimulation and Motion Intervention via Self-powered Wearable Electronics*. , 2018, , .		0
429	Biocompatible, stretchable and mineral PVA-gelatin-nHAP hydrogel for highly sensitive pressure sensors. <i>RSC Advances</i> , 2018, 8, 36999-37007.	1.7	33

#	ARTICLE	IF	CITATIONS
430	A self-powered brain-linked biosensing electronic-skin for actively tasting beverage and its potential application in artificial gustation. <i>Nanoscale</i> , 2018, 10, 19987-19994.	2.8	21
431	Theoretical System of Contact-Mode Triboelectric Nanogenerators for High Energy Conversion Efficiency. <i>Nanoscale Research Letters</i> , 2018, 13, 346.	3.1	27
432	Hybrid Architectures of Heterogeneous Carbon Nanotube Composite Microstructures Enable Multiaxial Strain Perception with High Sensitivity and Ultrabroad Sensing Range. <i>Small</i> , 2018, 14, e1803411.	5.2	51
433	Recent Developments for Flexible Pressure Sensors: A Review. <i>Micromachines</i> , 2018, 9, 580.	1.4	206
434	Strain-aware performance evaluation and correction for OTFT-based flexible displays. , 2018, , .		1
435	Liquid-State Environment Sensors Using Liquid Metal. <i>ECS Transactions</i> , 2018, 86, 31-38.	0.3	1
436	Characterization of Distributed Microfabricated Strain Gauges on Stretchable Sensor Networks for Structural Applications. <i>Sensors</i> , 2018, 18, 3260.	2.1	23
437	Recent Advances in Large-scale Tactile Sensor Arrays Based on a Transistor Matrix. <i>Advanced Materials Interfaces</i> , 2018, 5, 1801061.	1.9	48
438	Sensitive and Wearable Optical Microfiber Sensor for Human Health Monitoring. <i>Advanced Materials Technologies</i> , 2018, 3, 1800296.	3.0	78
439	Stretchable CNTs-coflex Composite as Variable-transmittance Skin for Ultrasensitive Strain Sensing. <i>Advanced Materials Technologies</i> , 2018, 3, 1800248.	3.0	35
440	<i>Diphylleia grayi</i> -Inspired Stretchable Hydrochromics with Large Optical Modulation in the Visible-Near-Infrared Region. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 37685-37693.	4.0	29
441	Supersensitive all-fabric pressure sensors using printed textile electrode arrays for human motion monitoring and human-machine interaction. <i>Journal of Materials Chemistry C</i> , 2018, 6, 13120-13127.	2.7	90
442	Fabrication of Bevel Structures by Means of the Spatial Gradient of Ion Dose in Ar Gas Cluster Ion Beam and Its Unique Characteristics. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800825.	1.9	2
443	Fully Printed Flexible Dual-Gate Carbon Nanotube Thin-Film Transistors with Tunable Ambipolar Characteristics for Complementary Logic Circuits. <i>ACS Nano</i> , 2018, 12, 11572-11578.	7.3	42
444	Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting. <i>Nature Communications</i> , 2018, 9, 4280.	5.8	433
445	Blending Electronics with the Human Body: A Pathway toward a Cybernetic Future. <i>Advanced Science</i> , 2018, 5, 1700931.	5.6	83
446	A Stretchable Yarn Embedded Triboelectric Nanogenerator as Electronic Skin for Biomechanical Energy Harvesting and Multifunctional Pressure Sensing. <i>Advanced Materials</i> , 2018, 30, e1804944.	11.1	396
447	Pressure/Temperature Sensing Bimodal Electronic Skin with Stimulus Discriminability and Linear Sensitivity. <i>Advanced Materials</i> , 2018, 30, e1803388.	11.1	271

#	ARTICLE	IF	CITATIONS
448	Directly printed wearable electronic sensing textiles towards human-machine interfaces. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12841-12848.	2.7	54
449	Extremely Stretchable, Stable, and Durable Strain Sensors Based on Double-Network Organogels. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32640-32648.	4.0	107
450	Wearable strain sensors based on electrically conductive natural fiber yarns. <i>Materials and Design</i> , 2018, 154, 217-227.	3.3	76
451	Nature-Inspired Capillary-Driven Welding Process for Boosting Metal-Oxide Nanofiber Electronics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20703-20711.	4.0	40
452	Visual and flexible temperature sensor based on a pectin-xanthan gum blend film. <i>Organic Electronics</i> , 2018, 59, 243-246.	1.4	28
453	Multiscale Hierarchical Design of a Flexible Piezoresistive Pressure Sensor with High Sensitivity and Wide Linearity Range. <i>Small</i> , 2018, 14, e1800819.	5.2	326
454	Ultrahigh-Sensitivity Piezoresistive Pressure Sensors for Detection of Tiny Pressure. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20826-20834.	4.0	142
455	P‰: A Highly Sensitive Resistive Pressure Sensor with MWCNT Nanoparticles‰Liquid Crystal‰PDMS Composite. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 1913-1916.	0.1	0
456	Stretchable and compressible strain sensor based on carbon nanotube foam/polymer nanocomposites with three-dimensional networks. <i>Composites Science and Technology</i> , 2018, 163, 162-170.	3.8	65
457	Flexible hemispheric microarrays of highly pressure-sensitive sensors based on breath figure method. <i>Nanoscale</i> , 2018, 10, 10691-10698.	2.8	102
458	Development of plasma-assisted inkjet printing and demonstration for direct printing of conductive silver line. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 30LT01.	1.3	13
459	Continuous Fabrication of Meter‰Scale Single‰Wall Carbon Nanotube Films and their Use in Flexible and Transparent Integrated Circuits. <i>Advanced Materials</i> , 2018, 30, e1802057.	11.1	63
460	Thermal analysis of epidermal electronic devices integrated with human skin considering the effects of interfacial thermal resistance. <i>AIP Advances</i> , 2018, 8, .	0.6	10
461	Fabrication of a flexible polyimide-based electrostatically actuated MEMS relay. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 105004.	1.5	5
462	Carbon nanotube-based flexible electronics. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7714-7727.	2.7	77
463	Sweat effects on the thermal analysis of epidermal electronic devices integrated with human skin. <i>International Journal of Heat and Mass Transfer</i> , 2018, 127, 97-104.	2.5	20
464	A location- and sharpness-specific tactile electronic skin based on staircase-like nanowire patches. <i>Nanoscale Horizons</i> , 2018, 3, 640-647.	4.1	49
465	Low‰Power Monolithically Stacked Organic Photodiode‰Blocking Diode Imager by Turn‰On Voltage Engineering. <i>Advanced Electronic Materials</i> , 2018, 4, 1800311.	2.6	18

#	ARTICLE	IF	CITATIONS
466	Ionic Gels and Their Applications in Stretchable Electronics. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800246.	2.0	112
467	Understanding the influence of in-plane gate electrode design on electrolyte gated transistor. <i>Microelectronic Engineering</i> , 2018, 199, 87-91.	1.1	13
468	Hierarchically distributed microstructure design of haptic sensors for personalized fingertip mechanosensational manipulation. <i>Materials Horizons</i> , 2018, 5, 920-931.	6.4	37
469	Flexible and Stretchable Smart Display: Materials, Fabrication, Device Design, and System Integration. <i>Advanced Functional Materials</i> , 2018, 28, 1801834.	7.8	357
470	Novel Electronics for Flexible and Neuromorphic Computing. <i>Advanced Functional Materials</i> , 2018, 28, 1801690.	7.8	94
471	Emission Area Patterning of Organic Light-Emitting Diodes (OLEDs) via Printed Dielectrics. <i>Advanced Functional Materials</i> , 2018, 28, 1802986.	7.8	29
472	Multilayer Graphene Epidermal Electronic Skin. <i>ACS Nano</i> , 2018, 12, 8839-8846.	7.3	257
473	Soft Display Using Photonic Crystals on Dielectric Elastomers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 24758-24766.	4.0	40
474	Recent Advances in Tactile Sensing Technology. <i>Micromachines</i> , 2018, 9, 321.	1.4	67
475	Solution-Processed Bilayer Dielectrics for Flexible Low-Voltage Organic Field-Effect Transistors in Pressure-Sensing Applications. <i>Advanced Science</i> , 2018, 5, 1701041.	5.6	66
476	A Wearable Microfluidic Sensing Patch for Dynamic Sweat Secretion Analysis. <i>ACS Sensors</i> , 2018, 3, 944-952.	4.0	285
477	Recent progress in flexible pressure sensor arrays: from design to applications. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11878-11892.	2.7	194
478	Photosynthetic Bioelectronic Sensors for Touch Perception, UV-Detection, and Nanopower Generation: Toward Self-Powered e-Skins. <i>Advanced Materials</i> , 2018, 30, e1802290.	11.1	62
479	Tactile Sensing Glove-Based System for Objects Classification Using Support Vector Machine. <i>IEEE Latin America Transactions</i> , 2018, 16, 1658-1663.	1.2	5
480	Fabrication of Highly Stretchable, Washable, Wearable, Water-Repellent Strain Sensors with Multi-Stimuli Sensing Ability. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31655-31663.	4.0	82
481	e-Skin Tactile Sensor Matrix Pixelated by Position-Registered Conductive Microparticles Creating Pressure-Sensitive Selectors. <i>Advanced Functional Materials</i> , 2018, 28, 1801858.	7.8	86
482	Paper-Based Resistive Networks for Scalable Skin-Like Sensing. <i>Advanced Electronic Materials</i> , 2018, 4, 1800131.	2.6	10
483	High Performance Humidity Fluctuation Sensor for Wearable Devices via a Bioinspired Atomic-Precise Tunable Graphene-Polymer Heterogeneous Sensing Junction. <i>Chemistry of Materials</i> , 2018, 30, 4343-4354.	3.2	120

#	ARTICLE	IF	CITATIONS
484	Actively Perceiving and Responsive Soft Robots Enabled by Self-Powered, Highly Extensible, and Highly Sensitive Triboelectric Proximity- and Pressure-Sensing Skins. <i>Advanced Materials</i> , 2018, 30, e1801114.	11.1	254
485	A wet-chemistry-based hydrogel sensing platform for 2D imaging of pressure, chemicals and temperature. <i>Nanoscale</i> , 2018, 10, 13581-13588.	2.8	10
486	Solution-Processing of High-Purity Semiconducting Single-Walled Carbon Nanotubes for Electronics Devices. <i>Advanced Materials</i> , 2019, 31, e1800750.	11.1	112
487	Strain-Visualization with Ultrasensitive Nanoscale Crack-Based Sensor Assembled with Hierarchical Thermochromic Membrane. <i>Advanced Functional Materials</i> , 2019, 29, 1903360.	7.8	36
488	Sensing and memorising liquids with polarity-interactive ferroelectric sound. <i>Nature Communications</i> , 2019, 10, 3575.	5.8	25
489	Hydrophobic, Structure-Tunable Cu Nanowire@Graphene Core-Shell Aerogels for Piezoresistive Pressure Sensing. <i>Advanced Materials Technologies</i> , 2019, 4, 1900470.	3.0	17
490	A Structured Design for Highly Stretchable Electronic Skin. <i>Advanced Materials Technologies</i> , 2019, 4, 1900492.	3.0	18
491	Flexible Pressure-Sensitive Contact Transistors Operating in the Subthreshold Regime. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 31111-31118.	4.0	26
492	Room-Temperature Fabrication of High-Quality Lanthanum Oxide High- ϵ Dielectric Films by a Solution Process for Low-Power Soft Electronics. <i>Advanced Electronic Materials</i> , 2019, 5, 1900427.	2.6	9
493	Taming Emerging Devices' Variation and Reliability Challenges with Architectural and System Solutions [Invited]. , 2019, , .		3
494	Wearable sensors based on colloidal nanocrystals. <i>Nano Convergence</i> , 2019, 6, 10.	6.3	43
495	Stretchable Conductive Fibers of Ultrahigh Tensile Strain and Stable Conductance Enabled by a Worm-Shaped Graphene Microlayer. <i>Nano Letters</i> , 2019, 19, 6592-6599.	4.5	126
496	Hierarchically Structured Vertical Gold Nanowire Array-Based Wearable Pressure Sensors for Wireless Health Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 29014-29021.	4.0	148
497	Deformable and Stretchable Electrodes for Soft Electronic Devices. <i>Macromolecular Research</i> , 2019, 27, 625-639.	1.0	32
498	Flexible Single-Substrate Integrated Active-Matrix Pyroelectric Sensor. <i>Physica Status Solidi - Rapid Research Letters</i> , 2019, 13, 1900277.	1.2	14
499	Stretchable Conductive Hybrid Films Consisting of Cubic Silsesquioxane-capped Polyurethane and Poly(3-hexylthiophene). <i>Polymers</i> , 2019, 11, 11195.	2.0	10
500	Conductive MXene Nanocomposite Organohydrogel for Flexible, Healable, Low-Temperature Tolerant Strain Sensors. <i>Advanced Functional Materials</i> , 2019, 29, 1904507.	7.8	560
501	A Flexible and Highly Sensitive Pressure Sensor Based on AgNWs/NRLF for Hand Motion Monitoring. <i>Nanomaterials</i> , 2019, 9, 945.	1.9	18

#	ARTICLE	IF	CITATIONS
502	Stress-Induced Performance Shifts in 3D DRAMs. <i>ACM Transactions on Design Automation of Electronic Systems</i> , 2019, 24, 1-21.	1.9	0
503	A High Stretchable and Self-Healing Silicone Rubber with Double Reversible Bonds. <i>ChemistrySelect</i> , 2019, 4, 10719-10725.	0.7	23
504	Self-Powered Transparent Stretchable 3D Motion Sensor. , 2019, , .		4
505	A wearable and sensitive graphene-cotton based pressure sensor for human physiological signals monitoring. <i>Scientific Reports</i> , 2019, 9, 14457.	1.6	34
506	Devices for promising applications. , 2019, , 247-314.		0
507	Large-Area Soft e-Skin: The Challenges Beyond Sensor Designs. <i>Proceedings of the IEEE</i> , 2019, 107, 2016-2033.	16.4	214
508	Accessing Difluoromethylated and Trifluoromethylated <i>cis</i> -Cycloalkanes and Saturated Heterocycles: Preferential Hydrogen Addition to the Substitution Sites for Dearomatization. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16785-16789.	7.2	44
509	Improve stress corrosion cracking resistance and mechanical properties of Al-Zn-Mg-Cu-Zr alloy with heterogeneous lamellae structure produced by high pressure torsion. <i>Materialwissenschaft Und Werkstofftechnik</i> , 2019, 50, 1273-1281.	0.5	1
510	Design and implementation of a boxing robot based on fuzzy control. <i>Journal of Physics: Conference Series</i> , 2019, 1303, 012065.	0.3	2
511	Radiation effects in printed flexible single-walled carbon nanotube thin-film transistors. <i>AIP Advances</i> , 2019, 9, .	0.6	7
512	Stretchable self-healable semiconducting polymer film for active-matrix strain-sensing array. <i>Science Advances</i> , 2019, 5, eaav3097.	4.7	179
513	Flexible Piezoresistive Sensor with the Microarray Structure Based on Self-Assembly of Multi-Walled Carbon Nanotubes. <i>Sensors</i> , 2019, 19, 4985.	2.1	21
514	Low-temperature sintering of silver nanoparticles on paper by surface modification. <i>Nanotechnology</i> , 2019, 30, 505303.	1.3	5
515	A Novel Strategy for Fabricating a Strong Nanoparticle Monolayer and Its Enhanced Mechanism. <i>Nanomaterials</i> , 2019, 9, 1468.	1.9	3
516	Experimental Verification of Inductance Model for a Novel Magnetolectric Tactile Sensor*. , 2019, , .		0
517	Regenerating leather waste for flexible pressure sensing applications. <i>Journal of Leather Science and Engineering</i> , 2019, 1, .	2.7	14
518	Tactile Sensors for Advanced Intelligent Systems. <i>Advanced Intelligent Systems</i> , 2019, 1, 1900090.	3.3	80
519	Asymmetric Structure Based Flexible Strain Sensor for Simultaneous Detection of Various Human Joint Motions. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1866-1872.	2.0	35

#	ARTICLE	IF	CITATIONS
520	Human-interactive drone system remotely controlled by printed strain/pressure sensors consisting of carbon-based nanocomposites. <i>Composites Science and Technology</i> , 2019, 182, 107784.	3.8	19
521	Flexible Multimodal Sensors for Electronic Skin: Principle, Materials, Device, Array Architecture, and Data Acquisition Method. <i>Proceedings of the IEEE</i> , 2019, 107, 2065-2083.	16.4	59
522	Core-Shell Fiber-Based 2D Woven Triboelectric Nanogenerator for Effective Motion Energy Harvesting. <i>Nanoscale Research Letters</i> , 2019, 14, 311.	3.1	19
523	A flexible capacitive sensor based on the electrospun PVDF nanofiber membrane with carbon nanotubes. <i>Sensors and Actuators A: Physical</i> , 2019, 299, 111579.	2.0	94
524	Wearable biomolecule smart sensors based on one-step fabricated berlin green printed arrays. <i>Biosensors and Bioelectronics</i> , 2019, 144, 111637.	5.3	22
525	Bio-functional G-molecular hydrogels for accelerated wound healing. <i>Materials Science and Engineering C</i> , 2019, 105, 110067.	3.8	29
526	Self-powered flexible antibacterial tactile sensor based on triboelectric-piezoelectric-pyroelectric multi-effect coupling mechanism. <i>Nano Energy</i> , 2019, 66, 104105.	8.2	58
527	Motion recognition by a liquid filled tubular triboelectric nanogenerator. <i>Nanoscale</i> , 2019, 11, 495-503.	2.8	19
528	Using Artificial Skin Devices as Skin Replacements: Insights into Superficial Treatment. <i>Small</i> , 2019, 15, e1805453.	5.2	53
529	Emerging Technologies of Flexible Pressure Sensors: Materials, Modeling, Devices, and Manufacturing. <i>Advanced Functional Materials</i> , 2019, 29, 1808509.	7.8	316
530	A Flexible Magnetic Field Sensor Based on AgNWs & MNS-PDMS. <i>Nanoscale Research Letters</i> , 2019, 14, 27.	3.1	7
531	Progress on triboelectric nanogenerator with stretchability, self-healability and bio-compatibility. <i>Nano Energy</i> , 2019, 59, 237-257.	8.2	151
532	Self-powered glove-based intuitive interface for diversified control applications in real/cyber space. <i>Nano Energy</i> , 2019, 58, 641-651.	8.2	140
533	Organic crystalline materials in flexible electronics. <i>Chemical Society Reviews</i> , 2019, 48, 1492-1530.	18.7	314
534	Stimuli-responsive materials: a web themed collection. <i>Materials Chemistry Frontiers</i> , 2019, 3, 10-11.	3.2	21
535	Self-Powered Flexible Blood Oxygen Monitoring System Based on a Triboelectric Nanogenerator. <i>Nanomaterials</i> , 2019, 9, 778.	1.9	17
536	A Sensitive Piezoresistive Tactile Sensor Combining Two Microstructures. <i>Nanomaterials</i> , 2019, 9, 779.	1.9	21
537	Wireless body sensor networks based on metamaterial textiles. <i>Nature Electronics</i> , 2019, 2, 243-251.	13.1	276

#	ARTICLE	IF	CITATIONS
538	Colorimetric and plasmonic pressure sensors based on polyacrylamide/Au nanoparticles. <i>Sensors and Actuators A: Physical</i> , 2019, 295, 503-511.	2.0	24
539	Flexible PDMS-based triboelectric nanogenerator for instantaneous force sensing and human joint movement monitoring. <i>Science China Materials</i> , 2019, 62, 1423-1432.	3.5	59
541	Hollow core-sheath nanocarbon spheres grown on carbonized silk fabrics for self-supported and nonenzymatic glucose sensing. <i>Nanoscale</i> , 2019, 11, 11856-11863.	2.8	33
542	Effect of capillary bridges on the interfacial adhesion of wearable electronics to epidermis. <i>International Journal of Solids and Structures</i> , 2019, 174-175, 85-97.	1.3	5
543	A self-powered temperature-sensitive electronic-skin based on tribotronic effect of PDMS/PANI nanostructures. <i>Journal of Materials Science and Technology</i> , 2019, 35, 2187-2193.	5.6	20
544	P-solution-processed Single-walled Carbon Nanotube Thin Film Transistors In-situ Patterned by Inkjet-printing of Surface Treatment Material. <i>Digest of Technical Papers SID International Symposium</i> , 2019, 50, 1321-1324.	0.1	4
545	Experimental investigation on micro-fabrication of wearable dry-patching flexible substrate using transparent superhydrophobic polyimide. <i>Materials Research Express</i> , 2019, 6, 086434.	0.8	9
546	A flexible tactile sensor integrated with carbon black/carbon nanotube composite film and flexible printed circuit. <i>Japanese Journal of Applied Physics</i> , 2019, 58, SDDD03.	0.8	3
547	Nacre-inspired highly stretchable piezoresistive Cu-Ag nanowire/graphene synergistic conductive networks for strain sensors and beyond. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7061-7072.	2.7	24
548	Platform for wireless pressure sensing with built-in battery and instant visualization. <i>Nano Energy</i> , 2019, 62, 230-238.	8.2	43
549	Recent Advances in Applications of Sorted Single-Walled Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2019, 29, 1902273.	7.8	67
550	Flexible and lightweight microcellular RGO@Pebax composites with synergistic 3D conductive channels and microcracks for piezoresistive sensors. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 123, 222-231.	3.8	59
551	Low-voltage high-performance flexible digital and analog circuits based on ultrahigh-purity semiconducting carbon nanotubes. <i>Nature Communications</i> , 2019, 10, 2161.	5.8	141
552	Single-Walled Carbon Nanotubes. <i>Topics in Current Chemistry Collections</i> , 2019, , .	0.2	20
553	Tunable, Ultrasensitive, and Flexible Pressure Sensors Based on Wrinkled Microstructures for Electronic Skins. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 21218-21226.	4.0	151
554	Assembly and applications of 3D conformal electronics on curvilinear surfaces. <i>Materials Horizons</i> , 2019, 6, 642-683.	6.4	141
555	Laser micro-structured pressure sensor with modulated sensitivity for electronic skins. <i>Nanotechnology</i> , 2019, 30, 325502.	1.3	72
556	Progress in piezotronics and piezo-phototronics of quantum materials. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 343001.	1.3	23

#	ARTICLE	IF	CITATIONS
557	Flexible Capacitive Pressure Sensor Enhanced by Tilted Micropillar Arrays. ACS Applied Materials & Interfaces, 2019, 11, 17796-17803.	4.0	292
558	Robust and Wearable Pressure Sensor Assembled from AgNW-Coated PDMS Micropillar Sheets with High Sensitivity and Wide Detection Range. ACS Applied Nano Materials, 2019, 2, 3196-3205.	2.4	50
559	Flexible Sensors—From Materials to Applications. Technologies, 2019, 7, 35.	3.0	139
560	Electrical and thermal effects on electromechanical performance of stretchable thin gold films on PDMS substrates for stretchable electronics. Journal of Applied Physics, 2019, 125, .	1.1	6
561	Electronic Skins Based on Liquid Metals. Proceedings of the IEEE, 2019, 107, 2168-2184.	16.4	77
562	Interactive Skin Display with Epidermal Stimuli Electrode. Advanced Science, 2019, 6, 1802351.	5.6	68
563	A feasible strategy for the fabrication of camouflage electrochromic fabric and unconventional devices. Electrochemistry Communications, 2019, 102, 31-36.	2.3	33
564	A novel optical 3D force and displacement sensor — Towards instrumenting the PapillArray tactile sensor. Sensors and Actuators A: Physical, 2019, 291, 174-187.	2.0	33
565	Self-Healing, Adhesive, and Highly Stretchable Ionogel as a Strain Sensor for Extremely Large Deformation. Small, 2019, 15, e1804651.	5.2	180
566	Physical and Chemical Sensing With Electronic Skin. Proceedings of the IEEE, 2019, 107, 2155-2167.	16.4	56
567	Flexible and High Performance Piezoresistive Pressure Sensors Based on Hierarchical Flower-Shaped SnSe ₂ Nanoplates. ACS Applied Energy Materials, 2019, 2, 2803-2809.	2.5	25
568	Enhanced High-Resolution Triboelectrification-Induced Electroluminescence for Self-Powered Visualized Interactive Sensing. ACS Applied Materials & Interfaces, 2019, 11, 13796-13802.	4.0	31
569	Flexible 64 × 64 Pixel AMOLED Displays Driven by Uniform Carbon Nanotube Thin-Film Transistors. ACS Applied Materials & Interfaces, 2019, 11, 11699-11705.	4.0	33
570	Multifunctional Skin-Inspired Flexible Sensor Systems for Wearable Electronics. Advanced Materials Technologies, 2019, 4, 1800628.	3.0	431
571	A novel approach to finding mechanical properties of nanocrystal layers. Nanoscale, 2019, 11, 7520-7526.	2.8	11
572	Piezoelectric nanotransducers. Nano Energy, 2019, 59, 730-744.	8.2	51
573	Flexible artificial synesthesia electronics with sound-synchronized electroluminescence. Nano Energy, 2019, 59, 773-783.	8.2	21
574	Flexible, Tunable, and Ultrasensitive Capacitive Pressure Sensor with Microconformal Graphene Electrodes. ACS Applied Materials & Interfaces, 2019, 11, 14997-15006.	4.0	284

#	ARTICLE	IF	CITATIONS
575	Intuitive-augmented human-machine multidimensional nano-manipulation terminal using triboelectric stretchable strip sensors based on minimalist design. <i>Nano Energy</i> , 2019, 60, 440-448.	8.2	47
576	Second Skin Enabled by Advanced Electronics. <i>Advanced Science</i> , 2019, 6, 1900186.	5.6	177
577	Flexible MoS ₂ @electrospun PVDF hybrid membrane as advanced anode for lithium storage. <i>Chemical Engineering Journal</i> , 2019, 370, 547-555.	6.6	19
578	Human-Interactive, Active-Matrix Displays for Visualization of Tactile Pressures. <i>Advanced Materials Technologies</i> , 2019, 4, 1900082.	3.0	53
579	Bifunctional Fe ₃ O ₄ @AuNWs particle as wearable bending and strain sensor. <i>Inorganic Chemistry Communication</i> , 2019, 104, 98-104.	1.8	19
580	Ultrasensitive and Highly Compressible Piezoresistive Sensor Based on Polyurethane Sponge Coated with a Cracked Cellulose Nanofibril/Silver Nanowire Layer. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 10922-10932.	4.0	331
581	Low-Voltage Operational, Low-Power Consuming, and High Sensitive Tactile Switch Based on 2D Layered InSe Tribotronics. <i>Advanced Functional Materials</i> , 2019, 29, 1809119.	7.8	28
582	Low Operating Voltage and Highly Pressure-Sensitive Printed Sensor for Healthcare Monitoring with Analogic Amplifier Circuit. <i>ACS Applied Electronic Materials</i> , 2019, 1, 246-252.	2.0	38
583	Megahertz-wave-transmitting conducting polymer electrode for device-to-device integration. <i>Nature Communications</i> , 2019, 10, 653.	5.8	15
584	Route towards sustainable smart sensors: ferroelectric polyvinylidene fluoride-based materials and their integration in flexible electronics. <i>Chemical Society Reviews</i> , 2019, 48, 1787-1825.	18.7	226
585	Polyimide/Graphene Nanocomposite Foam-Based Wind-Driven Triboelectric Nanogenerator for Self-Powered Pressure Sensor. <i>Advanced Materials Technologies</i> , 2019, 4, 1800723.	3.0	86
586	Magnetostrictive Tactile Sensor Array for Object Recognition. <i>IEEE Transactions on Magnetics</i> , 2019, 55, 1-7.	1.2	10
587	Multilayered Ag NP@PEDOT@Paper Composite Device for Human-Machine Interfacing. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 10380-10388.	4.0	51
588	Flexible Electronics toward Wearable Sensing. <i>Accounts of Chemical Research</i> , 2019, 52, 523-533.	7.6	713
589	All MoS ₂ -Based Large Area, Skin-Attachable Active-Matrix Tactile Sensor. <i>ACS Nano</i> , 2019, 13, 3023-3030.	7.3	171
590	Compact Modeling of Thin-Film Transistors for Flexible Hybrid IoT Design. <i>IEEE Design and Test</i> , 2019, 36, 6-14.	1.1	16
591	First-Principles Calculation of Physical Tensors of Î±-Diisopropylammonium Bromide (Î±-DIPAB) Molecular Ferroelectric Crystal. <i>Frontiers in Physics</i> , 2019, 7, .	1.0	6
592	Screen-printed soft triboelectric nanogenerator with porous PDMS and stretchable PEDOT:PSS electrode. <i>Journal of Semiconductors</i> , 2019, 40, 112601.	2.0	17

#	ARTICLE	IF	CITATIONS
593	One-step solution deposited all-inorganic perovskite CsPbBr ₃ film for flexible resistive switching memories. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	24
594	Anodized Aluminum Oxide-Assisted Low-Cost Flexible Capacitive Pressure Sensors Based on Double-Sided Nanopillars by a Facile Fabrication Method. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 48594-48603.	4.0	130
595	Highly stretchable and conductive composite films with a multistoried film and pillar structure of gold on elastic substrates. <i>APL Materials</i> , 2019, 7, .	2.2	3
596	Progress and challenges in p-type oxide-based thin film transistors. <i>Nanotechnology Reviews</i> , 2019, 8, 422-443.	2.6	42
597	Simulation studies on effect of CNT physical parameters on carbon nanotube thin-film transistors (CN-TFTS). <i>ISSS Journal of Micro and Smart Systems</i> , 2019, 8, 135-141.	1.0	0
598	Interplay between Morphology and Electronic Structure in $\hat{\pm}$ -Sexithiophene Films on Au(111). <i>Journal of Physical Chemistry C</i> , 2019, 123, 7931-7939.	1.5	6
599	Static and Dynamic Piezopotential Modulation in Piezo-Electret Gated MoS ₂ Field-Effect Transistor. <i>ACS Nano</i> , 2019, 13, 582-590.	7.3	38
600	Self-powered visualization system by conjunction of photovoltaic effect and contact-electrification. <i>Nano Energy</i> , 2019, 57, 528-534.	8.2	11
601	High-Sensitivity, Skin-Attachable, and Stretchable Array of Thermo-Responsive Suspended Gate Field-Effect Transistors with Thermochromic Display. <i>Advanced Functional Materials</i> , 2019, 29, 1807679.	7.8	47
602	Human-Machine Interfacing Enabled by Triboelectric Nanogenerators and Tribotronics. <i>Advanced Materials Technologies</i> , 2019, 4, 1800487.	3.0	169
603	Piezophotonic effect based on mechanoluminescent materials for advanced flexible optoelectronic applications. <i>Nano Energy</i> , 2019, 55, 389-400.	8.2	126
604	Piezoresistive Sensors Based on rGO 3D Microarchitecture: Coupled Properties Tuning in Local/Integral Deformation. <i>Advanced Electronic Materials</i> , 2019, 5, 1800461.	2.6	33
605	Energy autonomous electronic skin. <i>Npj Flexible Electronics</i> , 2019, 3, .	5.1	245
606	Polyurethane triblock copolymer gate dielectrics for low-voltage organic thin-film transistors. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 71, 460-464.	2.9	5
607	Enhanced stretchable graphene-based triboelectric nanogenerator via control of surface nanostructure. <i>Nano Energy</i> , 2019, 58, 304-311.	8.2	92
608	A Generic Soft Encapsulation Strategy for Stretchable Electronics. <i>Advanced Functional Materials</i> , 2019, 29, 1806630.	7.8	83
609	Ab Initio Design of Graphene Block Enables Ultrasensitivity, Multimeter-Like Range Switchable Pressure Sensor. <i>Advanced Materials Technologies</i> , 2019, 4, 1800531.	3.0	13
610	Development of a Highly Sensitive, Broad-Range Hierarchically Structured Reduced Graphene Oxide/PolyHIPE Foam for Pressure Sensing. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4318-4327.	4.0	83

#	ARTICLE	IF	CITATIONS
611	Solution-processed thin films of semiconducting carbon nanotubes and their application to soft electronics. <i>Nanotechnology</i> , 2019, 30, 132001.	1.3	32
612	Micropatterned elastic ionic polyacrylamide hydrogel for low-voltage capacitive and organic thin-film transistor pressure sensors. <i>Nano Energy</i> , 2019, 58, 96-104.	8.2	123
613	5,10-Dihydrobenzo[<i>a</i>]indolo[2,3- <i>c</i>]carbazoles as Novel OLED Emitters. <i>Journal of Physical Chemistry B</i> , 2019, 123, 1400-1411.	1.2	13
614	Bioinspired Electronics for Artificial Sensory Systems. <i>Advanced Materials</i> , 2019, 31, e1803637.	11.1	195
615	Highly efficient and foldable top-emission organic light-emitting diodes based on Ag-nanoparticles modified graphite electrode. <i>Organic Electronics</i> , 2019, 64, 146-153.	1.4	22
616	Low power stretchable active-matrix red, green, blue (RGB) electrochromic device array of poly(3-methylthiophene)/Prussian blue. <i>Applied Surface Science</i> , 2019, 471, 300-308.	3.1	44
617	Stretchable electronics: functional materials, fabrication strategies and applications. <i>Science and Technology of Advanced Materials</i> , 2019, 20, 187-224.	2.8	245
618	A Facile Realization Scheme for Tactile Sensing with a Structured Silver Nanowireâ€PDMS Composite. <i>Advanced Materials Technologies</i> , 2019, 4, 1800504.	3.0	38
619	Shapeâ€Deformable Selfâ€Healing Electroluminescence Displays. <i>Advanced Optical Materials</i> , 2019, 7, 1801283.	3.6	20
620	Repurposed Leather with Sensing Capabilities for Multifunctional Electronic Skin. <i>Advanced Science</i> , 2019, 6, 1801283.	5.6	119
621	A flexible and highly sensitive graphene-based strain sensor for structural health monitoring. <i>Cluster Computing</i> , 2019, 22, 8217-8224.	3.5	41
622	Wearable and flexible electronics for continuous molecular monitoring. <i>Chemical Society Reviews</i> , 2019, 48, 1465-1491.	18.7	855
623	A Soft and Transparent Visuo-Haptic Interface Pursuing Wearable Devices. <i>IEEE Transactions on Industrial Electronics</i> , 2020, 67, 717-724.	5.2	40
624	Cold direct pen writing of reduced graphene oxide foams for ultrasensitive micro-contact force probing. <i>Carbon</i> , 2020, 157, 140-146.	5.4	17
625	Mechanoluminescent, Air-Dielectric MoS ₂ Transistors as Active-Matrix Pressure Sensors for Wide Detection Ranges from Footsteps to Cellular Motions. <i>Nano Letters</i> , 2020, 20, 66-74.	4.5	80
626	Multi-stimuli responsive chromism with tailorable mechanochromic sensitivity for versatile interactive sensing under ambient conditions. <i>Materials Horizons</i> , 2020, 7, 164-172.	6.4	44
627	Mimicking Human and Biological Skins for Multifunctional Skin Electronics. <i>Advanced Functional Materials</i> , 2020, 30, 1904523.	7.8	247
628	Efficient Microwave-Assisted Hydrolysis of Microcrystalline Cellulose into Glucose Using New Carbon-Based Solid Catalysts. <i>Catalysis Letters</i> , 2020, 150, 138-149.	1.4	11

#	ARTICLE	IF	CITATIONS
629	Touch Sensor Based on Flexible AlN Piezocapacitor Coupled With MOSFET. IEEE Sensors Journal, 2020, 20, 6810-6817.	2.4	21
630	Artificial Sensory Memory. Advanced Materials, 2020, 32, e1902434.	11.1	200
631	Flexible electronics based on one-dimensional and two-dimensional hybrid nanomaterials. Information Materials, 2020, 2, 33-56.	8.5	81
632	Inkjet-Printed Soft Resistive Pressure Sensor Patch for Wearable Electronics Applications. Advanced Materials Technologies, 2020, 5, 1900717.	3.0	81
633	Nanomaterial-Enabled Flexible and Stretchable Sensing Systems: Processing, Integration, and Applications. Advanced Materials, 2020, 32, e1902343.	11.1	198
634	Robotic Hands with Intrinsic Tactile Sensing via 3D Printed Soft Pressure Sensors. Advanced Intelligent Systems, 2020, 2, 1900080.	3.3	101
635	The role of oxygen in determining the electrical performance of ZnSnO nanofiber field-effect transistors. Journal Physics D: Applied Physics, 2020, 53, 015109.	1.3	8
636	Historical market genes, marketization and economic growth in China. Economic Modelling, 2020, 86, 327-333.	1.8	31
637	Electret-induced electric field assisted luminescence modulation for interactive visualized sensing in a non-contact mode. Materials Horizons, 2020, 7, 1144-1149.	6.4	14
638	A fiber-shaped light-emitting pressure sensor for visualized dynamic monitoring. Journal of Materials Chemistry C, 2020, 8, 935-942.	2.7	16
639	State-of-the-art and recent developments in micro/nanoscale pressure sensors for smart wearable devices and health monitoring systems. Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering, 2020, 3, 43-52.	1.7	42
640	Recent innovations in artificial skin. Biomaterials Science, 2020, 8, 776-797.	2.6	38
641	Highly stretchable and contact-responsive light-emitting diodes based on MAPbBr ₃ /PEO composite film. Journal of Alloys and Compounds, 2020, 819, 153360.	2.8	14
642	Amorphous Oxide Semiconductor Transistors with Air Dielectrics for Transparent and Wearable Pressure Sensor Arrays. Advanced Materials Technologies, 2020, 5, 1900928.	3.0	42
643	Carbon nanotube electronics for IoT sensors. Nano Futures, 2020, 4, 012001.	1.0	40
644	Architectural design of flexible anisotropic piezoresistive composite for multiple-loading recognition. Composites Part B: Engineering, 2020, 182, 107631.	5.9	8
645	Mulberry paper-based graphene strain sensor for wearable electronics with high mechanical strength. Sensors and Actuators A: Physical, 2020, 301, 111697.	2.0	48
646	A laser-engraved wearable sensor for sensitive detection of uric acid and tyrosine in sweat. Nature Biotechnology, 2020, 38, 217-224.	9.4	683

#	ARTICLE	IF	CITATIONS
647	Soft eSkin: distributed touch sensing with harmonized energy and computing. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2020, 378, 20190156.	1.6	70
648	Highly stretchable, healable, sensitive double-network conductive hydrogel for wearable sensor. Polymer, 2020, 211, 123095.	1.8	38
649	Rational design of flexible capacitive sensors with highly linear response over a broad pressure sensing range. Nanoscale, 2020, 12, 21198-21206.	2.8	38
650	Recent Progress in Pressure Sensors for Wearable Electronics: From Design to Applications. Applied Sciences (Switzerland), 2020, 10, 6403.	1.3	18
651	Theoretical and Experimental Overview of Structural, Dielectric, Crystallographic, Electronic, Optical, and Physical Tensors of \pm -DIPAB and Iodine-Doped \pm -DIPAB Molecular Ferroelectric Crystals. Journal of Electronic Materials, 2020, 49, 7112-7132.	1.0	0
652	A review on fabrication, characterization and implementation of wearable strain sensors. Sensors and Actuators A: Physical, 2020, 315, 112355.	2.0	79
653	Rippled Metallic Nanowire/Graphene/Semiconductor Nanostack for a Gate-Tunable Ultrahigh-Performance Stretchable Phototransistor. Advanced Optical Materials, 2020, 8, 2000859.	3.6	5
654	Lateral Monolayer MoSe_2 WSe_2 Heterojunctions with Giant Built-in Potentials. Small, 2020, 16, e2002263.	5.2	50
655	Strain-Controlled Flexible Graphene/GaN/PDMS Sensors Based on the Piezotronic Effect. ACS Applied Materials & Interfaces, 2020, 12, 36660-36669.	4.0	41
656	Triode-Mimicking Graphene Pressure Sensor with Positive Resistance Variation for Physiology and Motion Monitoring. ACS Nano, 2020, 14, 10104-10114.	7.3	180
657	Quantum effect-based flexible and transparent pressure sensors with ultrahigh sensitivity and sensing density. Nature Communications, 2020, 11, 3529.	5.8	85
658	Highly Robust and Self-Powered Electronic Skin Based on Tough Conductive Self-Healing Elastomer. ACS Nano, 2020, 14, 9066-9072.	7.3	90
659	Progress in wearable electronics/photronics—Moving toward the era of artificial intelligence and internet of things. Informa Mater, 2020, 2, 1131-1162.	8.5	343
660	High sensitivity flexible paper temperature sensor and body-attachable patch for thermometers. Sensors and Actuators A: Physical, 2020, 313, 112205.	2.0	28
661	Flexible Carbon Nanotube Synaptic Transistor for Neurological Electronic Skin Applications. ACS Nano, 2020, 14, 10402-10412.	7.3	86
662	Nanomesh pressure sensor for monitoring finger manipulation without sensory interference. Science, 2020, 370, 966-970.	6.0	361
663	3D motion tracking display enabled by magneto-interactive electroluminescence. Nature Communications, 2020, 11, 6072.	5.8	27
664	A substrateless, flexible, and water-resistant organic light-emitting diode. Nature Communications, 2020, 11, 6250.	5.8	91

#	ARTICLE	IF	CITATIONS
665	Microengineering Pressure Sensor Active Layers for Improved Performance. <i>Advanced Functional Materials</i> , 2020, 30, 2003491.	7.8	290
666	Tunable flexible capacitive pressure sensors using arrangement of polydimethylsiloxane micro-pyramids for bio-signal monitoring. <i>Sensors and Actuators A: Physical</i> , 2020, 314, 112251.	2.0	49
667	Carbon nanotube dual-material gate devices for flexible configurable multifunctional electronics. <i>Carbon</i> , 2020, 161, 656-664.	5.4	15
668	A Carbon Flower Based Flexible Pressure Sensor Made from Large Area Coating. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000875.	1.9	23
669	A multifunctional skin-like wearable optical sensor based on an optical micro-/nanofibre. <i>Nanoscale</i> , 2020, 12, 17538-17544.	2.8	66
670	Intrinsically Stretchable and Self-Healing Electroconductive Composites Based on Supramolecular Organic Polymer Embedded with Copper Microparticles. <i>Advanced Electronic Materials</i> , 2020, 6, 2000527.	2.6	8
671	Multifunctional Poly(vinyl alcohol) Nanocomposite Organohydrogel for Flexible Strain and Temperature Sensor. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 40815-40827.	4.0	141
672	Contact Printed ZnO Nanowires based FET for Large Area Electronics. , 2020, , .		0
673	Blood Pressure Sensors: Materials, Fabrication Methods, Performance Evaluations and Future Perspectives. <i>Sensors</i> , 2020, 20, 4484.	2.1	27
674	Dense Assembly of Finely Patterned Semiconducting Single-Walled Carbon Nanotubes via a Selective Transfer Method of Nanotube-Attracting Layers. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 38441-38450.	4.0	6
675	Printable Transparent Microelectrodes toward Mechanically and Visually Imperceptible Electronics. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000093.	3.3	20
676	Facile Approach to Fabricating Stretchable Organic Transistors with Laser-Patterned Ag Nanowire Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 50675-50683.	4.0	16
677	Multilevel Programming and Light-Assisted Resistive Switching in a Halide-Tunable All-Inorganic Perovskite Cube for Flexible Memory Devices. <i>ACS Applied Electronic Materials</i> , 2020, 2, 3667-3677.	2.0	38
678	Robust Design of Large Area Flexible Electronics via Compressed Sensing. , 2020, , .		5
679	Vibration Analysis of Post-Buckled Thin Film on Compliant Substrates. <i>Sensors</i> , 2020, 20, 5425.	2.1	3
680	Birefringence- and Optical Distortion-Free Isotropic Polymer Lens Assisted by Photonic Microspheres. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 44172-44179.	4.0	1
681	Significantly Enhanced Mechanical Strength by the Hollow Structure of Conductive Stretchable Silver Nanoflower Polyurethane Fibers. <i>Advanced Engineering Materials</i> , 2020, 22, 2000674.	1.6	4
682	Organic Thin Film Transistors in Mechanical Sensors. <i>Advanced Functional Materials</i> , 2020, 30, 2004700.	7.8	21

#	ARTICLE	IF	CITATIONS
683	Solar Energy Harvesting with Photosynthetic Pigment-Protein Complexes. Green Energy and Technology, 2020, , .	0.4	1
684	Carbon Nanotube/PEDOT: PSS Composite-based Flexible Temperature Sensor with Enhanced Response and Recovery Time. , 2020, , .		14
685	Flexible Hybrid Sensor Systems with Feedback Functions. Advanced Functional Materials, 2021, 31, 2007436.	7.8	80
686	2D-SnSe ₂ Nanosheet Functionalized Piezo-resistive Flexible Sensor for Pressure and Human Breath Monitoring. ACS Sustainable Chemistry and Engineering, 2020, 8, 7741-7749.	3.2	54
687	Cellulose nanofiber based flexible N-doped carbon mesh for energy storage electrode with super folding endurance. Materials Today Energy, 2020, 17, 100441.	2.5	9
688	Self-cross-linked arrays enabled flexible mechanical sensors for monitoring the body tremor. Npj Flexible Electronics, 2020, 4, .	5.1	12
689	Wearable Triboelectricâ€‘Humanâ€‘Machine Interface (THMI) Using Robust Nanophotonic Readout. ACS Nano, 2020, 14, 8915-8930.	7.3	121
690	Skin-Interfaced Sensors in Digital Medicine: from Materials to Applications. Matter, 2020, 2, 1414-1445.	5.0	134
691	Alternatingâ€‘Current MXene Polymer Lightâ€‘Emitting Diodes. Advanced Functional Materials, 2020, 30, 2001224.	7.8	30
692	Optoelectronic Enhancement for Piezoresistive Pressure Sensor. , 2020, , .		3
693	Tactile sensing and computing on a random network of conducting fluid channels. Flexible and Printed Electronics, 2020, 5, 025006.	1.5	14
694	A Force and Temperature Sensor Array Based on 3-D Field-Coupled Thin-Film Transistors for Tactile Intelligence. IEEE Transactions on Electron Devices, 2020, 67, 2890-2895.	1.6	9
695	Bio-inspired flexible vibration visualization sensor based on piezo-electrochromic effect. Journal of Materiomics, 2020, 6, 643-650.	2.8	20
696	Carbon nanotube ferroelectric random access memory cell based on omega-shaped ferroelectric gate. Carbon, 2020, 162, 195-200.	5.4	16
697	Design of a wireless smart insole using stretchable microfluidic sensor for gait monitoring. Smart Materials and Structures, 2020, 29, 065003.	1.8	29
698	Measurement and ab initio Investigation of Structural, Electronic, Optical, and Mechanical Properties of Sputtered Aluminum Nitride Thin Films. Frontiers in Physics, 2020, 8, .	1.0	28
699	A wearable freestanding electrochemical sensing system. Science Advances, 2020, 6, eaaz0007.	4.7	87
700	Interactively Fullâ€‘Color Changeable Electronic Fiber Sensor with High Stretchability and Rapid Response. Advanced Functional Materials, 2020, 30, 2000356.	7.8	66

#	ARTICLE	IF	CITATIONS
701	Opto-electronic coupling in semiconductors: towards ultrasensitive pressure sensing. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4713-4721.	2.7	22
702	A ZnS/CaZnOS Heterojunction for Efficient Mechanical–Optical Energy Conversion by Conduction Band Offset. <i>Advanced Materials</i> , 2020, 32, e1907747.	11.1	114
703	Highly stretchable and strain sensitive fibers based on braid-like structure and sliver nanowires. <i>Applied Materials Today</i> , 2020, 19, 100610.	2.3	19
704	Motion Detection Using Tactile Sensors Based on Pressure-Sensitive Transistor Arrays. <i>Sensors</i> , 2020, 20, 3624.	2.1	33
705	Sign-to-speech translation using machine-learning-assisted stretchable sensor arrays. <i>Nature Electronics</i> , 2020, 3, 571-578.	13.1	513
706	Metal oxide dielectrics. , 2020, , 31-39.		2
707	Fully stretchable active-matrix organic light-emitting electrochemical cell array. <i>Nature Communications</i> , 2020, 11, 3362.	5.8	106
708	Stress-Induced Performance Shifts in Flexible System-in-Foils Using Ultra-Thin Chips. , 2020, , .		1
709	Self-powered user-interactive electronic skin for programmable touch operation platform. <i>Science Advances</i> , 2020, 6, eaba4294.	4.7	112
710	A breathable, biodegradable, antibacterial, and self-powered electronic skin based on all-nanofiber triboelectric nanogenerators. <i>Science Advances</i> , 2020, 6, eaba9624.	4.7	589
711	Wearable and Semitransparent Pressure-Sensitive Light-Emitting Sensor Based on Electrochemiluminescence. <i>ACS Nano</i> , 2020, 14, 8716-8723.	7.3	43
712	Full-color active-matrix organic light-emitting diode display on human skin based on a large-area MoS ₂ backplane. <i>Science Advances</i> , 2020, 6, eabb5898.	4.7	91
713	Recent advances in materials and device technologies for soft active matrix electronics. <i>Journal of Materials Chemistry C</i> , 2020, 8, 10719-10731.	2.7	9
714	Liquid–State Optoelectronics Using Liquid Metal. <i>Advanced Electronic Materials</i> , 2020, 6, 1901135.	2.6	14
715	Ultrathin, Biocompatible, and Flexible Pressure Sensor with a Wide Pressure Range and Its Biomedical Application. <i>ACS Sensors</i> , 2020, 5, 481-489.	4.0	72
716	Nanoscale triboelectrification gated transistor. <i>Nature Communications</i> , 2020, 11, 1054.	5.8	15
717	Screen–Printed Flexible Strain Sensors with Ag Nanowires for Intelligent and Tamper–Evident Packaging Applications. <i>Advanced Materials Technologies</i> , 2020, 5, 1901097.	3.0	33
718	Molybdenum Disulfide Nanosheets Aligned Vertically on Carbonized Silk Fabric as Smart Textile for Wearable Pressure-Sensing and Energy Devices. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 11825-11832.	4.0	67

#	ARTICLE	IF	CITATIONS
719	Enhanced Stretchable and Sensitive Strain Sensor via Controlled Strain Distribution. <i>Nanomaterials</i> , 2020, 10, 218.	1.9	18
720	Influence of Flexibility of the Interconnects on the Dynamic Bending Reliability of Flexible Hybrid Electronics. <i>Electronics (Switzerland)</i> , 2020, 9, 238.	1.8	9
721	Interactive Color-Changing Electronic Skin Based on Flexible and Piezoelectrically Tunable Quantum Dots Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2020, 8, 1901715.	3.6	10
722	Lead Zirconate Titanate (a piezoelectric ceramic)-Based thermal and tactile bimodal organic transistor sensors. <i>Organic Electronics</i> , 2020, 80, 105673.	1.4	14
723	Recent Developments of Flexible and Stretchable Electrochemical Biosensors. <i>Micromachines</i> , 2020, 11, 243.	1.4	57
724	Facile Fabrication of Stretchable Touch-Responsive Perovskite Light-Emitting Diodes Using Robust Stretchable Composite Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 14408-14415.	4.0	46
725	Highly sensitive printed crack-enhanced strain sensor as dual-directional bending detector. <i>Smart Materials and Structures</i> , 2020, 29, 045023.	1.8	24
726	Facile Fabrication of Multifunctional Poly(ethylene-co-octene)/Carbon Nanotube Foams Based on Tunable Conductive Network. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 1934-1943.	1.8	33
727	E-skin and wearable systems for health care. , 2020, , 133-178.		9
728	Flexible and stretchable dual mode nanogenerator for rehabilitation monitoring and information interaction. <i>Journal of Materials Chemistry B</i> , 2020, 8, 3647-3654.	2.9	47
729	Variable-Temperature Electron Transport and Dipole Polarization Turning Flexible Multifunctional Microsensor beyond Electrical and Optical Energy. <i>Advanced Materials</i> , 2020, 32, e1907156.	11.1	288
730	Bio-polysaccharide electrolyte gated photoelectric synergic coupled oxide neuromorphic transistor with Pavlovian activities. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2780-2789.	2.7	30
731	Ultraflexible and transparent electroluminescent skin for real-time and super-resolution imaging of pressure distribution. <i>Nature Communications</i> , 2020, 11, 663.	5.8	104
732	Molecular Semiconductors for Logic Operations: Dead-End or Bright Future?. <i>Advanced Materials</i> , 2020, 32, e1905909.	11.1	135
733	A Flexible Carbon Nanotube Sensor-Memory Device. <i>Advanced Materials</i> , 2020, 32, e1907288.	11.1	48
734	3D electronic and photonic structures as active biological interfaces. <i>Informa-Materially</i> , 2020, 2, 527-552.	8.5	17
735	Cyber-Physiochemical Interfaces. <i>Advanced Materials</i> , 2020, 32, e1905522.	11.1	64
736	A flexible bifunctional sensor based on porous copper nanowire@IonGel composite films for high-resolution stress/deformation detection. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4081-4092.	2.7	22

#	ARTICLE	IF	CITATIONS
737	Biocompatible and Biodegradable Organic Transistors Using a Solid-State Electrolyte Incorporated with Choline-Based Ionic Liquid and Polysaccharide. <i>Advanced Functional Materials</i> , 2020, 30, 1909707.	7.8	53
738	Chirality-Enriched Carbon Nanotubes for Next-Generation Computing. <i>Advanced Materials</i> , 2020, 32, e1905654.	11.1	39
739	Electronic Skins for Robotics and Wearables. , 2020, , .		1
740	Flexible Liquid-Filled Fiber Adapter Enabled Wearable Optical Sensors. <i>Advanced Materials Technologies</i> , 2020, 5, 2000079.	3.0	18
741	Fabrication of PEDOT:PSS/rGO fibers with high flexibility and electrochemical performance for supercapacitors. <i>Electrochimica Acta</i> , 2021, 365, 137363.	2.6	50
742	Recent Progress of Quantum Dot-Based Photonic Devices and Systems: A Comprehensive Review of Materials, Devices, and Applications. <i>Small Structures</i> , 2021, 2, 2000024.	6.9	55
743	A new approach for an ultra-thin piezoresistive sensor based on solidified carbon ink film. <i>Journal of Materials Science</i> , 2021, 56, 607-614.	1.7	20
744	Deformable, resilient, and mechanically-durable triboelectric nanogenerator based on recycled coffee waste for wearable power and self-powered smart sensors. <i>Nano Energy</i> , 2021, 79, 105405.	8.2	47
745	Flexible hierarchical helical yarn with broad strain range for self-powered motion signal monitoring and human-machine interactive. <i>Nano Energy</i> , 2021, 80, 105446.	8.2	25
746	Bio-inspired smart electronic-skin based on inorganic perovskite nanoplates for application in photomemories and mechanoreceptors. <i>Nanoscale</i> , 2021, 13, 253-260.	2.8	14
747	Stable, High-Efficiency Voltage-Dependent Color-Tunable Organic Light-Emitting Diodes with a Single Tetradentate Platinum(II) Emitter Having Long Operational Lifetime. <i>Advanced Materials</i> , 2021, 33, e2004873.	11.1	36
748	First Decade of Interfacial Iontronic Sensing: From Droplet Sensors to Artificial Skins. <i>Advanced Materials</i> , 2021, 33, e2003464.	11.1	155
749	Highly Stretchable Sound-Enabled Display Electronics Based on Strain-Insensitive Metallic Nanonetworks. <i>Advanced Science</i> , 2021, 8, 2001647.	5.6	23
750	Mechanoluminescent materials for tactile sensors. , 2021, , 91-112.		6
751	Flexible capacitive pressure sensor based on multi-walled carbon nanotubes microstructure electrodes. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 155101.	1.3	22
752	Gamma irradiation synthesis of wearable supercapacitor based on reduced graphene oxide/cotton yarn electrode. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 3688-3698.	1.1	16
753	Long-term cyclic use of a sample collector for toilet-based urine analysis. <i>Scientific Reports</i> , 2021, 11, 2170.	1.6	10
754	Recent Developments and Future Enhancements in Electronic Skin. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
755	Abrasion tolerant, non-stretchable and super-water-repellent conductive & ultrasensitive pattern for identifying slow, fast, weak and strong human motions under diverse conditions. <i>Materials Horizons</i> , 2021, 8, 2851-2858.	6.4	6
756	Quantitative analysis of bending hysteresis by real-time monitoring of curvature in flexible polymeric films. <i>Soft Matter</i> , 2021, 17, 4040-4046.	1.2	7
757	Tandem Interactive Sensing Display Deconvoluting Dynamic Pressure and Temperature. <i>Advanced Functional Materials</i> , 2021, 31, 2010492.	7.8	16
758	Printable and Stretchable Giant Magnetoresistive Sensors for Highly Compliant and Skin-Conformal Electronics. <i>Advanced Materials</i> , 2021, 33, e2005521.	11.1	37
759	Skin Electronics: Next-Generation Device Platform for Virtual and Augmented Reality. <i>Advanced Functional Materials</i> , 2021, 31, 2009602.	7.8	100
760	High-performance wearable thermoelectric generator with self-healing, recycling, and Lego-like reconfiguring capabilities. <i>Science Advances</i> , 2021, 7, .	4.7	189
761	Flexible pressure sensors with microstructures. <i>Nano Select</i> , 2021, 2, 1874-1901.	1.9	16
762	Recent trends and role of large area flexible electronics in shape sensing application – a review. <i>Industrial Robot</i> , 2021, 48, 745-762.	1.2	6
763	Nanoscale Materials and Deformable Device Designs for Bioinspired and Biointegrated Electronics. <i>Accounts of Materials Research</i> , 2021, 2, 266-281.	5.9	18
764	An electrochemically actuated drug delivery device with in-situ dosage sensing. <i>Smart Materials and Structures</i> , 2021, 30, 055003.	1.8	9
765	Material Design for 3D Multifunctional Hydrogel Structure Preparation. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2100007.	1.7	5
767	All-silicon dual-cavity fiber-optic pressure sensor with ultralow pressure-temperature cross-sensitivity and wide working temperature range. <i>Photonics Research</i> , 2021, 9, 521.	3.4	38
768	Acetobacter Biofilm: Electronic Characterization and Reactive Transduction of Pressure. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 1651-1662.	2.6	11
769	Ultra-Wide Range Pressure Sensor Based on a Microstructured Conductive Nanocomposite for Wearable Workout Monitoring. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001461.	3.9	33
770	Stretchable and self-healing polyvinyl alcohol/cellulose nanofiber nanocomposite hydrogels for strain sensors with high sensitivity and linearity. <i>Composites Communications</i> , 2021, 24, 100677.	3.3	46
771	Self-Powered Intelligent Human-Machine Interaction for Handwriting Recognition. <i>Research</i> , 2021, 2021, 4689869.	2.8	21
772	Materials and devices for flexible and stretchable photodetectors and light-emitting diodes. <i>Nano Research</i> , 2021, 14, 2919-2937.	5.8	34
773	Wearable human-machine interface based on the self-healing strain sensors array for control interface of unmanned aerial vehicle. <i>Sensors and Actuators A: Physical</i> , 2021, 321, 112583.	2.0	21

#	ARTICLE	IF	CITATIONS
774	Revealing molecular conformation-induced stress at embedded interfaces of organic optoelectronic devices by sum frequency generation spectroscopy. <i>Science Advances</i> , 2021, 7, .	4.7	29
775	Bioinspired Dual-Mode Temporal Communication via Digitally Programmable Phase-Change Materials. <i>Advanced Materials</i> , 2021, 33, e2008119.	11.1	40
776	2D Materials for Skin-Mountable Electronic Devices. <i>Advanced Materials</i> , 2021, 33, e2005858.	11.1	51
777	Polymer-Laminated Ti ₃ C ₂ X MXene Electrodes for Transparent and Flexible Field-Driven Electronics. <i>ACS Nano</i> , 2021, 15, 8940-8952.	7.3	63
778	Colorimetric Ionic Organohydrogels Mimicking Human Skin for Mechanical Stimuli Sensing and Injury Visualization. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 26490-26497.	4.0	23
779	Advances in experimental mechanics at atomic scale. <i>Extreme Mechanics Letters</i> , 2021, 45, 101284.	2.0	14
780	Photo-Triggered Shape Reconfiguration in Stretchable Reduced Graphene Oxide-Patterned Azobenzene-Functionalized Liquid Crystalline Polymer Networks. <i>Advanced Functional Materials</i> , 2021, 31, 2102106.	7.8	14
781	High-Density Force and Temperature Sensing Skin Using Micropillar Array with Image Sensor. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000280.	3.3	4
782	Three-dimensional light-weight piezoresistive sensors based on conductive polyurethane sponges coated with hybrid CNT/CB nanoparticles. <i>Applied Surface Science</i> , 2021, 548, 149268.	3.1	72
783	Wearable, Implantable, and Interventional Medical Devices Based on Smart Electronic Skins. <i>Advanced Materials Technologies</i> , 2021, 6, 2100107.	3.0	81
784	Towards fungal sensing skin. <i>Fungal Biology and Biotechnology</i> , 2021, 8, 6.	2.5	13
785	Visco-Poroelastic Electrochemiluminescence Skin with Piezo-Ionic Effect. <i>Advanced Materials</i> , 2021, 33, e2100321.	11.1	52
786	A facile strategy to construct flexible and conductive silk fibroin aerogel for pressure sensors using bifunctional PEG. <i>European Polymer Journal</i> , 2021, 153, 110513.	2.6	13
787	Iontronic pressure sensor with high sensitivity and linear response over a wide pressure range based on soft micropillared electrodes. <i>Science Bulletin</i> , 2021, 66, 1091-1100.	4.3	103
788	High-fidelity and Large-area Flexible Hybrid Sensing System (Invited). , 2021, , .		0
789	A Porous Microstructured Dielectric Layer Based Pressure Sensor for Wearable Applications. , 2021, , .		4
790	Self-Powered and Imperceptible Electronic Tattoos Based on Silk Protein Nanofiber and Carbon Nanotubes for Human-Machine Interfaces. <i>Advanced Energy Materials</i> , 2021, 11, 2100801.	10.2	55
791	Ultraviolet-electrical erasing response characteristics of Ag@SiO ₂ core-shell functional floating gate organic memory. <i>Organic Electronics</i> , 2021, 93, 106149.	1.4	5

#	ARTICLE	IF	CITATIONS
792	Melting characteristics and dynamic evolution of microstructure of single-crystal gold film irradiated by laser under the non-Fourier effect. <i>Molecular Crystals and Liquid Crystals</i> , 2021, 723, 62-80.	0.4	1
793	An artificial neural tactile sensing system. <i>Nature Electronics</i> , 2021, 4, 429-438.	13.1	161
794	Highly Sensitive Flexible Capacitive Pressure Sensor with ZnO NW interlayers. , 2021, , .		4
795	Efficient transparent quantum-dot light-emitting diodes with an inverted architecture. <i>Optical Materials Express</i> , 2021, 11, 2145.	1.6	2
796	Poly(vinyl alcohol) Hydrogels with Integrated Toughness, Conductivity, and Freezing Tolerance Based on Ionic Liquid/Water Binary Solvent Systems. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 29008-29020.	4.0	82
797	Self-Powered Direct-current Type Pressure Sensor by Polypyrrole/Metal Schottky Junction. <i>Journal Physics D: Applied Physics</i> , 0, , .	1.3	3
798	Stretchable, Rehealable, Recyclable, and Reconfigurable Integrated Strain Sensor for Joint Motion and Respiration Monitoring. <i>Research</i> , 2021, 2021, 9846036.	2.8	19
799	Anti-freezing, moisturizing, resilient and conductive organohydrogel for sensitive pressure sensors. <i>Journal of Colloid and Interface Science</i> , 2021, 594, 584-592.	5.0	54
800	Importance of internal stress control in organic/metal-oxide hybrid devices. <i>Applied Physics Letters</i> , 2021, 119, 013502.	1.5	3
801	Engineered Mechanosensors Inspired by Biological Mechanosensilla. <i>Advanced Materials Technologies</i> , 2021, 6, 2100352.	3.0	14
802	Highly sensitive electronic skin with a linear response based on the strategy of controlling the contact area. <i>Nano Energy</i> , 2021, 85, 106013.	8.2	45
803	Photonic skins based on flexible organic microlaser arrays. <i>Science Advances</i> , 2021, 7, .	4.7	42
804	Recent Progress in Essential Functions of Soft Electronic Skin. <i>Advanced Functional Materials</i> , 2021, 31, 2104686.	7.8	192
805	Skin-Inspired High-Performance Active-Matrix Circuitry for Multimodal User-Interaction. <i>Advanced Functional Materials</i> , 2021, 31, 2105480.	7.8	14
806	Fully rubbery synaptic transistors made out of all-organic materials for elastic neurological electronic skin. <i>Nano Research</i> , 2022, 15, 758-764.	5.8	26
807	Chlorosulfonic Acid Stretched Carbon Nanotube Sheet for Flexible and Low-Voltage Heating Applications. <i>Nanomaterials</i> , 2021, 11, 2132.	1.9	6
808	Uniform pressure responses for nanomaterials-based biological on-skin flexible pressure sensor array. <i>Carbon</i> , 2021, 181, 169-176.	5.4	27
809	A Soft Pressure Sensor Array Based on a Conducting Nanomembrane. <i>Micromachines</i> , 2021, 12, 933.	1.4	4

#	ARTICLE	IF	CITATIONS
810	Flexible and high sensitive capacitive pressure sensor with microstructured electrode inspired by ginkgo leaf. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 465401.	1.3	20
811	Recent Advances in Flexible Tactile Sensors for Intelligent Systems. <i>Sensors</i> , 2021, 21, 5392.	2.1	47
812	En Route to Wide Area Emitting Organic Light-Emitting Transistors for Intrinsic Drive-Integrated Display Applications: A Comprehensive Review. <i>Advanced Functional Materials</i> , 2021, 31, 2105506.	7.8	10
813	Optical glucose biosensor built-in disposable strips and wearable electronic devices. <i>Biosensors and Bioelectronics</i> , 2021, 185, 113237.	5.3	33
814	A Resonantly Driven, Electroluminescent Metal Oxide Semiconductor Capacitor with High Power Efficiency. <i>ACS Nano</i> , 2021, 15, 15210-15217.	7.3	10
815	On-Skin Stimulation Devices for Haptic Feedback and Human-Machine Interfaces. <i>Advanced Materials Technologies</i> , 2022, 7, 2100452.	3.0	7
816	Analytical Model of Micropyramidal Capacitive Pressure Sensors and Machine-Learning-Assisted Design. <i>Advanced Materials Technologies</i> , 0, , 2100634.	3.0	7
817	Micro-Crack Assisted Wrinkled PEDOT: PSS to Detect and Distinguish Tensile Strain and Pressure Based on a Triboelectric Nanogenerator. <i>Advanced Materials Technologies</i> , 2022, 7, 2100423.	3.0	14
818	Self-Powered Interactive Fiber Electronics with Visual-Digital Synergies. <i>Advanced Materials</i> , 2021, 33, e2104681.	11.1	58
819	Skin-like Transparent Polymer-Hydrogel Hybrid Pressure Sensor with Pyramid Microstructures. <i>Polymers</i> , 2021, 13, 3272.	2.0	12
820	A flexible nickel phthalocyanine resistive random access memory with multi-level data storage capability. <i>Journal of Materials Science and Technology</i> , 2021, 86, 151-157.	5.6	18
821	Two-dimensional van der Waals thin film transistors as active matrix for spatially resolved pressure sensing. <i>Nano Research</i> , 2021, 14, 3395-3401.	5.8	19
822	Multimodal Artificial Neurological Sensory-Memory System Based on Flexible Carbon Nanotube Synaptic Transistor. <i>ACS Nano</i> , 2021, 15, 14587-14597.	7.3	42
823	Layout-to-Bitmap Conversion and Design Rules for Inkjet-Printed Large-Scale Integrated Circuits. <i>Langmuir</i> , 2021, 37, 10692-10701.	1.6	24
824	Ultralow-switching current density multilevel phase-change memory on a flexible substrate. <i>Science</i> , 2021, 373, 1243-1247.	6.0	78
825	Stretchable Thin Film Mechanical-Strain-Gated Switches and Logic Gate Functions Based on a Soft Tunneling Barrier. <i>Advanced Materials</i> , 2021, 33, e2104769.	11.1	10
826	Liquid Droplet Stamp Transfer Printing. <i>Advanced Functional Materials</i> , 2021, 31, 2105407.	7.8	14
827	Thermal insulating, light-weight and conductive cellulose/aramid nanofibers composite aerogel for pressure sensing. <i>Carbohydrate Polymers</i> , 2021, 270, 118414.	5.1	41

#	ARTICLE	IF	CITATIONS
828	Strain-induced piezotronic effects in nano-sized GaN thin films. Nano Energy, 2021, 88, 106305.	8.2	9
829	A Skin-Inspired Artificial Mechanoreceptor for Tactile Enhancement and Integration. ACS Nano, 2021, 15, 16422-16431.	7.3	66
830	Au nanoparticle embedded Poly(methyl-methacrylate) and Poly(styrene) free-standing films for wettability and surface enhanced Raman scattering applications. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 272, 115324.	1.7	3
831	A highly stretchable and breathable polyurethane fibrous membrane sensor for human motion monitoring and voice signal recognition. Sensors and Actuators A: Physical, 2021, 331, 112974.	2.0	11
832	A conducting polymer PEDOT:PSS hydrogel based wearable sensor for accurate uric acid detection in human sweat. Sensors and Actuators B: Chemical, 2021, 348, 130674.	4.0	99
833	Stretchable array of CdSe/ZnS quantum-dot light emitting diodes for visual display of bio-signals. Chemical Engineering Journal, 2022, 427, 130858.	6.6	27
834	Research and application of flexible wearable electronics based on nanogenerator in touch sensor. Wuli Xuebao/Acta Physica Sinica, 2021, 70, 100705.	0.2	2
835	Three-dimensional functionalized film printing for health monitoring. , 2021, , 243-258.		0
836	Tactile sensors based on organic field-effect transistors. , 2021, , 53-66.		1
837	A Flexible Pressure Sensor Based on PDMS-CNTs Film for Multiple Applications. IEEE Sensors Journal, 2022, 22, 3033-3039.	2.4	14
838	Wearable Sensorsâ€œEnabled Humanâ€œMachine Interaction Systems: From Design to Application. Advanced Functional Materials, 2021, 31, 2008936.	7.8	322
839	3D Multiscale Gradient Pores Impregnated with Ag Nanowires for Simultaneous Pressure and Bending Detection with Enhanced Linear Sensitivity. Advanced Materials Technologies, 2020, 5, 1901041.	3.0	5
840	Highly Sensitive Flexible Pressure Sensor with Microstructural Dielectric Layer. Lecture Notes in Electrical Engineering, 2017, , 1087-1094.	0.3	1
841	A graphite nanoplatelet-based highly sensitive flexible strain sensor. Carbon, 2020, 166, 316-327.	5.4	34
842	Wearable self-powered pressure sensor by integration of piezo-transmittance microporous elastomer with organic solar cell. Nano Energy, 2020, 74, 104749.	8.2	49
844	Wireless battery-free body sensor networks using near-field-enabled clothing. Nature Communications, 2020, 11, 444.	5.8	165
845	Reconfigurable metasurfaces with mechanical actuations: towards flexible and tunable photonic devices. Journal of Optics (United Kingdom), 2021, 23, 013001.	1.0	16
846	Effect of Dielectric and Stiffness of Soft Material between the Electrodes of a Capacitive Pressure Sensor on its Performance. , 2020, , .		16

#	ARTICLE	IF	CITATIONS
847	Illusion and cloaking using dielectric conformal metasurfaces. Optics Express, 2018, 26, 31625.	1.7	29
849	Numerical and Experimental Study of the Mechanical Response of Diatom Frustules. Nanomaterials, 2020, 10, 959.	1.9	19
850	Seedless Hydrothermal Growth of ZnO Nanorods as a Promising Route for Flexible Tactile Sensors. Nanomaterials, 2020, 10, 977.	1.9	13
851	White Light Emission with Quantum Dots: A Review. Applied Science and Convergence Technology, 2016, 25, 1-6.	0.3	8
852	Direct Printed Silver Nanowire Strain Sensor for Early Extravasation Detection. Nanomaterials, 2021, 11, 2583.	1.9	6
853	Approaching Superfoldable Thickness-Limit Carbon Nanofiber Membranes Transformed from Water-Soluble PVA. Nano Letters, 2021, 21, 8831-8838.	4.5	41
854	Advances and Frontiers in Single-Walled Carbon Nanotube Electronics. Advanced Science, 2021, 8, e2102860.	5.6	9
855	A Transferrable, Adaptable, Free-Standing, and Water-Resistant Hyperbolic Metamaterial. ACS Applied Materials & Interfaces, 2021, 13, 49224-49231.	4.0	3
856	Large-Area Piezoresistive Tactile Sensor Developed by Training a Super-Simple Single-Layer Carbon Nanotube-Dispersed Polydimethylsiloxane Pad. Advanced Intelligent Systems, 2022, 4, 2100123.	3.3	6
857	A review of mechanochromic polymers and composites: From material design strategy to advanced electronics application. Composites Part B: Engineering, 2021, 227, 109434.	5.9	35
858	Recent Progress in Flexible/Wearable Electronics. Journal of Welding and Joining, 2014, 32, 34-42.	0.6	3
859	Fiber-Based Generator and Strain Sensor for Wearable Electronics and Healthy Monitoring. , 2015, , .		0
860	Folding and stretching a thermoelectric generator. , 2018, , .		1
861	Highly Sensitive and Flexible M-Tooth Based Hybrid Micro-Structured Capacitive Pressure Sensor. , 2020, , .		9
862	Solvent-induced in-situ self-assembly lignin nanoparticles to reinforce conductive nanocomposite organogels as anti-freezing and anti-dehydration flexible strain sensors. Chemical Engineering Journal, 2022, 433, 133202.	6.6	54
863	Electronic Skin Based on a Cellulose/Carbon Nanotube Fiber Network for Large-Area 3D Touch and Real-Time 3D Surface Scanning. ACS Applied Materials & Interfaces, 2021, 13, 53111-53119.	4.0	18
864	Research progress of smart response composite hydrogels based on nanocellulose. Carbohydrate Polymers, 2022, 275, 118741.	5.1	23
865	Photoproteins Tapping Solar Energy to Power Sensors. Green Energy and Technology, 2020, , 127-140.	0.4	0

#	ARTICLE	IF	CITATIONS
866	Direct-Write Fabrication of Flexible Array Pressure Sensor for Monitoring Position Distribution. ECS Journal of Solid State Science and Technology, 2020, 9, 115024.	0.9	2
867	Biologically Inspired Stretchable, Multifunctional, and 3D Electronic Skin by Strain Visualization and Triboelectric Pressure Sensing. Small Science, 2022, 2, 2100083.	5.8	34
868	Highly Elastic and Fatigue-Resistant Graphene-Wrapped Lamellar Wood Sponges for High-Performance Piezoresistive Sensors. ACS Sustainable Chemistry and Engineering, 2021, 9, 15267-15277.	3.2	28
869	Biochemical Gas Sensor and Gas Imaging System for Non-invasive Screening: A Review. IEEJ Transactions on Sensors and Micromachines, 2020, 140, 321-327.	0.0	0
870	Biomimetic integration of tough polymer elastomer with conductive hydrogel for highly stretchable, flexible electronic. Nano Energy, 2022, 92, 106735.	8.2	43
871	Stencil Printing of Liquid Metal upon Electrospun Nanofibers Enables High-Performance Flexible Electronics. ACS Nano, 2021, 15, 19364-19376.	7.3	97
872	Self-adaptive cardiac optogenetics device based on negative stretching-resistive strain sensor. Science Advances, 2021, 7, eabj4273.	4.7	19
873	Tough and Degradable Self-Healing Elastomer from Synergistic Soft-Hard Segments Design for Biomechano-Robust Artificial Skin. ACS Nano, 2021, 15, 20656-20665.	7.3	35
874	An Ultra-Sensitive Multi-Functional Optical Micro/Nanofiber Based on Stretchable Encapsulation. Sensors, 2021, 21, 7437.	2.1	8
875	A Multifunctional Flexible Ferroelectric Transistor Sensor for Electronic Skin. Advanced Materials Interfaces, 2021, 8, .	1.9	9
876	Biomolecule-Interactive Flexible Light Emitting Capacitor Display. Small, 2022, 18, e2103541.	5.2	2
877	Flexible smart sensing skin for "Fly-by-Feel"-morphing aircraft. Science China Technological Sciences, 2022, 65, 1-29.	2.0	28
878	Inkjet printing high performance flexible electrodes via a graphene decorated Ag ink. Surfaces and Interfaces, 2022, 28, 101609.	1.5	7
879	Elastic-Electric Coefficient-Sensitive Hydrogel Sensors toward Sweat Detection. Analytical Chemistry, 2022, 94, 1910-1917.	3.2	19
880	All-fiber structure covered with two-dimensional conductive MOF materials to construct a comfortable, breathable and high-quality self-powered wearable sensor system. Journal of Materials Chemistry A, 2022, 10, 1248-1256.	5.2	21
881	Fungal electronics. BioSystems, 2022, 212, 104588.	0.9	14
882	Soft Capacitive Pressure Sensor With Enhanced Sensitivity Assisted by ZnO NW Interlayers and Airgap. IEEE Sensors Journal, 2022, 22, 3974-3982.	2.4	34
883	Enhanced current path by circularly and periodically-aligned semiconducting single-walled carbon nanotubes for logic circuit device. Flexible and Printed Electronics, 2022, 7, 015005.	1.5	3

#	ARTICLE	IF	CITATIONS
884	Multifunctional skin-inspired resilient MXene-embedded nanocomposite hydrogels for wireless wearable electronics. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 155, 106835.	3.8	30
885	Polyethylene glycol grafted chitin nanocrystals enhanced, stretchable, freezing-tolerant ionic conductive organohydrogel for strain sensors. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 155, 106813.	3.8	18
886	Electronic skin based on PLLA/TFT/PVDF-TrFE array for Multi-Functional tactile sensing and visualized restoring. <i>Chemical Engineering Journal</i> , 2022, 434, 134735.	6.6	20
887	Cellulose based flexible and wearable sensors for health monitoring. <i>Materials Advances</i> , 2022, 3, 3766-3783.	2.6	15
888	Flexible neuromorphic transistors for bio-inspired perception application. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, .	0.2	0
889	Electrical Current Visualization Sensor Based on the Magneto-Electrochromic Effect. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
890	Development of a piezoelectric nanogenerator based on mesoporous silica/zinc oxide hybrid nanocomposite fibres. <i>International Journal of Energy Research</i> , 0, , .	2.2	2
891	Flexible Electronics and Devices as Human-Machine Interfaces for Medical Robotics. <i>Advanced Materials</i> , 2022, 34, e2107902.	11.1	211
892	Wearable and Biocompatible Blood Oxygen Sensor Based on Heterogeneously Integrated Lasers on a Laser-Induced Graphene Electrode. <i>ACS Applied Electronic Materials</i> , 2022, 4, 1583-1591.	2.0	9
893	Thermal Camouflaging MXene Robotic Skin with Bio-Inspired Stimulus Sensation and Wireless Communication. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	39
894	Optical Microfibers for Sensing Proximity and Contact in Human-Machine Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 14447-14454.	4.0	16
895	Detection of cracked teeth using a mechanoluminescence phosphor with a stretchable photodetector array. <i>NPG Asia Materials</i> , 2022, 14, .	3.8	11
896	High-Brightness, High-Resolution, and Flexible Triboelectrification-Induced Electroluminescence Skin for Real-Time Imaging and Human-Machine Information Interaction. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	45
897	Electrical current visualization sensor based on magneto-electrochromic effect. <i>Nano Energy</i> , 2022, , 107226.	8.2	6
898	Vision-Based High-Resolution Tactile Sensor By Using Visual Light Ring. , 2022, 6, 1-4.		2
899	Skin-inspired electrochemical tactility and luminescence. <i>Electrochimica Acta</i> , 2022, 415, 140259.	2.6	5
900	Self-powered triboelectric-mechanoluminescent electronic skin for detecting and differentiating multiple mechanical stimuli. <i>Nano Energy</i> , 2022, 96, 107115.	8.2	57
901	Wearable biosensors for real-time sweat analysis and body motion capture based on stretchable fiber-based triboelectric nanogenerators. <i>Biosensors and Bioelectronics</i> , 2022, 205, 114115.	5.3	76

#	ARTICLE	IF	CITATIONS
902	Emotion-interactive empathetic transparent skin cushion with tailored frequency-dependent hydrogelâ€‘plasticized nonionic polyvinyl chloride interconnections. <i>Chemical Engineering Journal</i> , 2022, 442, 136142.	6.6	5
903	Skin-Driven Ultrasensitive Mechanoluminescence Sensor Inspired by Spider Leg Joint Slits. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60689-60696.	4.0	12
904	Flexible and Stretchable Strategies for Electronic Skins: Materials, Structure, and Integration. <i>ACS Applied Electronic Materials</i> , 2022, 4, 1-26.	2.0	20
905	Flexible Threshold Switching Selectors with Ultrahigh Endurance Based on Halide Perovskites. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	7
906	Soft Pressure Sensor for Underwater Sea Lamprey Detection. <i>IEEE Sensors Journal</i> , 2022, 22, 9932-9944.	2.4	6
907	A new dimension for magnetosensitive e-skins: active matrix integrated micro-origami sensor arrays. <i>Nature Communications</i> , 2022, 13, 2121.	5.8	34
908	CHAPTER 1. Mechanochemistry: Inspiration from Biology. <i>RSC Polymer Chemistry Series</i> , 0, , 1-35.	0.1	0
910	Bioinspired High-Performance Multilayer Flexible Piezoresistive Pressure Sensor with Broader Linearity Range and Higher Sensitivity. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
911	Vanadium Dioxide Nanosheets Supported on Carbonized Cotton Fabric as Bifunctional Textiles for Flexible Pressure Sensors and Zinc-Ion Batteries. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
912	In-situ sugar-templated porous elastomer sensor with high sensitivity for wearables. <i>Frontiers of Materials Science</i> , 2022, 16, .	1.1	2
913	Progress of flexible strain sensors for physiological signal monitoring. <i>Biosensors and Bioelectronics</i> , 2022, 211, 114298.	5.3	59
914	Highâ€‘Performance Compressible Zinc Ion Battery Based on Melamine Foamâ€‘Derived Electrodes. <i>Small Structures</i> , 2022, 3, .	6.9	6
915	A Flexible, Transparent, Ultralow Detection Limit Capacitive Pressure Sensor. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	13
916	Living wearables: Bacterial reactive glove. <i>BioSystems</i> , 2022, 218, 104691.	0.9	10
917	Materials and design strategies for stretchable electroluminescent devices. <i>Nanoscale Horizons</i> , 2022, 7, 801-821.	4.1	22
918	Ultra-Fast-Responsivity with Sharp Contrast Integrated Flexible Piezo Electrochromic Based Tactile Sensing Visualization. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
919	Active Matrix Flexible Sensory Systems: Materials, Design, Fabrication, and Integration. <i>Advanced Intelligent Systems</i> , 2022, 4, .	3.3	9
920	Intelligent Nanomaterials for Wearable and Stretchable Strain Sensor Applications: The Science behind Diverse Mechanisms, Fabrication Methods, and Real-Time Healthcare. <i>Polymers</i> , 2022, 14, 2219.	2.0	5

#	ARTICLE	IF	CITATIONS
921	Recent Progress of Flexible OLEDs for Wearable Devices. <i>Fiber and Integrated Optics</i> , 2022, 41, 1-25.	1.7	7
922	Chromism-Integrated Sensors and Devices for Visual Indicators. <i>Sensors</i> , 2022, 22, 4288.	2.1	4
923	Strain-ultrasensitive surface wrinkles for visual optical sensors. <i>Materials Horizons</i> , 2022, 9, 2233-2242.	6.4	10
924	Pressure-Controlled Thermochromic Electronic Skin With Adjustable Memory Time During Fabrication for In Situ Pressure Display Application. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022, 71, 1-9.	2.4	1
925	Ultra-Low-Cost, Crosstalk-Free, Fast-Responding, Wide-Sensing-Range Tactile Fingertip Sensor for Smart Gloves. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	30
926	Advances in Flexible Optoelectronics Based on Chemical Vapor Deposition-Grown Graphene. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	19
927	High-performance capacitive pressure sensors Fabricated by introducing dielectric filler and conductive filler into a porous dielectric layer through a Biomimic strategy. <i>Composites Science and Technology</i> , 2022, 227, 109595.	3.8	13
928	Full-hand electrotactile feedback using electronic skin and matrix electrodes for high-bandwidth human-machine interfacing. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2022, 380, .	1.6	4
929	Tactile Near-Sensor Analogue Computing for Ultrafast Responsive Artificial Skin. <i>Advanced Materials</i> , 2022, 34, .	11.1	42
930	Voltage-Dependent Emission Varying from Blue to Orange-Red from a Nondoped Organic Light-Emitting Diode with a Single Emitter. <i>Nanomaterials</i> , 2022, 12, 2333.	1.9	0
931	Bioinspired Thermoplastic Elastomer with Flexible, Self-Healing Capabilities. <i>Langmuir</i> , 2022, 38, 8862-8870.	1.6	5
932	Facile Fabrication of a Highly Sensitive and Robust Flexible Pressure Sensor with Batten Microstructures. <i>Micromachines</i> , 2022, 13, 1164.	1.4	3
933	Skin-Inspired Thermoreceptors-Based Electronic Skin for Biomimicking Thermal Pain Reflexes. <i>Advanced Science</i> , 2022, 9, .	5.6	47
934	Ultra-fast-responsivity with sharp contrast integrated flexible piezo electrochromic based tactile sensing display. <i>Nano Energy</i> , 2022, 102, 107629.	8.2	27
935	Self-Powered All-Optical Tactile Sensing Platform for User-Interactive Interface. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	12
936	Piezoresistive design for electronic skin: from fundamental to emerging applications. <i>Opto-Electronic Advances</i> , 2022, 5, 210029-210029.	6.4	17
937	A highly stretchable and ultra-sensitive strain sensing fiber based on a porous core-network sheath configuration for wearable human motion detection. <i>Nanoscale</i> , 2022, 14, 12418-12430.	2.8	14
939	All-nanofiber self-powered PTFE/PA66 device for real-time breathing monitor by scalable solution blow spinning technology. <i>Nano Research</i> , 2022, 15, 8458-8464.	5.8	3

#	ARTICLE	IF	CITATIONS
941	Wireless Standalone Trimodal Interactive Display Enabled by Direct Capacitive Coupling. <i>Advanced Materials</i> , 2022, 34, .	11.1	9
942	An Integrated 3D Hydrophilicity/Hydrophobicity Design for Artificial Sweating Skin (iâ€TRANS) Mimicking Human Body Perspiration. <i>Advanced Materials</i> , 2022, 34, .	11.1	20
943	Highly Stretchable, Soft, and Clear Viscoelastic Film with Good Recoverability for Flexible Display. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 38398-38408.	4.0	11
944	Flexible Ferroelectric Devices: Status and Applications. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	21
945	Compensated Resistance Matrix Approach for Readout of the Two-dimensional Resistive Sensor Array for High Temperature Measurement. <i>IEEE Sensors Journal</i> , 2022, , 1-1.	2.4	0
946	Soft Humanâ€Machine Interface Sensing Displays: Materials and Devices. <i>Advanced Materials</i> , 2023, 35, .	11.1	12
947	Large-Scale Integrated Flexible Tactile Sensor Array for Sensitive Smart Robotic Touch. <i>ACS Nano</i> , 2022, 16, 16784-16795.	7.3	35
949	Wireless Humanâ€Machine Interface Based on Artificial Bionic Skin with Damage Reconfiguration and Multisensing Capabilities. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 47300-47309.	4.0	20
950	Flexible and Wearable Optical System Based on Uâ€Shaped Cascaded Microfiber Interferometer. <i>Advanced Materials Technologies</i> , 2023, 8, .	3.0	15
951	A collision-free gallop-based triboelectric-piezoelectric hybrid nanogenerator. <i>IScience</i> , 2022, 25, 105374.	1.9	5
952	Roles of Lowâ€Dimensional Nanomaterials in Pursuing Humanâ€Machineâ€Thing Natural Interaction. <i>Advanced Materials</i> , 2023, 35, .	11.1	4
953	Chemically derived graphene quantum dots for high-strain sensing. <i>Journal of Materials Science and Technology</i> , 2023, 141, 110-115.	5.6	11
954	Elastic Fibers/Fabrics for Wearables and Bioelectronics. <i>Advanced Science</i> , 2022, 9, .	5.6	19
955	An artificial remote tactile device with 3D depth-of-field sensation. <i>Science Advances</i> , 2022, 8, .	4.7	9
956	Wearable Capacitive Pressure Sensor for Contact and Non-Contact Sensing and Pulse Waveform Monitoring. <i>Molecules</i> , 2022, 27, 6872.	1.7	13
957	Flexible Thin-Film Speaker Integrated with an Array of Quantum-Dot Light-Emitting Diodes for the Interactive Audiovisual Display of Multi-functional Sensor Signals. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 48844-48856.	4.0	7
958	Field effect transistorâ€based tactile sensors: From sensor configurations to advanced applications. <i>InformaAnA-MateriAjly</i> , 2023, 5, .	8.5	24
959	Digitally programmable organic lightâ€emitting tetrodes. <i>SmartMat</i> , 2023, 4, .	6.4	3

#	ARTICLE	IF	CITATIONS
960	Fully Transparent, Ultrathin Flexible Organic Electrochemical Transistors with Additive Integration for Bioelectronic Applications. <i>Advanced Science</i> , 2023, 10, .	5.6	13
961	Foldable-circuit-enabled miniaturized multifunctional sensor for smart digital dust. , 2022, 1, 100034.		5
962	A review on the active thermal management researches of epidermal electronic devices. <i>AIP Advances</i> , 2022, 12, .	0.6	2
963	Advances in solid-state fiber batteries for wearable bioelectronics. <i>Current Opinion in Solid State and Materials Science</i> , 2022, 26, 101042.	5.6	18
964	Tuning the Electrical Conductivity of a Flexible Fabric-Based Cu-HHTP Film through a Novel Redox Interaction between the Guest-Host System. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 54266-54275.	4.0	2
965	Recent Advances in Touch Sensors for Flexible Displays. <i>IEEE Open Journal of Nanotechnology</i> , 2023, 4, 36-46.	0.9	0
966	Flexible Wearable Optical Sensor Based on Optical Microfiber Bragg Grating. <i>Journal of Lightwave Technology</i> , 2023, 41, 1858-1864.	2.7	22
967	Wearable Triboelectric Visual Sensors for Tactile Perception. <i>Advanced Materials</i> , 2023, 35, .	11.1	77
968	Nonpatterned Soft Piezoresistive Films with Filamentous Conduction Paths for Mimicking Multiple-Resolution Receptors of Human Skin. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 55088-55097.	4.0	3
969	Low-temperature crystallization of indium oxide thin films with a photoactivable additive. <i>Applied Physics Letters</i> , 2022, 121, .	1.5	2
970	An Overview of Flexible Sensors: Development, Application, and Challenges. <i>Sensors</i> , 2023, 23, 817.	2.1	13
971	Achieving Low-Voltage Operation of Intrinsically-Stretchable Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	3
972	A multifunctional structural coloured electronic skin monitoring body motion and temperature. <i>Soft Matter</i> , 2023, 19, 361-365.	1.2	3
973	Bioinspired flexible piezoresistive sensor for high-sensitivity detection of broad pressure range. <i>Bio-Design and Manufacturing</i> , 2023, 6, 243-254.	3.9	12
974	Highly Sensitive Strain Sensor Based on Microfiber Coupler for Wearable Photonics Healthcare. <i>Advanced Intelligent Systems</i> , 2023, 5, .	3.3	3
975	Dynamic Zero Current Method to Reduce Measurement Error in Low Value Resistive Sensor Array for Wearable Electronics. <i>Sensors</i> , 2023, 23, 1406.	2.1	2
976	Heterojunction metal oxide-based thin-film transistors for sensing. , 2023, , 391-415.		0
977	Materials for Developing Future Flexible Electronic Device. , 2023, , 517-526.		1

#	ARTICLE	IF	CITATIONS
978	Structural Control of Charge Transport in Polymer Monolayer Transistors by a Thermodynamically Assisted Dip-Coating Strategy. <i>Journal of Materials Chemistry C</i> , 0, , .	2.7	1
979	Water-triggered visible and infrared light reversible switch using nanowires-covered micropores superhydrophilic surfaces. <i>Chemical Engineering Journal</i> , 2023, 461, 141894.	6.6	5
980	Strain visualization enabled in dual-wavelength InGaN/GaN multiple quantum wells Micro-LEDs by piezo-phototronic effect. <i>Nano Energy</i> , 2023, 109, 108283.	8.2	4
981	Ultracompact Vernier-effect-improved sensor by a single microfiber-knot resonator. <i>Optics Express</i> , 2023, 31, 6917.	1.7	7
982	Enhancement of the vertical thermal conductivity in conductive silicone composites using hybrid fillers and double-sided coating process. <i>Molecular Crystals and Liquid Crystals</i> , 2023, 759, 99-105.	0.4	0
983	Structural Symmetry Impressing Carrier Dynamics of Halide Perovskite. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	5
984	Magnetic Force-Induced Luminescent Effect in Flexible ZnS:Cu/PDMS/NdFeB Composite. <i>Advanced Materials Interfaces</i> , 2023, 10, .	1.9	2
985	Wearable Electronics Based on Stretchable Organic Semiconductors. <i>Small</i> , 2023, 19, .	5.2	24
986	Efficient Distributed Wireless Power Transfer System for Multiple Wearable Sensors through Textile Coil Array. <i>Sensors</i> , 2023, 23, 2810.	2.1	3
987	Materials and device architecture towards a multimodal electronic skin. <i>Materials Today</i> , 2023, 64, 165-179.	8.3	12
988	3D Shape-Morphing Display Enabled by Electrothermally Responsive, Stiffness-Tunable Liquid Metal Platform with Stretchable Electroluminescent Device. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	9
989	Low-Voltage Stretchable Electroluminescent Loudspeakers with Synchronous Sound and Light Generation. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 16299-16307.	4.0	1
990	Soft Electronics for Health Monitoring Assisted by Machine Learning. <i>Nano-Micro Letters</i> , 2023, 15, .	14.4	23
991	Designing and Analysis of Different Modes of Triboelectric Nanogenerator-based Sensors for IOT. , 2022, , .		0
992	Broadening the Utilization of Flexible and Wearable Pressure Sensors for the Monitoring of Health and Physiological Activities. , 2023, 1, 1009-1021.		5
993	Nature-Driven Biocompatible Epidermal Electronic Skin for Real-Time Wireless Monitoring of Human Physiological Signals. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 20372-20384.	4.0	8
994	Highly multicolored light-emitting arrays for compressive spectroscopy. <i>Science Advances</i> , 2023, 9, .	4.7	2
995	Color-Tunable Organic Light-Emitting Displays for Interactive Multi-Signal Visualization. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	8

#	ARTICLE	IF	CITATIONS
1012	Emerging interactively stretchable electronics with optical and electrical dual-signal feedbacks based on structural color materials. Nano Research, 2024, 17, 1837-1855.	5.8	1
1017	MXene based flexible photodetectors: progress, challenges, and opportunities. Materials Horizons, 2023, 10, 5457-5473.	6.4	6
1024	Fungal Sensing Skin. Emergence, Complexity and Computation, 2023, , 83-92.	0.2	0
1028	Recent advances in smart wearable sensors as electronic skin. Journal of Materials Chemistry B, 2023, 11, 10332-10354.	2.9	0
1031	Artificial intelligence-powered electronic skin. Nature Machine Intelligence, 2023, 5, 1344-1355.	8.3	4
1034	Metal oxides in quantum-dot-based LEDs and their applications. , 2024, , 409-442.		0