

CITATION REPORT

List of articles citing

Magnetic relaxation pathways in lanthanide single-molecule magnets

DOI: 10.1038/nchem.1707
Nature Chemistry, 2013, 5, 673-8.

Source: <https://exaly.com/paper-pdf/54829861/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
610	An electrostatic model for the determination of magnetic anisotropy in dysprosium complexes. 2013 , 4, 2551		438
609	Shedding light on the single-molecule magnet behavior of mononuclear Dy(III) complexes. 2013 , 52, 13770-8		159
608	Magnetic blocking at 10 K and a dipolar-mediated avalanche in salts of the bis(β -cyclooctatetraenide) complex [Er(COT) ₂]. 2013 , 135, 17952-7		300
607	Mössbauer spectroscopy as a probe of magnetization dynamics in the linear iron(I) and iron(II) complexes [Fe(C(SiMe ₃) ₃) ₂](1-/0.). 2013 , 52, 13123-31		85
606	Cu(II)-Gd(III) cryogenic magnetic refrigerants and Cu ₈ Dy ₉ single-molecule magnet generated by in situ reactions of picolinaldehyde and acetylpyridine: experimental and theoretical study. 2013 , 19, 17567-77		80
605	How strongly are the magnetic anisotropy and coordination numbers correlated in lanthanide based molecular magnets?. 2014 , 126, 1569-1579		28
604	Exchange coupling and magnetic blocking in dilanthanide complexes bridged by the multi-electron redox-active ligand 2,3,5,6-tetra(2-pyridyl)pyrazine. 2014 , 5, 4701-4711		120
603	Trinuclear [Co ^{III} ₂ -Ln ^{III}] (Ln=Tb, Dy) single-ion magnets with mixed 6-chloro-2-hydroxypyridine and Schiff base ligands. 2014 , 9, 1847-53		35
602	Two C ₃ -symmetric Dy ^{III} complexes with triple di- η -methoxy- η -phenoxo bridges, magnetic ground state, and single-molecule magnetic behavior. 2014 , 20, 8410-20		36
601	Theoretical Understanding of Anisotropy in Molecular Nanomagnets. 2014 , 185-229		53
600	Magnetic properties and electronic structures of Ar ₃ U(IV) complexes with Ar = C ₅ (CH ₃) ₄ H (η) or C ₅ H ₅ (η) and L = CH ₃ , NO, and Cl. 2014 , 53, 13174-87		26
599	Enantioselective self-assembly of triangular Dy ₃ clusters with single-molecule magnet behavior. 2014 , 9, 3558-64		26
598	Synthesis and magnetothermal properties of a ferromagnetically coupled Ni(II)-Gd(III)-Ni(II) cluster. 2014 , 43, 259-66		30
597	Hydroxide-free cubane-shaped tetranuclear [Ln ₄] complexes. 2014 , 53, 3417-26		74
596	Hydroxo-bridged dimers of oxo-centered ruthenium(III) triangle: synthesis and spectroscopic and theoretical investigations. 2014 , 20, 6061-70		16
595	Acetato-bridged dinuclear lanthanide complexes with single molecule magnet behaviour for the Dy ₂ species. 2014 , 43, 6262-8		65
594	{Co ^{III} ₂ Dy ^{III} ₂ } single molecule magnet with two resolved thermal activated magnetization relaxation pathways at zero field. 2014 , 43, 2361-4		42

- 593 Single-molecule magnet engineering: building-block approaches. **2014**, 50, 4396-415 237
- 592 Fine-tuning the local symmetry to attain record blocking temperature and magnetic remanence in a single-ion magnet. **2014**, 53, 4413-7 327
- 591 Equatorially coordinated lanthanide single ion magnets. **2014**, 136, 4484-7 446
- 590 Single-molecule magnetism in a family of {Co(III)₂Dy(III)₂} butterfly complexes: effects of ligand replacement on the dynamics of magnetic relaxation. **2014**, 53, 4303-15 78
- 589 A 30-Membered Nonanuclear Cobalt(II) Macrocycle Containing Phosphonate-Bridged Trinuclear Subunits. **2014**, 14, 2725-2728 6
- 588 Synthesis, structure and properties of a tetranuclear europium(III) complex based on 9,9-dimethylfluorene-2,7-diphosphonic acid. **2014**, 1067, 37-42 7
- 587 Spectroscopic determination of crystal field splittings in lanthanide double deckers. **2014**, 5, 3287 101
- 586 Structural and electronic dependence of the single-molecule-magnet behavior of dysprosium(III) complexes. **2014**, 53, 2598-605 47
- 585 Series of edge-sharing bi-triangle Ln₄ clusters with a μ -NO₃- bridge: syntheses, structures, luminescence, and the SMM behavior of the Dy₄ analogue. **2014**, 43, 2581-7 35
- 584 Strong and anisotropic superexchange in the single-molecule magnet (SMM) [Mn^{III}(6)Os^{III}]₃⁺: promoting SMM behavior through 3d-5d transition metal substitution. **2014**, 53, 257-68 33
- 583 Fast magnetic relaxation in an octahedral dysprosium tetramethyl-aluminate complex. **2014**, 43, 3035-8 41
- 582 Beyond the anisotropy barrier: slow relaxation of the magnetization in both easy-axis and easy-plane Ln(trensal) complexes. **2014**, 50, 1648-51 179
- 581 Molecule-based magnetic coolers. **2014**, 43, 1462-75 445
- 580 Organometallic Single-Molecule Magnets. **2014**, 33, 1084-1099 319
- 579 A family of novel Mn₂Ln₂ clusters displaying single-molecule magnet behavior. **2014**, 43, 16737-44 13
- 578 Unprecedented magnetic relaxation via the fourth excited state in low-coordinate lanthanide single-ion magnets: a theoretical perspective. **2014**, 50, 15513-6 61
- 577 Synthesis, structure, and magnetism of a family of heterometallic {Cu₂Ln₇} and {Cu₄Ln₁₂} (Ln = Gd, Tb, and Dy) complexes: the Gd analogues exhibiting a large magnetocaloric effect. **2014**, 53, 13154-61 40
- 576 Slow relaxation in the first penta-aza Dy(III) macrocyclic complex. **2014**, 50, 3741-3 38

- 575 A 2D \rightarrow 2D polyrotaxane lanthanide-organic framework showing field-induced single-molecule magnet behaviour. **2014**, 4, 36053-36056 18
- 574 A sandwich complex with axial symmetry for harnessing the anisotropy in a prolate erbium(III) ion. **2014**, 50, 1602-4 116
- 573 Chemical tuning of the magnetic relaxation in dysprosium(III) mononuclear complexes. **2014**, 43, 12146-9 44
- 572 Cluster-Based Single-Molecule Magnets. **2014**, 1-109 30
- 571 Direct measurement of dysprosium(III)-dysprosium(III) interactions in a single-molecule magnet. **2014**, 5, 5243 190
- 570 Modifying the properties of 4f single-ion magnets by peripheral ligand functionalisation. **2014**, 5, 1650-1660 144
- 569 A zigzag Dy(III) cluster exhibiting single-molecule magnet, ferroelectric and white-light emitting properties. **2014**, 2, 8858-8864 95
- 568 Water-exchange rates of lanthanide ions in an ionic liquid. **2014**, 43, 16156-9 8
- 567 Elucidation of slow magnetic relaxation in a ferromagnetic 1D dysprosium chain through magnetic dilution. **2014**, 50, 6052-5 63
- 566 A 1D dysprosium chain with slow magnetic relaxation constructed from a pyridine-N-oxide ligand. **2014**, 50, 10434-7 60
- 565 Experimental and theoretical evidence that electrostatics governs easy-axis orientation in Dy(III)-based molecular chains. **2014**, 50, 13346-8 49
- 564 Structural complexity in the rare earth metallocene hydride complexes, $[(CMe)_2LnH]$ **2014**, 43, 15526-31 5
- 563 A new family of Ln clusters with an ideal $D(3h)$ metal-centered trigonal prismatic geometry, and SMM and photoluminescence behaviors. **2014**, 43, 11456-60 40
- 562 Large spin-relaxation barriers for the low-symmetry organolanthanide complexes $[Cp^*_2 Ln(BPh_4)]$ (Cp^* =pentamethylcyclopentadienyl; Ln=Tb, Dy). **2014**, 20, 9524-9 117
- 561 Magnetic anisotropy and mechanism of magnetic relaxation in Er(III) single-ion magnets. **2014**, 53, 10835-45 73
- 560 Cyanomethylene-bis(phosphonate)-based lanthanide complexes: structural, photophysical, and magnetic investigations. **2014**, 53, 2708-17 27
- 559 Enhancement of spin relaxation in an FeDy₂ Fe coordination cluster by magnetic fields. **2014**, 20, 12381-4 8
- 558 A layered erbium phosphonate in pseudo- $D(5h)$ symmetry exhibiting field-tunable magnetic relaxation and optical correlation. **2014**, 50, 7621-4 77

557	Single-Molecule Magnets on Surfaces. 2014 , 293-330	12
556	Influence of an inner-sphere K ⁺ ion on the magnetic behavior of N ₂ (3-) radical-bridged dilanthanide complexes isolated using an external magnetic field. 2014 , 53, 3099-107	76
555	On the possibility of magneto-structural correlations: detailed studies of dinickel carboxylate complexes. 2014 , 53, 8464-72	27
554	Exchange interactions at the origin of slow relaxation of the magnetization in {TbCu} and {DyCu} single-molecule magnets. 2014 , 53, 8970-8	50
553	Heptanuclear lanthanide [Ln ₇] clusters: from blue-emitting solution-stable complexes to hybrid clusters. 2014 , 43, 12486-94	18
552	Rational electrostatic design of easy-axis magnetic anisotropy in a Zn(II) -Dy(III) -Zn(II) single-molecule magnet with a high energy barrier. 2014 , 20, 14262-9	84
551	Versatile tetranuclear dysprosium single-molecule magnets. 2014 , 83, 185-196	25
550	ExCage. 2014 , 136, 10669-82	106
549	Probing the origin of magnetic anisotropy in a dinuclear {Mn(III)Cu(II)} single-molecule magnet: the role of exchange anisotropy. 2014 , 20, 5214-8	30
548	Heterometallic Pentanuclear [Ni ₄ Ln] (Ln ^{III} = Gd, Tb, Dy, Ho) Complexes: Accidental Orthogonality Leading to Ferromagnetic Interactions. 2014 , 2014, 3393-3400	16
547	Molecular magnets based on homometallic hexanuclear lanthanide(III) complexes. 2014 , 53, 5020-8	63
546	Structures and magnetic properties of two analogous Dy ₆ wheels with electron-donation and -withdrawal effects. 2014 , 53, 7554-60	29
545	Influence of pyrazolate vs N-heterocyclic carbene ligands on the slow magnetic relaxation of homoleptic trischelate lanthanide(III) and uranium(III) complexes. 2014 , 136, 6056-68	180
544	Direct observation of the discrete energy spectrum of two lanthanide-based single-chain magnets by far-infrared spectroscopy. 2014 , 89,	14
543	Review of purely 4f and mixed-metal nd-4f single-molecule magnets containing only one lanthanide ion. 2014 , 276, 1-33	432
542	Modulation of slow magnetic relaxation by tuning magnetic exchange in {Cr ₂ Dy ₂ } single molecule magnets. 2014 , 5, 3246-3256	111
541	Tetranuclear lanthanide(III) complexes with a zigzag topology from the use of pyridine-2,6-dimethanol: synthetic, structural, spectroscopic, magnetic and photoluminescence studies. 2014 , 53, 3220-9	40
540	Enhancing the effective energy barrier of a Dy(III) SMM using a bridged diamagnetic Zn(II) ion. 2014 , 50, 8838-41	110

- 539 The first 1-D cyanide-bridged complex assembled from a covalently tethered [CoII(N3O2)Cl(OH2)]₂₂₊ macrocyclic building block. **2014**, 76, 122-127 7
- 538 Tetranuclear lanthanide(III) complexes in a seesaw geometry: synthesis, structure, and magnetism. **2014**, 53, 3385-91 45
- 537 Fine-tuning the Local Symmetry to Attain Record Blocking Temperature and Magnetic Remanence in a Single-Ion Magnet. **2014**, 126, 4502-4506 67
- 536 Desolvation-Driven 100-Fold Slow-down of Tunneling Relaxation Rate in Co(II)-Dy(III) Single-Molecule Magnets through a Single-Crystal-to-Single-Crystal Process. **2015**, 5, 16621 78
- 535 The Diamond Light Source. **2015**, 98, 192-200
- 534 Modulating Relaxation Dynamics of Dy₂ Compounds through Carboxylate Coordination Modes. **2015**, 2015, 5488-5494 12
- 533 Synthesis, Crystal Structure, and Single-Molecule Magnetic Properties of a Salen-type Zn-Dy-Zn Complex. **2015**, 641, 1119-1124 14
- 532 Decanuclear Ln₁₀ Wheels and Vertex-Shared Spirocyclic Ln₅ Cores: Synthesis, Structure, SMM Behavior, and MCE Properties. **2015**, 21, 16955-67 59
- 531 Single-Molecule Magnetism, Enhanced Magnetocaloric Effect, and Toroidal Magnetic Moments in a Family of Ln₄ Squares. **2015**, 21, 15639-50 66
- 530 A Mononuclear Uranium(IV) Single-Molecule Magnet with an Azobenzene Radical Ligand. **2015**, 21, 17817-26 25
- 529 Anion-Triggered Modulation of Structure and Magnetic Properties of Copper(I)Dysprosium(III) Complexes Derived from 1-Hydroxybenzotriazolates. **2015**, 2015, 5379-5386 10
- 528 Ising exchange interaction in lanthanides and actinides. **2015**, 17, 103028 15
- 527 Magnetic Relaxation in Single-Electron Single-Ion Cerium(III) Magnets: Insights from Ab Initio Calculations. **2015**, 21, 13812-9 50
- 526 Analysis of the Role of Peripheral Ligands Coordinated to Zn(II) in Enhancing the Energy Barrier in Luminescent Linear Trinuclear Zn-Dy-Zn Single-Molecule Magnets. **2015**, 21, 15785-96 62
- 525 Lanthanide Complexes with Multidentate Oxime Ligands as Single-Molecule Magnets and Atmospheric Carbon Dioxide Fixation Systems. **2015**, 21, 13321-9 18
- 524 Slow magnetic relaxation in a novel carboxylate/oxalate/hydroxyl bridged dysprosium layer. **2015**, 6, 3095-3101 138
- 523 Assessing the exchange coupling in binuclear lanthanide(III) complexes and the slow relaxation of the magnetization in the antiferromagnetically coupled Dy derivative. **2015**, 6, 4148-4159 102
- 522 Systematic Study of a Family of Butterfly-Like {M₂Ln₂} Molecular Magnets (M = Mg(II), Mn(III), Co(II), Ni(II), and Cu(II); Ln = Y(III), Gd(III), Tb(III), Dy(III), Ho(III), and Er(III)). **2015**, 54, 5930-41 87

521	Cu(II)-Dy(III) and Co(III)-Dy(III) based single molecule magnets with multiple slow magnetic relaxation processes in the Cu(II)-Dy(III) complex. 2015 , 44, 13242-9	35
520	Single-Molecule Toroids and Multinuclear Lanthanide Single-Molecule Magnets. 2015 , 127-166	3
519	A Basis for Lanthanide Single-Molecule Magnets. 2015 , 1-39	1
518	Hexanuclear 3d ^{4f} Neutral Co ₂ Ln ₄ Clusters: Synthesis, Structure, and Magnetism. 2015 , 15, 3157-3165	28
517	Linear 3d-4f compounds: synthesis, structure, and determination of the d-f magnetic interaction. 2015 , 44, 11935-42	25
516	Relationship between Torsion and Anisotropic Exchange Coupling in a Tb(III)-Radical-Based Single-Molecule Magnet. 2015 , 54, 5732-8	32
515	Dinuclear Lanthanide Single-Molecule Magnets. 2015 , 91-126	
514	Influence of external magnetic field and magnetic-site dilution on the magnetic dynamics of a one-dimensional Tb(III)-radical complex. 2015 , 51, 10933-6	37
513	Lanthanide Single Molecule Magnets. 2015 ,	80
512	Anions Influence the Relaxation Dynamics of Mono-β-OH-Capped Triangular Dysprosium Aggregates. 2015 , 54, 5571-8	64
511	Recent Advances in Phthalocyanine-Based Functional Molecular Materials. 2015 , 159-199	15
510	Multiple thermal magnetic relaxation in a two-dimensional ferromagnetic dysprosium(III) metal-organic framework. 2015 , 5, 104854-104861	25
509	Tuning Magnetic Relaxation in a Tb-Nitronyl Nitroxide Complex by Using Cocrystalline Paramagnetic Complex. 2015 , 54, 11307-13	30
508	Redox shield enfolding a magnetic core. 2015 , 102, 361-365	3
507	New structural topologies in 4f-metal cluster chemistry from vertex-sharing butterfly units: {Ln ₇ } complexes exhibiting slow magnetization relaxation and ligand-centred emissions. 2015 , 5, 92534-92538	20
506	All three-in-one ferromagnetic interactions, single-molecule magnetism and magnetocaloric properties in a new family of [Cu ₄ Ln] (Ln = Gd, Tb, Dy) clusters. 2015 , 2, 945-948	19
505	Lanthanide nonanuclear clusters with sandglass-like topology and the SMM behavior of dysprosium analogue. 2015 , 88, 110-115	18
504	12-MC-4 metallocrowns as versatile tools for SMM research. 2015 , 289-290, 238-260	68

503	Field-induced slow magnetic relaxation in a hydrogen-bonding linked Co(II) 1D supramolecular coordination polymer. 2015 , 27, 401-406	19
502	Magnetic properties of the layered lanthanide hydroxide series $Y(x)Dy(8-x)(OH)_{20}Cl_4 \cdot 6H_2O$: from single ion magnets to 2D and 3D interaction effects. 2015 , 54, 1949-57	23
501	Slow Magnetic Relaxation in Pseudo-One-Dimensional 2p-4f Chains Involving π Interactions. 2015 , 2015, 1368-1375	16
500	Design criteria for high-temperature single-molecule magnets. 2015 , 54, 2097-9	165
499	Effective photosensitized energy transfer of nonanuclear terbium clusters using methyl salicylate derivatives. 2015 , 119, 1943-7	20
498	A family of $[Mn(III) \cdots n(III)]$ rod-like clusters. 2015 , 44, 6082-8	13
497	Slow magnetic relaxation in a lanthanide helix chain compound $[Dy(HNA)(NA)(NO)]_n$ (HNA = nicotinic acid). 2015 , 44, 6169-74	24
496	$[Ln(III)-Mn(II)-Ln(III)]$ heterometallic compounds: rare linear SMMs with divalent manganese ions. 2015 , 44, 3430-8	24
495	A single-ion magnet based on a heterometallic Co(III) 2 Dy(III) complex. 2015 , 21, 4926-30	27
494	Computational Modelling of the Magnetic Properties of Lanthanide Compounds. 2015 , 153-184	17
493	Field-induced slow magnetic relaxation of octahedrally coordinated mononuclear Fe(III)-, Co(II)-, and Mn(III)-containing polyoxometalates. 2015 , 51, 4081-4	79
492	The first near-linear bis(amide) f-block complex: a blueprint for a high temperature single molecule magnet. 2015 , 51, 101-3	191
491	Homodinuclear lanthanide $\{Ln_2\}$ ($Ln = Gd, Tb, Dy, Eu$) complexes prepared from an o-vanillin based ligand: luminescence and single-molecule magnetism behavior. 2015 , 44, 4328-40	57
490	Lanthanide single molecule magnets: progress and perspective. 2015 , 44, 3923-9	238
489	Large magnetic anisotropy in mononuclear metal complexes. 2015 , 289-290, 379-392	280
488	Molecular Nanomagnets and Related Phenomena. 2015 ,	66
487	Tetranuclear and Pentanuclear Compounds of the Rare-Earth Metals: Synthesis and Magnetism. 2015 , 54, 7846-56	43
486	Single molecule magnet behaviour in a rare trinuclear $\{Cr(III)Dy\}$ methoxo-bridged complex. 2015 , 44, 15769-73	11

485	Single-Molecule-Magnet Behavior in a [2 × 2] Grid Dy(III) ₄ Cluster and a Dysprosium-Doped Y(III) ₄ Cluster. 2015 , 54, 8087-92	51
484	Nanoscopic molecular magnets. 2015 , 2, 687-712	66
483	Improving f-element single molecule magnets. 2015 , 44, 6655-69	559
482	Influencing the properties of dysprosium single-molecule magnets with phosphorus donor ligands. 2015 , 6, 7492	112
481	Field and dilution effects on the magnetic relaxation behaviours of a 1D dysprosium(iii)-carboxylate chain built from chiral ligands. 2015 , 44, 13480-4	24
480	Slow magnetic relaxation of a three-dimensional metalorganic framework featuring a unique dysprosium(III) oxalate layer. 2015 , 5, 63186-63192	20
479	Construction and theoretical study of a new Dy(III)-diketone chain featuring slow magnetic relaxation. 2015 , 17, 5620-5624	18
478	Rational enhancement of the energy barrier of bis(tetrapyrrole) dysprosium SMMs replacing atom of porphyrin core. 2015 , 6, 5947-5954	82
477	Design of Single-Molecule Magnets: Insufficiency of the Anisotropy Barrier as the Sole Criterion. 2015 , 54, 7600-6	158
476	Magnetic and luminescent properties of lanthanide coordination polymers with asymmetric biphenyl-3,2',5'-tricarboxylate. 2015 , 44, 14424-35	37
475	Placing a crown on Dy(III) a dual property Ln(III) crown ether complex displaying optical properties and SMM behaviour. 2015 , 3, 7738-7747	32
474	Influence of porphyrin meso-attached substituent on the SMM behavior of dysprosium(III) double-deckers with mixed tetrapyrrole ligands. 2015 , 5, 17732-17737	14
473	Single molecule magnet behaviour in a {Dy ₄ P ₂ } octahedron. 2015 , 44, 12522-5	13
472	Increasing the effective energy barrier promoted by the change of a counteranion in a Zn-Dy-Zn SMM: slow relaxation via the second excited state. 2015 , 51, 12353-6	53
471	Molecular metal phosphonates. 2015 , 115, 6854-965	132
470	A family of dinuclear lanthanide(III) complexes from the use of a tridentate Schiff base. 2015 , 44, 10200-9	56
469	Polymeric Perturbation to the Magnetic Relaxations of the C _{2v} -Symmetric [Er(Cp) ₂ (OBu) ₂] ⁽⁻⁾ Anion. 2015 , 54, 4588-90	9
468	Lanthanide phosphonates with pseudo-D _{5h} local symmetry exhibiting magnetic and luminescence bifunctional properties. 2015 , 2, 558-566	49

- 467 Molecular lanthanide single-ion magnets: from bulk to submonolayers. **2015**, 27, 183203 68
- 466 "Half-sandwich" Yb(III) single-ion magnets with metallocrowns. **2015**, 51, 10291-4 75
- 465 π Bond Cleavage-Assisted Lanthanide Phosphate Coordination Polymers. **2015**, 15, 2555-2560 9
- 464 Amending the anisotropy barrier and luminescence behavior of heterometallic trinuclear linear [M(II)-Ln(III)-M(II)] (Ln(III) =Gd, Tb, Dy; M(II) =Mg/Zn) complexes by change from divalent paramagnetic to diamagnetic metal ions. **2015**, 21, 6449-64 50
- 463 Heterometallic 3d-4f single-molecule magnets: ligand and metal ion influences on the magnetic relaxation. **2015**, 54, 3631-42 81
- 462 An unusual three-dimensional Dy-Cd₂ framework exhibiting single-ion magnet behavior. **2015**, 44, 7757-60 13
- 461 Determination of magnetic anisotropy in a multinuclear Tb(III)-based single-molecule magnet. **2015**, 51, 10373-6 27
- 460 Efficient enhancement of magnetic anisotropy by optimizing the ligand-field in a typically tetranuclear dysprosium cluster. **2015**, 44, 8150-5 27
- 459 Multiple single-molecule magnet behaviors in dysprosium dinuclear complexes involving a multiple functionalized tetrathiafulvalene-based ligand. **2015**, 54, 4021-8 30
- 458 Effects of f-f interactions on the single-molecule magnet properties of terbium(III)-phthalocyaninato quintuple-decker complexes. **2015**, 54, 3297-305 54
- 457 Experimental and theoretical investigations of four 3d-4f butterfly single-molecule magnets. **2015**, 44, 18544-52 37
- 456 Comprehensive Spectroscopic Determination of the Crystal Field Splitting in an Erbium Single-Ion Magnet. **2015**, 137, 13114-20 86
- 455 Single-ion 4f element magnetism: an ab-initio look at Ln(COT)₂(-). **2015**, 44, 19886-900 45
- 454 Tuning the Magnetic Interactions and Relaxation Dynamics of Dy₂ Single-Molecule Magnets. **2015**, 21, 14099-106 79
- 453 Pentanuclear [2.2] spirocyclic lanthanide(III) complexes: slow magnetic relaxation of the Dy(III) analogue. **2015**, 44, 19282-93 14
- 452 A trimetallic strategy towards ZnDyCr and ZnDyCo single-ion magnets. **2015**, 44, 15413-6 25
- 451 Rhodamine-based field-induced single molecule magnets in Yb(III) and Dy(III) series. **2015**, 39, 8650-8657 23
- 450 A series of tetranuclear lanthanide compounds constructed by in situ polydentate ligands: synthesis, structure, and SMM behaviour of the Dy₄ compound. **2015**, 17, 9167-9174 20

449	Record high magnetic exchange and magnetization blockade in Ln ₂ @C79N (Ln = Gd(III) and Dy(III)) molecules: a theoretical perspective. 2015 , 51, 17732-5	53
448	A Dy ₂ single-molecule magnet with benzoate anions and phenol-O(-) bridging groups. 2015 , 44, 21025-31	28
447	Quantum tunneling of the magnetization in [MnIII ₆ M] ³⁺ (M=CrIII, MnIII) SMMs: Impact of molecular and crystal symmetry. 2015 , 289-290, 261-278	23
446	Remarkable Ln(III) ₃ Fe(III) ₂ clusters with magnetocaloric effect and slow magnetic relaxation. 2015 , 44, 468-71	31
445	Comprehensive insight into molecular magnetism via CONDON: Full vs. effective models. 2015 , 289-290, 137-148	66
444	Chiral mononuclear lanthanide complexes and the field-induced single-ion magnet behaviour of a Dy analogue. 2015 , 44, 223-9	46
443	Synthesis, structure, and magnetism of non-planar heptanuclear lanthanide(III) complexes. 2015 , 44, 1142-9	14
442	An NCN-pincer ligand dysprosium single-ion magnet showing magnetic relaxation via the second excited state. 2014 , 4, 5471	129
441	Actinide-based single-molecule magnets. 2015 , 44, 2517-28	96
440	Mononuclear and tetranuclear compounds of yttrium and dysprosium ligated by a salicylic schiff-base derivative: synthesis, photoluminescence, and magnetism. 2015 , 54, 773-81	30
439	Multiple Magnetization Reversal Channels Observed in a 3d-4f Single Molecule Magnet. 2016 , 2, 27	12
438	Magneto-Luminescence Correlation in the Textbook Dysprosium(III) Nitrate Single-Ion Magnet. 2016 , 2, 41	28
437	Perspectives on Neutron Scattering in Lanthanide-Based Single-Molecule Magnets and a Case Study of the Tb ₂ (η^2) System. 2016 , 2, 45	20
436	Site-Resolved Two-Step Relaxation Process in an Asymmetric Dy ₂ Single-Molecule Magnet. 2016 , 22, 1392-8	96
435	A planar triangular Dy ₃ + Dy ₃ single-molecule magnet with a toroidal magnetic moment. 2016 , 52, 9570-3	105
434	Cyclic Single-Molecule Magnets: From Even-Numbered Hexanuclear to Odd-Numbered Heptanuclear Dysprosium Clusters. 2016 , 2016, 3184-3190	9
433	Role of Magnetic Exchange Interactions in the Magnetization Relaxation of {3d-4f} Single-Molecule Magnets: A Theoretical Perspective. 2016 , 22, 672-80	46
432	Redox Switches for Single-Molecule Magnet Activity: An Ab Initio Insight. 2016 , 22, 5309-18	5

431	Tuning the Magnetoluminescence Behavior of Lanthanide Complexes Having Sphenocorona and Cubic Coordination Geometries. 2016 , 2016, 2774-2782	16
430	Assembling Dysprosium Dimer Units into a Novel Chain Featuring Slow Magnetic Relaxation via Formate Linker. 2016 , 55, 12904-12911	36
429	A distinct magnetic anisotropy enhancement in mononuclear dysprosium-sulfur complexes by controlling the Dy-ligand bond length. 2016 , 45, 8149-53	20
428	Two unique star-like [MnIVMnIII2LnIII] clusters: magnetic relaxation phenomena. 2016 , 6, 45326-45329	2
427	Polymorphic Lanthanide Phosphonates Showing Distinct Magnetic Behavior. 2016 , 55, 5297-304	18
426	Single-molecule magnet behavior in an octanuclear dysprosium(iii) aggregate inherited from helical triangular Dy ₃ SMM-building blocks. 2016 , 45, 10556-62	32
425	An Organolanthanide Building Block Approach to Single-Molecule Magnets. 2016 , 49, 1158-67	105
424	Carbonate-Bridged Lanthanoid Triangles: Single-Molecule Magnet Behavior, Inelastic Neutron Scattering, and Ab Initio Studies. 2016 , 55, 5201-14	29
423	Structural diversity in Ni(II) cluster chemistry: Ni ₅ , Ni ₆ , and {NiNa ₂ } _n complexes bearing the Schiff-base ligand N-naphthalidene-2-amino-5-chlorobenzoic acid. 2016 , 45, 10256-70	13
422	- isomerism modulates the magnetic relaxation of dysprosium single-molecule magnets. 2016 , 7, 3632-3639	114
421	A Stable Pentagonal Bipyramidal Dy(III) Single-Ion Magnet with a Record Magnetization Reversal Barrier over 1000 K. 2016 , 138, 5441-50	738
420	Lanthanoid single-ion magnets with the LnN ₁₀ coordination geometry. 2016 , 52, 6261-4	27
419	An air-stable Dy(iii) single-ion magnet with high anisotropy barrier and blocking temperature. 2016 , 7, 5181-5191	404
418	Toward Molecular 4f Single-Ion Magnet Qubits. 2016 , 138, 5801-4	156
417	Heterometallic trinuclear {CoLn(III)} (Ln = Gd, Tb, Ho and Er) complexes in a bent geometry. Field-induced single-ion magnetic behavior of the Er(III) and Tb(III) analogues. 2016 , 45, 9235-49	14
416	An unprecedented zero field neodymium(iii) single-ion magnet based on a phosphonic diamide. 2016 , 52, 7168-71	65
415	Metallogrid Single-Molecule Magnet: Solvent-Induced Nuclearity Transformation and Magnetic Hysteresis at 16 K. 2016 , 55, 5476-84	64
414	Lanthanide dinuclear complexes constructed by 8-hydroxyquinoline Schiff base showing magnetic refrigeration and slow magnetic relaxation. 2016 , 453, 452-456	24

413	Role of Single-Ion Anisotropy and Magnetic Exchange Interactions in Suppressing Zero-Field Tunnelling in {3d-4f} Single Molecule Magnets. 2016 , 55, 11201-11215	44
412	Role of Lanthanide-Ligand bonding in the magnetization relaxation of mononuclear single-ion magnets: A case study on Pyrazole and Carbene ligated LnIII(Ln=Tb, Dy, Ho, Er) complexes. 2016 , 128, 1615-1630	21
411	Multiple relaxation times in single-molecule magnets. 2016 , 94,	29
410	Fine-Tuning of the Coordination Environment To Regulate the Magnetic Behavior in Solvent/Anion-Dependent Dy Compounds: Synthesis, Structure, Magnetism, and Ab Initio Calculations. 2016 , 55, 10587-10596	23
409	Multiple superhyperfine fields in a {DyFe ₂ Dy} coordination cluster revealed using bulk susceptibility and (⁵⁷ Fe) Mössbauer studies. 2016 , 18, 21469-80	21
408	Field-Induced Single-Ion-Magnetic Behavior of Octahedral CoII in a Two-Dimensional Coordination Polymer. 2016 , 2016, 3545-3552	41
407	Lanthanide Clusters Toward Single-Molecule Magnets. 2016 , 209-314	7
406	Tuning Slow Magnetic Relaxation in a Two-Dimensional Dysprosium Layer Compound through Guest Molecules. 2016 , 55, 7980-7	33
405	Strategies toward High-Temperature Lanthanide-Based Single-Molecule Magnets. 2016 , 55, 10043-10056	248
404	Single-Ion Magnets Based on Mononuclear Cobalt(II) Complexes with Sulfadiazine. 2016 , 2016, 4835-4841	23
403	Slow Relaxation of Magnetization in an Isostructural Series of Zinc-Lanthanide Complexes: An Integrated EPR and AC Susceptibility Study. 2016 , 22, 12849-58	40
402	Synthesis, Structures, and Magnetic Properties of Chiral One-dimensional CrIII-MnIII Heterobimetallic Complexes Based on [(Tp)Cr(CN) ₃] ⁺ . 2016 , 642, 14-19	3
401	Tetranuclear Lanthanide(III) Complexes Containing a Square-Grid Core: Synthesis, Structure, and Magnetism. 2016 , 2016, 4683-4692	20
400	On Approaching the Limit of Molecular Magnetic Anisotropy: A Near-Perfect Pentagonal Bipyramidal Dysprosium(III) Single-Molecule Magnet. 2016 , 128, 16305-16308	102
399	On Approaching the Limit of Molecular Magnetic Anisotropy: A Near-Perfect Pentagonal Bipyramidal Dysprosium(III) Single-Molecule Magnet. 2016 , 55, 16071-16074	616
398	Hexanuclear Lanthanide Clusters Encapsulating a [6-CO ₃] ²⁻ Ion Displaying an Unusual Binding Mode. 2016 , 1, 3323-3327	
397	Magnetic relaxations in four-coordinate Dy(III) complexes: effects of anionic surroundings and short Dy-D bonds. 2016 , 3, 1028-1034	29
396	Encapsulation of a [Dy(OH ₂) ₈] ³⁺ cation: magneto-optical and theoretical studies of a caged, emissive SMM. 2016 , 52, 11335-8	19

- 395 A Mn(III) single ion magnet with tridentate Schiff-base ligands. **2016**, 45, 12301-7 16
- 394 Synthesis, Crystal Structures, Magnetic Properties, and Theoretical Investigation of a New Series of Ni-Ln-W Heterotrimetallics: Understanding the SMM Behavior of Mixed Polynuclear Complexes. **2016**, 55, 12158-12171 35
- 393 Study of the influence of magnetic dilution over relaxation processes in a Zn/Dy single-ion magnet by correlation between luminescence and magnetism. **2016**, 6, 108810-108818 16
- 392 Observation of Slow Relaxation and Single-Molecule Toroidal Behavior in a Family of Butterfly-Shaped Ln Complexes. **2016**, 22, 18532-18550 30
- 391 Modulation of the relaxation dynamics of linear-shaped tetranuclear rare-earth clusters through utilizing different solvents. **2016**, 45, 19117-19126 21
- 390 Relaxation Dynamics and Magnetic Anisotropy in a Low-Symmetry Dy(III) Complex. **2016**, 22, 5552-62 52
- 389 Phenoxo-O bridged dinuclear lanthanide complexes based on a multitooth Schiff base ligand: Structures, fluorescence properties and single-molecule magnet behavior. **2016**, 70, 164-167 11
- 388 Rare single-molecule magnets with six-coordinate Ln(III) ions exhibiting a trigonal antiprism configuration. **2016**, 45, 10689-95 23
- 387 Two 1,8-naphthalenediol-based dysprosium complexes: syntheses, structures, and magnetic properties. **2016**, 69, 1864-1873 5
- 386 Modelling spin Hamiltonian parameters of molecular nanomagnets. **2016**, 52, 8972-9008 51
- 385 Probing the structural and magnetic properties of a new family of centrosymmetric dinuclear lanthanide complexes. **2016**, 6, 56668-56673 8
- 384 Single-Molecule Magnets and Related Phenomena. **2016**, 35-48 16
- 383 Elucidating the Magnetic Anisotropy and Relaxation Dynamics of Low-Coordinate Lanthanide Compounds. **2016**, 55, 1905-11 49
- 382 Heteronuclear Ni(II)-Ln(III) (Ln = La, Pr, Tb, Dy) complexes: synthesis and single-molecule magnet behaviour. **2016**, 45, 3616-26 31
- 381 Tuning of Charge Transfer Assisted Phase Transition and Slow Magnetic Relaxation Functionalities in {Fe(9-x)Co(x)[W(CN)8]6} (x = 0-9) Molecular Solid Solution. **2016**, 138, 1635-46 61
- 380 Magnetization dynamics of a heterometallic Dy-isocarbonyl complex. **2016**, 3, 97-103 12
- 379 Effect of Ligand Field Tuning on the SMM Behavior for Three Related Alkoxide-Bridged Dysprosium Dimers. **2016**, 55, 68-74 58
- 378 Cyclic single-molecule magnets: from the odd-numbered heptanuclear to a dimer of heptanuclear dysprosium clusters. **2016**, 52, 2314-7 35

377	Evidence for 5d- π and 5d- σ covalency in lanthanide sesquioxides from oxygen K-edge X-ray absorption spectroscopy. 2016 , 45, 9948-61	31
376	Bis-phenoxido and bis-acetato bridged heteronuclear {Co(III)Dy(III)} single molecule magnets with two slow relaxation branches. 2016 , 45, 7510-20	37
375	New sandwich-type lanthanide complexes based on closed-macrocyclic Schiff base and phthalocyanine molecules. 2016 , 45, 7476-82	20
374	Alkali Metal Yttrium neo-Pentoxide Double Alkoxide Precursors to Alkali Metal Yttrium Oxide Nanomaterials. 2016 , 1, 473-481	2
373	Constraining the coordination geometries of lanthanide centers and magnetic building blocks in frameworks: a new strategy for molecular nanomagnets. 2016 , 45, 2423-39	327
372	A four-coordinate cobalt(II) single-ion magnet with coercivity and a very high energy barrier. 2016 , 7, 10467	295
371	Deciphering the origin of giant magnetic anisotropy and fast quantum tunnelling in Rhenium(IV) single-molecule magnets. 2016 , 7, 10669	27
370	Structural anisotropy of cyanido-bridged {CoII9WV6} single-molecule magnets induced by bidentate ligands: towards the rational enhancement of an energy barrier. 2016 , 52, 4772-5	23
369	Syntheses, structures and magnetic properties of a series of mono- and di-nuclear dysprosium(III)-crown-ether complexes: effects of a weak ligand-field and flexible cyclic coordination modes. 2016 , 3, 798-807	39
368	Syntheses, structures, and magnetic properties of three new chain compounds based on a pentagonal bipyramidal Co(II) building block. 2016 , 18, 4150-4157	36
367	Evaporable lanthanide single-ion magnet. 2016 , 18, 4165-4171	22
366	Symmetry-Supported Magnetic Blocking at 20 K in Pentagonal Bipyramidal Dy(III) Single-Ion Magnets. 2016 , 138, 2829-37	601
365	(Boratabenzene)(cyclooctatetraenyl) lanthanide complexes: a new type of organometallic single-ion magnet. 2016 , 3, 828-835	59
364	Evolution of Slow Magnetic Relaxation: from Diamagnetic Matrix Y(OH)CO ₃ to Dy(0.06)Y(0.94)(OH)CO ₃ with High Spin-Reversal Barrier and Blocking Temperature. 2016 , 55, 3145-50	11
363	Magneto-structural correlations in arsenic- and selenium-ligated dysprosium single-molecule magnets. 2016 , 7, 2128-2137	93
362	A family of tetranuclear quinolinolate Dy(III)-based single-molecule magnets: effects of periphery ligand replacement on their magnetic relaxation. 2016 , 45, 2674-80	14
361	A 3D Heterometallic Coordination Polymer Constructed by Trimeric {NiDy ₂ } Single-Molecule Magnet Units. 2016 , 55, 1202-7	70
360	Thiacalix[4]arene-supported heterodinuclear NiIIInIII complexes: slow magnetic relaxation behavior in the dysprosium analogue. 2016 , 6, 1143-1150	9

- 359 Modulating dynamic magnetic behaviors of two Tb(III) dinuclear complexes by using two different β -diketonate coligands. **2016**, 442, 172-177 7
- 358 The rise of 3-d single-ion magnets in molecular magnetism: towards materials from molecules?. **2016**, 7, 2470-2491 408
- 357 Seven phenoxido-bridged complexes encapsulated by 8-hydroxyquinoline Schiff base derivatives and β -diketone ligands: single-molecule magnet, magnetic refrigeration and luminescence properties. **2016**, 45, 3362-71 48
- 356 Multiple magnetic relaxation processes, magnetocaloric effect and fluorescence properties of rhombus-shaped tetranuclear rare earth complexes. **2016**, 45, 253-64 53
- 355 A monometallic lanthanide bis(methanediide) single molecule magnet with a large energy barrier and complex spin relaxation behaviour. **2016**, 7, 155-165 264
- 354 Binuclear CuLn complexes ($\text{Ln(III)} = \text{Gd, Tb, Dy}$) of alcohol-functionalized bicompartamental Schiff-base ligand. Hydrogen bonding and magnetic behaviors. **2016**, 439, 24-29 15
- 353 A triacontanuclear $[\text{Zn}_{12}\text{Dy}_{18}]$ cluster: a ring of $[\text{Dy}_4]$ cubes. **2016**, 52, 343-5 9
- 352 High symmetry or low symmetry, that is the question - high performance Dy(III) single-ion magnets by electrostatic potential design. **2016**, 7, 684-691 194
- 351 Single-molecule magnet behavior in a mononuclear dysprosium(III) complex with 1-methylimidazole. **2017**, 7, 2766-2772 7
- 350 Five Rare fO -Centered Ln Clusters with Single-Molecule Magnet Behavior for Dy. **2017**, 12, 507-514 12
- 349 Cytosine Nucleobase Ligand: A Suitable Choice for Modulating Magnetic Anisotropy in Tetrahedrally Coordinated Mononuclear Co Compounds. **2017**, 56, 1857-1864 29
- 348 Tm(III) complexes undergoing slow relaxation of magnetization: exchange coupling and aging effects. **2017**, 46, 3848-3856 13
- 347 A Trinuclear Radical-Bridged Lanthanide Single-Molecule Magnet. **2017**, 56, 10103-10107 94
- 346 Two {Dy} single-molecule magnets formed via an in situ reaction by capturing CO from atmosphere under ambient conditions. **2017**, 46, 1753-1756 14
- 345 Dinuclear lanthanide complexes based on amino alcoholate ligands: Structure, magnetic and fluorescent properties. **2017**, 1135, 106-111 4
- 344 Dynamic Magnetic and Optical Insight into a High Performance Pentagonal Bipyramidal Dy Single-Ion Magnet. **2017**, 23, 5708-5715 79
- 343 Cinnamic acid derivative rare-earth dinuclear complexes and one-dimensional architectures: synthesis, characterization and magnetic properties. **2017**, 46, 3943-3952 27
- 342 Homometallic Dy Complexes of Varying Nuclearity from 2 to 21: Synthesis, Structure, and Magnetism. **2017**, 23, 5154-5170 33

- 341 Exploring the Influence of Diamagnetic Ions on the Mechanism of Magnetization Relaxation in {CoLn} (Ln = Dy, Tb, Ho) "Butterfly" Complexes. **2017**, 56, 2518-2532 79
- 340 Phthalocyanine supported dinuclear Ln complexes: the solvent-induced change of magnetic properties in dysprosium(III) analogues. **2017**, 46, 3353-3362 23
- 339 End-to-end azido-pinned interlocking lanthanide squares. **2017**, 53, 3026-3029 64
- 338 Large Energy Barrier and Magnetization Hysteresis at 5 K for a Symmetric {Dy} Complex with Spherical Tricapped Trigonal Prismatic Dy Ions. **2017**, 56, 3568-3578 46
- 337 A Trinuclear Radical-Bridged Lanthanide Single-Molecule Magnet. **2017**, 129, 10237-10241 28
- 336 Imposing high-symmetry and tuneable geometry on lanthanide centres with chelating Pt and Pd metalloligands. **2017**, 8, 3566-3575 36
- 335 Enhanced magnetic anisotropy in a tellurium-coordinated cobalt single-ion magnet. **2017**, 4, 701-705 27
- 334 Role of the Diamagnetic Zinc(II) Ion in Determining the Electronic Structure of Lanthanide Single-Ion Magnets. **2017**, 23, 4903-4916 55
- 333 A Three-Pronged Attack To Investigate the Electronic Structure of a Family of Ferromagnetic FeLn Cyclic Coordination Clusters: A Combined Magnetic Susceptibility, High-Field/High-Frequency Electron Paramagnetic Resonance, and Fe Mössbauer Study. **2017**, 56, 4796-4806 30
- 332 Lanthanide coordination complexes framed by sodium ions: slow relaxation of the magnetization in the Dy(III) derivative. **2017**, 46, 6024-6030 19
- 331 Fine Tuning of Multicolored Photoluminescence in Crystalline Magnetic Materials Constructed of Trimetallic EuTb[Co(CN)] Cyanido-Bridged Chains. **2017**, 56, 5239-5252 43
- 330 Investigation of easy-plane magnetic anisotropy in P-ligand square-pyramidal Co single ion magnets. **2017**, 53, 5338-5341 37
- 329 Magnetic Relaxation Dynamics of a Centrosymmetric Dy Single-Molecule Magnet Triggered by Magnetic-Site Dilution and External Magnetic Field. **2017**, 56, 5611-5622 40
- 328 The Role of Coordination Environment and pH in Tuning the Oxidation Rate of Europium(II). **2017**, 23, 1145-1150 17
- 327 A dinuclear dysprosium single-molecule magnet constructed by o-vanillin Schiff base ligand: Magnetic properties and solution behaviour. **2017**, 76, 103-107 8
- 326 Record-high thermal barrier of the relaxation of magnetization in the nitride clusterfullerene DyScN@C-I. **2017**, 53, 7901-7904 79
- 325 A Six-Coordinate Dysprosium Single-Ion Magnet with Trigonal-Prismatic Geometry. **2017**, 56, 7320-7323 23
- 324 Syntheses, structures, and magnetic properties of a family of end-on azido-bridged Cu-Ln complexes. **2017**, 46, 7232-7241 20

323	Three-Dimensional Fe-[Mo(CN)] Magnets with Ordering below 65 K and Distinct Topologies Induced by Cation Identity. 2017 , 56, 7182-7189	8
322	Probing the Effects of Ligand Field and Coordination Geometry on Magnetic Anisotropy of Pentacoordinate Cobalt(II) Single-Ion Magnets. 2017 , 56, 6870-6878	49
321	Geometry and magnetic interaction modulations in dinuclear Dy single-molecule magnets. 2017 , 46, 8252-8258	41
320	Quantitative Estimation of Ising-Type Magnetic Anisotropy in a Family of C-Symmetric Co Complexes. 2017 , 23, 12550-12558	25
319	Molecular single-ion magnets based on lanthanides and actinides: Design considerations and new advances in the context of quantum technologies. 2017 , 346, 216-239	206
318	Hexahalorhenate(iv) salts of metal oxazolidine nitroxides. 2017 , 46, 5250-5259	5
317	A stable nonanuclear Tb(III) cluster for selective sensing of picric acid. 2017 , 463, 14-19	12
316	Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. 2017 , 56, 4996-5000	139
315	Enhancement of Magnetocaloric Effect through Fixation of Carbon Dioxide: Molecular Assembly from Ln to Ln Cluster Pairs. 2017 , 56, 4104-4111	51
314	Pentanuclear Lanthanide Mono-organophosphates: Synthesis, Structure, and Magnetism. 2017 , 56, 3946-3960	36
313	Hyperfine-Interaction-Driven Suppression of Quantum Tunneling at Zero Field in a Holmium(III) Single-Ion Magnet. 2017 , 129, 5078-5082	28
312	Solution and solid state structures and magnetism of a series of linear trinuclear compounds with a hexacoordinate Ln and two terminal Ni centers. 2016 , 46, 138-149	15
311	Antimony-ligated dysprosium single-molecule magnets as catalysts for stibine dehydrocoupling. 2017 , 8, 2073-2080	61
310	Structures and magnetic properties of dysprosium complexes: the effect of crystallization temperature. 2017 , 46, 564-570	18
309	Complementation and joint contribution of appropriate intramolecular coupling and local ion symmetry to improve magnetic relaxation in a series of dinuclear Dy ₂ single-molecule magnets. 2017 , 4, 499-508	36
308	Magnetic Excitations in Polyoxotungstate-Supported Lanthanoid Single-Molecule Magnets: An Inelastic Neutron Scattering and ab Initio Study. 2017 , 56, 378-394	40
307	Ab Initio Crystal Field for Lanthanides. 2017 , 23, 3708-3718	163
306	Modulating Slow Magnetic Relaxation of Dysprosium Compounds through the Position of Coordinating Nitrate Group. 2017 , 56, 13430-13436	19

- 305 Two structural analogous Tb(III)-indazole-radical complexes with different dynamic magnetic behaviors. **2017**, 86, 58-61 3
- 304 First Mononuclear Lanthanide Imidazolium Carboxylates. **2017**, 2, 9920-9923 2
- 303 The effect of additional methyl on the magnetic relaxation and toroidal moment of Dy₆ complex. **2017**, 7, 47520-47526 9
- 302 "Switching on" the single-molecule magnet properties within a series of dinuclear cobalt(III)-dysprosium(III) 2-pyridyloximate complexes. **2017**, 46, 14812-14825 22
- 301 Hard Single-Molecule Magnet Behavior by a Linear Trinuclear Lanthanide-[1]Metallophenanthroline Complex. **2017**, 139, 14877-14880 23
- 300 Filling the Missing Links of M Prototype 3d-4f and 4f Cyclic Coordination Cages: Syntheses, Structures, and Magnetic Properties of the NiLn and the Er Wheels. **2017**, 56, 12821-12829 21
- 299 Phonon-mediated spin-flipping mechanism in the spin ices Dy₂Ti₂O₇ and Ho₂Ti₂O₇. **2017**, 95, 8
- 298 Isomeric ligands enhance the anisotropy barrier within nine-coordinated {Dy₂} compounds. **2017**, 5, 9488-9495 27
- 297 Axial Ligand Field in D Coordination Symmetry: Magnetic Relaxation of Dy SMMs Perturbed by Counteranions. **2017**, 56, 11211-11219 53
- 296 Single-Molecule Magnetic Behavior in a Calix[8]arene-Capped Heterometallic {Dy_{III}4Co_{II}4} Square-Antiprismatic Cluster. **2017**, 2017, 4879-4883 4
- 295 Construction of lanthanide single-molecule magnets with the magnetic motif [Dy(MQ)₄]. **2017**, 4, 1776-1782 15
- 294 Chiral six-coordinate Dy(III) and Tb(III) complexes of an achiral ligand: structure, fluorescence, and magnetism. **2017**, 46, 13035-13042 21
- 293 Heterometallic Zn Ln Ensembles Containing (βCO) Ligand and Triangular Disposition of Ln ions: Analysis of Single-Molecule Toroidal (SMT) and Single-Molecule Magnet (SMM) Behavior. **2017**, 23, 16621-16636 32
- 292 Solvent orientation in the crystal lattice producing distinct magnetic dynamics in two binuclear Dy(III) polymorphs with a polydentate Schiff base ligand. **2017**, 19, 5735-5741 10
- 291 Dual Functionalization of Liquid-Exfoliated Semiconducting 2H-MoS₂ with Lanthanide Complexes Bearing Magnetic and Luminescence Properties. **2017**, 27, 1703646 20
- 290 Insights into Magnetic Interactions in a Monodisperse Gd₂Fe₂ Metal Cluster. **2017**, 56, 11475-11479 38
- 289 Insights into Magnetic Interactions in a Monodisperse Gd₁₂Fe₁₄ Metal Cluster. **2017**, 129, 11633-11637 5
- 288 Nuclear Spin Isomers: Engineering a Et N[DyPc] Spin Qudit. **2017**, 56, 9915-9919 43

- 287 Lanthanide Organophosphate Spiro Polymers: Synthesis, Structure, and Magnetocaloric Effect in the Gadolinium Polymer. **2017**, 56, 9071-9083 19
- 286 Intra-molecular origin of the spin-phonon coupling in slow-relaxing molecular magnets. **2017**, 8, 6051-6059 112
- 285 Modelling magnetic anisotropy of single-chain magnets in $|d/J| \ll 1$ regime. **2017**, 115, 2849-2859 3
- 284 Nuclear Spin Isomers: Engineering a Et₄N[DyPc₂] Spin Qudit. **2017**, 129, 10047-10051 12
- 283 Key role of higher order symmetry and electrostatic ligand field design in the magnetic relaxation of low-coordinate Er(III) complexes. **2017**, 46, 11913-11924 17
- 282 Syntheses, crystal structures, and magnetic properties of cyclic dimer Ln₂L₂ complexes constructed from (3-pyridinylmethoxy)phenyl-substituted nitronyl nitroxide ligands. **2017**, 7, 36895-36901 7
- 281 Giant coercivity and high magnetic blocking temperatures for N radical-bridged dilanthanide complexes upon ligand dissociation. **2017**, 8, 2144 181
- 280 Three series of heterometallic Ni-Ln Schiff base complexes: synthesis, crystal structures and magnetic characterization. **2017**, 46, 12558-12573 19
- 279 Suppression of Magnetic Quantum Tunneling in a Chiral Single-Molecule Magnet by Ferromagnetic Interactions. **2017**, 56, 15119-15129 19
- 278 Slow Magnetic Relaxation in a Dysprosium Ammonia Metallocene Complex. **2017**, 56, 15049-15056 23
- 277 Modulating spin dynamics of binuclear Ln(III) radical complexes by using different indazole radicals. **2017**, 7, 45504-45512 5
- 276 Two hybrid lanthanide complexes exhibiting a large magnetocaloric effect and slow magnetic relaxation. **2017**, 46, 10023-10028 15
- 275 Synthesis, Structure, and Magnetic Properties of 1D {[Mn(CN)][Mn(dapsc)]} Coordination Polymers: Origin of Unconventional Single-Chain Magnet Behavior. **2017**, 56, 8926-8943 26
- 274 A chiral mononuclear Dy(III) complex with field-induced single molecule magnet behavior. **2017**, 85, 66-69 5
- 273 Single-Molecule Magnet Behavior Enhanced by Synergic Effect of Single-Ion Anisotropy and Magnetic Interactions. **2017**, 56, 7882-7889 59
- 272 Mononuclear Lanthanide Complexes: Energy-Barrier Enhancement by Ligand Substitution in Field-Induced Dy SIMs. **2017**, 56, 7985-7997 16
- 271 Construction and magnetic study of two new dysprosium complexes with chain or tetranuclear structure. **2017**, 19, 4025-4032 5
- 270 Selective arc-discharge synthesis of Dy₅-clusterfullerenes and their isomer-dependent single molecule magnetism. **2017**, 8, 6451-6465 41

269	How Far can the Anisotropy Deviate from Uniaxiality in a Dy-Based Single-Molecule Magnet? Dinuclear Dy(III) Complex Study. 2017 , 48, 101-113	6
268	Molecular Design for Single-molecule Magnetism of Lanthanide Complexes. 2017 , 46, 10-18	22
267	Recent Development in Clusters of Rare Earths and Actinides: Chemistry and Materials. 2017 ,	17
266	Exchange-bias quantum tunnelling in a CO-based Dy-single molecule magnet. 2017 , 8, 1178-1185	40
265	50 Years of Structure and Bonding □The Anniversary Volume. 2017 ,	1
264	Hydroxide-bridged five-coordinate Dy single-molecule magnet exhibiting the record thermal relaxation barrier of magnetization among lanthanide-only dimers. 2017 , 8, 1288-1294	137
263	A family of one-dimensional lanthanide complexes bridged by two distinct carboxylate ligands with the Dy analogue displaying magnetic relaxation behaviour. 2017 , 46, 14114-14121	25
262	Tetranuclear Ni(II) and Co(II) Schiff-base complexes with an M4O6 defective dicubane-like core: zero-field SMM behavior in the cobalt analogue. 2017 , 41, 11258-11267	25
261	Magnetic Relaxation of Lanthanide-Based Molecular Magnets. 2017 , 26, 1-289	10
260	Spin states, vibrations and spin relaxation in molecular nanomagnets and spin qubits: a critical perspective. 2018 , 9, 3265-3275	140
259	Ferromagnetism versus slow paramagnetic relaxation in Fe-doped Li3N. 2018 , 97,	6
258	Symmetry strategies for high performance lanthanide-based single-molecule magnets. 2018 , 47, 2431-2453	533
257	A W-Shaped Ga-Dy-Dy-Dy-Ga Cluster: Synthesis, Characterization, and Magnetic Properties. 2018 , 83, 676-681	1
256	Static magnetism and thermal switching in randomly oriented L10 FePt thin films. 2018 , 8, 056438	
255	A new series of tetrahedral Co(ii) complexes [CoLX] (X = NCS, Cl, Br, I) manifesting single-ion magnet features. 2018 , 47, 3745-3754	23
254	Coupling Influences SMM Properties for Pure 4 f Systems. 2018 , 24, 6079-6086	44
253	Exploiting Miraculous Atmospheric CO2 Fixation in the Design of Dysprosium Single-Molecule Magnets. 2018 , 18, 1173-1181	13
252	A Series of Weakley-type Polyoxomolybdates: Synthesis, Characterization, and Magnetic Properties by a Combined Experimental and Theoretical Approach. 2018 , 57, 963-969	8

251	Modulating the Magnetic Interaction in New Triple-Decker Dysprosium(III) Single-Molecule Magnets. 2018 , 57, 1408-1416	27
250	Structure and magnetism of two chair-shaped hexanuclear dysprosium(iii) complexes exhibiting slow magnetic relaxation.. 2018 , 8, 767-774	9
249	Low-coordinate mononuclear lanthanide complexes as molecular nanomagnets. 2018 , 367, 163-216	84
248	A family of multi-spin rare-earth complexes based on a triazole nitronyl nitroxide radical: synthesis, structure and magnetic properties.. 2018 , 8, 15480-15486	12
247	Geometry and Magnetism of Lanthanide Compounds. 2018 , 191-226	5
246	Chemical tunnel-splitting-engineering in a dysprosium-based molecular nanomagnet. 2018 , 9, 1292	53
245	Recent advances in luminescent lanthanide based Single-Molecule Magnets. 2018 , 363, 57-70	169
244	Rhodamine Salicylaldehyde Hydrazone Dy(III) Complexes: Fluorescence and Magnetism. 2018 , 57, 4061-4069	24
243	A dual-functional luminescent Tb(iii) metal-organic framework for the selective sensing of acetone and TNP in water.. 2018 , 8, 10746-10755	28
242	Is a strong axial crystal-field the only essential condition for a large magnetic anisotropy barrier? The case of non-Kramers Ho(iii) versus Tb(iii) . 2018 , 47, 357-366	24
241	Changing Single-Molecule Magnet Properties of a Windmill-Like Distorted Terbium(III) t-Butoxy-Substituted Phthalocyaninato Double-Decker Complex by Protonation/Deprotonation. 2018 , 57, 565-574	18
240	Syntheses, crystal structures and magnetic properties of sandglass DyIII9 and irregular tetrahedron DyIII4 complexes. 2018 , 141, 69-76	13
239	Low coordinated mononuclear erbium(iii) single-molecule magnets with C symmetry: a method for altering single-molecule magnet properties by incorporating hard and soft donors. 2018 , 47, 302-305	28
238	Effect of coordination geometry on the magnetic properties of a series of Ln and Ln hydroxo clusters. 2018 , 47, 1726-1738	21
237	Slow magnetic relaxation in a neodymium metallocene tetraphenylborate complex. 2018 , 857, 164-169	9
236	Achieving white light emission and increased magnetic anisotropy by transition metal substitution in functional materials based on dinuclear DyIII(4-pyridone)[MIII(CN)6]3[M = Co, Rh) molecules. 2018 , 6, 473-481	39
235	Single molecule magnetic behaviour in lanthanide naphthalenesulfonate complexes. 2018 , 47, 17349-17356	13
234	A belt-like one-dimensional Dy chain exhibiting slow magnetic relaxation behavior. 2018 , 47, 15298-15302	4

233	Anion-driven structures and SMM behavior of dinuclear terbium and ytterbium complexes. 2018 , 47, 17493-17499	18
232	High-temperature magnetic blocking and magneto-structural correlations in a series of dysprosium(III) metallocenium single-molecule magnets. 2018 , 9, 8492-8503	271
231	Intermolecular mechanism for multiple maxima in molecular dynamic susceptibility. 2018 , 98,	20
230	Modeling molecular magnets with large exchange and on-site anisotropies. 2018 , 98,	1
229	Determination of Large Zero-Field Splitting in High-Spin Co(I) Clathrochelates. 2018 , 57, 15330-15340	10
228	Heterometallic ML _n (M = Co/Zn; Ln = Dy/Y) Complexes with Pentagonal Bipyramidal 3d Centers: Syntheses, Structures, and Magnetic Properties. 2018 , 57, 15526-15536	18
227	Lanthanide Tetranuclear Cage and Mononuclear Cocrystalline Nitronyl Nitroxide Complex with Single-Molecule-Magnet Behavior. 2018 , 57, 12466-12470	15
226	Does Symmetry Influence the Properties of [M ^{III} 6Cr ^{III}] ₃₊ Single-Molecule Magnets?. 2018 , 644, 1354-1360	4
225	Thiacalix[4]arene-supported mononuclear lanthanide compounds: slow magnetic relaxation in dysprosium and erbium analogues. 2018 , 42, 17968-17974	13
224	Field-induced single molecule magnet behavior of a Dy ^{III} -NaI one-dimensional chain extended by acetate ions. 2018 , 98, 127-131	12
223	Mononuclear Lanthanide Complexes with 18-Crown-6 Ether: Synthesis, Characterization, Magnetic Properties, and Theoretical Studies. 2018 , 57, 13225-13234	15
222	rhOver: Determination of magnetic anisotropy and related properties for dysprosium(III) single-ion magnets by semiempirical approaches utilizing Hartree-Fock wave functions. 2018 , 39, 2697-2712	2
221	Synthesis and Chemistry of Single-molecule Magnets. 2018 , 245-313	
220	Rational construction of a porous lanthanide coordination polymer featuring reversible guest-dependent magnetic relaxation behavior. 2018 , 5, 2875-2884	14
219	Synthesis, structure and magnetic investigations of dinuclear lanthanide complexes based on 2-ethoxycinnamate. 2018 , 47, 13647-13656	5
218	Mononuclear Dysprosium(III) Complexes with Triphenylphosphine Oxide Ligands: Controlling the Coordination Environment and Magnetic Anisotropy. 2018 , 6, 61	14
217	Salen Type Ligand as a Selective and Sensitive Nickel(II) ion Chemosensor: A Combined Investigation with Experimental and Theoretical Modelling. 2018 , 276, 560-566	33
216	Magnetic Dynamics of a Neodymium(III) Single-Ion Magnet. 2018 , 57, 11782-11787	19

215	Ab Initio Prediction of Tunneling Relaxation Times and Effective Demagnetization Barriers in Kramers Lanthanide Single-Molecule Magnets. 2018 , 9, 5327-5333	42
214	Magnetic relaxation in [Ln(hfac)] anions with [Cu(hfac)-radical] cation chains as counterions. 2018 , 47, 8142-8148	10
213	Heterometallic Octanuclear Ni Ln (Ln = Y, Gd, Tb, Dy, Ho, Er) Complexes Containing Ni Ln O Distorted Cubane Motifs: Synthesis, Structure, and Magnetic Properties. 2018 , 3, 5202-5211	8
212	Lanthanide-Based Porous Coordination Polymers: Syntheses, Slow Relaxation of Magnetization, and Magnetocaloric Effect. 2018 , 57, 6584-6598	33
211	Reversible ON-OFF switching of single-molecule-magnetism associated with single-crystal-to-single-crystal structural transformation of a decanuclear dysprosium phosphonate. 2018 , 9, 6424-6433	38
210	Molecular Nanomagnets Based on f-Elements. 2018 , 1-50	1
209	Magnetic Anisotropy, Magnetostructural Correlations and Mechanism of Magnetic Relaxation in {DyIII ₈ } Complexes: A Theoretical Perspective. 2018 , 2018, 3402-3412	7
208	Tuning the Magnetic Interactions in Dy(III) Single-Molecule Magnets. 2018 , 57, 8550-8557	48
207	Syntheses, structures and magnetic properties of macrocyclic Schiff base-supported homodinuclear lanthanide complexes. 2018 , 47, 11696-11704	11
206	Elucidation of the two-step relaxation processes of a tetranuclear dysprosium molecular nanomagnet through magnetic dilution. 2018 , 47, 11636-11644	14
205	Field-Induced Slow Relaxation in a Dinuclear Dysprosium(III) Complex Based on 3-Methoxycinnamic Acid. 2018 , 6, 35	8
204	The Exploration and Analysis of the Magnetic Relaxation Behavior in Three Isostructural Cyano-Bridged 3d ^{4f} Linear Heterotrinary Compounds. 2018 , 6, 36	4
203	Influence of Radicals on Magnetization Relaxation Dynamics of Pseudo-Octahedral Lanthanide Iminopyridyl Complexes. 2018 , 57, 9002-9011	24
202	Construction and Magnetic Study of One-Dimensional Lanthanide Radical Chains Involving Pyridinone-Substituted Nitronyl Nitroxide Radicals. 2018 , 2018, 3241-3248	4
201	Single-molecule magnet behaviour in a dysprosium-triradical complex. 2018 , 54, 9726-9729	35
200	[Ln] complexes (Ln = Gd, Dy): molecular analogues of natural minerals such as hydrocalcite. 2018 , 47, 12847-12851	9
199	Heterometallic lanthanide-centred [NiLn] rings. 2018 , 47, 12863-12867	7
198	Syntheses, crystal structures and magnetic properties of a series of ZnII ₂ LnIII ₂ compounds (Ln = Gd, Tb, Dy, Ho and Er): contrasting structural and magnetic features. 2018 , 42, 15917-15929	5

197	Slow magnetic relaxation in mononuclear complexes of Tb, Dy, Ho and Er with the pentadentate (N3O2) Schiff-base dapsco ligand. 2018 , 42, 14883-14893	15
196	Influence of the Coordination Environment on Easy-Plane Magnetic Anisotropy of Pentagonal Bipyramidal Cobalt(II) Complexes. 2018 , 57, 9999-10008	35
195	Field- and temperature-dependent quantum tunnelling of the magnetisation in a large barrier single-molecule magnet. 2018 , 9, 3134	120
194	Introduction to the electronic structure, luminescence, and magnetism of lanthanides. 2018 , 1-58	6
193	Heterometallic 3 d- 4 f SMMs. 2018 , 233-261	8
192	Double and triple pyridine-N-oxide bridged dinuclear Dysprosium(III) dimers and single-molecule magnetic properties. 2019 , 1175, 686-697	8
191	Single Molecule Magnetism with Strong Magnetic Anisotropy and Enhanced Dy-Dy Coupling in Three Isomers of Dy-Oxide Clusterfullerene DyO@C. 2019 , 6, 1901352	26
190	Synthesis and Magnetism of Neutral, Linear Metallocene Complexes of Terbium(II) and Dysprosium(II). 2019 , 141, 12967-12973	109
189	A single-ion single-electron cerrous magnet. 2019 , 48, 15928-15935	7
188	Enhancing single-molecule magnet behaviour through decorating terminal ligands in Dy compounds. 2019 , 48, 12622-12631	15
187	Single Molecule Magnet for Quantum Information Process'. 2019 , 263-304	3
186	Heterometallic 3d-4f Complexes as Single-Molecule Magnets. 2019 , 14, 4433-4453	39
185	Syntheses, Crystal Structures and Experimental/Theoretical Magnetic Properties of Two Butterfly NiII2YIII2 Compounds. 2019 , 4, 8074-8081	
184	Synthesis, structure and magnetic properties of a series of Ln(iii) complexes with radical-anionic iminopyridine ligands: effect of lanthanide ions on the slow relaxation of the magnetization. 2019 , 48, 12018-12022	7
183	Synthesis, Crystal Structures, Magnetic Properties, and Fluorescence of Two Heptanuclear CoIII4LnIII3 Compounds (Ln = GdIII, DyIII): Multiple Relaxation Dynamics in the DyIII Analogue. 2019 , 2019, 3411-3423	6
182	Air-Stable Hexagonal Bipyramidal Dysprosium(III) Single-Ion Magnets with Nearly Perfect D Local Symmetry. 2019 , 25, 16219-16224	49
181	Triplet-State Position and Crystal-Field Tuning in Opto-Magnetic Lanthanide Complexes: Two Sides of the Same Coin. 2019 , 25, 14625-14637	17
180	Exploration of SMM behavior of Ln complexes derived from thianaphthene-2-carboxylic acid. 2019 , 48, 14096-14102	13

- 179 Slow magnetic relaxation in Dy and Dy complexes of a versatile, trifunctional polydentate N,O-ligand. **2019**, 48, 14269-14278 13
- 178 Exploring the High-Temperature Frontier in Molecular Nanomagnets: From Lanthanides to Actinides. **2019**, 58, 11883-11892 24
- 177 Linear hexanuclear helical dysprosium single-molecule magnets: the effect of axial substitution on magnetic interactions and relaxation dynamics. **2019**, 48, 14062-14068 19
- 176 Bifunctional Mononuclear Dysprosium Complexes: Single-Ion Magnet Behaviors and Antitumor Activities. **2019**, 58, 2286-2298 31
- 175 Slow magnetic relaxation in a {EuCu} metallocrown. **2019**, 48, 1686-1692 18
- 174 Tetranuclear dysprosium single-molecule magnets: tunable magnetic interactions and magnetization dynamics through modifying coordination number. **2019**, 48, 2135-2141 17
- 173 Determination of the electronic structure of a dinuclear dysprosium single molecule magnet without symmetry idealization. **2019**, 10, 2101-2110 35
- 172 Dielectric relaxations in Ho₂Ti₂O₇ and Dy₂Ti₂O₇ pyrochlores. **2019**, 134, 201-208 5
- 171 Lanthanide(III) Hexanuclear Circular Helicates: Slow Magnetic Relaxation, Toroidal Arrangement of Magnetic Moments, and Magnetocaloric Effects. **2019**, 58, 11903-11911 35
- 170 Synthesis of a series of hetero-multi-spin LnCu complexes based on a methyl-pyrazole nitronyl nitroxide radical with slow magnetic relaxation behaviors. **2019**, 48, 9187-9193 10
- 169 A mononuclear dysprosium(III) single-molecule magnet with a non-planar metallocrown. **2019**, 43, 8704-8710 14
- 168 Different single-molecule magnets behaviors of carboxyl bridged dinuclear Dy(III) complexes induced by charged and neutral ligand. **2019**, 494, 42-48 2
- 167 Structures, Single-Molecule Magnets, and Fluorescent Properties of Four Dinuclear Lanthanide Complexes Based on 4-Azotriazolyl-3-hydroxy-2-naphthoic Acid. **2019**, 58, 5914-5921 18
- 166 Reversible temperature-induced polymorphic phase transitions of [Y(OAr)₃] and [Ce(OAr)₃] (Ar = 2,6-tBu₂-4-MeC₆H₂): interconversions between pyramidal and planar geometries. **2019**, 21, 2884-2892 1
- 165 Influence of Magnetic Interactions and Single-Ion Anisotropy on Magnetic Relaxation within a Family of Tetranuclear Dysprosium Complexes. **2019**, 58, 5715-5724 30
- 164 Phosphonate-assisted tetranuclear lanthanide assemblies: observation of the toroidic ground state in the Tb analogue. **2019**, 48, 6421-6434 8
- 163 A {Tb₂Fe₃} Pyramid Single-Molecule Magnet with Ferromagnetic Tb-Fe Interaction. **2019**, 37, 373-377 5
- 162 From zero-dimensional to one-dimensional chain N-oxide bridged compounds with enhanced single-molecule magnetic performance. **2019**, 48, 4324-4332 10

161	Lanthanide molecules for spin-based quantum technologies. 2019 , 1-54	6
160	Magnetic Behavior of Luminescent Dinuclear Dysprosium and Terbium Complexes Derived from Phenoxyacetic Acid and 2,2'-Bipyridine. 2019 , 5, 56	4
159	Rare-earth metal and actinide organoimide chemistry. 2019 , 48, 5752-5805	42
158	Triethylamine-templated nanocalix Ln clusters of diacylhydrazone: crystal structures and magnetic properties. 2019 , 48, 17414-17421	11
157	Two mononuclear dysprosium(iii) complexes with their slow magnetic relaxation behaviors tuned by coordination geometry. 2019 , 48, 16679-16686	12
156	Solvent-tuned magnetic exchange interactions in Dy systems ligated by a β -phenolato heptadentate Schiff base.. 2019 , 9, 39640-39648	6
155	Modulating the magnetization dynamics of rare earth complexes by structural regulation utilizing different solvents. 2019 , 159, 43-53	4
154	Homodinuclear $\{LnIII_2\}$ ($LnIII = GdIII, TbIII, HoIII, \text{ and } DyIII$) Complexes: Field-Induced SMM Behavior of the $DyIII$ and $TbIII$ Analogues. 2019 , 2019, 212-220	14
153	Slow relaxation of the magnetization observed in mononuclear Ln-radical compounds with D geometry configurations. 2019 , 48, 558-565	12
152	Future Perspectives on Biological Fabrication and Material Farming. 2019 , 3, 1800136	1
151	$Dy(iii)$ zig-zag chains assembled in a 3D framework with single-molecule magnet behaviour. 2019 , 48, 814-817	18
150	Molecular magnetism of lanthanide: Advances and perspectives. 2019 , 378, 350-364	239
149	Nanoscale Organic Thermoelectric Materials: Measurement, Theoretical Models, and Optimization Strategies. 2020 , 30, 1903873	62
148	End-to-End Azido-Bridged Lanthanide Chain Complexes ($Dy, Er, Gd, \text{ and } Y$) with a Pentadentate Schiff-Base $[NO]$ Ligand: Synthesis, Structure, and Magnetism. 2020 , 59, 563-578	19
147	Dysprosium-based linear helicate clusters: syntheses, structures, and magnetism. 2020 , 44, 994-1000	16
146	Regulating the structural dimensionality and dynamic properties of a porous dysprosium coordination polymer through solvent molecules. 2020 , 7, 930-938	11
145	Designing Multicoordinating Nitronyl Nitroxide Radical Toward Multinuclear Lanthanide Aggregates. 2020 , 59, 443-451	21
144	Decorated Tetrathiafulvalene-Based Ligands: Powerful Chemical Tools for the Design of Single-Molecule Magnets. 2020 , 2020, 148-164	11

- 143 Tuning the Equatorial Crystal-Field in Mononuclear Dy Complexes to Improve Single-Molecule Magnetic Properties. **2020**, 59, 16117-16121 19
- 142 Seven-coordinate Ln complexes assembled from a bulky acacH ligand: their synthesis, structure, photoluminescence and SMM behaviour. **2020**, 49, 15404-15416 3
- 141 Homoleptic cerium tris(dialkylamido)imidophosphorane guanidinate complexes. **2020**, 49, 14908-14913 1
- 140 Physical stimulus and chemical modulations of bistable molecular magnetic materials. **2020**, 56, 13702-13718 26
- 139 Blocking like it's hot: a synthetic chemists' path to high-temperature lanthanide single molecule magnets. **2020**, 49, 14320-14337 16
- 138 Slow relaxation of the magnetization, reversible solvent exchange and luminescence in 2D anilato-based frameworks. **2020**, 56, 9862-9865 12
- 137 Understanding the near-infrared fluorescence and field-induced single-molecule-magnetic properties of dinuclear and one-dimensional-chain ytterbium complexes based on 2-hydroxy-3-methoxybenzoic acid. **2020**, 7, 3136-3145 8
- 136 Asymmetric Dinuclear Lanthanide(III) Complexes from the Use of a Ligand Derived from 2-Acetylpyridine and Picolinoylhydrazide: Synthetic, Structural and Magnetic Studies. **2020**, 25, 4
- 135 Rare earth metal complexes based on a tripodal ligand and their application as highly selective turn-on fluorescent probe for Fe³⁺ ion. **2020**, 118, 108046 2
- 134 Investigation of the role of terminal ligands in magnetic relaxation in a series of dinuclear dysprosium complexes. **2020**, 7, 3352-3363 7
- 133 Strangely attractive: Collaboration and feedback in the field of molecular magnetism. **2020**, 120, e26248 2
- 132 Influence of Polymorphism on the Magnetic Properties of Single-Molecule Magnets According to the Data of EPR Spectroscopy in the Terahertz Range. **2020**, 46, 756-761 2
- 131 Ten-Coordinate Lanthanide [Ln(HL)(L)] Complexes (Ln = Dy, Ho, Er, Tb) with Pentadentate N3O2-Type Schiff-Base Ligands: Synthesis, Structure and Magnetism. **2020**, 6, 60 4
- 130 Structural and magnetic study of a new dinuclear SMM. **2020**, 121, 108211
- 129 Counter anions influence the relaxation dynamics of phenoxy-bridged Dy single molecule magnets. **2020**, 49, 12372-12379 12
- 128 External stimuli modulate the magnetic relaxation of lanthanide single-molecule magnets. **2020**, 7, 3315-3326 29
- 127 Single-molecule magnet behavior in heteroleptic Dy-chloro-diazabutadiene complexes: influence of the nuclearity and ligand redox state. **2020**, 49, 11890-11901 4
- 126 Magnetic dynamics of an open-ring tridysprosium complex employing mixed ligands. **2020**, 49, 14140-14147 2

125	Slow magnetic relaxation in a homo dinuclear Dy(iii) complex in a pentagonal bipyramidal geometry. 2020 , 49, 13110-13122	4
124	Magnetic relaxation dependences on the central ions for Ln (Ln = Tb, Dy, Er) phthalocyanines. 2020 , 117, 072406	4
123	Origins of Slow Magnetic Relaxation in Single-Molecule Magnets. 2020 , 125, 117203	22
122	Magnetic exchange interactions in symmetric lanthanide dimetallics. 2020 , 7, 3909-3918	4
121	Correlating Electronic Structure and Magnetic Anisotropy in Actinide Complexes [An(COT)], An = U, Np, and Pu. 2020 , 59, 6815-6825	11
120	Understanding magnetic relaxation in single-ion magnets with high blocking temperature. 2020 , 101,	41
119	Sub-Kelvin hysteresis of the dilanthanide single-molecule magnet Tb ₂ ScN@C80. 2020 , 101,	2
118	Magnetic Modification and the Mechanism of Tb-Phthalocyanine Single Molecule Magnets Prepared by a High Yield Method. 2020 , 2020, 2112-2117	4
117	Synthesis, characterization and magnetic studies of dinuclear lanthanide complexes constructed with a Schiff base ligand. 2020 , 73, 1045-1054	5
116	Self-assembled octanuclear [NiLn] (Ln = Dy, Tb and Ho) complexes: synthesis, coordination induced ligand hydrolysis, structure and magnetism. 2020 , 49, 7968-7976	7
115	Entangled Electrons Drive a Non-superexchange Mechanism in a Cobalt Quinoid Dimer Complex. 2020 , 11, 4584-4590	13
114	Spin dynamics in single-molecule magnets and molecular qubits. 2020 , 49, 9916-9928	37
113	Field-induced single-molecule magnet behavior in a Dy-based coordination polymer. 2020 , 130, 47002	0
112	Exploring the Vibrational Side of Spin-Phonon Coupling in Single-Molecule Magnets via Dy Nuclear Resonance Vibrational Spectroscopy. 2020 , 59, 8818-8822	6
111	Four Dinuclear and One-Dimensional-Chain Dysprosium and Terbium Complexes Based on 2-Hydroxy-3-methoxybenzoic Acid: Structures, Fluorescence, Single-Molecule-Magnet, and Ab Initio Investigation. 2020 , 59, 4414-4423	19
110	Untersuchung von Schwingungen in Bezug auf Spin-Phonon-Kopplung in Einzelmolekülmagneten mittels nuklearer inelastischer Streuung am ¹⁶¹ Dy-Kern. 2020 , 132, 8902-8907	3
109	Probing Relaxation Dynamics in Five-Coordinate Dysprosium Single-Molecule Magnets. 2020 , 26, 7774-7778	17
108	A method to predict both the relaxation time of quantum tunneling of magnetization and the effective barrier of magnetic reversal for a Kramers single-ion magnet. 2020 , 22, 9923-9933	26

107	Synthesis, structure, magnetic and luminescence properties of two dysprosium single-molecule magnets based on phenoxide dye ligands. 2020 , 22, 1909-1913	2
106	Normal mode analysis of a relaxation process with Bayesian inference. 2020 , 21, 67-78	3
105	A Study of Magnetic Relaxation in Dysprosium(III) Single-Molecule Magnets. 2020 , 26, 5893-5902	60
104	Tuning the Single-Molecule Magnetism of Dysprosium Complexes by a Redox-Noninnocent Diborane Ligand. 2020 , 39, 4143-4148	2
103	Investigation of magneto-structural relation based on a series of mononuclear dysprosium single-ion magnets with high Oh symmetry. 2020 , 504, 119451	7
102	Two Octanuclear {CuLn} (Ln = Dy or Tb) Complexes with a Butterfly-Shaped Unit Exhibiting Zero-Field Single-Molecule Magnet Behavior. 2020 , 59, 2328-2336	11
101	Rare CH ₃ O/CH ₃ CH ₂ O-bridged nine-coordinated binuclear Dy(III) single-molecule magnets (SMMs) significantly regulate and enhance the effective energy barriers. 2020 , 22, 1712-1724	2
100	Trigonal bipyramidal CoDy cluster exhibiting single-molecule magnet behavior. 2020 , 49, 2421-2425	10
99	Combination of single-molecule magnet behaviour and luminescence properties in a new series of lanthanide complexes with tris(pyrazolyl)borate and oligo(pyridine)diketonate ligands. 2020 , 49, 7774-7789	6
98	Magnetic Anisotropy in Divalent Lanthanide Compounds. 2020 , 132, 12820-12824	3
97	Magnetic Anisotropy in Divalent Lanthanide Compounds. 2020 , 59, 12720-12724	13
96	Assembling Homometallic Sb and Heterometallic TiSb Oxo Clusters. 2020 , 59, 6689-6696	4
95	Coercive Fields Above 6 T in Two Cobalt(II) Radical Chain Compounds. 2020 , 132, 10697-10705	3
94	Development of Single-Molecule Magnets. 2020 , 38, 1005-1018	22
93	Coercive Fields Above 6 T in Two Cobalt(II)-Radical Chain Compounds. 2020 , 59, 10610-10618	14
92	A Local D Symmetric Dysprosium(III) Single-Molecule Magnet with an Energy Barrier Exceeding 2000 K*. 2021 , 27, 2623-2627	21
91	Enhancing Magnetic Communication between Metal Centres: The Role of s-Tetrazine Based Radicals as Ligands. 2021 , 27, 5091-5106	5
90	High temperature quantum tunnelling of magnetization and thousand kelvin anisotropy barrier in a Dy single-molecule magnet. 2021 , 57, 371-374	14

89	A series of mononuclear Ln-radical complexes based on 1-methylpyrazole nitronyl nitroxide: Synthesis, structure and magnetic properties. 2021 , 194, 114928	1
88	A new 3D luminescent Ba-organic framework with high open metal sites: CO ₂ fixation, luminescence sensing, and dye sorption. 2021 , 23, 663-670	1
87	Ionothermal synthesis of octahedral lanthanoid coordination networks exhibiting slow magnetization relaxation and efficient photoluminescence. 2021 , 50, 1293-1299	1
86	Magnetic investigation in di- and tetranuclear lanthanide complexes. 2021 , 45, 2200-2207	3
85	Research Progress of Lanthanide Single-Molecule Magnets. 2021 , 10, 77-90	
84	Synthesis, characterization, magnetism and theoretical analysis of hetero-metallic [NiLn] partial di-cubane assemblies. 2021 , 50, 12517-12527	3
83	Are lanthanide-transition metal direct bonds a route to achieving new generation {3d-4f} SMMs?. 2021 , 50, 16099-16109	3
82	Ring-forming transformation associated with hydrazone changes of hexadecanuclear dysprosium phosphonates. 2021 , 50, 1119-1125	5
81	Understanding the magnetization blocking mechanism in N-radical-bridged dilanthanide single-molecule magnets. 2021 , 23, 10303-10310	6
80	Inverse Coordination Complexes: Oxygen as Coordination Center. 2021 , 66-120	1
79	Dysprosium(III) compounds assembled a versatile ligand incorporating salicylic hydrazide and 8-hydroxyquinolin units: syntheses, structures and magnetic properties. 2021 , 50, 9457-9466	1
78	Modulating the relaxation dynamics structural transition from a dinuclear dysprosium cluster to a nonanuclear cluster. 2021 , 50, 12814-12820	1
77	Structural and magnetic studies of mononuclear lanthanide complexes derived from N-rich chiral Schiff bases. 2021 , 50, 1746-1753	1
76	Mononuclear Dysprosium Alkoxide and Aryloxide Single-Molecule Magnets. 2021 , 27, 7625-7645	18
75	Heterometallic CuII□nIII complexes: Single molecule magnets and magnetic refrigerants. 2021 , 432, 213707	16
74	Dipyridyl-Decorated Nitronyl Nitroxide-Dy Single-Molecule Magnet with a Record Energy Barrier of 146 K. 2021 , 60, 7622-7626	2
73	Magnetocaloric effect and slow magnetic relaxation behavior in binuclear rare earth based RE ₂ (L) ₂ (DMF) ₄ (RE = Gd, Tb, and Dy) complexes. 2021 ,	2
72	Chelating Guanidines for Dysprosium(III) Single-Molecule Magnets□ 2021 , 39, 1635-1640	0

71	Incorporation of expanded organic cations in dysprosium(III) borohydrides for achieving luminescent molecular nanomagnets. 2021 , 11, 11354	1
70	Influence of the Different Types of Auxiliary Noncarboxylate Organic Ligands on the Topologies and Magnetic Relaxation Behavior of Zn-Dy Heterometallic Single Molecule Magnets. 2021 , 60, 9941-9955	2
69	Exploring the Role of Intramolecular Interactions in the Suppression of Quantum Tunneling of the Magnetization in a 3d-4f Single-Molecule Magnet. 2021 , 60, 9302-9308	7
68	Influence of Molecular and Electronic Structure of Ln ³⁺ Complexes on the Occurrence of Monoionic Magnetism: a Review. 2021 , 57, 163-190	0
67	Single Molecule Magnet Features in the Butterfly [CoIII ₂ LnIII ₂] Pivalate Family with Alcohol-Amine Ligands. 2021 , 2021, 3191-3210	0
66	Enhancing the Magnetic Anisotropy in Low-Symmetry Dy-Based Complexes by Tuning the Bond Length. 2021 , 60, 11419-11428	7
65	A Complete View of Orbach and Raman Spin-Lattice Relaxation in a Dysprosium Coordination Compound. 2021 , 143, 13633-13645	26
64	Single-Molecule Magnets: From Mn ¹² -ac to dysprosium metallocenes, a travel in time. 2021 , 441, 213984	32
63	Trigonal Prismatic Coordination of Discrete Rare Earth Ions, Enforced by the Polyoxotungstate [PW ₁₀ O ₃₆ (H ₂ O)]. 2021 , 27, 13376-13383	2
62	An Azido-Bridged Dysprosium Chain Complex Showing Zero-field Slow Magnetic Relaxation. 2021 , 16, 3331-3335	1
61	A Cost-Effective Semi-Ab Initio Approach to Model Relaxation in Rare-Earth Single-Molecule Magnets. 2021 , 12, 8826-8832	5
60	Synthesis, crystal structures, luminescent and magnetic properties of rare earth dinuclear complexes and one-dimensional coordination polymers supported by two derivatives of cinnamic acid. 2021 , 207, 115366	0
59	Structural, magnetic and theoretical analyses of anionic and cationic phthalocyaninato-terbium(III) double-decker complexes: magnetic relaxation higher ligand-field sublevels enhanced by oxidation. 2021 , 50, 9719-9724	1
58	Lanthanides. 2021 , 418-470	
57	3d- and 4f-Based Single Molecule Magnets. 2021 , 595-619	0
56	Origin of the anomalously low Raman exponents in single molecule magnets. 2021 , 103,	18
55	One-dimensional cyanide-bridged Fe(III)Mn(II) magnetic complexes with different configurations derived from a new pentacyanoiron(III) building block. 2020 , 45, 373-380	4
54	Equatorial coordination optimization for enhanced axiality of mononuclear Dy(III) single-molecule magnets. 2020 , 49, 3222-3227	3

53	The differential magnetic relaxation behaviours of slightly distorted triangular dodecahedral dysprosium analogues in a type of cyano-bridged 3d-4f zig-zag chain compounds. 2020 , 49, 6867-6875	6
52	Near-infrared luminescence and magnetic properties of dinuclear rare earth complexes modulated by diketone co-ligands. 2020 , 44, 3912-3921	7
51	A new multi-functional Cu(ii)-organic framework as a platform for selective carbon dioxide chemical fixation and separation of organic dyes. 2021 , 23, 8315-8322	1
50	Single-Molecule Magnets. 1-21	0
49	Non-perturbative Methods in Phenomenological Simulations of Ring-Shape Molecular Nanomagnets. 2014 , 438-447	1
48	Three hetero-tri-spin Ln ₂ CuNIT complexes based on a 1-methyl-3-pyrazole nitronyl nitroxide radical: Syntheses, structures and magnetic properties. 2022 , 212, 115594	
47	Deciphering the Role of Anions and Secondary Coordination Sphere in Tuning Anisotropy in Dy(III) Air-Stable D SIMs*. 2021 , 28, e202103585	3
46	Magnetic relaxation in single-ion magnets formed by less-studied lanthanide ions Ce(III), Nd(III), Gd(III), Ho(III), Tm(II/III) and Yb(III). 2021 , 214288	1
45	Disentangling 4f-radical coupling and dissipative Landau-Zener quantum tunneling in a continuously measured single-ion magnet spin transistor. 2021 , 104,	0
44	Effect of the Transition Metal Ions on the Single-Molecule Magnet Properties in a Family of Air-Stable 3d-4f Ion-Pair Compounds with Pentagonal Bipyramidal Ln(III) Ions. 2021 ,	3
43	Experimental and theoretical insights into Co-Ln magnetic exchange and the rare slow-magnetic relaxation behavior of [CoII ₂ Pr] in a series of linear [CoII ₂ Ln] complexes.. 2022 ,	2
42	Emerging Trends on Designing High-Performance Dysprosium(III) Single-Molecule Magnets. 2022 , 4, 307-319	6
41	Toroidal centripetal arrangement of the magnetic moment in a Dy ₄ tetrahedron.. 2022 ,	3
40	Homo- and heteroleptic lanthanide-iron alkoxides as precursors in materials synthesis. 2022 , 99, 100347	0
39	A cyanometallate- and carbonate-bridged dysprosium chain complex with a pentadentate macrocyclic ligand: synthesis, structure, and magnetism.	1
38	Molecular Magnetism. 2022 , 52,	4
37	Design of Dinuclear Lanthanide Complexes from N ₂ O ₂ Donor Ligand for Single Molecule Magnets: Crystalline Architecture and Slow Magnetic Relaxation Studies. 2022 , 7,	
36	Cyano-Bridged Dy(III) and Ho(III) Complexes with Square-Wave Structure of the Chains. 2022 , 10, 41	

- 35 Engineering Periodic Dinuclear Lanthanide-Directed Networks Featuring Tunable Energy Level Alignment and Magnetic Anisotropy by Metal Exchange.. **2022**, e2107073 1
- 34 Significantly Enhancing the Single-Molecule-Magnet Performance of a Dinuclear Dy(III) Complex by Utilizing an Asymmetric Auxiliary Organic Ligand. **2021**, 3
- 33 Electron transfer photochromism of Ln-based (Ln = Dy, Tb) coordinated polymers for reversibly switching off/on single-molecule magnetic behavior. **2022**, 65, 788-794 1
- 32 The Role of Radical Bridges in Polynuclear Single-Molecule Magnets.. **2022**, e202200227 0
- 31 Zero-Field Slow Magnetic Relaxation Behavior of Zn₂Dy in a Family of Trinuclear Near Linear Zn₂Ln Complexes: Synthesis, Experimental and Theoretical Investigations. 1
- 30 Ligand Fluorination to Mitigate the Raman Relaxation of Dy(III) Single-Molecule Magnets: A Combined Terahertz, Far-IR and Vibronic Barrier Model Study.. **2022**, 4
- 29 Ligand Fluorination to Mitigate the Raman Relaxation of Dy(III) Single-Molecule Magnets: A Combined Terahertz, Far-IR and Vibronic Barrier Model Study.
- 28 Achieving large thermal hysteresis in an anthracene-based manganese(II) complex via photo-induced electron transfer.. **2022**, 13, 2646 3
- 27 Single-Molecule Magnet Behaviour in a Centrosymmetric Dinuclear Dysprosium(III) Complex: Sequential Distinguish of Triple Relaxation Pathways. 1
- 26 Single-Molecule Magnets beyond a Single Lanthanide Ion: The Art of Coupling. 5
- 25 Subcomponent self-assembly of circular helical Dy₆(L)₆ and bipyramid Dy₁₂(L)₈ architectures directed via second-order template effects. **2022**, 13, 10048-10056 0
- 24 The interpretation and prediction of lanthanide single-ion magnets from ab initio electronic structure calculation: the capability and limit. 0
- 23 Bis-pyrazolone-based dysprosium(iii) complexes: zero-field single-molecule magnet behavior in the [2 D] grid DyIII₄ cluster. **2022**, 24, 6688-6695 0
- 22 3D-Frameworks and 2D-networks of lanthanide coordination polymers with 3-pyridylpyrazole: photophysical and magnetic properties. **2022**, 51, 14673-14685 0
- 21 Structural cutting and recombining in a layered sodium dysprosium phosphonate: key roles of flexible pyrazinyl hydrazone molecular tools. 0
- 20 LnIII (Ln = La, Gd, and Dy) Benzimidazolium Tricarboxylate Coordination Polymers with Hydrogen Bonding Modulated Magnetic Relaxation. **2022**, 22, 6046-6055 1
- 19 Multifunctional LnIII complexes constructed by selected phosphine oxide and diketonate in association with SMM, luminescent and MCE properties. 0
- 18 Asymmetric {Dy₄} Metallogrid and Double-Layered {Dy₈} Cage Clusters from Carboxylic Decorated o-vanillin Schiff Bases: Syntheses, Topological Variation, and Single Molecule Magnet Behaviors. 0

- 17 Pentagonal-bipyramidal 4d and 5d complexes with unquenched orbital angular momentum as a unique platform for advanced single-molecule magnets: current state and perspectives. 1
- 16 A DyIII single-ion magnet with D5h configuration. **2023**, 547, 121343 0
- 15 Lanthanide metal-organic frameworks containing ferromagnetically coupled metal-carboxylate chains showing slow magnetic relaxation behavior. **2023**, 1276, 134777 0
- 14 Closely Related Organometallic Er(III) Single-Molecule Magnets with Sizable Different Relaxation Times of Quantum Tunneling of Magnetization. 0
- 13 Probing the Magnetization Relaxation Dynamics of Four-Coordinate Lanthanide(III) Complexes. 0
- 12 Ligand Modulation of the Structures and Magnetic Relaxation in Triangular Dy₃ Complexes Based on a Tricompartamental Scaffold. 0
- 11 Mononuclear Lanthanide Complexes in Triangular Dodecahedron Geometry: Manifestation of Single Ion Magnet Behavior for DyIII Analogue. 0
- 10 Strong Axiality in a Dysprosium(III) Bis(borolide) Complex Leads to Magnetic Blocking at 65 K. 0
- 9 The Versatility of Ethylene Glycol to Tune the Dimensionality and Magnetic Properties in DyIII-Anilato-Based Single-Ion Magnets. 0
- 8 Strategies to Quench Quantum Tunneling of Magnetization in Lanthanide Single Molecule Magnets. 0
- 7 Slow magnetic relaxation in a homoaxially phosphine oxide coordinated pentagonal bipyramidal Dy(III) complex. 0
- 6 Neptunium Alkoxide Chemistry: Expanding Alkoxides to the Transuranium Elements. 0
- 5 Zero-Field Slow Magnetic Relaxation in Binuclear Dy Acetylacetonate Complex with Pyridine-N-Oxide. **2023**, 9, 105 0
- 4 Hydrolytically stabilized 5-hydroxyisophthalate appended Tb-MOF as a twofold chemosensor for discerning detection of 2,4,6-trinitrophenol and ferric ion: Structural, topological and mechanistic sensing exploration via experimental and computational studies. **2023**, 552, 121488 0
- 3 Two Ln₂NIT₃ Complexes Based on 1-Methyl-5-benzotriazole Nitronyl Nitroxide Radical with Slow Magnetic Relaxation Behavior. **2023**, 23, 1868-1873 0
- 2 Lanthanide Single-molecule Magnets: Synthetic Strategy, Structures, Properties and Recent Advances. **2023**, 18, 0
- 1 Syntheses, Structures, and Magnetic Properties of Novel [3f + 2f] Pentanuclear Zinc(II)-Lanthanide(III) Cocrystal Complexes: Slow Magnetic Relaxation Behavior of the Dy(III) Analogue. **2023**, 23, 2218-2230 0