

CITATION REPORT

List of articles citing

An ultra-lightweight design for imperceptible plastic electron

DOI: 10.1038/nature12314
Nature, 2013, 499, 458-63.

Source: <https://exaly.com/paper-pdf/54856978/citation-report.pdf>
Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1971	An Ultrastretchable and Self-Healable Nanocomposite Conductor Enabled by Autonomously Percolative Electrical Pathways.		
1970	Experimental investigation of a large volume magnetoplasma source based on surface-wave propagation. 1998 , 7, 154-161		9
1969	High- T c planar SQUID gradiometer for eddy current non-destructive evaluation. 2006 , 15, 1903-1908		2
1968	Effects of resin addition on holographic polymer dispersed liquid crystals. 2009 , 11, 024021		5
1967	A reversible transform for seismic data processing. 2011 , 8, 477-486		5
1966	Nd-Doping Induced Lattice Distortion in TiO 2 Nanoparticles. 2011 , 28, 027804		2
1965	Flexible electronics: Sophisticated skin. 2013 , 12, 871-2		188
1964	Wetting: Contact with what?. 2013 , 12, 872-3		35
1963	Ultraflexible organic devices for biomedical applications. 2013 ,		2
1962	The selective transfer of patterned graphene. 2013 , 3, 3216		17
1961	On the transport and concentration of enstrophy in 3D magnetohydrodynamic turbulence. 2013 , 26, 2373-2390		2
1960	Theoretical study on the photonic band gap in one-dimensional photonic crystals with graded multilayer structure. 2013 , 22, 074211		8
1959	Imperceptible Electronic Skin. 2014 , 30, 20-25		4
1958	Chemically tunable ultrathin silsesquiazane interlayer for n-type and p-type organic transistors on flexible plastic. 2014 , 6, 22807-14		9
1957	Flexible Electronics from Foils to Textiles. 2014 , 199-233		1
1956	Ultra high permittivity and significantly enhanced electric field induced strain in PEDOT:PSS/BGO@PU intelligent shape-changing electro-active polymers. 2014 , 4, 64061-64067		39
1955	Skin-inspired electronic devices. 2014 , 17, 321-331		380

1954	Bionic skins using flexible organic devices. 2014 ,	1
1953	Toward panoramic in situ mapping of action potential propagation in transgenic hearts to investigate initiation and therapeutic control of arrhythmias. 2014 , 5, 337	1
1952	Mechanics Design for Stretchable, High Areal Coverage GaAs Solar Module on an Ultrathin Substrate. 2014 , 81,	20
1951	Multiple Neutral Axes in Bending of a Multiple-Layer Beam With Extremely Different Elastic Properties. 2014 , 81,	26
1950	. 2014 ,	2
1949	Modeling and Analysis of a Flexible Capacitive Tactile Sensor Array for Normal Force Measurement. 2014 , 14, 4095-4103	22
1948	Contact resistance and overlapping capacitance in flexible sub-micron long oxide thin-film transistors for above 100 MHz operation. 2014 , 105, 263504	47
1947	Overcoming tradeoff between mobility and bias stability in organic field-effect transistors according to the self-assembled monolayer chain lengths. 2014 , 104, 173301	31
1946	P-21: n-type Organic Thin Film Transistors with High Operational Stability. 2014 , 45, 1021-1023	
1945	Hybrid Proton and Electron Transport in Peptide Fibrils. 2014 , 24, 5873-5880	51
1944	Hybrid stretchable circuits on silicone substrate. 2014 , 115, 143511	27
1943	11.2: Invited Paper: Imperceptible Electronic Skin. 2014 , 45, 122-125	7
1942	High performance flexible electronics for biomedical devices. 2014 , 2014, 4176-9	4
1941	A strain-absorbing design for tissue-machine interfaces using a tunable adhesive gel. 2014 , 5, 5898	106
1940	A tunable hemispherical platform for non-stretching curved flexible electronics and optoelectronics. 2014 , 116, 044508	4
1939	Fabric-based integrated energy devices for wearable activity monitors. 2014 , 26, 6329-34	261
1938	Stretchable silicon nanoribbon electronics for skin prosthesis. 2014 , 5, 5747	902
1937	Flexible three-axial force sensor for soft and highly sensitive artificial touch. 2014 , 26, 2659-64, 2614	298

1936	Reverse-micelle-induced porous pressure-sensitive rubber for wearable human-machine interfaces. 2014 , 26, 4825-30	473
1935	Heteropolar Charging of Ferroelectrets for Flexible Keyboards and Tactile Sensors. 2014 , 472, 90-99	1
1934	Design and fabrication of novel stretchable device arrays on a deformable polymer substrate with embedded liquid-metal interconnections. 2014 , 26, 6580-6	75
1933	Tunable Flexible Pressure Sensors using Microstructured Elastomer Geometries for Intuitive Electronics. 2014 , 24, 5427-5434	317
1932	Transparent, low-power pressure sensor matrix based on coplanar-gate graphene transistors. 2014 , 26, 4735-40	160
1931	A hierarchical computational model for stretchable interconnects with fractal-inspired designs. 2014 , 72, 115-130	89
1930	Ultrasensitive mechanical crack-based sensor inspired by the spider sensory system. <i>Nature</i> , 2014 , 516, 222-6	50.4 868
1929	Mechanical analysis of organic flexible devices by finite element calculation. 2014 , 211, 795-799	12
1928	Ultrathin, short channel, thermally-stable organic transistors for neural interface systems. 2014 ,	2
1927	Self-folding miniature elastic electric devices. 2014 , 23, 094005	44
1926	Deterioration and recovery of electrical conductivity during fatigue testing of stretchable wires printed onto fabrics using Ag-loaded electrically conductive pastes. 2014 , 1628, 1	6
1925	1 mm-thickness ultra-flexible and high electrode-density surface electromyogram measurement sheet with 2 V organic transistors for prosthetic hand control. 2014 , 8, 824-33	47
1924	Multifunctional wearable devices for diagnosis and therapy of movement disorders. 2014 , 9, 397-404	1037
1923	25th anniversary article: A soft future: from robots and sensor skin to energy harvesters. 2014 , 26, 149-61	620
1922	Non-volatile organic memory with sub-millimetre bending radius. 2014 , 5, 3583	182
1921	All-Elastomeric, Strain-Responsive Thermochromic Color Indicators. 2014 , 10, 1266-1271	46
1920	3D multifunctional integumentary membranes for spatiotemporal cardiac measurements and stimulation across the entire epicardium. 2014 , 5, 3329	384
1919	Bipolar strain sensor based on an ultra-thin film of single-walled carbon nanotubes. 2014 , 64, 488-491	1

1918	Soft microfluidic assemblies of sensors, circuits, and radios for the skin. 2014 , 344, 70-4	802
1917	Silk-molded flexible, ultrasensitive, and highly stable electronic skin for monitoring human physiological signals. 2014 , 26, 1336-42	992
1916	Wearable, Human-Interactive, Health-Monitoring, Wireless Devices Fabricated by Macroscale Printing Techniques. 2014 , 24, 3299-3304	323
1915	Flexible and Transparent Nanocomposite of Reduced Graphene Oxide and P(VDF-TrFE) Copolymer for High Thermal Responsivity in a Field-Effect Transistor. 2014 , 24, 3438-3445	92
1914	The application of orthogonal photolithography to micro-scale organic field effect transistors and complementary inverters on flexible substrate. 2014 , 104, 053301	17
1913	Mechanically adaptive organic transistors for implantable electronics. 2014 , 26, 4967-73	144
1912	Molecularly Stretchable Electronics. 2014 , 26, 3028-3041	157
1911	Fabrication of ultra-flexible, ultra-thin organic field-effect transistors and circuits by a peeling-off method. 2014 , 2, 1260-1263	26
1910	Fabrication, characterization and screen printing of conductive ink based on carbon@Ag core-shell nanoparticles. 2014 , 427, 15-9	24
1909	Fabrication and application of flexible graphene silk composite film electrodes decorated with spiky Pt nanospheres. 2014 , 6, 4264-74	76
1908	A wearable and highly sensitive pressure sensor with ultrathin gold nanowires. 2014 , 5, 3132	1392
1907	Wafer-scale design of lightweight and transparent electronics that wraps around hairs. 2014 , 5, 2982	249
1906	Materials capability and device performance in flexible electronics for the Internet of Things. 2014 , 2, 1220-1232	124
1905	Hole-Transporting Spirothioxanthene Derivatives as Donor Materials for Efficient Small-Molecule-Based Organic Photovoltaic Devices. 2014 , 26, 6585-6594	39
1904	Wearing Sensors Inside and Outside of the Human Body for the Early Detection of Diseases. 2014 , 543-562	3
1903	Thermally curable organic/inorganic hybrid polymers as gate dielectrics for organic thin-film transistors. 2014 , 52, 3260-3268	10
1902	Self-folding printable elastic electric devices: Resistor, capacitor, and inductor. 2014 ,	12
1901	Semiconducting polymers with nanocrystallites interconnected via boron-doped carbon nanotubes. 2014 , 14, 7100-6	16

1900	Ionic skin. 2014 , 26, 7608-14	760
1899	Thermally curable polymers consisting of alcohol-functionalized cyclotetrasiloxane and melamine derivatives for use as insulators in OTFTs. 2014 , 15, 3666-3673	5
1898	Information and communication system technology's impacts on personalized and pervasive healthcare: A technological survey. 2014 ,	5
1897	A highly flexible and compact magnetoresistive analytic device. 2014 , 14, 4050-8	51
1896	Rugged and breathable forms of stretchable electronics with adherent composite substrates for transcutaneous monitoring. 2014 , 5, 4779	245
1895	Ultraflexible organic transistor active matrix using self-assembled monolayer gate dielectrics. 2014 ,	
1894	Increased elasticity of a low-bandgap conjugated copolymer by random segmentation for mechanically robust solar cells. 2014 , 4, 13635-13643	67
1893	A thin all-elastomeric capacitive pressure sensor array based on micro-contact printed elastic conductors. 2014 , 2, 4415-4422	140
1892	Bionic skins using flexible organic devices. 2014 ,	4
1891	. 2014 , 10, 2180-2191	405
1890	Sensitive, high-strain, high-rate bodily motion sensors based on graphene-rubber composites. 2014 , 8, 8819-30	588
1889	. 2014 ,	6
1888	Printable ammonia sensor based on organic field effect transistor. 2014 , 15, 3221-3230	39
1887	Imide- and amide-functionalized polymer semiconductors. 2014 , 114, 8943-9021	721
1886	Epitaxial patterning of thin-films: conventional lithographies and beyond. 2014 , 24, 093001	12
1885	Control of active semiconducting layer packing in organic thin film transistors through synthetic tailoring of dielectric materials. 2014 , 4, 29383-29392	3
1884	Highly stretchable and transparent ionogels as nonvolatile conductors for dielectric elastomer transducers. 2014 , 6, 7840-5	192
1883	Three-dimensionally deformable, highly stretchable, permeable, durable and washable fabric circuit boards. 2014 , 470, 20140472	46

1882	Electrocardiographic recording with conformable organic electrochemical transistor fabricated on resorbable bioscaffold. 2014 , 26, 3874-8	214
1881	Flexible crossbar-structured resistive memory arrays on plastic substrates via inorganic-based laser lift-off. 2014 , 26, 7480-7	102
1880	Self-powered, ultrasensitive, flexible tactile sensors based on contact electrification. 2014 , 14, 3208-13	352
1879	Highly deformable liquid-state heterojunction sensors. 2014 , 5, 5032	176
1878	Directly drawn poly(3-hexylthiophene) field-effect transistors by electrohydrodynamic jet printing: improving performance with surface modification. 2014 , 6, 10736-43	39
1877	Highly stretchable carbon nanotube transistors with ion gel gate dielectrics. 2014 , 14, 682-6	133
1876	A Rapid and Facile Soft Contact Lamination Method: Evaluation of Polymer Semiconductors for Stretchable Transistors. 2014 , 26, 4544-4551	82
1875	Human Interactive Wearable Devices: Applications of Artificial Electronic Skins and Smart Bandages. 2014 , 710-718	1
1874	Super-stretchy lithium-ion battery based on carbon nanotube fiber. 2014 , 2, 11054	140
1873	Fiber-based wearable electronics: a review of materials, fabrication, devices, and applications. 2014 , 26, 5310-36	1376
1872	Organic semiconductors based on [1]benzothieno[3,2-b][1]benzothiophene substructure. 2014 , 47, 1493-502	357
1871	Fully-printed high-performance organic thin-film transistors and circuitry on one-micron-thick polymer films. 2014 , 5, 4147	292
1870	Mechanical and electrical properties of ultra-thin chips and flexible electronics assemblies during bending. 2014 , 54, 2860-2870	20
1869	Epidermal photonic devices for quantitative imaging of temperature and thermal transport characteristics of the skin. 2014 , 5, 4938	185
1868	Parylene C surface functionalization and patterning with pH-responsive microgels. 2014 , 6, 15708-15	15
1867	Stretchable organic memory: toward learnable and digitized stretchable electronic applications. 2014 , 6, e87-e87	69
1866	High-speed operation in printed organic inverter circuits with short channel length. 2014 , 15, 2696-2701	29
1865	Stretchable carbon nanotube/ion-gel supercapacitors with high durability realized through interfacial microroughness. 2014 , 6, 13578-86	76

1864	Mobile Health: Design of Flexible and Stretchable Electrophysiological Sensors for Wearable Healthcare Systems. 2014 ,	14
1863	Transferring electrical energy between two dielectric elastomer actuators. 2014 , 212, 123-126	3
1862	Built to disappear. 2014 , 8, 5380-2	25
1861	Materials and structures for stretchable energy storage and conversion devices. 2014 , 26, 3592-617	318
1860	Design of conductive composite elastomers for stretchable electronics. 2014 , 9, 244-260	194
1859	Best of Both Worlds: Conjugated Polymers Exhibiting Good Photovoltaic Behavior and High Tensile Elasticity. 2014 , 47, 1981-1992	121
1858	Photolithographic patterning of PEDOT:PSS with a silver interlayer and its application in organic light emitting diodes. 2014 , 15, 1822-1827	30
1857	SU-8-based flexible amperometric device with IDA electrodes to regenerate redox species in small spaces. 2014 , 30, 305-9	8
1856	Engineering semiconducting polymers for efficient charge transport. 2015 , 5, 383-395	66
1855	Ultraflexible organic electronics. 2015 , 40, 1130-1137	14
1854	Ionic cable. 2015 , 3, 59-65	148
1853	Shape-Controlled, Self-Wrapped Carbon Nanotube 3D Electronics. 2015 , 2, 1500103	27
1852	Ubiquitous Graphene Electronics on Scotch Tape. 2015 , 5, 12575	10
1851	Recent Progress in Electronic Skin. 2015 , 2, 1500169	586
1850	Scalable Microaccordion Mesh for Deformable and Stretchable Metallic Films. 2015 , 4,	12
1849	Highly Stretchable Electrodes on Wrinkled Polydimethylsiloxane Substrates. 2015 , 5, 16527	78
1848	A Sensor Array Using Multi-functional Field-effect Transistors with Ultrahigh Sensitivity and Precision for Bio-monitoring. 2015 , 5, 12705	70
1847	Contact-Size-Dependent Cutoff Frequency of Bottom-Contact Organic Thin Film Transistors. 2015 , 32, 107304	

1846	Impact of Alkyl Side Chains on Thin-film Transistor Performances in Phenanthrothiophene-Indigo Copolymers. 2015 , 44, 998-1000	12
1845	Self-Heating Effects In Polysilicon Source Gated Transistors. 2015 , 5, 14058	13
1844	Mechanically Flexible and High-Performance CMOS Logic Circuits. 2015 , 5, 15099	36
1843	Wearable Fall Detector using Integrated Sensors and Energy Devices. 2015 , 5, 17081	58
1842	The critical role of Ag nanowires in the improvement of conductivity and flexibility of circuits fabricated with hybrid Ag nanopaste. 2015 , 26, 8644-8651	7
1841	Piezo-phototronic Boolean logic and computation using photon and strain dual-gated nanowire transistors. 2015 , 27, 940-7	44
1840	Transfer Printing of Metallic Microstructures on Adhesion-Promoting Hydrogel Substrates. 2015 , 27, 3398-404	38
1839	Biomimetic Microelectronics for Regenerative Neuronal Cuff Implants. 2015 , 27, 6797-805	72
1838	Solution-Processed Ultrathin Organic Semiconductor Film: Toward All-Transparent Highly Stable Transistors. 2015 , 1, 1500173	11
1837	Fully Printed Foldable Integrated Logic Gates with Tunable Performance Using Semiconducting Carbon Nanotubes. 2015 , 25, 5698-5705	43
1836	Biocompatible and Flexible Chitosan-Based Resistive Switching Memory with Magnesium Electrodes. 2015 , 25, 5586-5592	198
1835	Metal/Polymer Based Stretchable Antenna for Constant Frequency Far-Field Communication in Wearable Electronics. 2015 , 25, 6565-6575	105
1834	High-performance, mechanically flexible, and vertically integrated 3D carbon nanotube and InGaZnO complementary circuits with a temperature sensor. 2015 , 27, 4674-80	73
1833	Glass and Plastics Platforms for Foldable Electronics and Displays. 2015 , 27, 4969-74	27
1832	Fully Drawn All-Organic Flexible Transistors Prepared by Capillary Pen Printing on Flexible Planar and Curvilinear Substrates. 2015 , 1, 1500301	20
1831	Novel Functional Devices of Single-walled Carbon Nanotubes. 2015 , 9, A0080	
1830	Effect of Ion Irradiation for Ni Films Prepared on an Acrylonitrile-Butadiene-Styrene Resin Using Unbalanced Magnetron Sputtering Assisted by Inductively Coupled Plasma. 2015 , 58, 257-260	1
1829	A High-Capacitance Salt-Free Dielectric for Self-Healable, Printable, and Flexible Organic Field Effect Transistors and Chemical Sensor. 2015 , 25, 3745-3755	99

1828	29.1: Solution-Processed Poly-Si TFTs at Paper Compatible Temperatures. 2015 , 46, 415-418	1
1827	Highly Stable Liquid-Solid Metal Contact Toward Multilayered Detachable Flexible Devices. 2015 , 1, 1500080	13
1826	Direct Patterning of Self-Assembled Monolayers by Stamp Printing Method and Applications in High Performance Organic Field-Effect Transistors and Complementary Inverters. 2015 , 25, 6112-6121	35
1825	Sensitive Flexible Magnetic Sensors using Organic Transistors with Magnetic-Functionalized Suspended Gate Electrodes. 2015 , 27, 7979-85	44
1824	Flexible Flapping wings with self-organized microwrinkles. 2015 , 10, 046005	23
1823	A Surface Tailoring Method of Ultrathin Polymer Gate Dielectrics for Organic Transistors: Improved Device Performance and the Thermal Stability Thereof. 2015 , 25, 4462-4469	48
1822	Thermally Controlled, Patterned Graphene Transfer Printing for Transparent and Wearable Electronic/Optoelectronic System. 2015 , 25, 7109-7118	134
1821	Oxide nanomembrane hybrids with enhanced mechano- and thermo-sensitivity for semitransparent epidermal electronics. 2015 , 4, 992-7	43
1820	Single-Crystal-Like Organic Thin-Film Transistors Fabricated from Dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene (DNNT) Precursor-Polystyrene Blends. 2015 , 27, 6606-11	40
1819	Meniscus-force-mediated layer transfer technique using single-crystalline silicon films with midair cavity: Application to fabrication of CMOS transistors on plastic substrates. 2015 , 54, 04DA08	3
1818	The inside story on wearable electronics. <i>Nature</i> , 2015 , 528, 26-8	50.4 64
1817	Developing Electronic Skin with the Sense of Touch. 2015 , 31, 6-10	31
1816	Scalable Microfabrication Procedures for Adhesive-Integrated Flexible and Stretchable Electronic Sensors. 2015 , 15, 23459-76	32
1815	Piezoresistive Tactile Sensor Discriminating Multidirectional Forces. 2015 , 15, 25463-73	37
1814	Microengineered Conductive Elastomeric Electrodes for Long-Term Electrophysiological Measurements with Consistent Impedance under Stretch. 2015 , 15, 26906-20	15
1813	Realization of Ultraflat Plastic Film Using Dressed-Photon-Phonon-Assisted Selective Etching of Nanoscale Structures. 2015 , 2015, 1-5	6
1812	Switching of Transfer Characteristics of an Organic Field-Effect Transistor by Phase Transitions: Sensitive Response to Molecular Dynamics and Charge Fluctuation. 2015 , 27, 4441-4449	22
1811	Unidirectional coating technology for organic field-effect transistors: materials and methods. 2015 , 30, 054001	30

1810	Dynamically stretchable supercapacitors based on graphene woven fabric electrodes. 2015 , 15, 83-91	69
1809	Tunneling piezoresistive tactile sensing array fabricated by a novel fabrication process with membrane filters. 2015 ,	4
1808	Woven flexible textile structure for wearable power-generating tactile sensor array. 2015 , 24, 075002	26
1807	Stretchable Silver Nanowire-Elastomer Composite Microelectrodes with Tailored Electrical Properties. 2015 , 7, 13467-75	63
1806	Wearable and Fexible Sensor Sheets toward Periodic Health Monitoring. 2015 , 175-191	1
1805	Syringe-injectable electronics. 2015 , 10, 629-636	416
1804	Tattoo conductive polymer nanosheets for skin-contact applications. 2015 , 4, 983-90	65
1803	Resistive Switching Memory Devices Based on Proteins. 2015 , 27, 7670-6	117
1802	Highly Stretchy Black Gold E-Skin Nanopatches as Highly Sensitive Wearable Biomedical Sensors. 2015 , 1, 1400063	331
1801	Wearable Electronics Sensors. 2015 ,	22
1800	Short-Channel Organic Thin-Film Transistors. 2015 ,	2
1799	The influence of a brittle Cr interlayer on the deformation behavior of thin Cu films on flexible substrates: Experiment and model. 2015 , 89, 278-289	56
1798	Mechanics of curvilinear electronics and optoelectronics. 2015 , 19, 171-189	33
1797	Design, fabrication and control of soft robots. <i>Nature</i> , 2015 , 521, 467-75	50.4 2586
1796	Surface temperature measurement for space charge distribution measurements with thermal methods. 2015 , 22, 1506-1511	4
1795	Contact Length Scaling in Staggered Organic Thin-Film Transistors. 2015 , 36, 609-611	5
1794	Cellulose-Derivative-Based Gate Dielectric for High-Performance Organic Complementary Inverters. 2015 , 27, 7645-56	55
1793	Nanotechnologies for biomedical science and translational medicine. 2015 , 112, 14436-43	66

1792	Novel Architecture for Cellular Neural Network Suitable for High-Density Integration of Electron Devices-Learning of Multiple Logics. 2015 , 12-20	2
1791	An endoscope with integrated transparent bioelectronics and theranostic nanoparticles for colon cancer treatment. 2015 , 6, 10059	122
1790	In-hand object recognition via texture properties with robotic hands, artificial skin, and novel tactile descriptors. 2015 ,	27
1789	Power generating tactile sensor array in woven fabric form. 2015 ,	0
1788	An ABA triblock copolymer strategy for intrinsically stretchable semiconductors. 2015 , 3, 3599-3606	69
1787	Flexible Capacitive Tactile Sensor Array With Truncated Pyramids as Dielectric Layer for Three-Axis Force Measurement. 2015 , 24, 1510-1519	90
1786	Direct graphene synthesis on polymer films and its application to flexible devices. 2015 ,	
1785	A Study of the Preparation and Properties of Antioxidative Copper Inks with High Electrical Conductivity. 2015 , 10, 357	31
1784	A kilohertz kilotaxel tactile sensor array for investigating spatiotemporal features in neuromorphic touch. 2015 ,	11
1783	. 2015 , 24, 2062-2070	16
1782	Organophosphorus avenues toward self-assembled conjugated soft materials. 2015 , 15, 199-217	14
1781	Thermally Stable, Biocompatible, and Flexible Organic Field-Effect Transistors and Their Application in Temperature Sensing Arrays for Artificial Skin. 2015 , 25, 2138-2146	150
1780	Stretchable and Conformable Oxide Thin-Film Electronics. 2015 , 1, 1400038	50
1779	Synthetic Tailoring of Solid-State Order in Diketopyrrolopyrrole-Based Copolymers via Intramolecular Noncovalent Interactions. 2015 , 27, 829-838	107
1778	Printing Patterned Fine 3D Structures by Manipulating the Three Phase Contact Line. 2015 , 25, 2237-2242	125
1777	Imperceptible magnetoelectronics. 2015 , 6, 6080	148
1776	Exfoliation at the liquid/air interface to assemble reduced graphene oxide ultrathin films for a flexible noncontact sensing device. 2015 , 27, 1370-5	119
1775	Solution-processed n-type fullerene field-effect transistors prepared using CVD-grown graphene electrodes: improving performance with thermal annealing. 2015 , 17, 6635-43	11

1774	Mechanics of stretchable batteries and supercapacitors. 2015 , 19, 190-199	147
1773	Highly stable and imperceptible electronics utilizing photoactivated heterogeneous sol-gel metal-oxide dielectrics and semiconductors. 2015 , 27, 1182-8	117
1772	Highly skin-conformal microhairy sensor for pulse signal amplification. 2015 , 27, 634-40	486
1771	Eardrum-inspired active sensors for self-powered cardiovascular system characterization and throat-attached anti-interference voice recognition. 2015 , 27, 1316-26	366
1770	Plasticization of PEDOT:PSS by Common Additives for Mechanically Robust Organic Solar Cells and Wearable Sensors. 2015 , 25, 427-436	234
1769	Sprayable elastic conductors based on block copolymer silver nanoparticle composites. 2015 , 9, 336-44	68
1768	A theoretical model of reversible adhesion in shape memory surface relief structures and its application in transfer printing. 2015 , 77, 27-42	29
1767	Highly sensitive and selective liquid-phase sensors based on a solvent-resistant organic-transistor platform. 2015 , 27, 1540-6	47
1766	Direct transfer of magnetic sensor devices to elastomeric supports for stretchable electronics. 2015 , 27, 1333-8	57
1765	Wearable temperature sensor based on graphene nanowalls. 2015 , 5, 25609-25615	190
1764	Flip-flop logic circuit based on fully solution-processed organic thin film transistor devices with reduced variations in electrical performance. 2015 , 54, 04DK03	14
1763	Fabrication and characterization of the functional parylene-C film with micro/nano hierarchical structures. 2015 , 141, 72-80	5
1762	Utility of a heterogeneous palladium catalyst for the synthesis of a molecular semiconductor via Stille, Suzuki, and direct heteroarylation cross-coupling reactions. 2015 , 5, 26097-26106	50
1761	Materials and fractal designs for 3D multifunctional integumentary membranes with capabilities in cardiac electrotherapy. 2015 , 27, 1731-7	117
1760	Flexible and Highly Sensitive Strain Sensors Fabricated by Pencil Drawn for Wearable Monitor. 2015 , 25, 2395-2401	359
1759	New faces of porous Prussian blue: interfacial assembly of integrated hetero-structures for sensing applications. 2015 , 44, 7997-8018	183
1758	Ozone oxidation methods for aluminum oxide formation: Application to low-voltage organic transistors. 2015 , 21, 132-137	18
1757	Film shrinkage inducing strong chain entanglement in fluorinated polyimide. 2015 , 68, 293-301	8

1756	Tactile sensing in dexterous robot hands [Review. 2015 , 74, 195-220	372
1755	Ultra-flexible nonvolatile memory based on donor-acceptor diketopyrrolopyrrole polymer blends. 2015 , 5, 10683	38
1754	Flexible self-healing nanocomposites for recoverable motion sensor. 2015 , 17, 1-9	71
1753	X-ray sensitivity of small organic molecule and zinc cadmium sulfide mixture layers deposited using thermal melting technique. 2015 , 18, 37-43	1
1752	Printable elastic conductors with a high conductivity for electronic textile applications. 2015 , 6, 7461	540
1751	Thermally, Operationally, and Environmentally Stable Organic Thin-Film Transistors Based on Bis[1]benzothieno[2,3-d:2',3'-d']naphtho[2,3-b:6,7-b']dithiophene Derivatives: Effective Synthesis, Electronic Structures, and StructureProperty Relationship. 2015 , 27, 5049-5057	53
1750	Epidermal electronics: Skin health monitoring. 2015 , 14, 659-60	7
1749	Material witness: The complex costs of faking it. 2015 , 14, 660	2
1748	1 Volt organic transistors with mixed self-assembled monolayer/Al ₂ O ₃ gate dielectrics. 2015 , 26, 20-24	21
1747	Intrinsically stretchable and transparent thin-film transistors based on printable silver nanowires, carbon nanotubes and an elastomeric dielectric. 2015 , 6, 7647	225
1746	Flexible SiO ₂ nanofilms assembled on poly(ethylene terephthalate) substrates through a room temperature fabrication process for nanoscale integration. 2015 , 3, 1286-1293	10
1745	Solution processed flexible hybrid cell for concurrently scavenging solar and mechanical energies. 2015 , 16, 301-309	41
1744	Surface-Order Mediated Assembly of EConjugated Molecules on Self-Assembled Monolayers with Controlled Grain Structures. 2015 , 27, 4669-4676	28
1743	High mobility flexible polymer thin-film transistors with an octadecyl-phosphonic acid treated electrochemically oxidized alumina gate insulator. 2015 , 3, 7062-7066	17
1742	Thin-film encapsulation of the air-sensitive organic-based ferrimagnet vanadium tetracyanoethylene. 2015 , 106, 122403	12
1741	Soft Tactile Sensors for Human-Machine Interaction. 2015 , 1-28	
1740	Spray-combustion synthesis: efficient solution route to high-performance oxide transistors. 2015 , 112, 3217-22	151
1739	Stretchable carbon nanotube charge-trap floating-gate memory and logic devices for wearable electronics. 2015 , 9, 5585-93	108

1738	Tunable strain gauges based on two-dimensional silver nanowire networks. 2015 , 26, 195504	14
1737	Bioresorbable Electronic Stent Integrated with Therapeutic Nanoparticles for Endovascular Diseases. 2015 , 9, 5937-46	158
1736	Solar cells for self-sustainable intelligent packaging. 2015 , 3, 13226-13236	23
1735	Flexible and Transparent WO ₃ Transistor with Electrical and Optical Modulation. 2015 , 1, 1500030	27
1734	Solution-processed polycrystalline silicon on paper. 2015 , 106, 163502	31
1733	Solidification and thermal degradation of printable, stretchable electrical conductor from waterborne polyurethane and silver flakes. 2015 , 122, 295-305	2
1732	Roll to roll processing of ultraconformable conducting polymer nanosheets. 2015 , 3, 6539-6548	57
1731	Wearable red-green-blue quantum dot light-emitting diode array using high-resolution intaglio transfer printing. 2015 , 6, 7149	397
1730	Soft network composite materials with deterministic and bio-inspired designs. 2015 , 6, 6566	289
1729	Synthesis of ultrathin polymer insulating layers by initiated chemical vapour deposition for low-power soft electronics. 2015 , 14, 628-35	184
1728	Si membrane based tactile sensor with active matrix circuitry for artificial skin applications. 2015 , 106, 043502	23
1727	Flexible suspended gate organic thin-film transistors for ultra-sensitive pressure detection. 2015 , 6, 6269	400
1726	Light Weight and Flexible High-Performance Diagnostic Platform. 2015 , 4, 1517-25	50
1725	Active Matrix Electronic Skin Strain Sensor Based on Piezopotential-Powered Graphene Transistors. 2015 , 27, 3411-7	239
1724	Stretchable Thin-Film Electrodes for Flexible Electronics with High Deformability and Stretchability. 2015 , 27, 3349-76	333
1723	Multi-length-scale relationships between the polymer molecular structure and charge transport: the case of poly-naphthalene diimide bithiophene. 2015 , 17, 8573-90	46
1722	Recent Progress on Printed Flexible Batteries: Mechanical Challenges, Printing Technologies, and Future Prospects. 2015 , 3, 305-328	125
1721	Dramatically Enhanced Performance of Flexible Micro-VCSELs via Thermally Engineered Heterogeneous Composite Assemblies. 2015 , 3, 1072-1078	9

1720	Flexible one diode-one phase change memory array enabled by block copolymer self-assembly. 2015 , 9, 4120-8	53
1719	In-Depth Studies on Rapid Photochemical Activation of Various Sol-Gel Metal Oxide Films for Flexible Transparent Electronics. 2015 , 25, 2807-2815	140
1718	Toward organic electronics with properties inspired by biological tissue. 2015 , 3, 4947-4952	35
1717	Unified drain-current model of complementary p- and n-type OTFTs. 2015 , 22, 5-11	29
1716	A hyper-stretchable elastic-composite energy harvester. 2015 , 27, 2866-75	281
1715	Elastomeric Electronic Skin for Prosthetic Tactile Sensation. 2015 , 25, 2287-2295	246
1714	Disposable Heater Arrays Using Printed Silver Patterns on Polyethylene Terephthalate for Multipurpose Applications. 2015 , 3, 359-365	7
1713	Recent advances in polymer phototransistors. 2015 , 6, 7933-7944	63
1712	Numerical study on sequential period-doubling bifurcations of graphene wrinkles on a soft substrate. 2015 , 222, 14-17	9
1711	Flexible and self-powered temperature-pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. 2015 , 6, 8356	330
1710	Fingertip skin-inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. 2015 , 1, e1500661	485
1709	Epidermal devices for noninvasive, precise, and continuous mapping of macrovascular and microvascular blood flow. 2015 , 1, e1500701	145
1708	Self-healing metal wire using electric field trapping of metal nanoparticles. 2015 , 54, 06FP03	13
1707	Compliant heterogeneous assemblies of micro-VCSELs as a new materials platform for integrated optoelectronics. 2015 ,	
1706	Threshold-Voltage Shifts in Organic Transistors Due to Self-Assembled Monolayers at the Dielectric: Evidence for Electronic Coupling and Dipolar Effects. 2015 , 7, 22775-85	72
1705	Robust and Soft Elastomeric Electronics Tolerant to Our Daily Lives. 2015 , 15, 5716-23	47
1704	Foldable Transparent Substrates with Embedded Electrodes for Flexible Electronics. 2015 , 7, 18574-80	33
1703	High-performance giant magnetoresistive sensorics on flexible Si membranes. 2015 , 106, 153501	33

1702	Stretchable and transparent electrodes based on in-plane structures. 2015 , 7, 14577-94	75
1701	Flexible, printed tactile, friction, and temperature sensor array for artificial skin. 2015 ,	2
1700	Shapeable magnetic sensorics. 2015 ,	
1699	Lateral buckling and mechanical stretchability of fractal interconnects partially bonded onto an elastomeric substrate. 2015 , 106, 091902	37
1698	Flexible Hall Sensorics for Flux-Based Control of Magnetic Levitation. 2015 , 51, 1-4	16
1697	Printed Organic Thin-Film Transistors. 2015 , 139-154	3
1696	A skin-inspired organic digital mechanoreceptor. 2015 , 350, 313-6	576
1695	BIOENGINEERING. Restoring the sense of touch. 2015 , 350, 274-5	11
1694	Synthesis of a Conductive Copolymer and Phase Diagram of Its Suspension with Single-Walled Carbon Nanotubes by Microfluidic Technology. 2015 , 48, 7473-7480	16
1693	Novel Tactile-SIFT Descriptor for Object Shape Recognition. 2015 , 15, 5001-5009	62
1692	Introduction to Organic Electronics. 2015 , 5-31	
1691	Flexible and Wearable Sensors. 2015 , 675-684	1
1690	Idiosyncrasies of Physical Vapor Deposition Processes from Various Knudsen Cells for Quinacridone Thin Film Growth on Silicon Dioxide. 2015 , 119, 20900-20910	5
1689	Flexible high power-per-weight perovskite solar cells with chromium oxide-metal contacts for improved stability in air. 2015 , 14, 1032-9	652
1688	Utilization of simply alkylated diketopyrrolopyrrole derivative as a p-channel semiconductor for organic devices. 2015 , 209, 240-246	8
1687	Sub-monolayer percolation of pentacene on rough parylene-C dielectrics. 2015 , 26, 439-442	5
1686	A chameleon-inspired stretchable electronic skin with interactive colour changing controlled by tactile sensing. 2015 , 6, 8011	567
1685	Tattoo-like Polyaniline Microparticle-Doped Gold Nanowire Patches as Highly Durable Wearable Sensors. 2015 , 7, 19700-8	224

1684	Thermal stability of organic transistors with short channel length on ultrathin foils. 2015 , 26, 279-284	6
1683	Highly Flexible Microcrystalline Silicon n-Type TFT on PEN Bent to a Curvature Radius of 0.75 mm. 2015 , 62, 3278-3284	10
1682	Piezotronic Effect in Strain-Gated Transistor of a-Axis GaN Nanobelt. 2015 , 9, 9822-9	36
1681	Highly stretchable carbon nanotube transistors enabled by buckled ion gel gate dielectrics. 2015 , 107, 053301	25
1680	Ultra-flexible short-channel organic field-effect transistors. 2015 , 8, 091601	14
1679	Organic Electronics Materials and Devices. 2015 ,	30
1678	Reflectance anisotropy spectroscopy as a tool for mechanical characterization of metallic thin films. 2015 , 48, 415303	9
1677	Humanoids learn touch modalities identification via multi-modal robotic skin and robust tactile descriptors. 2015 , 29, 1411-1425	28
1676	Soft Anisotropic Conductors as Electric Vias for Ga-Based Liquid Metal Circuits. 2015 , 7, 26923-9	49
1675	Ultraflexible, large-area, physiological temperature sensors for multipoint measurements. 2015 , 112, 14533-8	247
1674	Flexible piezoelectric thin-film energy harvesters and nanosensors for biomedical applications. 2015 , 4, 646-58	187
1673	Self-powered flexible inorganic electronic system. 2015 , 14, 111-125	94
1672	Toward flexible and wearable human-interactive health-monitoring devices. 2015 , 4, 487-500	229
1671	Wearable magnetic field sensors for flexible electronics. 2015 , 27, 1274-80	162
1670	Ultrasoother, extremely deformable and shape recoverable Ag nanowire embedded transparent electrode. 2014 , 4, 4788	175
1669	Epindolidiones Versatile and Stable Hydrogen-Bonded Pigments for Organic Field-Effect Transistors and Light-Emitting Diodes. 2015 , 25, 776-787	63
1668	Mimosa-inspired design of a flexible pressure sensor with touch sensitivity. 2015 , 11, 1886-91	240
1667	Sweet substrate: a polysaccharide nanocomposite for conformal electronic decals. 2015 , 27, 1600-6	33

1666	Design and operation of silver nanowire based flexible and stretchable touch sensors. 2015 , 30, 79-85	39
1665	Mechanical degradation and stability of organic solar cells: molecular and microstructural determinants. 2015 , 8, 55-80	172
1664	High-performance magnetic sensorics for printable and flexible electronics. 2015 , 27, 880-5	67
1663	An imperceptible plastic electronic wrap. 2015 , 27, 34-40	131
1662	Advances of flexible pressure sensors toward artificial intelligence and health care applications. 2015 , 2, 140-156	765
1661	Organic electrochemical transistors for clinical applications. 2015 , 4, 142-7	99
1660	Cellulose nanofiber paper as an ultra flexible nonvolatile memory. 2014 , 4, 5532	99
1659	Recent Advances in Wearable Sensors for Health Monitoring. 2015 , 15, 3119-3126	193
1658	High-Accuracy, Compact Scanning Method and Circuit for Resistive Sensor Arrays. 2016 , 16, 155	27
1657	Polymer-modified solution-processed metal oxide dielectrics on aluminum foil substrate for flexible organic transistors. 2016 , 213, 2509-2517	3
1656	CMOS-Technology-Enabled Flexible and Stretchable Electronics for Internet of Everything Applications. 2016 , 28, 4219-49	134
1655	Three-Component Integrated Ultrathin Organic Photosensors for Plastic Optoelectronics. 2016 , 28, 624-30	43
1654	Room Temperature Grown High-Quality Polymer-Like Carbon Gate Dielectric for Organic Thin-Film Transistors. 2016 , 2, 1500374	9
1653	Pursuing prosthetic electronic skin. 2016 , 15, 937-50	1324
1652	Highly Flexible Organic Nanofiber Phototransistors Fabricated on a Textile Composite for Wearable Photosensors. 2016 , 26, 1445-1453	85
1651	Extraordinarily Sensitive and Low-Voltage Operational Cloth-Based Electronic Skin for Wearable Sensing and Multifunctional Integration Uses: A Tactile-Induced Insulating-to-Conducting Transition. 2016 , 26, 1286-1295	109
1650	Ambipolar Organic Tri-Gate Transistor for Low-Power Complementary Electronics. 2016 , 28, 284-90	33
1649	Alignment and Patterning of Ordered Small-Molecule Organic Semiconductor Micro-/Nanocrystals for Device Applications. 2016 , 28, 2475-503	108

1648	Mechanical and Electronic Properties of Thin-Film Transistors on Plastic, and Their Integration in Flexible Electronic Applications. 2016 , 28, 4266-82	178
1647	Stretchable, High-k Dielectric Elastomers through Liquid-Metal Inclusions. 2016 , 28, 3726-31	225
1646	Flexible and Stretchable Strain Sensing Actuator for Wearable Soft Robotic Applications. 2016 , 1, 1600018	133
1645	Solvent-Free Printing of Flexible Organic Thin Film Transistors by Ultrasonic Welding. 2016 , 2, 1500221	7
1644	Highly Efficient All-Solution-Processed Low-Voltage Organic Transistor with a Micrometer-Thick Low-k Polymer Gate Dielectric Layer. 2016 , 2, 1500454	41
1643	Organic Bioelectronics: Bridging the Signaling Gap between Biology and Technology. 2016 , 116, 13009-13041	317
1642	Silk Fibroin for Flexible Electronic Devices. 2016 , 28, 4250-65	340
1641	Flexible Capacitive Tactile Sensor Based on Micropatterned Dielectric Layer. 2016 , 12, 5042-5048	256
1640	Ultra-Lightweight Resistive Switching Memory Devices Based on Silk Fibroin. 2016 , 12, 3360-5	76
1639	Alignment and patterning of organic single crystals for field-effect transistors. 2016 , 27, 1421-1428	25
1638	A Wearable Electrochemical Platform for Noninvasive Simultaneous Monitoring of Ca(2+) and pH. 2016 , 10, 7216-24	324
1637	High-Performance Lithium-Air Battery with a Coaxial-Fiber Architecture. 2016 , 55, 4487-91	153
1636	High-Mobility Naphthalene Diimide and Selenophene-Vinylene-Selenophene-Based Conjugated Polymer: n-Channel Organic Field-Effect Transistors and Structure-Property Relationship. 2016 , 26, 4984-4997	66
1635	An Universal and Easy-to-Use Model for the Pressure of Arbitrary-Shape 3D Multifunctional Integumentary Cardiac Membranes. 2016 , 5, 889-92	8
1634	Charge Transport in Organic and Polymeric Semiconductors for Flexible and Stretchable Devices. 2016 , 28, 4513-23	147
1633	An Epidermal Stimulation and Sensing Platform for Sensorimotor Prosthetic Control, Management of Lower Back Exertion, and Electrical Muscle Activation. 2016 , 28, 4462-71	173
1632	A Strain-Insensitive Stretchable Electronic Conductor: PEDOT:PSS/Acrylamide Organogels. 2016 , 28, 1636-43	176
1631	Fabrication of organic FETs based on printing techniques and the improvement of FET properties by the insertion of solution-processable buffer layers. 2016 , 55, 04EL06	2

1630	Direct Laser Writing-Based Programmable Transfer Printing via Bioinspired Shape Memory Reversible Adhesive. 2016 , 8, 35628-35633	71
1629	Piezopotential-Programmed Multilevel Nonvolatile Memory As Triggered by Mechanical Stimuli. 2016 , 10, 11037-11043	26
1628	Multilayer Patterning of High Resolution Intrinsically Stretchable Electronics. 2016 , 6, 25641	27
1627	Soft bioelectronics using nanomaterials. 2016 ,	
1626	All-soft sensing platform based on liquid metal for liquid- and gas-phase VOC detection. 2016 ,	3
1625	Printed unmanned aerial vehicles using paper-based electroactive polymer actuators and organic ion gel transistors. 2016 , 2, 16032	17
1624	Shapeable magnetoelectronics. 2016 , 3, 011101	119
1623	Competition between deformability and charge transport in semiconducting polymers for flexible and stretchable electronics. 2016 , 3, 021302	69
1622	A flexible touch-pressure sensor array with wireless transmission system for robotic skin. 2016 , 87, 065007	21
1621	The rise of plastic bioelectronics. <i>Nature</i> , 2016 , 540, 379-385	50.4 925
1620	Direct imaging of defect formation in strained organic flexible electronics by Scanning Kelvin Probe Microscopy. 2016 , 6, 38203	26
1619	Recent progress of fully-printed and ultra-flexible integrated circuits. 2016 ,	
1618	Facile Preparation of Carbon-Nanotube-based 3-Dimensional Transparent Conducting Networks for Flexible Noncontact Sensing Device. 2016 , 1, 3533-3538	
1617	Reconfigurable Complementary Logic Circuits with Ambipolar Organic Transistors. 2016 , 6, 35585	19
1616	Stretchable Spin Valve with Stable Magnetic Field Sensitivity by Ribbon-Patterned Periodic Wrinkles. 2016 , 10, 4403-9	46
1615	Stretchable Bioelectronics for Medical Devices and Systems. 2016 ,	70
1614	Multifunctional Epidermal Sensor Systems with Ultrathin Encapsulation Packaging for Health Monitoring. 2016 , 193-205	1
1613	Ultrathin, Skin-Like Devices for Precise, Continuous Thermal Property Mapping of Human Skin and Soft Tissues. 2016 , 117-132	6

1612	Soft Biosensor Systems Using Flexible and Stretchable Electronics Technology. 2016 , 133-149	2
1611	High-Performance Wearable Bioelectronics Integrated with Functional Nanomaterials. 2016 , 151-171	2
1610	On the Extraction of Charge Carrier Mobility in High-Mobility Organic Transistors. 2016 , 28, 151-5	163
1609	Inkjet printed polymeric electron blocking and surface energy modifying layer for low dark current organic photodetectors. 2016 , 36, 29-34	25
1608	A nanofiber based artificial electronic skin with high pressure sensitivity and 3D conformability. 2016 , 8, 12105-12	110
1607	Soft, thin skin-mounted power management systems and their use in wireless thermography. 2016 , 113, 6131-6	108
1606	Flexible circuits with integrated switches for robotic shape sensing. 2016 ,	1
1605	Metal-oxide thin-film transistor-based pH sensor with a silver nanowire top gate electrode. 2016 , 68, 901-907	2
1604	Effect of molecular ordering in active layer on organic thin-film transistor performance. 2016 , 55, 030301	
1603	Stretchable and Transparent Organic Semiconducting Thin Film with Conjugated Polymer Nanowires Embedded in an Elastomeric Matrix. 2016 , 2, 1500250	121
1602	Recent advances on thermal analysis of stretchable electronics. 2016 , 6, 32-37	13
1601	Fast and Efficient Fabrication of Intrinsically Stretchable Multilayer Circuit Boards by Wax Pattern Assisted Filtration. 2016 , 12, 180-4	53
1600	Mechanics and Designs of Stretchable Bioelectronics. 2016 , 53-68	2
1599	On the relationship between the structure of self-assembled carboxylic acid monolayers on alumina and the organization and electrical properties of a pentacene thin film. 2016 , 365, 364-375	5
1598	Amorphous Strontium Titanate Film as Gate Dielectric for Higher Performance and Low Voltage Operation of Transparent and Flexible Organic Field Effect Transistor. 2016 , 8, 10436-42	24
1597	Large increase in stretchability of organic electronic materials by encapsulation. 2016 , 8, 78-87	19
1596	Surface Modification on Solution Processable ZrO ₂ High-k Dielectrics for Low Voltage Operations of Organic Thin Film Transistors. 2016 , 120, 9949-9957	34
1595	Enhancement of Closed-Loop Gain of Organic Amplifiers Using Double-Gate Structures. 2016 , 1-1	1

1594	Highly planar thieno[3,2-b]thiophene-diketopyrrolopyrrole-containing polymers for organic field-effect transistors. 2016 , 6, 35394-35401	14
1593	Flexible photodetectors based on phase dependent PbI ₂ single crystals. 2016 , 4, 6492-6499	77
1592	Photocontrol of charge injection/extraction at electrode/semiconductor interfaces for high-photoresponsivity organic transistors. 2016 , 4, 5289-5296	24
1591	Wearable Microsensor Array for Multiplexed Heavy Metal Monitoring of Body Fluids. 2016 , 1, 866-874	216
1590	Detailed analysis and contact properties of low-voltage organic thin-film transistors based on dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene (DNTT) and its didecyl and diphenyl derivatives. 2016 , 35, 33-40	66
1589	Fabrication of ZnSnO ₃ based humidity sensor onto arbitrary substrates by micro-Nano scale transfer printing. 2016 , 246, 1-8	30
1588	Bifunctional Heterocyclic Spiro Derivatives for Organic Optoelectronic Devices. 2016 , 8, 24782-92	21
1587	Ultraflexible and ultrathin polymeric gate insulator for 2 V organic transistor circuits. 2016 , 9, 061602	23
1586	Mesoporous and Nanostructured TiO ₂ layer with Ultra-High Loading on Nitrogen-Doped Carbon Foams as Flexible and Free-Standing Electrodes for Lithium-Ion Batteries. 2016 , 12, 6724-6734	72
1585	Synthesis and Characterization of Polysubstituted Dibenzopyrenes as Charge-Transporting Materials. 2016 , 18, 4876-4879	7
1584	Technical advances in studying cardiac electrophysiology - Role of rabbit models. 2016 , 121, 97-109	10
1583	Mechanically Reinforced Skin-Electronics with Networked Nanocomposite Elastomer. 2016 , 28, 10257-10265	93
1582	A Mini Review of Neuromorphic Architectures and Implementations. 2016 , 63, 3819-3829	95
1581	Flexible Proton-Gated Oxide Synaptic Transistors on Si Membrane. 2016 , 8, 21770-5	41
1580	ENGINEERING APPLICATIONS OF OFETs IN FLEXIBLE AND STRETCHABLE ELECTRONICS. 2016 , 85-114	
1579	Wrinkling of a stiff thin film bonded to a pre-strained, compliant substrate with finite thickness. 2016 , 472, 20160339	20
1578	Flexible and Stretchable Biointegrated Electronics Using Silicon Nanomembranes. 2016 , 143-168	
1577	3D Stretchable, Compressible, and Highly Conductive Metal-Coated Polydimethylsiloxane Sponges. 2016 , 1, 1600117	55

1576	Skin-Like Oxide Thin-Film Transistors for Transparent Displays. 2016 , 26, 6170-6178	101
1575	Theoretical and Experimental Studies of Epidermal Heat Flux Sensors for Measurements of Core Body Temperature. 2016 , 5, 119-27	83
1574	Nanomaterial-Based Soft Electronics for Healthcare Applications. 2016 , 2, 1006-1017	47
1573	Cephalopod-Inspired Miniaturized Suction Cups for Smart Medical Skin. 2016 , 5, 80-7	147
1572	Thin-film organic semiconductor devices: from flexibility to ultraflexibility. 2016 , 59, 589-608	27
1571	Colloidal Synthesis of Uniform-Sized Molybdenum Disulfide Nanosheets for Wafer-Scale Flexible Nonvolatile Memory. 2016 , 28, 9326-9332	123
1570	Soft Thermal Sensor with Mechanical Adaptability. 2016 , 28, 9175-9181	155
1569	All ink-jet printed low-voltage organic field-effect transistors on flexible substrate. 2016 , 38, 186-192	52
1568	A simulation-assisted solution-processing method for a large-area, high-performance C10-DNTT organic semiconductor crystal. 2016 , 4, 8628-8633	45
1567	Stretchable Organic Semiconductor Devices. 2016 , 28, 9243-9265	139
1566	Highly Stretchable Label-like Random Laser on Universal Substrates. 2016 , 1, 1600068	24
1565	Entirely Flexible On-Site Conditioned Magnetic Sensorics. 2016 , 2, 1600188	26
1564	Kilohertz organic complementary inverters driven by surface-grafting conducting polypyrrole electrodes. 2016 , 123, 51-57	5
1563	Nanomaterial-based stretchable and transparent electrodes. 2016 , 17, 131-141	19
1562	Ultrastretchable Iono-Elastomers with Mechanoelectrical Response. 2016 , 5, 1332-1338	17
1561	Fabrication of Ultra-Thin Printed Organic TFT CMOS Logic Circuits Optimized for Low-Voltage Wearable Sensor Applications. 2016 , 6, 25714	105
1560	A soft, wearable microfluidic device for the capture, storage, and colorimetric sensing of sweat. 2016 , 8, 366ra165	665
1559	Intrinsically stretchable and healable semiconducting polymer for organic transistors. <i>Nature</i> , 2016 , 539, 411-415	50.4 779

1558	Robust and stretchable indium gallium zinc oxide-based electronic textiles formed by cilia-assisted transfer printing. 2016 , 7, 11477	54
1557	Rapid Fabrication of Soft, Multilayered Electronics for Wearable Biomonitoring. 2016 , 26, 8496-8504	90
1556	Transparent and Foldable Electronics Enabled by Si Nanomembranes. 2016 , 57-88	
1555	Large Area One-Step Facile Processing of Microstructured Elastomeric Dielectric Film for High Sensitivity and Durable Sensing over Wide Pressure Range. 2016 , 8, 20364-70	126
1554	Epidermal Supercapacitor with High Performance. 2016 , 26, 8178-8184	45
1553	Integration of Organic Electrochemical and Field-Effect Transistors for Ultraflexible, High Temporal Resolution Electrophysiology Arrays. 2016 , 28, 9722-9728	101
1552	High-resolution electrohydrodynamic inkjet printing of stretchable metal oxide semiconductor transistors with high performance. 2016 , 8, 17113-17121	73
1551	Strain-controlled giant magnetoresistance of a spin valve grown on a flexible substrate. 2016 , 6, 88090-88095	6
1550	An Inherent Multifunctional Sellotape Substrate for High-Performance Flexible and Wearable Organic Single-Crystal Nanowire Array-Based Transistors. 2016 , 2, 1600129	8
1549	Non-volatile organic ferroelectric memory transistors fabricated using rigid polyimide islands on an elastomer substrate. 2016 , 4, 4485-4490	20
1548	Low voltage, low cost, flexible and balanced ambipolar OFETs based on Br2PTCDI-C18/CuPc fabricated on an Al foil gate substrate with good ambient stability. 2016 , 4, 7102-7109	19
1547	Flexible and Stretchable Oxide Electronics. 2016 , 2, 1600105	39
1546	Dramatically Enhanced Mechanosensitivity and Signal-to-Noise Ratio of Nanoscale Crack-Based Sensors: Effect of Crack Depth. 2016 , 28, 8130-8137	200
1545	Stretchable and transparent electrodes based on patterned silver nanowires by laser-induced forward transfer for non-contacted printing techniques. 2016 , 27, 45LT02	22
1544	Free-Standing Organic Transistors and Circuits with Sub-Micron Thicknesses. 2016 , 6, 27450	34
1543	Materials science: Semiconductors that stretch and heal. <i>Nature</i> , 2016 , 539, 365-367	50.4 12
1542	50 & 100 Years Ago. <i>Nature</i> , 2016 , 539, 367-367	50.4
1541	Buckling assisted and lithographically micropatterned fully flexible sensors for conformal integration applications. 2015 , 5, 17776	22

1540	Tribotronic Transistor Array as an Active Tactile Sensing System. 2016 , 10, 10912-10920	80
1539	proCover. 2016 ,	32
1538	A flexible proximity sensor formed by duplex screen/screen-offset printing and its application to non-contact detection of human breathing. 2016 , 6, 19947	25
1537	A double-sided fabrication process for intrafascicular parylene C based electrode arrays. 2016 , 2016, 2798-2801	2
1536	Emerging flexible and wearable physical sensing platforms for healthcare and biomedical applications. 2016 , 2, 16043	280
1535	Ultraflexible organic photonic skin. 2016 , 2, e1501856	612
1534	A high-resolution strain-gauge nanolaser. 2016 , 7, 11569	41
1533	Efficient and mechanically robust stretchable organic light-emitting devices by a laser-programmable buckling process. 2016 , 7, 11573	134
1532	Isoindigo-Based Semiconducting Polymers Using Carbosilane Side Chains for High Performance Stretchable Field-Effect Transistors. 2016 , 49, 8540-8548	64
1531	Heating-Rate-Triggered Carbon-Nanotube-based 3-Dimensional Conducting Networks for a Highly Sensitive Noncontact Sensing Device. 2016 , 6, 19632	20
1530	A highly shape-adaptive, stretchable design based on conductive liquid for energy harvesting and self-powered biomechanical monitoring. 2016 , 2, e1501624	221
1529	Highly Sensitive Pressure Sensor Based on Bioinspired Porous Structure for Real-Time Tactile Sensing. 2016 , 2, 1600356	163
1528	Suppressing molecular vibrations in organic semiconductors by inducing strain. 2016 , 7, 11156	79
1527	Autonomous smartwatch with flexible sensors for accurate and continuous mapping of skin temperature. 2016 ,	7
1526	Facile Synthesis of CoSe Quantum Dots as Charge Traps for Flexible Organic Resistive Switching Memory Device. 2016 , 8, 30336-30343	31
1525	High Strength Conductive Composites with Plasmonic Nanoparticles Aligned on Aramid Nanofibers. 2016 , 26, 8435-8445	89
1524	Unencapsulated Air-stable Organic Field Effect Transistor by All Solution Processes for Low Power Vapor Sensing. 2016 , 6, 20671	88
1523	Transparent deoxyribonucleic acid substrate with high mechanical strength for flexible and biocompatible organic resistive memory devices. 2016 , 52, 13463-13466	20

1522	Ultrathin, transferred layers of thermally grown silicon dioxide as biofluid barriers for biointegrated flexible electronic systems. 2016 , 113, 11682-11687	133
1521	Ultrathin flexible memory devices based on organic ferroelectric transistors. 2016 , 55, 10TA04	6
1520	An extremely highly selective flexible compliant tactile touch sensor sheet. 2016 , 213, 2345-2351	2
1519	Outputting Olfactory Bionic Electric Impulse by PANI/PTFE/PANI Sandwich Nanostructures and their Application as Flexible, Smelling Electronic Skin. 2016 , 26, 3128-3138	80
1518	Design of Strain-Limiting Substrate Materials for Stretchable and Flexible Electronics. 2016 , 26, 5345-5351	75
1517	Recent Advances in Flexible and Stretchable Bio-Electronic Devices Integrated with Nanomaterials. 2016 , 28, 4203-18	729
1516	Vacuum Ultraviolet Treatment of Self-Assembled Monolayers: A Tool for Understanding Growth and Tuning Charge Transport in Organic Field-Effect Transistors. 2016 , 28, 2049-54	29
1515	Mogul-Patterned Elastomeric Substrate for Stretchable Electronics. 2016 , 28, 3069-77	73
1514	Radiation-Tolerant Flexible Large-Area Electronics Based on Oxide Semiconductors. 2016 , 2, 1500489	29
1513	High-Performance Lithium-Air Battery with a Coaxial-Fiber Architecture. 2016 , 128, 4563-4567	22
1512	Self-Powered High-Resolution and Pressure-Sensitive Triboelectric Sensor Matrix for Real-Time Tactile Mapping. 2016 , 28, 2896-903	268
1511	A Stretchable Electronic Fabric Artificial Skin with Pressure-, Lateral Strain-, and Flexion-Sensitive Properties. 2016 , 28, 722-8	325
1510	Ultrahigh Detective Heterogeneous Photosensor Arrays with In-Pixel Signal Boosting Capability for Large-Area and Skin-Compatible Electronics. 2016 , 28, 3078-86	69
1509	Highly Stretchable Anisotropic Structures for Flexible Micro/nano-electrode Applications. 2016 , 11, 112	8
1508	Fabrication and Characterization of Flexible Thin Film Transistors on Thin Solution-Cast Substrates. 2016 ,	2
1507	Integrated Flexible, Waterproof, Transparent, and Self-Powered Tactile Sensing Panel. 2016 , 10, 7696-704	64
1506	Graphene-Enabled Optoelectronics on Paper. 2016 , 3, 964-971	45
1505	Temperature and layer thickness dependent investigations on epindolidione organic thin-film transistors. 2016 , 218, 64-74	6

1504	Charge Carrier Doping into the Peierls Insulator of the TCNQ Anion Radical Salt (TCNQ = 7,7,8,8-Tetracyanoquinodimethane). 2016 , 120, 11545-11551	2
1503	Fatigue in organic semiconductors: Spectroscopic evolution of microstructure due to cyclic loading in poly(3-heptylthiophene). 2016 , 217, 144-151	11
1502	Highly Flexible Graphene Oxide Nanosuspension Liquid-Based Microfluidic Tactile Sensor. 2016 , 12, 1593-604	67
1501	Arrhythmogenic and metabolic remodelling of failing human heart. 2016 , 594, 3963-80	13
1500	Flexible and Stretchable Physical Sensor Integrated Platforms for Wearable Human-Activity Monitoring and Personal Healthcare. 2016 , 28, 4338-72	1219
1499	Skin-Inspired Haptic Memory Arrays with an Electrically Reconfigurable Architecture. 2016 , 28, 1559-66	135
1498	High-Frequency, Conformable Organic Amplifiers. 2016 , 28, 3298-304	46
1497	A Low-Operating-Power and Flexible Active-Matrix Organic-Transistor Temperature-Sensor Array. 2016 , 28, 4832-8	214
1496	300-nm Imperceptible, Ultraflexible, and Biocompatible e-Skin Fit with Tactile Sensors and Organic Transistors. 2016 , 2, 1500452	100
1495	A transparent bending-insensitive pressure sensor. 2016 , 11, 472-8	549
1494	Fully integrated wearable sensor arrays for multiplexed in situ perspiration analysis. <i>Nature</i> , 2016 , 529, 509-514	50.4 2526
1493	Soluble Dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene Derivatives for Solution-Processed Organic Field-Effect Transistors. 2016 , 8, 3810-24	35
1492	Volume-invariant ionic liquid microbands as highly durable wearable biomedical sensors. 2016 , 3, 208-213	96
1491	Facile fabrication of stretchable Ag nanowire/polyurethane electrodes using high intensity pulsed light. 2016 , 9, 401-414	113
1490	Imperceptible and Ultraflexible p-Type Transistors and Macroelectronics Based on Carbon Nanotubes. 2016 , 10, 199-206	34
1489	A graphene-based electrochemical device with thermoresponsive microneedles for diabetes monitoring and therapy. 2016 , 11, 566-572	1093
1488	Flexible Hall sensors based on graphene. 2016 , 8, 7683-7	49
1487	Highly flexible transparent electrodes using a silver nanowires-embedded colorless polyimide film via chemical modification. 2016 , 6, 30331-30336	11

1486	From Playroom to Lab: Tough Stretchable Electronics Analyzed with a Tabletop Tensile Tester Made from Toy-Bricks. 2016 , 3, 1500396	33
1485	Ultra-high gain diffusion-driven organic transistor. 2016 , 7, 10550	45
1484	An algorithmic approach to multi-layer wrinkling. 2016 , 7, 10-17	35
1483	Liquid-Wetting-Solid Strategy To Fabricate Stretchable Sensors for Human-Motion Detection. 2016 , 1, 303-311	52
1482	Recent advances in salivary cancer diagnostics enabled by biosensors and bioelectronics. 2016 , 81, 181-197	42
1481	SQM-OTFT: A compact model of organic thin-film transistors based on the symmetric quadrature of the accumulation charge considering both deep and tail states. 2016 , 32, 70-77	7
1480	Mechanics and thermal management of stretchable inorganic electronics. 2016 , 3, 128-143	92
1479	An ultra-sensitive and rapid response speed graphene pressure sensors for electronic skin and health monitoring. 2016 , 23, 7-14	368
1478	Triple-State Liquid-Based Microfluidic Tactile Sensor with High Flexibility, Durability, and Sensitivity. 2016 , 1, 543-551	74
1477	Sustainable Life Cycles of Natural-Precursor-Derived Nanocarbons. 2016 , 116, 163-214	136
1476	A wearable multiplexed silicon nonvolatile memory array using nanocrystal charge confinement. 2016 , 2, e1501101	113
1475	Cracking-assisted fabrication of nanoscale patterns for micro/nanotechnological applications. 2016 , 8, 9461-79	34
1474	Vacuum chucking assist sheet for fixing flexible sheets during the printing process. 2016 , 22, 2931-2937	
1473	Multifunctional Material Systems: A state-of-the-art review. 2016 , 151, 3-35	187
1472	Carrier confinement effect-driven channel design and achievement of robust electrical/photostability and high mobility in oxide thin-film transistors. 2016 , 4, 727-735	10
1471	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. 2016 , 51, 2771-2805	219
1470	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. 2016 , 49, 433-444	51
1469	Highly Stretchable Fully-Printed CNT-Based Electrochemical Sensors and Biofuel Cells: Combining Intrinsic and Design-Induced Stretchability. 2016 , 16, 721-7	229

1468	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. 2016 , 4, 2999-3018	90
1467	Electro-mechanical performance of polyurethane dielectric elastomer flexible micro-actuator composite modified with titanium dioxide-graphene hybrid fillers. 2016 , 90, 1069-1076	51
1466	Electronic Applications of StyreneButadiene Rubber and Its Composites. 2016 , 261-277	2
1465	Wearable organic solar cells with high cyclic bending stability: Materials selection criteria. 2016 , 144, 438-444	93
1464	New dithienophosphole-based donor-acceptor alternating copolymers: Synthesis and structure property relationships in OFET. 2016 , 125, 316-322	6
1463	Threshold voltage control for organic thin-film transistors using a tri-gate structure with capacitive coupling. 2017 , 56, 04CL01	1
1462	Flexible, Cuttable, and Self-Waterproof Bending Strain Sensors Using Microcracked Gold Nanofilms@Paper Substrate. 2017 , 9, 4151-4158	81
1461	Organic flexible thermoelectric generators: from modeling, a roadmap towards applications. 2017 , 1, 174-190	30
1460	Spatially Pressure-Mapped Thermochromic Interactive Sensor. 2017 , 29, 1606120	60
1459	Highly stretchable polymer semiconductor films through the nanoconfinement effect. 2017 , 355, 59-64	651
1458	Full Dynamic-Range Pressure Sensor Matrix Based on Optical and Electrical Dual-Mode Sensing. 2017 , 29, 1605817	129
1457	Antithrombotic Protein Filter Composed of Hybrid Tissue-Fabric Material has a Long Lifetime. 2017 , 45, 1352-1364	2
1456	Noncovalently functionalized multi-walled carbon nanotube with core-dualshell nanostructure for improved piezoresistive sensitivity of poly(dimethyl siloxane) nanocomposites. 2017 , 94, 124-132	17
1455	Chemical Sensing Systems that Utilize Soft Electronics on Thin Elastomeric Substrates with Open Cellular Designs. 2017 , 9, 1605476	51
1454	Spin-dependent electrical conduction in a pentacene Schottky diode explored by electrically detected magnetic resonance. 2017 , 50, 055102	6
1453	Pencil a triboelectric nanogenerator on paper for autonomous power MEMS applications. 2017 , 33, 393-401	95
1452	Serigraphy-Guided Reduction of Graphene Oxide Biopapers for Wearable Sensory Electronics. 2017 , 27, 1604802	37
1451	Characteristic correlation between liquid crystalline epoxy and alumina filler on thermal conducting properties. 2017 , 141, 99-105	46

1450	Sandwich fixation of electronic elements using free-standing elastomeric nanosheets for low-temperature device processes. 2017 , 5, 1321-1327	12
1449	Preparation of Reduced Graphene Oxide:ZnO Hybrid Cathode Interlayer Using In Situ Thermal Reduction/Annealing for Interconnecting Nanostructure and Its Effect on Organic Solar Cell. 2017 , 9, 4898-4907	37
1448	Printable and Flexible Phototransistors Based on Blend of Organic Semiconductor and Biopolymer. 2017 , 27, 1604163	55
1447	Inverted CH ₃ NH ₃ PbI ₃ perovskite hybrid solar cells with improved flexibility by introducing a polymeric electron conductor. 2017 , 5, 2883-2891	19
1446	Electronic Devices for Human-Machine Interfaces. 2017 , 4, 1600709	52
1445	Solvent-Free Processable and Photo-Patternable Hybrid Gate Dielectric for Flexible Top-Gate Organic Field-Effect Transistors. 2017 , 9, 5366-5374	19
1444	Paper: A promising material for human-friendly functional wearable electronics. 2017 , 112, 1-22	100
1443	Improved transfer process for fabrication of cantilever with precise air-gap formation. 2017 , 56, 05EB01	2
1442	A Dual-Organic-Transistor-Based Tactile-Perception System with Signal-Processing Functionality. 2017 , 29, 1606088	154
1441	High-Mobility Pentacene Organic Thin-Film Transistor with La _x Nb _(1-x) O _y Gate Dielectric Fabricated on Vacuum Tape. 2017 , 64, 1716-1722	13
1440	Ultraflexible Organic Electronics and Photonics. 2017 , 123-142	
1439	Printed high-frequency RF identification antenna on ultrathin polymer film by simple production process for soft-surface adhesive device. 2017 , 56, 05EC01	6
1438	Patterning of Stretchable Organic Electrochemical Transistors. 2017 , 29, 3126-3132	81
1437	Electrolyte-Sensing Transistor Decals Enabled by Ultrathin Microbial Nanocellulose. 2017 , 7, 40867	26
1436	Non-ideal current drop behavior in ultra-thin inorganic a-InGaZnO thin film transistors. 2017 , 28, 8231-8237	2
1435	Wearable/disposable sweat-based glucose monitoring device with multistage transdermal drug delivery module. 2017 , 3, e1601314	596
1434	A Circuits and Systems Perspective of Organic/Printed Electronics: Review, Challenges, and Contemporary and Emerging Design Approaches. 2017 , 7, 7-26	152
1433	Effect of carboxylic acids on conductivity of metallic films formed by inks based on copper@silver core-shell particles. 2017 , 522, 320-327	21

1432	Flexible Electronic Substrate Film Fabricated Using Natural Clay and Wood Components with Cross-Linking Polymer. 2017 , 29, 1606512	40
1431	Comparison of Methods for Determining the Mechanical Properties of Semiconducting Polymer Films for Stretchable Electronics. 2017 , 9, 8855-8862	90
1430	Stress-free stretchable electronic device using folding deformation. 2017 ,	8
1429	Biomimetic temperature-sensing layer for artificial skins. 2017 , 2,	30
1428	Stretchable and ultraflexible organic electronics. 2017 , 42, 93-97	97
1427	Intrinsically stretchable field-effect transistors. 2017 , 42, 131-137	9
1426	Imperceptible organic electronics. 2017 , 42, 124-130	38
1425	Strategies for stretchable polymer semiconductor layers. 2017 , 42, 98-102	11
1424	Multifunctional Hybrid Multilayer Gate Dielectrics with Tunable Surface Energy for Ultralow-Power Organic and Amorphous Oxide Thin-Film Transistors. 2017 , 9, 7347-7354	19
1423	Double-heterojunction nanorod light-responsive LEDs for display applications. 2017 , 355, 616-619	157
1422	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. 2017 , 29, 1605973	93
1421	Flexible Electronics. 2017 , 1-10	
1420	Cellular neural network formed by simplified processing elements composed of thin-film transistors. 2017 , 248, 112-119	13
1419	Electronic Skin with Multifunction Sensors Based on Thermosensation. 2017 , 29, 1606151	137
1418	Sol-gel metal oxide dielectrics for all-solution-processed electronics. 2017 , 114, 1-22	135
1417	Flexible and low-voltage organic phototransistors. 2017 , 7, 11572-11577	15
1416	Trap Healing for High-Performance Low-Voltage Polymer Transistors and Solution-Based Analog Amplifiers on Foil. 2017 , 29, 1606938	26
1415	Completely Printed, Flexible, Stable, and Hysteresis-Free Carbon Nanotube Thin-Film Transistors via Aerosol Jet Printing. 2017 , 3, 1700057	105

1414	A novel small molecule based on dithienophosphole oxide for bulk heterojunction solar cells without pre- or post-treatments. 2017 , 142, 516-523	10
1413	Combining inkjet printing and chemical vapor deposition for fabricating low voltage, organic field-effect transistors on flexible substrates. 2017 , 631, 124-131	10
1412	Enhanced performance of field-effect transistors based on C60 single crystals with conjugated polyelectrolyte. 2017 , 60, 490-496	6
1411	Design and application of 'J-shaped' stress-strain behavior in stretchable electronics: a review. 2017 , 17, 1689-1704	99
1410	Multi-walled carbon nanotubes plastic NH3 gas sensor. 2017 ,	3
1409	Solution-Growth Strategy for Large-Scale CuGaO_2 Nanoplate/ ZnS Microsphere Heterostructure Arrays with Enhanced UV Adsorption and Optoelectronic Properties. 2017 , 27, 1701066	16
1408	Arbitrarily Shaped 2.5D Circuits using Stretchable Interconnects Embedded in Thermoplastic Polymers. 2017 , 19, 1700032	28
1407	Poly(phenylmethylsiloxane) functionalized multiwalled carbon nanotube/poly(dimethylsiloxane) nanocomposites with high piezoresistivity, low modulus and high conductivity. 2017 , 28, 6897-6906	2
1406	Autonomous sweat extraction and analysis applied to cystic fibrosis and glucose monitoring using a fully integrated wearable platform. 2017 , 114, 4625-4630	404
1405	Reduced water vapor transmission rates of low-temperature solution-processed metal oxide barrier films via ultraviolet annealing. 2017 , 414, 262-269	2
1404	Vapor phase organic chemistry to deposit conjugated polymer films on arbitrary substrates. 2017 , 5, 5787-5796	32
1403	Graphene for flexible and wearable device applications. 2017 , 120, 244-257	113
1402	Floating-gate nanofibrous electret arrays for high performance nonvolatile organic transistor memory devices. 2017 , 49, 218-225	16
1401	Ultrasensitive and ultraflexible e-skins with dual functionalities for wearable electronics. 2017 , 38, 28-35	150
1400	Printable elastic conductors by in situ formation of silver nanoparticles from silver flakes. 2017 , 16, 834-840	416
1399	Polydimethylsiloxane and polyisoprene-based graphene composites for strain-sensing. 2017 , 35, 03D106	2
1398	Rollerball-Pen-Drawing Technology for Extremely Foldable Paper-Based Electronics. 2017 , 3, 1700098	26
1397	Inorganic nanomaterials for printed electronics: a review. 2017 , 9, 7342-7372	324

1396	Flexible strain sensor with high performance based on PANI/PDMS films. 2017 , 47, 51-56	57
1395	Needs and Enabling Technologies for Stretchable Electronics Commercialization. 2017 , 2, 1721-1729	11
1394	Biocompatible and totally disintegrable semiconducting polymer for ultrathin and ultralightweight transient electronics. 2017 , 114, 5107-5112	255
1393	Rugged Textile Electrodes for Wearable Devices Obtained by Vapor Coating Off-the-Shelf, Plain-Woven Fabrics. 2017 , 27, 1700415	56
1392	Wearable smart sensor systems integrated on soft contact lenses for wireless ocular diagnostics. 2017 , 8, 14997	455
1391	Injection-modulated polarity conversion by charge carrier density control via a self-assembled monolayer for all-solution-processed organic field-effect transistors. 2017 , 7, 46365	22
1390	Density-tunable lightweight polymer composites with dual-functional ability of efficient EMI shielding and heat dissipation. 2017 , 9, 13432-13440	77
1389	Enhanced gas barrier properties of graphene-TiO ₂ nanocomposites on plastic substrates assisted by UV photoreduction of graphene oxide. 2017 , 48, 323-329	9
1388	Wearable Sensing Systems with Mechanically Soft Assemblies of Nanoscale Materials. 2017 , 2, 1700053	73
1387	Rough-Surface-Enabled Capacitive Pressure Sensors with 3D Touch Capability. 2017 , 13, 1700368	95
1386	Recent advances of conductive nanocomposites in printed and flexible electronics. 2017 , 26, 083001	52
1385	Flexible Nanowire Cluster as a Wearable Colorimetric Humidity Sensor. 2017 , 13, 1700109	34
1384	A pressure sensitive ionic gel FET for tactile sensing. 2017 , 110, 253501	13
1383	Instant tough bonding of hydrogels for soft machines and electronics. 2017 , 3, e1700053	259
1382	Thermal design of rectangular microscale inorganic light-emitting diodes. 2017 , 122, 653-660	14
1381	Self-assembled three dimensional network designs for soft electronics. 2017 , 8, 15894	238
1380	High Performance Solution Processed Organic Field Effect Transistors with Novel Diketopyrrolopyrrole-Containing Small Molecules. 2017 , 7, 164	45
1379	Effects of Dielectric Material, HMDS Layer, and Channel Length on the Performance of the Perylenediimide-Based Organic Field-Effect Transistors. 2017 , 2, 2552-2560	10

1378	Towards seamlessly-integrated textile electronics: methods to coat fabrics and fibers with conducting polymers for electronic applications. 2017 , 53, 7182-7193	86
1377	A Lewis-Acid Monopolar Gate Dielectric for All-Inkjet-Printed Highly Bias-Stress Stable Organic Transistors. 2017 , 3, 1700029	16
1376	Fabrication of precision integrated capacitors. 2017 , 634, 15-23	2
1375	A rollable ultra-light polymer electrolyte membrane fuel cell. 2017 , 9, e384-e384	17
1374	Synthesis and characterization of new diamines containing rigid aromatic ester units as curing agent for high performance epoxy resin. 2017 , 25, 763-766	2
1373	Assembly of Heterogeneous Materials for Biology and Electronics: From Bio-Inspiration to Bio-Integration. 2017 , 139,	12
1372	Mechanical Properties of Organic Semiconductors for Stretchable, Highly Flexible, and Mechanically Robust Electronics. 2017 , 117, 6467-6499	430
1371	Enhancing the Mechanical Durability of an Organic Field Effect Transistor through a Fluoroelastomer Substrate with a Crosslinking-Induced Self-Wrinkled Structure. 2017 , 3, 1600477	18
1370	High-performance solution-processed organic thin-film transistors based on a soluble DNTT derivative. 2017 , 46, 68-76	8
1369	Advanced Materials for Health Monitoring with Skin-Based Wearable Devices. 2017 , 6, 1700024	165
1368	Fully printable, strain-engineered electronic wrap for customizable soft electronics. 2017 , 7, 45328	38
1367	Enhancing the Performance of Stretchable Conductors for E-Textiles by Controlled Ink Permeation. 2017 , 29, 1605848	170
1366	Current Status and Opportunities of Organic Thin-Film Transistor Technologies. 2017 , 64, 1906-1921	152
1365	Flexible Sensing Electronics for Wearable/Attachable Health Monitoring. 2017 , 13, 1602790	491
1364	Photoinduced Recovery of Organic Transistor Memories with Photoactive Floating-Gate Interlayers. 2017 , 9, 11759-11769	56
1363	All rGO-on-PVDF-nanofibers based self-powered electronic skins. 2017 , 35, 121-127	107
1362	Soft Elastomers with Ionic Liquid-Filled Cavities as Strain Isolating Substrates for Wearable Electronics. 2017 , 13, 1602954	67
1361	Wearable Force Touch Sensor Array Using a Flexible and Transparent Electrode. 2017 , 27, 1605286	121

1360	Effective Use of Electrically Insulating Units in Organic Semiconductor Thin Films for High-Performance Organic Transistors. 2017 , 3, 1600240	66
1359	Nonlinear Frameworks for Reversible and Pluripotent Wetting on Topographic Surfaces. 2017 , 29, 1605078	15
1358	The Internet-of-Things: Review and research directions. 2017 , 34, 3-21	279
1357	3D-Printed Autonomous Sensory Composites. 2017 , 2, 1600257	12
1356	Thermoelectric characterization of flexible micro-thermoelectric generators. 2017 , 88, 015103	20
1355	Designing Thin, Ultrastretchable Electronics with Stacked Circuits and Elastomeric Encapsulation Materials. 2017 , 27, 1604545	35
1354	High-Performance Near-Infrared Phototransistor Based on n-Type Small-Molecular Organic Semiconductor. 2017 , 3, 1600430	52
1353	Side-chain effect of organic semiconductors in OFET-based chemical sensors. 2017 , 60, 977-984	13
1352	Pursuing Polymer Dielectric Interfacial Effect in Organic Transistors for Photosensing Performance Optimization. 2017 , 4, 1700442	40
1351	Organic flash memory on various flexible substrates for foldable and disposable electronics. 2017 , 8, 725	62
1350	Nitrogen Rich Carbon Coated TiO ₂ Nanoparticles as Anode for High Performance Lithium-ion Battery. 2017 , 255, 417-427	44
1349	Wearable and visual pressure sensors based on Zn ₂ GeO ₄ @polypyrrole nanowire aerogels. 2017 , 5, 11018-11024	25
1348	Stretchable Electrode Based on Laterally Combed Carbon Nanotubes for Wearable Energy Harvesting and Storage Devices. 2017 , 27, 1704353	80
1347	A skin-attachable, stretchable integrated system based on liquid GaInSn for wireless human motion monitoring with multi-site sensing capabilities. 2017 , 9, e443-e443	145
1346	Elastic FRET sensors for contactless pressure measurement. 2017 , 7, 50578-50583	0
1345	Nature-Inspired Structural Materials for Flexible Electronic Devices. 2017 , 117, 12893-12941	401
1344	Resistive switching memory using biomaterials. 2017 , 39, 223-238	48
1343	Self-Assembly of Block Copolymers in Ionic Liquids. 2017 , 83-142	4

1342	Large-Area All-Textile Pressure Sensors for Monitoring Human Motion and Physiological Signals. 2017 , 29, 1703700	412
1341	Inorganic semiconducting materials for flexible and stretchable electronics. 2017 , 1,	107
1340	Highly sensitive, self-powered and wearable electronic skin based on pressure-sensitive nanofiber woven fabric sensor. 2017 , 7, 12949	103
1339	Water-Based Peeling of Thin Hydrophobic Films. 2017 , 119, 154502	23
1338	Multiscale Humidity Visualization by Environmentally Sensitive Fluorescent Molecular Rotors. 2017 , 29, 1703900	135
1337	Enzymatic degradation of dimensionally constrained polyhydroxybutyrate films. 2017 , 19, 30021-30030	4
1336	Biaxially stretchable carbon nanotube transistors. 2017 , 122, 124901	12
1335	On-Skin Triboelectric Nanogenerator and Self-Powered Sensor with Ultrathin Thickness and High Stretchability. 2017 , 13, 1702929	89
1334	Fabrication and characterization of stretchable copper electrodes on poly(dimethylsiloxane) substrate by direct deposition. 2017 , 56, 115801	4
1333	Ag/alginate nanofiber membrane for flexible electronic skin. 2017 , 28, 445502	19
1332	Ultrafast response flexible breath sensor based on vanadium dioxide. 2017 , 11, 036002	27
1331	Ultrathin Quantum Dot Display Integrated with Wearable Electronics. 2017 , 29, 1700217	129
1330	Highly Stable Indium-Gallium-Zinc-Oxide Thin-Film Transistors on Deformable Softening Polymer Substrates. 2017 , 3, 1700221	23
1329	Dynamical thermodiffusion model of graphene synthesis on polymer films by laser irradiation and application to strain sensors. 2017 , 56, 075102	4
1328	Versatile Interpenetrating Polymer Network Approach to Robust Stretchable Electronic Devices. 2017 , 29, 7645-7652	61
1327	. 2017 , 1-1	33
1326	Washing away barriers. 2017 , 2, 772-773	10
1325	Transparent, conformable, active multielectrode array using organic electrochemical transistors. 2017 , 114, 10554-10559	133

1324	Ultra-high electrical conductivity and superior bendability simultaneously enabled in Ag nanowire based nanocomposites. 2017 , 7, 44254-44258	7
1323	Design and Fabrication of Nanomaterial-Based Device for Pressure Sensorial Applications. 2017 , 1-14	
1322	Ultralow-Temperature Solution-Processed Aluminum Oxide Dielectrics via Local Structure Control of Nanoclusters. 2017 , 9, 35114-35124	30
1321	Rubbery electronics and sensors from intrinsically stretchable elastomeric composites of semiconductors and conductors. 2017 , 3, e1701114	156
1320	Stretchable conductive elastomer for wireless wearable communication applications. 2017 , 7, 10958	25
1319	Conductive Polymer Waving in Liquid Nitrogen. 2017 , 11, 10409-10416	16
1318	Lab-on-Skin: A Review of Flexible and Stretchable Electronics for Wearable Health Monitoring. 2017 , 11, 9614-9635	873
1317	Flexible Bimodal Sensor for Simultaneous and Independent Perceiving of Pressure and Temperature Stimuli. 2017 , 2, 1700183	31
1316	Low-voltage, High-performance Organic Field-Effect Transistors Based on 2D Crystalline Molecular Semiconductors. 2017 , 7, 7830	29
1315	Multipoint Tissue Circulation Monitoring with a Flexible Optical Probe. 2017 , 7, 9643	6
1314	Hybrid 3D Printing of Soft Electronics. 2017 , 29, 1703817	344
1313	New insights and perspectives into biological materials for flexible electronics. 2017 , 46, 6764-6815	245
1312	Cancer Immunotherapy: From local to global. 2017 , 12, 840-841	7
1311	Flexible and wearable 3D graphene sensor with 141 KHz frequency signal response capability. 2017 , 111, 103501	14
1310	Wearable electronics: Nanomesh on-skin electronics. 2017 , 12, 839-840	82
1309	Flexible pressure and proximity sensor surfaces manufactured with organic materials. 2017 ,	4
1308	Stretchable Motion Memory Devices Based on Mechanical Hybrid Materials. 2017 , 29, 1701780	55
1307	Phenyl Derivative of Dibenzothiopheno[6,5-b:6',5'-f]Thieno[3,2-b]Thiophene (DPh-DBTTT): High Thermally Durable Organic Semiconductor for High-Performance Organic Field-Effect Transistors. 2017 , 3, 1700142	11

1306	Top-down Fabrication and Enhanced Active Area Electronic Characteristics of Amorphous Oxide Nanoribbons for Flexible Electronics. 2017 , 7, 5728	1
1305	Graphene-Based Three-Dimensional Capacitive Touch Sensor for Wearable Electronics. 2017 , 11, 7950-7957	185
1304	Highly Transparent, Stretchable, and Self-Healing Ionic-Skin Triboelectric Nanogenerators for Energy Harvesting and Touch Applications. 2017 , 29, 1702181	255
1303	Multi-Responsive Wrinkling Patterns by the Photoswitchable Supramolecular Network. 2017 , 6, 848-853	24
1302	Biodegradable and Highly Deformable Temperature Sensors for the Internet of Things. 2017 , 27, 1702390	116
1301	Self-Powered Real-Time Arterial Pulse Monitoring Using Ultrathin Epidermal Piezoelectric Sensors. 2017 , 29, 1702308	308
1300	Recent progresses on flexible tactile sensors. 2017 , 1, 61-73	137
1299	Inflammation-free, gas-permeable, lightweight, stretchable on-skin electronics with nanomeshes. 2017 , 12, 907-913	555
1298	Bending induced electrical response variations in ultra-thin flexible chips and device modeling. 2017 , 4, 031101	31
1297	Electrical, Elastic, and Piezoresistive Properties of Nanocomposites of Poly(dimethylsiloxane) and Poly(phenylmethylsiloxane)-Functionalized Graphene Nanoplatelets. 2017 , 46, 5737-5745	4
1296	Highly Sensitive MoS Humidity Sensors Array for Noncontact Sensation. 2017 , 29, 1702076	223
1295	Highly Elastic Graphene-Based Electronics Toward Electronic Skin. 2017 , 27, 1701513	95
1294	Silaindacenodithiophene based organic semiconductor for high performance organic field-effect transistors. 2017 , 146, 520-528	3
1293	Recent progress in the development of n-type organic semiconductors for organic field effect transistors. 2017 , 5, 8654-8681	274
1292	Effects of pre-buckling on the bending of organic electronic structures. 2017 , 7, 045204	5
1291	Experimental and Theoretical Studies of Serpentine Interconnects on Ultrathin Elastomers for Stretchable Electronics. 2017 , 27, 1702589	85
1290	Electrical Characterization and Nanoindentation of Opto-electro-mechanical Percolative Composites from 2D Layered Materials. 2017 , 2, 3741-3747	
1289	Buckled Thin-Film Transistors and Circuits on Soft Elastomers for Stretchable Electronics. 2017 , 9, 28750-28757	40

1288	Photothermally Triggered Shape-Adaptable 3D Flexible Electronics. 2017 , 2, 1700120	56
1287	A silver/graphene oxide nanocomposite film as a flexible SERS substrate for reliable quantitative analysis using high-speed spiral scanning spectrometry. 2017 , 53, 10108-10111	5
1286	Electronic Muscles and Skins: A Review of Soft Sensors and Actuators. 2017 , 117, 11239-11268	314
1285	A review of flexible lithium-sulfur and analogous alkali metal-chalcogen rechargeable batteries. 2017 , 46, 5237-5288	461
1284	Crack-Enhanced Microfluidic Stretchable E-Skin Sensor. 2017 , 9, 44678-44686	36
1283	Stretchable bioelectronics: Current and future. 2017 , 42, 960-967	10
1282	Human eye-inspired soft optoelectronic device using high-density MoS-graphene curved image sensor array. 2017 , 8, 1664	241
1281	Nanotransplantation Printing of Crystallographic-Orientation-Controlled Single-Crystalline Nanowire Arrays on Diverse Surfaces. 2017 , 11, 11642-11652	12
1280	Patterned water dispersible conducting polymer electrode in organic thin film transistor through a parylene lift-off process. 2017 , 234, 29-37	6
1279	High-performance and flexible photodetectors based on P3HT/CdS/CdS:SnS ₂ superlattice nanowires hybrid films. 2017 , 123, 1	13
1278	Soft Poly(butyl acrylate) Side Chains toward Intrinsically Stretchable Polymeric Semiconductors for Field-Effect Transistor Applications. 2017 , 50, 4982-4992	69
1277	Thin, Transferred Layers of Silicon Dioxide and Silicon Nitride as Water and Ion Barriers for Implantable Flexible Electronic Systems. 2017 , 3, 1700077	44
1276	Uniaxial orientation of P3HT film prepared by soft friction transfer method. 2017 , 7, 5141	20
1275	Rapid prototyping of flexible intrafascicular electrode arrays by picosecond laser structuring. 2017 , 14, 066016	14
1274	Flexible, Low-Power Thin-Film Transistors Made of Vapor-Phase Synthesized High-k, Ultrathin Polymer Gate Dielectrics. 2017 , 9, 20808-20817	44
1273	Ultrasensitive Wearable Soft Strain Sensors of Conductive, Self-healing, and Elastic Hydrogels with Synergistic "Soft and Hard" Hybrid Networks. 2017 , 9, 25559-25570	313
1272	Dynamic-template-directed multiscale assembly for large-area coating of highly-aligned conjugated polymer thin films. 2017 , 8, 16070	66
1271	. 2017 , 64, 3443-3451	12

1270	Dielectric Properties of and Charge Transport in Columnar Microfibrous Thin Films of Parylene C. 2017 , 64, 3360-3367	10
1269	A diffraction-based degradation sensor for polymer thin films. 2017 , 142, 102-110	3
1268	Efficient Skin Temperature Sensor and Stable Gel-Less Sticky ECG Sensor for a Wearable Flexible Healthcare Patch. 2017 , 6, 1700495	152
1267	Improved electron injection in all-solution-processed n-type organic field-effect transistors with an inkjet-printed ZnO electron injection layer. 2017 , 420, 100-104	12
1266	Integrated Simultaneous Detection of Tactile and Bending Cues for Soft Robotics. 2017 , 4, 400-410	25
1265	Recent Progress on Stretchable Electronic Devices with Intrinsically Stretchable Components. 2017 , 29, 1603167	281
1264	Array of Organic Field-Effect Transistor for Advanced Sensing. 2017 , 7, 92-101	11
1263	Wrinkled Single-Crystalline Germanium Nanomembranes for Stretchable Photodetectors. 2017 , 64, 1985-1990	16
1262	Mechanical strain induced changes in electrical characteristics of flexible, non-volatile ferroelectric OFET based memory. 2017 , 40, 30-35	24
1261	Microfluidic Patterning of Metal Structures for Flexible Conductors by In Situ Polymer-Assisted Electroless Deposition. 2017 , 4, 1600313	32
1260	A robust and soluble nanopolymer based on molecular grid-based nanomonomer. 2017 , 35, 87-97	14
1259	. 2017 , 64, 505-515	5
1258	Photochemical Molecular Tailoring for Efficient Diffusion and Reorganization of Organic Nanocrystals for Ultra-Flexible Organic Semiconductor Arrays. 2017 , 13, 1602467	10
1257	A pressure-induced bending sensitive capacitor based on an elastomer-free, extremely thin transparent conductor. 2017 , 5, 3221-3229	24
1256	Recent Progress in the Development of Printed Thin-Film Transistors and Circuits with High-Resolution Printing Technology. 2017 , 29, 1602736	191
1255	Low operating voltage organic transistors and circuits with anodic titanium oxide and phosphonic acid self-assembled monolayer dielectrics. 2017 , 40, 58-64	31
1254	Size-Scalable and High-Density Liquid-Metal-Based Soft Electronic Passive Components and Circuits Using Soft Lithography. 2017 , 27, 1604466	73
1253	Operation and modelling of diffusion-driven organic field-effect transistors for high-performance organic electronics. 2017 ,	

1252	A wireless smart UV accumulation patch based on conductive polymer and CNT composites. 2017 , 7, 54741-54746	6
1251	Improved performance of lead phthalocyanine phototransistor by template inducing effect based on optimized-thickness copper phthalocyanine layers. 2017 , 234, 100-105	9
1250	Development of Thin Film Formation Technique Using Ion Irradiation Effect Control in Sputtering Method. 2017 , 60, 81-84	1
1249	Printed Electronics Technology. 2017 , 35, 101-104	
1248	A low-cost liquid-wetting-solid strategy to fabricate flexible pressure sensors. 2017 ,	
1247	Highly robust oxide thin film transistors with split active semiconductor and source/drain electrodes. 2017 ,	3
1246	Pressure sensitive ionic gel-fets of extremely high sensitivity over 2,200 kPa \bar{u} operated under 2 V. 2017 ,	1
1245	High-Resolution Spin-on-Patterning of Perovskite Thin Films for a Multiplexed Image Sensor Array. 2017 , 29, 1702902	100
1244	Topology and Shape Preserved Lightweight of Shell Models Utilizing Heat Diffusion. 2017 ,	1
1243	Organic membrane photonic integrated circuits (OMPICs). 2017 , 25, 18537-18552	5
1242	Smart Sensor Systems for Wearable Electronic Devices. 2017 , 9,	123
1241	Highly Efficient and Stable Organic Solar Cells via Interface Engineering with a Nanostructured ITR-GO/PFN Bilayer Cathode Interlayer. 2017 , 7,	5
1240	Novel Tactile Sensor Technology and Smart Tactile Sensing Systems: A Review. 2017 , 17,	111
1239	Preparation and Property Research of Strain Sensor Based on PDMS and Silver Nanomaterials. 2017 , 2017, 1-8	5
1238	Ultrathin epidermal strain sensor based on an elastomer nanosheet with an inkjet-printed conductive polymer. 2017 , 10, 087201	27
1237	OTFTs compact models: analysis, comparison, and insights. 2017 , 11, 409-420	14
1236	Novel printing process for the fabrication of cantilever structures by the partially controlled sintering of ink. 2017 , 56, 010313	9
1235	Highly Stretchable, Compliant, Polymeric Microelectrode Arrays for In Vivo Electrophysiological Interfacing. 2017 , 29, 1702800	110

1234	Effect of Background Pressure on the Performance of Organic Field Effect Transistors with Copper Electrodes. 2017 , E100.C, 122-125	
1233	One-batch transfer process for the additive manufacturing of a cantilever with a weight. 2017 , 56, 06GN03	1
1232	Transparent and flexible high frequency transmission lines based on composite structure comprising silver nanowires and polyvinyl butyral. 2018 , 159, 25-32	9
1231	Advances in point-of-care diagnostic devices in cancers. 2018 , 143, 1326-1348	37
1230	Low-Voltage Organic Single-Crystal Field-Effect Transistor with Steep Subthreshold Slope. 2018 , 10, 25871-25877	31
1229	Printable Superelastic Conductors with Extreme Stretchability and Robust Cycling Endurance Enabled by Liquid-Metal Particles. 2018 , 30, e1706157	150
1228	Flexible Normal-Tangential Force Sensor with Opposite Resistance Responding for Highly Sensitive Artificial Skin. 2018 , 28, 1707503	114
1227	A Printed Organic Amplification System for Wearable Potentiometric Electrochemical Sensors. 2018 , 8, 3922	35
1226	Large-Scale Direct-Writing of Aligned Nanofibers for Flexible Electronics. 2018 , 14, e1703521	84
1225	Novel Patterning Method for Nanomaterials and Its Application to Flexible Organic Light-Emitting Diodes. 2018 , 10, 9704-9717	12
1224	Printed Transistors and Sensors. 2018 , 83-104	
1223	Flexible Health-Monitoring Devices/Sensors. 2018 , 287-321	
1222	History of Flexible and Stretchable Devices. 2018 , 1-6	1
1221	Flexible/Stretchable Devices for Medical Applications. 2018 , 351-380	1
1220	Electrically Detected Magnetic Resonance Observations of Spin-Dependent Space-Charge-Limited Conduction in Regioregular Poly(3-Hexylthiophene). 2018 , 219, 1700395	3
1219	Melding Vapor-Phase Organic Chemistry and Textile Manufacturing To Produce Wearable Electronics. 2018 , 51, 850-859	48
1218	Stability Analysis of All-Inkjet-Printed Organic Thin-Film Transistors. 2018 , 3, 1871-1876	2
1217	All-in-one self-powered flexible microsystems based on triboelectric nanogenerators. 2018 , 47, 410-426	185

1216	Effect of composite structure on capacity instability of SnO ₂ -Coated multiwalled carbon nanotube composite anode. 2018 , 742, 542-548	9
1215	Kirigami enhances film adhesion. 2018 , 14, 2515-2525	46
1214	Flexible active-matrix organic light-emitting diode display enabled by MoS thin-film transistor. 2018 , 4, eaas8721	116
1213	Organic-Based Transistors and Sensors. 2018 , 53-81	
1212	Strong Capillarity, Chemisorption, and Electrocatalytic Capability of Crisscrossed Nanostraws Enabled Flexible, High-Rate, and Long-Cycling Lithium-Sulfur Batteries. 2018 , 12, 4868-4876	177
1211	A Printed Organic Circuit System for Wearable Amperometric Electrochemical Sensors. 2018 , 8, 6368	32
1210	Biaxially Stretchable Fully Elastic Transistors Based on Rubbery Semiconductor Nanocomposites. 2018 , 3, 1800043	29
1209	A Phosphonic Acid Self-assembled Monolayer on UV-Cured Metal Oxides as Gate Dielectrics for Low-Voltage Organic Field-Effect Transistors. 2018 , 39, 601-604	
1208	A Polypyrrole Elastomer Based on Confined Polymerization in a Host Polymer Network for Highly Stretchable Temperature and Strain Sensors. 2018 , 14, e1800394	42
1207	Transparent and flexible tactile sensors based on graphene films designed for smart panels. 2018 , 53, 9589-9597	19
1206	Experimental Investigation of Measurement Error in Networked Resistors Arrays Based on Zero Potential Method. 2018 , 19, 473-479	2
1205	Polarization-Dependent Atomic Force Microscopy-Infrared Spectroscopy (AFM-IR): Infrared Nanopolarimetric Analysis of Structure and Anisotropy of Thin Films and Surfaces. 2018 , 72, 817-832	27
1204	Defect-Free, Highly Uniform Washable Transparent Electrodes Induced by Selective Light Irradiation. 2018 , 14, e1800676	13
1203	The evolution of artificial light actuators in living systems: from planar to nanostructured interfaces. 2018 , 47, 4757-4780	47
1202	Methylxanthine Drug Monitoring with Wearable Sweat Sensors. 2018 , 30, e1707442	159
1201	Self-Healing Electronic Materials for a Smart and Sustainable Future. 2018 , 10, 15331-15345	122
1200	Plasticizing Silk Protein for On-Skin Stretchable Electrodes. 2018 , 30, e1800129	160
1199	EGaIn/Metal Interfacing for Liquid Metal Circuitry and Microelectronics Integration. 2018 , 5, 1701596	98

1198	A Building Brick Principle to Create Transparent Composite Films with Multicolor Emission and Self-Healing Function. 2018 , 14, e1800315	15
1197	A Soft Shape Memory Reversible Dry Adhesive. 2018 , 36, 953-959	5
1196	Flexible corner cube retroreflector array for temperature and strain sensing. 2018 , 8, 7588-7598	5
1195	Skin electronics from scalable fabrication of an intrinsically stretchable transistor array. <i>Nature</i> , 2018 , 555, 83-88	50.4 1089
1194	Deformable conductors for human-machine interface. 2018 , 21, 508-526	119
1193	Ultrasonic tactile sensor integrated with TFT array for force feedback and shape recognition. 2018 , 271, 348-355	8
1192	Conjugated Polymers for Flexible Energy Harvesting and Storage. 2018 , 30, e1704261	117
1191	Multifunctional and miniaturized flexible sensor patch: Design and application for in situ monitoring of epoxy polymerization. 2018 , 261, 144-152	25
1190	Highly stretchable strain sensors with reduced graphene oxide sensing liquids for wearable electronics. 2018 , 10, 5264-5271	95
1189	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. 2018 , 30, e1706738	230
1188	Development of extremely low temperature processed oxide thin film transistors via atmospheric steam reforming treatment: Interface, surface, film curing. 2018 , 744, 23-33	5
1187	Large-Area High-Performance Flexible Pressure Sensor with Carbon Nanotube Active Matrix for Electronic Skin. 2018 , 18, 2054-2059	122
1186	Low-cost, thin-thick, tape-free electronic tattoo sensors with minimized motion and sweat artifacts. 2018 , 2,	87
1185	Copper cladding on polymer surfaces by ionization-assisted deposition. 2018 , 57, 03EG11	
1184	3D, Reconfigurable, Multimodal Electronic Whiskers via Directed Air Assembly. 2018 , 30, 1706733	30
1183	Mechanics Design of Stretchable Near Field Communication Antenna With Serpentine Wires. 2018 , 85,	20
1182	High-Performance Carbon Nanotube Complementary Electronics and Integrated Sensor Systems on Ultrathin Plastic Foil. 2018 , 12, 2773-2779	66
1181	Highly flexible, wearable, and disposable cardiac biosensors for remote and ambulatory monitoring. 2018 , 1, 2	103

1180	Graphene-based flexible and wearable electronics. 2018 , 39, 011007	49
1179	Recent progress of flexible and wearable strain sensors for human-motion monitoring. 2018 , 39, 011012	66
1178	Rational Molecular Design for Deep-Blue Thermally Activated Delayed Fluorescence Emitters. 2018 , 28, 1706023	155
1177	Highly Sensitive and Wearable InO Nanoribbon Transistor Biosensors with Integrated On-Chip Gate for Glucose Monitoring in Body Fluids. 2018 , 12, 1170-1178	130
1176	Reactive Vapor Deposition of Conjugated Polymer Films on Arbitrary Substrates. 2018 ,	3
1175	A High-Performance Optical Memory Array Based on Inhomogeneity of Organic Semiconductors. 2018 , 30, e1706647	66
1174	Tough and Water-Insensitive Self-Healing Elastomer for Robust Electronic Skin. 2018 , 30, e1706846	523
1173	Untethered soft robotics. 2018 , 1, 102-112	448
1172	Magnetosensitive e-skins with directional perception for augmented reality. 2018 , 4, eaao2623	64
1171	Flexography Printed Pattern Based on Nano-Copper Conductive Ink. 2018 , 417-422	1
1170	Syringe Injectable Electronics. 2018 , 65-93	18
1169	Evaluation and improvement of organic semiconductors biocompatibility towards fibroblasts and cardiomyocytes. 2018 , 260, 418-425	10
1168	Chemiresistive and Chemicapacitive Devices Formed via Morphology Control of Electroconductive Bio-nanocomposites. 2018 , 4, 1700495	10
1167	Robust and high-performance soft inductive tactile sensors based on the Eddy-current effect. 2018 , 271, 44-52	23
1166	Ultrasensitive Flexible Proximity Sensor Based on Organic Crystal for Location Detection. 2018 , 10, 2785-2792	35
1165	Mechanically robust, stretchable organic solar cells via buckle-on-elastomer strategy. 2018 , 53, 339-345	25
1164	Novel high temperature polymeric encapsulation material for extreme environment electronics packaging. 2018 , 141, 202-209	22
1163	Solution-processed high performance organic thin film transistors enabled by roll-to-roll slot die coating technique. 2018 , 54, 80-88	31

1162	Imperceptible Epidermal-Iontronic Interface for Wearable Sensing. 2018 , 30, 1705122	104
1161	Enzyme-Based Glucose Sensor: From Invasive to Wearable Device. 2018 , 7, e1701150	288
1160	A Light Harvesting, Self-Powered Monolith Tactile Sensor Based on Electric Field Induced Effects in MAPbI Perovskite. 2018 , 30, 1705778	38
1159	Improved Electron Transport with Reduced Contact Resistance in N-Doped Polymer Field-Effect Transistors with a Dimeric Dopant. 2018 , 39, e1700726	8
1158	Fully transparent conformal organic thin-film transistor array and its application as LED front driving. 2018 , 10, 3613-3620	17
1157	Deformable Organic Nanowire Field-Effect Transistors. 2018 , 30, 1704401	64
1156	The development of flexible integrated circuits based on thin-film transistors. 2018 , 1, 30-39	218
1155	Shape Memory Polymers for Body Motion Energy Harvesting and Self-Powered Mechanosensing. 2018 , 30, 1705195	194
1154	Bioinspired Universal Flexible Elastomer-Based Microchannels. 2018 , 14, e1702170	28
1153	Fabrication of octamethyl substituted zinc(II) phthalocyanine nanostructure via exfoliation and use for solution-processed field-effect transistor. 2018 , 55, 15-20	8
1152	Chemical formation of soft metal electrodes for flexible and wearable electronics. 2018 , 47, 4611-4641	165
1151	Shy Organic Photovoltaics: Digitally Printed Organic Solar Modules With Hidden Interconnects. 2018 , 2, 1800005	14
1150	Integration of flexible strain sensor using liquid metal into soft micro-actuator. 2018 ,	7
1149	Two-dimensional equations for thin-films of ionic conductors. 2018 , 39, 1071-1088	1
1148	Triboelectric electronic-skin based on graphene quantum dots for application in self-powered, smart, artificial fingers. 2018 , 49, 274-282	35
1147	Flexible and ultra-lightweight polymer membrane lasers. 2018 , 9, 1525	88
1146	Textile Display for Electronic and Brain-Interfaced Communications. 2018 , 30, e1800323	99
1145	Organic Pressure-Sensing Surfaces Fabricated by Lamination of Flexible Substrates. 2018 , 8, 1159-1166	8

1144	Ultralight, self-powered and self-adaptive motion sensor based on triboelectric nanogenerator for perceptual layer application in Internet of things. 2018 , 48, 312-319	39
1143	One-dimensional conjugated polymer nanomaterials for flexible and stretchable electronics. 2018 , 6, 3538-3550	32
1142	Stretchable ultrasonic transducer arrays for three-dimensional imaging on complex surfaces. 2018 , 4, eaar3979	119
1141	Extremely flat metal films implemented by surface roughness transfer for flexible electronics.. 2018 , 8, 10883-10888	11
1140	Fully additive manufacture of a polymer cantilever with an embedded functional layer. 2018 , 57, 030312	1
1139	Highly sensitive flexible three-axis tactile sensors based on the interface contact resistance of microstructured graphene. 2018 , 10, 7387-7395	58
1138	Roll-to-roll processing of film substrates for hybrid integrated flexible electronics. 2018 , 3, 014002	35
1137	Influence of Solvent Additive 1,8-Octanedithiol on P3HT:PCBM Solar Cells. 2018 , 28, 1800209	33
1136	Electronic Conductivity in Biomimetic Helical Peptide Nanofibers and Gels. 2018 , 12, 2652-2661	44
1135	Transferred, Ultrathin Oxide Bilayers as Biofluid Barriers for Flexible Electronic Implants. 2018 , 28, 1702284	36
1134	Reliable thin chip peeling from adhesive tape with inverted needle ejecting and spring buffering. 2018 , 32, 753-771	1
1133	Device-assisted transdermal drug delivery. 2018 , 127, 35-45	157
1132	Polymer-Based Technologies for Sensing Applications. 2018 , 90, 459-479	31
1131	Organic Complementary Inverter Circuits Fabricated with Reverse Offset Printing. 2018 , 4, 1700313	40
1130	Development of wearable and flexible insole type capacitive pressure sensor for continuous gait signal analysis. 2018 , 53, 213-220	35
1129	A Breathable and Screen-Printed Pressure Sensor Based on Nanofiber Membranes for Electronic Skins. 2018 , 3, 1700241	105
1128	A self-powered brain multi-perception receptor for sensory-substitution application. 2018 , 44, 43-52	36
1127	Weavable and Highly Efficient Organic Light-Emitting Fibers for Wearable Electronics: A Scalable, Low-Temperature Process. 2018 , 18, 347-356	77

1126	Optical and electrical characterizations of graphene nanoplatelet coatings on low density polyethylene. 2018 , 36, 01A104	3
1125	Flexible Piezoresistive Pressure Sensor Using Wrinkled Carbon Nanotube Thin Films for Human Physiological Signals. 2018 , 3, 1700158	98
1124	Improved process for forming a three-dimensional undersurface on a printed cantilever. 2018 , 57, 05GB01	
1123	Flexible Integrated Sensor Array for Pressure, Humidity and Temperature Sensing*. 2018 ,	
1122	Smart Materials for Wearable Healthcare Devices. 2018 ,	2
1121	An ultra-thin highly flexible microfluidic device for blood oxygenation. 2018 , 18, 3780-3789	17
1120	Ullazine-based materials: towards novel opportunities in organic electronics. 2018 , 6, 11943-11950	7
1119	Electronic-skin compasses for geomagnetic field-driven artificial magnetoreception and interactive electronics. 2018 , 1, 589-595	66
1118	Toward all-day wearable health monitoring: An ultralow-power, reflective organic pulse oximetry sensing patch. 2018 , 4, eaas9530	93
1117	Bioresorbable Silicon Nanomembranes and Iron Catalyst Nanoparticles for Flexible, Transient Electrochemical Dopamine Monitors. 2018 , 7, e1801071	26
1116	High transparency flexible sensor for pressure and proximity sensing. 2018 , 32, 1850394	7
1115	Stretchable organic optoelectronic sensorimotor synapse. 2018 , 4, eaat7387	228
1114	Using history to foster critical scientific thinking: Aristotle and Galileo's debate resolved through high-speed motion tracking in the classroom. 2018 , 86, 903-908	1
1113	Nanomaterials in Skin-Inspired Electronics: Toward Soft and Robust Skin-like Electronic Nanosystems. 2018 , 12, 11731-11739	100
1112	Curing kinetics of liquid crystalline 4,4'-Diglycidylxybiphenyl epoxy cured with 4,4'-Diaminodiphenylsulfone. 2018 , 159, 6-11	8
1111	An Elastic Interfacial Transistor Enabled by Superhydrophobicity. 2018 , 14, e1804006	5
1110	Recent Advances in Smart Wearable Sensing Systems. 2018 , 3, 1800444	78
1109	An overview of healthcare monitoring by flexible electronics. 2018 , 61, 1	6

1108	Engineering the work function of solution-processed electrodes of silver nanocrystal thin film through surface chemistry modification. 2018 , 6, 121105	5
1107	Efficient and stable sky-blue delayed fluorescence organic light-emitting diodes with CIE below 0.4. 2018 , 9, 5036	82
1106	24.1: Invited Paper: Flexible Oxide TFTs for Bendable and flexible displays. 2018 , 49, 248-251	2
1105	Plasmonic-Assisted Graphene Oxide Artificial Muscles. 2019 , 31, e1806386	85
1104	Recent Advances in Large-Scale Tactile Sensor Arrays Based on a Transistor Matrix. 2018 , 5, 1801061	31
1103	Charge-Coupling Extended-Gate Amorphous-InGaZnO-Based Thin-Film Transistor for Use as Ultrasensitive Biosensor. 2018 , 165, B571-B575	1
1102	Flash-Induced Stretchable Cu Conductor via Multiscale-Interfacial Couplings. 2018 , 5, 1801146	31
1101	Flexible, Low-Voltage, and n-Type Infrared Organic Phototransistors with Enhanced Photosensitivity via Interface Trapping Effect. 2018 , 10, 36177-36186	21
1100	Stretchable Structural Color Filters Based on a Metal/Insulator/Metal Structure. 2018 , 6, 1800851	9
1099	Artificial Tactile Sensor Structure for Surface Topography Through Sliding. 2018 , 23, 2638-2649	16
1098	Plant-Based Modular Building Blocks for Green/Electronic Skins. 2018 , 28, 1804510	73
1097	Ultrathin Trilayer Assemblies as Long-Lived Barriers against Water and Ion Penetration in Flexible Bioelectronic Systems. 2018 , 12, 10317-10326	33
1096	Designing Surface Chemistry of Silver Nanocrystals for Radio Frequency Circuit Applications. 2018 , 10, 37643-37650	4
1095	Gas-Permeable, Multifunctional On-Skin Electronics Based on Laser-Induced Porous Graphene and Sugar-Templated Elastomer Sponges. 2018 , 30, e1804327	177
1094	Highly Reliable Superhydrophobic Protection for Organic Field-Effect Transistors by Fluoroalkylsilane-Coated TiO Nanoparticles. 2018 , 12, 11062-11069	20
1093	Wafer-Scale Fabrication of Ultrathin Flexible Electronic Systems via Capillary-Assisted Electrochemical Delamination. 2018 , 30, e1805408	25
1092	Fully Printed Flexible Dual-Gate Carbon Nanotube Thin-Film Transistors with Tunable Ambipolar Characteristics for Complementary Logic Circuits. 2018 , 12, 11572-11578	31
1091	Conformal Physical Vapor Deposition Assisted by Atomic Layer Deposition and Its Application for Stretchable Conductors. 2018 , 5, 1801379	1

1090	Hygroscopic Auxetic On-Skin Sensors for Easy-to-Handle Repeated Daily Use. 2018 , 10, 40141-40148	41
1089	Kirigami-Inspired Deformable 3D Structures Conformable to Curved Biological Surface. 2018 , 5, 1801070	33
1088	Gelatin Hydrogel-Based Organic Electrochemical Transistors and Their Integrated Logic Circuits. 2018 , 10, 39083-39090	48
1087	Stretchable metal films. 2018 , 3, 043001	10
1086	Nonthrombogenic, stretchable, active multielectrode array for electroanatomical mapping. 2018 , 4, eaau2426	89
1085	Effect of Nonconjugated Spacers on Mechanical Properties of Semiconducting Polymers for Stretchable Transistors. 2018 , 28, 1804222	75
1084	Industrial Grade, Bending-Insensitive, Transparent Nanoforce Touch Sensor via Enhanced Percolation Effect in a Hierarchical Nanocomposite Film. 2018 , 28, 1804721	35
1083	Standing Enokitake-like Nanowire Films for Highly Stretchable Elastronics. 2018 , 12, 9742-9749	93
1082	Three-Dimensional Coprinting of Liquid Metals for Directly Fabricating Stretchable Electronics. 2018 , 5, 195-203	18
1081	The importance of open and frugal labware. 2018 , 1, 484-486	5
1080	A Soluble Diketopyrrolopyrrole Derivative and Its Applications for Organic Phototransistors. 2018 , 7, 2330-2336	3
1079	Enhanced Thermal Conductivity of Liquid Crystalline Epoxy Resin using Controlled Linear Polymerization. 2018 , 7, 1180-1185	33
1078	High-performance transparent pressure sensors based on sea-urchin shaped metal nanoparticles and polyurethane microdome arrays for real-time monitoring. 2018 , 10, 18812-18820	30
1077	Buckling-Based Non-Linear Mechanical Sensor. 2018 , 18,	4
1076	Inhomogeneity of the Ultrafast Excited State Dynamics in Organic Photovoltaic Materials Measured at Nanoscale. 2018 , 122, 22201-22209	5
1075	A Robust, Air-Stable and Recyclable Hydrogel Toward Stretchable Electronic Device Applications. 2018 , 303, 1800282	5
1074	. 2018 , 8, 1237-1243	1
1073	Direct writing of anodic oxides for plastic electronics. 2018 , 2,	12

1072 Characterization system for Large Area Electronic Systems. **2018**,

1071 Ultrathin, flexible and multimodal tactile sensors based on organic field-effect transistors. **2018**, 8, 8073 66

1070 One-Step Fabrication of Hydrophobic Hybrid Gate Dielectrics for Low-Voltage Organic Thin-Film Transistors. **2018**, 39, 868-872 1

1069 EGaIn-Assisted Room-Temperature Sintering of Silver Nanoparticles for Stretchable, Inkjet-Printed, Thin-Film Electronics. **2018**, 30, e1801852 138

1068 Intraoperative monitoring of neuromuscular function with soft, skin-mounted wireless devices. **2018**, 1, 13

1067 Smart Surgical Catheter for C-Reactive Protein Sensing Based on an Imperceptible Organic Transistor. **2018**, 5, 1701053 33

1066 Measurement of conformability and adhesion energy of polymeric ultrathin film to skin model. **2018**, 57, 06HJ04 5

1065 High-resolution flexible temperature sensor based graphite-filled polyethylene oxide and polyvinylidene fluoride composites for body temperature monitoring. **2018**, 278, 1-10 34

1064 High- k Gate Dielectrics for Emerging Flexible and Stretchable Electronics. **2018**, 118, 5690-5754 354

1063 Wearable and flexible sensors for user-interactive health-monitoring devices. **2018**, 6, 4043-4064 173

1062 Review on flexible photonics/electronics integrated devices and fabrication strategy. **2018**, 61, 1 57

1061 Reduced Pyronin B as a solution-processable and heating-free n-type dopant for soft electronics. **2018**, 6, 6672-6679 5

1060 Recent Advances in Materials, Devices, and Systems for Neural Interfaces. **2018**, 30, e1800534 104

1059 Nanodiamond reinforcement in polyamide and polyimide matrices: Fundamentals and applications. **2018**, 34, 439-458 16

1058 Meant to merge: Fabrication of stretchy electronics for robotics. **2018**, 3, 13

1057 SuPR-NaP Technique for Printing Ultrafine Silver Electrodes and its Use for Low-Voltage Operation of Organic Thin-Film Transistors. **2018**, 3, 2931-2936

1056 Ultrastretchable Conductor Fabricated on Skin-Like Hydrogel-Elastomer Hybrid Substrates for Skin Electronics. **2018**, 30, e1800109 106

1055 Positioning growth of NPB crystalline nanowires on the PTCDA nanocrystal template. **2018**, 10, 10262-10267 7

1054	An Elastic Autonomous Self-Healing Capacitive Sensor Based on a Dynamic Dual Crosslinked Chemical System. 2018 , 30, e1801435	185
1053	Free-Standing 2D Hexagonal Aluminum Nitride Dielectric Crystals for High-Performance Organic Field-Effect Transistors. 2018 , 30, e1801891	20
1052	Biosafe, Eco-Friendly Levan Polysaccharide toward Transient Electronics. 2018 , 14, e1801332	24
1051	Mechanically robust stretchable organic optoelectronic devices built using a simple and universal stencil-pattern transferring technology. 2018 , 7, 35	55
1050	Encapsulation requirements to enable stable organic ultra-thin and stretchable devices. 2018 , 33, 1925-1936	13
1049	Enhanced Charge Transport and Stability Conferred by Iron(III)-Coordination in a Conjugated Polymer Thin-Film Transistors. 2018 , 4, 1800239	9
1048	Gravure printed organic thin film transistors: Study on the ink printability improvement. 2018 , 61, 104-112	8
1047	Carbon nanotube-based flexible electronics. 2018 , 6, 7714-7727	47
1046	A Composite Elastic Conductor with High Dynamic Stability Based on 3D-Calabash Bunch Conductive Network Structure for Wearable Devices. 2018 , 4, 1800137	42
1045	A mechanical system for tensile testing of supported films at the nanoscale. 2018 , 29, 395707	8
1044	Wearable high-performance pressure sensors based on three-dimensional electrospun conductive nanofibers. 2018 , 10, 540-551	102
1043	Reversible Surface Patterning by Dynamic Crosslink Gradients: Controlling Buckling in 2D. 2018 , 30, e1803463	24
1042	Recent Progress and Future Prospects of 2D-Based Photodetectors. 2018 , 30, e1801164	221
1041	Measurement of Cohesion and Adhesion of Semiconducting Polymers by Scratch Testing: Effect of Side-Chain Length and Degree of Polymerization. 2018 , 7, 1003-1009	9
1040	Transparent and conductive nanomembranes with orthogonal silver nanowire arrays for skin-attachable loudspeakers and microphones. 2018 , 4, eaas8772	98
1039	Microscale local strain gauges based on visible micro-disk lasers embedded in a flexible substrate. 2018 , 26, 16797-16804	11
1038	A Highly Sensitive Capacitive-type Strain Sensor Using Wrinkled Ultrathin Gold Films. 2018 , 18, 5610-5617	138
1037	A location- and sharpness-specific tactile electronic skin based on staircase-like nanowire patches. 2018 , 3, 640-647	36

1036	Graphene based strain sensor with LCP substrate. 2018 , 307, 012051	1
1035	Calcium-Modified Silk as a Biocompatible and Strong Adhesive for Epidermal Electronics. 2018 , 28, 1800802	98
1034	Self-Adhesive and Ultra-Conformable, Sub-300 nm Dry Thin-Film Electrodes for Surface Monitoring of Biopotentials. 2018 , 28, 1803279	81
1033	Imperceptible electrooculography graphene sensor system for human-robot interface. 2018 , 2,	72
1032	Steady-state space-charge-limited current analysis of mobility with negative electric field dependence. 2018 , 124, 045701	5
1031	Flexible and Stretchable Smart Display: Materials, Fabrication, Device Design, and System Integration. 2018 , 28, 1801834	221
1030	Novel Electronics for Flexible and Neuromorphic Computing. 2018 , 28, 1801690	74
1029	Multilayer Graphene Epidermal Electronic Skin. 2018 , 12, 8839-8846	180
1028	High-Performance Flexible Magnetic Tunnel Junctions for Smart Miniaturized Instruments. 2018 , 20, 1800471	11
1027	Soft Material-Enabled, Flexible Hybrid Electronics for Medicine, Healthcare, and Human-Machine Interfaces. 2018 , 11,	108
1026	Toward Perceptive Soft Robots: Progress and Challenges. 2018 , 5, 1800541	228
1025	High-Performance, Ultrathin, Ultraflexible Organic Thin-Film Transistor Array Via Solution Process. 2018 , 14, e1801020	52
1024	1.4 μm -Thick Transparent Radio Frequency Transmission Lines Based on Instant Fusion of Polyethylene Terephthalate Through Surface of Ag Nanowires. 2018 , 14, 599-609	5
1023	Review of Stratum Corneum Impedance Measurement in Non-Invasive Penetration Application. 2018 , 8,	42
1022	Flexible Triboelectric Nanogenerators. 2018 , 383-423	1
1021	Robust Tactile Descriptors for Discriminating Objects From Textural Properties via Artificial Robotic Skin. 2018 , 34, 985-1003	45
1020	Ultraflexible Near-Infrared Organic Photodetectors for Conformal Photoplethysmogram Sensors. 2018 , 30, e1802359	111
1019	Recent Advances in Tactile Sensing Technology. 2018 , 9,	39

1018	Floating Gate, Organic Field-Effect Transistor-Based Sensors towards Biomedical Applications Fabricated with Large-Area Processes over Flexible Substrates. 2018 , 18,	15
1017	Surfactant-Enriched ZnO Surface via Sol-Gel Process for the Efficient Inverted Polymer Solar Cell. 2018 , 10, 26805-26811	13
1016	. 2018 , 18, 7881-7888	41
1015	Cantilever-based microring lasers embedded in a deformable substrate for local strain gauges. 2018 , 8, 075306	5
1014	Organic Field-Effect Transistor for Energy-Related Applications: Low-Power-Consumption Devices, Near-Infrared Phototransistors, and Organic Thermoelectric Devices. 2018 , 8, 1801003	73
1013	Microfiber-Knitted Crossweave Patterns for Multiresolution Physical Kineses Analysis Electronics. 2018 , 3, 1800107	8
1012	Self-powered triboelectric touch sensor made of 3D printed materials. 2018 , 52, 54-62	27
1011	A Wearable Microfluidic Sensing Patch for Dynamic Sweat Secretion Analysis. 2018 , 3, 944-952	183
1010	Recent progress in flexible pressure sensor arrays: from design to applications. 2018 , 6, 11878-11892	116
1009	An integrated self-healable electronic skin system fabricated via dynamic reconstruction of a nanostructured conducting network. 2018 , 13, 1057-1065	510
1008	Soft Electronically Functional Polymeric Composite Materials for a Flexible and Stretchable Digital Future. 2018 , 30, e1802560	88
1007	Ultraconformable Freestanding Capacitors Based on Ultrathin Polyvinyl Formal Films. 2018 , 4, 1800215	9
1006	Stretchable electronics on another level. 2018 , 1, 440-441	10
1005	Toothed Substrate Design to Improve Stretchability of Serpentine Interconnect for Stretchable Electronics. 2018 , 3, 1800169	14
1004	High-Performance Biscrolled MXene/Carbon Nanotube Yarn Supercapacitors. 2018 , 14, e1802225	114
1003	Low Elastic Modulus and High Charge Mobility of Low-Crystallinity Indacenodithiophene-Based Semiconducting Polymers for Potential Applications in Stretchable Electronics. 2018 , 51, 6352-6358	54
1002	Trichogenic Photostimulation Using Monolithic Flexible Vertical AlGaInP Light-Emitting Diodes. 2018 , 12, 9587-9595	51
1001	Photo-induced healing of stretchable transparent electrodes based on thermoplastic polyurethane with embedded metallic nanowires. 2018 , 6, 12420-12429	27

1000	Flexible Conductive Composite Integrated with Personal Earphone for Wireless, Real-Time Monitoring of Electrophysiological Signs. 2018 , 10, 21184-21190	37
999	E-Skin Tactile Sensor Matrix Pixelated by Position-Registered Conductive Microparticles Creating Pressure-Sensitive Selectors. 2018 , 28, 1801858	64
998	Micropatterned Elastic Gold-Nanowire/Polyacrylamide Composite Hydrogels for Wearable Pressure Sensors. 2018 , 3, 1800051	37
997	Versatile Core-Shell Yarn for Sustainable Biomechanical Energy Harvesting and Real-Time Human-Interactive Sensing. 2018 , 8, 1801114	153
996	Highly sensitive integrated flexible tactile sensors with piezoresistive Ge ₂ Sb ₂ Te ₅ thin films. 2018 , 2,	14
995	Recent Advances in Biointegrated Optoelectronic Devices. 2018 , 30, e1800156	49
994	Stretchable Nanolasing from Hybrid Quadrupole Plasmons. 2018 , 18, 4549-4555	70
993	Control over Molecular Architectures of Carbohydrate-Based Block Copolymers for Stretchable Electrical Memory Devices. 2018 , 51, 4966-4975	23
992	Development of Photonic Crystal Fiber-Based Gas/Chemical Sensors. 2019 , 287-317	16
991	Recent developments in bio-monitoring via advanced polymer nanocomposite-based wearable strain sensors. 2019 , 123, 167-177	201
990	Effect of Crystallinity Modulation between Electron Transport Layer and Photo-Generation Materials on ZnO-Based Polymer Solar Cells. 2019 , 7, 263-268	7
989	De Novo Synthesis and Assembly of Flexible and Biocompatible Physical Sensing Platforms. 2019 , 4, 1800141	4
988	Tissue-adhesive wirelessly powered optoelectronic device for metronomic photodynamic cancer therapy. 2019 , 3, 27-36	101
987	Nanomaterials-based flexible and stretchable bioelectronics. 2019 , 44, 643-656	18
986	Electrochemical Characteristics of a Triphenylamine Derivative by Microelectrode Voltammetry. 2019 , 31, 2466-2471	7
985	Organic Photovoltaics: Toward Self-Powered Wearable Electronics. 2019 , 107, 2137-2154	32
984	Ultrasensitive Charged Object Detection Based on Rubrene Crystal Sensor. 2019 , 66, 3139-3143	2
983	Regional and correlative sweat analysis using high-throughput microfluidic sensing patches toward decoding sweat. 2019 , 5, eaaw9906	143

982	Stretchable and Transparent Kirigami Conductor of Nanowire Percolation Network for Electronic Skin Applications. 2019 , 19, 6087-6096	136
981	Hydrophobic, Structure-Tunable Cu Nanowire@Graphene CoreShell Aerogels for Piezoresistive Pressure Sensing. 2019 , 4, 1900470	12
980	An ultraflexible organic differential amplifier for recording electrocardiograms. 2019 , 2, 351-360	62
979	Freestanding Polymer Crystalline Layers of Subnanometer Order. 2019 , 52, 6018-6024	3
978	Flexible Pressure-Sensitive Contact Transistors Operating in the Subthreshold Regime. 2019 , 11, 31111-31118	16
977	Three-dimensional out-of-plane geometric engineering of thin films for stretchable electronics: a brief review. 2019 , 688, 137435	11
976	Flexible electronic/optoelectronic microsystems with scalable designs for chronic biointegration. 2019 , 116, 15398-15406	44
975	A neuro-inspired artificial peripheral nervous system for scalable electronic skins. 2019 , 4,	115
974	Facile Preparation of Hybrid Structure Based on Mesodome and Micropillar Arrays as Flexible Electronic Skin with Tunable Sensitivity and Detection Range. 2019 , 11, 28060-28071	35
973	Recent progress in stretchable organic field-effect transistors. 2019 , 62, 1255-1276	11
972	Opto-electro-mechanical percolative composites from 2D layered materials: Properties and applications in strain sensing. 2019 , 182, 107687	10
971	Hierarchically Structured Vertical Gold Nanowire Array-Based Wearable Pressure Sensors for Wireless Health Monitoring. 2019 , 11, 29014-29021	86
970	Stability of Selected Hydrogen Bonded Semiconductors in Organic Electronic Devices. 2019 , 31, 6315-6346	33
969	Water-proof and thermally inert flexible pressure sensors based on zero temperature coefficient of resistance hybrid films. 2019 , 7, 9648-9654	16
968	Porous CNT/rubber composite for resistive pressure sensor. 2019 , 102, 387-393	8
967	Deformable and Stretchable Electrodes for Soft Electronic Devices. 2019 , 27, 625-639	21
966	Plasma Enabled Conformal and Damage Free Encapsulation of Fragile Molecular Matter: from Surface-Supported to On-Device Nanostructures. 2019 , 29, 1903535	6
965	Flexible Single-Substrate Integrated Active-Matrix Pyroelectric Sensor. 2019 , 13, 1900277	10

964	Ion buffering and interface charge enable high performance electronics with organic electrochemical transistors. 2019 , 10, 3044	40
963	Development of respiratory monitoring and actions recognition based on a pressure sensor with multi-arch structures. 2019 , 296, 357-366	8
962	Spontaneous Generation of a Molecular Thin Hydrophobic Skin Layer on a Sub-20 nm, High-Polymer Dielectric for Extremely Stable Organic Thin-Film Transistor Operation. 2019 , 11, 29113-29123	23
961	Microstructural control suppresses thermal activation of electron transport at room temperature in polymer transistors. 2019 , 10, 3365	27
960	Wireless organic electronic ion pumps driven by photovoltaics. 2019 , 3,	18
959	Field-Effect Transistors Based on 2D Organic Semiconductors Developed by a Hybrid Deposition Method. 2019 , 6, 1900775	27
958	Highly-ordered Triptycene Modifier Layer Based on Blade Coating for Ultraflexible Organic Transistors. 2019 , 9, 9200	12
957	3D Printing of Ultralight Biomimetic Hierarchical Graphene Materials with Exceptional Stiffness and Resilience. 2019 , 31, e1902930	73
956	High-Transconductance Stretchable Transistors Achieved by Controlled Gold Microcrack Morphology. 2019 , 5, 1900347	33
955	A Fully Additive Low-Temperature All-Air Low-Variation Printed/Flexible Electronics With Self-Compensation for Bending: Codesign From Materials, Design, Fabrication, and Applications. 2019 , 107, 2106-2117	2
954	Super- and Ultrathin Organic Field-Effect Transistors: from Flexibility to Super- and Ultraflexibility. 2019 , 29, 1906908	20
953	Electronic Skin: Recent Progress and Future Prospects for Skin-Attachable Devices for Health Monitoring, Robotics, and Prosthetics. 2019 , 31, e1904765	498
952	Mimicking Sensory Adaptation with Dielectric Engineered Organic Transistors. 2019 , 31, e1905018	11
951	Biocompatible and Na-sensitive thin-film transistor for biological fluid sensing. 2019 , 20, 917-926	3
950	Flexible and wearable healthcare sensors for visual reality health-monitoring. 2019 , 1, 411-427	15
949	Ultralow-Noise Organic Transistors Based on Polymeric Gate Dielectrics with Self-Assembled Modifiers. 2019 , 11, 41561-41569	5
948	Fully Stretchable Electromagnet Using Magnetoactive PDMS Sponges and Metallic Coils. 2019 , 71, 4556-4561	3
947	Devices for promising applications. 2019 , 247-314	

946	Large-Area Soft e-Skin: The Challenges Beyond Sensor Designs. 2019 , 107, 2016-2033	117
945	Nanomaterial-Modified Conducting Paper: Fabrication, Properties, and Emerging Biomedical Applications. 2019 , 3, 1900041	12
944	Advances in Spectroscopy: Molecules to Materials. 2019 ,	2
943	Lithography-Free Formation of Controllable Microdomes via Droplet Templates for Robust, Ultrasensitive, and Flexible Pressure Sensors. 2019 , 2, 7178-7187	13
942	Boron-based stepwise dioxygen activation with 1,4,2,5-diazadiborinine. 2019 , 10, 2088-2092	21
941	Stretchable self-healable semiconducting polymer film for active-matrix strain-sensing array. 2019 , 5, eaav3097	102
940	Design, mechanics, and operation of spiral-interconnect based networked sensor for stretchable electronics. 2019 , 115, 181904	4
939	A Super-Flexible and High-Sensitive Epidermal sEMG Electrode Patch for Silent Speech Recognition. 2019 ,	1
938	Mechanically transformative electronics, sensors, and implantable devices. 2019 , 5, eaay0418	70
937	The rise of flexible electronics in neuroscience, from materials selection to in vitro and in vivo applications. 2019 , 4, 1664319	6
936	Implantable Highly Compliant Devices for Heating of Internal Organs: Toward Cancer Treatment. 2019 , 21, 1900407	3
935	An Ultraflexible and Stretchable Aptameric Graphene Nanosensor for Biomarker Detection and Monitoring. 2019 , 29, 1905202	48
934	Self-Healing Electrode with High Electrical Conductivity and Mechanical Strength for Artificial Electronic Skin. 2019 , 11, 46026-46033	19
933	Hybrid LAE-CMOS Force-Sensing System Employing TFT-Based Compressed Sensing for Scalability of Tactile Sensing Skins. 2019 , 13, 1264-1276	7
932	Self-Healing and Stretchable 3D-Printed Organic Thermoelectrics. 2019 , 29, 1905426	72
931	Atmospheric-Pressure Synthesis of Atomically Smooth, Conformal, and Ultrathin Low-k Polymer Insulating Layers by Plasma-Initiated Chemical Vapor Deposition. 2019 , 1, 3304-3312	5
930	Reducing contact resistance in bottom contact organic field effect transistors for integrated electronics. 2019 , 53, 014002	9
929	milliMorph -- Fluid-Driven Thin Film Shape-Change Materials for Interaction Design. 2019 ,	7

928	Coherent Energy and Charge Transport Processes in Oligothiophene Dendrimers Probed in Solution and in the Solid State with Time-Resolved Spectroscopy and Microscopy Methods. 2019 , 123, 23419-23426	3
927	Multisubstituted Azaisoindigo-Based Polymers for High-Mobility Ambipolar Thin-Film Transistors and Inverters. 2019 , 11, 34171-34177	8
926	Low-Voltage, High-Performance Flexible Organic Field-Effect Transistors Based on Ultrathin Single-Crystal Microribbons. 2019 , 11, 34188-34195	13
925	Highly sensitive and wearable gel-based sensors with a dynamic physically cross-linked structure for strain-stimulus detection over a wide temperature range. 2019 , 7, 11303-11314	33
924	Soft-packaged sensory glove system for human-like natural interaction and control of prosthetic hands. 2019 , 11,	22
923	Regenerating leather waste for flexible pressure sensing applications. 2019 , 1,	5
922	Electrospun Polytetrafluoroethylene Nanofibrous Membrane for High-Performance Self-Powered Sensors. 2019 , 14, 251	11
921	Magnetic Liquid Metal (Fe-EGaIn) Based Multifunctional Electronics for Remote Self-Healing Materials, Degradable Electronics, and Thermal Transfer Printing. 2019 , 6, 1901478	91
920	Impact of Polyimide Film Thickness for Improving the Mechanical Robustness of Stretchable InGaZnO Thin-Film Transistors Prepared on Wavy-Dimensional Elastomer Substrates. 2019 , 11, 34076-34083	15
919	Fabrication and evaluation of a printhead with integrated electrodes for electrohydrodynamic jet printing on insulating substrate. 2019 , 1213, 052118	1
918	A bioinspired optoelectronically engineered artificial neurorobotics device with sensorimotor functionalities. 2019 , 10, 3873	44
917	Design of bendable high-frequency circuits based on short-channel InGaZnO TFTs. 2019 ,	2
916	Chemical Sensing Platforms Based on Organic Thin-Film Transistors Functionalized with Artificial Receptors. 2019 , 4, 2571-2587	38
915	Stretchable photodetector utilizing the change in capacitance formed in a composite film containing semiconductor particles. 2019 , 182, 107773	7
914	A flexible self-charged power panel for harvesting and storing solar and mechanical energy. 2019 , 65, 104082	18
913	. 2019 , 107, 2065-2083	35
912	A UV-responsive pressure sensitive adhesive for damage-free fabrication of an ultrathin imperceptible mechanical sensor with ultrahigh optical transparency. 2019 , 7, 22588-22595	16
911	Flexible Ultralow-Power Sensor Interfaces for E-Skin. 2019 , 107, 2084-2105	27

910	A bimodal soft electronic skin for tactile and touchless interaction in real time. 2019 , 10, 4405	91
909	3D Printer-Based Encapsulated Origami Electronics for Extreme System Stretchability and High Areal Coverage. 2019 , 13, 12500-12510	15
908	Proactively modulating mechanical behaviors of materials at multiscale for mechano-adaptable devices. 2019 , 48, 1434-1447	20
907	Motion recognition by a liquid filled tubular triboelectric nanogenerator. 2019 , 11, 495-503	10
906	Ultrasensitive, flexible, and low-cost nanoporous piezoresistive composites for tactile pressure sensing. 2019 , 11, 2779-2786	46
905	Enhanced Charge Injection Properties of Organic Field-Effect Transistor by Molecular Implantation Doping. 2019 , 31, e1806697	41
904	Softening gold for elastronics. 2019 , 48, 1668-1711	96
903	Using Artificial Skin Devices as Skin Replacements: Insights into Superficial Treatment. 2019 , 15, e1805453	34
902	Bio-Integrated Wearable Systems: A Comprehensive Review. 2019 , 119, 5461-5533	496
901	Strategic Design of Clay-Based Multifunctional Materials: From Natural Minerals to Nanostructured Membranes. 2019 , 29, 1807611	39
900	A Monocharged Electret Nanogenerator-Based Self-Powered Device for Pressure and Tactile Sensor Applications. 2019 , 29, 1807618	21
899	Emerging Technologies of Flexible Pressure Sensors: Materials, Modeling, Devices, and Manufacturing. 2019 , 29, 1808509	175
898	Fully rubbery integrated electronics from high effective mobility intrinsically stretchable semiconductors. 2019 , 5, eaav5749	72
897	Transparent, pressure-sensitive, and healable e-skin from a UV-cured polymer comprising dynamic urea bonds. 2019 , 7, 3101-3111	21
896	Waterproof, electronics-enabled, epidermal microfluidic devices for sweat collection, biomarker analysis, and thermography in aquatic settings. 2019 , 5, eaau6356	142
895	Nanoscale Ion-Doped Polymer Transistors. 2019 , 19, 1712-1718	15
894	Organic crystalline materials in flexible electronics. 2019 , 48, 1492-1530	202
893	Hydrogel bioelectronics. 2019 , 48, 1642-1667	742

892	Morphological/nanostructural control toward intrinsically stretchable organic electronics. 2019 , 48, 1741-1786	87
891	Stimuli-responsive materials: a web themed collection. 2019 , 3, 10-11	16
890	Recent progress in printable organic field effect transistors. 2019 , 7, 790-808	79
889	Highly flexible chemical sensors based on polymer nanofiber field-effect transistors. 2019 , 7, 1525-1531	28
888	Ultra-Adaptable and Wearable Photonic Skin Based on a Shape-Memory, Responsive Cellulose Derivative. 2019 , 29, 1902720	57
887	Direct numerical simulation of buckling instability of thin films on a compliant substrate. 2019 , 11, 168781401984047	8
886	Stretchable Transparent Conductors: from Micro/Macromechanics to Applications. 2019 , 31, e1900756	33
885	Isoindigo-Based Binary Polymer Blends for Solution-Processing of Semiconducting Nanofiber Networks. 2019 , 1, 1778-1786	10
884	Highly Durable Nanofiber-Reinforced Elastic Conductors for Skin-Tight Electronic Textiles. 2019 , 13, 7905-7912	64
883	Anisotropic Thermal Conductive Composite by the Guided Assembly of Boron Nitride Nanosheets for Flexible and Stretchable Electronics. 2019 , 29, 1902575	83
882	Fully Integrated Microscale Quasi-2D Crystalline Molecular Field-Effect Transistors. 2019 , 29, 1903738	8
881	Ion-to-ion amplification through an open-junction ionic diode. 2019 , 116, 13807-13815	27
880	MoOx/Au Schottky-Gated Field-Effect Transistors and Their Fast Inverters. 2019 , 5, 1900086	5
879	Stretchable and Self-Healable Conductive Hydrogels for Wearable Multimodal Touch Sensors with Thermoresponsive Behavior. 2019 , 11, 26134-26143	47
878	A flexible, adhesive and self-healable hydrogel-based wearable strain sensor for human motion and physiological signal monitoring. 2019 , 7, 4638-4648	116
877	Ionic liquid thin layer-induced memory effects in organic field-effect transistors. 2019 , 21, 18823-18829	7
876	Thermally exfoliated graphene oxide reinforced stress responsive conductive nanocomposite hydrogel. 2019 , 30, 2392-2401	11
875	Hole Transport Property of 4-phenyl-4'-(diphenylamino)stilbene Single Crystal Prepared Based on Solubility and Supersolubility Curves. 2019 , E102.C, 132-137	2

874	A Flexible Self-Powered Sensing Element with Integrated Organic Thermoelectric Generator. 2019 , 4, 1900247	46
873	A critical review of reactive vapor deposition for conjugated polymer synthesis. 2019 , 7, 7159-7174	27
872	Polyimide-based gate dielectrics for high-performance organic thin film transistors. 2019 , 7, 7454-7459	13
871	Barrier materials for flexible bioelectronic implants with chronic stability: Current approaches and future directions. 2019 , 7, 050902	23
870	Atmospheric-pressure plasma oxidation of aluminum for large-area electronics. 2019 , 125, 215501	4
869	Self-Standing Metallic Mesh with MnO Multiscale Microstructures for High-Capacity Flexible Transparent Energy Storage. 2019 , 11, 24047-24056	20
868	An aramid nanofibers-based gel polymer electrolyte with high mechanical and heat endurance for all-solid-state NIR electrochromic devices. 2019 , 200, 109952	16
867	Probing the Relationship between Molecular Structures, Thermal Transitions, and Morphology in Polymer Semiconductors Using a Woven Glass-Mesh-Based DMTA Technique. 2019 , 31, 6740-6749	17
866	A Novel Flexible Silver Heater Fabricated by a Solution-Based Polyimide Metalization and Inkjet-Printed Carbon Masking Technique. 2019 , 1, 928-935	5
865	Materials and structural designs of stretchable conductors. 2019 , 48, 2946-2966	189
864	Organic Solar Cells on Paper Substrates. 2019 , 4, 1900184	17
863	Like A Second Skin. 2019 ,	7
862	Extremely stretchable and self-healing conductor based on thermoplastic elastomer for all-three-dimensional printed triboelectric nanogenerator. 2019 , 10, 2158	188
861	An Ultrastretchable and Self-Healable Nanocomposite Conductor Enabled by Autonomously Percolative Electrical Pathways. 2019 , 13, 6531-6539	66
860	Structure Inheritance in Nanoparticle Ink Direct-Writing Processes and Crack-Free Nano-Copper Interconnects Printed by a Single-Run Approach. 2019 , 12,	4
859	Robust and stretchable self-healing polyurethane based on polycarbonate diol with different soft-segment molecular weight for flexible devices. 2019 , 118, 36-44	20
858	Amorphous FeZr metal for multi-functional sensor in electronic skin. 2019 , 3,	8
857	Assembly and applications of 3D conformal electronics on curvilinear surfaces. 2019 , 6, 642-683	90

856	Soft High-Resolution Neural Interfacing Probes: Materials and Design Approaches. 2019 , 19, 2741-2749	35
855	Multi-scale modeling of early-stage morphology in solution-processed polycrystalline thin films. 2019 , 21, 9538-9546	1
854	Flexible Sensors—from Materials to Applications. 2019 , 7, 35	78
853	Nanomeshed Si nanomembranes. 2019 , 3,	9
852	A universal strategy to improve the mechanical stability of flexible organic thin film transistors. 2019 , 7, 6323-6331	6
851	Physical and Chemical Sensing With Electronic Skin. 2019 , 107, 2155-2167	37
850	Emerging Trends in Flexible Active Multielectrode Arrays. 2019 , 31, 6347-6358	28
849	Highly conductive 3D metal-rubber composites for stretchable electronic applications. 2019 , 7, 031508	13
848	Skin-Mountable Biosensors and Therapeutics: A Review. 2019 , 21, 299-323	27
847	Highly compliant planar Hall effect sensor with sub 200 nT sensitivity. 2019 , 3,	28
846	Semi-liquid metal and adhesion-selection enabled rolling and transfer (SMART) printing: A general method towards fast fabrication of flexible electronics. 2019 , 62, 982-994	45
845	Nanomembranes as a substrate for ultra-thin lightweight devices. 2019 , 676, 8-11	3
844	Shear-Force Sensors on Flexible Substrates Using Inkjet Printing. 2019 , 2019, 1-11	4
843	Bending-durable membrane-electrode assembly using metal nanowires for bendable polymer electrolyte membrane fuel cell. 2019 , 172, 874-880	8
842	Advances in device fabrication scale-up methods. 2019 , 579-597	2
841	Recent Progress in Inkjet-Printed Thin-Film Transistors. 2019 , 6, 1801445	109
840	All-Carbon Pressure Sensors with High Performance and Excellent Chemical Resistance. 2019 , 15, e1804779	25
839	Nature of vacuum-deposited electrode induced thermal irradiation damage on organic transistors. 2019 , 480, 523-528	8

838	Multifunctional Skin-Inspired Flexible Sensor Systems for Wearable Electronics. 2019 , 4, 1800628	258
837	High Operation Stability of Ultraflexible Organic Solar Cells with Ultraviolet-Filtering Substrates. 2019 , 31, e1808033	28
836	High Precision Thermoforming 3D-Conformable Electronics with a Phase-Changing Adhesion Interlayer. 2019 , 10,	6
835	Transferring Electronic Devices with Hydrogenated Graphene. 2019 , 6, 1801974	5
834	Fabrication of carboxymethyl cellulose and graphene oxide bio-nanocomposites for flexible nonvolatile resistive switching memory devices. 2019 , 214, 213-220	38
833	High-performance optical memory transistors based on a novel organic semiconductor with nanosprouts. 2019 , 11, 7117-7122	14
832	Structure-Property Relationships in Graphene-Based Strain and Pressure Sensors for Potential Artificial Intelligence Applications. 2019 , 19,	36
831	Strain Effects on the Energy-Level Alignment at Metal/Organic Semiconductor Interfaces. 2019 , 11, 12717-12722	22
830	Stretchable sensors for environmental monitoring. 2019 , 6, 011309	50
829	Polymer-based flexible bioelectronics. 2019 , 64, 634-640	33
828	Self-healing soft electronics. 2019 , 2, 144-150	269
827	Flexible semi-transparent organic transistors and circuits based on easily prepared polyphenyleneoxide dielectric. 2019 , 69, 308-312	6
826	Second Skin Enabled by Advanced Electronics. 2019 , 6, 1900186	106
825	Toward a new generation of smart skins. 2019 , 37, 382-388	182
824	Effects of material properties and geometric parameters on electromagnetic-assisted transfer printing. 2019 , 52, 255302	3
823	Advances in Polyimide-Based Materials for Space Applications. 2019 , 31, e1807738	168
822	Conductivity measurements of organic materials using field-effect transistors (FETs) and space-charge-limited current (SCLC) techniques. 2019 , 453-487	6
821	Application of metallic inks based on nickel-silver core-shell nanoparticles for fabrication of conductive films. 2019 , 30, 225301	7

820	Water Transfer Printing Enhanced by Water-Induced Pattern Expansion: Toward Large-Area 3D Electronics. 2019 , 4, 1800600	22
819	Highly stretchable ionic conducting hydrogels for strain/tactile sensors. 2019 , 167, 154-158	21
818	Matrix-Independent Highly Conductive Composites for Electrodes and Interconnects in Stretchable Electronics. 2019 , 11, 8567-8575	45
817	Fabrication of the Flexible Dual-Gate OFET Based Organic Pressure Sensor. 2019 , E102.C, 188-191	3
816	Wearable binary cooperative polypyrrole nanofilms for chemical mapping on skin. 2019 , 7, 5227-5233	8
815	Carbon Nanotube-Modified Fabric for Wearable Smart Electronic-skin with Exclusive Normal-Tangential Force Sensing Ability. 2019 , 4, 1800680	22
814	Development of High-k Polymer Materials for Use as a Dielectric Layer in the Organic Thin-Film Transistors. 2019 , 123, 6438-6443	13
813	Route towards sustainable smart sensors: ferroelectric polyvinylidene fluoride-based materials and their integration in flexible electronics. 2019 , 48, 1787-1825	127
812	Polyimide/Graphene Nanocomposite Foam-Based Wind-Driven Triboelectric Nanogenerator for Self-Powered Pressure Sensor. 2019 , 4, 1800723	59
811	Stretchable, skin-conformal microscale surface-emitting lasers with dynamically tunable spectral and directional selectivity. 2019 , 114, 041103	4
810	Toward wearable electronics: A lightweight all-solid-state supercapacitor with outstanding transparency, foldability and breathability. 2019 , 22, 402-409	25
809	Effects of quinoline on the imidization temperature and properties of polyimide. 2019 , 6, 125358	3
808	First-Principles Calculation of Physical Tensors of Diisopropylammonium Bromide (DIPAB) Molecular Ferroelectric Crystal. 2019 , 7,	3
807	Enhancing the device efficiency by filling the traps in photoanodes. 2019 , 7, 14632-14638	1
806	A triplet state energy transfer material design concept enables enhanced visualization applications. 2019 , 7, 14170-14180	6
805	Recent advances in lithographic fabrication of micro-/nanostructured polydimethylsiloxanes and their soft electronic applications. 2019 , 40, 111605	18
804	Nonquasi-Static Capacitance Modeling and Characterization for Printed Inorganic Electrolyte-Gated Transistors in Logic Gates. 2019 , 66, 5272-5277	4
803	Toward Fully Printed Memristive Elements: a-TiO ₂ Electronic Synapse from Functionalized Nanoparticle Ink. 2019 , 1, 2692-2700	8

802	Implantable Neural Interfaces and Wearable Tactile Systems for Bidirectional Neuroprosthetics Systems. 2019 , 8, e1801345	15
801	Enhanced p-Type Work Function Tunability Induced by Electrostatic Molecular Alignment and Surface Coverage in Conjugated Small-Molecule Electrolyte. 2019 , 1, 2566-2573	2
800	The Combination of Soft Microfingers and Wearable Interface Device for Haptic Teleoperation Robot System. 2019 ,	2
799	Wearable NFC Reader and Sensor Tag for Health Monitoring. 2019 ,	3
798	Sandwich-structure transferable free-form OLEDs for wearable and disposable skin wound photomedicine. 2019 , 8, 114	42
797	Efficient and color-purity blue electroluminescence by manipulating the coupling forms of D-A hybrids with phenothiazine as the strong donor. 2019 , 160, 962-970	16
796	Block Copolymer Elastomers for Stretchable Electronics. 2019 , 52, 63-72	51
795	Metal-Assisted Transfer Strategy for Construction of 2D and 3D Nanostructures on an Elastic Substrate. 2019 , 13, 440-448	26
794	Durable Ultraflexible Organic Photovoltaics with Novel Metal-Oxide-Free Cathode. 2019 , 29, 1808378	21
793	Highly Conductive Flexible Metal-Ceramic Nanolaminate Electrode for High-Performance Soft Electronics. 2019 , 11, 2211-2217	5
792	Flexible, fiber-shaped supercapacitors with roll-type assembly. 2019 , 71, 220-227	10
791	Novel decoupling algorithm based on parallel voltage extreme learning machine (PV-ELM) for six-axis F/M sensors. 2019 , 57, 303-314	7
790	Electrically-Transduced Chemical Sensors Based on Two-Dimensional Nanomaterials. 2019 , 119, 478-598	294
789	High-Sensitivity, Skin-Attachable, and Stretchable Array of Thermo-Responsive Suspended Gate Field-Effect Transistors with Thermochromic Display. 2019 , 29, 1807679	27
788	Modular and Reconfigurable Stretchable Electronic Systems. 2019 , 4, 1800417	27
787	Flexible Electronics: Stretchable Electrodes and Their Future. 2019 , 29, 1805924	305
786	Milk-based triboelectric nanogenerator on paper for harvesting energy from human body motion. 2019 , 56, 400-410	71
785	Air and Water-Stable n-Type Doping and Encapsulation of Flexible MoS ₂ Devices with SU8. 2019 , 5, 1800492	11

784	Fast Deposition of Aligning Edge-On Polymers for High-Mobility Ambipolar Transistors. 2019 , 31, e1805761	48
783	Voltammetric and chronoamperometric studies of aniline electropolymerization in different aqueous sulfuric acid solutions. 2019 , 76, 4571-4584	4
782	Self-powered electronic skin based on the triboelectric generator. 2019 , 56, 252-268	147
781	Electrical and Electromagnetic Interference (EMI) shielding properties of hexagonal boron nitride nanoparticles reinforced polyvinylidene fluoride nanocomposite films. 2019 , 58, 1191-1209	17
780	Energy autonomous electronic skin. 2019 , 3,	168
779	A Generic Soft Encapsulation Strategy for Stretchable Electronics. 2019 , 29, 1806630	55
778	Invited Article: Emerging soft bioelectronics for cardiac health diagnosis and treatment. 2019 , 7, 031301	24
777	Solution-processed thin films of semiconducting carbon nanotubes and their application to soft electronics. 2019 , 30, 132001	26
776	Micropatterned elastic ionic polyacrylamide hydrogel for low-voltage capacitive and organic thin-film transistor pressure sensors. 2019 , 58, 96-104	64
775	Elastomer-Free, Stretchable, and Conformable Silver Nanowire Conductors Enabled by Three-Dimensional Buckled Microstructures. 2019 , 11, 6541-6549	22
774	Room-temperature solution-processed, ZrOx-based hybrid gate dielectrics for low-voltage organic thin-film transistors on plastic substrates. 2019 , 114, 013301	13
773	Two-dimensional Organic Materials and Their Electronic Applications. 2019 , 48, 14-21	3
772	Highly sensitive and flexible strain sensor based on Au thin film. 2019 , 29, 015001	3
771	High-performance stretchable conductive nanocomposites: materials, processes, and device applications. 2019 , 48, 1566-1595	256
770	Synthesis and characterization of photo-crosslinkable coumarin-containing polymer dielectric for organic transistors. 2019 , 66, 169-174	4
769	Ultrathin Conformable Organic Artificial Synapse for Wearable Intelligent Device Applications. 2019 , 11, 1071-1080	63
768	Stretchable electronics: functional materials, fabrication strategies and applications. 2019 , 20, 187-224	146
767	Scalable development of a multi-phase thermal management system with superior EMI shielding properties. 2019 , 158, 206-217	13

766	A stretchable piezoelectric elastic composite. 2019 , 236, 96-100	13
765	A flexible and highly sensitive graphene-based strain sensor for structural health monitoring. 2019 , 22, 8217-8224	20
764	Tactile-based active object discrimination and target object search in an unknown workspace. 2019 , 43, 123-152	24
763	Wearable and flexible electronics for continuous molecular monitoring. 2019 , 48, 1465-1491	551
762	Rubbery Electronics Fully Made of Stretchable Elastomeric Electronic Materials. 2020 , 32, e1902417	58
761	Mechanoluminescent, Air-Dielectric MoS Transistors as Active-Matrix Pressure Sensors for Wide Detection Ranges from Footsteps to Cellular Motions. 2020 , 20, 66-74	41
760	Recent Advances in the Bias Stress Stability of Organic Transistors. 2020 , 30, 1904590	32
759	Recent Advances in 1D Stretchable Electrodes and Devices for Textile and Wearable Electronics: Materials, Fabrications, and Applications. 2020 , 32, e1902532	111
758	Material-Based Approaches for the Fabrication of Stretchable Electronics. 2020 , 32, e1902743	149
757	Organic Photodetectors for Next-Generation Wearable Electronics. 2020 , 32, e1902045	214
756	Advanced Soft Materials, Sensor Integrations, and Applications of Wearable Flexible Hybrid Electronics in Healthcare, Energy, and Environment. 2020 , 32, e1901924	305
755	Artificial Sensory Memory. 2020 , 32, e1902434	98
754	Enhancement of Interfacial Adhesion Using Micro/Nanoscale Hierarchical Cilia for Randomly Accessible Membrane-Type Electronic Devices. 2020 , 14, 118-128	8
753	3D Self-Assembled Microelectronic Devices: Concepts, Materials, Applications. 2020 , 32, e1902994	41
752	Conformable Hybrid Systems for Implantable Bioelectronic Interfaces. 2020 , 32, e1903904	41
751	Facilely prepared layer-by-layer graphene membrane-based pressure sensor with high sensitivity and stability for smart wearable devices. 2020 , 45, 241-247	17
750	ReviewEnergy Autonomous Wearable Sensors for Smart Healthcare: A Review. 2020 , 167, 037516	44
749	Control of thermal deformation with photonic sintering of ultrathin nanowire transparent electrodes. 2020 , 12, 2366-2373	11

748	Fabrication of a Bending-Insensitive In-Plane Strain Sensor from a Reversible Cross-Linker-Functionalized Silicone Polymer. 2020 , 12, 6516-6524	8
747	Transfer Printing of Electronic Functions on Arbitrary Complex Surfaces. 2020 , 14, 12-20	19
746	Design and Control of Foam Hands for Dexterous Manipulation. 2020 , 17, 1950033	3
745	A Survey of Tactile-Sensing Systems and Their Applications in Biomedical Engineering. 2020 , 2020, 1-17	24
744	Reviews of wearable healthcare systems: Materials, devices and system integration. 2020 , 140, 100523	107
743	Ultra-high transparent sandwich structure with a silicon dioxide passivation layer prepared on a colorless polyimide substrate for a flexible capacitive touch screen panel. 2020 , 207, 110350	11
742	Atomic Scale Understanding of the Epitaxy of Perovskite Oxides on Flexible Mica Substrate. 2020 , 7, 1901265	7
741	Graphene/Au Hybrid Antenna Coil Exfoliated with Multi-Stacked Graphene Flakes for Ultra-Thin Biomedical Devices. 2020 , 6, 1901143	10
740	Organic Thin-Film Transistors Fabricated by Solution-Processed and Low-Temperature Condensed Hybrid Gate Dielectrics. 2020 , 41, 123-126	
739	Water-Processable, Stretchable, Self-Healable, Thermally Stable, and Transparent Ionic Conductors for Actuators and Sensors. 2020 , 32, e1906679	66
738	. 2020 , 67, 8808-8816	21
737	High-output, transparent, stretchable triboelectric nanogenerator based on carbon nanotube thin film toward wearable energy harvesters. 2020 , 67, 104297	42
736	Field Manipulation of Infrared Absorption Properties in Thin Films. 2020 , 257, 1900490	1
735	An autonomously healable, highly stretchable and cyclically compressible, wearable hydrogel as a multimodal sensor. 2020 , 11, 1327-1336	16
734	Emerging intraoral biosensors. 2020 , 8, 3341-3356	6
733	Hybrid nano-textured nanogenerator and self-powered sensor for on-skin triggered biomechanical motions. 2020 , 31, 155502	14
732	Nanoelectronics for Minimally Invasive Cellular Recordings. 2020 , 30, 1906210	9
731	A review on stretchable magnetic field sensorics. 2020 , 53, 083002	23

730	Low-power-consumption organic field-effect transistors. 2020 , 3, 014009	9
729	Self-standing Substrates. 2020 ,	1
728	Sol-gel ZnO modified by organic dye molecules for efficient inverted polymer solar cells. 2020 , 107, 72-78	4
727	Dendrite-free lithium metal and sodium metal batteries. 2020 , 27, 522-554	74
726	Electrode Engineering by Atomic Layer Deposition for Sodium-Ion Batteries: From Traditional to Advanced Batteries. 2020 , 30, 1906890	19
725	Highly stretchable and sensitive conductive rubber composites with tunable piezoresistivity for motion detection and flexible electrodes. 2020 , 158, 893-903	18
724	Emerging Soft Conductors for Bioelectronic Interfaces. 2020 , 30, 1907184	38
723	Wireless Monitoring Using a Stretchable and Transparent Sensor Sheet Containing Metal Nanowires. 2020 , 32, e1902684	34
722	Synthesis and Characteristics of Thermo-Photo Staged-Response Shape Memory Poly(aryl ether ketone)s. 2020 , 28, 450-454	1
721	Localizing Binding Sites on Bioconjugated Hydrogen-Bonded Organic Semiconductors at the Nanoscale. 2020 , 21, 659-666	2
720	Flexible Electronics: Status, Challenges and Opportunities. 2020 , 1,	35
719	Flexible Integrated Circuits Based on Carbon Nanotubes. 2020 , 1, 88-99	8
718	Fully Screen-Printed, Multicolor, and Stretchable Electroluminescent Displays for Epidermal Electronics. 2020 , 12, 47902-47910	24
717	Bioinspired and Biomimetic Design of Multilayered and Multiscale Structures. 2020 , 3-19	
716	Bioinspired Design for Energy Storage Devices. 2020 , 193-211	
715	Theoretical and Experimental Overview of Structural, Dielectric, Crystallographic, Electronic, Optical, and Physical Tensors of EDIPAB and Iodine-Doped EDIPAB Molecular Ferroelectric Crystals. 2020 , 49, 7112-7132	
714	Bioinspired Underwater Propulsors. 2020 , 113-139	1
713	Aquatic Animals Operating at High Reynolds Numbers. 2020 , 235-270	1

712	Organic-based inverters: basic concepts, materials, novel architectures and applications. 2020 , 49, 7627-7670	23
711	Review of recent trends in flexible metal oxide thin-film transistors for analog applications. 2020 , 5, 033001	17
710	Very Thin, Macroscale, Flexible, Tactile Pressure Sensor Sheet. 2020 , 5, 17721-17725	5
709	Temporary tattoo as unconventional substrate for conformable and transferable electronics on skin and beyond. 2020 , 3, 032003	15
708	Flexible Pressure Sensors for Biomedical Applications: From Ex Vivo to In Vivo. 2020 , 7, 2000743	23
707	Heavily Crosslinked, High-k Ultrathin Polymer Dielectrics for Flexible, Low-Power Organic Thin-Film Transistors (OTFTs). 2020 , 6, 2000314	12
706	Biodegradable, flexible silicon nanomembrane-based NO _x gas sensor system with record-high performance for transient environmental monitors and medical implants. 2020 , 12,	7
705	Nanomesh pressure sensor for monitoring finger manipulation without sensory interference. 2020 , 370, 966-970	145
704	Purity of organic semiconductors as a key factor for the performance of organic electronic devices. 2020 , 4, 3678-3689	9
703	Curved neuromorphic image sensor array using a MoS ₂ -organic heterostructure inspired by the human visual recognition system. 2020 , 11, 5934	60
702	Designing Ultraflexible Perovskite X-Ray Detectors through Interface Engineering. 2020 , 7, 2002586	20
701	Development of a Polydimethylsiloxane-Based Electrode Array for Electrocardiography. 2020 , 7, 2001152	3
700	Electroless-Plated Gold Contacts for High-Performance, Low Contact Resistance Organic Thin Film Transistors. 2020 , 30, 2003977	7
699	Water-responsive pressure-sensitive adhesive with reversibly changeable adhesion for fabrication of stretchable devices. 2020 , 195, 108995	4
698	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. 2020 , 20,	12
697	Safety and effectiveness evaluation of flexible electronic materials for next generation wearable and implantable medical devices. 2020 , 35, 100939	10
696	A semi-interpenetrating network ionic composite hydrogel with low modulus, fast self-recoverability and high conductivity as flexible sensor. 2020 , 248, 116797	41
695	Electrical percolation and electromagnetic properties of polydimethylsiloxane composites filled with Ag nanoparticles of different sizes. 2020 , 41, 4750-4756	1

694	Modeling of a square-shape ZnO, ZnS and AlN membrane for mems capacitive pressure-sensor applications. 2020 , 11, 14	0
693	Low-voltage complementary inverters using solution-processed, high-mobility organic single-crystal transistors fabricated by polymer-blend printing. 2020 , 117, 033301	6
692	Compact Source-Gated Transistor Analog Circuits for Ubiquitous Sensors. 2020 , 20, 14903-14913	11
691	Devising Materials Manufacturing Toward Lab-to-Fab Translation of Flexible Electronics. 2020 , 32, e2001903	23
690	Electromechanical coupling effects for data storage and synaptic devices. 2020 , 77, 105156	8
689	Integration of PEGylated Polyaniline Nanocoatings with Multiple Plastic Substrates Generates Comparable Antifouling Performance. 2020 , 36, 9114-9123	4
688	A durable nanomesh on-skin strain gauge for natural skin motion monitoring with minimum mechanical constraints. 2020 , 6, eabb7043	61
687	Ultrafast Photoinduced Interconnection of Metal-Polymer Composites for Fabrication of Transparent and Stretchable Electronic Skins. 2020 , 12, 39695-39704	3
686	Ultraflexible all-organic complementary transistors and inverters based on printed polymers. 2020 , 8, 15331-15338	12
685	Multifunctional Self-Powered E-Skin with Tactile Sensing and Visual Warning for Detecting Robot Safety. 2020 , 7, 2000536	9
684	Contact Printed ZnO Nanowires based FET for Large Area Electronics. 2020 ,	
683	Organic Field-Effect Transistors as Flexible, Tissue-Equivalent Radiation Dosimeters in Medical Applications. 2020 , 7, 2001522	10
682	Printable Transparent Microelectrodes toward Mechanically and Visually Imperceptible Electronics. 2020 , 2, 2000093	11
681	Preface. 2020 , xi-xii	
680	Bioinspired Design of Dental Functionally Graded Multilayer Structures. 2020 , 140-166	
679	Bionic Organs. 2020 , 167-192	1
678	Bioinspired Design of Nanostructures. 2020 , 212-232	
677	Flying of Insects. 2020 , 271-299	1

676 Bioinspired Building Envelopes. **2020**, 343-354

675 Index. **2020**, 355-360

674 Multi-Stage Organic Logic Circuits Using Via-Hole-Less Metal Interconnects. **2020**, 41, 1685-1687

3

673 Printed, Wireless, Soft Bioelectronics and Deep Learning Algorithm for Smart Human-Machine Interfaces. **2020**, 12, 49398-49406

16

672 Printable Low Power Organic Transistor Technology for Customizable Hybrid Integration Towards Internet of Everything. **2020**, 8, 1219-1226

8

671 Human Cortical Bone as a Structural Material. **2020**, 20-44

670 Technologies toward next generation human machine interfaces: From machine learning enhanced tactile sensing to neuromorphic sensory systems. **2020**, 7, 031305

84

669 Bamboo-Inspired Materials and Structures. **2020**, 89-110

3

668 Designing Nature-Inspired Liquid-Repellent Surfaces. **2020**, 300-319

667 Synergistic combination of carbon-black and graphene for 3D printable stretchable conductors. **2020**, 1-10

6

666 A Low-Temperature Solution-Process High-k Dielectric for High-Performance Flexible Organic Field-Effect Transistors. **2020**, 7,

5

665 Relationship between the surface structure of the gate insulator and the performance of organic thin-film transistors. **2020**, 86, 105928

3

664 Biomimetic and Soft Robotics. **2020**, 320-342

663 Large-scale flexible and transparent electronics based on monolayer molybdenum disulfide field-effect transistors. **2020**, 3, 711-717

90

662 Plasmene nanosheets as optical skin strain sensors. **2020**, 5, 1515-1523

10

661 Mechanically driven strategies to improve electromechanical behaviour of printed stretchable electronic systems. **2020**, 10, 12037

1

660 Crack-based and Hair-like Sensors Inspired from Arthropods: A Review. **2020**, 17, 867-898

7

659 Signal transfer via smart conductive networks for high temperature performing wearable electronics. **2020**, 31, 15996-16007

0

658 Bioinspired Design of Multilayered Composites. **2020**, 45-88

657 Robust metal ion-chelated polymer interfacial layer for ultraflexible non-fullerene organic solar cells. **2020**, 11, 4508

73

656 Co-Design between Semiconductor, Low-Variation Fully-Additive Printed/Flexible Printing and Variation-Tolerant Digital Circuit Design: (Invited Paper). **2020**,

655 Organic Thin Film Transistors in Mechanical Sensors. **2020**, 30, 2004700

5

654 Uncontactless detection of improvised explosives TATP realized by Au NCs tailored PPV flexible photoelectric Schottky sensor. **2020**, 1, 419-431

3

653 Blocks World of Touch: Exploiting the Advantages of All-Around Finger Sensing in Robot Grasping. **2020**, 7, 541661

7

652 Ultraflexible organic light-emitting diodes for optogenetic nerve stimulation. **2020**, 117, 21138-21146

20

651 Pressure-Sensitive Adhesive with Controllable Adhesion for Fabrication of Ultrathin Soft Devices. **2020**, 12, 40794-40801

4

650 Improvement in Mechanical Durability of Stretchable Charge-Trap Memory Transistors with Engineered Wavy-Dimensional Structures. **2020**, 2, 2984-2993

2

649 Zinc oxide nanostructure-based textile pressure sensor for wearable applications. **2020**, 31, 16519-16530

11

648 Clarification of Catalytic Effect on Large Stretchable and Compressible Rubber Dye-Sensitized Solar Cells. **2020**, 13, 6658

0

647 Electromechanical evaluation of sub-micron NiCr-carbon thin films as highly conductive and compliant electrodes for dielectric elastomers. **2020**, 315, 112243

5

646 Nano energy for miniaturized systems. **2020**,

2

645 Skin-Integrated Vibrotactile Interfaces for Virtual and Augmented Reality. **2020**, 31, 2008805

23

644 Nanocluster-Based Ultralow-Temperature Driven Oxide Gate Dielectrics for High-Performance Organic Electronic Devices. **2020**, 13,

1

643 Large-Area Flexible Printed Thin-Film Transistors with Semiconducting Single-Walled Carbon Nanotubes for NO Sensors. **2020**, 12, 51797-51807

16

642 Biodegradable inkjet-printed electrochromic display for sustainable short-lifecycle electronics. **2020**, 8, 16716-16724

17

641 Development of a new additive manufacturing platform for direct freeform 3D printing of intrinsically curved flexible membranes. **2020**, 36, 101563

7

640	Validity of Winkler's mattress model for thin elastomeric layers: beyond Poisson's ratio. 2020 , 476, 20200551	9
639	Flexible short-channel organic transistors and inverter circuits using top-contact and double-gate structure. 2020 , 13, 061001	1
638	Fabrication of a wrinkled structure made of wearable polyacrylonitrile/polyurethane composite fibers with elastic sensing properties suitable for human movement detection. 2020 , 41, 3491-3500	3
637	Liquid-Phase Electron Microscopy for Soft Matter Science and Biology. 2020 , 32, e2001582	40
636	Using Dual Microresonant Cavity and Plasmonic Effects to Enhance the Photovoltaic Efficiency of Flexible Polymer Solar Cells. 2020 , 10,	21
635	Textile sensors for wearable applications: a comprehensive review. 2020 , 27, 6103-6131	57
634	Flexible Electronic Systems on Plastic Substrates and Textiles for Smart Wearable Technologies. 2020 , 5, 2000071	31
633	A Novel Printed-Lookup-Table-Based Programmable Printed Digital Circuit. 2020 , 28, 1496-1504	3
632	Rational Design of Heat-Resistant Polymers with Low Curing Energies by a Materials Genome Approach. 2020 , 32, 4527-4535	14
631	Single- and double-walled boron nitride nanotubes: Controlled synthesis and application for water purification. 2020 , 10, 7416	14
630	Experimental and theoretical analyses of curvature and surface strain in bent polymer films. 2020 , 13, 056502	7
629	Study on the cross-sectional microstructure of a thin ceramic coating on stainless steel surface fabricated by the application and calcination of an aqueous clay mineral paste. 2020 , 193, 105665	2
628	Highly transparent, stretchable, and conformable silicone-based strain/pressure-sensitive capacitor using adhesive polydimethylsiloxane. 2020 , 841, 155773	5
627	Polymers and Plastics Modified Electrodes for Biosensors: A Review. 2020 , 25,	10
626	Materials for flexible bioelectronic systems as chronic neural interfaces. 2020 , 19, 590-603	127
625	Self-Healable Capacitive Photodetectors with Stretchability Based on Composite of ZnS:Cu Particles and Reversibly Crosslinkable Silicone Elastomer. 2020 , 5, 2000327	2
624	Large-Area Uniform Polymer Transistor Arrays on Flexible Substrates: Towards High-Throughput Sensor Fabrication. 2020 , 5, 2000390	10
623	Plastic Inorganic Semiconductors for Flexible Electronics. 2020 ,	

622	Solution-Processed Transparent Superhydrophobic Protection Layers for Enhancing the Device Reliability of Flexible Organic Optoelectronics. 2020 , 5, 2000449	3
621	Materials and manufacturing strategies for mechanically transformative electronics. 2020 , 7, 100089	7
620	Skin-interfaced sensors in digital medicine: from materials to applications. 2020 , 2, 1414-1445	68
619	Graphene: an exotic condensed matter and its impact on technology. 2020 , 9, 564-617	2
618	Microtrench-Patterned Elastomeric Substrate for Stretchable Electronics with Minimal Interference by Bodily Motion. 2020 , 5, 2000432	2
617	Optoelectronic Enhancement for Piezoresistive Pressure Sensor. 2020 ,	2
616	Polymer nanocomposite meshes for flexible electronic devices. 2020 , 107, 101279	44
615	Sensors in heart-on-a-chip: A review on recent progress. 2020 , 219, 121269	16
614	Preparation and magnetic properties of wrinkled FeRh flexible films. 2020 , 10, 025327	2
613	Optically Transparent Multiscale Composite Films for Flexible and Wearable Electronics. 2020 , 32, e1907143	34
612	Damage-free Metal Electrode Transfer to Monolayer Organic Single Crystalline Thin Films. 2020 , 10, 4702	6
611	Futuristic Clothes: Electronic Textiles and Wearable Technologies. 2020 , 4, 1900092	57
610	Ultraminiaturized Stretchable Strain Sensors Based on Single Silicon Nanowires for Imperceptible Electronic Skins. 2020 , 20, 2478-2485	34
609	Winding-Locked Carbon Nanotubes/Polymer Nanofibers Helical Yarn for Ultrastretchable Conductor and Strain Sensor. 2020 , 14, 3442-3450	78
608	Morphology and properties of PEDOT:PSS/soft polymer blends through hydrogen bonding interaction and their pressure sensor application. 2020 , 8, 6013-6024	24
607	Polyvinyl Alcohol/SiO ₂ Hybrid Dielectric for Transparent Flexible/Stretchable All-Carbon-Nanotube Thin-Film-Transistor Integration. 2020 , 6, 1901133	14
606	Nanomaterial-based wearable pressure sensors: A minireview. 2020 , 48, 459-479	7
605	Finite bending of a stretchable thin-film transistor. 2020 , 59, 044001	

604	All-organic flexible fabric antenna for wearable electronics. 2020 , 8, 5662-5667	20
603	An epidermal sEMG tattoo-like patch as a new human-machine interface for patients with loss of voice. 2020 , 6, 16	33
602	Measurement and ab initio Investigation of Structural, Electronic, Optical, and Mechanical Properties of Sputtered Aluminum Nitride Thin Films. 2020 , 8,	11
601	Skin-Patchable Electrodes for Biosensor Applications: A Review. 2020 , 6, 1823-1835	54
600	Cloaking by coating: how effectively does a thin, stiff coating hide a soft substrate?. 2020 , 16, 4574-4583	4
599	Geometrically Structured Nanomaterials for Nanosensors, NEMS, and Nanosieves. 2020 , 32, e1907082	10
598	Flexible and Printed Electronics for Smart Clothes. 2020 , 253-284	2
597	Remarkable Improvement in Foldability of Poly-Si Thin-Film Transistor on Polyimide Substrate Using Blue Laser Crystallization of Amorphous Si and Comparison with Conventional Poly-Si Thin-Film Transistor Used for Foldable Displays. 2020 , 22, 1901430	13
596	Opto-electronic coupling in semiconductors: towards ultrasensitive pressure sensing. 2020 , 8, 4713-4721	12
595	Motion Detection Using Tactile Sensors Based on Pressure-Sensitive Transistor Arrays. 2020 , 20,	15
594	Sign-to-speech translation using machine-learning-assisted stretchable sensor arrays. 2020 , 3, 571-578	246
593	Photoresponsive Dithienylethene-Containing Tris(8-hydroxyquinolinato)aluminum(III) Complexes with Photocontrollable Electron-Transporting Properties for Solution-Processable Optical and Organic Resistive Memory Devices. 2020 , 142, 12193-12206	21
592	Metal oxide dielectrics. 2020 , 31-39	1
591	Fully stretchable active-matrix organic light-emitting electrochemical cell array. 2020 , 11, 3362	47
590	A robust flame retardant fluorinated polyimide nanofiber separator for high-temperature lithium-sulfur batteries. 2020 , 8, 14788-14798	17
589	Temperature Sensor with a Water-Dissolvable Ionic Gel for Ionic Skin. 2020 , 12, 36449-36457	19
588	Advanced Nanoscale Build-Up Sensors for Daily Life Monitoring of Diabetics. 2020 , 7, 2000153	16
587	Flexible triboelectric 3D touch pad with unit subdivision structure for effective XY positioning and pressure sensing. 2020 , 76, 105047	42

586	Advances in Sweat Wearables: Sample Extraction, Real-Time Biosensing, and Flexible Platforms. 2020 , 12, 34337-34361	34
585	Recent advances in materials and device technologies for soft active matrix electronics. 2020 , 8, 10719-10731	6
584	Stretchable and Robust Candle-Soot Nanoparticle-Polydimethylsiloxane Composite Films for Laser-Ultrasound Transmitters. 2020 , 11,	6
583	Ultrastretchable Helical Conductive Fibers Using Percolated Ag Nanoparticle Networks Encapsulated by Elastic Polymers with High Durability in Omnidirectional Deformations for Wearable Electronics. 2020 , 30, 1910026	22
582	Interconnected Heat-Press-Treated Gold Nanomesh Conductors for Wearable Sensors. 2020 , 3, 1848-1854	13
581	Wireless Epidermal Electromyogram Sensing System. 2020 , 9, 269	5
580	Development of a Strain Sensor Matrix on Mobilized Flexible Substrate for the Imaging of Wind Pressure Distribution. 2020 , 11,	3
579	245 MHz bandwidth organic light-emitting diodes used in a gigabit optical wireless data link. 2020 , 11, 1171	29
578	Flexible potentiometric pH sensors for wearable systems.. 2020 , 10, 8594-8617	70
577	Ultra-flexibility, robust waterproof and breathability of polyvinylidene fluoride membrane blended silver nitrate for electronic skin substrate. 2020 , 53, 195403	4
576	A Skin-Conformal, Stretchable, and Breathable Fiducial Marker Patch for Surgical Navigation Systems. 2020 , 11,	1
575	Interface Engineering in Organic Field-Effect Transistors: Principles, Applications, and Perspectives. 2020 , 120, 2879-2949	92
574	Versatile Phosphole Derivatives with Photovoltaic, Light-Emitting, and Resistive Memory Properties. 2020 , 3, 3059-3070	6
573	Visually aided tactile enhancement system based on ultrathin highly sensitive crack-based strain sensors. 2020 , 7, 011404	16
572	Balanced Carrier Injection and Charge Separation of CuInS ₂ Quantum Dots for Bifunctional Light-Emitting and Photodetection Devices. 2020 , 124, 6554-6561	9
571	Solution-Processed Centimeter-Scale Highly Aligned Organic Crystalline Arrays for High-Performance Organic Field-Effect Transistors. 2020 , 32, e1908388	62
570	Imperceptible magnetic sensor matrix system integrated with organic driver and amplifier circuits. 2020 , 6, eaay6094	39
569	E-skin and wearable systems for health care. 2020 , 133-178	4

568	Sensitive pressure sensors based on conductive microstructured air-gap gates and two-dimensional semiconductor transistors. 2020 , 3, 59-69	69
567	Solution-Processed, Photo-Patternable Fluorinated Sol-Gel Hybrid Materials as a Bio-Fluidic Barrier for Flexible Electronic Systems. 2020 , 6, 1901065	4
566	Ultraflexible and transparent electroluminescent skin for real-time and super-resolution imaging of pressure distribution. 2020 , 11, 663	58
565	Eco-designed Conformable Inorganic Electronics to Improve the End of Life of Smart Objects: Sensor Processing and Applications. 2020 , 2, 563-570	1
564	A conformable imager for biometric authentication and vital sign measurement. 2020 , 3, 113-121	67
563	Microdroplet-captured tapes for rapid sampling and SERS detection of food contaminants. 2020 , 152, 112013	30
562	Cyber-Physiochemical Interfaces. 2020 , 32, e1905522	37
561	Biocompatible and Biodegradable Organic Transistors Using a Solid-State Electrolyte Incorporated with Choline-Based Ionic Liquid and Polysaccharide. 2020 , 30, 1909707	32
560	Material Design and Fabrication Strategies for Stretchable Metallic Nanocomposites. 2020 , 16, e1906270	35
559	Printable carbon nanotube-based elastic conductors for fully-printed sub-1 V stretchable electrolyte-gated transistors and inverters. 2020 , 8, 3639-3645	11
558	Flexible, Wearable Organic Light-Emitting Fibers Based on PEDOT:PSS/Ag-Fiber Embedded Hybrid Electrodes for Large-Area Textile Lighting. 2020 , 5, 2000168	12
557	Stretchable and Wearable Resistive Switching Random-Access Memory. 2020 , 2, 2000007	8
556	Gas-Permeable, Ultrathin, Stretchable Epidermal Electronics with Porous Electrodes. 2020 , 14, 5798-5805	74
555	Fabrication and patterning of stretchable Ag nanowire network films embedded in an elastomeric polymer matrix. 2020 , 262, 116333	4
554	Electronic Skins for Robotics and Wearables. 2020 ,	
553	Mixed-conducting particulate composites for soft electronics. 2020 , 6, eaaz6767	16
552	A multifunctional wearable E-textile via integrated nanowire-coated fabrics. 2020 , 8, 8399-8409	31
551	Integrated Resistive-Capacitive Strain Sensors Based on Polymer/Nanoparticle Composites. 2020 , 3, 4357-4366	8

550	3D Printed, Customizable, and Multifunctional Smart Electronic Eyeglasses for Wearable Healthcare Systems and Human-Machine Interfaces. 2020 , 12, 21424-21432	23
549	Fabrication and Applications of 3D Nanoarchitectures for Advanced Electrocatalysts and Sensors. 2020 , 32, e1907500	10
548	Progress in Stability of Organic Solar Cells. 2020 , 7, 1903259	129
547	Design of ultrathin OLEDs having oxide-based transparent electrodes and encapsulation with sub-mm bending radius. 2020 , 82, 105704	17
546	Malleable and Recyclable Conductive MWCNT-Vitrimer Composite for Flexible Electronics. 2020 , 3, 4845-4850	15
545	Electronic skins and machine learning for intelligent soft robots. 2020 , 5,	131
544	The emergence of local wrinkling or global buckling in thin freestanding bilayer films. 2020 , 43, 20	1
543	Enhancement of Thermal Boundary Conductance of Metal-Polymer System. 2020 , 10,	11
542	Microbial Nanocellulose Printed Circuit Boards for Medical Sensing. 2020 , 20,	11
541	Achieving High Alignment of Conjugated Polymers by Controlled Dip-Coating. 2020 , 6, 2000080	14
540	Recent Process of Flexible Transistor-Structured Memory. 2021 , 17, e1905332	36
539	Ultraconformable organic devices. 2021 , 437-478	2
538	Wearable and Biodegradable Sensors for Human Health Monitoring.. 2021 , 4, 122-139	24
537	Interface formation of Al ₂ O ₃ on n-GaN(0001): Photoelectron spectroscopy studies. 2021 , 53, 118-124	5
536	Material innovation and mechanics design for substrates and encapsulation of flexible electronics: a review. 2021 , 8, 383-400	30
535	Electrical bioadhesive interface for bioelectronics. 2021 , 20, 229-236	136
534	Transparent Soft Actuators/Sensors and Camouflage Skins for Imperceptible Soft Robotics. 2021 , 33, e2002397	39
533	Low-Voltage Operable and Strain-Insensitive Stretchable All-Carbon Nanotube Integrated Circuits with Local Strain Suppression Layer. 2021 , 7, 2000674	5

532	Ultraflexible Integrated Organic Electronics for Ultrasensitive Photodetection. 2021 , 6, 2000956	7
531	Trends and recent development of the microelectrode arrays (MEAs). 2021 , 175, 112854	2
530	Extended gate-type organic transistor functionalized by molecularly imprinted polymer for taurine detection. 2021 , 13, 100-107	7
529	Vacuum-Deposited Transparent Organic Photovoltaics for Efficiently Harvesting Selective Ultraviolet and Near-Infrared Solar Energy. 2021 , 5, 2000564	3
528	Systematically investigating the effect of the aggregation behaviors in solution on the charge transport properties of BDOPV-based polymers with conjugation-break spacers. 2021 , 12, 370-378	4
527	Orientation-Dependent Soft Plasmonics of Gold Nanobipyramid Plasmene Nanosheets. 2021 , 21, 389-396	3
526	Water-Surface Drag Coating: A New Route Toward High-Quality Conjugated Small-Molecule Thin Films with Enhanced Charge Transport Properties. 2021 , 33, e2005915	23
525	Printed Organic Electronics on Flexible Foil: Circuit Design and Emerging Applications. 2021 , 68, 42-48	3
524	Surface Modification of Gallium-Based Liquid Metals: Mechanisms and Applications in Biomedical Sensors and Soft Actuators. 2021 , 3, 2000159	12
523	Investigating the effect of silver nanorods embedded in polydimethylsiloxane matrix using nanoindentation and its use for flexible electronics. 2021 , 138, 50141	2
522	Breathable, washable and wearable woven-structured triboelectric nanogenerators utilizing electrospun nanofibers for biomechanical energy harvesting and self-powered sensing. 2021 , 80, 105549	62
521	Electronic and ionic transport in organic materials and devices. 2021 , 71-105	
520	Stretchable electrodes for highly flexible electronics. 2021 , 479-500	1
519	Versatile Thin-Film Transistor with Independent Control of Charge Injection and Transport for Mixed Signal and Analog Computation. 2021 , 3, 2000199	10
518	Memory Devices for Flexible and Neuromorphic Device Applications. 2021 , 3, 2000206	7
517	Embracing nanotechnology concepts in the electronics industry. 2021 , 405-421	0
516	Stability of organic thin-film transistors based on ultrathin films of dinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophene (DNTT). 2021 , 9, 270-280	4
515	Synthesis and Molecular Properties of Partially Fluorinated DNTTs**. 2021 , 2021, 1295-1304	2

514	Effect of functionalization on the electrochemical behavior of multi-walled carbon nanotube and parafilm nanocomposites. 1-13	2
513	Recent Advances in Wearable Devices for Non-Invasive Sensing. 2021 , 11, 1235	8
512	Fully transient stretchable fruit-based battery as safe and environmentally friendly power source for wearable electronics. 2021 , 3, e12073	17
511	Scalable ultrarobust thermoconductive nonflammable bioinspired papers of graphene nanoplatelet crosslinked aramid nanofibers for thermal management and electromagnetic shielding. 2021 , 9, 8527-8540	13
510	Soft implantable drug delivery device integrated wirelessly with wearable devices to treat fatal seizures. 2021 , 7,	36
509	Intrinsically stretchable polymer semiconductors: molecular design, processing and device applications. 2021 , 9, 2660-2684	13
508	Development of a Sheet-type Magnetic Sensor System Using Flexible Organic Thin-film Transistors. 2021 , 64, 22-27	
507	IoT Based Wearable Healthcare System: Post COVID-19. 2021 , 305-321	5
506	Functionalized Elastomers for Intrinsically Soft and Biointegrated Electronics. 2021 , 10, e2002105	13
505	A sub-1V, microwatt power-consumption iontronic pressure sensor based on organic electrochemical transistors. 2021 , 42, 46-49	11
504	Recent progress of skin-integrated electronics for intelligent sensing. 2021 , 2, 1-20	7
503	Long-term cyclic use of a sample collector for toilet-based urine analysis. 2021 , 11, 2170	6
502	Buckling-assisted thin-film deposition and lithographic strategies for flexible device patterning. 2021 , 309-347	
501	ZnO nanoparticle confined stress amplified all-fiber piezoelectric nanogenerator for self-powered healthcare monitoring. 2021 , 5, 4389-4400	6
500	Mechanically strong, transparent, and biodegradable wood-derived film.	2
499	Nanoscale Analysis of Surface Bending Strain in Film Substrates for Preventing Fracture in Flexible Electronic Devices. 2021 , 8, 2001662	10
498	Wearing sensors inside and outside of the human body for the early detection of diseases. 2021 , 85-103	
497	Design Strategy for Transformative Electronic System toward Rapid, Bidirectional Stiffness Tuning using Graphene and Flexible Thermoelectric Device Interfaces. 2021 , 33, e2007239	8

496	Interface Design for Stretchable Electronic Devices. 2021 , 8, 2004170	16
495	Permeable superelastic liquid-metal fibre mat enables biocompatible and monolithic stretchable electronics. 2021 , 20, 859-868	142
494	Malleable and Recyclable Vitrimers/Graphene Aerogel Composite with High Electrical Conductivity. 2021 , 3, 1178-1183	5
493	Formulation of UV curable nano-silver conductive ink for direct screen-printing on common fabric substrates for wearable electronic applications. 2021 , 30, 045001	2
492	Enhanced Upconversion of Triplet Excitons for Conjugated Polymeric Thermally Activated Delayed Fluorescence Emitters by Employing an Intramolecular Sensitization Strategy. 2021 , 13, 8997-9005	4
491	Emerging Thermal Technology Enabled Augmented Reality. 2021 , 31, 2007952	13
490	Printable and Stretchable Giant Magnetoresistive Sensors for Highly Compliant and Skin-Conformal Electronics. 2021 , 33, e2005521	14
489	Magnetosensitive E-Skins for Interactive Devices. 2021 , 31, 2007788	11
488	Skin Electronics: Next-Generation Device Platform for Virtual and Augmented Reality. 2021 , 31, 2009602	42
487	Understanding Photocapacitive and Photofaradaic Processes in Organic Semiconductor Photoelectrodes for Optobioelectronics. 2021 , 31, 2010116	8
486	Wireless and battery-free technologies for neuroengineering. 2021 ,	26
485	The effect of substrate curvature on capacitance and current-voltage characteristics in thin-film transistors on flexible substrates. 2021 , 4, 025002	1
484	Flexible pressure sensors with microstructures. 2021 , 2, 1874	1
483	Design of a Sensitive Balloon Sensor for Safe Human-Robot Interaction. 2021 , 21,	1
482	Effects of ionic liquid types on the tribological, mechanical, and thermal properties of ionic liquid modified graphene/polyimide shape memory composites. 095400832199676	1
481	Nano-Ground Glass as a Superhydrophilic Template for Printing High-Performance Organic Single-Crystal Thin Films. 2021 , 8, 2100033	1
480	Highly Deformable, Ultrathin Large-Area Poly(methyl methacrylate) Films. 2021 , 6, 8308-8312	1
479	Dielectric properties of polydimethylsiloxane composites filled with SrTiO ₃ nanoparticles. 2021 , 42, 2982	3

478	Optimizing the plasma oxidation of aluminum gate electrodes for ultrathin gate oxides in organic transistors. 2021 , 11, 6382	9
477	Flexible Electronics and Healthcare Applications. 2021 , 3,	5
476	Photo-Oxidation-Controlled Surface Pattern with Responsive Wrinkled Topography and Fluorescence. 2021 , 27, 5810-5816	1
475	Environmentally Stable, Highly Conductive, and Mechanically Robust Metallized Textiles. 2021 , 3, 1477-1488	8
474	Low temperature curing polyimides with covalent-boned 5-aminobenzimidazole. 2021 , 218, 123514	6
473	Enhanced performance of solution-processable floating-gate organic phototransistor memory for organic image sensor applications. 2021 , 14, 041007	2
472	Customizable Textile Sensors Based on Helical Core-Spun Yarns for Seamless Smart Garments. 2021 , 37, 3122-3129	11
471	Selection of Insulating Elastomers for High-Performance Intrinsically Stretchable Transistors. 2021 , 3, 1458-1467	1
470	A model for the fragmentation kinetics of crumpled thin sheets. 2021 , 12, 1470	3
469	Scalable Microfabrication of Folded Parylene-Based Conductors for Stretchable Electronics. 2021 , 7, 2001236	3
468	Sub-thermionic, ultra-high-gain organic transistors and circuits. 2021 , 12, 1928	28
467	Flexible Magnetoreceptor with Tunable Intrinsic Logic for On-Skin Touchless Human-Machine Interfaces. 2021 , 31, 2101089	15
466	Mechanoreceptor-Inspired Dynamic Mechanical Stimuli Perception based on Switchable Ionic Polarization. 2021 , 31, 2100649	11
465	Electrical response of CdSe-based thin film transistors with different hybrid dielectric gates. 2021 , 54, 235104	1
464	Soft, Wireless and subdermally implantable recording and neuromodulation tools. 2021 ,	4
463	Ultra-Flexible, Dielectric, and Thermostable Boron Nitride-Graphene Fluoride Hybrid Films for Efficient Thermal Management. 2021 , 8, 2002187	3
462	Construction of 3D carbon fiber/carbon nanotube/silicone rubber nanocomposites for stretchable conductors through interface host-guest dendrimers. 2021 , 205, 108692	6
461	Contact-electrification-activated artificial afferents at femtojoule energy. 2021 , 12, 1581	33

460	Solution process manufacture of a simple, multifunctional flexible sensor based on capacitance measurement. 2021 , 32, 265503	
459	Self-powered trajectory-tracking microsystem based on electrode-miniaturized triboelectric nanogenerator. 2021 , 82, 105730	12
458	Sol-gel synthesized siloxane hybrid materials for display and optoelectronic applications. 1	2
457	High-mobility pentacene organic thin-film transistors achieved by reducing remote phonon scattering and surface-roughness scattering. 2021 , 544, 148656	4
456	Implantable bioelectronics toward long-term stability and sustainability. 2021 , 4, 1125-1141	12
455	Preparation of elastic conductor with high stretchability and stable conductivity under strain via pre-stretching and spraying approach. 2021 , 24, 100641	2
454	Seamless Monolithic Design for Foam Based, Flexible, Parallel Plate Capacitive Sensors. 2021 , 6, 2001168	10
453	Organic electronic synapses with low energy consumption. 2021 , 5, 794-810	15
452	Microfluidics for flexible electronics. 2021 , 44, 105-135	26
451	Charge Carrier Mobility Improvement in Diketopyrrolopyrrole Block-Copolymers by Shear Coating. 2021 , 13,	3
450	Flexible ultraviolet detector with robust ZnO nanoparticle nanoassemblies on catechol-functionalized polysiloxane nanofilms. 2021 , 138, 50947	1
449	Materials and devices for flexible and stretchable photodetectors and light-emitting diodes. 2021 , 14, 2919-2937	10
448	Imperceptible energy harvesting device and biomedical sensor based on ultraflexible ferroelectric transducers and organic diodes. 2021 , 12, 2399	29
447	Self-powered ultraflexible photonic skin for continuous bio-signal detection via air-operation-stable polymer light-emitting diodes. 2021 , 12, 2234	34
446	One-Step Fabricated and Solution-Processed Hybrid Gate Dielectrics for Low-Voltage Organic Thin-Film Transistors. 2021 , 42, 983-987	1
445	Suppressing bias stress degradation in high performance solution processed organic transistors operating in air. 2021 , 12, 2352	11
444	Design of the Magnetic Stamp Film for Electromagnetic-Assisted Transfer Printing. 2021 , 88,	2
443	Liquid Metal Superelastic Fiber Mat Enabling Highly Permeable Wearable Electronics Toward Comfortable e-Skins. 2021 , 37, 615-616	1

442	Evaluation of dispersibility of silver nanoparticle ink by TEM and NMR. 2021 ,	
441	Digital Electrochemistry for On-Chip Heterogeneous Material Integration. 2021 , 33, e2101272	10
440	Crumple Durable Ultraflexible Organic Solar Cells with an Excellent Power-per-Weight Performance. 2021 , 31, 2102694	24
439	55-2: Invited Paper: Nanomesh Based on Skin Electronics. 2021 , 52, 768-771	
438	Achieving long-term stability of thin-film electrodes for neurostimulation. 2021 , 139, 65-65	4
437	Imperceptible Supercapacitors with High Area-Specific Capacitance. 2021 , 17, e2101704	7
436	A Solution Processed Amorphous InGaZnO Thin-Film Transistor-Based Dosimeter for Gamma-Ray Detection and Its Reliability. 2021 , 21, 10667-10674	3
435	Tailored Solution-Based N-heterotriangulene Thin Films: Unravelling the Self-Assembly. 2021 , 22, 1079-1087	1
434	Adhesion-Induced Instability Regulates Contact Mechanics of Soft Thin Elastic Films. 2021 , 13, 21994-21999	0
433	Advanced Materials and Assembly Strategies for Wearable Biosensors: A Review.	1
432	Stretchable and Soft Organic/Bionic Devices for Body-Integrated Electronic Systems. 2001273	6
431	Stick-and-play system based on interfacial adhesion control enhanced by micro/nanostructures. 2021 , 14, 3143-3158	4
430	Review of flexible microelectromechanical system sensors and devices. 2021 , 4, 025001	7
429	Strong fatigue-resistant nanofibrous hydrogels inspired by lobster underbelly. 2021 , 4, 1919-1934	13
428	A thin-film temperature sensor based on a flexible electrode and substrate. 2021 , 7, 42	5
427	A Review of the Progress of Thin-Film Transistors and Their Technologies for Flexible Electronics. 2021 , 12,	10
426	Advanced Flexible Skin-Like Pressure and Strain Sensors for Human Health Monitoring. 2021 , 12,	10
425	Inkjet-Deposited Single-Wall Carbon Nanotube Micropatterns on Stretchable PDMS-Ag Substrate-Electrode Structures for Piezoresistive Strain Sensing. 2021 , 13, 27284-27294	6

424	Enhanced Hydrophobicity in Nanocellulose-Based Materials: Toward Green Wearable Devices.. 2021 , 4, 6682-6689	1
423	Nano- and Microscale Optical and Electrical Biointerfaces and Their Relevance to Energy Research. 2021 , 17, e2100165	4
422	Bio-Inspired Artificial Vision and Neuromorphic Image Processing Devices. 2100144	12
421	A Self-Healing Triboelectric Nanogenerator Based on Feathers for Sensing and Energy Harvesting. 2021 , 31, 2100039	10
420	Directly transfer-printing tailored micro-supercapacitors. 2021 , 27, 102342	1
419	Poly(vinyl alcohol) Hydrogels with Integrated Toughness, Conductivity, and Freezing Tolerance Based on Ionic Liquid/Water Binary Solvent Systems. 2021 , 13, 29008-29020	12
418	Real-time monitoring of plant stresses via chemiresistive profiling of leaf volatiles by a wearable sensor. 2021 , 4, 2553-2570	23
417	3-Dimensional Logic Motion Sensing of Polyvinylidene Fluoride for Self-Powered Flexible Interactive Electronics. 2021 ,	
416	Instant, multiscale dry transfer printing by atomic diffusion control at heterogeneous interfaces. 2021 , 7,	4
415	Ultrathin, Flexible, and Transparent Oxide Thin-Film Transistors by Delamination and Transfer Methods for Deformable Displays. 2100431	0
414	Pushing the Limits of Flexibility and Stretchability of Solar Cells: A Review. 2021 , 33, e2101469	15
413	Reviving the "Schottky" Barrier for Flexible Polymer Dielectrics with a Superior 2D Nanoassembly Coating. 2021 , 33, e2101374	16
412	Skin-Inspired High-Performance Active-Matrix Circuitry for Multimodal User-Interaction. 2021 , 31, 2105480	3
411	Synthesis, photophysical, thermal properties and X-Ray studies of novel organic dyes bearing Inden-1-ylidene and fluorene. 2021 , 416, 113311	
410	Recycling of Nanowire Percolation Network for Sustainable Soft Electronics. 2021 , 7, 2100588	5
409	PDMS Bonding Technologies for Microfluidic Applications: A Review. 2021 , 11,	18
408	Trigger-Detachable Hydrogel Adhesives for Bioelectronic Interfaces. 2021 , 31, 2106446	18
407	Evolvable Skin Electronics by In Situ and In Operando Adaptation. 2106329	7

406	System-Engineered Miniaturized Robots: From Structure to Intelligence. 2000284	6
405	UV-Curable Adhesive Tape-Assisted Patterning of Metal Nanowires for Ultrasimple Fabrication of Stretchable Pressure Sensor. 2021 , 6, 2100776	2
404	Organic/inorganic hybrid gate dielectric using bifunctional polyhedral oligomeric silsesquioxane for low-voltage organic thin-film transistors.	
403	Ultra-flexible light-permeable organic solar cells for the herbal photosynthetic growth. 2021 , 86, 106044	14
402	A Soft Pressure Sensor Array Based on a Conducting Nanomembrane. 2021 , 12,	3
401	Molecular orientation, anisotropic electron transport and photovoltaic properties of ladder-type heteroheptacene-based semiconductors. 2021 , 418, 129497	6
400	3D Printing High-Resolution Conductive Elastomeric Structures with a Solid Particle-Free Emulsion Ink. 2100902	1
399	Long Alkyl Chain Induced OFET Characteristic with Low Threshold Voltage in an n-Type Perylene Monoimide Semiconductor. 2021 , 3, 3575-3587	3
398	Completely foldable electronics based on homojunction polymer transistors and logics. 2021 , 7,	2
397	Air-stable ambipolarity of nanofibril polymer semiconductors in staggered organic field-effect transistors. 2021 , 79, 468-476	0
396	Printed and Laser-Scribed Stretchable Conductors on Thin Elastomers for Soft and Wearable Electronics. 2021 , 8,	0
395	Nanoscale Nickel-Based Thin Films as Highly Conductive Electrodes for Dielectric Elastomer Applications with Extremely High Stretchability up to 200. 2021 , 13, 39894-39904	3
394	A biomimetic fish finlet with a liquid metal soft sensor for proprioception and underwater sensing. 2021 , 16,	0
393	Design and Construction of Deformable Heaters: Materials, Structure, and Applications. 2100452	7
392	Materials Chemistry, Device Engineering, and Promising Applications of Polymer Transistors.	1
391	Derivation of analytical expressions for the stress and strain distributions, bending plane and curvature radius in multilayer thin-film composites.	
390	Flexible Temperature Sensors. 2021 , 9, 539678	6
389	Bulk and Surface-Mediated Polymorphs of Bio-Inspired Dyes Organic Semiconductors: The Role of Lattice Phonons in their Investigation.	0

388	Ubiquitous conformable systems for imperceptible computing. 2021 , ahead-of-print,	2
387	Heterogeneous Functional Dielectric Patterns for Charge-Carrier Modulation in Ultraflexible Organic Integrated Circuits. 2021 , 33, e2104446	3
386	Shape-Engineerable Silk Fibroin Papers for Ideal Substrate Alternatives of Plastic Electronics. 2104088	8
385	Highly Sensitive Capacitive Pressure Sensors over a Wide Pressure Range Enabled by the Hybrid Responses of a Highly Porous Nanocomposite. 2021 , 33, e2103320	22
384	Effect of ionic liquid on graphene decorated with copper nanostructure dispersion towards silicon/graphene/copper composites with enhanced thermal, electrical and antimicrobial properties. 2021 , 30, 1339	1
383	Conformal 3D Printing of Non-planar Antennas on Wrinkled and Folded Kapton Films using Point Cloud Data.	3
382	Recent progress of oxide-TFT-based inverter technology. 1-19	9
381	Integration Technology for Wafer-Level LiNbO Single-Crystal Thin Film on Silicon by Polyimide Adhesive Bonding and Chemical Mechanical Polishing. 2021 , 11,	1
380	Conformal electrodes for on-skin digitalization. 2021 , 2, 252-262	5
379	Self-Powered and Interface-Independent Tactile Sensors Based on Bilayer Single-Electrode Triboelectric Nanogenerators for Robotic Electronic Skin. 2100120	2
378	E-Skin: The Dawn of a New Era of On-Body Monitoring Systems. 2021 , 12,	3
377	Rapid Detection of SARS-CoV-2 Antigens and Antibodies Using OFET Biosensors Based on a Soft and Stretchable Semiconducting Polymer. 2021 ,	7
376	A molecular design approach towards elastic and multifunctional polymer electronics. 2021 , 12, 5701	14
375	Robust, self-adhesive, reinforced polymeric nanofilms enabling gas-permeable dry electrodes for long-term application. 2021 , 118,	13
374	Ultrareproducible Capacitive Soft Pressure Sensor Using a Self-Integrated Fibrous Network of Urethane Equipped with Diels-Alder Adducts. 2100903	1
373	Flexible piezoresistive three-dimensional force sensor based on interlocked structures. 2021 , 330, 112857	6
372	Achieving very high cycle fatigue performance of Au thin films for flexible electronic applications. 2021 , 89, 107-113	2
371	Direct Fabrication of Stretchable Electronics on a Programmable Stiffness Substrate With 100% Strain Isolation. 2021 , 42, 1484-1487	3

370	Stable softening bioelectronics: A paradigm for chronically viable ester-free neural interfaces such as spinal cord stimulation implants. 2021 , 277, 121073	1
369	Flexible stimuli-responsive materials for smart personal protective equipment. 2021 , 146, 100629	4
368	Effect of Alq3 dopant on the optoelectronic parameters of NPD:Alq3 composite films. 2021 , 120, 111481	1
367	Stretchable organic optoelectronic devices: Design of materials, structures, and applications. 2021 , 146, 100631	11
366	Approaches to deformable physical sensors: Electronic versus iontronic. 2021 , 146, 100640	8
365	Flexible organic solar cells: Materials, large-area fabrication techniques and potential applications. 2021 , 89, 106399	27
364	An ultra-compressible piezoresistive strain and pressure sensor based on RGO-CNT-Melamine foam composite for biomedical sensing. 2021 , 331, 112875	5
363	Self-adhesive, stretchable, and dry silver nanorods embedded polydimethylsiloxane biopotential electrodes for electrocardiography. 2021 , 332, 113068	3
362	Alternative manufacturing process of 3-dimensional interconnect device using thermoforming process. 2021 , 127, 114373	
361	A high-performance thermal conductive and outstanding electrical insulating composite based on robust neuron-like microstructure. 2021 , 426, 131280	6
360	Stretchable vertical organic transistors and their applications in neurologically systems. 2021 , 90, 106497	6
359	Mechanically-compensated bending-strain measurement of multilayered paper-like electronics via surface-mounted sensor. 2021 , 277, 114652	2
358	Rational design and evaluation of UV curable nano-silver ink applied in highly conductive textile-based electrodes and flexible silver-zinc batteries. 2022 , 101, 294-307	1
357	The Wafer-Level Integration of Single-Crystal LiNbO ₃ on Silicon via Polyimide Material. 2021 , 12,	2
356	Eco-friendly biogenic hydrogel for wearable skin-like iontronics. 2021 , 9, 4692-4699	7
355	Gallium-Enhanced Aluminum and Copper Electromigration Performance for Flexible Electronics. 2021 , 13, 6960-6974	5
354	When Assembly Meets Processing: Tuning Multiscale Morphology of Printed Conjugated Polymers for Controlled Charge Transport. 2021 , 33, 469-498	12
353	Gold Nanoparticle Thin Film-Based Strain Sensors for Monitoring Human Pulse. 2021 , 4, 1712-1718	6

352	Electromechanical coupling of isotropic fibrous networks with tailored auxetic behavior induced by water-printing under tension. 2021 , 9, 4544-4553	2
351	Recent advances in stretchable field-effect transistors.	5
350	Tactile sensors based on organic field-effect transistors. 2021 , 53-66	
349	Ultra-stretchable and healable hydrogel-based triboelectric nanogenerators for energy harvesting and self-powered sensing.. 2021 , 11, 17437-17444	11
348	. 2021 , 9, 69654-69662	0
347	Conformable on-skin devices for thermo-electro-tactile stimulation: materials, design, and fabrication. 2021 , 2, 1787-1820	4
346	A multiple laser-induced hybrid electrode for flexible triboelectric nanogenerators. 2021 , 5, 3737-3743	5
345	Phase change mediated mechanically transformative dynamic gel for intelligent control of versatile devices. 2021 , 8, 1230-1241	15
344	Bio-memristors based on silk fibroin. 2021 , 8, 3281-3294	3
343	Stretchable transistors and functional circuits for human-integrated electronics. 2021 , 4, 17-29	49
342	Highly Stable Contact Doping in Organic Field Effect Transistors by Dopant-Blockade Method. 2020 , 30, 2000058	17
341	Wearable Sensors-Enabled HumanMachine Interaction Systems: From Design to Application. 2021 , 31, 2008936	79
340	Bioinspired Prosthetic Interfaces. 2020 , 5, 1900856	21
339	Strategies to Improve Neural Electrode Performance. 2020 , 173-199	1
338	Flexible and Printed Electronics. 2017 , 813-854	2
337	Soft Tactile Sensors for Human-Machine Interaction. 2015 , 317-355	2
336	Robotic tactile perception of object properties: A review. 2017 , 48, 54-67	161
335	Soft robotic structures by smart encapsulation of electronic devices. 2020 , 52, 277-282	2

334	Organic and Amorphous-Metal-Oxide Flexible Analogue Electronics. 2018 ,	18
333	Bioinspired Structures and Design. 2020 ,	1
332	Achieving High-Resolution Electrohydrodynamic Printing of Nanowires on Elastomeric Substrates through Surface Modification. 2021 , 3, 192-202	11
331	Wireless battery-free body sensor networks using near-field-enabled clothing. 2020 , 11, 444	85
330	An Improved Fabrication Technique for the 3-D Frequency Selective Surface based on Water Transfer Printing Technology. 2020 , 10, 1714	12
329	A 2D approach to surface-tension-confined fluidics on parylene C. 2017 , 7, 15964-15970	8
328	A flexible organic inverter made from printable materials for synergistic ammonia sensing. 2017 , 5, 6506-6511	10
327	Organic electronics Axon-Hillock neuromorphic circuit: towards biologically compatible, and physically flexible, integrate-and-fire spiking neural networks. 2021 , 54, 104004	7
326	Printed electronics, wearable technology. 2016 , 3, 030101	1
325	Inkjet-printed Ti3C2Tx MXene electrodes for multimodal cutaneous biosensing. 2020 , 3, 044004	10
324	Advances in mechanical characterization of 1D and 2D nanomaterials: progress and prospects. 2020 , 1, 022001	6
323	Predictive modeling of nanoscale domain morphology in solution-processed organic thin films. 2017 , 1,	2
322	Inkjet-printed, intrinsically stretchable conductors and interconnects. 2017 ,	2
321	Thermal transport characteristics of human skin measured in vivo using ultrathin conformal arrays of thermal sensors and actuators. 2015 , 10, e0118131	55
320	Graphene-based Flexible and Stretchable Bioelectronics in Health Care Systems. 2016 , 3,	2
319	Single-chip imaging system that simultaneously transmits light. 2020 , 13, 101002	2
318	The IC in the Flexible Hybrid Electronics Technology: Flexibility and Bend Testing. 2017 , 2017, 000103-000108	3
317	Improving molecular alignment and charge percolation in semiconducting polymer films with highly localized electronic states through tailored thermal annealing.	2

316	Improvement of device performance of Ph-BTBT-10 field effect transistors fabricated on HfO ₂ /alicyclic polyimide double layered gate insulator.	1
315	E-Skin Piezoresistive Pressure Sensor Combining Laser Engraving and Shrinking Polymeric Films for Health Monitoring Applications. 2021 , 8, 2100877	0
314	Systematic Control of Negative Transconductance in Organic Heterojunction Transistor for High-Performance, Low-Power Flexible Ternary Logic Circuits. 2021 , 17, e2103365	8
313	Laser fabrication of stretchable graphene supercapacitors. 2021 ,	
312	Elastomeric Nanodielectrics for Soft and Hysteresis-Free Electronics. 2021 , e2104761	1
311	Highly Sensitive Strain Sensor from Topological-Structure Modulated Dielectric Elastic Nanocomposites. 2101190	1
310	Soft wearable sensors for monitoring symptoms of COVID-19 and other respiratory diseases: a review. 2022 , 4, 012001	2
309	Recent Advances in High-Mobility and High-Stretchability Organic Field-Effect Transistors: From Materials, Devices to Applications.. 2021 , 5, e2100676	16
308	Organic Electrochemical Transistors for In Vivo Bioelectronics. 2021 , 33, e2101874	17
307	A sub-150-nanometre-thick and ultraconformable solution-processed all-organic transistor. 2021 , 12, 5842	10
306	Synthesis and characterization of phenylated phenylenediamine and bisphenol A diglycidyl ether epoxy networks. 51808	
305	Quasi-Isotropically Thermal Conductive, Highly Transparent, Insulating and Super-Flexible Polymer Films Achieved by Cross Linked 2D Hexagonal Boron Nitride Nanosheets. 2021 , 17, e2101409	8
304	Flexible organic electrochemical transistors for chemical and biological sensing. 1	4
303	Omnidirectional Tactile Profiling Using a Deformable Pressure Sensor Array Based on Localized Piezoresistivity. 2100688	1
302	Recent Progress in Flexible/Wearable Electronics. 2014 , 32, 34-42	2
301	Multi-channel Neural Signal Recording System toward Brain Science and Clinical Applications. 2015 , 22, 170-180	
300	Digital-to-Analog Converters. 2015 , 139-169	
299	Current and Future of The Electrical Circuit Technology. 2015 , 135, 626-628	

298 2.?????????????????????. **2016**, 84, 164-168

297 Measurement Technologies of Mechanical Properties of Polymers used for Flexible and Stretchable Electronic Packaging. **2016**, 23, 19-28 1

296 Organic Membrane Photonic Waveguide with Metal Grating Couplers. **2017**,

295 Direct Imaging Exposure Equipment with High Overlay Accuracy for Flexible Substrate in Roll-to-Roll Method. **2017**, 71, J230-J235

294 Ultra-Thin Organic Solar Cells with Excellent Stretchability and Durability. **2019**, 47, 147

293 Graphene, Its Analogues, and Modern Science. **2019**, 215-236

292 Fully rubbery stretchable electronics, sensors, and smart skins. **2019**,

291 Seeing pressure in color based on integration of highly sensitive pressure sensor and emission tunable light emitting diode. **2019**, 27, 35448-35467 1

290 Self-supported Materials for Flexible/Stretchable Sensors. **2020**, 269-296

289 CHAPTER 6:Graphene: Preparation and Applications. **2020**, 100-130

288 Rubber artificial skin layer with flexible structure for shape estimation of micro-undulation surfaces. **2020**, 7, 2

287 Notice of Retraction: Preparation and Electromechanical Performance Analysis of Self-healing Electrostrictive Polymer. **2020**,

286 Synthesis of Multi-functional ZnO Nanomaterials on Flexible Substrates for Flexible Electronics. **2020**, 0

285 Materials for implantable surface electrode arrays: current status and future directions. **2021**, e2107207 4

284 Quasi-Self-Aligned Organic Thin-Film Transistors in Coplanar Top-Gate Configuration. 0

283 From new materials to advanced biomedical applications of solid-state biosensor: A review. **2021**, 352, 131033 2

282 Colorless polyimides with excellent optical transparency and self-healing properties based on multi-exchange dynamic network. **2021**, 25, 101226 0

281 A soft tactile sensor featuring subcutaneous tissue structure with collagen fibers. **2021**, 35, 308-319

280	Multifunctional hybrid skin patch for wearable smart healthcare applications. 2022 , 196, 113685	10
279	CHAPTER 8:Carbon Nanotube Synthesis and Applications. 2020 , 174-213	
278	Electronic Textiles (E-Textiles): Fabric Sensors and Material-Integrated Wearable Intelligent Systems. 2021 ,	0
277	Soft and Stretchable Electronics Design. 2021 ,	
276	Research on Material and Morphological Structure of Venus Flytrap Trigger Hair. 2021 , 18, 1126-1136	0
275	Solution-processed crystalline organic integrated circuits. 2021 , 4, 3415-3443	2
274	Conductive Oxides Role in Flexible Electronic Device Applications. 2021 , 121-148	
273	BracelO. 2020 ,	
272	A stretching-insensitive, self-powered and wearable pressure sensor. 2022 , 91, 106695	5
271	Enantiopure 2-(2-ethylhexyl)dinaphtho[2,3-:2',3'-]thieno[3,2-]thiophenes: synthesis, single-crystal structure and a surprising lack of influence of stereoisomerism on thin-film structure and electronic properties. 2021 ,	0
270	Acridin-9(10H)-one-based blue thermally activated delayed fluorescence materials: improvement of color purity and efficiency stability. 2022 , 23, 100645	2
269	Biodegradable all-polymer field-effect transistors printed on Mater-Bi. 2021 , 22, 247-256	3
268	Highly Flexible Freestanding BaTiO ₃ -CoFe ₂ O ₄ Heteroepitaxial Nanostructure Self-Assembled with Room-Temperature Multiferroicity. 2021 , e2104213	1
267	Shaping the future of robotics through materials innovation. 2021 , 20, 1582-1587	17
266	High-Adhesive Flexible Electrodes and Their Manufacture: A Review.. 2021 , 12,	2
265	Skin-Inspired Healable Conductive Elastomers with Exceptional Strain-Adaptive Stiffening and Damage Tolerance.	5
264	A novel thermal-mechanical model and the characteristics of interfacial stress in the laminated structure for flexible electronics. 2022 , 55, 074004	0
263	Flexible and Wearable Ultrasound Device for Medical Applications: A Review on Materials, Structural Designs, and Current Challenges. 2100798	2

262	Flexible Plasmonic Biosensors for Healthcare Monitoring: Progress and Prospects. 2021 ,	13
261	Ultrahigh-Performance Optoelectronic Skin Based on Intrinsically Stretchable Perovskite-Polymer Heterojunction Transistors. 2021 , e2107304	7
260	Electrically Conducting Elastomeric Fibers with High Stretchability and Stability. 2021 , e2102813	0
259	Flexible Wearables for Plants. 2021 , 17, e2104482	7
258	Flexible smart sensing skin for Fly-by-Feel morphing aircraft. 1	6
257	Recent Progress in Materials Chemistry to Advance Flexible Bioelectronics in Medicine. 2021 , e2106787	5
256	Conformable microneedle pH sensors via the integration of two different siloxane polymers for mapping peripheral artery disease. 2021 , 7, eabi6290	10
255	Emerging wearable flexible sensors for sweat analysis. 2022 , 5, 64	2
254	Challenges and emerging opportunities in transistor-based ultrathin electronics: design and fabrication for healthcare applications.	1
253	Flexible, stretchable, waterproof (IPX7) electro-thermal films based on graphite nanoplatelets & polyurethane nanocomposites for wearable heaters. 2022 , 431, 133990	1
252	Self-powered pressure sensors based on triboelectric nanogenerator. 2020 ,	
251	A Flexible Electrochemical-Physiological Epidermal Hybrid Patch for Chronic Disease Management. 2020 ,	0
250	Electrochemical miniaturized devices. 2022 , 109-140	
249	Improvement of Strained Negative Bias Temperature Instability in Flexible LTPS TFTs by a Stress-Release Design. 2022 , 1-6	
248	Built-in Sensor System for Monitoring Internal Shear Strain and Stress Distribution in Soft Materials. 2022 , 10, 319-327	
247	Subthreshold Swing of 59 mV decade ⁻¹ in Nanoscale Flexible Ultralow-Voltage Organic Transistors. 2101215	3
246	Recent progress in flexible capacitive sensors: Structures and properties. 2022 ,	1
245	Designing ultratough, malleable and foldable biocomposites for robust green electronic devices. 2022 , 10, 1497-1505	1

244	Effects of Fluid Behavior on the Electrical Characteristics of Inkjet-Printed Thin-Film Transistors.	1
243	Single-crystalline silicon nanomembrane thin-film transistors with anodized aluminum oxide as a gate dielectric on rigid and flexible substrates. 2022 , 55, 175105	1
242	Printing thermoelectric inks toward next-generation energy and thermal devices. 2021 ,	6
241	Validation of theoretical analysis of surface bending strain in polymer films by surface-labeled grating method. 2022 , 12, 015324	0
240	Wearable Pressure Sensors for Pulse Wave Monitoring.. 2022 , e2109357	36
239	Designing wearable microgrids: towards autonomous sustainable on-body energy management. 2022 , 15, 82-101	11
238	Materials Engineering for Flexible Metallic Thin Film Applications.. 2022 , 15,	3
237	Highly Precise, Continuous, Long-term Monitoring of Skin Electrical Resistance by Nanomesh Electrodes.. 2022 , e2102425	2
236	Recent advances in flexible and wearable sensors for monitoring chemical molecules.. 2022 ,	6
235	The Effect of Silane Coupling Agent on the Texture and Properties of In Situ Synthesized PI/SiO Nanocomposite Film.. 2022 , 12,	
234	Carbon Black/PDMS Based Flexible Capacitive Tactile Sensor for Multi-Directional Force Sensing.. 2022 , 22,	1
233	Controllable π phase formation in poly(9,9-dioctylfluorene) by dip-coating for blue polymer light-emitting diodes. 2022 , 746, 139118	1
232	Selective recovery of gold from e-waste with 3D hierarchical porous amidoximated fabrics and its application in the reduction of 4-nitrophenol. 2022 , 194, 110006	0
231	Electronic skin based on PLLA/TFT/PVDF-TrFE array for Multi-Functional tactile sensing and visualized restoring. 2022 , 434, 134735	4
230	Experimental and modeling study of controllable laser lift-off via low-fluence multiscanning of polyimide-substrate interface. 2022 , 188, 122609	2
229	Active-Matrix Tactile Sensor Array Based on the Monolithic Integration of PvdF and Dual-Gate Transistors. 2022 ,	0
228	An Ultraflexible and Transparent Graphene-Based Wearable Sensor for Biofluid Biomarkers Detection. 2101131	2
227	Tuning Interfacial Thermal Conductance Across Metal/Organic Semiconductor Interfaces by Mixing Self-Assembled Monolayers.	1

- 226 Architecting Silk Protein and Melanin for Photoresponsive and Self-Healable Optoelectronic Skins. 2101271 0
- 225 Two different implementation strategies for highly efficient non-doped fluorescent organic light-emitting diodes based on benzothiadiazole derivatives. **2022**, 435, 135010 6
- 224 High-frequency and intrinsically stretchable polymer diodes. *Nature*, **2021**, 600, 246-252 50.4 34
- 223 GelTip tactile sensor for dexterous manipulation in clutter. **2022**, 3-21
- 222 Bio-inspired electronic eyes and synaptic photodetectors for mobile artificial vision. **2022**, 1-1 0
- 221 Highly stretchable and sensitive strain sensors with ginkgo-like sandwich architectures. **2022**, 4, 1681-1693 1
- 220 Study of Flexible Piezoresistive Sensors Based on the Hierarchical Porous Structure Cnts /Pdms Composites Material.
- 219 Advances in design and manufacture of stretchable electronics. 1
- 218 High-performance p-channel transistors on flexible substrate using direct roll transfer stamping. **2022**, 61, SC1042 3
- 217 Control Strategies for Soft Robot Systems. 2100165 5
- 216 Flexible Electronics and Devices as Human-Machine Interfaces for Medical Robotics.. **2021**, e2107902 26
- 215 Super-Assembled Hierarchical Cellulose Aerogel-Gelatin Solid Electrolyte for Implantable and Biodegradable Zinc Ion Battery. 2111406 6
- 214 Potential Applications of Organic Solar Cells. **2022**, 645-676 0
- 213 Biodegradable Elastomers and Gels for Elastic Electronics.. **2022**, e2105146 7
- 212 Soft-Hard Segment Combined Carbonized Polymer Dots for Flexible Optical Film with Superhigh Surface Hardness.. **2022**, 2
- 211 Organosoluble thermoplastic polyimide with improved thermal stability and UV absorption for temporary bonding and debonding in ultra-thin chip package. **2022**, 244, 124660 1
- 210 Bandlike versus Temperature-Independent Carrier Transport in Isomeric Diphenyldinaphtho[2,3-b:2',3'-f]thieno[3,2-b]thiophenes. **2022**, 4, 675-681 2
- 209 A Single-Mode Artificial Mechanoreceptor Combining Rapid- and Slow-Adapting Sensing.

208	Mechanical Fatigue Resistance of Polydiketopyrrolo-Pyrrole-Dithienylthieno[3,2-b]thiophene-Based Flexible Field-Effect Transistors. 2200206	
207	Luminescent High-Mobility 2D Organic Semiconductor Single Crystals. 2101281	0
206	Flexible Ceramic Film Sensors for Free-Form Devices.. 2022 , 22,	4
205	Manipulating Strain in Transistors: From Mechanically Sensitive to Insensitive. 2101288	
204	Dispenser Printed Bismuth-Based Magnetic Field Sensors with Non-Saturating Large Magnetoresistance for Touchless Interactive Surfaces. 2200227	
203	3D printed electronics: Processes, materials and future trends. 2022 , 127, 100945	11
202	A self-powered triboelectric multi-information motion monitoring sensor and its application in wireless real-time control. 2022 , 97, 107150	3
201	Growing two-dimensional single crystals of organic semiconductors on liquid surfaces. 2021 , 119, 210501	1
200	Flexible and Stretchable Strategies for Electronic Skins: Materials, Structure, and Integration. 2022 , 4, 1-26	2
199	Influence of Endcaps on the Performance of Functionalized Quinolines for p-Channel OFETs.. 2021 , e2100472	0
198	High Temperature CsPbBr ₃ Memristors Based on Hybrid Electrical and Optical Resistive Switching Effects. 2021 ,	6
197	The Secret Ingredient for Exceptional Contact-Controlled Transistors. 2101101	2
196	Laser-Processed Stretchable-Gradient Interconnection-Based Temperature Sensor for a Real-Time Monitoring System. 2021 , 3, 5601-5607	1
195	Organic Log-Domain Integrator Synapse. 2022 , 8, 2100724	1
194	Direct gold bonding for flexible integrated electronics.. 2021 , 7, eab16228	5
193	Small-Sized Deformable Shear Sensor Array for Direct Monitoring of Quantitative Shear Distribution. 2101071	0
192	RF Powered Flexible Printed Ion-sensitive Organic Field Effect Transistor Chip with Design-to-manufacturing Automation for Mobile Bio-sensing. 2021 ,	2
191	Highly Stable Nonhydroxyl Antisolvent Polymer Dielectric: A New Strategy towards High-Performance Low-Temperature Solution-Processed Ultraflexible Organic Transistors for Skin-Inspired Electronics.. 2021 , 2021, 9897353	2

- 190 Electrohydrodynamic jet printing of small-molecule semiconductor crystals on chemically patterned surface for high-performance organic field-effect transistors. **2022**, 126165 0
- 189 A new dimension for magnetosensitive e-skins: active matrix integrated micro-origami sensor arrays.. **2022**, 13, 2121 3
- 188 Synthesis and comparative study on copolyetherimides from mixed isopropylidenebis(1,4-phenylene-oxy) bis(phthalic anhydride)s. **2022**, 249, 124845
- 187 Combination of chemical foaming strategy and laser-induced graphene technology for enhanced paper-based microsupercapacitor. **2022**, 535, 231488 1
- 186 Table_1.DOCX. **2019**,
- 185 Data_Sheet_1.PDF. **2020**,
- 184 Video_1.MP4. **2020**,
- 183 Flexible Hybrid Single-Crystalline Silicon Nanomembrane Thin-Film Transistor with Organic Polymeric Polystyrene as a Gate Dielectric on a Plastic Substrate. 2
- 182 Strain-Dependent Photoacoustic Characteristics of Free-Standing Carbon-Nanocomposite Transmitters.. **2022**, 22,
- 181 Thin-film electronics on active substrates: review of materials, technologies and applications. 3
- 180 Vertically stacked, low-voltage organic ternary logic circuits including nonvolatile floating-gate memory transistors.. **2022**, 13, 2305 2
- 179 Highly stretchable organic electrochemical transistors with strain-resistant performance.. **2022**, 12
- 178 Near-Amorphous Conjugated Polymers: An Emerging Class of Semiconductors for Flexible Electronics. 1112-1123 1
- 177 Multifunctional Textile Electronic with Sensing, Energy Storing, and Electrothermal Heating Capabilities.. **2022**, 1
- 176 Self-Healing and Electrical Properties of Viscoelastic Polymer-Carbon Blends.. **2022**, e2200307
- 175 Diacetylene-Containing Dual-Functional Liquid Crystal Epoxy Resin: Strategic Phase Control for Topochemical Polymerization of Diacetylenes and Thermal Conductivity Enhancement. 1
- 174 Highly Stretchable MoS₂-Based Transistors with Opto-Synaptic Functionalities. 2200238 1
- 173 Janus-Structural AIE Nanofiber with White Light Emission and Stimuli-Response.. **2022**, e2201117 2

- 172 Mechanics and Strategies for Wrinkling Suppression: A Review. **2022**, 8, 0
- 171 Direct self-assembled monolayers treatment on the polar polymer dielectric towards ultra-flexible organic field-effect transistors. **2022**, 132495 0
- 170 Anthraquinone and its Derivatives as Sustainable Materials for Electrochemical Applications  Joint Experimental and Theoretical Investigation of the Redox Potential in Solution. 0
- 169 Bioinspired Strain Sensor Using Multiwalled Carbon Nanotube/Polyvinyl Butyral/Nylon Cloth for Wireless Sensing Applications. **2022**, 1-1 1
- 168 Functional mimicry of Ruffini receptors with fibre Bragg gratings and deep neural networks enables a bio-inspired large-area tactile-sensitive skin. **2022**, 4, 425-435 4
- 167 Active Matrix Flexible Sensory Systems: Materials, Design, Fabrication, and Integration. 2100253 2
- 166 Low-power high-mobility organic single-crystal field-effect transistor. 1
- 165 Intelligent Nanomaterials for Wearable and Stretchable Strain Sensor Applications: The Science behind Diverse Mechanisms, Fabrication Methods, and Real-Time Healthcare. **2022**, 14, 2219 1
- 164 Geometrically engineered rigid island array for stretchable electronics capable of withstanding various deformation modes. **2022**, 8, 4
- 163 1D-2D nanohybrid-based textile strain sensor to boost multiscale deformative motion sensing performance. 1
- 162 PTB7 and PTB7-Th as universal polymers to evaluate materials development aspects of organic solar cells including interfacial layers, new fullerenes, and non-fullerene electron acceptors. **2022**, 287, 117088 0
- 161 Fabricating flexible conductive structures by printing techniques and printable conductive materials. 4
- 160 PEDOT:PSS Hydrogel Gate Electrodes for OTFT Sensors. 0
- 159 Recent Advances in Resistive Sensor Technology for Tactile Perception: A Review. **2022**, 1-1 3
- 158 Stretchable Printed Circuit Board for Wireless Light-Sensing System. **2022**, 4
- 157 18.01% Efficiency organic solar cell and 2.53% light utilization efficiency semitransparent organic solar cell enabled by optimizing PM6:Y6 active layer morphology. 4
- 156 Nondestructive identification of softness via bioinspired multisensory electronic skins integrated on a robotic hand. **2022**, 6, 1
- 155 Waste Silicone Rubber in Three-Dimensional Conductive Networks as a Temperature and Movement Sensor. 1

- 154 Two-dimensional crystallization of cyclopolymers. **2022**, 254, 125051 0
- 153 Bioinspired engineering of gradient and hierarchical architecture into pressure sensors toward high sensitivity within ultra-broad working range. **2022**, 100, 107513 5
- 152 Digital light processing 3D printing of hydrogels: a minireview. 0
- 151 Neuro-inspired electronic skin for robots. **2022**, 7, 12
- 150 Facile and Scalable Synthesis of Whiskered Gold Nanosheets for Stretchable, Conductive, and Biocompatible Nanocomposites.
- 149 Three-Dimensional Printed Bimodal Electronic Skin with High Resolution and Breathability for Hair Growth. **2022**, 14, 31493-31501 1
- 148 Antimicrobial second skin using copper nanomesh. **2022**, 119, 1
- 147 Deep Learning-Enabled Detection and Classification of Bacterial Colonies Using a Thin-Film Transistor (TFT) Image Sensor. 0
- 146 Large Scale Exchange Coupled Metallic Multilayers by Roll-to-Roll (R2R) Process for Advanced Printed Magnetoelectronics. 2200190
- 145 Tandem Self-Powered Flexible Electrochromic Energy Supplier for Sustainable All-Day Operations. 2201042 1
- 144 Laser Induced Graphene/Silicon Carbide: Core-Shell Structure, Multifield Coupling Effects, and Pressure Sensor Applications. 2200441 0
- 143 Research progress in skin-like ultraflexible organic field-effect transistors. **2022**,
- 142 Recent progress in the fabrication and applications of flexible capacitive and resistive pressure sensors. **2022**, 113770 2
- 141 Recent advances in microsystem approaches for mechanical characterization of soft biological tissues. **2022**, 8,
- 140 Intrinsically stretchable polymer semiconductor based electronic skin for multiple perceptions of force, temperature, and visible light. 8
- 139 Anisotropic Band-Edge Absorption of Millimeter-Sized Zn(3-ptz)₂ Single-Crystal Metal-Organic Frameworks. **2022**, 7, 24432-24437
- 138 Organic field-effect transistors with low-temperature curable high-k hybrid gate dielectrics. **2022**, 9, 076301
- 137 Tactile sensors for Material recognition in Social and Collaborative Robots: A brief review. **2022**,

- 136 Materials for Wearable Sensors. **2022**, 2,
- 135 All-nanofiber self-powered PTFE/PA66 device for real-time breathing monitor by scalable solution blow spinning technology. **2022**, 15, 8458-8464
- 134 Palladium-assisted Metal Patterning on Polyimide Surfaces.
- 133 An organic synaptic circuit: towards flexible and biocompatible organic neuromorphic processing. 1
- 132 Pinaceae Fir Resins as Natural Dielectrics for Low Voltage Operating, Hysteresis-Free Organic Field Effect Transistors. 2200234 1
- 131 A Sub-20nm Organic/Inorganic Hybrid Dielectric for Ultralow-Power Organic Thin-Film Transistor (OTFT) With Enhanced Operational Stability. 2203165 3
- 130 Glutaraldehyde-assisted crosslinking in regenerated cellulose films toward high dielectric and mechanical properties. 0
- 129 Soft, Pressure-Tolerant, Flexible Electronic Sensors for Sensing under Harsh Environments. **2022**, 7, 2400-2409 1
- 128 Recent Advances in Stretchable and Wearable Capacitive Electrophysiological Sensors for Long-Term Health Monitoring. **2022**, 12, 630 1
- 127 Pertinence of Textile-Based Energy Harvesting System for Biomedical Applications. **2022**, 2022, 1-13 0
- 126 Interrogating the Effect of Block Sequence on Cocrystallization, Microphase Separation, and Charge Transport in All-Conjugated Triblock Copolymers. 1
- 125 Growth of Pentacene Crystals by Naphthalene Flux Method. **2022**, 7, 28618-28623
- 124 Determination of thermal and mechanical properties of SU-8 using electrothermal actuators.
- 123 Soft and Stretchable Liquid Metal/Elastomer Composite for Wearable Electronics. **2022**, 14, 38196-38204 1
- 122 Recent trends in selection of small molecules for OFET applications: A mini review. **2022**,
- 121 Challenging Bendable Organic Single Crystal and Transistor Arrays with High Mobility and Durability toward Flexible Electronics. 2203330 0
- 120 PEDOT Composite with Ionic Liquid and Its Application to Deformable Electrochemical Transistors. **2022**, 8, 534 0
- 119 Sweeping-responsive interface using the intrinsic polarity of magnetized micropillars for self-powered and high-capacity human-machine interaction. **2022**, 102, 107671

118	Topological insulators photodetectors: Preparation, advances and application challenges. 2022 , 33, 104190	1
117	Wearable and flexible electrodes in nanogenerators for energy harvesting, tactile sensors, and electronic textiles: novel materials, recent advances, and future perspectives. 2022 , 100233	2
116	PhotoElasticFinger: Robot Tactile Fingertip Based on Photoelastic Effect. 2022 , 22, 6807	0
115	Anion chemical composition of poly(ethylene oxide)-based sulfonylimide and sulfonate lithium ionomers controls ion aggregation and conduction.	0
114	Balancing the trade-off between the mechanical and electrical properties of conjugated polymer blend films for organic field-effect transistors.	0
113	Transparent and Skin-Attachable Silver Nanowire Electrodes Embedded on Dissolvable Polyurethane for Highly Conformable Wearable Electronics. 2200968	1
112	Liquid-metal micro-networks with strain-induced conductivity for soft electronics and robotic skin. 2022 , 6,	1
111	A Review of Various Attempts on Multi-Functional Encapsulation Technologies for the Reliability of OLEDs. 2022 , 13, 1478	0
110	Flexible organic transistors for neural activity recording. 2022 , 9, 031308	0
109	Mucosa-interfacing electronics.	5
108	Impact of Planar and Vertical Organic Field-Effect Transistors on Flexible Electronics. 2204804	2
107	Large-Scale Integrated Flexible Tactile Sensor Array for Sensitive Smart Robotic Touch.	4
106	Wearable, wireless, multi-sensor device for monitoring tissue circulation after free-tissue transplantation: a multicentre clinical trial. 2022 , 12,	0
105	Intrinsically stretchable and self-healable tribotronic transistor for bioinspired e-skin. 2022 , 100877	0
104	Pathway to Developing Permeable Electronics.	6
103	Versatile self-assembled electrospun micropylamid arrays for high-performance on-skin devices with minimal sensory interference. 2022 , 13,	4
102	Vertically Integrated Electronics: New Opportunities from Emerging Materials and Devices. 2022 , 14,	1
101	An ultra-sensitive wearable multifunctional flexible sensor with a self-assembled dual 3D conductive network and yeast-foamed silicone rubber foam. 2022 , 10, 22551-22560	0

100	Geometrically Curved Magnetic Field Sensors for Interactive Electronics. 2022 , 375-401	0
99	Supramolecular polyelectrolyte hydrogel based on conjoined double-networks for multifunctional applications.	0
98	Porous Dielectric Elastomer Based Flexible Multiaxial Tactile Sensor for Dexterous Robotic or Prosthetic Hands. 2200903	1
97	Chemical sensing by interfacial voltage. 2022 , 101119	0
96	Advances in Flexible Organic Photodetectors: Materials and Applications. 2022 , 12, 3775	0
95	Wide Bandgap Nanocoatings for Polymer Dielectric with Outstanding Electrical Strength. 2201824	1
94	Self-Healing Polymers for Electronics and Energy Devices.	0
93	Chemically derived graphene quantum dots for high-strain sensing. 2022 ,	0
92	Controlled Thermal Imidization of Thermoplastic Polyimide for Temporary Bonding and Debonding in Advanced Packages.	0
91	An artificial remote tactile device with 3D depth-of-field sensation. 2022 , 8,	2
90	Engineering the Comfort-of-Wear for Next Generation Wearables. 2200512	2
89	Graphene and Its Derivatives: Synthesis and Application in the Electrochemical Detection of Analytes in Sweat. 2022 , 12, 910	5
88	Large area polymer semiconductor sub-microwire arrays by coaxial focused electrohydrodynamic jet printing for high-performance OFETs. 2022 , 13,	1
87	Kraft Lignin: From Pulping Waste to Bio-Based Dielectric Polymer for Organic Field-Effect Transistors. 2200285	0
86	Bio Medical Applications of Organic Devices. 2022 , 61, 769-773	0
85	Field effect transistor-based tactile sensors: From sensor configurations to advanced applications.	0
84	Integrated Sensing Arrays Based on Organic Electrochemical Transistors. 2022 , 3, 101-115	0
83	Fully Transparent, Ultrathin Flexible Organic Electrochemical Transistors with Additive Integration for Bioelectronic Applications. 2204746	0

82	Tough-interface-enabled stretchable electronics using non-stretchable polymer semiconductors and conductors.	1
81	Strain-regulated Electronic Properties of Helical Polymer with Phenylacetylene Monomers Δ A First Principle Study.	0
80	Flexible and Implantable Polyimide Aptamer-Field-Effect Transistor Biosensors.	2
79	Curvilinear soft electronics by micromolding of metal nanowires in capillaries. 2022 , 8,	2
78	Preparation and analysis of single and hybrid metal-phthalocyanine organic phototransistors and comparison of their photoelectric properties. 2023 , 112, 106694	0
77	Phase-controllable topochemical polymerizations of liquid crystalline epoxy according to spacer length.	0
76	Highly sensitive and miniaturized wearable antenna based on MXene films for strain sensing.	1
75	Stretchable conductors for stretchable field-effect transistors and functional circuits.	0
74	Enhancing the thermal conductivity of amorphous polyimide by molecular-scale manipulation. 2023 , 184, 111775	0
73	An Organic Electrochemical Transistor Integrated Photodetector for High Quality Photoplethysmogram Signal Acquisition. 2211479	0
72	Toward Sustainable Wearable Electronic Textiles.	1
71	Microcracked conductors for wearable sensors. 2022 , 5, 717-718	0
70	Dual-function perovskite light-emitting/sensing devices for optical interactive display. 2022 , 11,	1
69	Monolithic integrated micro-supercapacitors with ultrahigh systemic volumetric performance and areal output voltage.	0
68	Surface Potential Visualization in Organic Antiambipolar Transistors Using Operando Kelvin Probe Force Microscopy for Understanding the Comprehensive Carrier Transport Mechanism. 2201857	0
67	Biodegradable Materials for Transient Organic Transistors. 2208521	0
66	Design of soft and hard active-passive composite beams. 1-16	0
65	Perovskite Piezoelectric-Based Flexible Energy Harvesters for Self-Powered Implantable and Wearable IoT Devices. 2022 , 22, 9506	1

- 64 Self-Healing Polymers and Composites for Additive Manufacturing: Materials, Properties, and Applications. **2023**, 219-248 1
- 63 Research on N,N'-carbonyldiimidazole: A novel low-temperature imidization accelerator of polyimide. 0
- 62 Multimaterial Three-Dimensional Printing of Ultraviolet-Curable Ionic Conductive Elastomers with Diverse Polymers for Multifunctional Flexible Electronics. 1
- 61 Structurally Regulated Carbazole-Pyridine Derivatives Based on Space-Crowded Theory for Efficient Narrowband Ultraviolet Nondoped Organic Light-Emitting Diodes From the High-Lying Reverse Intersystem Crossing Process. 0
- 60 Flexible Miniaturized Multispectral Detector Derived from Blade-Coated Organic Narrowband Response Unit Array. 0
- 59 Self-assembled wide bandgap nanocoatings enabled outstanding dielectric characteristics in the sandwich-like structure polymer composites. **2022**, 9, 1
- 58 Printed Organic Photovoltaic Modules on Transferable Ultra-thin Substrates as Additive Power Sources. 2200940 0
- 57 Uncovered Effects of thieno[2,3-b]thiophene Substructure in a Tetrathienoacene Backbone: Reorganization Energy and Intermolecular Interaction. 0
- 56 Cosmic Time Calibrator for Wireless Sensor Network. 0
- 55 Applications of Flexible Electronics. **2022**, 381-412 0
- 54 Bubble-blowing-inspired sub-micron thick freestanding silk films for programmable electronics. 0
- 53 Multifunctional and Washable Carbon Nanotube-Wrapped Textile Yarns for Wearable E-Textiles. **2023**, 15, 3365-3376 0
- 52 Hierarchically Flexible Polyamide Composite Films for Thermal Management and Electromagnetic Shielding. 0
- 51 Artificial Neuronal Devices Based on Emerging Materials: Neuronal Dynamics and Applications. 2205047 0
- 50 A conformable, durable, adhesive welded fiber mate for on-skin strain sensing. **2023**, 457, 141233 0
- 49 A Virtual 2D Tactile Array for Soft Actuators Using Acoustic Sensing. **2022**, 0
- 48 A substrate-less nanomesh receptor with meta-learning for rapid hand task recognition. 0
- 47 Recent Advances and Progress of Conducting Polymer-Based Hydrogels in Strain Sensor Applications. **2023**, 9, 12 0

- 46 Intrinsically Stretchable Polymer Electret for Powering Skin Electronics. **2022**, 2201670 ○
- 45 Multifunctional polymer/carbonaceous nanocomposites for aerospace applications. **2023**, 55-83 2
- 44 Flexible Vitrimers for Self-healable Triboelectric Nanogenerators. 2201670 ○
- 43 Wearable Strain Sensors: State-of-art and Future Applications. ○
- 42 Photo-Patternable Stretchable Semi-Interpenetrating Polymer Semiconductor Network Using Thiol-Ene Chemistry for Field-Effect Transistors. 2211108 ○
- 41 2D materials for flexible electronics. **2023**, 169-206 ○
- 40 Highly Stretchable Graphene Scrolls Transistors for Self-Powered Tribotronic Non-Mechanosensation Application. **2023**, 13, 528 ○
- 39 An Inverted Layer-by-Layer Process to Enable Ultrasoft MXene-Ag Nanowire Hybrid Electrode for Organic Photovoltaics. ○
- 38 A vacuum-deposited polymer dielectric for wafer-scale stretchable electronics. ○
- 37 Materials for Developing Future Flexible Electronic Device. **2023**, 517-526 ○
- 36 Evolution of nanostructured skin patches towards multifunctional wearable platforms for biomedical applications. ○
- 35 Multi-parameter e-skin based on biomimetic mechanoreceptors and stress field sensing. **2023**, 7, 101786 ○
- 34 Edible hydrogels with shrinkage tolerance in acids and stomach-friendly mechanical moduli. **2023**, 32, 101786 ○
- 33 Metal seeding growth of three-dimensional perovskite nanowire forests for high-performance stretchable photodetectors. **2023**, 111, 108386 ○
- 32 Thermal Sensing Characteristics of Low-Voltage n-Channel Organic Field-Effect Transistors With Triple Layers of Naphthalenediimide-Containing Conjugated Polymer and Gate-Insulating Polymers. **2023**, 70, 720-725 ○
- 31 Laser-Patterned Graphite-Based Strain and Temperature Sensor on Disposable Paper Cup. **2023**, 25, 101786 ○
- 30 Advances in Spinal Cord Stimulation. **2023**, 10, 185 ○
- 29 Progress in Microtopography Optimization of Polymers-Based Pressure/Strain Sensors. **2023**, 15, 764 ○

- 28 Advancements in Electronic Materials and Devices for Stretchable Displays. 2201067 ○
- 27 Emerging Trends in 2D Flexible Electronics. 2201897 ○
- 26 Enabling low-drift flexible perovskite photodetectors by electrical modulation for wearable health monitoring and weak light imaging. ○
- 25 Biphasic liquid metal mixtures in stretchable and flexible applications. **2023**, 2, 290-306 ○
- 24 Polymer Banknotes: A Review of Materials, Design, and Printing. **2023**, 15, 3736 ○
- 23 Smart Wearable Systems for Health Monitoring. **2023**, 23, 2479 1
- 22 A Fluorinated-Polyimide-Based Composite Nanofibrous Separator with Homogenized Pore Size for Wide-Temperature Lithium Metal Batteries. 2200383 ○
- 21 A Wide-Range-Response Piezoresistive/Capacitive Dual-Sensing Breathable Sensor with Spherical-Shell Network of MWCNTs for Motion Detection and Language Assistance. **2023**, 13, 843 ○
- 20 Functional nanomaterials in flexible gas sensors: recent progress and future prospects. **2023**, 29, 101428 ○
- 19 Polarization-independent transmission color sheet using 2D plasmonic metasurface embedded in elastomer nanosheet. **2023**, 16, 032004 ○
- 18 Localizing strain via micro-cage structure for stretchable pressure sensor arrays with ultralow spatial crosstalk. **2023**, 14, ○
- 17 Technology Roadmap for Flexible Sensors. **2023**, 17, 5211-5295 ○
- 16 Constructing high-performance low-temperature curable PI materials by manipulating the side group effects of diamine. **2023**, 11, 4929-4936 ○
- 15 High-performance low temperature curable copolyimides via multidimensional modulation in alkaline environment and electronic effects of monomers. **2023**, 4, 1731-1739 ○
- 14 Facile Handling of 3D Two-Photon Polymerized Microstructures by Ultra-Conformable Freestanding Polymeric Membranes. 2214409 1
- 13 Nanoarchitectonics and Applications of Gallium-Based Liquid Metal Micro- and Nanoparticles. ○
- 12 Skin-Interfaced Wearable Sweat Sensors for Precision Medicine. ○
- 11 A sweat-pH-enabled strongly adhesive hydrogel for self-powered e-skin applications. ○

- 10 Robust polyamide 66 composites with hybrid fillers for thermal management and electromagnetic shielding. o
- 9 Electronics Epidermal Tattoo [An overview. **2023**, o
- 8 Fully stretchable and skin-mountable ionic-gated organic phototransistors based on elastomeric semiconductor and dielectric. **2023**, 122, 141104 o
- 7 Nanoengineering Ultrathin Flexible Pressure Sensor with Superior Sensitivity and Perfect Conformability. o
- 6 Skin-Like Strain Sensors Based on Multiwalled Carbon Nanotube/Polydimethylsiloxane Composite Films. o
- 5 Mechanically Tunable Flexible Photonic Device for Strain Sensing Applications. **2023**, 15, 1814 o
- 4 Cosmic time calibrator for wireless sensor network. **2023**, 13, o
- 3 Skin-Inspired Ultra-Tough Supramolecular Multifunctional Hydrogel Electronic Skin for HumanMachine Interaction. **2023**, 15, o
- 2 An Ultrathin Flexible Programmable Spin Logic Device Based on SpinOrbit Torque. o
- 1 Intrinsically Healable Fabrics. o